

REINFORCE with Baseline

Shusen Wang

<http://wangshusen.github.io/>

Value Functions

- Discounted return:

$$U_t = R_t + \gamma \cdot R_{t+1} + \gamma^2 \cdot R_{t+2} + \gamma^3 \cdot R_{t+3} + \dots$$

Value Functions

- Discounted return:

$$U_t = R_t + \gamma \cdot R_{t+1} + \gamma^2 \cdot R_{t+2} + \gamma^3 \cdot R_{t+3} + \dots$$

- Action-value function:

$$Q_\pi(s_t, a_t) = \mathbb{E}[U_t \mid s_t, a_t].$$

Value Functions

- Discounted return:

$$U_t = R_t + \gamma \cdot R_{t+1} + \gamma^2 \cdot R_{t+2} + \gamma^3 \cdot R_{t+3} + \dots$$

- Action-value function:

$$Q_\pi(s_t, a_t) = \mathbb{E}[U_t \mid s_t, a_t].$$

- State-value function:

$$V_\pi(s_t) = \mathbb{E}_{\mathbf{A}}[Q_\pi(s_t, \mathbf{A}) \mid s_t].$$

Approximations to Policy Gradient

Policy Gradient

Policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} = \mathbb{E}_{A_t \sim \pi} \left[\frac{\partial \ln \pi(A_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, A_t) - V_{\pi}(s_t)) \right].$$

Policy Gradient

Policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} = \mathbb{E}_{A_t \sim \pi} \left[\frac{\partial \ln \pi(A_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, A_t) - V_{\pi}(s_t)) \right].$$
$$= \mathbf{g}(A_t)$$

Policy Gradient

Policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} = \mathbb{E}_{A_t \sim \pi} \left[\frac{\partial \ln \pi(A_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, A_t) - V_{\pi}(s_t)) \right].$$
$$= \mathbf{g}(A_t)$$

- Randomly sample $a_t \sim \pi(\cdot | s_t; \theta)$.
- Then $\mathbf{g}(a_t)$ is an unbiased estimation of the policy gradient.

Approximations

Policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} = \mathbb{E}_{A_t \sim \pi} \left[\frac{\partial \ln \pi(A_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, A_t) - V_{\pi}(s_t)) \right].$$
$$= \mathbf{g}(A_t)$$

Stochastic policy gradient:

$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, a_t) - V_{\pi}(s_t)).$$

Approximations

Stochastic policy gradient:

$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \boldsymbol{\theta})}{\partial \boldsymbol{\theta}} \cdot (Q_\pi(s_t, a_t) - V_\pi(s_t)).$$

Approximations

Stochastic policy gradient:

$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \boldsymbol{\theta})}{\partial \boldsymbol{\theta}} \cdot (Q_\pi(s_t, a_t) - V_\pi(s_t)).$$

Approximations

Stochastic policy gradient:

$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (Q_\pi(s_t, a_t) - V_\pi(s_t)).$$

- Recall that $Q_\pi(s_t, a_t) = \mathbb{E}[U_t \mid s_t, a_t]$.
- Monte Carlo approximation to $Q_\pi(s_t, a_t) \approx u_t$ (REINFORCE):

Approximations

Stochastic policy gradient:

$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (Q_\pi(s_t, a_t) - V_\pi(s_t)).$$

- Recall that $Q_\pi(s_t, a_t) = \mathbb{E}[U_t \mid s_t, a_t]$.
- Monte Carlo approximation to $Q_\pi(s_t, a_t) \approx u_t$ (REINFORCE):
 - Observing the trajectory: $s_t, a_t, r_t, s_{t+1}, a_{t+1}, r_{t+1}, \dots, s_n, a_n, r_n$.
 - Compute return: $u_t = \sum_{i=t}^n \gamma^{i-t} \cdot r_i$.
 - u_t is an unbiased estimate of $Q_\pi(s_t, a_t)$.

Approximations

Stochastic policy gradient:

$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \boldsymbol{\theta})}{\partial \boldsymbol{\theta}} \cdot (Q_\pi(s_t, a_t) - V_\pi(s_t)).$$

- Approximate $V(s; \boldsymbol{\theta})$ by the value network, $v(s; \mathbf{w})$.

Approximations

Approximate policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} \approx \mathbf{g}(a_t) \approx \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

Summary of Approximations

Approximate policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} \approx \mathbf{g}(a_t) \approx \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

- Three approximations:
 1. Approximate expectation using one sample, a_t . (Monte Carlo.)
 2. Approximate $Q_{\pi}(s_t, a_t)$ by u_t . (Another Monte Carlo.)
 3. Approximate $V_{\pi}(s)$ by the value network, $v(s; \mathbf{w})$.

Summary of Approximations

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} = \mathbb{E}_{A_t \sim \pi} \left[\frac{\partial \ln \pi(A_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, A_t) - V_{\pi}(s_t)) \right].$$



$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, a_t) - V_{\pi}(s_t)).$$

Summary of Approximations

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} = \mathbb{E}_{A_t \sim \pi} \left[\frac{\partial \ln \pi(A_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, A_t) - V_{\pi}(s_t)) \right].$$



$$\mathbf{g}(a_t) = \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (Q_{\pi}(s_t, a_t) - V_{\pi}(s_t)).$$




$$\mathbf{g}(a_t) \approx \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

Policy and Value Networks


Policy Network

Approximate policy function, $\pi(a|s)$, by policy network, $\pi(a|s; \theta)$.




Value Network

Approximate state-value, $V_{\pi}(s)$, by value network, $v(s; \mathbf{w})$.



Parameter Sharing



REINFORCE with Baseline

Updating the policy network

Approximate policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} \approx \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

- Update policy network by policy gradient ascent:

$$\theta \leftarrow \theta + \beta \cdot \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

Updating the policy network

Approximate policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} \approx \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

- Update policy network by policy gradient ascent:

$$\theta \leftarrow \theta + \beta \cdot \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot \boxed{u_t - v(s_t; \mathbf{w})}.$$

$= -\delta_t$

Updating the policy network

Approximate policy gradient:

$$\frac{\partial V_{\pi}(s_t)}{\partial \theta} \approx \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta} \cdot (u_t - v(s_t; \mathbf{w})).$$

- Update policy network by policy gradient ascent:

$$\theta \leftarrow \theta - \beta \cdot \delta_t \cdot \frac{\partial \ln \pi(a_t | s_t; \theta)}{\partial \theta}.$$

Updating the value network

- Recall $v(s_t; \mathbf{w})$ is an approximation to $V_\pi(s_t) = \mathbb{E}[U_t \mid s_t]$.

Updating the value network

- Recall $v(s_t; \mathbf{w})$ is an approximation to $V_\pi(s_t) = \mathbb{E}[U_t \mid s_t]$.
- Prediction error: $\delta_t = v(s_t; \mathbf{w}) - u_t$.

Updating the value network

- Recall $v(s_t; \mathbf{w})$ is an approximation to $V_\pi(s_t) = \mathbb{E}[U_t \mid s_t]$.
- Prediction error: $\delta_t = v(s_t; \mathbf{w}) - u_t$.
- Gradient: $\frac{\partial \delta_t^2/2}{\partial \mathbf{w}} = \delta_t \cdot \frac{\partial v(s_t; \mathbf{w})}{\partial \mathbf{w}}$.

Updating the value network

- Recall $v(s_t; \mathbf{w})$ is an approximation to $V_\pi(s_t) = \mathbb{E}[U_t \mid s_t]$.
- Prediction error: $\delta_t = v(s_t; \mathbf{w}) - u_t$.
- Gradient: $\frac{\partial \delta_t^2/2}{\partial \mathbf{w}} = \delta_t \cdot \frac{\partial v(s_t; \mathbf{w})}{\partial \mathbf{w}}$.
- Gradient descent:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \cdot \delta_t \cdot \frac{\partial v(s_t; \mathbf{w})}{\partial \mathbf{w}}.$$

Summary of Algorithm

- Play a game to the end and observe the trajectory:

$$s_1, a_1, r_1, s_2, a_2, r_2, \dots, s_n, a_n, r_n .$$

- Compute $u_t = \sum_{i=t}^n \gamma^{i-t} \cdot r_i$ and $\delta_t = v(s_t; \mathbf{w}) - u_t$.

Summary of Algorithm

- Play a game to the end and observe the trajectory:

$$s_1, a_1, r_1, s_2, a_2, r_2, \dots, s_n, a_n, r_n.$$

- Compute $u_t = \sum_{i=t}^n \gamma^{i-t} \cdot r_i$ and $\delta_t = v(s_t; \mathbf{w}) - u_t$.
- Update the policy network by:

$$\boldsymbol{\theta} \leftarrow \boldsymbol{\theta} - \beta \cdot \delta_t \cdot \frac{\partial \ln \pi(a_t | s_t; \boldsymbol{\theta})}{\partial \boldsymbol{\theta}}.$$

- Update the value network by:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \cdot \delta_t \cdot \frac{\partial v(s_t; \mathbf{w})}{\partial \mathbf{w}}.$$

Summary of Algorithm

- Play a game to the end and observe the trajectory:

$$s_1, a_1, r_1, s_2, a_2, r_2, \dots, s_n, a_n, r_n .$$

- Compute $u_t = \sum_{i=t}^n \gamma^{i-t} \cdot r_i$ and $\delta_t = v(s_t; \mathbf{w}) - u_t$.
- Update the policy network by:

$$\boldsymbol{\theta} \leftarrow \boldsymbol{\theta} - \beta \cdot \delta_t \cdot \frac{\partial \ln \pi(a_t | s_t; \boldsymbol{\theta})}{\partial \boldsymbol{\theta}} .$$

- Update the value network by:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \cdot \delta_t \cdot \frac{\partial v(s_t; \mathbf{w})}{\partial \mathbf{w}} .$$

Summary of Algorithm

- Play a game to the end and observe the trajectory:

$$s_1, a_1, r_1, s_2, a_2, r_2, \dots, s_n, a_n, r_n.$$

- Compute $u_t = \sum_{i=t}^n \gamma^{i-t} \cdot r_i$ and $\delta_t = v(s_t; \mathbf{w}) - u_t$.
- Update the policy network by:

$$\boldsymbol{\theta} \leftarrow \boldsymbol{\theta} - \beta \cdot \delta_t \cdot \frac{\partial \ln \pi(a_t | s_t; \boldsymbol{\theta})}{\partial \boldsymbol{\theta}}.$$

- Update the value network by:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \cdot \delta_t \cdot \frac{\partial v(s_t; \mathbf{w})}{\partial \mathbf{w}}.$$

Repeat this procedure for $t = 1, \dots, n$.

Thank you!

<http://wangshusen.github.io/>