Contents

1 Introduction to Web Design and HTML **4**

1.1 Core Concepts in Web Design . . . 4

1.1.1 Basic Components of the Web . . . 4

1.1.2 Basic Relationship . . . 5

1.1.3 Advantages of Website . . . 5

1.2 Website . . . 5

1.2.1 Website Structure . . . 5

1.2.1.1 Common Pages in a Website . . . 5

1.2.1.2 Types of Website Structure . . . 6

1.2.2 Types of Website . . . 6

1.2.2.1 Static Website . . . 6

1.2.2.2 Dynamic Website . . . 7

1.2.2.3 Comparison . . . 7

1.2.3 Types of Webpage Based on Location . . . 8

1.2.4 Website Classification by Purpose . . . 8

1.3 Web Browser and Search Engine . . . 9

1.3.1 Web Browser . . . 9

1.3.1.1 Functions of Web Browser . . . 9

1.3.2 Web Browsing . . . 9

1.3.2.1 Methods of Web Browsing . . . 9

1.3.3 Search Engine . . . 9

1.3.3.1 Functions of Search Engine . . . 10

1.3.4 Difference Between Browser and Search Engine . . . 10

1.4 IP Address . . . 10

1.4.1 Purpose of IP Address . . . 10

1.4.2 Types of IP Address . . . 11

1.4.2.1 Network ID and Host ID . . . 11

1.5 Domain Name and Domain Name System (DNS) . . . 11

1.5.1 Some Technical Terms . . . 12

1.5.2 Domain Registration and ICANN . . . 12

1.5.3 Types of Domain . . . 12

1.5.4 Common Top Level Domains / Generic TLDs . . . 13

1.5.5 Country Code Top Level Domains . . . 13

1.6 Web Hosting . . . 13

1.6.1 Types of Web Hosting . . . 14

1.6.1.1 Based on Platform or Operating System . . . 14

1.6.1.2 Based on Facilities . . . 14

1.6.1.3 Email Services with Hosting . . . 14

1.6.2 Difference between Domain Name and Web Hosting . . . 14

1.7 URL (Uniform Resource Locator) . . . 15

1.7.1 Components of URL . . . 15

1.8 Protocol . . . 16
1.8.1 Common Internet Protocols . . . 16
1.8.2 HTTP . . . 16
1.8.2.1 Functions of HTTP . . . 16
1.8.3 FTP . . . 16
1.8.3.1 Functions of FTP . . . 17
1.8.3.2 Types of FTP Access . . . 17
1.9 Web Communication . . . 17
1.9.1 Correct Overall Idea . . . 17
1.9.2 Website Creation Side . . . 17
1.9.3 User Access Side . . . 18
1.10 Difference between IP Address, Domain Name, DNS and URL . . . 18
1.11 HTML (HyperText Markup Language) . . . 19
1.11.1 Short History of HTML . . . 19
1.11.2 Key Characteristics . . . 20
1.11.3 Advantages of HTML . . . 20
1.11.4 Limitations of HTML . . . 20
1.12 Basic Structure of an HTML Document . . . 20
1.12.1 Skeleton Code . . . 20
1.12.2 Explanation of Parts . . . 21
1.12.3 Head Section Elements . . . 21
1.12.4 Body Section Elements . . . 21
1.13 HTML Tags . . . 22
1.13.1 Types of Tags . . . 22
1.13.2 Examples . . . 22
1.13.3 HTML Comments . . . 22
1.14 HTML Elements . . . 23
1.14.1 Structure of an Element . . . 23
1.14.2 Example . . . 23
1.15 HTML Attributes . . . 23
1.15.1 General Form . . . 24
1.15.2 Examples . . . 24
1.15.3 Common Attributes . . . 24
1.16 Headings, Paragraphs and Line Breaks . . . 24
1.16.1 Heading Elements . . . 24
1.16.2 Paragraph, Break and Horizontal Rule . . . 25
1.17 Text Formatting Tags . . . 25
1.17.1 Basic Formatting . . . 25
1.17.2 Font, Bangla Text and Marquee . . . 26
1.18 HTML Lists . . . 26
1.18.1 Ordered List (OL) . . . 26
1.18.2 Unordered List (UL) . . . 27
1.18.3 Description List (DL) . . . 27
1.19 Hyperlinks in HTML . . . 27
1.19.1 Anchor Tag . . . 28

1.19.2 Important Attributes 28
1.19.3 Target Values 28
1.20 Images in HTML 28
1.20.1 Basic Syntax 28
1.20.2 Common Attributes 29
1.21 HTML Tables 29
1.21.1 Basic Structure 29
1.21.2 Table Elements 29
1.21.3 Common Attributes 30
1.22 Final Summary of the Chapter 30

Mohammad Miadul Islam Jasim — ETE 301 — 2108053

Mohammad Miadul Islam Jasim – 2108053

Chapter – 1

Introduction to Web Design and HTML

1.1 Core Concepts in Web Design

Internet

Internet is the connection of millions of computers worldwide that allows them to communicate and share information.

World Wide Web

World Wide Web is a system of sharing information over the Internet by using hypertext documents, which are linked together and can be accessed through a web browser.

Note: The Internet is the hardware, wires and protocols: the global infrastructure. The World Wide Web is a service, like email or online gaming, that runs on top of that infrastructure.

1.1.1 Basic Components of the Web

The web works through the combined use of three main components:

1. **HTML**: A markup language used to write and structure webpages.
2. **HTTP**: The protocol used to transfer webpages between web server and browser.
3. **Web Browser**: The software that receives, interprets and displays webpage content for the user.

Hypertext document file

A hypertext document is a type of document that contains links to other documents, allowing users to navigate between them easily.

- Like images this is a file type with extension .html or .htm.
- It is made by using HTML (HyperText Markup Language).

Webpage

A webpage is a single hypertext document or page that is displayed in a web browser. It is also called a web document. It can contain text, audio, video, still images, animation, links of other webpages and other multimedia content.

Website

A website is a collection of related webpages stored under a common domain name and connected through hyperlinks.

Mohammad Minhaul Islam Jasim – 2108053

Web design

Web design is the process of planning, creating, arranging and presenting information on the World Wide Web. It includes the design of webpages, navigation system, content layout, links, images, and user interaction.

1.1.2 Basic Relationship

- A webpage is one single page.
- A website contains multiple related webpages.
- The first page shown after entering a website is called the **homepage**.
- Webpages are connected using hyperlinks.
- A web browser is used to view webpages.

Core Idea

HTML → Hypertext document files → Webpage $\xrightarrow{\text{Web Design}}$ Website → World Wide Web → Internet

1.1.3 Advantages of Website

- Information can be published and accessed easily.
- A website can be accessed from anywhere in the world.
- It is available twenty-four hours a day.
- It reduces the need for physical communication.
- It supports text, images, audio, video and links.
- Information can be updated more easily than printed documents.
- It is useful for education, business, news, communication and entertainment.

1.2 Website

1.2.1 Website Structure

Website Structure

Website structure refers to the way webpages are organized and interconnected within a website.

1.2.1.1 Common Pages in a Website

- **Home Page**: the first page displayed after entering a website. It introduces the website and usually provides links to main sections.
- **Main Section Page**: a page that represents a major topic or section of the website.
- **Subsection Page**: a page placed under a main section to present more specific information.

Mohammad Minhal Islam Jasim – 2108053

1.2.1.2 Types of Website Structure

1.2.1.2.1 Hierarchical Structure

- Pages are arranged like a tree.
- Starts from a homepage and branches into sections.
- Each section may contain sub-sections.
- Easy to manage and most commonly used.

1.2.1.2.2 Linear Structure

- Pages are connected in a sequence.
- Users move step-by-step (next or previous).
- Suitable for tutorials or guided content.

1.2.1.2.3 Network Structure

- Each page is connected with many other pages.
- No fixed navigation path.
- Provides flexibility but may confuse users.

1.2.1.2.4 Hybrid Structure

- Combination of multiple structures.
- Uses hierarchical with linear or network links.
- Most modern websites follow this model.

Summary

A good website structure improves navigation, usability, and overall performance.

1.2.2 Types of Website

1.2.2.1 Static Website

Static Website

A static website displays fixed content that does not change unless manually updated.

- Built using HTML and CSS.
- Content remains the same for all users until the source files are manually edited.
- Users cannot directly input or update information on the page.
- No database connection is normally required.
- Communication is mainly one-way: server to client.
- Faster loading speed.
- Simple to develop.

1.2.2.1.1 Advantages of Static Website

- Low development and hosting cost.
- Easy to develop, test and control.
- Loads quickly because pages are already prepared.
- More secure because there is usually no database or server-side processing.

1.2.2.1.2 Disadvantages of Static Website

- Content cannot change automatically.
- User input or update is not supported.
- Updating many pages manually can take time.
- Not suitable for large interactive services.

1.2.2.2 Dynamic Website

Dynamic Website

A dynamic website generates content dynamically based on user interaction or database.

- Uses server-side scripting such as PHP, ASP.NET, JSP or similar technologies.
- Content can change for different users.
- Runtime page content or design can change based on request, time, user or database.
- Supports database connection.
- Users can provide input and update information.
- More complex than static websites.

1.2.2.2.1 Advantages of Dynamic Website

- Supports interactive services such as login, search, comment and form submission.
- Can display different content for different users.
- Handles large amounts of information with database support.
- Easier to update common content from a central system.

1.2.2.2.2 Disadvantages of Dynamic Website

- Development and maintenance are more complex.
- Cost is higher than static websites.
- Loading may be slower because pages are generated at runtime.
- Security management is more important because input and database are involved.

1.2.2.3 Comparison

Feature	Static Website	Dynamic Website
Content	Fixed	Changeable at runtime
Update	Manual file editing	Automatic or database-driven update
User input	Not supported	Supported
Database	Not required	Usually required
Communication	Mainly server to client	Client-server interaction
Speed	Faster	Slower than static pages
Technology	HTML, CSS	PHP, ASP.NET, JSP, database
Complexity	Simple	Complex
Cost	Lower	Higher

Table 1.1: Comparison between Static and Dynamic Website

1.2.3 Types of Webpage Based on Location

- **Local Webpage**: a webpage stored and opened from the user's own computer or local storage. It can be viewed without uploading it to a web server.
- **Remote Webpage**: a webpage stored on a remote web server and accessed through the internet using a URL.

1.2.4 Website Classification by Purpose

- **Archive Site**: Stores old or important information for later use.
- **Business Site**: Presents information about a business, product or service.
- **E-commerce Site**: Supports buying and selling products or services online.
- **Community Site**: Connects people with common interests.
- **Database Site**: Provides searchable or organized data from a database.
- **Development Site**: Shares software, tools, documentation or project resources.
- **Directory Site**: Lists links, organizations, services or resources by category.
- **Download Site**: Provides files, software, documents or media for download.
- **Game Site**: Provides online games or gaming-related content.
- **Information Site**: Publishes subject-based information for readers.
- **News Site**: Publishes current news and updates.

Summary

Static websites are simple and fast, whereas dynamic websites are flexible and interactive.

1.3 Web Browser and Search Engine

1.3.1 Web Browser

Web Browser

A web browser is application software used to access, retrieve, interpret and display webpages.

A browser works like an interpreter. It receives webpage code from the web server, converts it into visual output and shows the webpage on the screen.

1.3.1.1 Functions of Web Browser

- Opens websites and webpages using a URL.
- Interprets HTML and other webpage code.
- Displays text, images, links, forms and other webpage contents.
- Helps users move from one webpage to another through hyperlinks.
- Can download information or files from websites.
- Can upload information through forms or file upload systems.
- Can use search engines when the exact web address is not known.
- Example: Google Chrome, Mozilla Firefox, Microsoft Edge, Safari, Opera.

1.3.2 Web Browsing

Web Browsing

Web browsing is the process of visiting and viewing webpages stored on different web servers through a web browser.

1.3.2.1 Methods of Web Browsing

- **Direct Browsing by URL**: The user types the known website address in the browser address bar and opens the webpage directly.
- **Browsing through Search Engine**: The user searches with keywords when the exact website address is not known.

1.3.3 Search Engine

Search Engine

A search engine is a tool that helps users find information on the internet by searching indexed webpages and showing relevant results.

A search engine collects and organizes webpage information. When a user searches with a word or phrase, it shows a list of related webpages.

Mohammad Minhaul Islam Jasim – 2108053

1.3.3.1 Functions of Search Engine

- Helps users find information when the exact website address is unknown.
- Searches indexed webpages using keywords.
- Displays related webpage links as search results.
- Helps users reach websites quickly through the result list.
- Example: Google, Bing, Yahoo, DuckDuckGo, Ask, Yandex, Baidu, WolframAlpha (computational information-based search tool).

1.3.4 Difference Between Browser and Search Engine

Aspect	Web Browser	Search Engine
Meaning	Software used to open and display webpages.	Tool used to find information and webpages on the internet.
Main Work	Reads webpage code and shows the webpage visually.	Searches indexed webpages and shows related results.
Use	Used when opening a website or viewing a webpage.	Used when the needed website or exact address is not known.
Input	URL or website address.	Keyword, phrase or question.
Examples	Google Chrome, Mozilla Firefox, Microsoft Edge, Safari, Opera.	Google, Bing, Yahoo, DuckDuckGo, Ask.

Table 1.2: Difference between Web Browser and Search Engine

Summary

A web browser opens and displays webpages, while a search engine helps find webpages and information.

1.4 IP Address

IP Address

IP Address stands for Internet Protocol Address. It is a unique numerical address used to identify a device connected to a network on the internet.

Note: An IP address works like the digital address of a device. When sender sends data to a receiver, the receiver's IP address is used to ensure that the data reaches the correct destination.

1.4.1 Purpose of IP Address

- It identifies a device in a network.
- It helps send data to the correct destination.
- It allows communication between client and server.

- It is necessary for internet-based communication.

1.4.2 Types of IP Address

There are two main types of IP addresses:

- **IPv4**: 32-bit address, with four 8-bit octets, 1 octet = 8 bits, usually written in four decimal parts.
  Example: `11000000.10101000.00000001.00000001` $\xrightarrow{\text{in decimal}}$ `192.168.1.1`
- **IPv6**: 128-bit address, with eight 16-bit words, usually written in hexadecimal format.
  Example: `2001:0db8:85a3:0000:0000:8a2e:0370:7334`

1.4.2.1 Network ID and Host ID

- The internet is a network of many networks.
- Each network has many hosts (computers, mobiles, servers etc.) in it.
- So each network and each device needs an unique identifier for communication.
- This is done by dividing the IP address into two parts: Network ID and Host ID.
  - → **Network ID**: identifies the network the device is connected to.
    Example: in `192.168.1.1`, the network ID is `192.168.1`.
  - → **Host ID**: identifies the specific device inside that network.
    Example: in `192.168.1.1`, the host ID is `1`.

Example 1.1

Q: Why is IP address required?

A: IP address is required because every device in a network must be uniquely identified. It helps data packets travel from the sender to the correct receiver.

Conclusion: Without IP addresses, devices on the internet could not communicate properly.

1.5 Domain Name and Domain Name System (DNS)

Domain Name

A **domain name** is a human-readable name used to identify a website on the internet.

Note: IP addresses are difficult for humans to remember. For this reason, domain names act as an alias for the numeric IP address.

DNS

DNS (Domain Name System) is the system that converts a readable domain name into its corresponding numeric IP address so the browser can load the resource.

The Bridge

- **IP Address** (192.168.1.1): used by computers in numeric form.

Mohammad Minhal Islam Jasim – 2108053

- **Domain Name** (*google.com*): used by humans in readable form.
- **DNS**: works like a phonebook that connects the readable name with the numeric address.

1.5.1 Some Technical Terms

- **FQDN** (Fully Qualified Domain Name): The complete domain name that identifies a specific host on the internet.
- **Subdomain**: An additional name placed before the main domain name, such as `www`.
- **Web Hosting**: The server space where website files are stored so users can access them through the internet.
- **Difference**: The *Domain* is your address; *Hosting* is the house where your data lives.

1.5.2 Domain Registration and ICANN

- **Domain Registration** is the process of reserving a domain name for use on the internet. It involves choosing a unique name and registering it with a domain registrar.
- Every registered domain name must be unique. If the same name could be registered by many people, users would not know which website to visit.
- For this reason, domain names are controlled through registration authorities.
- **ICANN** stands for "Internet Corporation for Assigned Names and Numbers".
- ICANN coordinates the global domain name and IP address system.
- Domain names are usually registered through domain registrars approved under this system.
- A registered domain gives a website a unique identity on the internet.

1.5.3 Types of Domain

- **Top Level Domain (TLD)** → The last part of a domain name. It shows the highest level/category of the domain.
  - → **gTLD (Generic TLD)** → General TLD, not tied to a country. Examples: `.com`, `.org`, `.net`
  - → **ccTLD (Country Code TLD)** → Country-based TLD. Examples: `.bd`, `.uk`, `.in`
- **Second Level Domain (SLD) / Main Domain Name** → The unique name chosen by the owner. It identifies the website or organization. Examples: `google`, `bbc`
- **Subdomain / Host Name** → A name placed before the main domain to identify a service or section. Examples: `www`, `mail`, `blog`

Example: Domain Structure

$$\underbrace{\texttt{mail}}_{\substack{\text{Subdomain}\\ \text{/ Host Name}}} \;.\; \underbrace{\texttt{google}}_{\substack{\text{Main Domain}\\ \text{/ SLD}}} \; \underbrace{\texttt{.com}}_{\substack{\text{TLD}\\ \text{gTLD}}}$$

$$\underbrace{\texttt{www}}_{\substack{\text{Subdomain}\\ \text{/ Host Name}}} \;.\; \underbrace{\texttt{bbc}}_{\substack{\text{Main Domain}\\ \text{/ SLD}}} \; \underbrace{\texttt{.co}}_{\substack{\text{Commercial}\\ \text{category}}} \; \underbrace{\texttt{.uk}}_{\substack{\text{TLD}\\ \text{ccTLD}}}$$

Mohammad Minhaul Islam Jasim – 2108053

1.5.4 Common Top Level Domains / Generic TLDs

Domain	Used For
.com	Commercial organizations
.net	Network-related services
.edu	Educational institutions
.gov	Government organizations
.org	Non-profit organizations
.mil	Military organizations
.int	International organizations
.biz	Business organizations
.info	Information-based websites

Table 1.3: Common Top Level Domains

1.5.5 Country Code Top Level Domains

Code	Country	Code	Country
.bd	Bangladesh	.cn	China
.au	Australia	.fi	Finland
.in	India	.fr	France
.br	Brazil	.hk	Hong Kong
.uk	United Kingdom	.us	United States

Table 1.4: Common Country Code Top Level Domains

1.6 Web Hosting

Web Hosting

Web hosting means storing website files on an internet-connected server so that the website can be uploaded and accessed online.

- Hosting space is usually provided by an ISP or hosting company.
- Hosting cost depends on storage space, bandwidth, server resources and support.
- Different hosting services can be obtained from hosting providers by paying rent or service charge.
- Without hosting, a website's files cannot be publicly accessed through the internet.

1.6.1 Types of Web Hosting

1.6.1.1 Based on Platform or Operating System

- **Windows Hosting**: Hosting on a Windows server. It is mainly used for websites made with ASP/ASP.NET and Microsoft SQL Server.
- **Linux Hosting**: Hosting on a Linux server. It is mainly used for websites made with PHP and MySQL.

1.6.1.2 Based on Facilities

- **Free Hosting**: Basic hosting for small personal websites. It costs little or nothing, but bandwidth, security and domain facilities are limited.
- **Shared Hosting**: Many websites share the same server resources. It is cheaper, but speed, security, email, database and bandwidth are limited.
- **Dedicated Hosting**: One website or user gets a full server. It gives better speed, security, bandwidth, database support and control, so it is suitable for large websites.
  - → **Managed Hosting**: The hosting company manages setup, software, security, maintenance and control panel support. It is easier but more costly.
  - → **Unmanaged Hosting**: The website owner manages setup, software, security and maintenance. It is cheaper but needs technical skill.
- **Collocated Hosting**: The owner keeps their own server in the hosting company's data center and uses the company's power, network and support.

1.6.1.3 Email Services with Hosting

Hosting providers may also provide domain-based email accounts, such as `info@example.com`.

- **POP** (Post Office Protocol): downloads email from the server to a client device.
- **IMAP** (Internet Message Access Protocol): keeps email on the server and synchronizes it across devices.
- **Web-based Email / Webmail**: allows users to read and send email through a web browser.

1.6.2 Difference between Domain Name and Web Hosting

Domain Name	Web Hosting
The unique readable name of a website.	The server space where website files are stored.
Must be registered with a domain registrar.	Must be rented or configured from a hosting provider.
One domain name identifies one main web address.	One hosting account may contain one or many websites, depending on the plan.
Users cannot easily reach a website without a domain name or URL.	A website cannot be publicly available without hosting.
Domain registration does not require server configuration.	Hosting requires server configuration, storage, bandwidth and control panel settings.

Mohammad Minhal Islam Jasim – 2108053

Domain Name	Web Hosting
Bandwidth is not the main issue in domain registration.	Bandwidth is an important issue in hosting.
The quality of the domain registrar is less visible to normal visitors.	The quality of the hosting provider affects speed, uptime, security and support.

Table 1.5: Difference between Domain Name and Web Hosting

1.7 URL (Uniform Resource Locator)

URL

A URL (Uniform Resource Locator) is the complete web address used to locate a resource on the internet.

Note: A URL identifies where a webpage or file is located and also tells the browser which protocol should be used to access it.

1.7.1 Components of URL

- **Protocol**: Defines the communication rule used to access the resource. Examples: `http://`, `https://`, `ftp://`
- **Domain Name**: Identifies the website or server. Example: `www.example.com`
- **Path**: Specifies the exact location of a file or page inside the server. Example: `/folder/page.html`

Structure of URL

$$\text{URL} = \text{Protocol} + \text{Domain Name} + \text{Path}$$

$$\text{URL} = \underbrace{\texttt{https://}}_{\text{Protocol}}\underbrace{\texttt{www.example.com}}_{\text{Domain Name}}\underbrace{\texttt{/folder/page.html}}_{\text{Path}}$$

Example: URL Structure

$$\underbrace{\texttt{https://}}_{\text{Protocol}}\ \underbrace{\texttt{www}}_{\substack{\text{Subdomain}\\ \text{/ Host Name}}}\ .\ \underbrace{\texttt{example}}_{\substack{\text{Main Domain}\\ \text{/ SLD}}}\ \underbrace{\texttt{.com}}_{\text{TLD}}\underbrace{\texttt{/folder/page.html}}_{\text{Path}}$$

$$\underbrace{\texttt{http://}}_{\text{Protocol}}\ \underbrace{\texttt{www}}_{\substack{\text{Subdomain}\\ \text{/ Host Name}}}\ .\underbrace{\texttt{corneliusenterprises}}_{\substack{\text{Main Domain}\\ \text{/ SLD}}}\ \underbrace{\texttt{.co}}_{\substack{\text{Commercial}\\ \text{category}}}\ \underbrace{\texttt{.uk}}_{\substack{\text{Country Code}\\ \text{TLD}}}$$

Summary

A URL gives both the access method and the location of a web resource.

Mohammad Minhaul Islam Jasim – 2108053

1.8 Protocol

Protocol

A protocol is a set of rules that controls how data is transmitted between computers on the internet.

1.8.1 Common Internet Protocols

- **HTTP** (Hyper Text Transfer Protocol): Used to transfer webpages between browser and web server.
- **FTP** (File Transfer Protocol): Used to upload and download files through the internet.
- **IP** (Internet Protocol): Handles addressing and routing so data packets reach the correct destination.
- **TCP/IP** (Transmission Control Protocol / Internet Protocol): Main protocol system used for internet communication.
- **SMTP** (Simple Mail Transfer Protocol): Used for sending email.
- **POP** (Post Office Protocol): Used for receiving or downloading email from a mail server.
- **VoIP** (Voice over Internet Protocol): Used for voice communication through the internet.

1.8.2 HTTP

HTTP

HTTP stands for Hyper Text Transfer Protocol. It is the web protocol used to exchange data between a browser and a web server.

Note: HTTP is used when a user visits or browses a webpage. The browser sends a request to the web server, and the server sends the requested webpage or resource back to the browser.

1.8.2.1 Functions of HTTP

- Creates a connection between the browser and the server.
- Sends the browser's request to the server.
- Brings the requested webpage or resource from the server to the browser.
- Disconnects the browser and server after the request-response process.

1.8.3 FTP

FTP

FTP stands for File Transfer Protocol. It is a protocol used to exchange files between computers through the internet.

Note: FTP is mainly used to upload and download files between a local computer and a remote computer or server. It is commonly used to upload website files to a hosting server.

1.8.3.1 Functions of FTP

- Transfers website files, documents, books, images, software and other normal files.
- **Download**: Receives a file from a remote computer or server to the local computer.
- **Upload**: Sends a file from the local computer to a remote computer or server.
- FTP software such as **WS-FTP** and **Fetch** can be used for upload and download.

1.8.3.2 Types of FTP Access

- **Private Access**: Requires username and password to access server files.
- **Public Access**: Allows users to access selected files without private login.

HTTP vs FTP

HTTP is used to transfer hypertext/webpage files between browser and web server. FTP is used to transfer normal files such as documents, images, software and website files between computers.

1.9 Web Communication

Web Communication

Web communication is the process of exchanging data between a client browser and a web server through the internet.

Note: The World Wide Web works on top of the internet using a client-server system. The browser works as the client, and the web server stores and sends the requested webpage or resource.

1.9.1 Correct Overall Idea

- **Internet**: The global network infrastructure that connects computers and servers.
- **World Wide Web**: A service that runs on the internet and uses webpages, hyperlinks, browsers and web servers.
- **Website Developer**: Creates website files using HTML, CSS, images, scripts and other resources.
- **Web Hosting**: Stores the website files on an internet-connected server.
- **IP Address**: The numerical address of the hosting server.
- **Domain Name**: The human-readable name registered through a domain registrar.
- **DNS**: Connects the domain name with the hosting server's IP address.
- **URL**: The complete address used by the browser to request a specific webpage or file.
- **Protocol**: The rule used for communication, such as HTTP or HTTPS.

1.9.2 Website Creation Side

1. The developer creates hypertext documents using **HTML**.
2. Other files such as CSS, images, audio, video and scripts may also be added.
3. These files are organized together as a website project or website folder.
4. The website folder is uploaded to a web hosting server.

Mohammad Minhaul Islam Jasim – 2108053

5. The hosting server has an IP address.
6. A domain name is registered through a domain registrar.
7. DNS records connect the domain name with the hosting server's IP address.

1.9.3 User Access Side

1. The user enters a URL in the web browser.
2. The browser reads the protocol, domain name and path from the URL.
3. DNS converts the domain name into the server's IP address.
4. The browser connects to the correct web server using HTTP or HTTPS.
5. The browser sends an HTTP request for the specific webpage or file.
6. The server searches for the requested HTML document or resource.
7. The server sends the requested data back as an HTTP response.
8. The browser interprets the HTML and related files.
9. The webpage is displayed on the screen.

Web Working Flow

Developer creates website files → files are uploaded to hosting server → domain name is connected to server IP through DNS → user enters URL → browser requests the file → server responds → browser displays the webpage.

1.10 Difference between IP Address, Domain Name, DNS and URL

Aspect	IP Address	Domain Name	DNS	URL

Aspect	IP Address	Domain Name	DNS	URL
Meaning	A unique numeric address used to identify a device or server on a network.	A human-readable name used to identify a website.	A system that converts a domain name into its corresponding IP address.	A complete web address used to locate a specific resource on the internet.
Main User	Computers and network devices.	Humans.	Browser and network system.	Browser and user.
Main Work	Finds the actual destination server or device.	Gives an easy readable name for a website.	Connects the domain name with the correct IP address.	Gives the access method and exact resource location.
Points To	A device or server.	A website name.	The IP address of a domain.	A webpage, file, image or resource.
Form	Numeric form.	Readable word form.	Background lookup system.	Full address with protocol, domain and path.
Example	`142.250.190.78`	`google.com`	`google.com` → `142.250.190.78`	`https://www.example.com/folder/page.html`

Table 1.6: Difference between IP Address, Domain Name, DNS and URL

1.11 HTML (HyperText Markup Language)

HTML

HTML (HyperText Markup Language) is the standard markup language used to create and structure webpages.

HTML does not perform computation; it describes the structure and content of a webpage so that a browser can render it.

1.11.1 Short History of HTML

- Tim Berners-Lee introduced HTML while working at CERN in 1990.
- HTML 2.0 was released in 1995.
- HTML 3.2 was released in January 1997.
- HTML 4 was released in December 1997.
- HTML5 is the modern version used for current web development.

1.11.2 Key Characteristics

- Uses tags to mark content.
- Works with web browsers to display pages.
- Supports text, images, links, lists, tables and forms.
- Platform independent (runs in any modern browser).

1.11.3 Advantages of HTML

- Simple and easy to learn.
- Supported by all browsers.
- Integrates with CSS and JavaScript.
- Lightweight and fast to load.
- Can be written in any simple text editor.
- Does not require a separate license to use.

1.11.4 Limitations of HTML

- Cannot create dynamic behavior by itself.
- Limited styling without CSS.
- No database interaction.
- Large pages may require many lines of code.
- Security and data processing must be handled by other technologies.

Summary

HTML defines structure; CSS handles styling; JavaScript adds interactivity.

1.12 Basic Structure of an HTML Document

HTML Document Structure

An HTML document is organized using a standard structure consisting of `<!DOCTYPE>`, `<html>`, `<head>` and `<body>`.

1.12.1 Skeleton Code

This example shows the minimum structure of a valid HTML page. The browser uses `<!DOCTYPE html>` to understand that the document follows HTML5 rules. The `head` stores page information, while the `body` stores visible content.

```
<!DOCTYPE html>
<html>
<head>
    <title>Page Title</title>
</head>
```

```
<body>
    Content goes here
</body>
</html>
```

Listing 1.1: Basic HTML Document Structure

What to notice

- The `html` element contains the whole page.
- The `title` appears in the browser tab.
- Visible page content is written inside `body`.

1.12.2 Explanation of Parts

- `<!DOCTYPE html>` declares the document type (HTML5).
- `<html>` is the root element.
- `<head>` contains metadata (title, links, scripts).
- `<title>` sets the browser tab title.
- `<body>` contains visible content.

1.12.3 Head Section Elements

The head section contains information about the document. Most of this information is not directly displayed as page content.

Element	Type	Use
`title`	Container	Sets the page title shown in the browser tab
`meta`	Empty	Stores document information such as author, charset or keywords
`link`	Empty	Connects external files such as CSS stylesheets
`base`	Empty	Sets a base URL for relative links
`style`	Container	Stores internal CSS rules
`script`	Container	Stores or connects script commands

Table 1.7: Common elements used in the HTML head section

1.12.4 Body Section Elements

The body section begins after the closing `</head>` tag. It contains the visible text, images, links, lists, tables and other contents of a webpage.

- Block-level elements organize larger parts of a page.
- Text-level elements format words or short inline content.
- The browser displays the content written inside `<body>` and `</body>`.

Summary

The `<head>` holds information about the page, while the `<body>` holds what users see.

1.13 HTML Tags

Tag

A tag is a keyword enclosed in angle brackets used to define elements in HTML.

1.13.1 Types of Tags

- **Container (Paired) Tags**: Have opening and closing parts. Example: `<p> ... </p>`
- **Empty (Unpaired) Tags**: Do not have a closing tag. Example: `<br>`, `<hr>`

In modern HTML writing, empty elements may also be written with a closing slash, such as `<br/>` or `<hr/>`. Closing paired tags properly is important because missing end tags can produce unexpected output in a browser.

1.13.2 Examples

This example compares paired tags and empty tags. A paragraph uses both opening and closing tags, but `br` and `hr` are empty elements.

```
<p>This is a paragraph</p>
<br>
<hr>
```

Listing 1.2: Paired and Empty HTML Tags

What to notice

- `p` is a container tag because it wraps content.
- `br` creates a line break without a closing tag.
- `hr` creates a horizontal line.

Summary

Tags define how content is structured and displayed in a webpage.

1.13.3 HTML Comments

Comments are used to make HTML code easier to understand. Browsers ignore comments, so they are not displayed on the webpage.

```
<!-- This is a comment -->
```

Listing 1.3: HTML Comment Syntax

What to notice

- Comments are useful for explaining code.

- Comments are visible in source code but not on the rendered webpage.

1.14 HTML Elements

Element

An HTML element consists of a start tag, content, and an end tag.

1.14.1 Structure of an Element

Formula

$$\text{Element} = \text{Start Tag} + \text{Content} + \text{End Tag}$$

1.14.2 Example

This short example shows one complete HTML element. The start tag, content, and end tag together form the element.

```
<p>Hello World</p>
```

Listing 1.4: A Complete Paragraph Element

What to notice

- The content is written between the two tags.
- The closing tag uses a slash before the tag name.
- `<p>`: Start tag
- `Hello World`: Content
- `</p>`: End tag

Summary

Tags are the markers, while elements are the complete units formed by tags and content.

1.15 HTML Attributes

Attribute

An attribute provides additional information about an HTML element and is written inside the start tag.

Mohammad Minhaul Islam Jasim – 2108053

1.15.1 General Form

Formula

<tag attribute="value">

1.15.2 Examples

This example shows how attributes add extra information to HTML elements. The `href` attribute gives a link destination, while `src` and `alt` describe an image source and fallback text.

```
<a href="https://www.example.com">Visit</a>
<img src="image.jpg" alt="Image">
```

Listing 1.5: Common HTML Attributes

What to notice

- Attributes are written inside the opening tag.
- Attribute values are usually written inside quotation marks.
- The same element can have more than one attribute.

1.15.3 Common Attributes

- `href`: defines link destination
- `src`: defines image source
- `alt`: alternative text for images
- `title`: tooltip text

Summary

Attributes modify the behavior or appearance of elements.

1.16 Headings, Paragraphs and Line Breaks

1.16.1 Heading Elements

HTML provides six levels of headings from `h1` to `h6`. They are container elements and are used to divide text into sections.

- `h1` is the largest and most important heading.
- `h6` is the smallest heading.
- Headings help readers and search engines understand document structure.

```
<h1>Main Heading</h1>
<h2>Sub Heading</h2>
<h3>Smaller Heading</h3>
```

Listing 1.6: Heading Elements

Mohammad Mizdal Islam Jasim – 2108053

What to notice

- Heading tags should be used for structure, not only for large text.
- Each heading has an opening tag and a closing tag.

1.16.2 Paragraph, Break and Horizontal Rule

The `p` tag defines a paragraph. Browsers collapse extra spaces and line breaks in source code unless specific HTML tags are used.

- `<p>...</p>` creates a paragraph.
- `<br/>` creates a line break.
- `<hr/>` creates a horizontal line.

```
<p>This is a paragraph.</p>
<p>This line has<br/>a manual break.</p>
<hr/>
```

Listing 1.7: Paragraph and Line Break

What to notice

- Pressing Enter in source code does not always create a new browser line.
- Use `br` for line breaks and `p` for paragraphs.

1.17 Text Formatting Tags

1.17.1 Basic Formatting

Tag	Purpose	Example
<b>	Bold text	`<b>Text</b>`
<i>	Italic text	`<i>Text</i>`
<u>	Underline text	`<u>Text</u>`
<sup>	Superscript	`a<sup>2</sup>`
<sub>	Subscript	`H<sub>2</sub>O`
 	Line break	`Line Next`
<hr>	Horizontal line	`<hr>`
<small>	Smaller text	`<small>Text</small>`
	Important bold text	`<strong>Text</strong>`
	Emphasized italic text	`<em>Text</em>`
<mark>	Highlighted text	`<mark>Text</mark>`
<del>	Deleted text	`<del>Text</del>`
<ins>	Inserted text	`<ins>Text</ins>`

Tag	Purpose	Example

Table 1.8: Common HTML Formatting Tags

1.17.2 Font, Bangla Text and Marquee

- The old `font` tag was used to set font face, color and size. It is exam/reference only, not modern practice.
- Modern webpages should use CSS, such as the `style` attribute or stylesheet, for font family, size and color.
- For Bangla text, Unicode with UTF-8 encoding is the correct modern method.
- Old font names such as `SutonnyMJ` may appear in older examples, but they are not recommended for modern web pages.
- The `marquee` tag creates scrolling text. It is exam/reference only, not modern practice.

```html
<p style="font-family: Arial; color: red;">
    This is styled text.
</p>
<p>Bangla Unicode text</p>
```

Listing 1.8: Modern Font Style with Unicode Text

What to notice

- CSS is preferred instead of the old `font` tag.
- UTF-8 and Unicode make Bangla text portable across modern browsers.

Summary

Formatting tags are used to control the appearance of text.

1.18 HTML Lists

HTML provides different types of lists to organize content.

1.18.1 Ordered List (OL)

Ordered List

An ordered list displays items in a numbered sequence.

This example creates a numbered list. Each list item must be written inside an `li` element.

```html
<ol>
    <li>Item 1</li>
    <li>Item 2</li>
</ol>
```

Listing 1.9: Ordered List

What to notice

- `ol` means ordered list.

- Browsers number ordered list items automatically.

1.18.2 Unordered List (UL)

Unordered List

An unordered list displays items using bullet points.

This example creates a bullet list. It is useful when the order of items is not important.

```
<ul>
    <li>Item A</li>
    <li>Item B</li>
</ul>
```

Listing 1.10: Unordered List

What to notice

- `ul` means unordered list.
- Each bullet is created by an `li` tag.

1.18.3 Description List (DL)

Description List

A description list is used to define terms and their descriptions.

This example creates a description list. It pairs a term with a short explanation.

```
<dl>
    <dt>HTML</dt>
    <dd>Markup language</dd>
</dl>
```

Listing 1.11: Description List

What to notice

- `dt` defines the term.
- `dd` gives the description of that term.

Summary

HTML lists help organize content in a structured and readable way.

1.19 Hyperlinks in HTML

Hyperlink

A hyperlink is a connection that allows navigation from one webpage to another.

1.19.1 Anchor Tag

This example creates a clickable link. The `href` attribute stores the destination address, and the text between the tags becomes clickable.

```
<a href="https://www.example.com">Visit Website</a>
```

Listing 1.12: Basic Hyperlink

What to notice

- The `a` tag creates an anchor.
- The link destination is controlled by `href`.

1.19.2 Important Attributes

- `href`: destination URL
- `target`: where to open link

1.19.3 Target Values

- `_self`: opens in same tab
- `_blank`: opens in new tab

Summary

Hyperlinks are the foundation of web navigation, connecting pages together.

1.20 Images in HTML

Image Tag

The `<img>` tag is used to display images on a webpage.

1.20.1 Basic Syntax

This example inserts an image into a webpage. The `src` attribute gives the image file path, and `alt` provides text if the image cannot load.

```
<img src="image.jpg" alt="Description">
```

Listing 1.13: Basic Image Tag

What to notice

- `img` is an empty element.
- `alt` improves accessibility and helps when the image path is wrong.

1.20.2 Common Attributes

- `src`: specifies image path
- `alt`: alternative text if image fails to load
- `width`: image width
- `height`: image height

Summary

Images enhance visual presentation and improve user experience.

1.21 HTML Tables

Table

An HTML table is used to display data in rows and columns.

1.21.1 Basic Structure

This example builds a small table using rows, header cells, and data cells. The first row contains headings, and the second row contains normal table data.

```html
<table border="1">
    <tr>
        <th>Name</th>
        <th>Age</th>
    </tr>
    <tr>
        <td>John</td>
        <td>20</td>
    </tr>
</table>
```

Listing 1.14: Basic HTML Table

What to notice

- `tr` creates a table row.
- `th` creates a heading cell.
- `td` creates a normal data cell.

1.21.2 Table Elements

- `<table>`: defines table
- `<tr>`: table row
- `<th>`: table header cell
- `<td>`: table data cell

1.21.3 Common Attributes

- `border`: defines border size
- `cellpadding`: space inside cells
- `cellspacing`: space between cells

Summary

Tables are used to present structured data clearly in rows and columns.

1.22 Final Summary of the Chapter

Chapter Overview

- Web design deals with creating and structuring websites.
- Websites are collections of interconnected webpages.
- IP address uniquely identifies devices on a network.
- Domain name provides a human-readable address.
- URL specifies the location of resources.
- HTTP controls browser-server webpage communication.
- FTP is used for uploading and downloading files.
- Website structure affects navigation and usability.
- Websites may be static, dynamic, local or remote.
- Websites can also be classified by purpose, such as business, archive, news or e-commerce sites.
- Browsers interpret webpage code, while search engines help find webpages.
- HTML is used to create webpage structure.
- HTML documents contain head and body sections.
- Tags, elements, and attributes form HTML content.
- Lists, images, links, and tables are essential HTML components.

Mohammad Minhal Islam Jasim – 2108053