

Campus Hiring Evaluation - Pre-Test Setup

Terms & Conditions

This document and the associated assessment contain confidential and proprietary information of Afford Medical Technologies Private Limited (hereinafter "**Affordmed**"). By accessing this material or participating in this assessment, you acknowledge receipt of this information for the sole purpose of evaluating your candidacy for an internship, contract, or employment with Affordmed. You hereby agree to the following:

- **Confidentiality:** You shall maintain the strict confidentiality of all information received and refrain from sharing, distributing, or disclosing any part of the information to any third party.
- **Non-Tampering:** You shall not tamper with, disrupt, or attempt to compromise any Affordmed or its vendor's cloud or software resources provided for this assessment.
- **Sole Use:** You shall use this material solely for the purpose stated herein and for no other purpose whatsoever.

Any unauthorised use, disclosure, or tampering will result in immediate disqualification from the candidacy process and may subject you to legal action. You consent to the exclusive jurisdiction of the Courts of Hyderabad/Secunderabad for any legal disputes arising from this agreement. Any reference to third parties within this document is purely coincidental and for illustrative purposes only, and does not constitute any endorsement or affiliation.

Submission Guidelines

- Create a **Public** Repository on your Github Account with your **Roll Number** as the **Repository Name**
- For Full Stack track, create the following inside the repository
 - [logging_middleware](#) folder
 - notification_system_design.md (as markdown file)
 - notification_app_be folder
 - notification_app_fe folder

Afford Medical Technologies Private Limited

B 23D 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

- .gitignore (add node_modules if js/ts is used)
- For Backend track, create the following inside the repository
 - [logging_middleware](#) folder
 - vehicle_maintenance_scheduler folder
 - notification_system_design.md (as markdown file)
 - notification_app_be folder
 - .gitignore (add node_modules if js/ts is used)
- For Frontend tracks, create the following inside the repository
 - [logging_middleware](#) folder
 - notification_system_design.md (as markdown file)
 - notification_app_be folder
 - notification_app_fe folder
 - .gitignore (add node_modules if js/ts is used)
- Ensure that your **Name**, or any mention of **Affordmed**, is entirely absent from the **Repository Name**, the README file, and all commit messages.
- For each question, submit comprehensive solutions. This includes your architecture design, complete code and clear output screenshots. Incomplete submissions will not be considered for evaluation.
- We strongly encourage you to commit and push your code to GitHub regularly, at logical milestones in your development process.
- Please adhere to production-grade coding standards. This includes employing proper naming conventions, maintaining a well-organised folder structure, and providing appropriate comments within your code to enhance readability. This is only an indicative list and you are encouraged to demonstrate other best practices that you are aware of.
- For **Backend Track** or the Backend question of **Full Stack Track**, select any Backend Framework without utilising external libraries for algorithms. Capture output screenshots from API clients like Insomnia or Postman, **displaying request body, response and response time** for the problem. The output screenshots have to be taken of API calls to your app and not the test server
- For Frontend Track or the Frontend question of Full Stack Track, it is mandatory to use **React** or **Next**. While **JavaScript** is permitted, the use of **TypeScript** is



preferred. Capture output screenshots of both mobile and desktop views of your web application. For styling, only **Material UI** or **Vanilla CSS** are permitted.

- Any instance of plagiarism, including using another applicant's API credentials, LLMs will lead to immediate rejection.

Registration

You need to register with our Test Server to obtain your unique **Client ID** and **Client Secret**.

Requirements:

- Your **Roll Number** and **Email**, must align with your university/college email and roll number. (Email must support Google Form verified submission)
- The **GitHub Repository link** you submit in the **Google Form** will be matched against the **GitHub Username** provided during registration. Any mismatch will result in your submission being ignored. If your GitHub Profile link is <https://github.com/username>, submit only **username** while Registering.
- The **accessCode** required for registration has been shared via the email you received. Do not use the example **accessCode** provided below.

Registration API (POST)

```
http://20.207.122.201/evaluation-service/register
```

Request Body

```
{
  "email": "ramkrishna@abc.edu",
  "name": "Ram Krishna",
  "mobileNo": "9999999999",
  "githubUsername": "github",
  "rollNo": "aa1bb",
  "accessCode": "xgAsNC"
}
```

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

Response

You can register only once. Do not forget to save your **clientID** and **clientSecret**; you cannot retrieve them again.

```
{
  "email": "ramkrishna@abc.edu",
  "name": "ram krishna",
  "rollNo": "aa1bb",
  "accessCode": "xgAsNC",
  "clientID": "d9cbb699-6a27-44a5-8d59-8b1bfa816da",
  "clientSecret": "tVJaaaRBSeXcRXeM"
}
```

Authentication

After successful registration, you must obtain an Authorization Token to access the Test Server APIs.

Authorization Token API (POST)

<http://20.207.122.201/evaluation-service/auth>

Request Body

```
{
  "email": "ramkrishna@abc.edu",
  "name": "ram krishna",
  "rollNo": "aa1bb",
  "accessCode": "xgAsNC",
  "clientID": "d9cbb699-6a27-44a5-8d59-8b1bfa816da",
  "clientSecret": "tVJaaaRBSeXcRXeM"
}
```

Response: (Status Code: 200)

```
{
  "token_type": "Bearer",
}
```

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

[illegible]

Develop Logging Middleware

The 'Logging Middleware' is a critical component for building robust and observable applications. While error logging is essential, we expect you to implement logging that captures the entire lifecycle of significant events within your application - from successful operations to warnings, informational messages, and debugging details. Think of logs as the narrative of your application's execution! These logs are crucial for understanding application behavior, performance, and for effective debugging.

Note: While you have flexibility in choosing your backend language/framework, the Logging Middleware must be a reusable package. If attempting the Full Stack track, both this middleware and your backend application must be developed in **TypeScript/JavaScript** to enable the logging package's consumption by the **Frontend**.

Write a reusable function that makes an API call to the Test Server each time the function is called that matches the below structure:

```
Log(stack,level,package,message)
```

Integrate this reusable Log function strategically throughout your codebase. Each Log call should provide specific and descriptive context about what's happening. Instead of generic messages, aim for logs that clearly communicate the state, actions, and any relevant data at that point in the code.

We encourage you to think critically about what information would be most valuable if you were to troubleshoot your application months from now. That's the information you should be logging!

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133.

Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

```
// If an error occurs in your application's handler due to a data type mismatch
Log("backend", "error", "handler", "received string, expected bool")

// If an error occurs in your application's db layer
Log("backend", "fatal", "db", "Critical database connection failure.")
```

The test server has the below API that you can call in your Logging Middleware

Log API (POST)

<http://20.207.122.201/evaluation-service/logs>

Constraints

- API is a protected Route
- Stack, Level and Package Fields accept only the following values (in **lower case** only)

Stack

```
"backend"
"frontend"
```

Level

```
"debug"
"info"
"warn"
"error"
"fatal"
```

Package

Packages that can only be used in Backend Application

```
"cache"
"controller"
"cron_job"
"db"
"domain"
```

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,

Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

```
"handler"  
"repository"  
"route"  
"service"
```

Packages that can be only be used in Frontend Application

```
"api"  
"component"  
"hook"  
"page"  
"state"  
"style"
```

Packages that can be used in both Backend and Frontend Application

```
"auth"  
"config"  
"middleware"  
"utils"
```

Request Body

```
{  
  "stack": "backend",  
  "level": "error",  
  "package": "handler",  
  "message": "received string, expected bool"  
}
```

Response (Status Code: 200)

```
{  
  "logID": "a4aad02e-19d0-4153-86d9-58bf55d7c402",  
  "message": "log created successfully"  
}
```

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

Campus Hiring Evaluation - Frontend

Terms & Conditions

This document and the associated assessment contain confidential and proprietary information of Afford Medical Technologies Private Limited (hereinafter "**Affordmed**"). By accessing this material or participating in this assessment, you acknowledge receipt of this information for the sole purpose of evaluating your candidacy for an internship, contract, or employment with Affordmed. You hereby agree to the following:

- **Confidentiality:** You shall maintain the strict confidentiality of all information received and refrain from sharing, distributing, or disclosing any part of the information to any third party.
- **Non-Tampering:** You shall not tamper with, disrupt, or attempt to compromise any Affordmed or its vendor's cloud or software resources provided for this assessment.
- **Sole Use:** You shall use this material solely for the purpose stated herein and for no other purpose whatsoever.

Any unauthorised use, disclosure, or tampering will result in immediate disqualification from the candidacy process and may subject you to legal action. You consent to the exclusive jurisdiction of the Courts of Hyderabad/Secunderabad for any legal disputes arising from this agreement. Any reference to third parties within this document is purely coincidental and for illustrative purposes only, and does not constitute any endorsement or affiliation.

Evaluation Considerations

Time Limit: 3 Hours (No extra time for pushing to GitHub)

- It is essential to complete all the steps listed in the [Pre-Test Setup](#) document prior to working on the below test.
- **Mandatory [Logging Integration](#):** Wherever you're tasked with writing code, your implementation **MUST** extensively use the [Logging Middleware](#) you created in the Pre-Test Setup stage. Use of inbuilt language loggers or console logging is not allowed.
- **Authentication:** For the purpose of this evaluation, assume users accessing your application/code/APIs as having been pre-authorised. Your application must not require user registration or login mechanisms for access.

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

Campus Notifications Microservice

Deliverables

- You're a developer working on a campus notification platform where students receive real-time updates regarding Placements, Events, and Results. You have to incrementally solve different tasks across stages. Each stage has clear instructions on the deliverables. You're expected to commit and push your deliverables to the same GitHub Repository that you created while implementing the [Logging Middleware](#) at frequent intervals. Direct submission of your response at the end of the test as a single commit will result in lower points for your submission.
- As you progress through the stages, you may revise your submission for the previous stages. Your submission will be evaluated across stages both individually and cumulatively.
- At different stages of the task, there may be references to other roles within the team (like frontend developer, product manager, architect, etc.) and those are provided only as imaginary roles that they shall play. At no point should you consult or discuss your strategy or submissions with your peers. This is not a team activity.

Stage 1

The campus notifications application has been running for a few weeks. You've received feedback from users that they lose track of important notifications because of the high volume of notifications. Your product manager has asked you to introduce a Priority Inbox that always displays the top 'n' most important unread notifications first (n could be top 10, 15, 20, etc. as per user's choice). Priority should be determined based on a combination of weight (placement > result > event) and recency. Implement your approach or solution in any language of your choice (Go, Rust, Python, TypeScript, JavaScript, Java etc). Write code only to find top 10 notifications (DB query is not expected). Your submission should be an actual functioning code file and not pseudo-code. You're also expected to upload screenshots of your output displaying the priority notifications. Both the code and the screenshots are to be pushed to the same GitHub repository. Also note that new notifications will keep coming in. How will you maintain the top 10 efficiently? In addition to the code and screenshots, explain your approach in a markdown file called "Notification_System_Design.md" to the same repository you created while creating the logging middleware. Label your response with "Stage 1" as heading.

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

To simplify your task, you're also provided with the below Notification API. You are expected to use the API to fetch the notifications.

Note: You need not store the notifications in a database, nor are you supposed to hard-code or create notifications yourself. You're not expected to develop an UI or frontend in this stage.

Notification API (GET)

`http://20.207.122.201/evaluation-service/notifications`

Constraints

- API is a protected Route

Response (Status Code: 200)

```
{
  "notifications": [
    {
      "ID": "d146095a-0d86-4a34-9e69-3900a14576bc",
      "Type": "Result",
      "Message": "mid-sem",
      "Timestamp": "2026-04-22 17:51:30"
    },
    {
      "ID": "b283218f-ea5a-4b7c-93a9-1f2f240d64b0",
      "Type": "Placement",
      "Message": "CSX Corporation hiring",
      "Timestamp": "2026-04-22 17:51:18"
    },
    {
      "ID": "81589ada-0ad3-4f77-9554-f52fb558e09d",
      "Type": "Event",
      "Message": "farewell",
      "Timestamp": "2026-04-22 17:51:06"
    },
    {
      "ID": "0005513a-142b-4bbc-8678-eeefec65e1ede",
      "Type": "Result",
      "Message": "mid-sem",
      "Timestamp": "2026-04-22 17:50:54"
    }
  ]
}
```

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

```
    },
    {
      "ID": "ea836726-c25e-4f21-a72f-544a6af8a37f",
      "Type": "Result",
      "Message": "project-review",
      "Timestamp": "2026-04-22 17:50:42"
    },
    {
      "ID": "003cb427-8fc6-47f7-bb00-be228f6b0d2c",
      "Type": "Result",
      "Message": "external",
      "Timestamp": "2026-04-22 17:50:30"
    },
    {
      "ID": "e5c4ff20-31bf-4d40-8f02-72fda59e8918",
      "Type": "Result",
      "Message": "project-review",
      "Timestamp": "2026-04-22 17:50:18"
    },
    {
      "ID": "1cfce5ee-ad37-4894-8946-d707627176a5",
      "Type": "Event",
      "Message": "tech-fest",
      "Timestamp": "2026-04-22 17:50:06"
    },
    {
      "ID": "cf2885a6-45ac-4ba0-b548-6e9e9d4c52c8",
      "Type": "Result",
      "Message": "project-review",
      "Timestamp": "2026-04-22 17:49:54"
    },
    {
      "ID": "8a7412bd-6065-4d09-8501-a37f11cc848b",
      "Type": "Placement",
      "Message": "Advanced Micro Devices Inc. hiring",
      "Timestamp": "2026-04-22 17:49:42"
    }
  ]
}
```

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532

Stage 2

You've received a go-ahead from your software architect to implement the frontend for the application. You are to develop a responsive React/Next (Use of other non-React based frameworks is not permitted) application that displays all Notifications as well as priority Notifications (enabling display of limited top "n" notifications as well as filter on notification type) on a different page. You're expected to distinguish between new and already viewed notifications by relying on suitable frontend implementation. Submit your response as a new sub-directory within the same Github repository along with a video recording of your application's pages and functionality (both desktop and mobile views). Your React/Next application must run exclusively on <http://localhost:3000>. Care must be taken to avoid cluttering the page. The UI must prioritise user experience, with a focus on highlighting key elements of each page. Your application must adhere to all specified API and frontend requirements and general constraints, demonstrating robust error handling, high code quality, and efficient API/UI design suitable for a production environment. Use Material UI only for styling. If you are not familiar with Material UI, use native CSS. Use of ShadCN or other CSS Libraries is prohibited. Solely relying on native CSS or not using Material UI will result in lower scores.

To ease your implementation, the notifications API <http://20.207.122.201/evaluation-service/notifications> has now been expanded to include the below query parameters

Query Parameters

- "limit"
- "page"
- "notification_type"

Notification Types Supported

"Event"
"Result"
"Placement"

Afford Medical Technologies Private Limited

B 230 2nd Main Road, Sainikpuri, Hyderabad-500094, Telangana, INDIA. Phone: 91-40-27117068/27116133,
Web: www.affordmed.com, E-mail: contact@affordmed.com, CIN: U72200TG2007PTC056067, URN: UDYAM-TS-20-0013532