

# WEB DESIGN

AHMAD FAUZAN x FARUQ AZIZ SAPUTRA

# Kurikulum

---

- Pengantar Web Design
- Definisi Umum HTML
- HTML Dasar
- HTML Form
- HTML Embedded Grafis
- Landing Page
- Definisi CSS
- **CSS Formatting Text**
- CSS Positioning
- CSS Layout Flexbox
- CSS Layout Grid
- CSS Animation
- Responsive Web Design (RWD)
- Desain RWD Eksternal

# Reward

```
export const Reward = (point) => {  
  const hadiah = []  
  if (point >= 750) {  
    hadiah[0] = "Penambahan Nilai"  
    hadiah[1] = "Mendapatkan Hadiah"  
    console.log(hadiah);  
  }  
  
  else if (point >= 500) {  
    hadiah[0] = "Penambahan Nilai"  
    console.log(hadiah);  
  }  
  
  else {  
    console.log("Tetap Semangat");  
  }  
}
```

- Tiap pertemuan akan ada penilaian berupa kuis
- Bagi mahasiswa yang aktif akan mendapatkan point
- Jika point telah mencapai 500, maka mahasiswa berhak menerima penambahan nilai
- Jika point telah mencapai 750 maka mahasiswa berhak mendapatkan hadiah

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

“Menjadi baik itu mudah dengan hanya diam, maka yang tampak adalah kebaikan. Yang sulit adalah menjadi bermanfaat karena itu butuh perjuangan.”

**- KH. Sahal Mahfudh -**

# CSS Formatting Text

Link Belajar:

<https://www.petanikode.com/html-text-formatting/>

<https://www.petanikode.com/css-text/>

# CSS Format Text

---

- Typefaces Font
- Size
- Weight
- Style
- Variant



font-family  
font-size  
font-weight  
font-style  
font-variant  
font

# Typefaces Font : font-family

---

## font-family

**Values:** *one or more font or generic font family names, separated by commas*

**Default:** depends on the browser

**Applies to:** all elements

**Inherits:** yes

Use the **font-family** property to specify a font or list of fonts (known as a **font stack**) by name, as shown in these examples:

```
body { font-family: Arial; }  
var { font-family: Courier, monospace; }  
p { font-family: "Duru Sans", Verdana, sans-serif; }
```

# Typefaces Font : font-family

---

- Menentukan jenis huruf atau font yang digunakan
- Property: font-family
- Font-family: Verdana, Arial, Helvetica □ font yang digunakan sesuai urutan support dari browser / komputer

## CSS

```
body { font-family: Times, "Times New Roman", Georgia, serif; }  
h3 { font-family: Verdana, Arial, Helvetica, sans-serif; }  
p.author { font-family: "Courier New", Courier, monospace; }
```



















## HTML

```
<h3>Origin of All</h3>  
<p class="author">by Wu Knows</p>  
<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit.  
Etiam id gravida...</p>
```



# Generic – Font Families

1. **Serif** : *Times, Times New Roman, Georgia*
2. **Sans-serif**: *Arial, Arial Black, Verdana, Trebuchet MS, Helvetica, Geneva*
3. **Monospace**: *Courier, Courier New, Andale Mono*
4. **Cursive**: *Apple Chancery, Zapf-Chancery, Comic Sans*
5. **Fantasy**: *Impact, Western, or other decorative font*

|            |   |  |   |
|------------|---|--|---|
| serif      |                                      | <br>Times                                   | <br>Georgia      |
|            |   | <br>Times New Roman                         | <br>Lucida       |
| sans-serif |                                      | <br>Verdana                                 | <br>Trebuchet MS |
|            |   | <br>Arial                                   | <br>Arial Black  |
| monospace  | <br>Monospace font<br>(equal widths) | <br>Proportional font<br>(different widths) | <br>Courier      |
|            |   |  | <br>Courier New  |
| cursive    | <br>Andale Mono                      |  |   |
|            | <br>Apple Chancery                 | <br>Comic Sans                            | <br>Snell      |
| fantasy    |   |  |   |
|            | <br>Impact                         | <br>Stencil                               | <br>Mojo       |

# Contoh : CSS - font-family

---

## HTML:

```
<body>
  <h2>Contoh CSS - Font Family</h2><br>

  <P>Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timur</P>
</body>
```

## CSS:

```
p {
  font-family: 'Courier New', Courier, monospace;
}

h1, h2, h3{
  font-family:Arial, Helvetica, sans-serif;
}
```

# Font - Size

---

## font-size

**Values:** *length unit | percentage | xx-small | x-small | small | medium | large | x-large | xx-large | smaller | larger*

**Default:** medium

**Applies to:** all elements

**Inherits:** yes

**Contoh:**

```
h1 { font-size: 1.5em; }  
  
h1 { font-size: 150%; }  
  
h1 { font-size: x-large; }  
  
strong { font-size: larger; }
```

# Unit Pengukuran

---

## Relative units

|    |    |      |      |
|----|----|------|------|
| em | ex | rem  | ch   |
| vw | vh | vmin | vmax |

## Absolute units

|    |    |    |    |
|----|----|----|----|
| px | in | mm | cm |
| q  | pt | pc |    |

**Relative Keyword:** larger - smaller

**Absolute Keyword:** xx-small, x-small, small, medium, large, x-large, xx-large

untuk memahami perbedaan (px em dan rem) silahkan baca <https://rifatnajmi.com/design/px-em-rem/>

# Contoh Implementasi Font-Size : em

## HTML:

```
<body>
  <h1>Contoh CSS - Font Siz </h2><br>
  <P>Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timu </P>
  <article>
    <h1>Pesantren IT      </h1>
    <p> Gratis
Keberadaan pesantren petik II Jombang, diharapkan menjadi solusi bagi masyarakat yang terb
atas dalam ekonomi, untuk dapat melanjutkan pendidikan yang lebih tinggi. Sehingga dapat m
eningkatkan kualitas hidupnya dari mustahiq menjadi muzakki.
    </p>
  </article>
</body>
```

## CSS:

```
p {
  font-family: 'Courier New', Courier, monospace;
}

h1{
  font-size: 2.5rem;
  font-family:Arial, Helvetica, sans-      ;
  serif
}
```

## Contoh Implementasi Font-Size : em

---

# Contoh CSS - Font Size

Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timur

## Pesantren IT Gratis

Keberadaan pesantren petik II Jombang, diharapkan menjadi solusi bagi masyarakat yang terbatas dalam ekonomi, untuk dapat melanjutkan pendidikan yang lebih tinggi. Sehingga dapat meningkatkan kualitas hidupnya dari mustahiq menjadi muzakki.

# Font - Weight

---

## font-weight

**Values:** normal | bold | bolder | lighter | 100 | 200 | 300 | 400 | 500 | 600 | 700 | 800 | 900

**Default:** normal

**Applies to:** all elements

**Inherits:** yes

### Contoh:

This is an example of the default text in Verdana.

normal | **bold** | **bolder** | lighter

100 | 200 | 300 | 400 | 500

**600** | **700** | **800** | **900**

---

This is an example of the default text in Times.

normal | **bold** | **bolder** | lighter

100 | 200 | 300 | 400 | 500

**600** | **700** | **800** | **900**



# Contoh : Font - Weight

---



```
p {  
  font-family: 'Courier New', Courier, monospace;  
}
```

```
h1 {  
  font-size: 2.5rem;  
  font-family: Arial, Helvetica, sans-serif;  
}
```

## Contoh CSS - Font Size

Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timur

## Pesantren IT Gratis

Keberadaan pesantren petik II Jombang, diharapkan menjadi solusi bagi masyarakat yang terbatas dalam ekonomi, untuk dapat melanjutkan pendidikan yang lebih tinggi. Sehingga dapat meningkatkan kualitas hidupnya dari mustahiq menjadi muzakki.



# Font - Style

---

## font-style

**Values:** normal | italic | oblique

**Default:** normal

**Applies to:** all elements

**Inherits:** yes

## font-variant

**Values:** normal | small-caps

**Default:** normal

**Applies to:** all elements

**Inherits:** yes

## font-stretch

**Values:** normal | ultra-condensed | extra-condensed | condensed |  
semi-condensed | semi-expanded | expanded | extra-expanded |  
ultra-expanded

**Default:** normal

**Applies to:** all elements

**Inherits:** yes

# Line - Height

---

## Line Height

### line-height

**Values:** *number | length measurement | percentage | normal*

**Default:** *normal*

**Applies to:** *all elements*

**Inherits:** *yes*

```
p { line-height: 2; }
```

```
p { line-height: 2em; }
```

```
p { line-height: 200%; }
```

**Fungsi Line-Height :** Mengatur jarak minimum antar text

# Line - Height

## HTML:

```
<body>
  <h1>Contoh CSS - Font Size</h2><br>
  <P class="font-jarak">
Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timur</P>
  <h2>Contoh CSS - Font Size</h2>
  <P class="font-italic">
Welcome To digital marketing class, disini kalian akan diajari Metode berbisnis secara digital.</P>
</body>
```

## CSS:

```
p {
  font-style: oblique;
  font-family: 'Courier New', Courier, monospace;
}
.font-jarak{
  line-height: 3em;
}
.font-italic {
  font-style: italic;
  font-family:'Times New Roman', Times, serif
}
h1{
  font-size: 2.5rem;
  font-family:Arial, Helvetica, sans-serif;
}
```

# Text - Indent

## text-indent

**Values:** *length measurement | percentage*

**Default:** 0

**Applies to:** block containers


**Inherits:** yes

```
p#1 { text-indent: 2em; }
```


```
p#2 { text-indent: 25%; }
```

```
p#3 { text-indent: -35px; }
```


2em

 Paragraph 1. The text-indent of text by a specified amount. You can specify a length measurement or a percentage value.

25%

 Paragraph 2. The text-indent of the first line of text by a specified amount. You can specify a length measurement or a percentage value.

-35px

 Paragraph 3. The text-indent property specifies a specified amount. You can specify a length measurement or a percentage value.

**Text - Indent** : Mengatur jarak inden awal text

# Text - Align

---

## text-align

**Values:** left | right | center | justify | start | end

**Default:** start

**Applies to:** block containers

**Inherits:** yes

|                                  |  |
|----------------------------------|--|
| <code>text-align: left</code>    | Aligns text on the left margin             |
| <code>text-align: right</code>   | Aligns text on the right margin            |
| <code>text-align: center</code>  | Centers the text in the text block         |
| <code>text-align: justify</code> | Aligns text on both right and left margins |

**Text - Align :** Mengatur posisi text

# Text - Decoration

---

## text-decoration

**Values:** none | underline | overline | line-through | blink

**Default:** none

**Applies to:** all elements

**Inherits:** no, but since lines are drawn across child elements, they may look like they are “decorated” too

**underline** Underlines the element

**overline** Draws a line over the text

**line-through** Draws a line through the text

**Text - Decoration :** Mengatur dekorasi Text



# Text - Shadow

---

## text-shadow

**Values:** *'horizontal offset' 'vertical offset' 'blur radius' 'color' | none*

**Default:** none

**Applies to:** all elements

**Inherits:** yes

**The Jenville Show**

```
text-shadow: .2em .2em silver;
```

**The Jenville Show**

```
text-shadow: -.3em -.3em silver;
```

**Text - Transform** : Mengatur bayangan dari text

# Contoh : Text



```
<body>
  <h1>Contoh CSS - Font Align Indent</h1>
  <p class="font-indent">
```

Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timur. Lorem ipsum dolor sit amet consectetur adipisicing elit. Libero perspiciatis ullam aut adipisci autem. Nihil voluptatibus quos harum eum? Est, autem assumenda. Sequi amet odio in et quibusdam saepe animi!

```
</p>
```

```

  <h2>Contoh CSS - Text Decoration</h2>
  <p class="font-line">
```

Welcome To digital marketing class, disini kalian akan diajari Metode berbisnis secara digital. Lorem ipsum dolor sit amet consectetur adipisicing elit. Culpa repudiandae quod sequi ullam quae, ad placeat blanditiis, quos et dignissimos debitis maxime harum adipisci, ipsam architecto. Dicta neque reprehenderit voluptatibus.

```
</p>
```

```

  <h2>Contoh CSS - Text Shadow</h2>
```

```
  <p class="font-shadow">Pesantren Petik II Jombang berada di Desa Plosogeneng, Kab.Jombang, Jawa Timur.</p>
</body>
```



# Contoh : Text

```
p {  
  font-family: Arial, Helvetica, sans-serif;  
}  
.font-indent {  
  text-indent: 3em;  
  text-align: justify;  
}  
.font-line {  
  text-decoration: underline;  
  font-family: 'Times New Roman', Times, serif  
}  
.font-shadow {  
  color: green;  
  font-stretch: extra-expanded;  
  text-shadow: .2em .2em silver;  
}  
h1 {  
  font-size: 2.5rem;  
  font-family: Arial, Helvetica, sans-serif;  
}
```

# Bullet & Numbering

# CSS List – Bullet & Numbering

---

## list-style-type

**Values:** none | disc | circle | square | decimal | decimal-leading-zero | lower-alpha | upper-alpha | lower-latin | upper-latin | lower-roman | upper-roman | lower-greek

**Default:** disc

**Applies to:** ul, ol, and li (or elements whose display value is list-item)

**Inherits:** yes

- disc
- radish
  - avocado
  - pomegranite
  - cucumber
  - persimmon

- circle
- radish
  - avocado
  - pomegranite
  - cucumber
  - persimmon

- square
- radish
  - avocado
  - pomegranite
  - cucumber
  - persimmon

# List Number / Huruf

| Keyword              | System  |
|----------------------|---|
| decimal              | 1, 2, 3, 4, 5...  |
| decimal-leading-zero | 01, 02, 03, 04, 05...                                     |
| lower-alpha          | a, b, c, d, e...  |
| upper-alpha          | A, B, C, D, E...  |
| lower-latin          | a, b, c, d, e... (same as lower-alpha)                    |
| upper-latin          | A, B, C, D, E... (same as upper-alpha)                    |
| lower-roman          | i, ii, iii, iv, v...                                      |
| upper-roman          | I, II, III, IV, V...                                      |
| lower-greek          | $\alpha$ , $\beta$ , $\gamma$ , $\delta$ , $\epsilon$ ... |

```
.list{
  list-style: lower-alpha;
}
```

- a. satu
- b. dua
- c. Tiga

# CSS List – Bullet Image

---

## list-style-image




**Values:** `url(location) | none`

**Default:** `none`

**Applies to:** `ul`, `ol`, and `li` (or elements whose display value is `list-item`)

**Inherits:** `yes`

```
ul {  
  list-style-type: disc;  
  list-style-image: url(/images/rainbow.gif);  
  list-style-position: outside;  
}
```

-  Puppy dogs
-  Sugar frogs
-  Kitten's baby teeth

# CSS List – Bullet Image

---

## list-style-image




**Values:** `url(location) | none`

**Default:** `none`

**Applies to:** `ul`, `ol`, and `li` (or elements whose display value is `list-item`)

**Inherits:** `yes`

```
ul {  
  list-style-type: disc;  
  list-style-image: url(/images/rainbow.gif);  
  list-style-position: outside;  
}
```

-  Puppy dogs
-  Sugar frogs
-  Kitten's baby teeth

# Color & Background

Link Belajar:

<https://www.petanikode.com/css-background/>

<https://www.petanikode.com/css-color/>



# CSS Color

## color

|             |   |        |         |
|-------------|---|--------|---------|
| Values:     | color value (name or numeric)                 |        |         |
| Default:    | depends on the browser and user's preferences |        |         |
| Applies to: | all elements                                  |        |         |
| Inherits:   | yes   |        |         |
|             | black   | white  | purple  |
|             | lime  | navy   | aqua    |
|             | silver  | maroon | fuchsia |
|             | olive   | blue   | orange  |
|             | gray  | red    | green   |
|             | yellow  | teal   |         |

|   |   |   |   |
|---|---|---|---|
|    |  |  |  |
| black<br>#000000  | gray<br>#808080   | silver<br>#C0C0C0   | white<br>#FFFFFF  |
|    |  |  |  |
| maroon<br>#800000   | red<br>#FF0000  | purple<br>#800080   | fuchsia<br>#FF00FF  |
|    |  |  |  |
| green<br>#008000  | lime<br>#00FF00   | olive<br>#808000  | yellow<br>#FFFF00   |
|    |  |  |  |
| navy<br>#000080   | blue<br>#0000FF   | teal<br>#008080   | aqua<br>#00FFFF   |
|  |   |   |   |
| orange (CSS 2.1)  |   |   |   |



# CSS Color

---

## color

- Values:** *color value (name or numeric)*
- Default:** depends on the browser and user's preferences
- Applies to:** all elements
- Inherits:** yes

```
h1 { color: gray; }  
h1 { color: #666666; }  
h1 { color: #666; }  
h1 { color: rgb(102,102,102); }
```

*Element selector*      p { color: navy; }

*Grouped selectors*      p, ul, td, th { color: navy; }

# CSS Text – Background Color

---

## background-color

**CSS** memberi warna latar belakang

**Values:** *color value (name or numeric)* | transparent

**Default:** transparent

**Applies to:** all elements

**Inherits:** no

## Contoh:

```
blockquote {  
  border: 4px dashed;  
  color: green;  
  background-color: #c6de89;  
}
```

In the latitude of central New England, cabbages are not secure from injury from frost with less than a foot of earth thrown over the heads. In mild winters a covering of half that depth will be sufficient; but as we have no prophets to foretell our mild winters, a foot of earth is safer than six inches.

# CSS Text – Background Clip

## background-clip

**Values:** border-box | padding-box | content-box

**Default:** border-box

**Applies to:** all elements

**Inherits:** no

**CSS** memberi batas dari latar belakang

## Contoh:

In the latitude of central New England, cabbages are not secure from injury from frost with less than a foot of earth thrown over the heads.

background-clip: `border-box`;

In the latitude of central New England, cabbages are not secure from injury from frost with less than a foot of earth thrown over the heads.

background-clip: `padding-box`;

In the latitude of central New England, cabbages are not secure from injury from frost with less than a foot of earth thrown over the heads.

background-clip: `content-box`;

# CSS Text – Background Clip

---

## background

**Values:** *background-color background-image background-repeat background-attachment background-position background-clip background-origin background-size*

**Default:** see individual properties

**Applies to:** all elements

**Inherits:** no

## Contoh:

```
body { background: white url(star.png) no-repeat right top fixed; }
```

**CSS** memberi background halaman : warna/image




# CSS Text – Background Clip

```
body {
  background:
    url(image1.png) left top no-repeat,
    url(image2.png) center center no-repeat,
    url(image3.png) right bottom no-repeat;
}
```




# CSS RGB Color


Gunakan fungsi RGB untuk nilai warna dengan tiga nilai argumen  
(nilai range 0 – 255 atau % 0 – 100 )




RGB: 255, 255, 255  
white



RGB: 128, 128, 128  
gray



RGB: 0, 0, 0  
black



RGB: 200, 178, 230  
pleasant lavender

```
color: rgb(200, 178, 230);
```

```
color: rgb(78%, 70%, 90%);
```


Untuk membuat RGB & Hex : <https://cssgradient.io/>

# CSS Color : Primary - Secondary

---

## Gradasi Warna : Color Material Design

1. Primary Color
2. Secondary Color
3. Light and dark variants



# CSS Color : Primary - Secondary

## Gradasi Warna : Color Material Design

1. Primary Color
2. Secondary Color
3. Light and dark variants

| Red 50 | #FFECEE |
|--------|---------|
| 100    | #FFCDD2 |
| 200    | #EF9A9A |
| 300    | #E57373 |
| 400    | #EF5350 |
| 500    | #F44336 |
| 600    | #E53935 |
| 700    | #D32F2F |
| 800    | #C62828 |
| 900    | #B71C1C |
| A100   | #FF8A80 |
| A200   | #FF5252 |
| A400   | #FF1744 |
| A700   | #D50000 |

| Pink 50 | #FCE4EC |
|---------|---------|
| 100     | #F8BBD0 |
| 200     | #F48FB1 |
| 300     | #F06292 |
| 400     | #EC407A |
| 500     | #E91E63 |
| 600     | #D81B60 |
| 700     | #C2185B |
| 800     | #AD1457 |
| 900     | #880E4F |
| A100    | #FF80AB |
| A200    | #FF4081 |
| A400    | #F50057 |
| A700    | #C51162 |

| Purple 50 | #F3E5F5 |
|-----------|---------|
| 100       | #E1BEE7 |
| 200       | #CE93D8 |
| 300       | #BA68C8 |
| 400       | #AB47BC |
| 500       | #9C27B0 |
| 600       | #8E24AA |
| 700       | #7B1FA2 |
| 800       | #6A1B9A |
| 900       | #4A148C |
| A100      | #EA80FC |
| A200      | #E040FB |
| A400      | #D500F9 |
| A700      | #AA00FF |



# Tugas Web Dev

Buatlah website tempat wisata di daerah asal kamu

| Wisata Batam                          |   |
|---------------------------------------|---|
| Pantai Melayu                         | <b>Pantai Melayu</b>  |
| Pantai Setokok                        | Pantai Melayu, sebenarnya jalan jalannya sudah Rasid lakukan di beberapa bulan yang lalu. Barulah kali ini sempat postingnya. Pantai Melayu Bareleng merupakan salah satu pantai yang berada di arah Jembatan Bareleng, kalau perjalanan dari simpang Bareleng yang di Batam kira kira 50 menit. Lumayan capek, tapi kita akan dihibur selama perjalanan dengan beberapa visual yang menarik.   |
| Pantai Piayu                          | Kebun buah naga yang lumayan luas, hutan bakau tepi pantai yang menghijau, potongan bukit bauksit, lahan pertanian yang jarang ada di pulau batam. Untuk sampai Pantai Melayu kita akan melewati beberapa jembatan ANTAR PULAU hingga 4 jembatan harus kita lewati. Untuk masuk kawasan wisata Pantai melayu ini kita harus membeli tiket 10.000 rupiah, beberapa waktu yang lalu masih 5.000 lho. Mungkin untuk penambahan personel yuk perawatan kali ya, ato biar lebih bersih lagi pantainya. |
| Pantai Nongsa                         |   |
| Pantai Marina                         |   |
| Pantai Vio Vio                        |   |
| Bareleng                              |   |
| 2016 © emerer.com All Rights Reserved |   |

# الْحَمْدُ لِلَّهِ رَبِّ الْعَالَمِينَ

“Menjadi baik itu mudah dengan hanya diam, maka yang tampak adalah kebaikan. Yang sulit adalah menjadi bermanfaat karena itu butuh perjuangan.”

**- KH. Sahal Mahfudh -**