

ActivityLifecycle:

activity_main.xml



```
<?xml version="1.0" encoding="utf-8"?>
<FrameLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">
```

```

<ImageView
    android:id="@+id/imageView"
    android:src="@drawable/bg1"
    android:layout_width="match_parent"
    android:layout_height="match_parent" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

    <TextView
        android:id="@+id/textView2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_gravity="center"
        android:fontFamily="sans-serif"
        android:layout_marginTop="50dp"
        android:textColor="@color/white"
        android:textStyle="bold"
        android:text="Activity 1"
        android:textSize="48sp" />

    <Button
        android:id="@+id/button"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_gravity="center"
        android:layout_marginTop="30dp"
        android:onClick="ToActivity2"
        android:text="To Activity 2" />

    <Button
        android:id="@+id/button3"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:onClick="CloseMainActivity"
        android:text="Close Main Activity" />
</LinearLayout>

</FrameLayout>

```

MainActivity.java

```

import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.view.View;
import android.widget.Toast;

import androidx.activity.EdgeToEdge;

```

```
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_main);
        Log.e("AAA", "On Create Main Activity");
    }

    @Override
    protected void onStart() {
        super.onStart();
        Log.e("AAA", "Start Main Activity");
        //Toast.makeText(this, "onStart", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onRestart() {
        super.onRestart();
        Log.e("AAA", "On Restart Main Activity");
        //Toast.makeText(this, "onRestart", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onResume() {
        super.onResume();
        Log.e("AAA", "onResume Main Activity");
        //Toast.makeText(this, "onResume", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onPause() {
        super.onPause();
        Log.e("AAA", "onPause Main Activity");
        //Toast.makeText(this, "onPause", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onStop() {
        super.onStop();
        Log.e("AAA", "onStop Main Activity");
        //Toast.makeText(this, "onStop", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onDestroy() {
        super.onDestroy();
        Log.e("AAA", "onDestroy Main Activity");
        //Toast.makeText(this, "onDestroy", Toast.LENGTH_LONG).show();
    }

    public void ToActivity2(View view) {

        Intent intent = new Intent(MainActivity.this, Activity2.class);
        startActivity(intent);
    }
}
```

```
}  
  
public void CloseMainActivity(View view) { finish();  
}  
}
```

activity_2.xml:



```
<?xml version="1.0" encoding="utf-8"?>  
<FrameLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    xmlns:app="http://schemas.android.com/apk/res-auto"  
    xmlns:tools="http://schemas.android.com/tools"  
    android:id="@+id/main"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"
```

```

tools:context=".Activity2">

<ImageView
    android:id="@+id/imageView2"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:srcCompat="@drawable/bg2" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">

    <TextView
        android:id="@+id/textView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="50dp"
        android:layout_gravity="center"
        android:textColor="@color/white"
        android:textStyle="bold"
        android:text="Activity 2"
        android:textSize="48sp" />

    <Button
        android:id="@+id/button2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_gravity="center"
        android:layout_marginTop="25dp"
        android:onClick="ToActivity1"
        android:text="To Activity 1" />

    <Button
        android:id="@+id/button3"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:onClick="CloseActivity2"
        android:text="Close Activity 2" />

</LinearLayout>
</FrameLayout>

```

```

Activity2.java package com.ptithcm.activitylifecycle;

import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.view.View;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

```

```

public class Activity2 extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_2);
        ViewCompat.setOnApplyWindowInsetsListener(findViewById(R.id.main),
(v, insets) -> {
            Insets systemBars =
insets.getInsets(WindowInsetsCompat.Type.systemBars());
            v.setPadding(systemBars.left, systemBars.top, systemBars.right,
systemBars.bottom);
            return insets;
        });
    }

    @Override
    protected void onStart() {
        super.onStart();
        Log.e("AAA", "Start Main Activity 2");
        //Toast.makeText(this, "onStart", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onRestart() {
        super.onRestart();
        Log.e("AAA", "On Restart Main Activity 2");
        //Toast.makeText(this, "onRestart", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onResume() {
        super.onResume();
        Log.e("AAA", "onResume Main Activity 2");
        //Toast.makeText(this, "onResume", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onPause() {
        super.onPause();
        Log.e("AAA", "onPause Main Activity 2");
        //Toast.makeText(this, "onPause", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onStop() {
        super.onStop();
        Log.e("AAA", "onStop Main Activity 2");
        //Toast.makeText(this, "onStop", Toast.LENGTH_LONG).show();
    }

    @Override
    protected void onDestroy() {
        super.onDestroy();
        Log.e("AAA", "onDestroy Main Activity 2");
        //Toast.makeText(this, "onDestroy", Toast.LENGTH_LONG).show();
    }
}

```

```
public void ToActivity1(View view) {  
    Intent intent = new Intent(Activity2.this, MainActivity.class);  
    startActivity(intent);  
}  
  
public void CloseActivity2(View view) { finish();  
}  
}
```

ava