

Index:-

```
<?php
```

```
require 'authentication.php'; // admin authentication check
```

```
// auth check
```

```
if(isset($_SESSION['admin_id'])){
```

```
    $user_id = $_SESSION['admin_id'];
```

```
    $user_name = $_SESSION['admin_name'];
```

```
    $security_key = $_SESSION['security_key'];
```

```
    if ($user_id != NULL && $security_key != NULL) {
```

```
        header('Location: task-info.php');
```

```
    }
```

```
}
```

```
if(isset($_POST['login_btn'])){
```

```
    $info = $obj_admin->admin_login_check($_POST);
```

```
}
```

```
$page_name="Login";
```

```
include("include/login_header.php");
```

```
?>
```

```
<style>
```

```
    html, body{
```

```
        height:100%;
```

```
        width:100%;
```

```
        margin:unset !important
```

```

    }
    .main{
        display:flex;
        align-items:center;
        justify-content:center;
        height:100%;
        width:100%;
        margin:unset !important
    }
</style>
<div class="col-lg-4 col-md-6 col-sm-12">
    <div class="well rounded-0" style="background:#fff !important">
        <center><h2 style="margin-top:1px;">Employee Task Management
System</h2></center>
        <form class="form-horizontal form-custom-login" action="" method="POST">
            <div class="form-heading">
                <h2 class="text-center">Login Panel</h2>
            </div>

            <!-- <div class="login-gap"></div> -->
            <?php if(isset($info)){ ?>
                <h5 class="alert alert-danger"><?php echo $info; ?></h5>
            <?php } ?>
            <div class="form-group">
                <input type="text" class="form-control rounded-0"
placeholder="Username" name="username" required/>
            </div>

            <div class="form-group" ng-class="{ 'has-error':
loginForm.password.$invalid && loginForm.password.$dirty, 'has-success':
loginForm.password.$valid}">

```

```
        <input type="password" class="form-control rounded-0"
placeholder="Password" name="admin_password" required/>

    </div>

    <button type="submit" name="login_btn" class="btn btn-info pull-
right">Login</button>

    </form>

</div>

</div>
```

Admin-manage user:-

```
<?php
```

```
include("include/footer.php");
```

```
?>
```

```
<?php
```

```
require 'authentication.php'; // admin authentication check
```

```
// auth check
```

```
$user_id = $_SESSION['admin_id'];
```

```
$user_name = $_SESSION['name'];
```

```
$security_key = $_SESSION['security_key'];
```

```
if ($user_id == NULL || $security_key == NULL) {
```

```
    header('Location: index.php');
```

```
}
```

```
// check admin
```

```
$user_role = $_SESSION['user_role'];
```

```
if($user_role != 1){
```

```
    header('Location: task-info.php');
```

```
}
```

```
if(isset($_GET['delete_user'])){\pre>
```

```
    $action_id = $_GET['admin_id'];
```

```
$task_sql = "DELETE FROM task_info WHERE t_user_id = $action_id";
```

```
$delete_task = $obj_admin->db->prepare($task_sql);
```

```
$delete_task->execute();
```

```
$attendance_sql = "DELETE FROM attendance_info WHERE atn_user_id = $action_id";
```

```
$delete_attendance = $obj_admin->db->prepare($attendance_sql);
```

```
$delete_attendance->execute();
```

```
$sql = "DELETE FROM tbl_admin WHERE user_id = :id";
```

```
$sent_po = "admin-manage-user.php";
```

```
$obj_admin->delete_data_by_this_method($sql,$action_id,$sent_po);
```

```
}
```

```
$page_name="Admin";
```

```
include("include/sidebar.php");
```

```
if(isset($_POST['add_new_employee'])){\
```

```
    $error = $obj_admin->add_new_user($_POST);
```

```
}
```

```
?>
```

```
<!--modal for employee add-->
```

```
<!-- Modal -->
```

```
<div class="modal fade" id="myModal" role="dialog">
```

```
    <div class="modal-dialog">
```

```

<!-- Modal content-->
<div class="modal-content">
  <div class="modal-header">
    <button type="button" class="close" data-dismiss="modal">&times;</button>
    <h2 class="modal-title text-center">Add Employee Info</h2>
  </div>
  <div class="modal-body">
    <div class="row">
      <div class="col-md-12">
        <?php if(isset($error)){ ?>
          <h5 class="alert alert-danger"><?php echo $error; ?></h5>
          <?php } ?>
          <form role="form" action="" method="post" autocomplete="off">
            <div class="form-horizontal">

              <div class="form-group">
                <label class="control-label text-p-reset">Fullname</label>
                <div class="">
                  <input type="text" placeholder="Enter Employee Name" name="em_fullname"
list="expense" class="form-control input-custom" id="default" required>
                </div>
              </div>
              <div class="form-group">
                <label class="control-label text-p-reset">Username</label>
                <div class="">
                  <input type="text" placeholder="Enter Employee username"
name="em_username" class="form-control input-custom" required>
                </div>
              </div>
              <div class="form-group">

```

```
<label class="control-label text-p-reset">Email</label>

<div class="">

    <input type="email" placeholder="Enter Employee Email" name="em_email"
class="form-control input-custom" required>

</div>

</div>
```

```
<div class="form-group">

</div>

<div class="form-group">

    <div class="col-sm-offset-3 col-sm-3">

        <button type="submit" name="add_new_employee" class="btn btn-primary
btn-sm rounded-0">Add Employee</button>

    </div>

    <div class="col-sm-3">

        <button type="submit" class="btn btn-default btn-sm rounded-0" data-
dismiss="modal">Cancel</button>

    </div>

</div>

</div>

</form>

</div>

</div>

</div>

</div>
```

```
<!--modal for employee add-->
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="row">
```

```
<div class="well well-custom">
```

```
<?php if(isset($error)){ ?>
```

```
<script type="text/javascript">
```

```
$('#myModal').modal('show');
```

```
</script>
```

```
<?php } ?>
```

```
<?php if($user_role == 1){ ?>
```

```
<div class="btn-group">
```

```
<button class="btn btn-primary-custom btn-menu" data-toggle="modal" data-  
target="#myModal">Add New Employee</button>
```

```
</div>
```

```
<?php } ?>
```

```
<ul class="nav nav-tabs nav-justified nav-tabs-custom">
```

```
<li><a href="manage-admin.php">Manage Admin</a></li>
```

```
<li class="active"><a href="admin-manage-user.php">Manage Employee</a></li>
```

```
</ul>
```

```
<div class="gap"></div>
```

```
<div class="table-responsive">
```



```
<table class="table table-codensed table-custom">
```

```
<thead>
```

```
<tr>
```

```
<th>Serial No.</th>
```

```
<th>Fullname</th>
```

```
<th>Email</th>
```

```
<th>Username</th>
```

```
<th>Temp Password</th>
```

```
<th>Details</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
$sql = "SELECT * FROM tbl_admin WHERE user_role = 2 ORDER BY user_id DESC";
```

```
$info = $obj_admin->manage_all_info($sql);
```

```
$serial = 1;
```

```
$num_row = $info->rowCount();
```

```
if($num_row==0){
```

```
    echo '<tr><td colspan="7">No Data found</td></tr>';
```

```
}
```

```
while( $row = $info->fetch(PDO::FETCH_ASSOC) ){
```

```
?>
```

```
<tr>
```

```
<td><?php echo $serial; $serial++; ?></td>
```

```
<td><?php echo $row['fullname']; ?></td>
```

```
<td><?php echo $row['email']; ?></td>
```

```
<td><?php echo $row['username']; ?></td>
```

```
<td><?php echo $row['temp_password']; ?></td>
```

```

        <td><a title="Update Employee" href="update-employee.php?admin_id=<?php
echo $row['user_id']; ?>"><span class="glyphicon glyphicon-
edit"></span></a>&nbsp;&nbsp;&nbsp;<a title="Delete"
href="?delete_user=delete_user&admin_id=<?php echo $row['user_id']; ?>" onclick="
return check_delete();"><span class="glyphicon glyphicon-trash"></span></a></td>

    </tr>

```

```

<?php } ?>

```

```

    </tbody>
</table>
</div>
</div>
</div>
</div>

```

```

<?php
if(isset($_SESSION['update_user_pass'])){

    echo '<script>alert("Password updated successfully");</script>';
    unset($_SESSION['update_user_pass']);
}

include("include/footer.php");

?>

```

Admin-Password-Change:-

```
<?php
```

```
require 'authentication.php'; // admin authentication check
```

```
// auth check
```

```
$user_id = $_SESSION['admin_id'];
```

```
$user_name = $_SESSION['name'];
```

```
$security_key = $_SESSION['security_key'];
```

```
if ($user_id == NULL || $security_key == NULL) {
```

```
    header('Location: index.php');
```

```
}

// check admin
$user_role = $_SESSION['user_role'];

$admin_id = $_GET['admin_id'];
if(isset($_POST['btn_admin_password'])){
    $error = $obj_admin->admin_password_change($_POST,$admin_id);
}

$page_name="Admin";
include("include/sidebar.php");

?>

<script>
function validate(admin_new_password,admin_cnew_password){
    var a = document.getElementById(admin_new_password).value;
    var b = document.getElementById(admin_cnew_password).value;
    if (a!=b) {
        alert("Passwords do not match");

    }

    return false;
}
</script>
```

```
<div class="row">
  <div class="col-md-12">
    <div class="well well-custom">
      <ul class="nav nav-tabs nav-justified nav-tabs-custom">
        <li class="active"><a href="manage-admin.php">Manage Admin</a></li>
        <li><a href="admin-manage-user.php">Manage User</a></li>
      </ul>
    <div class="gap"></div>
  <div class="row">
    <div class="col-md-10 col-md-offset-1">
      <div class="well" style="background:#fff !important">
        <h3 class="text-center bg-primary" style="padding: .5em !important">Admin -
Change Password</h3><br>
```

```
<div class="row">
  <div class="col-md-8 col-md-offset-2">

    <?php

    if(isset($error)){
      ?>
      <div class="alert alert-danger">
        <strong>Ooops!!</strong> <?php echo $error; ?>
      </div>
    <?php
```

```
}  
?>
```

```
<form class="form-horizontal" role="form" action="" method="post"  
autocomplete="off">  
  <div class="form-group">  
    <label class="control-label text-p-reset">Old Password</label>  
    <div class="">  
      <input type="password" placeholder="Enter Old Password"  
name="admin_old_password" id="admin_old_password" list="expense" class="form-control  
rounded-0" required>  
    </div>  
  </div>  
  <div class="form-group">  
    <label class="control-label text-p-reset">New Password</label>  
    <div class="">  
      <input type="password" placeholder="Enter New Password"  
name="admin_new_password" id="admin_new_password" class="form-control rounded-0"  
min="8" required>  
    </div>  
  </div>  
  <div class="form-group">  
    <label class="control-label text-p-reset">Confirm New Password</label>  
    <div class="">  
      <input type="password" placeholder="Confirm New Password"  
name="admin_cnew_password" id="admin_cnew_password" list="expense" min="8"  
class="form-control rounded-0" required>  
    </div>  
  </div>
```

```
<div class="form-group">
</div>
<div class="form-group">
  <div class="col-sm-offset-4 col-sm-3">
    <button type="submit" name="btn_admin_password" class="btn btn-
primary-custom">Change</button>
```

```

  </div>
  <div class="col-sm-3">
    <a href="manage-admin.php" class="btn btn-default">Cancel</a>
  </div>
</div>
</form>
</div>
</div>
```

```

  </div>
</div>
</div>
</div>
</div>
</div>
```

```
<?php
```

```
include("include/footer.php");
```

```
?>
```

Attendance-Infom:-

<?php

require 'authentication.php'; // admin authentication check

// auth check

\$user_id = \$_SESSION['admin_id'];

\$user_name = \$_SESSION['name'];

\$security_key = \$_SESSION['security_key'];

\$user_role = \$_SESSION['user_role'];

if (\$user_id == NULL || \$security_key == NULL) {

header('Location: index.php');

}

if(isset(\$_GET['delete_attendance'])){

\$action_id = \$_GET['aten_id'];


```
$sql = "DELETE FROM attendance_info WHERE aten_id = :id";  
$sent_po = "attendance-info.php";  
$obj_admin->delete_data_by_this_method($sql,$action_id,$sent_po);  
}
```

```
if(isset($_POST['add_punch_in'])){  
    $info = $obj_admin->add_punch_in($_POST);  
}
```

```
if(isset($_POST['add_punch_out'])){  
    $obj_admin->add_punch_out($_POST);  
}
```

```
$page_name="Attendance";  
include("include/sidebar.php");
```

```
// $info = "Hello World";
```

```
?>
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/flatpickr/dist/flatpickr.min.css">
```

```
<div class="row">
```

```
    <div class="col-md-12">
```

```
        <div class="well well-custom">
```

```
            <div class="row">
```

```
<div class="col-md-8 ">
```

```
<div class="btn-group">
```

```
<?php
```

```
$sql = "SELECT * FROM attendance_info
```

```
WHERE atn_user_id = $user_id AND out_time IS NULL";
```

```
$info = $obj_admin->manage_all_info($sql);
```

```
$num_row = $info->rowCount();
```

```
if($num_row==0){
```

```
?>
```

```
<div class="btn-group">
```

```
<form method="post" role="form" action="">
```

```
<input type="hidden" name="user_id" value="<?php echo $user_id; ?>">
```

```
<button type="submit" name="add_punch_in" class="btn btn-primary btn-lg  
rounded" >Clock In</button>
```

```
</form>
```

```
</div>
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<center><h3>Manage Attendance</h3> </center>
```

```
<div class="gap"></div>
```

```
<div class="gap"></div>
```

```
<div class="table-responsive">
```

```
<table class="table table-codensed table-custom">
```

```
<thead>
```

```
<tr>
```

```
<th>S.N.</th>
```

```
<th>Name</th>
```

```
<th>In Time</th>
```

```
<th>Out Time</th>
```

```
<th>Total Duration</th>
```

```
<th>Status</th>
```

```
<?php if($user_role == 1){ ?>
```

```
<th>Action</th>
```

```
<?php } ?>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
if($user_role == 1){
```

```
    $sql = "SELECT a.*, b.fullname
```

```
    FROM attendance_info a
```

```
    LEFT JOIN tbl_admin b ON(a.atn_user_id = b.user_id)
```

```
    ORDER BY a.aten_id DESC";
```

```
}else{
```

```

$sql = "SELECT a.*, b.fullname
FROM attendance_info a
LEFT JOIN tbl_admin b ON(a.atn_user_id = b.user_id)
WHERE atn_user_id = $user_id
ORDER BY a.aten_id DESC";

}

$info = $obj_admin->manage_all_info($sql);
$serial = 1;
$num_row = $info->rowCount();
if($num_row==0){
    echo '<tr><td colspan="7">No Data found</td></tr>';
}

while( $row = $info->fetch(PDO::FETCH_ASSOC) ){
?>
<tr>
<td><?php echo $serial; $serial++; ?></td>
<td><?php echo $row['fullname']; ?></td>
<td><?php echo $row['in_time']; ?></td>
<td><?php echo $row['out_time']; ?></td>
<td><?php
if($row['total_duration'] == null){
    $date = new DateTime('now', new DateTimeZone('Asia/Manila'));
    $current_time = $date->format('d-m-Y H:i:s');

    $dteStart = new DateTime($row['in_time']);
    $dteEnd = new DateTime($current_time);

```

```

        $dteDiff = $dteStart->diff($dteEnd);
        echo $dteDiff->format("%H:%I:%S");
    }else{
        echo $row['total_duration'];
    }

```

```

?></td>

```

```

<?php if($row['out_time'] == null){ ?>

```

```

<td>

```

```

    <form method="post" role="form" action="">

```

```

        <input type="hidden" name="punch_in_time" value="<?php echo
$row['in_time']; ?>">

```

```

        <input type="hidden" name="aten_id" value="<?php echo $row['aten_id']; ?>">

```

```

        <button type="submit" name="add_punch_out" class="btn btn-danger btn-xs
rounded" >Clock Out</button>

```

```

    </form>

```

```

</td>

```

```

<?php }else{ ?>

```

```

<td class="text-center">

```

```

    -----

```

```

</td>

```

```

<?php } ?>

```

```

<?php if($user_role == 1){ ?>

```

```

<td>

```

```

    <a title="Delete" href="?delete_attendance=delete_attendance&aten_id=<?php
echo $row['aten_id']; ?>" onclick=" return check_delete();"><span class="glyphicon
glyphicon-trash"></span></a>

```

```

</td>

```

```

<?php }else{ ?>

```

<td>

</td>

<?php } ?>

</tr>

<?php } ?>

</tbody>

</table>

</div>

</div>

</div>

</div>

<?php

include("include/footer.php");

?>

<script src="https://cdn.jsdelivr.net/npm/flatpickr"></script>

Authetication:-

<?php

```
ob_start();  
session_start();  
require 'classes/admin_class.php';  
$obj_admin = new Admin_Class();  
  
if(isset($_GET['logout'])){  
    $obj_admin->admin_logout();  
}
```

Change-Password-For Employee:-

```
<?php  
require 'authentication.php'; // admin authentication check  
  
// auth check  
if(isset($_SESSION['admin_id'])){
```

```

$user_id = $_SESSION['admin_id'];
$user_name = $_SESSION['name'];
$security_key = $_SESSION['security_key'];

}

if(isset($_POST['change_password_btn'])){
    $info = $obj_admin->change_password_for_employee($_POST);
}

$page_name="Login";
include("include/login_header.php");

?>

```

```

<div class="row">
    <div class="col-md-4 col-md-offset-3">
        <div class="well" style="position:relative;top:20vh;">
            <form class="form-horizontal form-custom-login" action=""
method="POST">
                <div class="form-heading" style="background: orange;">
                    <h2 class="text-center">Please Change your password</h2>
                </div>
                <!-- <div class="login-gap"></div> -->
                <?php if(isset($info)){ ?>
                    <h5 class="alert alert-danger"><?php echo $info; ?></h5>
                <?php } ?>

                <div class="form-group">

```



```
        <input type="hidden" class="form-control" name="user_id"
value="<?php echo $user_id; ?>" required/>

        <input type="password" class="form-control" placeholder="Password"
name="password" required/>

    </div>

    <div class="form-group">

        <input type="password" class="form-control" placeholder="Retype
Password" name="re_password" required/>

    </div>

    <button type="submit" name="change_password_btn" class="btn btn-
default pull-right">Change Password</button>

    </form>

</div>

</div>

</div>

<?php

include("include/footer.php");

?>
```

Daily-Attendance-Report:-

```
<?php
    if(isset($_SERVER['HTTPS'])){
        $protocol = ($_SERVER['HTTPS'] && $_SERVER['HTTPS'] != "off") ? "https" : "http";
    }
    else{
        $protocol = 'http';
    }
    $base_url = $protocol . "://" . $_SERVER['SERVER_NAME'] . '/'
    . (explode('/', $_SERVER['PHP_SELF'])[1]) . '/';
?>

<?php
require 'authentication.php'; // admin authentication check

// auth check
$user_id = $_SESSION['admin_id'];
$user_name = $_SESSION['name'];
$security_key = $_SESSION['security_key'];
if ($user_id == NULL || $security_key == NULL) {
    header('Location: index.php');
}
```

```
// check admin
```

```
$user_role = $_SESSION['user_role'];
```

```
if(isset($_GET['delete_task'])){
```

```
    $action_id = $_GET['task_id'];
```

```
    $sql = "DELETE FROM task_info WHERE task_id = :id";
```

```
    $sent_po = "task-info.php";
```

```
    $obj_admin->delete_data_by_this_method($sql,$action_id,$sent_po);
```

```
}
```

```
if(isset($_POST['add_task_post'])){
```

```
    $obj_admin->add_new_task($_POST);
```

```
}
```

```
$page_name="Task_Info";
```

```
include("include/sidebar.php");
```

```
// include('ems_header.php');
```

```
?>
```

```
<?php $date = isset($_GET['date']) ? $_GET['date'] : date('Y-m-d') ?>
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/flatpickr/dist/flatpickr.min.css">
```

```
<div class="row">
```

```
    <div class="col-md-12">
```

```
        <div class="well well-custom rounded-0">
```

```

<div class="gap"></div>
<div class="row">
  <div class="col-md-4">
    <input type="date" id="date" value="<?= $date ?>" class="form-control rounded-
0">
  </div>
  <div class="col-md-4">
    <button class="btn btn-primary btn-sm btn-menu" type="button" id="filter"><i
class="glyphicon glyphicon-filter"></i> Filter</button>
    <button class="btn btn-success btn-sm btn-menu" type="button" id="print"><i
class="glyphicon glyphicon-print"></i> Print</button>
  </div>

</div>
<center ><h3>Daily Attendance Report</h3></center>
<div class="gap"></div>

<div class="gap"></div>
<div class="table-responsive" id="printout">
<table class="table table-codensed table-custom">
  <thead>
    <tr>
      <th>S.N.</th>
      <th>Name</th>
      <th>In Time</th>
      <th>Out Time</th>
      <th>Total Duration</th>
    </tr>
  </thead>

```

```
<tbody>
```

```
<?php
```

```
    $sql = "SELECT a.*, b.fullname
```

```
    FROM attendance_info a
```

```
    LEFT JOIN tbl_admin b ON(a.atn_user_id = b.user_id) where ('{$date}' BETWEEN
date(a.in_time) and date(a.out_time))
```

```
    ORDER BY a.aten_id DESC";
```

```
    $info = $obj_admin->manage_all_info($sql);
```

```
    $serial = 1;
```

```
    $num_row = $info->rowCount();
```

```
    if($num_row==0){
```

```
        echo '<tr><td colspan="7">No Data found</td></tr>';
```

```
    }
```

```
        while( $row = $info->fetch(PDO::FETCH_ASSOC) ){
```

```
?>
```

```
<tr>
```

```
    <td><?php echo $serial; $serial++; ?></td>
```

```
    <td><?php echo $row['fullname']; ?></td>
```

```
    <td><?php echo $row['in_time']; ?></td>
```

```
    <td><?php echo $row['out_time']; ?></td>
```

```
    <td><?php
```

```
        if($row['total_duration'] == null){
```

```
            $date = new DateTime('now', new DateTimeZone('Asia/Manila'));
```

```
            $current_time = $date->format('d-m-Y H:i:s');
```

```
            $dteStart = new DateTime($row['in_time']);
```

```
            $dteEnd = new DateTime($current_time);
```

```
            $dteDiff = $dteStart->diff($dteEnd);
```

```
        echo $dteDiff->format("%H:%I:%S");  
    }else{  
        echo $row['total_duration'];  
    }  
}
```

```
    ?></td>  
</tr>  
<?php } ?>  
</tbody>  
</table>  
</div>  
</div>  
</div>  
</div>
```

```
<?php
```

```
include("include/footer.php");
```

```
?>  
<noscript>  
    <div>  
        <style>  
            body{  
                background-image:none !important;
```

```

    }
    .mb-0{
        margin:0px;
    }
</style>
<div style="line-height:1em">
<h4 class="mb-0 text-center"><b>Employee Task Managment System</b></h4>
<h4 class="mb-0 text-center"><b>Daily Task Report</b></h4>
<div class="mb-0 text-center"><b>as of</b></div>
<div class="mb-0 text-center"><b><?= date("F d, Y", strtotime($date)) ?></b></div>
</div>
<hr>
</div>
</noscript>

```

```

<script type="text/javascript">
$(function(){
    $('#filter').click(function(){
        location.href="./daily-attendance-report.php?date="+$('#date').val()
    })
    $('#print').click(function(){
        var h = $('#head').clone()
        var ns = $('#noscript').html().clone()
        var p = $('#printout').clone()
        var base = '<?= $base_url ?>';
        h.find('link').each(function(){
            $(this).attr('href', base + $(this).attr('href'))
        })
        h.find('script').each(function(){

```

```

        if($(this).attr('src') != "")
            $(this).attr('src', base + $(this).attr('src'))
    })
    p.find('.table').addClass('table-bordered')

    var nw = window.open("", "_blank", "width:"+($(window).width() *
.8)+",left:"+($(window).width() * .1)+",height:"+($(window).height() *
.8)+",top:"+($(window).height() * .1))

    nw.document.querySelector('head').innerHTML = h.html()
    nw.document.querySelector('body').innerHTML = ns[0].outerHTML
    nw.document.querySelector('body').innerHTML += p[0].outerHTML
    nw.document.close()

    setTimeout(() => {
        nw.print()
        setTimeout(() => {
            nw.close()
        }, 200);
    }, 200);

    })
})
</script>

```

Daily-Task-Report:-

```

<?php
    if(isset($_SERVER['HTTPS'])){
        $protocol = ($_SERVER['HTTPS'] && $_SERVER['HTTPS'] != "off") ? "https" : "http";
    }
    else{

```



```

    $protocol = 'http';
}

$base_url = $protocol . "://" . $_SERVER['SERVER_NAME'] . '/'
.(explode('/', $_SERVER['PHP_SELF'])[1]) . '/';

?>

<?php
require 'authentication.php'; // admin authentication check


// auth check
$user_id = $_SESSION['admin_id'];
$user_name = $_SESSION['name'];
$security_key = $_SESSION['security_key'];
if ($user_id == NULL || $security_key == NULL) {
    header('Location: index.php');
}


// check admin
$user_role = $_SESSION['user_role'];


if(isset($_GET['delete_task'])){
    $action_id = $_GET['task_id'];

    $sql = "DELETE FROM task_info WHERE task_id = :id";
    $sent_po = "task-info.php";
    $obj_admin->delete_data_by_this_method($sql,$action_id,$sent_po);
}


if(isset($_POST['add_task_post'])){

```

```
$obj_admin->add_new_task($_POST);  
}
```

```
$page_name="Task_Info";  
include("include/sidebar.php");  
// include('ems_header.php');
```

```
?>
```

```
<?php $date = isset($_GET['date']) ? $_GET['date'] : date('Y-m-d') ?>
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/flatpickr/dist/flatpickr.min.css">
```

```
<div class="row">  
  <div class="col-md-12">  
    <div class="well well-custom rounded-0">  
      <div class="gap"></div>  
      <div class="row">  
        <div class="col-md-4">  
          <input type="date" id="date" value="<?= $date ?>" class="form-control rounded-0">  
        </div>  
        <div class="col-md-4">  
          <button class="btn btn-primary btn-sm btn-menu" type="button" id="filter"><i  
class="glyphicon glyphicon-filter"></i> Filter</button>  
          <button class="btn btn-success btn-sm btn-menu" type="button" id="print"><i  
class="glyphicon glyphicon-print"></i> Print</button>  
        </div>  
      </div>  
    </div>  
  </div>  
</div>
```

```
<center ><h3>Daily Task Report</h3></center>
```

```
<div class="gap"></div>
```

```
<div class="gap"></div>
```

```
<div class="table-responsive" id="printout">
```

```
<table class="table table-codensed table-custom">
```

```
<thead>
```

```
<tr>
```

```
<th>#</th>
```

```
<th>Task Title</th>
```

```
<th>Assigned To</th>
```

```
<th>Start Time</th>
```

```
<th>End Time</th>
```

```
<th>Status</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
if($user_role == 1){
```

```
    $sql = "SELECT a.*, b.fullname
```

```
        FROM task_info a
```

```
        INNER JOIN tbl_admin b ON(a.t_user_id = b.user_id) where ('{$date}' BETWEEN  
date(a.t_start_time) and date(a.t_end_time))
```

```
        ORDER BY a.task_id DESC";
```

```
    }else{
```

```
        $sql = "SELECT a.*, b.fullname
```

```
        FROM task_info a
```

```

        INNER JOIN tbl_admin b ON(a.t_user_id = b.user_id)

        WHERE a.t_user_id = $user_id and ('{$date}' BETWEEN date(a.t_start_time) and
date(a.t_end_time))

        ORDER BY a.task_id DESC";
    }

```

```

    $info = $obj_admin->manage_all_info($sql);
    $serial = 1;
    $num_row = $info->rowCount();
    if($num_row==0){
        echo '<tr><td colspan="7">No Data found</td></tr>';
    }

    while( $row = $info->fetch(PDO::FETCH_ASSOC) ){
?>

<tr>

    <td><?php echo $serial; $serial++; ?></td>
    <td><?php echo $row['t_title']; ?></td>
    <td><?php echo $row['fullname']; ?></td>
    <td><?php echo $row['t_start_time']; ?></td>
    <td><?php echo $row['t_end_time']; ?></td>
    <td>
        <?php if($row['status'] == 1){
            // echo "In Progress <span style='color:#5bcad9;' class=' glyphicon glyphicon-
refresh' >";

            echo '<small class="label label-warning px-3">In Progress <span
class="glyphicon glyphicon-refresh" ></small>';

        }elseif($row['status'] == 2){

            echo '<small class="label label-success px-3">In Completed <span
class="glyphicon glyphicon-ok" ></small>';

```

```

        // echo "Completed <span style='color:#00af16;' class=' glyphicon glyphicon-ok'
>";

        }else{

            echo '<small class="label label-default border px-3">In Completed <span
class="glyphicon glyphicon-remove" ></small>';

            } ?>

        </td>

    </tr>

    <?php } ?>

</tbody>
</table>
</div>
</div>
</div>
</div>

<?php

include("include/footer.php");

?>
<noscript>
    <div>
        <style>
            body{

```

```

        background-image:none !important;
    }
    .mb-0{
        margin:0px;
    }
</style>
<div style="line-height:1em">
    <h4 class="mb-0 text-center"><b>Employee Task Managment System</b></h4>
    <h4 class="mb-0 text-center"><b>Daily Task Report</b></h4>
    <div class="mb-0 text-center"><b>as of</b></div>
    <div class="mb-0 text-center"><b><?= date("F d, Y", strtotime($date)) ?></b></div>
</div>
<hr>
</div>
</noscript>

<script type="text/javascript">
$(function(){
    $('#filter').click(function(){
        location.href="./daily-task-report.php?date="+$('#date').val()
    })
    $('#print').click(function(){
        var h = $('head').clone()
        var ns = $('noscript').html().clone()
        var p = $('#printout').clone()
        var base = '<?= $base_url ?>';
        h.find('link').each(function(){
            $(this).attr('href', base + $(this).attr('href'))
        })
    })

```

```

h.find('script').each(function(){
    if($(this).attr('src') != "")
        $(this).attr('src', base + $(this).attr('src'))
})

p.find('.table').addClass('table-bordered')

var nw = window.open("", "_blank", "width:"+$(window).width() *
.8)+",left:"+$(window).width() * .1+",height:"+$(window).height() *
.8)+",top:"+$(window).height() * .1))

nw.document.querySelector('head').innerHTML = h.html()
nw.document.querySelector('body').innerHTML = ns[0].outerHTML
nw.document.querySelector('body').innerHTML += p[0].outerHTML
nw.document.close()

setTimeout(() => {
    nw.print()
    setTimeout(() => {
        nw.close()
    }, 200);
}, 200);

})

})

</script>

```

Edit-Task:-

```
<?php
```

```
require 'authentication.php'; // admin authentication check
```

```
// auth check
```

```
$user_id = $_SESSION['admin_id'];
```

```
$user_name = $_SESSION['name'];
```

```
$security_key = $_SESSION['security_key'];
```

```
if ($user_id == NULL || $security_key == NULL) {
```

```
    header('Location: index.php');
```

```
}
```

```
// check admin
```

```
$user_role = $_SESSION['user_role'];
```

```
$task_id = $_GET['task_id'];
```

```
if(isset($_POST['update_task_info'])){
```

```
    $obj_admin->update_task_info($_POST,$task_id, $user_role);
```

```
}
```

```
$page_name="Edit Task";
```

```
include("include/sidebar.php");
```

```
$sql = "SELECT * FROM task_info WHERE task_id='$task_id' ";
```

```
$info = $obj_admin->manage_all_info($sql);
```



```
$row = $info->fetch(PDO::FETCH_ASSOC);
```

```
?>
```

```
<!--modal for employee add-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/flatpickr/dist/flatpickr.min.css">
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="well well-custom rounded-0">
```

```
<div class="row">
```

```
<div class="col-md-8 col-md-offset-2">
```

```
<div class="well rounded-0">
```

```
<h3 class="text-center bg-primary" style="padding: 7px;">Edit Task </h3><br>
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<form class="form-horizontal" role="form" action="" method="post"
autocomplete="off">
```

```
<div class="form-group">
```

```
<label class="control-label text-p-reset">Task Title</label>
```

```
<div class="">
```

```
<input type="text" placeholder="Task Title" id="task_title"
name="task_title" list="expense" class="form-control rounded-0" value="<?php echo
$row['t_title']; ?>" <?php if($user_role != 1){ ?> readonly <?php } ?> val required>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```

        <label class="control-label text-p-reset">Task
Description</label>

        <div class="">
            <textarea name="task_description" id="task_description"
placeholder="Text Deskription" class="form-control rounded-0" rows="5" cols="5"><?php
echo $row['t_description']; ?></textarea>
        </div>
    </div>
    <div class="form-group">
        <label class="control-label text-p-reset">Strat Time</label>
        <div class="">
            <input type="text" name="t_start_time" id="t_start_time"
class="form-control rounded-0" value="<?php echo $row['t_start_time']; ?>">
        </div>
    </div>
    <div class="form-group">
        <label class="control-label text-p-reset">End Time</label>
        <div class="">
            <input type="text" name="t_end_time" id="t_end_time"
class="form-control rounded-0" value="<?php echo $row['t_end_time']; ?>">
        </div>
    </div>

    <div class="form-group">
        <label class="control-label text-p-reset">Assign To</label>
        <div class="">
            <?php
                $sql = "SELECT user_id, fullname FROM tbl_admin WHERE
user_role = 2";

                $info = $obj_admin->manage_all_info($sql);
            ?>

```

```

        <select class="form-control rounded-0" name="assign_to"
id="aassign_to" <?php if($user_role != 1){ ?> disabled="true" <?php } ?>>
        <option value="">Select</option>

        <?php while($rows = $info->fetch(PDO::FETCH_ASSOC)){ ?>
        <option value="<?php echo $rows['user_id']; ?>" <?php
            if($rows['user_id'] == $row['t_user_id']){
                ?> selected <?php } ?>><?php echo $rows['fullname'];
?></option>

        <?php } ?>
    </select>
</div>

</div>

<div class="form-group">
    <label class="control-label text-p-reset">Status</label>
    <div class="">
        <select class="form-control rounded-0" name="status"
id="status">
            <option value="0" <?php if($row['status'] == 0){ ?>selected
<?php } ?>>Incomplete</option>
            <option value="1" <?php if($row['status'] == 1){ ?>selected
<?php } ?>>In Progress</option>
            <option value="2" <?php if($row['status'] == 2){ ?>selected
<?php } ?>>Completed</option>
        </select>
    </div>
</div>

```

```

<div class="form-group">

```

</div>

<div class="form-group">

<div class="col-sm-offset-3 col-sm-3">

</div>

<div class="col-sm-3">

<button type="submit" name="update_task_info" class="btn btn-primary-custom">Update Now</button>

</div>

</div>

</form>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<script src="https://cdn.jsdelivr.net/npm/flatpickr"></script>

<script type="text/javascript">

flatpickr('#t_start_time', {

enableTime: true

```
});
```

```
flatpickr('#t_end_time', {  
  enableTime: true  
});
```

```
</script>
```

```
<?php
```

```
include("include/footer.php");
```

```
?>
```

Ems-Header:-

```
<div class="row">
```

```
<div class="gap"></div>
```

```
<div class="gap"></div>
```

```
<div class="col-md-12">
```

```
<div class="well">
```

```
<div class="row">
```

```
<div class="col-md-12 text-center">
```

```
<marquee><span style="color: green;"> Hello <strong><?php echo $user_name;
?></strong>. Welcome to <strong> Employee Time
Management</strong></span></marquee>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

Manage-Admin:-

```
<?php
```

```
require 'authentication.php'; // admin authentication check
```

```
// auth check
```

```
$user_id = $_SESSION['admin_id'];
```

```
$user_name = $_SESSION['name'];
```

```
$security_key = $_SESSION['security_key'];
```

```
if ($user_id == NULL || $security_key == NULL) {
```

```
    header('Location: index.php');
```

```
}
```

```
// check admin
```

```
$user_role = $_SESSION['user_role'];
```

```
if ($user_role != 1) {
```

```
    header('Location: task-info.php');
```

```
}
```

```
$page_name="Admin";
```

```
include("include/sidebar.php");
```

```
?>
```

```

<div class="row">
<div class="col-md-12">
<div class="well well-custom">
<ul class="nav nav-tabs nav-justified nav-tabs-custom">
<li class="active"><a href="manage-admin.php">Manage Admin</a></li>
<li><a href="admin-manage-user.php">Manage Employee</a></li>
</ul>
<div class="gap"></div>
<div class="table-responsive">
<table class="table table-codensed table-custom">
<thead>
<tr>
<th>Serial No.</th>
<th>Name</th>
<th>Email</th>
<th>Username</th>
<th>Details</th>
</tr>
</thead>
<tbody>

<?php
$sql = "SELECT * FROM tbl_admin WHERE user_role = 1";
$info = $obj_admin->manage_all_info($sql);

$serial = 1;
$total_expense = 0.00;
while( $row = $info->fetch(PDO::FETCH_ASSOC) ){
?>

```



```
<tr>
```

```
    <td><?php echo $serial; $serial++; ?></td>
```

```
    <td><?php echo $row['fullname']; ?></td>
```

```
    <td><?php echo $row['email']; ?></td>
```

```
    <td><?php echo $row['username']; ?></td>
```

```
        <td><a title="Update Admin" href="update-admin.php?admin_id=<?php echo  
$row['user_id']; ?>"><span class="glyphicon glyphicon-  
edit"></span></a>&nbsp;&nbsp;&nbsp;</td>
```

```
</tr>
```

```
<?php } ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php
```

```
if(isset($_SESSION['update_user_pass'])){
```

```
    echo '<script>alert("Password updated successfully");</script>';
```

```
    unset($_SESSION['update_user_pass']);
```

```
}
```

```
include("include/footer.php");
```

```
?>
```

Task-Details:-

```
<?php
```

```
require 'authentication.php'; // admin authentication check
```

```
// auth check
```

```
$user_id = $_SESSION['admin_id'];
```

```
$user_name = $_SESSION['name'];
```

```
$security_key = $_SESSION['security_key'];
```

```
if ($user_id == NULL || $security_key == NULL) {
```

```
    header('Location: index.php');
```

```
}
```

```
// check admin
```

```
$user_role = $_SESSION['user_role'];
```

```
$task_id = $_GET['task_id'];
```

```
if(isset($_POST['update_task_info'])){  
    $obj_admin->update_task_info($_POST,$task_id, $user_role);  
}
```

```
$page_name="Edit Task";  
include("include/sidebar.php");
```

```
$sql = "SELECT a.*, b.fullname  
FROM task_info a  
LEFT JOIN tbl_admin b ON(a.t_user_id = b.user_id)  
WHERE task_id='$task_id'";  
$info = $obj_admin->manage_all_info($sql);  
$row = $info->fetch(PDO::FETCH_ASSOC);
```

```
?>
```

```
<!--modal for employee add-->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/flatpickr/dist/flatpickr.min.css">
```

```
<div class="row">
```

```

<div class="col-md-12">
  <div class="well well-custom">
    <div class="row">
      <div class="col-md-8 col-md-offset-2">
        <div class="well">
          <h3 class="text-center bg-primary" style="padding: 7px;">Task Details </h3><br>

          <div class="row">
            <div class="col-md-12">

              <div class="table-responsive">
                <table class="table table-bordered table-single-
product">
                  <tbody>
                    <tr>
                      <td>Task Title</td><td><?php echo $row['t_title'];
?></td>
                    </tr>
                    <tr>
                      <td>Description</td><td><?php echo
$row['t_description']; ?></td>
                    </tr>
                    <tr>
                      <td>Start Time</td><td><?php echo
$row['t_start_time']; ?></td>
                    </tr>
                    <tr>
                      <td>End Time</td><td><?php echo
$row['t_end_time']; ?></td>
                    </tr>

```

```

        <tr>
            <td>Assign To</td><td><?php echo $row['fullname'];
?></td>

        </tr>
        <tr>
            <td>Status</td><td><?php if($row['status'] == 1){
                                                    echo "In
Progress";

}elseif($row['status'] == 2){
                                                    echo
"Completed";

                                                    }else{
                                                    echo
"Incomplete";
                                                    } ?></td>

        </tr>

    </tbody>
</table>
</div>

<div class="form-group">

    <div class="col-sm-3">

        <a title="Update Task" href="task-info.php"><span class="btn btn-
success-custom btn-xs">Go Back</span></a>

    </div>

</div>

</form>

</div>

```

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<?php

include("include/footer.php");

?>

Task-Information:-

<?php

require 'authentication.php'; // admin authentication check

// auth check

```
$user_id = $_SESSION['admin_id'];
$user_name = $_SESSION['name'];
$security_key = $_SESSION['security_key'];
if ($user_id == NULL || $security_key == NULL) {
    header('Location: index.php');
}

// check admin
$user_role = $_SESSION['user_role'];

if(isset($_GET['delete_task'])){
    $action_id = $_GET['task_id'];

    $sql = "DELETE FROM task_info WHERE task_id = :id";
    $sent_po = "task-info.php";
    $obj_admin->delete_data_by_this_method($sql,$action_id,$sent_po);
}

if(isset($_POST['add_task_post'])){
    $obj_admin->add_new_task($_POST);
}

$page_name="Task_Info";
include("include/sidebar.php");
// include('ems_header.php');

?>
```

```

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/flatpickr/dist/flatpickr.min.css">

<!-- Modal -->

<div class="modal fade" id="myModal" role="dialog">
  <div class="modal-dialog add-category-modal">

    <!-- Modal content-->
    <div class="modal-content rounded-0">
      <div class="modal-header rounded-0">
        <button type="button" class="close" data-dismiss="modal">&times;</button>
        <h2 class="modal-title text-center">Assign New Task</h2>
      </div>
      <div class="modal-body rounded-0">
        <div class="row">
          <div class="col-md-12">
            <form role="form" action="" method="post" autocomplete="off">
              <div class="form-horizontal">
                <div class="form-group">
                  <label class="control-label text-p-reset">Task Title</label>
                  <div class="">
                    <input type="text" placeholder="Task Title" id="task_title" name="task_title"
list="expense" class="form-control rounded-0" id="default" required>
                  </div>
                </div>
              </div>
              <div class="form-group">
                <label class="control-label text-p-reset">Task Description</label>
                <div class="">
                  <textarea name="task_description" id="task_description" placeholder="Text
Deskription" class="form-control rounded-0" rows="5" cols="5"></textarea>

```



```

    </div>
</div>
<div class="form-group">
    <label class="control-label text-p-reset">Start Time</label>
    <div class="">
        <input type="text" name="t_start_time" id="t_start_time" class="form-control
rounded-0">
    </div>
</div>
<div class="form-group">
    <label class="control-label text-p-reset">End Time</label>
    <div class="">
        <input type="text" name="t_end_time" id="t_end_time" class="form-control
rounded-0">
    </div>
</div>
<div class="form-group">
    <label class="control-label text-p-reset">Assign To</label>
    <div class="">
        <?php
            $sql = "SELECT user_id, fullname FROM tbl_admin WHERE user_role = 2";
            $info = $obj_admin->manage_all_info($sql);
        ?>
        <select class="form-control rounded-0" name="assign_to" id="aassign_to"
required>
            <option value="">Select Employee...</option>

            <?php while($row = $info->fetch(PDO::FETCH_ASSOC)){ ?>
                <option value="<?php echo $row['user_id']; ?>"><?php echo $row['fullname'];
?></option>

```

```
<?php } ?>
```

```
</select>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
</div>
```

```
<div class="form-group">
```

```
  <div class="col-sm-offset-3 col-sm-3">
```

```
    <button type="submit" name="add_task_post" class="btn btn-primary rounded-0 btn-sm">Assign Task</button>
```

```
  </div>
```

```
  <div class="col-sm-3">
```

```
    <button type="submit" class="btn btn-default rounded-0 btn-sm" data-dismiss="modal">Cancel</button>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row">
  <div class="col-md-12">
    <div class="well well-custom rounded-0">
      <div class="gap"></div>
      <div class="row">
        <div class="col-md-8">
          <div class="btn-group">
            <?php if($user_role == 1){ ?>
              <div class="btn-group">
                <button class="btn btn-info btn-menu" data-toggle="modal" data-
target="#myModal">Assign New Task</button>
              </div>
            <?php } ?>
          </div>
        </div>
      </div>
    </div>
  </div>

  <div class="col-md-4">
    <div class="well well-custom rounded-0">
      <div class="gap"></div>
      <div class="row">
        <div class="col-md-12">
          <div class="table-responsive">
            <table class="table table-codensed table-custom">
              <thead>
```

```

<tr>
    <th>#</th>
    <th>Task Title</th>
    <th>Assigned To</th>
    <th>Start Time</th>
    <th>End Time</th>
    <th>Status</th>
    <th>Action</th>
</tr>
</thead>
<tbody>

<?php
if($user_role == 1){
    $sql = "SELECT a.*, b.fullname
            FROM task_info a
            INNER JOIN tbl_admin b ON(a.t_user_id = b.user_id)
            ORDER BY a.task_id DESC";
}else{
    $sql = "SELECT a.*, b.fullname
            FROM task_info a
            INNER JOIN tbl_admin b ON(a.t_user_id = b.user_id)
            WHERE a.t_user_id = $user_id
            ORDER BY a.task_id DESC";
}

$info = $obj_admin->manage_all_info($sql);
$serial = 1;
$num_row = $info->rowCount();

```

```
if($num_row==0){  
    echo '<tr><td colspan="7">No Data found</td></tr>';  
}  
  
while( $row = $info->fetch(PDO::FETCH_ASSOC) ){  
?  
  
<tr>  
  
<td><?php echo $serial; $serial++; ?></td>  
  
<td><?php echo $row['t_title']; ?></td>  
  
<td><?php echo $row['fullname']; ?></td>  
  
<td><?php echo $row['t_start_time']; ?></td>  
  
<td><?php echo $row['t_end_time']; ?></td>  
  
<td>  
  
<?php if($row['status'] == 1){  
    // echo "In Progress <span style='color:#5bcad9;' class=' glyphicon glyphicon-refresh' >" ;  
  
    echo '<small class="label label-warning px-3">In Progress <span  
class="glyphicon glyphicon-refresh" ></small>;'  
  
}elseif($row['status'] == 2){  
    echo '<small class="label label-success px-3">In Completed <span  
class="glyphicon glyphicon-ok" ></small>;'  
  
    // echo "Completed <span style='color:#00af16;' class=' glyphicon glyphicon-ok'  
>" ;  
  
}else{  
    echo '<small class="label label-default border px-3">In Completed <span  
class="glyphicon glyphicon-remove" ></small>;'  
  
} ?>  
  
</td>  
  
<td><a title="Update Task" href="edit-task.php?task_id=<?php echo  
$row['task id'];?>"><span class="glyphicon glyphicon-edit"></span></a>&nbsp;&nbsp;&nbsp;
```



```
        enableTime: true
    });

    flatpickr('#t_end_time', {
        enableTime: true
    });

</script>
```

Update-Admin:-

```
<?php

require 'authentication.php'; // admin authentication check

// auth check
$user_id = $_SESSION['admin_id'];
$user_name = $_SESSION['name'];
$security_key = $_SESSION['security_key'];
if ($user_id == NULL || $security_key == NULL) {
```

```
header('Location: index.php');  
}
```

```
$admin_id = $_GET['admin_id'];
```

```
if(isset($_POST['update_current_employee'])){  
    $obj_admin->update_admin_data($_POST,$admin_id);  
}
```

```
if(isset($_POST['btn_user_password'])){  
    $obj_admin->update_user_password($_POST,$admin_id);  
}
```

```
$sql = "SELECT * FROM tbl_admin WHERE user_id='$admin_id' ";  
$info = $obj_admin->manage_all_info($sql);  
$row = $info->fetch(PDO::FETCH_ASSOC);
```

```
$page_name="Admin";  
include("include/sidebar.php");
```

```
?>
```

```
<div class="row">  
    <div class="col-md-12">  
        <div class="well well-custom">  
            <ul class="nav nav-tabs nav-justified nav-tabs-custom">  
                <li><a href="manage-admin.php">Manage Admin</a></li>
```



```
<li><a href="admin-manage-user.php">Manage Employee</a></li>
```

```
</ul>
```

```
<div class="gap"></div>
```

```
<div class="row">
```

```
<div class="col-md-10 col-md-offset-1">
```

```
<div class="well" style="background:#fff !important">
```

```
<h3 class="text-center bg-primary" style="padding: 7px;">Edit Admin</h3><br>
```

```
<div class="row">
```

```
<div class="col-md-7">
```

```
<form class="form-horizontal" role="form" action="" method="post"
autocomplete="off">
```

```
<div class="form-group">
```

```
<label class="control-label col-sm-2">Fullname</label>
```

```
<div class="col-sm-8">
```

```
<input type="text" value="<?php echo $row['fullname']; ?>"
placeholder="Enter Employee Name" name="em_fullname" list="expense" class="form-
control rounded-0" id="default" required>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="control-label col-sm-2">Username</label>
```

```
<div class="col-sm-8">
```

```
<input type="text" value="<?php echo $row['username']; ?>"
placeholder="Enter Employee username" name="em_username" class="form-control
rounded-0" required>
```

```
</div>
```

</div>

<div class="form-group">

<label class="control-label col-sm-2">Email</label>

<div class="col-sm-8">

<input type="email" value="<?php echo \$row['email']; ?>"
placeholder="Enter Employee Email" name="em_email" class="form-control rounded-0"
required>

</div>

</div>

<div class="form-group">

</div>

<div class="form-group">

<div class="col-sm-offset-4 col-sm-3">

<button type="submit" name="update_current_employee" class="btn btn-
primary-custom">Update Now</button>

</div>

</div>

</form>

</div>

<div class="col-md-5">

<a href="admin-password-change.php?admin_id=<?php echo
\$row['user_id'];?>">Change Password

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<?php

include("include/footer.php");

?>

Update-Employee:-

<?php

require 'authentication.php'; // admin authentication check

// auth check

\$user_id = \$_SESSION['admin_id'];

\$user_name = \$_SESSION['name'];

```
$security_key = $_SESSION['security_key'];  
if ($user_id == NULL || $security_key == NULL) {  
    header('Location: index.php');  
}  
  
// check admin  
$user_role = $_SESSION['user_role'];  
if ($user_role != 1) {  
    header('Location: task-info.php');  
}  
  
$admin_id = $_GET['admin_id'];  
  
if(isset($_POST['update_current_employee']))){  
  
    $obj_admin->update_user_data($_POST,$admin_id);  
}  
  
if(isset($_POST['btn_user_password']))){  
  
    $obj_admin->update_user_password($_POST,$admin_id);  
}  
  
  
  
  
  
  
  
  
  
  
$sql = "SELECT * FROM tbl_admin WHERE user_id='$admin_id' ";  
$info = $obj_admin->manage_all_info($sql);  
$row = $info->fetch(PDO::FETCH_ASSOC);
```

```
$page_name="Admin";  
include("include/sidebar.php");  
?>
```

```
<div class="row">  
  <div class="col-md-12">  
    <div class="well well-custom">  
      <ul class="nav nav-tabs nav-justified nav-tabs-custom">  
        <li><a href="manage-admin.php">Manage Admin</a></li>  
        <li><a href="admin-manage-user.php">Manage Employee</a></li>  
      </ul>  
      <div class="gap"></div>
```

```
<div class="row">  
  <div class="col-md-10 col-md-offset-1">  
    <div class="well">  
      <h3 class="text-center bg-primary" style="padding: 7px;">Edit Employee</h3><br>
```

```
    <div class="row">  
      <div class="col-md-7">  
        <form class="form-horizontal" role="form" action="" method="post"  
autocomplete="off">  
          <div class="form-group">  
            <label class="control-label text-p-reset">Fullname</label>  
            <div class="">  
              <input type="text" value="<?php echo $row['fullname']; ?>"  
placeholder="Enter Employee Name" name="em_fullname" list="expense" class="form-  
control rounded-0" id="default" required>  
            </div>
```

</div>

<div class="form-group">

<label class="control-label text-p-reset">Username</label>

<div class="">

<input type="text" value="<?php echo \$row['username']; ?>"
placeholder="Enter Employee Username" name="em_username" class="form-control
rounded-0" required>

</div>

</div>

<div class="form-group">

<label class="control-label text-p-reset">Email</label>

<div class="">

<input type="email" value="<?php echo \$row['email']; ?>"
placeholder="Enter employee email" name="em_email" class="form-control rounded-0"
required>

</div>

</div>

<div class="form-group">

</div>

<div class="form-group">

<div class="col-sm-offset-4 col-sm-3">

<button type="submit" name="update_current_employee" class="btn btn-
primary-custom">Update Now</button>

</div>

</div>

</form>

</div>

<div class="col-md-5">

```
<a id="employee_pass_btn" href="javascript:void(0)" class="">Change  
Password</a>  
  
<form action="" method="POST" id="employee_pass_cng">  
    <div class="form-group">  
        <label for="admin_password">New Password:</label>  
        <input type="password" name="employee_password" class="form-control  
rounded-0" id="employee_password" min="8" required>  
    </div>  
    <div class="form-group">  
        <button type="submit" name="btn_user_password" class="btn btn-primary  
rounded-0 btn-sm">Ok</button>  
  
    </div>  
</form>  
</div>  
</div>  
  
</div>  
</div>  
</div>  
  
</div>  
</div>  
</div>  
  
<?php  
  
include("include/footer.php");
```

?>

```
<script type="text/javascript">
```

```
$('#employee_pass_btn').click(function(){  
    $('#employee_pass_cng').toggle('fast');  
});
```

```
</script>
```

Login-Header:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <title>Employee time Management</title>
```

```
    <meta charset="utf-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
    <link rel="stylesheet" href="./assets/css/bootstrap.min.css">
```

```
    <link rel="stylesheet" href="./assets/css/bootstrap.theme.min.css">
```

```
    <link rel="stylesheet" href="./assets/css/custom.css">
```

```
    <script src="./assets/js/jquery.min.js"></script>
```

```
    <script src="./assets/js/bootstrap.min.js"></script>
```

```
    <script src="./assets/js/custom.js"></script>
```

```
</head>
```

```
<body>
```



```
<div class="main">
```

Sidebar:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <title>Employee Task Management System</title>
```

```
  <meta charset="utf-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
  <link rel="stylesheet" href="./assets/css/bootstrap.min.css">
```

```
  <link rel="stylesheet" href="./assets/css/bootstrap.theme.min.css">
```

```
  <link rel="stylesheet" href="./assets/bootstrap-datepicker/css/datepicker.css">
```

```
  <link rel="stylesheet" href="./assets/bootstrap-datepicker/css/datepicker-custom.css">
```

```
  <link rel="stylesheet" href="./assets/css/custom.css">
```

```
  <script src="./assets/js/jquery.min.js"></script>
```

```
  <script src="./assets/js/bootstrap.min.js"></script>
```

```
  <script src="./assets/js/custom.js"></script>
```

```
  <script src="./assets/bootstrap-datepicker/js/bootstrap-datepicker.js"></script>
```

```
  <script src="./assets/bootstrap-datepicker/js/datepicker-custom.js"></script>
```

```
  <script type="text/javascript">
```

```
    /* delete function confirmation */
```

```
    function check_delete() {
```

```
      var check = confirm('Are you sure you want to delete this?');
```

```

        if (check) {

            return true;
        } else {

            return false;
        }
    }
}
</script>
</head>
<body>

<nav class="navbar navbar-inverse sidebar navbar-fixed-top" role="navigation">
    <div class="container-fluid">
        <!-- Brand and toggle get grouped for better mobile display -->
        <div class="navbar-header">
            <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#bs-
sidebar-navbar-collapse-1">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <a class="navbar-brand" href="task-info.php"><span style="color: #5bcad9; font-weight:
bold;">ETMS</span></a>
        </div>

        <?php
        $user_role = $_SESSION['user_role'];
        if($user_role == 1){
            ?>

```

```

<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-sidebar-navbar-collapse-1">
    <ul class="nav navbar-nav navbar-nav-custom">
        <li <?php if($page_name == "Task_Info" ){echo "class=\"active\"";} ?><a href="task-
info.php">Task Mangement<span style="font-size:16px; color:#5bcad9;" class="pull-right
hidden-xs showopacity glyphicon glyphicon-tasks" ></span></a></li>

        <li <?php if($page_name == "Attendance" ){echo "class=\"active\"";} ?><a
href="attendance-info.php">Attendance <span style="font-size:16px; color:#5bcad9;"
class="pull-right hidden-xs showopacity glyphicon glyphicon-calendar"></span></a></li>

        <li <?php if($page_name == "Admin" ){echo "class=\"active\"";} ?><a href="manage-
admin.php">Administration<span style="font-size:16px; color:#5bcad9;" class="pull-right
hidden-xs showopacity glyphicon glyphicon-user"></span></a></li>

        <li <?php if($page_name == "Daily-Task-Report" ){echo "class=\"active\"";} ?><a
href="daily-task-report.php">Task Report<span style="font-size:16px; color:#5bcad9;"
class="pull-right hidden-xs showopacity glyphicon glyphicon-file"></span></a></li>

        <li <?php if($page_name == "Daily-Attennce-Report" ){echo "class=\"active\"";} ?><a
href="daily-attendance-report.php">Attendance Report<span style="font-size:16px;
color:#5bcad9;" class="pull-right hidden-xs showopacity glyphicon glyphicon-
file"></span></a></li>

        <li ><a href="?logout=logout">Logout<span style="font-size:16px; color:#5bcad9;"
class="pull-right hidden-xs showopacity glyphicon glyphicon-log-out"></span></a></li>

    </ul>
</div>
<?php
}else if($user_role == 2){

?>

<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-sidebar-navbar-collapse-1">
    <ul class="nav navbar-nav navbar-nav-custom">
        <li <?php if($page_name == "Task_Info" ){echo "class=\"active\"";} ?><a href="task-
info.php">Task Mangement<span style="font-size:16px; color:#5bcad9;" class="pull-right
hidden-xs showopacity glyphicon glyphicon-tasks"></span></a></li>

```

```
<li <?php if($page_name == "Attendance" ){echo "class=\"active\"";} ?><a
href="attendance-info.php">Attendance <span style="font-size:16px; color:#5bcad9;"
class="pull-right hidden-xs showopacity glyphicon glyphicon-calendar"></span></a></li>
```

```
<li ><a href="?logout=logout">Logout<span style="font-size:16px; color:#5bcad9;"
class="pull-right hidden-xs showopacity glyphicon glyphicon-log-out"></span></a></li>
```

```
</ul>
```

```
</div>
```

```
<?php
```

```
}else{
```

```
header('Location: index.php');
```

```
}
```

```
?>
```

```
</div>
```

```
</nav>
```

```
<div class="main">
```

Bootstrap-Datepicker:-

```
/*!
```

```
* Datepicker for Bootstrap
```

```
*
```

```
* Copyright 2012 Stefan Petre
```

```
* Improvements by Andrew Rowls
```

```
* Licensed under the Apache License v2.0
```

* <http://www.apache.org/licenses/LICENSE-2.0>

*

*/

.datepicker {

padding: 4px;

-webkit-border-radius: 4px;

-moz-border-radius: 4px;

border-radius: 4px;

direction: ltr;

/* .dow {

border-top: 1px solid #ddd !important;

*/

}

.datepicker-inline {

width: 220px;

}

.datepicker.datepicker-rtl {

direction: rtl;

}

.datepicker.datepicker-rtl table tr td span {

float: right;

}

.datepicker-dropdown {

top: 0;

left: 0;

}

.datepicker-dropdown:before {

content: '';

display: inline-block;

```
border-left: 7px solid transparent;
border-right: 7px solid transparent;
border-bottom: 7px solid #ccc;
border-top: 0;
border-bottom-color: rgba(0, 0, 0, 0.2);
position: absolute;
}

.datepicker-dropdown:after {
  content: "";
  display: inline-block;
  border-left: 6px solid transparent;
  border-right: 6px solid transparent;
  border-bottom: 6px solid #ffffff;
  border-top: 0;
  position: absolute;
}

.datepicker-dropdown.datepicker-orient-left:before {
  left: 6px;
}

.datepicker-dropdown.datepicker-orient-left:after {
  left: 7px;
}

.datepicker-dropdown.datepicker-orient-right:before {
  right: 6px;
}

.datepicker-dropdown.datepicker-orient-right:after {
  right: 7px;
}

.datepicker-dropdown.datepicker-orient-top:before {
```

```
    top: -7px;
}
.datepicker-dropdown.datepicker-orient-top:after {
    top: -6px;
}
.datepicker-dropdown.datepicker-orient-bottom:before {
    bottom: -7px;
    border-bottom: 0;
    border-top: 7px solid #999;
}
.datepicker-dropdown.datepicker-orient-bottom:after {
    bottom: -6px;
    border-bottom: 0;
    border-top: 6px solid #ffffff;
}
.datepicker > div {
    display: none;
}
.datepicker.days div.datepicker-days {
    display: block;
}
.datepicker.months div.datepicker-months {
    display: block;
}
.datepicker.years div.datepicker-years {
    display: block;
}
.datepicker table {
    margin: 0;
```

```
-webkit-touch-callout: none;
-webkit-user-select: none;
-khtml-user-select: none;
-moz-user-select: none;
-ms-user-select: none;
user-select: none;
}
.datepicker td,
.datepicker th {
  text-align: center;
  width: 20px;
  height: 20px;
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  border-radius: 4px;
  border: none;
}
.table-striped .datepicker table tr td,
.table-striped .datepicker table tr th {
  background-color: transparent;
}
.datepicker table tr td.day:hover,
.datepicker table tr td.day.focused {
  background: #eeeeee;
  cursor: pointer;
}
.datepicker table tr td.old,
.datepicker table tr td.new {
  color: #999999;
```



```
}  
.datepicker table tr td.disabled,  
.datepicker table tr td.disabled:hover {  
    background: none;  
    color: #999999;  
    cursor: default;  
}  
.datepicker table tr td.today,  
.datepicker table tr td.today:hover,  
.datepicker table tr td.today.disabled,  
.datepicker table tr td.today.disabled:hover {  
    background-color: #fde19a;  
    background-image: -moz-linear-gradient(top, #fdd49a, #fdf59a);  
    background-image: -ms-linear-gradient(top, #fdd49a, #fdf59a);  
    background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#fdd49a), to(#fdf59a));  
    background-image: -webkit-linear-gradient(top, #fdd49a, #fdf59a);  
    background-image: -o-linear-gradient(top, #fdd49a, #fdf59a);  
    background-image: linear-gradient(top, #fdd49a, #fdf59a);  
    background-repeat: repeat-x;  
    filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#fdd49a',  
endColorstr='#fdf59a', GradientType=0);  
    border-color: #fdf59a #fdf59a #fbed50;  
    border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);  
    filter: progid:DXImageTransform.Microsoft.gradient(enabled=false);  
    color: #000;  
}  
.datepicker table tr td.today:hover,  
.datepicker table tr td.today:hover:hover,  
.datepicker table tr td.today.disabled:hover,
```

```
.datepicker table tr td.today.disabled:hover:active,
.datepicker table tr td.today:active,
.datepicker table tr td.today:hover:active,
.datepicker table tr td.today.disabled:active,
.datepicker table tr td.today.disabled:hover:active,
.datepicker table tr td.today.active,
.datepicker table tr td.today:hover.active,
.datepicker table tr td.today.disabled.active,
.datepicker table tr td.today.disabled:hover.active,
.datepicker table tr td.today.disabled,
.datepicker table tr td.today:hover.disabled,
.datepicker table tr td.today.disabled.disabled,
.datepicker table tr td.today.disabled:hover.disabled,
.datepicker table tr td.today[disabled],
.datepicker table tr td.today:hover[disabled],
.datepicker table tr td.today.disabled[disabled],
.datepicker table tr td.today.disabled:hover[disabled] {
    background-color: #fdf59a;
}
.datepicker table tr td.today:active,
.datepicker table tr td.today:hover:active,
.datepicker table tr td.today.disabled:active,
.datepicker table tr td.today.disabled:hover:active,
.datepicker table tr td.today.active,
.datepicker table tr td.today:hover.active,
.datepicker table tr td.today.disabled.active,
.datepicker table tr td.today.disabled:hover.active {
    background-color: #fbf069 \9;
}
```

```
.datepicker table tr td.today:hover {
    color: #000;
}

.datepicker table tr td.today.active:hover {
    color: #fff;
}

.datepicker table tr td.range,
.datepicker table tr td.range:hover,
.datepicker table tr td.range.disabled,
.datepicker table tr td.range.disabled:hover {
    background: #eeeeee;
    -webkit-border-radius: 0;
    -moz-border-radius: 0;
    border-radius: 0;
}

.datepicker table tr td.range.today,
.datepicker table tr td.range.today:hover,
.datepicker table tr td.range.today.disabled,
.datepicker table tr td.range.today.disabled:hover {
    background-color: #f3d17a;
    background-image: -moz-linear-gradient(top, #f3c17a, #f3e97a);
    background-image: -ms-linear-gradient(top, #f3c17a, #f3e97a);
    background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#f3c17a), to(#f3e97a));
    background-image: -webkit-linear-gradient(top, #f3c17a, #f3e97a);
    background-image: -o-linear-gradient(top, #f3c17a, #f3e97a);
    background-image: linear-gradient(top, #f3c17a, #f3e97a);
    background-repeat: repeat-x;

    filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#f3c17a',
endColorstr='#f3e97a', GradientType=0);
```

```

border-color: #f3e97a #f3e97a #edde34;
border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);
filter: progid:DXImageTransform.Microsoft.gradient(enabled=false);
-webkit-border-radius: 0;
-moz-border-radius: 0;
border-radius: 0;
}
.datepicker table tr td.range.today:hover,
.datepicker table tr td.range.today:hover:hover,
.datepicker table tr td.range.today.disabled:hover,
.datepicker table tr td.range.today.disabled:hover:hover,
.datepicker table tr td.range.today:active,
.datepicker table tr td.range.today:hover:active,
.datepicker table tr td.range.today.disabled:active,
.datepicker table tr td.range.today.disabled:hover:active,
.datepicker table tr td.range.today.active,
.datepicker table tr td.range.today:hover.active,
.datepicker table tr td.range.today.disabled.active,
.datepicker table tr td.range.today.disabled:hover.active,
.datepicker table tr td.range.today.disabled,
.datepicker table tr td.range.today:hover.disabled,
.datepicker table tr td.range.today.disabled.disabled,
.datepicker table tr td.range.today.disabled:hover.disabled,
.datepicker table tr td.range.today[disabled],
.datepicker table tr td.range.today:hover[disabled],
.datepicker table tr td.range.today.disabled[disabled],
.datepicker table tr td.range.today.disabled:hover[disabled] {
    background-color: #f3e97a;
}

```

```
.datepicker table tr td.range.today:active,
.datepicker table tr td.range.today:active:active,
.datepicker table tr td.range.today.disabled:active,
.datepicker table tr td.range.today.disabled:active:active,
.datepicker table tr td.range.today.active,
.datepicker table tr td.range.today:active:active,
.datepicker table tr td.range.today.disabled.active,
.datepicker table tr td.range.today.disabled:active:active {
    background-color: #efe24b \9;
}

.datepicker table tr td.selected,
.datepicker table tr td.selected:active,
.datepicker table tr td.selected.disabled,
.datepicker table tr td.selected.disabled:active {
    background-color: #9e9e9e;
    background-image: -moz-linear-gradient(top, #b3b3b3, #808080);
    background-image: -ms-linear-gradient(top, #b3b3b3, #808080);
    background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#b3b3b3), to(#808080));
    background-image: -webkit-linear-gradient(top, #b3b3b3, #808080);
    background-image: -o-linear-gradient(top, #b3b3b3, #808080);
    background-image: linear-gradient(top, #b3b3b3, #808080);
    background-repeat: repeat-x;

    filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#b3b3b3',
endColorstr='#808080', GradientType=0);

    border-color: #808080 #808080 #595959;
    border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);
    filter: progid:DXImageTransform.Microsoft.gradient(enabled=false);
    color: #fff;
    text-shadow: 0 -1px 0 rgba(0, 0, 0, 0.25);
```

```
}  
.datepicker table tr td.selected:hover,  
.datepicker table tr td.selected:hover:hover,  
.datepicker table tr td.selected.disabled:hover,  
.datepicker table tr td.selected.disabled:hover:hover,  
.datepicker table tr td.selected:active,  
.datepicker table tr td.selected:hover:active,  
.datepicker table tr td.selected.disabled:active,  
.datepicker table tr td.selected.disabled:hover:active,  
.datepicker table tr td.selected.active,  
.datepicker table tr td.selected:hover.active,  
.datepicker table tr td.selected.disabled.active,  
.datepicker table tr td.selected.disabled:hover.active,  
.datepicker table tr td.selected.disabled,  
.datepicker table tr td.selected:hover.disabled,  
.datepicker table tr td.selected.disabled.disabled,  
.datepicker table tr td.selected.disabled:hover.disabled,  
.datepicker table tr td.selected[disabled],  
.datepicker table tr td.selected:hover[disabled],  
.datepicker table tr td.selected.disabled[disabled],  
.datepicker table tr td.selected.disabled:hover[disabled] {  
    background-color: #808080;  
}  
.datepicker table tr td.selected:active,  
.datepicker table tr td.selected:hover:active,  
.datepicker table tr td.selected.disabled:active,  
.datepicker table tr td.selected.disabled:hover:active,  
.datepicker table tr td.selected.active,  
.datepicker table tr td.selected:hover.active,
```

```

.datepicker table tr td.selected.disabled.active,
.datepicker table tr td.selected.disabled: hover.active {
    background-color: #666666 \9;
}

.datepicker table tr td.active,
.datepicker table tr td.active: hover,
.datepicker table tr td.active.disabled,
.datepicker table tr td.active.disabled: hover {
    background-color: #006dcc;
    background-image: -moz-linear-gradient(top, #0088cc, #0044cc);
    background-image: -ms-linear-gradient(top, #0088cc, #0044cc);
    background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#0088cc), to(#0044cc));
    background-image: -webkit-linear-gradient(top, #0088cc, #0044cc);
    background-image: -o-linear-gradient(top, #0088cc, #0044cc);
    background-image: linear-gradient(top, #0088cc, #0044cc);
    background-repeat: repeat-x;
    filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#0088cc',
endColorstr='#0044cc', GradientType=0);
    border-color: #0044cc #0044cc #002a80;
    border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);
    filter: progid:DXImageTransform.Microsoft.gradient(enabled=false);
    color: #fff;
    text-shadow: 0 -1px 0 rgba(0, 0, 0, 0.25);
}

.datepicker table tr td.active: hover,
.datepicker table tr td.active: hover: hover,
.datepicker table tr td.active.disabled: hover,
.datepicker table tr td.active.disabled: hover: hover,
.datepicker table tr td.active: active,

```

```
.datepicker table tr td.active:active,
.datepicker table tr td.active.disabled:active,
.datepicker table tr td.active.disabled:active:active,
.datepicker table tr td.active.active,
.datepicker table tr td.active:active,
.datepicker table tr td.active.disabled.active,
.datepicker table tr td.active.disabled:active,
.datepicker table tr td.active.disabled,
.datepicker table tr td.active:active.disabled,
.datepicker table tr td.active.disabled.disabled,
.datepicker table tr td.active.disabled:active.disabled,
.datepicker table tr td.active[disabled],
.datepicker table tr td.active:active[disabled],
.datepicker table tr td.active.disabled[disabled],
.datepicker table tr td.active.disabled:active[disabled] {
    background-color: #0044cc;
}

.datepicker table tr td.active:active,
.datepicker table tr td.active:active:active,
.datepicker table tr td.active.disabled:active,
.datepicker table tr td.active.disabled:active:active,
.datepicker table tr td.active.active,
.datepicker table tr td.active:active,
.datepicker table tr td.active.disabled.active,
.datepicker table tr td.active.disabled:active:active {
    background-color: #003399;
}

.datepicker table tr td span {
    display: block;
```



```
width: 23%;
height: 54px;
line-height: 54px;
float: left;
margin: 1%;
cursor: pointer;
-webkit-border-radius: 4px;
-moz-border-radius: 4px;
border-radius: 4px;
}

.datepicker table tr td span:hover {
    background: #eeeeee;
}

.datepicker table tr td span.disabled,
.datepicker table tr td span.disabled:hover {
    background: none;
    color: #999999;
    cursor: default;
}

.datepicker table tr td span.active,
.datepicker table tr td span.active:hover,
.datepicker table tr td span.active.disabled,
.datepicker table tr td span.active.disabled:hover {
    background-color: #006dcc;
    background-image: -moz-linear-gradient(top, #0088cc, #0044cc);
    background-image: -ms-linear-gradient(top, #0088cc, #0044cc);
    background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#0088cc), to(#0044cc));
    background-image: -webkit-linear-gradient(top, #0088cc, #0044cc);
    background-image: -o-linear-gradient(top, #0088cc, #0044cc);
```

```
background-image: linear-gradient(top, #0088cc, #0044cc);
background-repeat: repeat-x;
filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#0088cc',
endColorstr='#0044cc', GradientType=0);
border-color: #0044cc #0044cc #002a80;
border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);
filter: progid:DXImageTransform.Microsoft.gradient(enabled=false);
color: #fff;
text-shadow: 0 -1px 0 rgba(0, 0, 0, 0.25);
}

.datepicker table tr td span.active:hover,
.datepicker table tr td span.active:hover:hover,
.datepicker table tr td span.active.disabled:hover,
.datepicker table tr td span.active.disabled:hover:hover,
.datepicker table tr td span.active:active,
.datepicker table tr td span.active:active:hover,
.datepicker table tr td span.active.disabled:active,
.datepicker table tr td span.active.disabled:active:hover,
.datepicker table tr td span.active:active,
.datepicker table tr td span.active:active:hover,
.datepicker table tr td span.active.disabled:active,
.datepicker table tr td span.active.disabled:active:hover,
.datepicker table tr td span.active.disabled,
.datepicker table tr td span.active:active.disabled,
.datepicker table tr td span.active.disabled.disabled,
.datepicker table tr td span.active.disabled:active.disabled,
.datepicker table tr td span.active[disabled],
.datepicker table tr td span.active:active[disabled],
.datepicker table tr td span.active.disabled[disabled],
```

```
.datepicker table tr td span.active.disabled:hover[disabled] {
    background-color: #0044cc;
}

.datepicker table tr td span.active:active,
.datepicker table tr td span.active:hover:active,
.datepicker table tr td span.active.disabled:active,
.datepicker table tr td span.active.disabled:hover:active,
.datepicker table tr td span.active.active,
.datepicker table tr td span.active:hover.active,
.datepicker table tr td span.active.disabled.active,
.datepicker table tr td span.active.disabled:hover.active {
    background-color: #003399 \9;
}

.datepicker table tr td span.old,
.datepicker table tr td span.new {
    color: #999999;
}

.datepicker th.datepicker-switch {
    width: 145px;
}

.datepicker thead tr:first-child th,
.datepicker tfoot tr th {
    cursor: pointer;
}

.datepicker thead tr:first-child th:hover,
.datepicker tfoot tr th:hover {
    background: #eeeeee;
}

.datepicker .cw {
```

```
font-size: 10px;
width: 12px;
padding: 0 2px 0 5px;
vertical-align: middle;
}

.datepicker thead tr:first-child th.cw {
    cursor: default;
    background-color: transparent;
}

.input-append.date .add-on i,
.input-prepend.date .add-on i {
    cursor: pointer;
    width: 16px;
    height: 16px;
}

.input-daterange input {
    text-align: center;
}

.input-daterange input:first-child {
    -webkit-border-radius: 3px 0 0 3px;
    -moz-border-radius: 3px 0 0 3px;
    border-radius: 3px 0 0 3px;
}

.input-daterange input:last-child {
    -webkit-border-radius: 0 3px 3px 0;
    -moz-border-radius: 0 3px 3px 0;
    border-radius: 0 3px 3px 0;
}

.input-daterange .add-on {
```

```
display: inline-block;
width: auto;
min-width: 16px;
height: 20px;
padding: 4px 5px;
font-weight: normal;
line-height: 20px;
text-align: center;
text-shadow: 0 1px 0 #ffffff;
vertical-align: middle;
background-color: #eeeeee;
border: 1px solid #ccc;
margin-left: -5px;
margin-right: -5px;
}

.datepicker.dropdown-menu {
position: absolute;
top: 100%;
left: 0;
z-index: 1000;
float: left;
display: none;
min-width: 160px;
list-style: none;
background-color: #ffffff;
border: 1px solid #ccc;
border: 1px solid rgba(0, 0, 0, 0.2);
-webkit-border-radius: 5px;
-moz-border-radius: 5px;
```

```
border-radius: 5px;
-webkit-box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
-moz-box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
-webkit-background-clip: padding-box;
-moz-background-clip: padding;
background-clip: padding-box;
*border-right-width: 2px;
*border-bottom-width: 2px;
color: #333333;
font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
font-size: 13px;
line-height: 20px;
}
.datepicker.dropdown-menu th,
.datepicker.dropdown-menu td {
padding: 4px 5px;
}
```

Database:-

```
-- phpMyAdmin SQL Dump
-- version 5.1.3
-- https://www.phpmyadmin.net/
--
```

```
-- Host: 127.0.0.1
-- Generation Time: Jun 07, 2022 at 09:31 AM
-- Server version: 10.4.24-MariaDB
-- PHP Version: 8.1.5
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
```

```
--
-- Database: `etms_db`
```

```
--
```

```
-----
```

```
--
```

```
-- Table structure for table `attendance_info`
```

```
--
```

```
CREATE TABLE `attendance_info` (
  `aten_id` int(20) NOT NULL,
  `atn_user_id` int(20) NOT NULL,
  `in_time` datetime DEFAULT NULL,
  `out_time` datetime DEFAULT NULL,
  `total_duration` varchar(100) DEFAULT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
```

```
-----
```

```
--
-- Table structure for table `task_info`
--

CREATE TABLE `task_info` (
  `task_id` int(50) NOT NULL,
  `t_title` varchar(120) NOT NULL,
  `t_description` text DEFAULT NULL,
  `t_start_time` datetime DEFAULT NULL,
  `t_end_time` datetime DEFAULT NULL,
  `t_user_id` int(20) NOT NULL,
  `status` int(11) NOT NULL DEFAULT 0 COMMENT '0 = incomplete, 1 = In progress, 2 = complete'
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
```

```
-- -----
```

```
--
-- Table structure for table `tbl_admin`
--
```

```
CREATE TABLE `tbl_admin` (
  `user_id` int(20) NOT NULL,
  `fullname` varchar(120) NOT NULL,
  `username` varchar(100) NOT NULL,
  `email` varchar(100) NOT NULL,
  `password` varchar(100) NOT NULL,
  `temp_password` varchar(100) DEFAULT NULL,
  `user_role` int(10) NOT NULL
```



```
) ENGINE=MyISAM DEFAULT CHARSET=utf8 COMMENT='2';
```

```
--
```

```
-- Dumping data for table `tbl_admin`
```

```
--
```

```
INSERT INTO `tbl_admin` (`user_id`, `fullname`, `username`, `email`, `password`,  
`temp_password`, `user_role`) VALUES
```

```
(1, 'Admin', 'admin', 'admin@gmail.com', '0192023a7bbd73250516f069df18b500', NULL, 1),  
(27, 'John Smith', 'jsmith', 'jsmith@sample.com', '9ddc44f3f7f78da5781d6cab571b2fc5', '',  
2);
```

```
--
```

```
-- Indexes for dumped tables
```

```
--
```

```
--
```

```
-- Indexes for table `attendance_info`
```

```
--
```

```
ALTER TABLE `attendance_info`  
  ADD PRIMARY KEY (`aten_id`);
```

```
--
```

```
-- Indexes for table `task_info`
```

```
--
```

```
ALTER TABLE `task_info`  
  ADD PRIMARY KEY (`task_id`);
```

```
--
```

```
-- Indexes for table `tbl_admin`
```

```
--  
  
ALTER TABLE `tbl_admin`  
  ADD PRIMARY KEY (`user_id`);  
  
--  
  
-- AUTO_INCREMENT for dumped tables  
  
--  
  
--  
  
-- AUTO_INCREMENT for table `attendance_info`  
  
--  
  
ALTER TABLE `attendance_info`  
  MODIFY `aten_id` int(20) NOT NULL AUTO_INCREMENT;  
  
--  
  
-- AUTO_INCREMENT for table `task_info`  
  
--  
  
ALTER TABLE `task_info`  
  MODIFY `task_id` int(50) NOT NULL AUTO_INCREMENT;  
  
--  
  
-- AUTO_INCREMENT for table `tbl_admin`  
  
--  
  
ALTER TABLE `tbl_admin`  
  MODIFY `user_id` int(20) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=28;  
COMMIT;
```

Admin class:-

```
<?php
```

```
class Admin_Class
```

```
{
```

```
/* -----set_database_connection_using_PDO----- */
```

```
    public function __construct()
```

```
    {
```

```
        $host_name='localhost';
```

```
        $user_name='root';
```

```
        $password='';
```

```
        $db_name='etms_db';
```

```
        try{
```

```
            $connection=new PDO("mysql:host={$host_name};
```

```
dbname={$db_name}", $user_name, $password);
```

```
            $this->db = $connection; // connection established
```

```
        } catch (PDOException $message ) {
```

```
            echo $message->getMessage();
```

```
        }
```

```
}
```

```
/* ----- test_form_input_data ----- */
```

```
    public function test_form_input_data($data) {  
$data = trim($data);  
$data = stripslashes($data);  
$data = htmlspecialchars($data);  
    return $data;  
    }
```

```
/* ----- Admin Login Check ----- */
```

```
public function admin_login_check($data) {  
  
    $upass = $this->test_form_input_data(md5($data['admin_password']));  
    $username = $this->test_form_input_data($data['username']);  
  
    try  
    {  
        $stmt = $this->db->prepare("SELECT * FROM tbl_admin WHERE username=:uname  
AND password=:upass LIMIT 1");  
        $stmt->execute(array(':uname'=>$username, ':upass'=>$upass));  
        $userRow=$stmt->fetch(PDO::FETCH_ASSOC);  
        if($stmt->rowCount() > 0)  
        {  
            session_start();  
            $_SESSION['admin_id'] = $userRow['user_id'];  
            $_SESSION['name'] = $userRow['fullname'];  
        }  
    }  
}
```

```

        $_SESSION['security_key'] = 'rewsgf@%^&*nmghjjkh';
        $_SESSION['user_role'] = $userRow['user_role'];
        $_SESSION['temp_password'] = $userRow['temp_password'];

        if($userRow['temp_password'] == null){
            header('Location: task-info.php');
        }else{
            header('Location: changePasswordForEmployee.php');
        }

    }else{
        $message = 'Invalid user name or Password';
        return $message;
    }
}

catch(PDOException $e)
{
    echo $e->getMessage();
}

}

public function change_password_for_employee($data){
    $password = $this->test_form_input_data($data['password']);
    $re_password = $this->test_form_input_data($data['re_password']);

```

```

$user_id = $this->test_form_input_data($data['user_id']);

$final_password = md5($password);

$temp_password = "";

if($password == $re_password){
    try{
        $update_user = $this->db->prepare("UPDATE tbl_admin SET
password = :x, temp_password = :y WHERE user_id = :id ");

        $update_user->bindParam(':x', $final_password);
        $update_user->bindParam(':y', $temp_password);
        $update_user->bindParam(':id', $user_id);
        $update_user->execute();

        $stmt = $this->db->prepare("SELECT * FROM tbl_admin WHERE
user_id=:id LIMIT 1");

        $stmt->execute(array(':id'=>$user_id));
        $userRow=$stmt->fetch(PDO::FETCH_ASSOC);

        if($stmt->rowCount() > 0){
            session_start();
            $_SESSION['admin_id'] = $userRow['user_id'];
            $_SESSION['name'] = $userRow['fullname'];
            $_SESSION['security_key'] = 'rewsgf@%^&*nmghjjkh';
            $_SESSION['user_role'] = $userRow['user_role'];
            $_SESSION['temp_password'] =
$userRow['temp_password'];

```

```

        header('Location: task-info.php');
    }

    }catch (PDOException $e) {
        echo $e->getMessage();
    }

    }else{
        $message = 'Sorry !! Password Can not match';
    return $message;
    }

}

/* ----- Admin Logout ----- */

public function admin_logout() {

    session_start();
    unset($_SESSION['admin_id']);
    unset($_SESSION['admin_name']);
    unset($_SESSION['security_key']);
    unset($_SESSION['user_role']);
    header('Location: index.php');
}

/*----- add_new_user-----*/

```

```

public function add_new_user($data){
    $user_fullname = $this->test_form_input_data($data['em_fullname']);
    $user_username = $this->test_form_input_data($data['em_username']);
    $user_email = $this->test_form_input_data($data['em_email']);
    $temp_password = rand(000000001,100000000);
    $user_password = $this->test_form_input_data(md5($temp_password));
    $user_role = 2;
    try{
        $sqlEmail = "SELECT email FROM tbl_admin WHERE email = '$user_email'
";

        $query_result_for_email = $this->manage_all_info($sqlEmail);
        $total_email = $query_result_for_email->rowCount();

        $sqlUsername = "SELECT username FROM tbl_admin WHERE username =
'$user_username' ";
        $query_result_for_username = $this->manage_all_info($sqlUsername);
        $total_username = $query_result_for_username->rowCount();

        if($total_email != 0 && $total_username != 0){
            $message = "Email and Password both are already taken";
            return $message;

        }elseif($total_username != 0){
            $message = "Username Already Taken";
            return $message;

        }elseif($total_email != 0){
            $message = "Email Already Taken";
            return $message;

```



```

        }else{

            $add_user = $this->db->prepare("INSERT INTO tbl_admin
(fullname, username, email, password, temp_password, user_role) VALUES (:x, :y, :z, :a, :b,
:c) ");

            $add_user->bindParam(':x', $user_fullname);
            $add_user->bindParam(':y', $user_username);
            $add_user->bindParam(':z', $user_email);
            $add_user->bindParam(':a', $user_password);
            $add_user->bindParam(':b', $temp_password);
            $add_user->bindParam(':c', $user_role);

            $add_user->execute();

        }

    }catch (PDOException $e) {

        echo $e->getMessage();

    }

}

```

```

/* -----update_user_data-----*/

```

```

public function update_user_data($data, $id){

    $user_fullname = $this->test_form_input_data($data['em_fullname']);
    $user_username = $this->test_form_input_data($data['em_username']);
    $user_email = $this->test_form_input_data($data['em_email']);

    try{

```

```
$update_user = $this->db->prepare("UPDATE tbl_admin SET fullname = :x, username = :y, email = :z WHERE user_id = :id ");
```

```
$update_user->bindParam(':x', $user_fullname);
```

```
$update_user->bindParam(':y', $user_username);
```

```
$update_user->bindParam(':z', $user_email);
```

```
$update_user->bindParam(':id', $id);
```

```
$update_user->execute();
```

```
$_SESSION['update_user'] = 'update_user';
```

```
header('Location: admin-manage-user.php');
```

```
}catch (PDOException $e) {
```

```
    echo $e->getMessage();
```

```
}
```

```
}
```

```
/* -----update_admin_data----- */
```

```
public function update_admin_data($data, $id){
```

```
    $user_fullname = $this->test_form_input_data($data['em_fullname']);
```

```
    $user_username = $this->test_form_input_data($data['em_username']);
```

```
    $user_email = $this->test_form_input_data($data['em_email']);
```

```
    try{
```

```
        $update_user = $this->db->prepare("UPDATE tbl_admin SET fullname = :x, username = :y, email = :z WHERE user_id = :id ");
```

```
$update_user->bindParam(':x', $user_fullname);  
$update_user->bindParam(':y', $user_username);  
$update_user->bindParam(':z', $user_email);  
$update_user->bindParam(':id', $id);
```

```
$update_user->execute();
```

```
header('Location: manage-admin.php');  
}catch (PDOException $e) {  
    echo $e->getMessage();  
}  
}
```

```
/* -----update_user_password-----*/
```

```
public function update_user_password($data, $id){  
    $employee_password = $this->  
>test_form_input_data(md5($data['employee_password']));  
  
    try{  
        $update_user_password = $this->db->prepare("UPDATE tbl_admin SET  
password = :x WHERE user_id = :id ");  
  
        $update_user_password->bindParam(':x', $employee_password);  
        $update_user_password->bindParam(':id', $id);  
  
        $update_user_password->execute();  
  
        $_SESSION['update_user_pass'] = 'update_user_pass';
```

```

        header('Location: admin-manage-user.php');
    }catch (PDOException $e) {
        echo $e->getMessage();
    }
}

```

```

/* -----admin_password_change-----*/

```

```

    public function admin_password_change($data, $id){
        $admin_old_password = $this-
>test_form_input_data(md5($data['admin_old_password']));

        $admin_new_password = $this-
>test_form_input_data(md5($data['admin_new_password']));

        $admin_cnew_password = $this-
>test_form_input_data(md5($data['admin_cnew_password']));

        $admin_raw_password = $this-
>test_form_input_data($data['admin_new_password']);

```

```

    try{

```

```

        // old password matching check

```

```

        $sql = "SELECT * FROM tbl_admin WHERE user_id = '$id' AND password =
'$admin_old_password' ";

```

```

        $query_result = $this->manage_all_info($sql);

```

```
$total_row = $query_result->rowCount();
```

```
$all_error = "";
```

```
if($total_row == 0){
```

```
    $all_error = "Invalid old password";
```

```
}
```

```
if($admin_new_password != $admin_cnew_password ){
```

```
    $all_error .= '<br>'. "New and Confirm New password do not  
match";
```

```
}
```

```
$password_length = strlen($admin_raw_password);
```

```
if($password_length < 6){
```

```
    $all_error .= '<br>'. "Password length must be more then 6  
character";
```

```
}
```

```
if(empty($all_error)){
```

```
    $update_admin_password = $this->db->prepare("UPDATE  
tbl_admin SET password = :x WHERE user_id = :id ");
```

```
    $update_admin_password->bindParam(':x',  
$admin_new_password);
```

```
    $update_admin_password->bindParam(':id', $id);
```

```
    $update_admin_password->execute();
```

```

$_SESSION['update_user_pass'] = 'update_user_pass';

header('Location: admin-manage-user.php');

}else{
    return $all_error;
}

}catch (PDOException $e) {
    echo $e->getMessage();
}
}

/* =====Task Related===== */

public function add_new_task($data){
    // data insert
    $task_title = $this->test_form_input_data($data['task_title']);
    $task_description = $this->test_form_input_data($data['task_description']);
    $t_start_time = $this->test_form_input_data($data['t_start_time']);
    $t_end_time = $this->test_form_input_data($data['t_end_time']);
    $assign_to = $this->test_form_input_data($data['assign_to']);

    try{

```

```
$add_task = $this->db->prepare("INSERT INTO task_info (t_title,
t_description, t_start_time, t_end_time, t_user_id) VALUES (:x, :y, :z, :a, :b) ");
```

```
$add_task->bindParam(':x', $task_title);
```

```
$add_task->bindParam(':y', $task_description);
```

```
$add_task->bindParam(':z', $t_start_time);
```

```
$add_task->bindParam(':a', $t_end_time);
```

```
$add_task->bindParam(':b', $assign_to);
```

```
$add_task->execute();
```

```
$_SESSION['Task_msg'] = 'Task Add Successfully';
```

```
header('Location: task-info.php');
```

```
}catch (PDOException $e) {
```

```
    echo $e->getMessage();
```

```
}
```

```
}
```

```
public function update_task_info($data, $task_id, $user_role){
```

```
    $task_title = $this->test_form_input_data($data['task_title']);
```

```
    $task_description = $this->test_form_input_data($data['task_description']);
```

```
    $t_start_time = $this->test_form_input_data($data['t_start_time']);
```

```
    $t_end_time = $this->test_form_input_data($data['t_end_time']);
```

```
    $status = $this->test_form_input_data($data['status']);
```

```
    if($user_role == 1){
```

```
        $assign_to = $this->test_form_input_data($data['assign_to']);
```

```

    }else{

        $sql = "SELECT * FROM task_info WHERE task_id='$task_id' ";
        $info = $this->manage_all_info($sql);
        $row = $info->fetch(PDO::FETCH_ASSOC);
        $assign_to = $row['t_user_id'];

    }

    try{

        $update_task = $this->db->prepare("UPDATE task_info SET t_title
= :x, t_description = :y, t_start_time = :z, t_end_time = :a, t_user_id = :b, status = :c WHERE
task_id = :id ");

        $update_task->bindParam(':x', $task_title);
        $update_task->bindParam(':y', $task_description);
        $update_task->bindParam(':z', $t_start_time);
        $update_task->bindParam(':a', $t_end_time);
        $update_task->bindParam(':b', $assign_to);
        $update_task->bindParam(':c', $status);
        $update_task->bindParam(':id', $task_id);

        $update_task->execute();

        $_SESSION['Task_msg'] = 'Task Update Successfully';

        header('Location: task-info.php');
    }catch (PDOException $e) {
        echo $e->getMessage();
    }
}

```



```
}
```

```
/* =====Attendance Related===== */
```

```
public function add_punch_in($data){
```

```
    // data insert
```

```
    $date = new DateTime('now', new DateTimeZone('Asia/Manila'));
```

```
    $user_id = $this->test_form_input_data($data['user_id']);
```

```
    $punch_in_time = $date->format('Y-m-d H:i:s');
```

```
    try{
```

```
        $add_attendance = $this->db->prepare("INSERT INTO attendance_info  
(atn_user_id, in_time) VALUES ('$user_id', '$punch_in_time') ");
```

```
        $add_attendance->execute();
```

```
        header('Location: attendance-info.php');
```

```
    }catch (PDOException $e) {
```

```
        echo $e->getMessage();
```

```
    }
```

```
}
```

```
public function add_punch_out($data){
```

```
    $date = new DateTime('now', new DateTimeZone('Asia/Manila'));
```

```
    $punch_out_time = $date->format('Y-m-d H:i:s');
```

```
    $punch_in_time = $this->test_form_input_data($data['punch_in_time']);
```

```

        $dteStart = new DateTime($punch_in_time);
        $dteEnd  = new DateTime($punch_out_time);
        $dteDiff = $dteStart->diff($dteEnd);
        $total_duration = $dteDiff->format("%H:%I:%S");

        $attendance_id = $this->test_form_input_data($data['aten_id']);

        try{
            $update_user = $this->db->prepare("UPDATE attendance_info SET
out_time = :x, total_duration = :y WHERE aten_id = :id ");

            $update_user->bindParam(':x', $punch_out_time);
            $update_user->bindParam(':y', $total_duration);
            $update_user->bindParam(':id', $attendance_id);

            $update_user->execute();

            header('Location: attendance-info.php');
        }catch (PDOException $e) {
            echo $e->getMessage();
        }
    }

    /* -----delete_data_by_this_method-----*/

    public function delete_data_by_this_method($sql,$action_id,$sent_po){

```

```

try{
    $delete_data = $this->db->prepare($sql);

    $delete_data->bindParam(':id', $action_id);

    $delete_data->execute();

    header('Location: '.$sent_po);
}catch (PDOException $e) {
    echo $e->getMessage();
}
}

```

```

/* -----manage_all_info----- */

```

```

public function manage_all_info($sql) {
    try{
        $info = $this->db->prepare($sql);
        $info->execute();
        return $info;
    } catch (PDOException $e) {
        echo $e->getMessage();
    }
}

```

```

}

```

```

?>

```




OUTPUT:-

TASK LIST PAGE:-

The screenshot displays the ETMS (Employee Time Management System) interface. On the left is a dark blue sidebar with navigation links: ETMS, Task Mangement, Attendance, Administration, Task Report, Attendance Report, and Logout. The main content area has a light gray background. At the top left of this area is a blue button labeled 'Assign New Task'. Below it, the section is titled 'Task Management Section'. A table with a dark blue header and one data row is shown. The table columns are: #, Task Title, Assigned To, Start Time, End Time, Status, and Action. The data row contains: 1, test, John Smith, 2022-06-07 15:00:00, 2022-06-07 17:00:00, In Completed, and a set of icons for editing, deleting, and refreshing. Below the table is a large illustration of a desk with a computer monitor, keyboard, tablet, smartphone, calculator, glasses, and a watch, with hands interacting with the devices.

Assign New Task

Task Management Section

#	Task Title	Assigned To	Start Time	End Time	Status	Action
1	test	John Smith	2022-06-07 15:00:00	2022-06-07 17:00:00	In Completed	  

MANAGE ATTENDANCE:-

ETMS

Task Mangement

Attendance

Administration


Task Report

Attendance Report

Logout

Manage Attendance

S.N.	Name	In Time	Out Time	Total Duration	Status	Action
1	Admin	2022-06-07 15:40:25		00:00:01	Clock Out	
2	Admin	2022-06-07 15:28:58	2022-06-07 15:29:21	00:00:23	-----	



EMPLOYEE LIST:-

ETMS

Task Mangement

Attendance

Administration

Task Report



Attendance Report


Logout

Add New Employee

Manage Admin

Manage Employee

Serial No.	Fullname	Email	Username	Temp Password	Details
1	John Smith	jsmith@sample.com	jsmith		 



ADMIN LIST:-

ETMS

Task Mangement

Attendance

Administration

Task Report

Attendance Report

Logout

Manage Admin

Manage Employee

Serial No.	Name	Email	Username	Details
1	Admin	admin@gmail.com	admin	