MIS3690 - Web Technologies



Intorduction to jQuery

What is jQuery

- a library (or collection) of JavaScript functions
 - created using JavaScript
 - functions that we typically write
 - must know how to refer to and use functions
 - open-source, on GitHub
- can be downloaded and linked as a local file
 - via official website
- can also be linked as a remote file
 - via Google CDN

jQuery syntax

```
$(selector).action()
```

- action() is a jQuery function
- selector
 - the element that triggers the action
 - o also could be the **element** that is changed/manipulated by action()
 - examples of selectors:
 - "h1" all h1 elements
 - "#one" the element with id="one"
 - ".me" all the elements with class="me"

jQuery Examples

• Change all <h1> elements to have a Navy font

```
$("h1").css ("color", "Navy");
```

Add a border (3px, black, solid) to a paragraph with id "one"

```
$("p#one").css ("border", "3px solid black");
```

• Change font color and font weight of all elements with the class "nav"

```
$(".nav").css ({"color":"Navy", "font-weight":"bold"});
```

Defining events with selectors

Syntax

```
$(selector).event(function ()
{
    // actions here
});
```

Example:

```
// change the text within a <h1> tag when <button> is clicked
$("button").click(function ()
{
    $("h1").text("New Text Here");
});
```

jQuery Action Function Examples

- .hide() *hide* an element on the page
- .show() unhide an element on the page
- .toggle() hide/unhide toggle
- .fadeIn(speed) unhide in *slow* motion
 - speed options: "fast", "slow", # of milliseconds
- .fadeOut (speed) hide in *slow* motion
- .fadeTo(speed, opacity) adjust the opacity
- .css("property","value") apply *CSS* to an element
 - o e.g. css("color","blue")

Questions?

