LABS II: ENCODING INFORMATION AND SHARING IT (E.303)

INVESTIGATE A COMPROMISED LINUX HOST

CIRCL COMPUTER INCIDENT RESPONSE CENTER LUXEMBOURG

MISP PROJECT https://www.misp-project.org/



MARCH 21, 2022

Labs II: Encoding information and sharing it (e.303)

LABS II: ENCODING INFORMATION AND SHARING IT (E.303)

IGATE A COMPROMISED LINUX HO

ROJECT
://www.misp-project.org/
Threat Shari

- No more information or context were given.
- Investigation and interpreting results must be shared with colleagues and other CSIRTs.

Labs II: Encoding information and sharing it (e.303)

∟Lab e.303

A compromised Linux host needs to be analysed and the only evidence is a single network packet capture file*.

No more information or context were given.
Investigation and interpreting results must be shared wit collea

"https://github.com/MSP/misp-training-lea/saw/main/e.303-lab2-escodine-information-and-sharine-it/for-student/capture-e-301cap

 The trainer might explain the challenges concerning lack of evidences and context, the partial information often received by LEA or a CSIRT from victims. The goal is to share information as early as possible to discover if othr participants are already working on the case.

¹https://github.com/MISP/misp-training-lea/raw/main/e.303-lab2-encoding-information-and-sharing-it/for-student/capture-e.303.cap

OPEN GENERAL QUESTIONS AND LEADS

- What could **be deduced from these evidences** by using mainly the **MISP instance** and misp module expansion?
- How can you describe your investigation in a structured way and as a textual report in MISP?
- Can you attach **level of confidence** in your analytical judgment and probability of likelihood?
- Can we would describe **preventive measure(s)** for such case?

Labs II: Encoding information and sharing it (e.303)

2022-03-2

—Open general questions and leads

and as a textual report in MISP?

II Can you attach level of confidence in your analytical judgment and probability of likelihood?

1. The goal is to focus on the maximum of evidences which can be extracted from a single network packet capture. Some assumption can be extracted and will need to be explained and classify with a specific level of confidence. The taxonomy in MISP might be used such as admiralty-scale, or estimative-language. LEA or CSIRTs can share preventive measures from known case. What would be the preventive measures from this evidence?