DATA MINING TOR, SOCIAL NETWORKS, OSINT WITH AIL PROJECT

E.102

CIRCL COMPUTER INCIDENT RESPONSE CENTER LUXEMBOURG

MISP PROJECT https://www.misp-project.org/



MARCH 25, 2022 - VO.7

Data mining Tor, social networks, OSINT with AIL Project

DATA MINING TOR, SOCIAL NETWORKS, OSINT WITH ALL PROJECT

E.102

L COMPUTER INCIDENT RESPONSE CENTER LUXEMBOURS

P PROJECT
ps://www.misp-project.org/
Threat Shai

CONCEPTS - DEEP WEB

- **Deep Web** is the part of World Wide Web not indexed or directly accessible by standard web search-engines;
- This can be content hidden from **crawlers** by requiring a specific access and this can includes private social media, password-protected forums or content protected by different measures such as paywalls or specific security interface to access the information;
- A large portion of content accessible via Internet is part of the deep web¹.

Data mining Tor, social networks, OSINT with AIL Project

Introduction

Concepts - Deep Web

Deep With it the part of tits of titled with not indexed or directly accessible by standard web search-regions. This can be content belief below a search-regions. This can be content below from conselver by requiring a specific access and this can include private social model of the content of the content

 There is a huge misconception about the difference between the darknet and deep web. The differences are important because it's two different aspects which can be related to each other.

¹also called invisible web, hidden web or non-indexed web

CONCEPTS - DARKNET

- **Darknet** is an overlay network running on top of Internet requiring specific software to access the network and its services;
- Tor, I2P and Freenet are the most commonly used ones. Many are used for hidden services access and some for proxy access to the Internet;
- There are **legitimate use-cases** for such network but also many **illegal or criminal usage**.

Data mining Tor, social networks, OSINT with AIL Project

Introduction

2022-03-25

-Concepts - darknet


ONCEPTS - DARKNET

.

- requiring specific software to access the network and its services; # Tor, I2P and Freenet are the most commonly used ones.
- Many are used for hidden services access and some fi
- There are legitimate use-cases for such network but also many illegal or criminal usage.

2 | 5

LIFECYCLE OF COLLECTION AND ANALYSIS



Data mining Tor, social networks, OSINT with AIL
Project
Introduction
Lifecycle of collection and analysis



COLLECTING, PROCESSING AND ANALYSING CONTENT - WEB PAGES

- Building a search engine on the web is a challenging task because:
 - ► it has to crawl webpages,
 - ▶ it has to to make sense of **unstructured data**.
 - ▶ it has to **index** these data.
 - ► it has to provide a way to retrieve data and structure data (e.g. correlation).
- Doing so on Tor is even more challenging because:
 - services don't always want to be found.
 - parts of the dataset have to be discarded.
- in each case, it requires a lot of bandwidth, storage and computing power.

Data mining Tor, social networks, OSINT with AIL
Project

03-25

-Introduction

-Collecting, processing and analysing content

ECTING, PROCESSING AND ANALYSING CONTENT -PAGES

Building a search engine on the web is a challenging task

- It has to crawl webpages,
 It has to to make sense of unstructured data.
- it has to to make sense of unstructured data
 it has to index these data.
- it has to provide a way to retrieve data and structure dat (e.g. correlation).
 - oing so on Tor is even more challenging because: • services don't always want to be found,
 - services don't always want to be found,
 parts of the dataset have to be discarded.
 - ach case, it requires a lot of bandwidth, storage and iputing power.

COLLECTING, PROCESSING AND ANALYSING CONTENT -STRUCTURED DATA

- Some data are structured and are easy to process:
 - metadata!
 - ► API responses.
- Some even provide cryptographic evidences:
 - authentication mechanisms between peers.
 - OpenGPG can leak a lot of metadata
 - kev ids.
 - subject of email in thunderbird,
 - ► Bitcoin's Blockchain is public,
 - pivoting on these data with external sources yields interesting results.

Data mining Tor, social networks, OSINT with AIL Project -Introduction -Collecting, processing and analysing content

03-25

Project AIL design Objectives

Data mining Tor, social networks, OSINT with AIL

AIL DESIGN OBJECTIVES

AIL DESIGN OBJECTIVES

OBJECTIVES OF THE SESSION

- Show how to use and extend an open source tool to monitor web pages, pastes, forums and hidden services
- Explain challenges and the design of the AIL open source framework
- Review different collection mechanisms and sources
- Learn how to create new modules
- Learn how to use, install and start AIL
- Supporting investigation using the AIL framework and including it in cyber threat intelligence lifecycle

Data mining Tor, social networks, OSINT with AIL Project

-AIL design Objectives

-Objectives of the session

Supporting investigation using the AIL framework and

From a requirement to a solution: AIL

■ AlL initially started as an internship project (2014) to

History:

- AIL initially started as an **internship project** (2014) to evaluate the feasibility to automate the analysis of (un)structured information to find leaks.
- In 2019, AIL framework is an open source software in Python. The software is actively used (and maintained) by CIRCL and many organisations.
- In 2020, AIL framework is now a complete project called ail project².

²https://github.com/ail-project/

CAPABILITIES OVERVIEW

COMMON USAGE

- **Check** if mail/password/other sensitive information (terms tracked) leaked
- **Detect** reconnaissance of your infrastructure
- **Search** for leaks inside an archive
- Monitor and crawl websites

Data mining Tor, social networks, OSINT with AIL
Project

Capabilities Overview

Common usage

2022-03-25

SUPPORT CERT/CSIRTS AND LAW ENFORCEMENT **ACTIVITIES**

- Proactive investigation: leaks detection
 - List of emails and passwords
 - Leaked database
 - AWS Keys
 - Credit-cards
 - ► PGP private kevs
 - Certificate private keys
- Feed Passive DNS or any passive collection system
- CVE and PoC of vulnerabilities most used by attackers

Data mining Tor, social networks, OSINT with AIL Project Capabilities Overview

2022-03-25

-Support CERT/CSIRTs and Law Enforcement

SUPPORT CERT/CSIRTS AND LAW ENFORCEMENT ACTIVITIES

- Website monitoring
 - monitor booters
 - ► Detect encoded exploits (WebShell, malware encoded in Base64...)
 - ► SQL injections
- Automatic and manual submission to threat sharing and incident response platforms
 - ► MISP
 - ► TheHive
- Term/Regex/Yara monitoring for local companies/government

Data mining Tor, social networks, OSINT with AIL Project

Capabilities Overview

03-25

-Support CERT/CSIRTs and Law Enforcement

ORT CERT/CSIRTS AND LAW ENFORCEMENT

■ Website monitoring

monitor booters Detect encoded exploits (WebShell, malware encode Barrete)

Automatic and manual submission to threat sharing an incident resource platforms.

dent response platforms
MISP
Thomas

■ Term/Regex/Yara monitoring for local

Sources of Leaks: Paste monitoring

- Example: https://gist.github.com/
 - ► Easily storing and sharing text online
 - ► Used by programmers and legitimate users
 - \rightarrow Source code & information about configurations

Data mining Tor, social networks, OSINT with AIL Project

Sources of leaks: Paste monitoring

Capabilities Overview

2022-03-25

URCES OF LEAKS: PASTE MONITORING

Easily storing and sharing text online

► Used by programmers and legitimate users

Sources of Leaks: Paste monitoring

- Example: https://gist.github.com/
 - ► Easily storing and sharing text online
 - ► Used by programmers and legitimate users
 - → Source code & information about configurations
- Abused by attackers to store:
 - ► List of vulnerable/compromised sites
 - ► Software vulnerabilities (e.g. exploits)
 - ► Database dumps
 - \rightarrow User data
 - \rightarrow Credentials
 - → Credit card details
 - ► More and more ...

Data mining Tor, social networks, OSINT with AIL
Project
Capabilities Overview

2022-03-25

—Sources of leaks: Paste monitoring

SOURCES OF LEAKS: PASTE MONITORING

- Example: https://gist.github.com/

 ► Easily storing and sharing text online

 ► Used by programmers and legitimate users
 - Source code & information about configurated by attackers to store:
 List of uninearable (compressingly rites).
- ► List of vulnerable/compromised sib
 ► Software vulnerabilities (e.g. exploi
 ► Database dumps
 → User data
- → Credentials
 → Credit card details
 ► More and more ...

WHY SO MANY LEAKS?

- Economical interests (e.g. Adversaries promoting services)
- Ransom model (e.g. To publicly pressure the victims)
- Political motives (e.g. Adversaries showing off)
- Collaboration (e.g. Criminals need to collaborate)
- Operational infrastructure (e.g. malware exfiltrating information on a pastie website)
- Mistakes and errors

Data mining Tor, social networks, OSINT with AIL
Project
Capabilities Overview

-Why so many leaks?

2022-03-25

HY SO MANY LEAKS?

conomical interests (e.g. Adversaries promoting s

Political motives (e.g. Adversaries showing off)

Collaboration (e.g. Criminals need to collaboration)

information on a pastie website)

Mistakes and errors

Mistakes and errors

ARE LEAKS FREQUENT?

Yes!

and we have to deal with this as a CSIRT.

- Contacting companies or organisations who did specific accidental leaks
- **Discussing with media** about specific case of leaks and how to make it more practical/factual for everyone
- Evaluating the economical market for cyber criminals (e.g. DDoS booters³ or reselling personal information - reality versus media coverage)
- Analysing collateral effects of malware, software vulnerabilities or exfiltration

 \rightarrow And it's important to detect them automatically.

3https://github.com/D4-project/

Data mining Tor, social networks, OSINT with AIL Project

-Are leaks frequent?

Capabilities Overview

and we have to deal with this as a CSIRT

Analysing collateral effects of malware, software

2022-(

PASTE MONITORING AT CIRCL: STATISTICS

- Monitored paste sites: 27
 - ► gist.github.com
 - ▶ ideone.com
 - **.**

	2016	2017	08.2018
Collected pastes	18,565,124	19,145,300	11,591,987
Incidents	244	266	208

Table: Pastes collected and incident⁴ raised by CIRCL

Data mining Tor, social networks, OSINT with AIL Project

Capabilities Overview

Monitored partie sites: 27
 Paging links
 Agent and an analysis of the second and analysis of the second a

Paste monitoring at CIRCL: Statistics

⁴http://www.circl.lu/pub/tr-46

	Data mining Tor, social networks, OSINT with AIL Representation	CURRENT CAPABILITIES
	Project Current capabilities	
CURRENT CAPABILITIES		

AIL FRAMEWORK: CURRENT CAPABILITIES

- Extending AIL to add a new **analysis module** can be done in 50 lines of Python
- The framework supports multi-processors/cores by default. Any analysis module can be started multiple times to support faster processing during peak times or bulk import
- Multiple concurrent data input
- Tor Crawler (handle cookies authentication)

Data mining Tor, social networks, OSINT with AIL Project **Current capabilities**

2022-03-25

-AIL Framework: Current capabilities

AIL FRAMEWORK: CURRENT FEATURES

- **■** Extracting credit cards numbers, credentials, phone numbers, ...
- Extracting and validating potential **hostnames**
- Keeps track of **duplicates**
- Submission to threat sharing and incident response platform (MISP and TheHive)
- Full-text indexer to index unstructured information
- **Tagging** for classification and searches
- Terms, sets, regex and YARA tracking and occurences
- Archives, files and raw submission from the UI
- PGP, Cryptocurrency, Decoded (Base64, ...) and username Correlation
- And many more

Data mining Tor, social networks, OSINT with AIL Project

-AIL Framework: Current features

Current capabilities

- # And many more

TERMS TRACKER

- Search and monitor specific keywords/patterns
 - ► Automatic Tagging
 - ► Email Notifications
- Track Term
 - ► ddos
- Track Set
 - booter,ddos,stresser;2
- Track Regex
 - ► circl\.lu
- YARA rules
 - ► https://github.com/ail-project/ail-yara-rules

Data mining Tor, social networks, OSINT with AIL ■ Search and monitor specific keywords/patterns Project -Current capabilities -Terms Tracker

2022-03-25


► Automatic Tagging

m Track Term

■ Track Set

■ Track Regex ■ YARA rules

TERMS TRACKER




Data mining Tor, social networks, OSINT with AIL 2022-03-25 Project -Current capabilities

-Terms Tracker



YARA TRACKER



Data mining Tor, social networks, OSINT with AIL Project
Current capabilities

-YARA Tracker

TERMS TRACKER - PRACTICAL PART

2022-03-25

Data mining Tor, social networks, OSINT with AIL Project
—Current capabilities

└─Terms Tracker - Practical part

TEAMS TRACKER - PRACTICAL PART

Cotate and text your controcker

Note the control of the control

■ Create and test your own tracker



20

RECON AND INTELLIGENCE GATHERING TOOLS

- **■** Attacker also share informations
- Recon tools detected: 94
 - ▶ sqlmap
 - ► dnscan
 - whois
 - msfconsole (metasploit)
 - ► dnmap
 - ► nmap
 - **...**

Data mining Tor, social networks, OSINT with AIL
Project
Current capabilities

2022-03-25

Recon and intelligence gathering tools

Attacker also share informations
Recon tools detected: 94
calmap
mistorical (metaspical)

RECON AND INTELLIGENCE GATHERING TOOLS

```
Hostname
              www.pabloquintanilla.cl
                                                         Wix.com Ltd.
Continent
              North America
                                   Flag
Country
              United States
                                   Country Code
                                                US
                            Local time
                                           19 Nov 2019 07:59 CST
Region Unknown
                            Postal Code
       Unknown
                                           Unknown
              185.230.60.195
                                                  37.751
TP Address
                                   Latitude
                     Longitude
                                    -97.822
> www.pabloquintanilla.cl
              38.132.106.139
Server:
              38.132.106.139#53
Address:
Non-authoritative answer:
www.pabloquintanilla.cl canonical name = www192.wixdns.net.
                     canonical name = balancer.wixdns.net.
www192.wixdns.net
      balancer.wixdns.net
Address: 185,230,60,211
Domain name: pabloquintanilla.cl
Registrant name: SERGIO TORO
Registrant organisation:
Registrar name: NIC Chile
Registrar URL: https://www.nic.cl
Creation date: 2018-11-21 14:34:34 CLST
```

Data mining Tor, social networks, OSINT with AIL Project **Current capabilities**

03-25

2022

-Recon and intelligence gathering tools

DECODER

- Search for encoded strings
 - ► Base64
 - ► Hexadecimal
 - ► Binary
- Guess Mime-type
- Correlate paste with decoded items

Data mining Tor, social networks, OSINT with AIL
Project
Current capabilities
Decoder

ESearch for encoded strings

Base64


Nexadecimal

Sincy

Guess Minn-type

Correlate paste with decoded items

DECODER:




Data mining Tor, social networks, OSINT with AIL
Project
Current capabilities
Decoder:



CRAWLER

- Crawlers are used to navigate on regular website as well as .onion addresses (via automatic extraction of urls or manual submission)
- Splash ("scriptable" browser) is rending the pages (including javascript) and produce screenshots (HAR archive too)



54

Data mining Tor, social networks, OSINT with AIL
Project
Current capabilities
Crawler

are used to navigate on regular website as well as defenses (% automatic extraction of ortic or manual recryptable however) is remiting the pages (including 1) and produces correction(1) (MR active too) or container on the container of the cont

CRAWLER


How a domain is crawled by default

- 1. Fetch the first url
- 2. Render javascript (webkit browser)
- 3. Extract all urls
- 4. Filter url: keep all url of this domain
- 5. crawl next url (max depth = 1)

Data mining Tor, social networks, OSINT with AIL 2022-03-25 Project -Current capabilities -Crawler

CRAWLER: COOKIEJAR

Use your cookies to login and bypass captcha



Data mining Tor, social networks, OSINT with AIL Project


— Current capabilities

-Crawler: Cookiejar

2022-(



CRAWLER: COOKIEJAR




Data mining Tor, social networks, OSINT with AIL Project
Current capabilities

CRAWLER COORDAN

The state of t

—Crawler: Cookiejar

CORRELATIONS AND RELATIONSHIP




Data mining Tor, social networks, OSINT with AIL Project

-Correlations and relationship

-Current capabilities

Data mining Tor, social networks, OSINT with AIL

EXAMPLE: DASHBOARD



Data mining Tor, social networks, OSINT with AIL Project
Live demo!

Example: Dashboard

2022-03-25




EXAMPLE: TEXT SEARCH



Data mining Tor, social networks, OSINT with AIL Project
Live demo!
Example: Text search



EXAMPLE: ITEMS METADATA (1)



Data mining Tor, social networks, OSINT with AIL
Project
Live demo!
Example: Items Metadata (1)




EXAMPLE: ITEMS METADATA (2)



Data mining Tor, social networks, OSINT with AIL Project
Live demo!
Example: Items Metadata (2)



EXAMPLE: ITEMS METADATA (3)



Data mining Tor, social networks, OSINT with AIL Project

Live demo!

EXAMPLE TEMS METADATA (S)

I MANUAL M

Example: Items Metadata (3)

EXAMPLE: BROWSING CONTENT

Content: http://members2.mofosnetwork.com/access/login/ somosextremos:buddy1990 brazzers_glenn:cocklick brazzers61:braves01 http://members.naughtyamerica.com/index.php?m=login gernblanston:3unc2352 Janhuss141200:310575 igetalliwant:1377zeph pwilks89:mon22key Bman1551:hockey MoFos IKnowThatGirl PublicPickUps http://members2.mofos.com Chrismagg40884:loganm40 brando1:zzbrando1 aacoen:1q2w3e4r 1rstunkle23:my8self BraZZers http://ma.brazzers.com qcjensen:qcj21pva skycsc17:rbcdnd >| Get Daily Update Fresh Porn Password Here |< => http://www.erg.io/4mF1

35 54

Data mining Tor, social networks, OSINT with AIL Project
Live demo!

Example: Browsing content

2022-03-25



EXAMPLE: BROWSING CONTENT

Content: Over 50000+ custom hacked xxx passwords by us! Thousands of free xxx passwords to the hottest paysites! >| Get Fresh New Premium XXX Site Password Here |< => http://www.erq.io/4mF1 http://ddfnetwork.com/home.html eu172936:hCSBgKh UecwB6zs:159X0\$!r#6K78FuU http://pornxn.stiffia.com/user/login feldwWek8939:RObluJ8XtB dabudka:17891789 brajits:brajits1 http://members.pornstarplatinum.com/sblogin/login.php/ gigiriveracom:xxxjay jayx123:xxxjay69 http://members.vividceleb.com/ Rufio99:fairhaven ScHiFRvi:102091 Chaos84:HOLE5244 Riptor795:blade7 Domi80:harkonnen GaggedUK:a1k0chan http://www.ariellaferrera.com/

Data mining Tor, social networks, OSINT with AIL Project
Live demo!


Example: Browsing content

2022-03-25



5.6


EXAMPLE: SEARCH BY TAGS



Data mining Tor, social networks, OSINT with AIL Project
Live demo!

-Example: Search by tags





MISP Taxonomies

- **Tagging** is a simple way to attach a classification to an event or anattribute.
- Classification must be globally used to be efficient.
- Provide a set of already defined classifications modeling estimative language
- Taxonomies are implemented in a simple JSON format ⁵.
- Can be easily cherry-picked or extended

⁵https://github.com/MISP/misp-taxonomies

TAXONOMIES USEFUL IN AIL

- infoleak: Information classified as being potential leak.
- **estimative-language**: Describe quality and credibility of underlying sources, data, and methodologies.
- **admiralty-scale**: Rank the reliability of a source and the credibility of an information
- **fpf**⁶: Evaluate the degree of identifiability of personal data and the types of pseudonymous data, de-identified data and anonymous data.

⁶Future of Privacy Forum

Data mining Tor, social networks, OSINT with AIL
Project
MISP
Taxonomies useful in AIL

S USEFUL IN AIL

- m infoleak: Information classified as being potential leak. m estimative-language: Describe quality and credibility of
- underlying sources, data, and methodologies.

 admiralty-scale: Rank the reliability of a source and the
- fpf*: Evaluate the degree of identifiability of personal data and the types of pseudonymous data, de-identified data anonymous data.

Statute of Privary Lenum

TAXONOMIES USEFUL IN AIL

- **tor**: Describe Tor network infrastructure.
- **dark-web**: Criminal motivation on the dark web.
- **copine-scale**⁷: Categorise the severity of images of child sex abuse.

Data mining Tor, social networks, OSINT with AIL Project -Taxonomies useful in AIL

⁷Combating Paedophile Information Networks in Europe

THREAT SHARING AND INCIDENT RESPONSE PLATFORMS





Goal: submission to threat sharing and incident response platforms.

Data mining Tor, social networks, OSINT with AIL Project

MISP

A project Pisses Sharing and incident response

-threat sharing and incident response

2022-03-25

THREAT SHARING AND INCIDENT RESPONSE PLATFORMS





- 1. Use infoleak taxonomy⁸
- 2. Add your own tags
- 3. Export AIL objects to MISP core format
- 4. Download it or Create a MISP Event9

Data mining Tor, social networks, OSINT with AIL Project

MISP

t. Use infrask temony.

2. Add year own tags

3. Expert All, objects to MISP one format

4. Commission or Centers (MEP) from?


-threat sharing and incident response

2022-03-25

⁸https://www.misp-project.org/taxonomies.html

⁹https://www.misp-standard.org/rfc/misp-standard-core.txt

MISP EXPORT




Data mining Tor, social networks, OSINT with AIL Project

MISP

-MISP Export



MISP EXPORT




Data mining Tor, social networks, OSINT with AIL 2022-03-25 Project -MISP

Add to 2 Export

-MISP Export

MISP EXPORT



Data mining Tor, social networks, OSINT with AIL
Project
—MISP
—MISP Export



AUTOMATIC SUBMISSION ON TAGS









☑ Update Tags

Data mining Tor, social networks, OSINT with AIL Project

MISP

The Hive

-Automatic submission on tags



2022-(

AIL exposes a ReST API which can be used to interact with the back-end¹⁰.

curl https://127.0.0.1:7000/api/v1/get/item/default ---header "Authorization: iHc1_ChZxj1aXmiFiF1m –H "Content-Type: application/json" ——data @input.json —X POST

■ AIL API is currently covering 60% of the functionality of back-end.

Data mining Tor, social networks, OSINT with AIL Project

AIL exposes a ReST API which can be used to interact with the curl https://127.0.0.1:7000/api/v1/get/item/defa--H "Content-Type: application/ison"

"https://github.com/ail-project/ail-framework/blob master/doc/README.md

¹⁰https://github.com/ail-project/ail-framework/blob/ master/doc/README.md

SETTING UP AIL-FRAMEWORK FROM SOURCE

```
2022-03-25
```

Data mining Tor, social networks, OSINT with AIL
Project
Setting up the framework

-Setting up AIL-Framework from source

Setting up All-Framework from source

gis clone
https://github.com/all-project/all-framework.gis
cd All-framework
j./installing_deps.sh

FEEDING AIL

There are different way to feed AIL with data:

- 1. Setup pystemon and use the custom feeder
 - pystemon will collect items for you
- 2. Use the new JSON Feeder (twitter)
- Feed your own data using the API or the import_dir.py script
- 4. Feed your own file/text using the UI (Submit section)

Data mining Tor, social networks, OSINT with AIL Project
Feeding the framework

Feeding AIL

AIL


here are different way to feed AIL with data:

2. Use the new JSON Feeder (twitter)

Feed your own data using the API or the import_dis script

4. Feed your own file/text using the UI (Submit section)

VIA THE UI (1)



Data mining Tor, social networks, OSINT with AIL
Project
Feeding the framework

Via the UI (1)



VIA THE UI (2)



Data mining Tor, social networks, OSINT with AIL
Project
Feeding the framework

Via the UI (2)



FEEDING AIL WITH YOUR OWN DATA - API

Data mining Tor, social networks, OSINT with AIL Project

-Feeding the framework

-Feeding AIL with your own data - API

FEEDING WITH YOUR OWN DATA import_dir.py(1)

/!\ requirements:

- Each file to be fed must be of a reasonable size:
 - ightharpoonup ~ 3 Mb / file is already large
 - ► This is because some modules are doing regex matching
 - ► If you want to feed a large file, better split it in multiple ones

Data mining Tor, social networks, OSINT with AIL Project Feeding the framework

Each file to be fed must be of a reasonable size: ➤ ~ 3 Mb / file is already large

-Feeding AIL with your own data -

2022-03-25

FEEDING AIL WITH YOUR OWN DATA - import dir.py(2)

- 1. Check your local configuration configs/core.cfg
 - ► In the file configs/core.cfg,
 - ► Add 127.0.0.1:5556 in ZMQ_Global
 - ► (should already be set by default)
- 2. Launch import_dir.py with de directory you want to import
 - ► import_dir.py -d dir_path

