

# DATA MINING TOR, SOCIAL NETWORKS, OSINT WITH AIL PROJECT

E.102

CIRCL COMPUTER INCIDENT RESPONSE CENTER LUXEMBOURG

MISP PROJECT

<https://www.misp-project.org/>

MARCH 22, 2022



2022-03-22

Data mining Tor, social networks, OSINT with AIL  
Project

DATA MINING TOR, SOCIAL NETWORKS,  
OSINT WITH AIL PROJECT

E.102

CIRCL COMPUTER INCIDENT RESPONSE CENTER LUXEMBOURG

MISP PROJECT  
<https://www.misp-project.org/>

MARCH 22, 2022



# INTRODUCTION

2022-03-22

Data mining Tor, social networks, OSINT with AIL  
Project

└ Introduction

INTRODUCTION

- **Deep Web** is the part of World Wide Web not indexed or directly accessible by standard web search-engines;
- This can be content hidden from **crawlers** by requiring a specific access and this can include private social media, password-protected forums or content protected by different measures such as paywalls or specific security interface to access the information;
- A large portion of content accessible via Internet is part of the deep web<sup>1</sup>.


<sup>1</sup>also called invisible web, hidden web or non-indexed web

1. There is a huge misconception about the difference between the darknet and deep web. The differences are important because it's two different aspects which can be related to each other.

■ **Deep Web** is the part of World Wide Web not indexed or directly accessible by standard web search-engines;  
■ This can be content hidden from **crawlers** by requiring a specific access and this can include private social media, password-protected forums or content protected by different measures such as paywalls or specific security interface to access the information;  
■ A large portion of content accessible via Internet is part of the deep web<sup>1</sup>.

<sup>1</sup>also called invisible web, hidden web or non-indexed web

- **Darknet** is an overlay network running on top of Internet requiring specific software to access the network and its services;
- Tor, I2P and Freenet are the most commonly used ones. Many are used for hidden services access and some for proxy access to the Internet;
- There are **legitimate use-cases** for such network but also many **illegal or criminal usage**.



# COLLECTING, PROCESSING AND ANALYSING CONTENT - WEB PAGES

- Building a search engine on the web is a challenging task because:
  - ▶ it has to crawl webpages,
  - ▶ it has to make sense of **unstructured data**,
  - ▶ it has to **index** these data,
  - ▶ it has to provide a way to retrieve data and structure data (e.g. correlation).
- Doing so on Tor is even more challenging because:
  - ▶ services don't always want to be found,
  - ▶ parts of the dataset have to be discarded.
- in each case, it requires a lot of bandwidth, storage and computing power.

2022-03-22

## Data mining Tor, social networks, OSINT with AIL Project

### └ Introduction

### └ Collecting, processing and analysing content

- Building a search engine on the web is a challenging task because:
  - ▶ it has to crawl webpages,
  - ▶ it has to make sense of **unstructured data**,
  - ▶ it has to **index** these data,
  - ▶ it has to provide a way to retrieve data and structure data (e.g. correlation).
- Doing so on Tor is even more challenging because:
  - ▶ services don't always want to be found,
  - ▶ parts of the dataset have to be discarded.
- in each case, it requires a lot of bandwidth, storage and computing power.

# COLLECTING, PROCESSING AND ANALYSING CONTENT - STRUCTURED DATA

- Some data are structured and are easy to process:
  - ▶ metadata!
  - ▶ API responses.
- Some even provide cryptographic evidences:
  - ▶ authentication mechanisms between peers,
  - ▶ OpenPGP can leak a lot of metadata
    - key ids,
    - subject of email in thunderbird,
  - ▶ Bitcoin's Blockchain is public,
  - ▶ pivoting on these data with external sources yields interesting results.

2022-03-22

## Data mining Tor, social networks, OSINT with AIL Project

### └ Introduction

### └ Collecting, processing and analysing content

- Some data are structured and are easy to process:
  - ▶ metadata!
  - ▶ API responses.
- Some even provide cryptographic evidences:
  - ▶ authentication mechanisms between peers,
  - ▶ OpenPGP can leak a lot of metadata
    - key ids,
    - subject of email in thunderbird,
  - ▶ Bitcoin's Blockchain is public,
  - ▶ pivoting on these data with external sources yields interesting results.

# AIL DESIGN OBJECTIVES

2022-03-22

Data mining Tor, social networks, OSINT with AIL Project

└ AIL design Objectives

AIL DESIGN OBJECTIVES



# OBJECTIVES OF THE SESSION

- Show how to use and extend an open source tool to monitor web pages, pastes, forums and hidden services
- Explain challenges and the design of the AIL open source framework
- Review different **collection mechanisms** and **sources**
- Learn how to create new modules
- Learn how to use, install and start AIL
- **Supporting investigation using the AIL framework** and including it in cyber threat intelligence lifecycle

2022-03-22

## Data mining Tor, social networks, OSINT with AIL Project

### └ AIL design Objectives

### └ Objectives of the session

#### OBJECTIVES OF THE SESSION

- Show how to use and extend an open source tool to monitor web pages, pastes, forums and hidden services
- Explain challenges and the design of the AIL open source framework
- Review different **collection mechanisms** and **sources**
- Learn how to create new modules
- Learn how to use, install and start AIL
- **Supporting investigation using the AIL framework** and including it in cyber threat intelligence lifecycle

# AIL FRAMEWORK

2022-03-22

Data mining Tor, social networks, OSINT with AIL  
Project  
└─ AIL Framework

AIL FRAMEWORK

# FROM A REQUIREMENT TO A SOLUTION: AIL FRAMEWORK

## History:

- AIL initially started as an **internship project** (2014) to evaluate the feasibility to automate the analysis of (un)structured information to find leaks.
- In 2019, AIL framework is an **open source software** in Python. The software is actively used (and maintained) by CIRCL and many organisations.
- In 2020, AIL framework is now a complete project called **ail project**<sup>2</sup>.

<sup>2</sup><https://github.com/ail-project/>

2022-03-22

## Data mining Tor, social networks, OSINT with AIL Project

### └ AIL Framework

### └ From a requirement to a solution: AIL

#### History:

- AIL initially started as an **internship project** (2014) to evaluate the feasibility to automate the analysis of (un)structured information to find leaks.
- In 2019, AIL framework is an **open source software** in Python. The software is actively used (and maintained) by CIRCL and many organisations.
- In 2020, AIL framework is now a complete project called **ail project**<sup>2</sup>.

<sup>2</sup><https://github.com/ail-project/>

# CAPABILITIES OVERVIEW

2022-03-22

Data mining Tor, social networks, OSINT with AIL Project

└ Capabilities Overview

CAPABILITIES OVERVIEW

- **Check** if mail/password/other sensitive information (terms tracked) leaked
- **Detect** reconnaissance of your infrastructure
- **Search** for leaks inside an archive
- **Monitor** and crawl websites

- **Check** if mail/password/other sensitive information (terms tracked) leaked
- **Detect** reconnaissance of your infrastructure
- **Search** for leaks inside an archive
- **Monitor** and crawl websites

- Proactive investigation: leaks detection
  - ▶ List of emails and passwords
  - ▶ Leaked database
  - ▶ AWS Keys
  - ▶ Credit-cards
  - ▶ PGP private keys
  - ▶ Certificate private keys
- Feed Passive DNS or any passive collection system
- CVE and PoC of vulnerabilities most used by attackers

2022-03-22

Data mining Tor, social networks, OSINT with AIL Project

└ Capabilities Overview

└ Support CERT/CSIRTs and Law Enforcement

- Proactive investigation: leaks detection
  - ▶ List of emails and passwords
  - ▶ Leaked database
  - ▶ AWS Keys
  - ▶ Credit-cards
  - ▶ PGP private keys
  - ▶ Certificate private keys
- Feed Passive DNS or any passive collection system
- CVE and PoC of vulnerabilities most used by attackers

- Website monitoring
  - ▶ monitor booters
  - ▶ Detect encoded exploits (WebShell, malware encoded in Base64...)
  - ▶ SQL injections
- Automatic and manual submission to threat sharing and incident response platforms
  - ▶ MISP
  - ▶ TheHive
- Term/Regex/Yara monitoring for local companies/government

## Data mining Tor, social networks, OSINT with AIL Project

### └ Capabilities Overview

### └ Support CERT/CSIRTs and Law Enforcement

- Website monitoring
  - ▶ monitor booters
  - ▶ Detect encoded exploits (WebShell, malware encoded in Base64...)
  - ▶ SQL injections
- Automatic and manual submission to threat sharing and incident response platforms
  - ▶ MISP
  - ▶ TheHive
- Term/Regex/Yara monitoring for local companies/government

- Example: <https://gist.github.com/>
  - ▶ Easily storing and sharing text online
  - ▶ Used by programmers and legitimate users
    - Source code & information about configurations

### └ Capabilities Overview

### └ Sources of leaks: Paste monitoring

- Example: <https://gist.github.com/>
  - ▶ Easily storing and sharing text online
  - ▶ Used by programmers and legitimate users
    - Source code & information about configurations



- Example: <https://gist.github.com/>
  - ▶ Easily storing and sharing text online
  - ▶ Used by programmers and legitimate users
    - Source code & information about configurations
- Abused by attackers to store:
  - ▶ List of vulnerable/compromised sites
  - ▶ Software vulnerabilities (e.g. exploits)
  - ▶ Database dumps
    - User data
    - Credentials
    - Credit card details
  - ▶ More and more ...

- Example: <https://gist.github.com/>
  - ▶ Easily storing and sharing text online
  - ▶ Used by programmers and legitimate users
    - Source code & information about configurations
- Abused by attackers to store:
  - ▶ List of vulnerable/compromised sites
  - ▶ Software vulnerabilities (e.g. exploits)
  - ▶ Database dumps
    - User data
    - Credentials
    - Credit card details
  - ▶ More and more ...

# WHY SO MANY LEAKS?

- Economical interests (e.g. Adversaries promoting services)
- Ransom model (e.g. To publicly pressure the victims)
- Political motives (e.g. Adversaries showing off)
- Collaboration (e.g. Criminals need to collaborate)
- Operational infrastructure (e.g. malware exfiltrating information on a pastie website)
- Mistakes and errors

2022-03-22

## Data mining Tor, social networks, OSINT with AIL Project

### └ Capabilities Overview

### └ Why so many leaks?

WHY SO MANY LEAKS?

- Economical interests (e.g. Adversaries promoting services)
- Ransom model (e.g. To publicly pressure the victims)
- Political motives (e.g. Adversaries showing off)
- Collaboration (e.g. Criminals need to collaborate)
- Operational infrastructure (e.g. malware exfiltrating information on a pastie website)
- Mistakes and errors

# ARE LEAKS FREQUENT?

Yes!

and we have to deal with this as a CSIRT.

- **Contacting companies or organisations** who did specific accidental leaks
- **Discussing with media** about specific case of leaks and how to make it more practical/factual for everyone
- Evaluating the economical market for cyber criminals (e.g. DDoS booters<sup>3</sup> or reselling personal information - reality versus media coverage)
- Analysing collateral effects of malware, software vulnerabilities or exfiltration

→ And it's important to detect them automatically.

<sup>3</sup><https://github.com/D4-project/>

## Data mining Tor, social networks, OSINT with AIL Project

### └ Capabilities Overview

#### └ Are leaks frequent?

Yes!  
and we have to deal with this as a CSIRT.

- **Contacting companies or organisations** who did specific accidental leaks
- **Discussing with media** about specific case of leaks and how to make it more practical/factual for everyone
- Evaluating the economical market for cyber criminals (e.g. DDoS booters<sup>3</sup> or reselling personal information - reality versus media coverage)
- Analysing collateral effects of malware, software vulnerabilities or exfiltration

→ And it's important to detect them automatically.

<https://github.com/D4-project/>

## ■ Monitored paste sites: 27

- ▶ *gist.github.com*
- ▶ *ideone.com*
- ▶ ...

	2016	2017	08.2018
Collected pastes	18,565,124	19,145,300	11,591,987
Incidents	244	266	208

**Table:** Pastes collected and incident<sup>4</sup> raised by CIRCL

<sup>4</sup><http://www.circl.lu/pub/tr-46>

2022-03-22

## Data mining Tor, social networks, OSINT with AIL Project

### └ Capabilities Overview

### └ Paste monitoring at CIRCL: Statistics

PASTE MONITORING AT CIRCL: STATISTICS

■ Monitored paste sites: 27

- ▶ gist.github.com
- ▶ ideone.com
- ▶ ...

	2016	2017	08.2018
Collected pastes	18,565,124	19,145,300	11,591,987
Incidents	244	266	208

Table: Pastes collected and incident<sup>4</sup> raised by CIRCL

<sup>4</sup><http://www.circl.lu/pub/tr-46>