MISP User Training - Administration of MISP 2.4

MISP - Intelligence Sharing

CIRCL / Team MISP Project
http://www.misp-project.org/
Twitter: @MISPProject

CRI MISP 2024



MISP - VM

- VM can be downloaded at https://www.circl.lu/misp-training/
- Credentials
  - MISP admin: admin@admin.test/admin
  - SSH: misp/Password1234
- 2 network interfaces
  - NAT
  - Host only adapter
- Start the enrichment system by typing:
  - cd /home/misp/misp-modules/bin
  - python3 misp-modules.py

MISP - VM
- VM can be downloaded at https://www.circl.lu/misp-training/
- Credentials
  - MISP admin: admin@admin.test/admin
  - SSH: misp/Password1234
- 2 network interfaces
  - NAT
  - Host only adapter
- Start the enrichment system by typing:
  - cd /home/misp/misp-modules/bin
  - python3 misp-modules.py

MISP - Administration

- Plan for this part of the training
  - User and Organisaton administration
  - Sharing group creation
  - Templates
  - Tags and Taxonomy
  - Whitelisting and Regexp entries
  - Setting up the synchronisation
  - Scheduled tasks
  - Feeds
  - Settings and diagnostics
  - Logging
  - Troubleshooting and updating

MISP - Administration
Plan for this part of the training
User and Organisaton administration
Sharing group creation
Templates
Tags and Taxonomy
Whitelisting and Regexp entries
Setting up the synchronisation
Scheduled tasks
Feeds
Settings and diagnostics
Logging
Troubleshooting and updating

MISP - Creating Users

- Add new user (andras.iklody@circl.lu)
- NIDS SID, Organisation, disable user
- Fetch the PGP key
- Roles
  - Re-using standard roles
  - Creating a new custom role
- Send out credentials

MISP - Creating Users
- Add new user (andras.iklody@circl.lu)
- NIDS SID, Organisation, disable user
- Fetch the PGP key
- Roles
  - Re-using standard roles
  - Creating a new custom role
- Send out credentials

MISP - Creating Organisations

- Adding a new organisation
- UUID
- Local vs External organisation
- Making an organisation self sustaining with Org Admins
- Creating a sync user

MISP - Creating Organisations
- Adding a new organisation
- UUID
- Local vs External organisation
- Making an organisation self sustaining with Org Admins
- Creating a sync user

MISP - Sharing groups

- The concept of a sharing group
- Creating a sharing group
- Adding extending rights to an organisation
- Include all organisations of an instance
- Not specifying an instance
- Making a sharing group active
- Reviewing the sharing group

MISP - Sharing groups
- The concept of a sharing group
- Creating a sharing group
- Adding extending rights to an organisation
- Include all organisations of an instance
- Not specifying an instance
- Making a sharing group active
- Reviewing the sharing group

MISP - Templates

- Why templating?
- Create a basic template
- Text fields
- Attribute fields
- Attachment fields
- Automatic tagging

MISP - Templates
Why templating?
Create a basic template
Text fields
Attribute fields
Attachment fields
Automatic tagging

MISP - Tags and Taxonomies

- git submodule init && git submodule update
- Loading taxonomies
- Enabling taxonomies and associated tags
- Tag management
- Exportable tags

MISP - Tags and Taxonomies
- git submodule init && git submodule update
- Loading taxonomies
- Enabling taxonomies and associated tags
- Tag management
- Exportable tags

MISP - Object Templates

- git submodule init && git submodule update
- Enabling objects (and what about versioning)

MISP - Object Templates
- git submodule init && git submodule update
- Enabling objects (and what about versioning)

MISP - Whitelisting, Regexp entries, Warninglists

- Block from exports - whitelisting
- Block from imports - blacklisting via regexp
- Modify on import - modification via regexp
- Maintaining the warninglists

MISP - Whitelisting, Regexp entries, Warninglists
- Block from exports - whitelisting
- Block from imports - blacklisting via regexp
- Modify on import - modification via regexp
- Maintaining the warninglists

MISP - Setting up the synchronisation

- Requirements - versions
- Pull/Push
- One way vs Two way synchronisation
- Exchanging sync users
- Certificates
- Filtering
- Connection test tool
- Previewing an instance
- Cherry picking and keeping the list updated

MISP - Setting up the synchronisation
- Requirements - versions
- Pull/Push
- One way vs Two way synchronisation
- Exchanging sync users
- Certificates
- Filtering
- Connection test tool
- Previewing an instance
- Cherry picking and keeping the list updated

MISP - Scheduled tasks

- How to schedule the next execution
- Frequency, next execution
- What happens if a job fails?

MISP - Scheduled tasks
How to schedule the next execution
Frequency, next execution
What happens if a job fails?

MISP - Setting up the synchronisation

- MISP Feeds and their generation
- PyMISP
- Default free feeds
- Enabling a feed
- Previewing a feed and cherry picking
- Feed filters
- Auto tagging

MISP - Setting up the synchronisation
- MISP Feeds and their generation
- PyMISP
- Default free feeds
- Enabling a feed
- Previewing a feed and cherry picking
- Feed filters
- Auto tagging

MISP - Settings and diagnostics

- Settings
  - Settings interface
  - The tabs explained at a glance
  - Issues and their severity
  - Setting guidance and how to best use it

MISP - Settings and diagnostics
Settings
Settings interface
The tabs explained at a glance
Issues and their severity
Setting guidance and how to best use it

MISP - Settings and diagnostics continued

- Basic instance setup
- Additional features released as hotfixes
- Customise the look and feel of your MISP
- Default behaviour (encryption, e-mailing, default distributions)
- Maintenance mode
- Disabling the e-mail alerts for an initial sync

MISP - Settings and diagnostics continued
- Basic instance setup
- Additional features released as hotfixes
- Customise the look and feel of your MISP
- Default behaviour (encryption, e-mailing, default distributions)
- Maintenance mode
- Disabling the e-mail alerts for an initial sync

MISP - Settings and diagnostics continued

- Plugins
  - Enrichment Modules
  - RPZ
  - ZeroMQ

MISP - Settings and diagnostics continued
Plugins
Enrichment Modules
RPZ
ZeroMQ

MISP - Settings and diagnostics continued

- Diagnostics
  - Updating MISP
  - Writeable Directories
  - PHP settings
  - Dependency diagnostics

MISP - Settings and diagnostics continued
Diagnostics
Updating MISP
Writeable Directories
PHP settings
Dependency diagnostics

MISP - Settings and diagnostics continued

- Workers
  - What do the background workers do?
  - Queues
  - Restarting workers, adding workers, removing workers
  - Worker diagnostics (queue size, jobs page)
  - Clearing worker queues
  - Worker and background job debugging

MISP - Settings and diagnostics continued
Workers
What do the background workers do?
Queues
Restarting workers, adding workers, removing workers
Worker diagnostics (queue size, jobs page)
Clearing worker queues
Worker and background job debugging

MISP - Settings and diagnostics continued

- Seeking help
  - Dump your settings to a file!
  - Make sure to sanitise it
  - Send it to us together with your issue to make our lives easier
  - Ask Github (https://github.com/MISP/MISP)
  - Have a chat with us on gitter (https://gitter.im/MISP/MISP)
  - Ask the MISP mailing list
  - If this is security related, drop us a PGP encrypted email to mailto:info@circl.lu

MISP - Settings and diagnostics continued
Seeking help
Dump your settings to a file!
Make sure to sanitise it
Send it to us together with your issue to make our lives easier
Ask Github (https://github.com/MISP/MISP)
Have a chat with us on gitter (https://gitter.im/MISP/MISP)
Ask the MISP mailing list
If this is security related, drop us a PGP encrypted email to mailto:info@circl.lu

MISP - Logging

- Audit logs in MISP
- Enable IP logging / API logging
- Search the logs, the fields explained
- External logs
  - /var/www/MISP/app/tmp/logs/error.log
  - /var/www/MISP/app/tmp/logs/resque-worker-error.log
  - /var/www/MISP/app/tmp/logs/resque-scheduler-error.log
  - /var/www/MISP/app/tmp/logs/resque-[date].log
  - /var/www/MISP/app/tmp/logs/error.log
  - apache access logs

MISP - Logging
Audit logs in MISP
Enable IP logging / API logging
Search the logs, the fields explained
External logs
/var/www/MISP/app/tmp/logs/error.log
/var/www/MISP/app/tmp/logs/resque-worker-error.log
/var/www/MISP/app/tmp/logs/resque-scheduler-error.log
/var/www/MISP/app/tmp/logs/resque-[date].log
/var/www/MISP/app/tmp/logs/error.log
apache access logs

MISP - Updating MISP

- git pull
- git submodule init && git submodule update
- reset the permissions if it goes wrong according to the INSTALL.txt
- when MISP complains about missing fields, make sure to clear the caches
  - in /var/www/MISP/app/tmp/cache/models remove myapp*
  - in /var/www/MISP/app/tmp/cache/persistent remove myapp*
- No additional action required on hotfix level
- Read the migration guide for major and minor version changes

MISP - Updating MISP
- git pull
- git submodule init && git submodule update
- reset the permissions if it goes wrong according to the INSTALL.txt
- when MISP complains about missing fields, make sure to clear the caches
  - in /var/www/MISP/app/tmp/cache/models remove myapp*
  - in /var/www/MISP/app/tmp/cache/persistent remove myapp*
- No additional action required on hotfix level
- Read the migration guide for major and minor version changes

MISP - Administrative tools

- Upgrade scripts for minor / major versions
- Maintenance scripts

MISP - Administrative tools
Upgrade scripts for minor / major versions
Maintenance scripts