MISP core development crash course

How I learned to stop worrying and love the PHP

CIRCL / Team MISP Project

MISP Project

CRI MISP 2024



Some things to know in advance...

- MISP is based on PHP 7.3+
- Using the MVC framework CakePHP 2.x
- What we'll look at now will be a quick glance at the structuring / layout of the code

Some things to know in advance...
- MISP is based on PHP 7.3+
- Using the MVC framework CakePHP 2.x
- What we'll look at now will be a quick glance at the structuring / layout of the code

MVC frameworks in general

- separation of business logic and views, interconnected by controllers
- main advantage is clear separation of the various components
- lean controllers, fat models (kinda...)
- domain based code reuse
- No interaction between Model and Views, ever

MVC frameworks in general
- separation of business logic and views, interconnected by controllers
- main advantage is clear separation of the various components
- lean controllers, fat models (kinda...)
- domain based code reuse
- No interaction between Model and Views, ever

Structure of MISP Core app directories

- Config: general configuration files
- Console: command line tools
- Controller: Code dealing with requests/responses, generating data for views based on interactions with the models
- Lib: Generic reusable code / libraries
- Model: Business logic, data gathering and modification
- Plugin: Alternative location for plugin specific codes, ordered into controller, model, view files
- View: UI views, populated by the controller

Structure of MISP Core app directories
- Config: general configuration files
- Console: command line tools
- Controller: Code dealing with requests/responses, generating data for views based on interactions with the models
- Lib: Generic reusable code / libraries
- Model: Business logic, data gathering and modification
- Plugin: Alternative location for plugin specific codes, ordered into controller, model, view files
- View: UI views, populated by the controller

Controllers - scope

- Each public function in a controller is exposed as an API action
- request routing (admin routing)
- multi-use functions (POST/GET)
- request/response objects
- contains the action code, telling the application what data fetching/modifying calls to make, preparing the resulting data for the resulting view
- grouped into controller files based on model actions
- Accessed via UI, API, AJAX calls directly by users
- For code reuse: behaviours
- Each controller bound to a model

Controllers - scope
- Each public function in a controller is exposed as an API action
- request routing (admin routing)
- multi-use functions (POST/GET)
- request/response objects
- contains the action code, telling the application what data fetching/modifying calls to make, preparing the resulting data for the resulting view
- grouped into controller files based on model actions
- Accessed via UI, API, AJAX calls directly by users
- For code reuse: behaviours
- Each controller bound to a model

Controllers - functionalities of controllers

- pagination functionality
- logging functionality
- Controllers actions can access functionality / variables of Models
- Controllers cannot access code of other controller actions (kind of...)
- Access to the authenticated user's data
- beforeFilter(), afterFilter() methods
- Inherited code in AppController

Controllers - functionalities of controllers
- pagination functionality
- logging functionality
- Controllers actions can access functionality / variables of Models
- Controllers cannot access code of other controller actions (kind of...)
- Access to the authenticated user's data
- beforeFilter(), afterFilter() methods
- Inherited code in AppController

Controllers - components

- Components = reusable code for Controllers
  - Authentication components
  - RestResponse component
  - ACL component
  - Cidr component
  - IOCImport component (should be moved)

Controllers - components
Components = reusable code for Controllers
Authentication components
RestResponse component
ACL component
Cidr component
IOCImport component (should be moved)

Controllers - additional functionalities

- Handling API responses (RestResponseComponent)
- Handling API requests (IndexFilterComponent)
- auth/session management
- ACL management
- CRUD Component
- Security component
- important: quertString/PyMISP versions, MISP version handler
- future improvements to the export mechanisms

Controllers - additional functionalities
- Handling API responses (RestResponseComponent)
- Handling API requests (IndexFilterComponent)
- auth/session management
- ACL management
- CRUD Component
- Security component
- important: quertString/PyMISP versions, MISP version handler
- future improvements to the export mechanisms

Models - scope

- Controls anything that has to do with:
  - finding subsets of data
  - altering existing data
  - inherited model: AppModel
  - reusable code for models: Behaviours
  - regex, trim

Models - scope
Controls anything that has to do with:
finding subsets of data
altering existing data
inherited model: AppModel
reusable code for models: Behaviours
regex, trim

Models - hooking system

- Versatile hooking system
  - manipulate the data at certain stages of execution
  - code can be located in 3 places: Model hook, AppModel hook, behaviour

Models - hooking system
Versatile hooking system
manipulate the data at certain stages of execution
code can be located in 3 places: Model hook, AppModel hook, behaviour

Model - hooking pipeline (add/edit)

- Hooks / model pipeline for data creation / edits
  - beforeValidate() (lowercase all hashes)
  - validate() (check hash format)
  - afterValidate() (we never use it
  - could be interesting if we ever validated without saving)
  - beforeSave() (purge existing correlations for an attribute)
  - afterSave() (create new correlations for an attribute / zmq)

Model - hooking pipeline (add/edit)
Hooks / model pipeline for data creation / edits
beforeValidate() (lowercase all hashes)
validate() (check hash format)
afterValidate() (we never use it
could be interesting if we ever validated without saving)
beforeSave() (purge existing correlations for an attribute)
afterSave() (create new correlations for an attribute / zmq)

Models - hooking pipeline (delete/read)

- Hooks for deletions
  - beforeDelete() (purge correlations for an attribute)
  - afterDelete() (zmq)
- Hooks for retrieving data
  - beforeFind() (modify the find parameters before execution, we don't use it)
  - afterFind() (json decode json fields)

Models - hooking pipeline (delete/read)
Hooks for deletions
beforeDelete() (purge correlations for an attribute)
afterDelete() (zmq)
Hooks for retrieving data
beforeFind() (modify the find parameters before execution, we don't use it)
afterFind() (json decode json fields)

Models - misc

- code to handle version upgrades contained in AppModel
- generic cleanup/data migration tools
- centralised redis/pubsub handlers
- (Show example of adding an attribute with trace)

Models - misc
- code to handle version upgrades contained in AppModel
- generic cleanup/data migration tools
- centralised redis/pubsub handlers
- (Show example of adding an attribute with trace)

Views - scope and structure

- templates for views
- layouts
- reusable template code: elements
  - attribute list, rows (if reused)
- reusable code: helpers
  - commandhelper (for discussion boards), highlighter for searches, tag colour helper
- views per controller

Views - scope and structure
templates for views
layouts
reusable template code: elements
attribute list, rows (if reused)
reusable code: helpers
commandhelper (for discussion boards), highlighter for searches, tag colour helper
views per controller

Views - Types of views and helpers

- ajax views vs normal views
- data views vs normal views vs serialisation in the controller
- sanitisation h()
- creating forms
  - sanitisation
  - CSRF

Views - Types of views and helpers
ajax views vs normal views
data views vs normal views vs serialisation in the controller
sanitisation h()
creating forms
sanitisation
CSRF

Views - Generators

- Mostly in genericElements
- Preparing the move to Cake4
- Important ones
  - Form - generate forms in a standardised way (/add, /edit, etc)
  - IndexTable - index lists using Field templates (/index, etc)
  - SingleViews - key-value lists with child elements (/view, etc)
  - Menues - to be refactored, see Cerebrate

Views - Generators
Mostly in genericElements
Preparing the move to Cake4
Important ones
Form - generate forms in a standardised way (/add, /edit, etc)
IndexTable - index lists using Field templates (/index, etc)
SingleViews - key-value lists with child elements (/view, etc)
Menues - to be refactored, see Cerebrate

General reusable libraries

- Located in app/Lib
- Code that is to be reused across several layers
- Important ones
  - Dashboard - Dashboard widget backend code
  - EventReport - Report generation
  - Export - MISP -> external format converter modules
  - Tools - List of generic helper libraries - examples:
    - Attachment, JSON conversion, random generation, emailing, sync request generation
    - Kafka, ZMQ, AWS S3, Elastic integration, PGP encryption, CIDR operations

General reusable libraries
- Located in app/Lib
- Code that is to be reused across several layers
- Important ones
  - Dashboard - Dashboard widget backend code
  - EventReport - Report generation
  - Export - MISP -> external format converter modules
  - Tools - List of generic helper libraries - examples:
    - Attachment, JSON conversion, random generation, emailing, sync request generation
    - Kafka, ZMQ, AWS S3, Elastic integration, PGP encryption, CIDR operations

Distribution

- algorithm for checking if a user has access to an attribute
- creator vs owner organisation
- distribution levels and inheritance (events -> objects -> attributes)
- shorthand inherit level
- sharing groups (org list, instance list)
- correlation distribution
- algorithms for safe data fetching (fetchEvents(), fetchAttributes(),...)

Distribution

- algorithm for checking if a user has access to an attribute
- creator vs owner organisation
- distribution levels and inheritance (events -> objects -> attributes)
- shorthand inherit level
- sharing groups (org list, instance list)
- correlation distribution
- algorithms for safe data fetching (fetchEvents(), fetchAttributes(),...)

Testing your code

- funtional testing
- Github actions
- impact scope
  - view code changes: only impacts request type based views
  - controller code changes: Should only affect given action
  - model code changes: can have impact on entire application
  - lib changes: can have affect on the entire application
- Don’t forget: queryACL, change querystring

Testing your code
- funtional testing
- Github actions
- impact scope
  - view code changes: only impacts request type based views
  - controller code changes: Should only affect given action
  - model code changes: can have impact on entire application
  - lib changes: can have affect on the entire application
- Don’t forget: queryACL, change querystring