Web Development Assignment
Mithun G (24CS116)

Source Code & Rendered Output

Web Fundamentals Guide

AQ1.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Web Fundamentals Guide</title>
    <style>
        :root {
            --bg-page: #F7F4EB;
            --bg-card: #FFFFFF;
            --bg-alt: #EFE9DC;
            --primary-olive: #3D4E37;
            --dark-olive: #283618;
            --med-olive: #606C38;
            --text: #2A2E2B;
            --border: #D7CEBE;
        }
        * { box-sizing: border-box; margin: 0; padding: 0; }
        body { font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, sans-serif;
background: var(--bg-page); color: var(--text); line-height: 1.5; }
        header { background: var(--dark-olive); color: #F7F4EB; padding: 1.5rem 1rem; text-align:
center; }
        header h1 { font-size: 1.6rem; margin-bottom: 0.25rem; }
        header p { font-size: 0.9rem; opacity: 0.9; }
        nav { background: var(--primary-olive); position: sticky; top: 0; z-index: 10; display:
flex; flex-wrap: wrap; justify-content: center; gap: 0.3rem; padding: 0.4rem; }
        nav a { color: #F7F4EB; text-decoration: none; font-size: 0.75rem; font-weight: 600;
padding: 0.3rem 0.5rem; border-radius: 3px; }
        nav a:hover { background: var(--med-olive); }
        main { max-width: 950px; margin: 1.5rem auto; padding: 0 1rem; }
        section { background: var(--bg-card); border: 1px solid var(--border); border-radius: 6px;
padding: 1.25rem; margin-bottom: 1.5rem; }
        h2 { color: var(--dark-olive); font-size: 1.2rem; border-bottom: 2px solid var(--border);
padding-bottom: 0.3rem; margin-bottom: 0.75rem; }
        h3 { color: var(--primary-olive); font-size: 0.95rem; margin-bottom: 0.25rem; }
        p, li { font-size: 0.85rem; color: var(--text); }
        .grid-2 { display: grid; grid-template-columns: 1fr 1fr; gap: 0.75rem; margin-top: 0.5rem; }
        .box { background: var(--bg-alt); border-left: 3px solid var(--primary-olive); padding: 0.
6rem 0.75rem; border-radius: 0 4px 4px 0; }
        .diagram { background: var(--bg-alt); border: 1px solid var(--border); border-radius: 4px;
padding: 0.75rem; margin: 0.75rem 0; text-align: center; }
        .diagram-title { font-size: 0.75rem; font-weight: bold; color: var(--dark-olive); margin-
bottom: 0.5rem; text-transform: uppercase; }
        svg { width: 100%; max-width: 650px; height: auto; }
        .url-box { display: flex; flex-wrap: wrap; gap: 0.3rem; margin: 0.5rem 0; font-family:
monospace; font-size: 0.8rem; background: #2A2E2B; padding: 0.5rem; border-radius: 4px; color: #FFF;
 }
        .url-tag { padding: 0.2rem 0.4rem; border-radius: 2px; }
        .bg-pr { background: var(--primary-olive); }
        .bg-med { background: var(--med-olive); }
        .bg-tan { background: #8B9474; color: #000; font-weight: bold; }
        table { width: 100%; border-collapse: collapse; margin-top: 0.75rem; font-size: 0.8rem; }
        th, td { border: 1px solid var(--border); padding: 0.45rem 0.6rem; text-align: left; }
        th { background: var(--primary-olive); color: #FFF; }
        tr:nth-child(even) { background: var(--bg-alt); }
        footer { background: var(--dark-olive); color: #F7F4EB; text-align: center; padding: 1rem;
font-size: 0.75rem; }
        @media (max-width: 650px) { .grid-2 { grid-template-columns: 1fr; } }
    </style>
</head>
<body>
    <header>
        <h1>Institutional Web Architecture Guide</h1>
        <p>A Management Primer on World Wide Web Fundamentals</p>
    </header>
    <nav>
        <a href="#internet">1. Internet</a>
        <a href="#networking">2. Network Concepts</a>
        <a href="#url">3. URL Structure</a>
        <a href="#domain">4. Domain & DNS</a>
        <a href="#clientserver">5. Browser & Server</a>
        <a href="#working">6. Website Principle</a>
        <a href="#scripting">7. Scripting</a>
    </nav>
    <main>
        <section id="internet">
            <h2>1. Internet Overview</h2>
            <p>The <strong>Internet</strong> is the global physical network of connected computers
```

```
communicating via standard protocols (TCP/IP). The <strong>World Wide Web (WWW)</strong> is an
information system operating over this network that allows documents and multimedia to be linked
and accessed via web browsers.</p>
        <div class="diagram">
            <div class="diagram-title">Internet vs. World Wide Web Architecture</div>
            <svg viewBox="0 0 600 110">
                <rect x="10" y="10" width="580" height="90" rx="6" fill="#D7CEBE"
stroke="#606C38" stroke-width="2"/>
                <text x="300" y="30" font-size="12" font-weight="bold" fill="#283618" text-
anchor="middle">PHYSICAL GLOBAL INTERNET (TCP/IP INFRASTRUCTURE)</text>
                <rect x="25" y="45" width="125" height="42" rx="4" fill="#3D4E37"/>
                <text x="87" y="65" font-size="10" font-weight="bold" fill="#FFF" text-
anchor="middle">World Wide Web</text>
                <text x="87" y="77" font-size="8" fill="#EFE9DC" text-anchor="middle">(HTTP/
HTTPS Pages)</text>
                <rect x="165" y="45" width="125" height="42" rx="4" fill="#606C38"/>
                <text x="227" y="65" font-size="10" font-weight="bold" fill="#FFF" text-
anchor="middle">Email Services</text>
                <text x="227" y="77" font-size="8" fill="#EFE9DC" text-anchor="middle">(SMTP,
IMAP)</text>
                <rect x="305" y="45" width="125" height="42" rx="4" fill="#606C38"/>
                <text x="367" y="65" font-size="10" font-weight="bold" fill="#FFF" text-
anchor="middle">File Transfers</text>
                <text x="367" y="77" font-size="8" fill="#EFE9DC" text-anchor="middle">(FTP /
SFTP)</text>
                <rect x="445" y="45" width="130" height="42" rx="4" fill="#606C38"/>
                <text x="510" y="65" font-size="10" font-weight="bold" fill="#FFF" text-
anchor="middle">VoIP & Media</text>
                <text x="510" y="77" font-size="8" fill="#EFE9DC" text-anchor="middle">(RTP,
Streaming)</text>
            </svg>
        </div>
    </section>

    <section id="networking">
        <h2>2. Fundamental Computer Network Concepts</h2>
        <div class="grid-2">
            <div class="box">
                <h3>IP Address</h3>
                <p>Unique identifier assigned to every device (e.g., <code>192.0.2.1</code> or
IPv6). Serves as a digital address for data routing.</p>
            </div>
            <div class="box">
                <h3>Protocols (TCP/IP & HTTP)</h3>
                <p>TCP ensures reliable end-to-end transmission, while HTTP/HTTPS governs web-
specific data transfer.</p>
            </div>
            <div class="box">
                <h3>LAN vs. WAN</h3>
                <p>LAN connects local campus devices; WAN spans broad regions, linking local
networks to the Internet.</p>
            </div>
            <div class="box">
                <h3>Packets & Routing</h3>
                <p>Data is split into small packets, routed through optimal network paths, and
reassembled at the destination.</p>
            </div>
        </div>
    </section>


    <section id="url">
        <h2>3. URL and its Structure</h2>
        <p>A <strong>Uniform Resource Locator (URL)</strong> identifies the exact global
address of a web resource.</p>
        <div class="url-box">
            <span class="url-tag bg-pr">https://</span>
            <span class="url-tag bg-med">portal.</span>
            <span class="url-tag bg-tan">institute.</span>
            <span class="url-tag bg-med">edu</span>
            <span class="url-tag bg-pr">/courses/apply</span>
            <span class="url-tag bg-tan">?term=fall</span>
        </div>
        <div class="diagram">
            <div class="diagram-title">URL Breakdown</div>
            <svg viewBox="0 0 600 70">
                <g font-size="10" text-anchor="middle" font-weight="bold">
                    <rect x="10" y="10" width="80" height="50" rx="3" fill="#3D4E37"/><text
x="50" y="32" fill="#FFF">Protocol</text><text x="50" y="47" font-size="8" fill="#EFE9DC">https://</
text>
                    <rect x="100" y="10" width="80" height="50" rx="3" fill="#606C38"/><text
x="140" y="32" fill="#FFF">Subdomain</text><text x="140" y="47" font-size="8" fill="#EFE9DC">portal.
</text>
                    <rect x="190" y="10" width="100" height="50" rx="3" fill="#283618"/><text
x="240" y="32" fill="#FFF">Domain Name</text><text x="240" y="47" font-size="8"
fill="#EFE9DC">institute</text>
                    <rect x="300" y="10" width="55" height="50" rx="3" fill="#606C38"/><text
```

```
x="327" y="32" fill="#FFF">TLD</text><text x="327" y="47" font-size="8" fill="#EFE9DC">.edu</text>
                    <rect x="365" y="10" width="115" height="50" rx="3" fill="#3D4E37"/><text
x="422" y="32" fill="#FFF">Path</text><text x="422" y="47" font-size="8" fill="#EFE9DC">/courses/
apply</text>
                    <rect x="490" y="10" width="100" height="50" rx="3" fill="#606C38"/><text
x="540" y="32" fill="#FFF">Query String</text><text x="540" y="47" font-size="8"
fill="#EFE9DC">?term=fall</text>
                </g>
            </svg>
        </div>
    </section>

    <section id="domain">
        <h2>4. Domain Name & DNS</h2>
        <p>A <strong>Domain Name</strong> is a human-readable alias for a numerical IP address.
The <strong>Domain Name System (DNS)</strong> resolves domains to IP addresses.</p>
        <div class="diagram">
            <div class="diagram-title">DNS Resolution Workflow</div>
            <svg viewBox="0 0 600 80">
                <rect x="10" y="20" width="110" height="40" rx="4" fill="#3D4E37"/>
                <text x="65" y="38" font-size="10" fill="#FFF" font-weight="bold" text-
anchor="middle">User Browser</text>
                <text x="65" y="50" font-size="8" fill="#EFE9DC" text-anchor="middle">Requests
institute.edu</text>
                <path d="M 125 32 L 235 32" stroke="#283618" stroke-width="1.5"/>
                <text x="180" y="26" font-size="7.5" fill="#283618" text-anchor="middle">1.
Query IP</text>
                <rect x="240" y="15" width="120" height="50" rx="4" fill="#D7CEBE"
stroke="#606C38" stroke-width="1.5"/>
                <text x="300" y="36" font-size="10" fill="#283618" font-weight="bold" text-
anchor="middle">DNS Server</text>
                <text x="300" y="48" font-size="8" fill="#283618" text-anchor="middle">Maps
name to IP</text>
                <path d="M 235 48 L 125 48" stroke="#606C38" stroke-width="1.5"/>
                <text x="180" y="58" font-size="7.5" fill="#606C38" text-anchor="middle">2.
Returns 198.51.100.1</text>
                <path d="M 65 62 L 65 72 L 525 72 L 525 62" fill="none" stroke="#3D4E37" stroke-
dasharray="3" stroke-width="1.5"/>
                <text x="300" y="70" font-size="7.5" fill="#3D4E37" text-anchor="middle">3.
Browser connects directly to Web Server via IP</text>
                <rect x="470" y="20" width="120" height="40" rx="4" fill="#3D4E37"/>
                <text x="530" y="38" font-size="10" fill="#FFF" font-weight="bold" text-
anchor="middle">Web Server</text>
                <text x="530" y="50" font-size="8" fill="#EFE9DC" text-anchor="middle">198.51.
100.1</text>
            </svg>
        </div>
    </section>

    <section id="clientserver">
        <h2>5. Web Browsers and Web Servers</h2>
        <div class="grid-2">
            <div class="box">
                <h3>Web Browser (Client)</h3>
                <p>User-side software (Chrome, Safari, Edge) that dispatches HTTP requests,
processes HTML/CSS/JS, and renders pages visually.</p>
            </div>
            <div class="box">
                <h3>Web Server (Host)</h3>
                <p>Server computer/software (Apache, Nginx) that listens for requests, executes
server-side logic, and delivers data back.</p>
            </div>
        </div>
    </section>

    <section id="working">
        <h2>6. Working Principle of a Website</h2>
        <div class="diagram">
            <div class="diagram-title">Website Request-Response Cycle</div>
            <svg viewBox="0 0 600 80">
                <g font-size="9" text-anchor="middle" font-weight="bold">
                    <rect x="10" y="15" width="85" height="50" rx="3" fill="#3D4E37"/><text
x="52" y="36" fill="#FFF">1. Enter URL</text><text x="52" y="50" font-size="7.5"
fill="#EFE9DC">Browser</text>
                    <path d="M 98 40 L 107 40" stroke="#283618" stroke-width="1.5"/>
                    <rect x="110" y="15" width="85" height="50" rx="3" fill="#606C38"/><text
x="152" y="36" fill="#FFF">2. DNS Lookup</text><text x="152" y="50" font-size="7.5"
fill="#EFE9DC">Resolve IP</text>
                    <path d="M 198 40 L 207 40" stroke="#283618" stroke-width="1.5"/>
                    <rect x="210" y="15" width="85" height="50" rx="3" fill="#3D4E37"/><text
x="252" y="36" fill="#FFF">3. HTTP Req</text><text x="252" y="50" font-size="7.5"
fill="#EFE9DC">Send to Server</text>
                    <path d="M 298 40 L 307 40" stroke="#283618" stroke-width="1.5"/>
                    <rect x="310" y="15" width="85" height="50" rx="3" fill="#606C38"/><text
x="352" y="36" fill="#FFF">4. Process</text><text x="352" y="50" font-size="7.5"
fill="#EFE9DC">Database / Logic</text>
```




```
                    <path d="M 398 40 L 407 40" stroke="#283618" stroke-width="1.5"/>
                    <rect x="410" y="15" width="85" height="50" rx="3" fill="#3D4E37"/><text
x="452" y="36" fill="#FFF">5. Response</text><text x="452" y="50" font-size="7.5"
fill="#EFE9DC">Deliver HTML</text>
                    <path d="M 498 40 L 507 40" stroke="#283618" stroke-width="1.5"/>
                    <rect x="510" y="15" width="80" height="50" rx="3" fill="#283618"/><text
x="550" y="36" fill="#FFF">6. Render</text><text x="550" y="50" font-size="7.5"
fill="#EFE9DC">Display Page</text>
                </g>
            </svg>
        </div>
    </section>

    <section id="scripting">
        <h2>7. Client-Side vs. Server-Side Scripting</h2>
        <table>
            <thead>
                <tr>
                    <th>Feature</th>
                    <th>Client-Side Scripting</th>
                    <th>Server-Side Scripting</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td><strong>Execution</strong></td>
                    <td>Runs locally inside user browser.</td>
                    <td>Runs remotely on web server.</td>
                </tr>
                <tr>
                    <td><strong>Languages</strong></td>
                    <td>JavaScript, TypeScript (HTML/CSS).</td>
                    <td>Python, PHP, Node.js, Java.</td>
                </tr>
                <tr>
                    <td><strong>Primary Role</strong></td>
                    <td>UI interactivity, input validation, DOM updates.</td>
                    <td>Database queries, authentication, business logic.</td>
                </tr>
                <tr>
                    <td><strong>Code Visibility</strong></td>
                    <td>Visible to users via browser source tools.</td>
                    <td>Protected on server; inaccessible to users.</td>
                </tr>
                <tr>
                    <td><strong>Database Access</strong></td>
                    <td>No direct database access.</td>
                    <td>Direct connection to secure institutional databases.</td>
                </tr>
            </tbody>
        </table>
    </section>
</main>
<footer>
    <p>&copy; Educational Institution Web Committee | Technical Overview</p>
</footer>
</body>
</html>
```

Web Fundamentals Guide — Output



Rendered output — AQ1.html

KPRIET Student Admission Portal

AQ2.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>KPRIET Student Admission Portal</title>
  <link rel="stylesheet" href="AQ2.css">
</head>
<body>

  <header class="main-header">
    <img src="https://upload.wikimedia.org/wikipedia/commons/thumb/c/c5/KPRIET_Logo.png/800px-
KPRIET_Logo.png" alt="KPRIET Logo" class="college-logo">
    <div class="header-text">
      <h1>KPR Institute of Engineering and Technology</h1>
      <p>Online Application for Undergraduate Admissions</p>
    </div>
  </header>

  <section class="media-container">
    <div class="media-card">
      <h3>Campus & Admission Overview</h3>
      <iframe class="video-frame" src="https://www.youtube.com/embed/glvhw_Vv17Q" title="KPRIET
Admission Video" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope;
picture-in-picture" allowfullscreen></iframe>
    </div>
    <div class="media-card audio-box">
      <h3>Admission Guidelines (Audio)</h3>
      <audio controls class="audio-player">
        <source src="https://www.soundhelix.com/examples/mp3/SoundHelix-Song-1.mp3" type="audio/
mpeg">
        Your browser does not support the audio element.
      </audio>
    </div>
  </section>

  <main class="form-wrapper">
    <form action="#" method="post" enctype="multipart/form-data" class="admission-form">

      <fieldset>
        <legend>Personal Information</legend>

        <div class="form-grid">
          <div class="form-group">
            <label for="fullname">Full Name *</label>
            <input type="text" id="fullname" name="fullname" placeholder="Enter full name" required>
          </div>

          <div class="form-group">
            <label for="dob">Date of Birth *</label>
            <input type="date" id="dob" name="dob" required>
          </div>

          <div class="form-group">
            <label for="email">Email Address *</label>
            <input type="email" id="email" name="email" placeholder="example@domain.com" required>
          </div>

          <div class="form-group">
            <label for="phone">Phone Number *</label>
            <input type="tel" id="phone" name="phone" pattern="[0-9]{10}" placeholder="10-digit
mobile number" required>
          </div>

          <div class="form-group full-width">
            <label>Gender *</label>
            <div class="radio-group">
              <label><input type="radio" name="gender" value="male" required> Male</label>
              <label><input type="radio" name="gender" value="female"> Female</label>
              <label><input type="radio" name="gender" value="other"> Other</label>
            </div>
          </div>

          <div class="form-group full-width">
            <label for="photo">Upload Passport Size Photo (JPG/PNG)</label>
            <input type="file" id="photo" name="photo" accept="image/*">
          </div>
        </div>
```

```
    </fieldset>

    <fieldset>
      <legend>Academic Details</legend>

      <div class="form-grid">
        <div class="form-group">
          <label for="department">Preferred Branch *</label>
          <select id="department" name="department" required>
            <option value="">-- Select Degree & Branch --</option>
            <option value="btech-ai-ds">B.Tech - Artificial Intelligence & Data Science</option>
            <option value="be-cse">B.E - Computer Science & Engineering</option>
            <option value="be-ece">B.E - Electronics & Communication Engineering</option>
            <option value="be-mech">B.E - Mechanical Engineering</option>
            <option value="be-biomed">B.E - Biomedical Engineering</option>
          </select>
        </div>

        <div class="form-group">
          <label for="cutoff">HSC / 12th Cut-Off Mark (Out of 200) *</label>
          <input type="number" id="cutoff" name="cutoff" min="0" max="200" step="0.01"
placeholder="e.g. 185.50" required>
        </div>

        <div class="form-group">
          <label for="quota">Admission Quota *</label>
          <select id="quota" name="quota" required>
            <option value="counselling">TNEA Single Window Counselling</option>
            <option value="management">Management Quota</option>
            <option value="sports">Sports Quota</option>
          </select>
        </div>

        <div class="form-group">
          <label for="yop">Year of Passing (12th) *</label>
          <input type="number" id="yop" name="yop" min="2020" max="2026" value="2026" required>
        </div>
      </div>
    </fieldset>

    <fieldset>
      <legend>Residential & Additional Information</legend>

      <div class="form-group full-width">
        <label for="address">Permanent Address *</label>
        <textarea id="address" name="address" rows="3" placeholder="Enter complete address with
pincode" required></textarea>
      </div>

      <div class="form-group full-width">
        <label>Facilities Required</label>
        <div class="checkbox-group">
          <label><input type="checkbox" name="facility" value="hostel"> Hostel Accommodation</
label>
          <label><input type="checkbox" name="facility" value="transport"> College Bus Transport</
label>
        </div>

      </div>

      <div class="form-group full-width declaration">
        <label>
          <input type="checkbox" id="declaration" name="declaration" required>
          I hereby declare that all details submitted are authentic to the best of my knowledge.
        </label>
      </div>
    </fieldset>

    <div class="btn-container">
      <button type="reset" class="btn btn-reset">Reset Form</button>
      <button type="submit" class="btn btn-submit">Submit Application</button>
    </div>

  </form>
 </main>

 <footer class="main-footer">
   <p>&amp;copy; 2026 KPR Institute of Engineering and Technology. All Rights Reserved.</p>
 </footer>

</body>
</html>
```

AQ2.css

```
* {
```

```
  box-sizing: border-box;
  margin: 0;
  padding: 0;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

body {
  background-color: #f0f4f8;
  color: #333333;
  line-height: 1.6;
  padding: 20px;
}

.main-header {
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 20px;
  background-color: #0b3c5d;
  color: #ffffff;
  padding: 25px 20px;
  border-radius: 8px;
  margin-bottom: 25px;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
  text-align: center;
}

.college-logo {
  max-height: 75px;
  width: auto;
  background-color: #ffffff;
  padding: 5px;
  border-radius: 6px;
}

.header-text h1 {
  font-size: 1.7rem;
  margin-bottom: 5px;
}

.header-text p {
  font-size: 0.95rem;
  color: #d9e2ec;
}

.media-container {
  display: flex;
  flex-wrap: wrap;
  gap: 20px;
  margin-bottom: 25px;
  justify-content: center;
}

.media-card {
  flex: 1 1 450px;
  background: #ffffff;
  padding: 15px;
  border-radius: 8px;
  border: 1px solid #d9e2ec;
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.05);
}

.media-card h3 {
  color: #0b3c5d;
  margin-bottom: 10px;
  font-size: 1.1rem;
}

.video-frame {
  width: 100%;
  height: 250px;
  border: none;
  border-radius: 4px;
}

.audio-box {
  display: flex;
  flex-direction: column;
  justify-content: center;
}

.audio-player {
  width: 100%;
  margin-top: 10px;
}
.form-wrapper {
```

```
  background-color: #ffffff;
  padding: 30px;
  border-radius: 8px;
  border: 1px solid #bcccdc;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.08);
  max-width: 900px;
  margin: 0 auto;
}

fieldset {
  border: 1px solid #9fb3c8;
  border-radius: 6px;
  padding: 20px;
  margin-bottom: 25px;
}

legend {
  font-weight: 600;
  color: #0b3c5d;
  padding: 0 10px;
  font-size: 1.15rem;
}

.form-grid {
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 18px;
}

.form-group {
  display: flex;
  flex-direction: column;
}

.full-width {
  grid-column: span 2;
  margin-top: 10px;
}

label {
  font-size: 0.9rem;
  font-weight: 500;
  margin-bottom: 6px;
  color: #102a43;
}

input[type="text"],
input[type="email"],
input[type="tel"],
input[type="date"],
input[type="number"],
select,
textarea {
  width: 100%;
  padding: 10px 12px;
  border: 1.5px solid #9fb3c8;
  border-radius: 4px;
  font-size: 0.95rem;
  outline: none;
  transition: border-color 0.2s, box-shadow 0.2s;
}

input:focus,
select:focus,
textarea:focus {
  border-color: #3282b8;
  box-shadow: 0 0 5px rgba(50, 130, 184, 0.5);
}

input[type="file"] {
  border: 1px dashed #9fb3c8;
  padding: 10px;
  border-radius: 4px;
  background-color: #f8fafc;
}

.radio-group,
.checkbox-group {
  display: flex;
  gap: 20px;
  margin-top: 5px;
}

.radio-group label,
.checkbox-group label {
  display: flex;
```

```
  align-items: center;
  gap: 6px;
  cursor: pointer;
}

.declaration {
  background-color: #f0f4f8;
  padding: 12px;
  border-radius: 4px;
  border-left: 4px solid #0b3c5d;
}

.declaration label {
  display: flex;
  align-items: center;
  gap: 10px;
  margin-bottom: 0;
}

.btn-container {
  display: flex;
  justify-content: flex-end;
  gap: 15px;
  margin-top: 10px;
}

.btn {
  padding: 12px 24px;
  border-radius: 5px;
  font-size: 1rem;
  font-weight: 600;
  cursor: pointer;
  border: none;
  transition: background-color 0.2s, transform 0.1s;
}

.btn-submit {
  background-color: #0b3c5d;
  color: #ffffff;
}

.btn-submit:hover {
  background-color: #1d5b79;
}

.btn-reset {
  background-color: #e2e8f0;
  color: #334e68;
}

.btn-reset:hover {
  background-color: #cbd2d9;
}

.btn:active {
  transform: scale(0.98);
}
.main-footer {
  text-align: center;
  margin-top: 30px;
  font-size: 0.85rem;
  color: #627d98;
}
@media (max-width: 768px) {
  .main-header {
    flex-direction: column;
  }
  .form-grid {
    grid-template-columns: 1fr;
  }
  .full-width {
    grid-column: span 1;
  }
  .radio-group,
  .checkbox-group {
    flex-direction: column;
    gap: 8px;
  }
  .btn-container {
    flex-direction: column-reverse;
  }
  .btn {
    width: 100%;
  }
}
```

KPRIET Student Admission Portal — Output

KPR Institute of Engineering and Technology

Online Application for Undergraduate Admissions

Campus & Admission Overview

Host not in allowlist: www.youtube.com. Add this host to your network egress settings to allow access.

Admission Guidelines (Audio)

0:00 / 0:00

Personal Information

Full Name *

Enter full name

Date of Birth *

mm/dd/yyyy

Email Address *

example@domain.com

Phone Number *

10-digit mobile number

Gender *

Male Female Other

Upload Passport Size Photo (JPG/PNG)

Choose File No file chosen

Academic Details

Preferred Branch *

-- Select Degree & Branch --

HSC / 12th Cut-Off Mark (Out of 200) *

e.g. 185.50

Admission Quota *

TNEA Single Window Counselling

Year of Passing (12th) *

2026

Residential & Additional Information

Permanent Address *

Enter complete address with pincode

Facilities Required

Hostel Accommodation College Bus Transport

I hereby declare that all details submitted are authentic to the best of my knowledge.

Reset Form Submit Application

© 2026 KPR Institute of Engineering and Technology. All Rights Reserved.

Rendered output — AQ2.html

AERO High Performance Sportswear

AQ3.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>AERO | High Performance Sportswear</title>
<link rel="stylesheet" href="AQ3.css">
<link href="https://fonts.googleapis.com/css2?family=Montserrat:wght@400;700;900&display=swap"
rel="stylesheet">
</head>
<body>
<header>
<div class="logo">AERO</div>
<nav>
<a href="#">Men</a>
<a href="#">Women</a>
<a href="#">Footwear</a>
<a href="#">Accessories</a>
</nav>
<a href="#products" class="btn">Shop Now</a>
</header>
<section class="hero">
<div class="hero-content">
<h1 class="text-effect">DEFY LIMITS</h1>
<p>Engineered for speed. Designed for power. Discover the new era of athletic gear.</p>
<a href="#products" class="btn pulse-btn">Explore Collection</a>
</div>
</section>
<section class="features multi-column">
<div class="feature-box">
<h3>Aero-Breathe Tech</h3>
<p>Advanced moisture-wicking technology keeps your core temperature optimal during intense workouts.
</p>
</div>
<div class="feature-box">
<h3>Titanium Durability</h3>
<p>Reinforced threading built for the absolute toughest outdoor and gym environments.</p>
</div>
<div class="feature-box">
<h3>Zero-Gravity Fit</h3>
<p>Ultra-lightweight fabrics designed to move with your body seamlessly.</p>
</div>
</section>
<section id="products" class="products">
<h2 class="section-title">Latest Gear</h2>
<div class="grid-layout">
<div class="card">
<div class="card-img" style="background-image: url('https://images.unsplash.com/photo-1542291026-
7eec264c27ff?auto=format&fit=crop&w=600&q=80');"></div>
<div class="card-info">
<h4>Aero Phantom Strike Shoes</h4>
<p>$149.99</p>
<button class="btn-outline">Add to Cart</button>
</div>
</div>
<div class="card">
<div class="card-img" style="background-image: url('https://images.unsplash.com/photo-1556821840-
3a63f95609a7?auto=format&fit=crop&w=600&q=80');"></div>
<div class="card-info">
<h4>Urban Velocity Jacket</h4>
<p>$95.00</p>
<button class="btn-outline">Add to Cart</button>
</div>
</div>
<div class="card">
<div class="card-img" style="background-image: url('https://images.unsplash.com/photo-1518459031867-
a89b944bffe4?auto=format&fit=crop&w=600&q=80');"></div>
<div class="card-info">
<h4>Core Compression Tights</h4>
<p>$65.99</p>
<button class="btn-outline">Add to Cart</button>
</div>
</div>
<div class="card">
<div class="card-img" style="background-image: url('https://images.unsplash.com/photo-1571019614242-
c5c5dee9f50b?auto=format&fit=crop&w=600&q=80');"></div>
<div class="card-info">
<h4>Pro Grip Training Gloves</h4>
```

```
<p>$28.50</p>
<button class="btn-outline">Add to Cart</button>
</div>
</div>
</div>
</section>
<footer>
<p>&copy; 2026 AERO Sportswear. All rights reserved.</p>
</footer>
</body>
</html>
```


AQ3.css

```
* {
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: 'Montserrat', sans-serif;
}
body {
background-color: #f4f7f6;
color: #111;
line-height: 1.6;
overflow-x: hidden;
}
header {
position: fixed;
width: 100%;
background: rgba(10, 10, 10, 0.95);
padding: 1.2rem 5%;
display: flex;
justify-content: space-between;
align-items: center;
z-index: 1000;
border-bottom: 4px solid #ff3300;
}
.logo {
color: #fff;
font-size: 2.2rem;
font-weight: 900;
letter-spacing: 3px;
font-style: italic;
}
nav a {
color: #fff;
text-decoration: none;
margin: 0 1.5rem;
font-weight: 700;
text-transform: uppercase;
font-size: 0.9rem;
transition: color 0.3s ease;
}
nav a:hover {
color: #ff3300;
}
.btn {
padding: 0.8rem 1.8rem;
background: linear-gradient(45deg, #ff5e00, #ff3300);
color: #fff;
text-decoration: none;
font-weight: 900;
border-radius: 50px;
text-transform: uppercase;
border: none;
cursor: pointer;
box-shadow: 0 5px 15px rgba(255, 51, 0, 0.4);
transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.btn:hover {
transform: translateY(-3px);
box-shadow: 0 8px 25px rgba(255, 51, 0, 0.6);
}
.hero {
height: 100vh;
background: linear-gradient(rgba(0,0,0,0.7), rgba(0,0,0,0.7)), url('https://images.unsplash.com/
photo-1483721310020-03333e577078?auto=format&fit=crop&w=1920&q=80') center/cover fixed;
display: flex;
align-items: center;
justify-content: center;
text-align: center;
padding: 0 20px;
}
.hero-content {
animation: slideUp 1.2s cubic-bezier(0.1, 0.9, 0.2, 1);
```

```
}
.text-effect {
font-size: 6rem;
color: transparent;
-webkit-text-stroke: 2px #fff;
background: url('https://images.unsplash.com/photo-1542291026-
7eec264c27ff?auto=format&fit=crop&w=600&q=80');
-webkit-background-clip: text;
background-position: center;
animation: backgroundPan 15s linear infinite;
text-transform: uppercase;
text-shadow: 0 15px 30px rgba(0,0,0,0.8);
margin-bottom: 1rem;
font-style: italic;
}
.hero p {
color: #e0e0e0;
font-size: 1.3rem;
margin-bottom: 2.5rem;
font-weight: 400;
max-width: 600px;
margin-inline: auto;
}
.pulse-btn {
animation: pulse 2s infinite;
}
.multi-column {
column-count: 3;
column-gap: 50px;
padding: 5rem 5%;
background-color: #fff;
}
.feature-box {
break-inside: avoid;
padding: 2.5rem;
background: #fdfdfd;
border-left: 6px solid #ff3300;
border-radius: 0 15px 15px 0;
margin-bottom: 25px;
box-shadow: 0 4px 10px rgba(0,0,0,0.03);
transition: transform 0.4s ease;
}
.feature-box:hover {
transform: translateX(15px);
background: #f4f4f4;
}
.feature-box h3 {
margin-bottom: 15px;
color: #111;
font-weight: 900;
text-transform: uppercase;
}
.products {
padding: 5rem 5%;
background: #f9f9f9;
}
.section-title {
text-align: center;
font-size: 2.8rem;
margin-bottom: 3.5rem;
text-transform: uppercase;
font-weight: 900;
color: #111;
font-style: italic;
}
.grid-layout {
display: grid;
grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));
gap: 40px;
}
.card {
background: #fff;
border-radius: 20px;
overflow: hidden;
box-shadow: 0 10px 25px rgba(0,0,0,0.08);
border: 1px solid #eaeaea;
transition: transform 0.4s cubic-bezier(0.1, 0.9, 0.2, 1), box-shadow 0.4s ease;
}
.card:hover {
transform: translateY(-12px);
box-shadow: 0 20px 40px rgba(255, 51, 0, 0.15);
}
.card-img {
height: 280px;
background-size: cover;
background-position: center;
```

```
transition: transform 0.6s ease;
}
.card:hover .card-img {
transform: scale(1.15);
}
.card-info {
padding: 1.8rem;
text-align: center;
position: relative;
background: #fff;
z-index: 2;
border-top: 3px solid #ff3300;
}
.card-info h4 {
font-size: 1.2rem;
font-weight: 900;
margin-bottom: 0.5rem;
color: #222;
text-transform: uppercase;
}
.card-info p {
color: #ff3300;
font-weight: 700;
font-size: 1.2rem;
margin-bottom: 1.5rem;
}
.btn-outline {
padding: 0.6rem 1.2rem;
background: transparent;
color: #111;
border: 2px solid #111;
border-radius: 30px;
font-weight: 900;
cursor: pointer;
transition: all 0.3s ease;
text-transform: uppercase;
font-size: 0.85rem;
}
.btn-outline:hover {
background: #ff3300;
color: #fff;
border-color: #ff3300;
}
footer {
background: #111;
color: #fff;
text-align: center;
padding: 3rem;
font-weight: 700;
letter-spacing: 1px;
}
@keyframes slideUp {
from { opacity: 0; transform: translateY(60px); }
to { opacity: 1; transform: translateY(0); }
}
@keyframes backgroundPan {
0% { background-position: 0% center; }
100% { background-position: 100% center; }
}
@keyframes pulse {
0% { box-shadow: 0 0 0 0 rgba(255, 51, 0, 0.8); }
70% { box-shadow: 0 0 0 20px rgba(255, 51, 0, 0); }
100% { box-shadow: 0 0 0 0 rgba(255, 51, 0, 0); }
}
@media (max-width: 900px) {
.multi-column { column-count: 2; }
}
@media (max-width: 600px) {
.multi-column { column-count: 1; }
nav { display: none; }
.text-effect { font-size: 3.5rem; }
}
```

AERO High Performance Sportswear — Output



Rendered output — AQ3.html

Student Grade Calculation Portal

AQ4.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Student Grade Portal - Oakridge Academy</title>
<link rel="stylesheet" href="AQ4.css">
</head>
<body>
<header>
<div class="logo-area">
<h1>Oakridge Academy</h1>
<p>Excellence in Education</p>
</div>
</header>
<main class="container">
<div class="form-section">
<h2>Student Grade Calculation Portal</h2>
<form id="gradeForm" onsubmit="event.preventDefault(); calculateGrades();">
<div class="input-group">
<label for="sub1">Mathematics:</label>
<input type="number" id="sub1" min="0" max="100" required>
</div>
<div class="input-group">
<label for="sub2">Science:</label>
<input type="number" id="sub2" min="0" max="100" required>
</div>
<div class="input-group">
<label for="sub3">English:</label>
<input type="number" id="sub3" min="0" max="100" required>
</div>
<div class="input-group">
<label for="sub4">History:</label>
<input type="number" id="sub4" min="0" max="100" required>
</div>
<div class="input-group">
<label for="sub5">Computer Science:</label>
<input type="number" id="sub5" min="0" max="100" required>
</div>
<button type="submit" class="submit-btn">Calculate Results</button>
</form>
</div>
<div class="result-section" id="results" style="display: none;">
<h3>Academic Report</h3>
<div class="result-grid">
<div class="result-card">
<h4>Total Marks</h4>
<p id="resTotal">0</p>
</div>
<div class="result-card">
<h4>Average</h4>
<p id="resAvg">0</p>
</div>
<div class="result-card">
<h4>Grade</h4>
<p id="resGrade">-</p>
</div>
<div class="result-card">
<h4>Status</h4>
<p id="resStatus">-</p>
</div>
</div>
</div>
</main>
<script>
function calculateGrades() {
    let subjects = ["sub1", "sub2", "sub3", "sub4", "sub5"];
    let total = 0;
    let passMarks = 40;
    let isPass = true;
    let marksArray = [];

    for (let i = 0; i < subjects.length; i++) {
        let currentMark = parseFloat(document.getElementById(subjects[i]).value);
        marksArray.push(currentMark);
        total += currentMark;
        if (currentMark < passMarks) {
            isPass = false;
```

```
        }
    }

    let average = total / subjects.length;
    let finalGrade = "F";

    if (isPass) {
        if (average >= 90) {
            finalGrade = "A+";
        } else if (average >= 80) {
            finalGrade = "A";
        } else if (average >= 70) {
            finalGrade = "B";
        } else if (average >= 60) {
            finalGrade = "C";
        } else if (average >= 50) {
            finalGrade = "D";
        } else {
            finalGrade = "E";
        }
    }

    document.getElementById("resTotal").textContent = total;
    document.getElementById("resAvg").textContent = average.toFixed(2);
    document.getElementById("resGrade").textContent = finalGrade;

    let statusElement = document.getElementById("resStatus");
    if (isPass) {
        statusElement.textContent = "Pass";
        statusElement.className = "status-pass";
    } else {
        statusElement.textContent = "Fail";
        statusElement.className = "status-fail";
    }

    document.getElementById("results").style.display = "block";
}
</script>
</body>
</html>
```

AQ4.css

```
@import url('https://fonts.googleapis.com/css2?family=Montserrat:wght@400;
600&family=Playfair+Display:wght@700&display=swap');

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: 'Montserrat', sans-serif;
    background-color: #f4f7f6;
    color: #333;
    line-height: 1.6;
}

header {
    background: linear-gradient(135deg, #0f2027, #203a43, #2c5364);
    color: #fff;
    padding: 2rem 0;
    text-align: center;
    box-shadow: 0 4px 6px rgba(0,0,0,0.1);
}

header h1 {
    font-family: 'Playfair Display', serif;
    font-size: 2.5rem;
    letter-spacing: 1px;
    margin-bottom: 0.5rem;
}

header p {
    font-size: 1.1rem;
    color: #d1d5db;
    font-weight: 600;
    text-transform: uppercase;
    letter-spacing: 2px;
}

.container {
    max-width: 900px;
    margin: 3rem auto;
```

```
    padding: 0 20px;
}

.form-section {
    background: #fff;
    padding: 2.5rem;
    border-radius: 12px;
    box-shadow: 0 10px 20px rgba(0,0,0,0.05);
    border-top: 5px solid #203a43;
}

.form-section h2 {
    text-align: center;
    color: #2c5364;
    margin-bottom: 2rem;
    font-size: 1.8rem;
}

form {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
    gap: 1.5rem;
}

.input-group {
    display: flex;
    flex-direction: column;
}

.input-group label {
    font-weight: 600;
    margin-bottom: 0.5rem;
    color: #4a5568;
}

.input-group input {
    padding: 0.75rem;
    border: 1px solid #cbd5e0;
    border-radius: 6px;
    font-size: 1rem;
    font-family: inherit;
    transition: border-color 0.3s ease;
}

.input-group input:focus {
    outline: none;
    border-color: #203a43;
    box-shadow: 0 0 0 3px rgba(32, 58, 67, 0.1);
}

.submit-btn {
    grid-column: 1 / -1;
    background-color: #203a43;
    color: white;
    border: none;
    padding: 1rem;
    font-size: 1.1rem;
    font-weight: 600;
    border-radius: 6px;
    cursor: pointer;
    transition: background-color 0.3s ease, transform 0.1s ease;
    margin-top: 1rem;
}

.submit-btn:hover {
    background-color: #0f2027;
}

.submit-btn:active {
    transform: scale(0.98);
}

.result-section {
    margin-top: 2rem;
    background: #fff;
    padding: 2.5rem;
    border-radius: 12px;
    box-shadow: 0 10px 20px rgba(0,0,0,0.05);
    border-top: 5px solid #d4af37;
    animation: slideUp 0.5s ease-out forwards;
}

@keyframes slideUp {
    from {
        opacity: 0;
        transform: translateY(20px);
```

```
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.result-section h3 {
    text-align: center;
    color: #2c5364;
    margin-bottom: 1.5rem;
    font-size: 1.6rem;
}

.result-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(150px, 1fr));
    gap: 1.5rem;
}

.result-card {
    background: #f8fafc;
    padding: 1.5rem;
    border-radius: 8px;
    text-align: center;
    border: 1px solid #e2e8f0;
}


.result-card h4 {
    color: #64748b;
    font-size: 0.9rem;
    text-transform: uppercase;
    letter-spacing: 1px;
    margin-bottom: 0.5rem;
}

.result-card p {
    font-size: 2rem;
    font-weight: 600;
    color: #0f2027;
}


.status-pass {
    color: #10b981 !important;
}

.status-fail {
    color: #ef4444 !important;
}
```

Student Grade Calculation Portal — Output



Rendered output — empty form



Rendered output — after calculation

FreshMart Supermarket Billing System

AQ5.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Supermarket Billing System</title>
<link rel="stylesheet" href="AQ5.css">
</head>
<body>
<div class="container">
  <h1>FreshMart Billing</h1>
  <div class="input-section">
    <input type="text" id="productName" placeholder="Product Name">
    <input type="number" id="productQty" placeholder="Quantity" min="1">
    <input type="number" id="productPrice" placeholder="Unit Price (■)" min="0" step="0.01">
    <button onclick="addProduct()">Add Product</button>
  </div>
  <table id="billTable">
    <thead>
      <tr>
        <th>Product</th>
        <th>Quantity</th>
        <th>Unit Price</th>
        <th>Total Price</th>
      </tr>
    </thead>
    <tbody id="billBody">
    </tbody>
  </table>
  <div class="summary">
    <p>Total Amount: ■<span id="totalAmount">0.00</span></p>
    <p>Discount (10% on > ■2000): ■<span id="discountAmount">0.00</span></p>
    <h2>Final Payable: ■<span id="finalAmount">0.00</span></h2>
  </div>
</div>
<script>
  const maxItems = 25;
  let purchasedProducts = [];

  function addProduct() {
    let nameInput = document.getElementById("productName").value;
    let qtyInput = Number(document.getElementById("productQty").value);
    let priceInput = Number(document.getElementById("productPrice").value);

    if (nameInput !== "" && qtyInput > 0 && priceInput >= 0) {
      if (purchasedProducts.length < maxItems) {
        let product = {
          name: nameInput,
          quantity: qtyInput,
          price: priceInput
        };
        purchasedProducts.push(product);
        document.getElementById("productName").value = "";
        document.getElementById("productQty").value = "";
        document.getElementById("productPrice").value = "";
        updateBill();
      } else {
        alert("Maximum of 25 items reached per bill.");
      }
    } else {
      alert("Please enter valid product details.");
    }
  }

  function calculateRowTotal(qty, price) {
    return qty * price;
  }

  function updateBill() {
    let tableBody = document.getElementById("billBody");
    tableBody.innerHTML = "";
    let totalBill = 0;

    for (let i = 0; i < purchasedProducts.length; i++) {
      let currentProduct = purchasedProducts[i];
      let rowTotal = calculateRowTotal(currentProduct.quantity, currentProduct.price);
      totalBill += rowTotal;
      let row = document.createElement("tr");
```

```
      let nameCell = document.createElement("td");
      let  qtyCell  =  document.createElement("td");
      let priceCell = document.createElement("td");
      let totalCell = document.createElement("td");

      nameCell.innerText = currentProduct.name;
      qtyCell.innerText = currentProduct.quantity;
      priceCell.innerText = "■" + currentProduct.price.toFixed(2);
      totalCell.innerText = "■" + rowTotal.toFixed(2);

      row.appendChild(nameCell);
      row.appendChild(qtyCell);
      row.appendChild(priceCell);
      row.appendChild(totalCell);
      tableBody.appendChild(row);
    }

    let discount = 0;
    let discountThreshold = 2000;
    let discountRate = 0.10;

    if (totalBill > discountThreshold) {
      discount = totalBill * discountRate;
    }

    let finalAmount = totalBill - discount;

    document.getElementById("totalAmount").innerText = totalBill.toFixed(2);
    document.getElementById("discountAmount").innerText = discount.toFixed(2);
    document.getElementById("finalAmount").innerText  =  finalAmount.toFixed(2);
  }
</script>
</body>
</html>
```

AQ5.css

```
body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #e0f7fa;
  color: #004d40;
  margin: 0;
  padding: 40px 20px;
  display: flex;
  justify-content:  center;
}

.container {
  background-color: #ffffff;
  border-radius: 12px;
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
  width: 100%;
  max-width: 900px;
  padding: 30px;
}

h1 {
  text-align: center;
  color: #00796b;
  margin-bottom: 30px;
  font-size: 2.2em;
}

.input-section {
  display: flex;
  gap: 15px;
  margin-bottom: 25px;
  flex-wrap: wrap;
  background-color: #f1fdfc;
  padding: 20px;
  border-radius: 8px;
  border: 1px solid #b2dfdb;
}

.input-section input {
  flex: 1;
  min-width: 150px;
  padding: 12px;
  border: 1px solid #80cbc4;
  border-radius: 6px;
  outline: none;
  font-size: 1em;
  background-color: #ffffff;
}
.input-section button {
```

```
  padding: 12px 25px;
  background-color: #26a69a;
  color: white;
  border: none;
  border-radius: 6px;
  cursor: pointer;
  font-weight: bold;
  font-size: 1em;
  transition: background-color 0.3s;
}

.input-section button:hover {
  background-color: #00897b;
}

table {
  width: 100%;
  border-collapse: collapse;
  margin-bottom: 30px;
}

th, td {
  padding: 15px;
  text-align: left;
  border-bottom: 1px solid #e0f2f1;
}

th {
  background-color: #b2dfdb;
  color: #004d40;
  font-size: 1.1em;
}

tr:nth-child(even) {
  background-color: #fafafa;
}


tr:hover {
  background-color: #f1fdfc;
}

.summary {
  text-align: right;
  background-color: #e8f5e9;
  padding: 25px;
  border-radius: 8px;
  border: 1px solid #c8e6c9;
}


.summary p {
  margin: 8px 0;
  font-size: 1.2em;
  color: #388e3c;
}

.summary h2 {
  margin: 15px 0 0 0;
  color: #1b5e20;
  font-size: 1.8em;
  border-top: 2px solid #a5d6a7;
  padding-top: 15px;
}
```

FreshMart Supermarket Billing System — Output



Rendered output — empty bill



Rendered output — after adding products