

PROJECT: SOUL GROUP NO:02 BATCH: T5.2410.E0

A. SYSTEM REQUIREMENTS:

Sr.	Item	Description
1.	Operating system	Windows 7, 8, or higher
2.	Hardware	Pentium 166 or better with 64 Megabytes of RAM or better
3.	Web Browser	Version in later of: Edge 44, Firefox 40, Chrome 55, etc...
4.	Fonts	Standard font Unicode: Arial, Tahoma, Lucida Console, Times New Roman, etc...
5.	Other requirement	A working internet connection.

Notes: Do not install IDEs (Integrated Development Environment) on the system such as MS Visual Studio, Jbuilder, Dreamweaver, etc.

B. Program Installation

- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 1:

At your home screen. Right click choose: Open in Terminal (it can be Windows PowerShell or Command Prompt)

Following these command to create and start the project:

```
+ D:
+ mkdir project_sem2 (project_sem2 is the folder name)
+ cd project_sem2
+ git clone https://github.com/MITOM06/SOUL.git
```

Switch to backend. Run following command:

```
+ cd SOUL\Developments\backend
+ notepad .env (if not existing file. System will ask create new? -> click yes and copy all data into notepad and Save) – see .env below to copy and paste

+ composer install
+ php artisan migrate:fresh
+ php artisan key:generate
+ php artisan storage:link
+ php artisan serve -> Starting the backend serve
```

(Please note: Open new powershell before starting the backend serve. If you already started the backend serve. Press Ctrl + C to stop running the serve then can open new powershell)

Switch to frontend. Run following command:

```
+ start powershell
+ cd ..\frontend
+ npm install
+ npm run dev
```

(Press Ctrl + C to stop running the serve)

Step 2:

Install XAMPP or Laragon to connect MySQL

-Set SQL port: By default (port 3306) -> Press start SQL

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

.env:

```
APP_NAME=SOUL
APP_ENV=local
APP_KEY=base64:Y8oVFgzwQMFSNRsjkTkmzX+O2bwBxU2Xz8duMZ56Dj8=
APP_DEBUG=true
APP_URL=http://127.0.0.1:8000
```

```
SANCTUM_STATEFUL_DOMAINS=localhost:3000,127.0.0.1:3000
SESSION_DOMAIN=localhost
SESSION_DRIVER=cookie
SESSION_SAME_SITE=lax
```

```
LOG_CHANNEL=stack
LOG_DEPRECATIONS_CHANNEL=null
LOG_LEVEL=debug
```

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=SOUL
DB_USERNAME=root
DB_PASSWORD=
```

```
BROADCAST_DRIVER=log
CACHE_DRIVER=file
FILESYSTEM_DISK=local
QUEUE_CONNECTION=sync
SESSION_DRIVER=database
SESSION_LIFETIME=120
SESSION_DOMAIN=localhost
```

```
SANCTUM_STATEFUL_DOMAINS=
```

```
MEMCACHED_HOST=127.0.0.1
FRONTEND_URL=http://localhost:3000
REDIS_HOST=127.0.0.1
REDIS_PASSWORD=null
```

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

REDIS_PORT=6379

MAIL_MAILER=smtp

MAIL_HOST=mailpit

MAIL_PORT=1025

MAIL_USERNAME=null

MAIL_PASSWORD=null

MAIL_ENCRYPTION=null

MAIL_FROM_ADDRESS="hello@example.com"

MAIL_FROM_NAME="\${APP_NAME}"

AWS_ACCESS_KEY_ID=

AWS_SECRET_ACCESS_KEY=

AWS_DEFAULT_REGION=us-east-1

AWS_BUCKET=

AWS_USE_PATH_STYLE_ENDPOINT=false

PUSHER_APP_ID=

PUSHER_APP_KEY=

PUSHER_APP_SECRET=

PUSHER_HOST=

PUSHER_PORT=443

PUSHER_SCHEME=https

PUSHER_APP_CLUSTER=mt1

VITE_APP_NAME="\${APP_NAME}"

VITE_PUSHER_APP_KEY="\${PUSHER_APP_KEY}"

VITE_PUSHER_HOST="\${PUSHER_HOST}"

VITE_PUSHER_PORT="\${PUSHER_PORT}"

VITE_PUSHER_SCHEME="\${PUSHER_SCHEME}"

VITE_PUSHER_APP_CLUSTER="\${PUSHER_APP_CLUSTER}"

FILESYSTEM_DISK=public

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

C. Successful test

- The file is rendered successfully
- Homepage should be displayed as picture below




Figure.1

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.