

PROJECT: SOUL GROUP NO:02 BATCH: T5.2410.E0

A. SYSTEM REQUIREMENTS:

Sr.	Item	Description
1.	Operating system	Windows 7, 8, or higher
2.	Hardware	Pentium 166 or better with 64 Megabytes of RAM or better
3.	Web Browser	Version in later of: Edge 44, Firefox 40, Chrome 55, etc...
4.	Fonts	Standard font Unicode: Arial, Tahoma, Lucida Console, Times New Roman, etc...
5.	Other requirement	A working internet connection.

Notes: Do not install IDEs (Integrated Development Environment) on the system such as MS Visual Studio, Jbuilder, Dreamweaver, etc.

B. Program Installation

Require: Your computer (laptop) must be installed with **Visual Studio Code** or relevant software.

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step1: Open VS Code open: Terminal at the top (navbar)




Fig.1.

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 2. Command: `git clone https://github.com/MITOM06/SOUL.git` -> Enter




Figure.2

Step 3:

In the Terminal:

- `cd SOUL -> Developments -> backend -> Open in Integrated Terminal:`
 - + In the Terminal, enter the command: “**composer install**”
 - + In the Terminal, enter the command: “**php artisan migrate:fresh**”
 - + In the Terminal, enter the command: “**php artisan key:generate**”
 - + In the Terminal, enter the command: “**php artisan storage:link**”
 - + In the Terminal, enter the command: “**php artisan server**” to start the backend server

- `cd SOUL -> Developments -> frontend -> Open in Integrated Terminal:`
 - + In the Terminal, enter the command “**npm install**”
 - + In the Terminal, enter the command “**npm run dev**” to start the frontend server

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 4:

Install XAMPP or Laragon to connect MySQL

- Set SQL port: By default (port 3306). Press Start all to start the server.




Fig.3.

C. Successful test

- The file is rendered successfully
- Homepage should be displayed as picture below

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.




Figure.4.

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.