

PROJECT: SOUL GROUP NO:02 BATCH: T5.2410.E0

A. SYSTEM REQUIREMENTS:

Sr.	Item	Description
1.	Operating system	Windows 7, 8, or higher
2.	Hardware	Pentium 166 or better with 64 Megabytes of RAM or better
3.	Web Browser	Version in later of: Edge 44, Firefox 40, Chrome 55, etc...
4.	Fonts	Standard font Unicode: Arial, Tahoma, Lucida Console, Times New Roman, etc...
5.	Other requirement	A working internet connection.

Notes: Do not install IDEs (Integrated Development Environment) on the system such as MS Visual Studio, Jbuilder, Dreamweaver, etc.

B. Program Installation

Require: Your computer (laptop) must be installed with **Visual Studio Code** or relevant software.

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 1. At the desktop screen. Right click to create a new folder.




Figure.

Step 2. Put the name and open the folder. (e.g: project_sem2)




Figure.2

Step 3. Right click, choose "Open in Control Panel". After that, in the Control Panel write the command: code . (Figure.3)

(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.




Figure.3

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 4. Open VS Code. Find “Terminal” □ Choose New Terminal (Fig.4)





Figure.4

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 5. Command: git clone <https://github.com/MITOM06/SOUL.git> -> Enter



```
PS C:\project_sem2> git clone https://github.com/MITOM06/SOUL.git
```

Figure.5

After cloning, at Terminal will displayed (Fig.6)



```
PS D:\project_sem2> git clone https://github.com/MITOM06/SOUL.git
Cloning into 'SOUL'...
remote: Enumerating objects: 1962, done.
remote: Counting objects: 1962 (87% done), done.
remote: Compressing objects: 100% (531/531), done.
remote: Total 1962 (delta 366), reused 655 (delta 298), pack-reused 1083 (from 1)
Receiving objects: 100% (1962/1962), 49.96 MiB | 936.00 KiB/s, done.
Resolving deltas: 100% (786/786), done.
PS D:\project_sem2>
```

Figure.6

Step 6. Checking the folder, the file has cloned from the github successful will show in Fig 7




Fig.7

Step 7. Open the file just cloning. Then open it in VS Code (see back to Step 3 and 4)




Figure.8

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

Step 8. Open VSCode:


In VS Code:

- SOUL -> Developments -> backend -> Open in Integrated Terminal:
 - + In the Terminal, enter the command: **“composer install”**
 - + In the Terminal, enter the command: **“php artisan migrate:fresh”**
 - + In the Terminal, enter the command: **“php artisan key:generate”**
 - + In the Terminal, enter the command: **“php artisan storage:link”**
 - + In the Terminal, enter the command: **“php artisan server”** to start the backend server
- SOUL -> Developments -> frontend -> Open in Integrated Terminal:
 - + In the Terminal, enter the command **“npm install”**
 - + In the Terminal, enter the command **“npm run dev”** to start the frontend server

Step 9:

Install XAMPP or Laragon to connect MySQL

- Set SQL port: By default (port 3306). Press Start all to start the server.



(*) - Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
- The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.

C. Successful test

- The file is rendered successfully
- Homepage should be displayed as picture below




Figure.9

-
- (*)
- Installation documentation is included with the installation disc, should follow the proper format which have clear and complete content for anyone to perform.
 - The Center performs the installation and give a notification of the protection list for successfully. Project not successfully installed is Fail.