

```
CREATE TABLE profiles(profilesID INT, name VARCHAR(255), tel  
VARCHAR(255), age INT, birthday DATE);
```

```
INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(1, '田中 実',  
'012-345-6789', 30, '1994-02-01');
```

```
INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(2, '鈴木 茂',  
'090-1122-3344', 37, '1987-08-12');
```

```
INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(3, '鈴木 実',  
'080-5566-7788', 24, '2000-12-24');
```

```
INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(4, '佐藤 清',  
'012-0987-6543', 19, '2005-08-01');
```

```
INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(5, '高橋 清',  
'090-9900-1234', 24, '2000-12-24');
```

```
SELECT * FROM profiles;
```

```
MariaDB [challenge_db]> INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(2, '鈴木 茂', '090-1122-3344', 37, '1987-08-12');
Query OK, 1 row affected (0.03 sec)
```

```
MariaDB [challenge_db]> INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(3, '鈴木 実', '080-5566-7788', 24, '2000-12-24');
Query OK, 1 row affected (0.08 sec)
```

```
MariaDB [challenge_db]> INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(4, '佐藤 清', '012-0987-6543', 19, '2005-08-01');
Query OK, 1 row affected (0.02 sec)
```

```
MariaDB [challenge_db]> INSERT INTO profiles(profilesID, name, tel, age, birthday) VALUES(5, '高橋 清', '090-9900-1234', 24, '2000-12-24');
Query OK, 1 row affected (0.01 sec)
```

```
MariaDB [challenge_db]>
MariaDB [challenge_db]> SELECT * FROM profiles;
```

profilesID	name	tel	age	birthday
1	田中 実	012-345-6789	30	1994-02-01
2	鈴木 茂	090-1122-3344	37	1987-08-12
3	鈴木 実	080-5566-7788	24	2000-12-24
4	佐藤 清	012-0987-6543	19	2005-08-01
5	高橋 清	090-9900-1234	24	2000-12-24

```
5 rows in set (0.28 sec)
```

```
MariaDB [challenge_db]>
```