

2024년 상반기 K-디지털 트레이닝

# 회원관리-정보 수정(백엔드)

[KB] IT's Your Life



#### MemberUpdateDTO.java

```
package org.scoula.member.dto;
@Data
@NoArgsConstructor
@AllArgsConstructor
public class MemberUpdateDTO {
    private String username;
    private String password;
    private String email;
   MultipartFile avatar;
    public MemberV0 toV0() {
        return MemberVO.builder()
                .username(username)
                .email(email)
                .build();
```

member
 controller
 dto
 ChangePasswordDTO
 MemberDTO
 MemberJoinDTO
 MemberUpdateDTO
 exception
 mapper

service

2


#### 🗸 정보의 수정

- 해당 비밀번호가 맞는 경우에만 수정
- 비밀번호가 틀리면 PasswordMissMatchException 발생

#### PasswordMissmatchException.java

```
package org.scoula.member.exception;

public class PasswordMissmatchException extends RuntimeException{
   public PasswordMissmatchException() {
      super("비밀번호가 일치하지 않습니다.");
   }
}
```



## MemberMapper.java

```
public interface MemberMapper {
     ...
    int update(MemberVO member);
}
```

#### MemberMapper.xml

```
<update id="update">
    UPDATE tbl_member
    SET
        email = #{email},
        update_date = now()
    WHERE username =#{username}
</update>
```

## MemberService.java

```
public interface MemberService {
    ...
    MemberDTO update(MemberUpdateDTO member);
}
```

#### MemberServiceImpl.java

```
@Override
public MemberDTO update(MemberUpdateDTO member) {
    MemberVO vo = mapper.get(member.getUsername());
    if(!passwordEncoder.matches(member.getPassword(),vo.getPassword())) { // 비밀번호 일치 확인
        throw new PasswordMissmatchException();
    }

    mapper.update(member.toVO());
    saveAvatar(member.getAvatar(), member.getUsername());
    return get(member.getUsername());
}
```

#### MemberController

```
@PutMapping("/{username}")
public ResponseEntity<MemberDTO> changeProfile(MemberUpdateDTO member) {
   return ResponseEntity.ok(service.update(member));
}
```




2024년 상반기 K-디지털 트레이닝

# 회원관리-정보 수정(프론트엔드)

[KB] IT's Your Life



- ☑ 인터셉터가 적용된 axios를 이용
  - 인증 헤더를 추가하고 요청해야 함
  - 수정 요청 성공 후 store에도 반영해야 함.



#### ✓ api/authApi.js

```
import api from '@/api';
const headers = { 'Content-Type': 'multipart/form-data' };
export default {
 async update(member) {
    const formData = new FormData();
    formData.append('username', member.username);
    formData.append('password', member.password);
    formData.append('email', member.email);
    if (member.avatar) {
     formData.append('avatar', member.avatar);
    const { data } = await api.put(`${BASE_URL}/${member.username}`, formData, headers);
    console.log('AUTH PUT: ', data);
    return data;
```

#### stores/auth.js

```
export const useAuthStore = defineStore('auth', () => {
    ...
    const changeProfile = (member) => {
        state.value.user.email = member.email;
        localStorage.setItem('auth', JSON.stringify(state.value));
    };

load();
    return { state, username, email, isLogin, changeProfile, login, logout, getToken };
});
```

```
<script setup>
import authApi from '@/api/authApi';
import { useAuthStore } from '@/stores/auth';
import { computed, reactive, ref } from 'vue';
const auth = useAuthStore();
const avatar = ref(null);
const avatarPath = `/api/member/${auth.username}/avatar`;
const member = reactive({
 username: auth.username,
 email: auth.email,
 password: '',
 avatar: null,
});
const error = ref('');
const disableSubmit = computed(() => !member.email || !member.password);
```

```
const onSubmit = async () => {
 if (!confirm('수정하시겠습니까?')) return;
 if (avatar.value.files.length > 0) {
   member.avatar = avatar.value.files[0];
 try {
   await authApi.update(member);
   error.value = '';
   auth.changeProfile(member);
   alert('정보를 수정하였습니다.');
 } catch (e) {
   error.value = e.response.data;
};
</script>
```

```
<template>
 <div class="mt-5 mx-auto" style="width: 500px">
   <h1><i class="fa-solid fa-user-gear my-3"></i> 회원 정보</h1>
    <form @submit.prevent="onSubmit">
     <div class="mb-3 mt-3">
        <img :src="avatarPath" class="avatar avatar-lg me-4" /> {{ member.username }}
     </div>
     <div class="mb-3 mt-3">
        <label for="avatar" class="form-label">
         <i class="fa-solid fa-user-astronaut"></i></i>
         아바타 이미지:
       </label>
       <input type="file" class="form-control" ref="avatar" id="avatar" accept="image/png, image/jpeg" />
     </div>
```

```
<div class="mb-3 mt-3">
  <label for="email" class="form-label">
    <i class="fa-solid fa-envelope"></i></i>
    email
  </label>
  <input type="email" class="form-control" placeholder="Email" id="email" v-model="member.email" />
</div>
<div class="mb-3">
  <label for="password" class="form-label">
    <i class="fa-solid fa-lock"></i>
    비밀번호:
  </label>
  <input type="password" class="form-control" placeholder="비밀번호" id="password" v-model="member.password" />
</div>
<div v-if="error" class="text-danger">{{ error }}</div>
```

```
<div class="text-center">
        <button type="submit" class="btn btn-primary mt-4 me-3" :disabled="disableSubmit">
          <i class="fa-solid fa-user-plus"></i></i>
          확인
        </button>
        <router-link class="btn btn-primary mt-4" to="/auth/changepassword">
          <i class="fa-solid fa-lock"></i></i>
          비밀번호 변경
        </router-link>
     </div>
    </form>
 </div>
</template>
```