

2024년 상반기 K-디지털 트레이닝

# **Form**

[KB] IT's Your Life



#### ☑ form 엘리먼트 구성요소

- o .form-control
  - form 엘리먼트에 배정하는 클래스
  - width 속성이 100%

```
<div class="mb-3 mt-3">
    <label for="email">Email:</label>
    <input type="email" class="form-control" id="email" placeholder="Enter email" name="email">
    </div>
```

#### Email:

Enter email


- o .form-control-lg, .form-control-sm
  - 크기 설정 클래스

## form-input.html

```
<div class="container mt-3">
  <form >
    <div class="mb-3 mt-3">
      <label for="email">Email:</label>
      <input type="email" class="form-control" id="email" placeholder="Enter email" name="email">
    </div>
    <div class="mb-3">
      <label for="pwd">Password:</label>
      <input type="password" class="form-control" id="pwd" placeholder="Enter password" name="pswd">
    </div>
    <div class="form-check mb-3">
      <label class="form-check-label">
        <input class="form-check-input" type="checkbox" name="remember"> Remember me
      </label>
                                                                                        Email:
    </div>
                                                                                         Enter email
    <button type="submit" class="btn btn-primary">Submit</button>
                                                                                        Password:
  </form>
                                                                                         Enter password
</div>
                                                                                          Remember me
                                                                                          Submit
```

### select

o .form-select



## form-select.html

```
<div class="container mt-3">
 <form>
    <label for="sel1" class="form-label">Select list (select one):</label>
    <select class="form-select" id="sel1" name="sellist1">
     <option>1</option>
     <option>2</option>
     <option>3</option>
     <option>4</option>
    </select>
    <br>
    <label for="sel2" class="form-label">Mutiple select list (hold shift to select more than one):</label>
    <select multiple class="form-select" id="sel2" name="sellist2">
     <option>1</option>
     <option>2</option>
     <option>3</option>
     <option>4</option>
     <option>5</option>
    </select>
    <button type="submit" class="btn btn-primary mt-3">Submit</button>
 </form>
</div>
```

### checkbox, radio

- o .form-check
- o .form-check-input
- o .form-check-label

```
<div class="form-check">
  <input class="form-check-input" type="checkbox" id="check1" name="option1" value="something" checked>
  <label class="form-check-label" for="check1">Option 1</label>
  </div>
```

Option 1
Option 2

## form-check.html

```
<div class="container mt-3">
 <form>
   <div class="form-check">
     <input type="checkbox" class="form-check-input" id="check1" name="option1" value="something" checked>
     <label class="form-check-label" for="check1">Option 1</label>
   </div>
    <div class="form-check">
     <input type="checkbox" class="form-check-input" id="check2" name="option2" value="something">
     <label class="form-check-label" for="check2">Option 2</label>
   </div>
    <div class="form-check">
     <input type="checkbox" class="form-check-input" disabled>
     <label class="form-check-label">Option 3</label>
                                                                                       Option 1
   </div>
                                                                                       Option 2
   <button type="submit" class="btn btn-primary mt-3">Submit</button>
                                                                                       Option 3
  </form>
</div>
                                                                                         Submit
```

## form-radio.html

```
<div class="container mt-3">
 <form>
   <div class="form-check">
     <input type="radio" class="form-check-input" id="radio1" name="optradio" value="option1" checked>
     <label class="form-check-label" for="radio1">Option 1</label>
   </div>
    <div class="form-check">
     <input type="radio" class="form-check-input" id="radio2" name="optradio" value="option2">
     <label class="form-check-label" for="radio2">Option 2</label>
   </div>
    <div class="form-check">
     <input type="radio" class="form-check-input" disabled>
     <label class="form-check-label">Option 3</label>
   </div>
   <button type="submit" class="btn btn-primary mt-3">Submit</button>
                                                                                     Option 1
 </form>
                                                                                     Option 2
</div>
                                                                                     Option 3
                                                                                       Submit
```