

The image is a composite of three screenshots from a web browser, showing the Gemini AI interface.
The top screenshot shows the Gemini homepage. At the top, there's a navigation bar with 'Gemini' and a search bar. Below it, a large 'Hello, Gemini!' message is displayed, followed by a 'Get started' button. The left sidebar contains a list of 'Recent conversations' with titles like 'What is the capital of France?', 'What is the area of a circle?', and 'What is the area of a circle?'. The main content area is empty.
The middle screenshot shows a chat conversation. The user has asked 'What is the capital of France?' and Gemini has responded 'The capital of France is Paris.' The user has then asked 'What is the area of a circle?' and Gemini has responded 'The area of a circle is calculated using the formula: A = πr², where A is the area, π is pi (approximately 3.14159), and r is the radius of the circle.' The user has then asked 'What is the area of a circle with a radius of 5?' and Gemini has responded 'The area of a circle with a radius of 5 is approximately 78.5.'
The bottom screenshot shows a code editor. The user has pasted a C program that calculates the area of a circle. The code defines a constant for pi, takes a radius as input, calculates the area using the formula A = πr², and prints the result. The code is as follows:

```
// What is the area of a circle?
#include <stdio.h>
#define PI 3.14159
int main()
{
    float radius;
    float area;
    printf("Enter the radius of the circle: ");
    scanf("%f", &radius);
    area = PI * radius * radius;
    printf("The area of the circle is: %f", area);
    return 0;
}
```


The image displays a C++ code editor with a game logic implementation for a 2D battle. The code includes player and enemy classes, a game loop, and a main function. The image is annotated with a yellow box highlighting a 'while' loop and a red box highlighting a 'do-while' loop. A yellow box also highlights a 'do-while' loop.

Yellow Box Annotation: The yellow box highlights a 'while' loop in the 'main' function, which is used to handle the game loop. The code inside the loop is as follows:


```
while (true)
{
    // 게임 시작
    Player player;
    Enemy enemy;
    Game game;
    game.start();
    game.run();
}
```

Red Box Annotation: The red box highlights a 'do-while' loop in the 'main' function, which is used to handle the game loop. The code inside the loop is as follows:


```
do
{
    // 게임 시작
    Player player;
    Enemy enemy;
    Game game;
    game.start();
    game.run();
} while (true);
```


Yellow Box Annotation: The yellow box highlights a 'do-while' loop in the 'main' function, which is used to handle the game loop. The code inside the loop is as follows:

```
do
{
    // 게임 시작
    Player player;
    Enemy enemy;
    Game game;
    game.start();
    game.run();
} while (true);
```



[illegible]





[illegible]