



Spatial Interpolation — Test Results

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 04-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

1 Test Results — Spatial Interpolation (MKM-SP-001)

Tests run on **04 April 2026 at 14:48:33**.

Table 1: Test Results Summary — Spatial Interpolation (MKM-SP-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.01s

Table 2: Detailed Test Results — Spatial Interpolation

Test Description	Acceptance Criteria	Result	Time
Diagonal is one	—	Pass	0.000s
Off diagonal between zero and one	<code>np.all(off_diag >= 0) and np.all(off_diag <= 1)</code>	Pass	0.000s
Shape is n by n	<code>mat.shape == (n, n)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Diagonal is one	—	Pass	0.000s
Higher base correlation increases off diagonal	<code>np.all(off_high > off_low)</code>	Pass	0.000s
Larger correlation_distance → slower exponential decay → higher off-diag.	<code>np.all(off_far >= off_near)</code>	Pass	0.000s
Off diagonal positive	<code>np.all(off > 0)</code>	Pass	0.000s
Returns square matrix	<code>mat.shape == (3, 3)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Empty dataframe returns none	<code>build_spatial_index(df) is None</code>	Pass	0.000s
None gauge data returns none	<code>build_spatial_index(None) is None</code>	Pass	0.000s
With gauges returns kdtree	<code>isinstance(result, cKDTree)</code>	Pass	0.001s
Lines 43-45: coordinates are converted to radians.	<code>tree.data[0][1] == pytest.approx(np.pi, rel=1e-6)</code>	Pass	0.000s
Single gauge should still produce a valid KDTree.	<code>isinstance(tree, cKDTree); tree.n == 1</code>	Pass	0.000s
Lines 42-46: non-empty DataFrame builds a cKDTree.	<code>isinstance(tree, cKDTree); tree.n == 3</code>	Pass	0.001s
Equatorial degree approx 111km	<code>111.000 < d < 112.000</code>	Pass	0.000s
London paris approx 340km	<code>330.000 < d < 350.000</code>	Pass	0.000s
North south degree approx 111km	<code>110.000 < d < 112.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns float	<code>isinstance(haversine_distance(51.0, -0.1, 52.0, 0.0), float)</code>	Pass	0.000s
Same point is zero	<code>haversine_distance(51.5, -0.1, 51.5, -0.1) == pytest.approx...</code>	Pass	0.001s
Symmetry	<code>d1 == pytest.approx(d2, rel=1e-9)</code>	Pass	0.000s
All zero weights returns zero	<code>result == pytest.approx(7.5)</code>	Pass	0.000s
Closer gauge has higher weight	<code>result < 5.0</code>	Pass	0.000s
Empty list returns zero	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Equal distance gauges averages wse	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Near gauge returns wse directly	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Power one changes result	<code>r2 != pytest.approx(r1, rel=0.01)</code>	Pass	0.000s
Single far gauge	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Line 158: power parameter affects weights.	<code>r3 < r1</code>	Pass	0.000s
Line 149-150: empty input → 0.0.	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Gauge at exactly <code>min_distance=1.0</code> is NOT less than, so IDW used.	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Multiple gauges produce weighted result.	<code>2.0 < result < 6.0; result < 4.0</code>	Pass	0.000s
Line 156-157: <code>dist ; min_distance</code> → return wse.	<code>result == pytest.approx(42.0)</code>	Pass	0.000s
At gauge location returns wse directly	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Empty gauge data returns zero	<code>result == 0.0</code>	Pass	0.000s
Idw returns weighted value	<code>2.5 <= result <= 4.5</code>	Pass	0.000s
Single gauge	<code>result > 0</code>	Pass	0.000s
Lines 119-120: <code>distance ; 1m</code> → direct return.	<code>result == pytest.approx(7.0)</code>	Pass	0.000s
Line 97-98: no gauge data → 0.0.	<code>spatial.interpolate_wse(51.5, -0.1, {}, {}) == 0.0</code>	Pass	0.000s
Lines 113-124: IDW with two equidistant gauges.	<code>result == pytest.approx(2.0, rel=0.01)</code>	Pass	0.000s

1.1 Test Document History

Date	Version	Description	Author
04-Apr-2026	1.0	Initial test suite (41 tests)	D. Kelly