



GaugeHD Synthetic — Test Results

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 06-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

1 Test Results — GaugeHD Synthetic (MKM-GHD-001)

Tests run on **06 April 2026 at 07:49:50**.

Table 1: Test Results Summary — GaugeHD Synthetic (MKM-GHD-001)

Total Tests	62
Passed	62
Failed	0
Skipped	0
Duration	27.81s

Table 2: Detailed Test Results — GaugeHD Synthetic

Test Description	Acceptance Criteria	Result	Time
<code>_snap_to_river</code> skips zero-length segments without error.	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
<code>_create_synthetic_at_position</code> returns None when flanking gauge not in lookup.	<code>result is None</code>	Pass	0.003s
Lines 83-110: <code>generate_all_gauge_histories</code> processes all gauges.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.197s
Lines 105-107: error on one gauge -i logged, continues.	<code>isinstance(result, list)</code>	Pass	0.379s
All levels positive	<code>all(obs["level_meters"] > 0 for obs in result)</code>	Pass	0.006s
Correct length approximately	<code>728 <= len(result) <= 732</code>	Pass	0.003s
Dates are sequential	<code>(d_curr - d_prev).days == 1</code>	Pass	0.003s
Different seeds different output	<code>levels1 != levels2</code>	Pass	0.012s
Each obs has date and level	<code>"date" in obs; "level_meters" in obs</code> (+1 more)	Pass	0.001s
Gauge data without FloodGauge wrapper uses defaults.	<code>isinstance(result, list)</code>	Pass	0.001s
When historical high date is within range, that day gets historical_high level.	<code>match[0]["level_meters"] == 7.5</code>	Pass	0.001s
Invalid date format doesn't crash.	<code>isinstance(result, list)</code>	Pass	0.001s
Historical high date before start_date is ignored.	<code>isinstance(result, list)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 176-179: Historical high injected via fallback when date not matched in loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 8.0</code>	Pass	0.001s
Gauge data with no FloodStages uses sensible defaults.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Lines 97-100: Partially tidal gauge uses dampened tidal signal.	<code>len(result) > 700; all(lev > 0 for lev in levels)</code>	Pass	0.003s
Returns list	<code>isinstance(result, list)</code>	Pass	0.001s
Seed reproducible	<code>r1 == r2</code>	Pass	0.003s
Lines 92-95: Tidal gauge uses wider <code>daily_std</code> , <code>tidal_amplitude</code> > 0.	<code>len(result) > 700; max(levels) > min(levels)</code>	Pass	0.003s
Lines 147-149: Tidal component with spring-neap cycle.	<code>11 != 12</code>	Pass	0.003s
Lines 138-141: historical high injected after main loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 9.99</code>	Pass	0.004s
When <code>historical_high_dt</code> is <code>None</code> (out of range), post-loop block skipped.	<code>all(o["level_meters"] != 8.0 for o in result)</code>	Pass	0.001s
When <code>historical_high_date</code> is <code>None</code> , both branches skipped.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
<code>generate()</code> returns <code>count=0</code> when <code>GAUGE_POINTS</code> has > 2 entries.	<code>result["count"] == 0</code>	Pass	0.002s
<code>generate()</code> returns <code>count=0</code> when <code>GAUGE_POINTS</code> is <code>None</code> .	<code>result["count"] == 0</code>	Pass	0.001s
Lines 74-75: missing file raises <code>FileNotFoundError</code> .	—	Pass	0.000s
Lines 72-80: <code>load_gauge_portfolio</code> reads <code>gauge.json</code> .	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.001s
<code>_load_river_polyline</code> returns <code>None</code> when cache file doesn't exist.	<code>result is None or isinstance(result, list)</code>	Pass	0.001s
<code>_snap_to_river</code> returns original coords when river is <code>None</code> .	<code>lat == 51.46; lon == -0.30</code>	Pass	0.000s
Synthetic gauges should not be placed at exact polyline endpoints.	<code>not (loc["GaugeLatitude"] == gp_lat and ...)</code>	Pass	0.365s
Lines 143-144: bad CSV -i error logged, continues.	<code>isinstance(result, list)</code>	Pass	0.001s
Lines 113-147: <code>process_nrfa_directory</code> scans CSV files.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
Line 134: <code>output_dir=None</code> uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, list)</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Lines 131-147: no matching files -i empty list.	<code>result == []</code>	Pass	0.000s
Propertyhc has synth in nearest gauges	<code>found_synth</code>	Pass	0.005s
Synthetic gauge in propertyhc should have basis_bps computed.	<code>"basis_bps" in ng</code>	Pass	0.004s
Every property has one synthetic gauge	<code>not failures</code>	Pass	1.844s
Every property has three gauges total	<code>len(ngs) == 3</code>	Pass	0.040s
Every property has two real gauges	<code>not failures</code>	Pass	1.454s
Generator no longer needs property.json — uses random positions on river.	<code>result["count"] > 0</code>	Pass	0.026s
Generator should create up to the requested count of synthetic gauges.	<code>0 < result["count"] <= 3</code>	Pass	0.009s
Properties should have flood_events sourced from gauge storm responses.	<code>properties_with_events > 0</code>	Pass	1.532s
At least some properties should have flooded=True events.	<code>flooded_count > 0</code>	Pass	1.462s
Appends to gauge json	<code>len(data["flood_gauges"]) > 3;</code> <code>len(synth) > 0</code>	Pass	2.244s
Creates synthetic gauges	<code>result["count"] > 0;</code> <code>len(result["gauge_ids"]) == result["count"]</code>	Pass	2.225s
Synthetic gauges placed too close together should be deduplicated.	<code>result["count"] < 200;</code> <code>result["count"] > 0</code>	Pass	2.182s
Interpolated elevation	<code>3.0 <= elev <= 5.0</code>	Pass	2.224s
Interpolated flood stages	<code>3.5 <= stages["FloodAlert"] <= 4.5;</code> <code>4.5 <= stages["FloodWarning"] <= 5.5</code> (+1 more)	Pass	2.220s
No gauge json returns zero	<code>result["count"] == 0</code>	Pass	0.000s
Generator no longer needs property.json — generates random positions on river.	<code>result["count"] > 0</code>	Pass	2.179s
Requesting a small number of synthetic gauges should work.	<code>0 < result["count"] <= 5</code>	Pass	0.013s
Synthetic gauge has cdm structure	<code>"GaugeID" in fg["Header"];</code> <code>"CatchmentID" in fg["Header"]</code> (+8 more)	Pass	2.202s

Test Description	Acceptance Criteria	Result	Time
Synthetic gauge lat/lon should be on the polyline (very close to it).	<code>dist_m < 50.0; dist_m < 1.0</code>	Pass	2.415s
A pre-existing SYNTH- gauge in gauge.json is skipped in polyline matching.	<code>result["count"] >= 0</code>	Pass	2.197s
Gauge json has synth gauges	<code>len(synth) > 0</code>	Pass	0.002s
Synth gauge has required cdm fields	<code>fg["Header"]["GaugeID"].startswith("SYNTH")</code> <code>fg["Location"]["GaugeLatitude"] != 0</code> (+7 more)	Pass	0.002s
Gaugehc has synth curves	<code>len(synth) > 0</code>	Pass	0.013s
Synth has term structure	<code>len(ts) > 0</code>	Pass	0.010s
Synth hazard rates positive	<code>hc.get("annual_hazard_rate_alert", 0) > 0</code>	Pass	0.010s
Synth gaugets files exist	<code>len(synth_files) > 0</code>	Pass	0.001s
At least some storms should exceed alert at synthetic gauges.	<code>len(exceeded) > 0</code>	Pass	0.138s
Synth gaugets have storm responses	<code>len(resps) > 0</code>	Pass	0.152s

1.1 Test Document History

Date	Version	Description	Author
27-Mar-2026	1.0	Initial test suite (80 tests)	D. Kelly
03-Apr-2026	1.1	18 test(s) removed (total: 62)	D. Kelly
06-Apr-2026	1.2	5 test(s) added; 5 test(s) removed (total: 62)	D. Kelly