



Flood Risk (Depth-Damage) — Test Results

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 03-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

1 Test Results — Flood Risk (Depth-Damage) (MKM-DD-001)

Tests run on **03 April 2026 at 20:15:57**.

Table 1: Test Results Summary — Flood Risk (Depth-Damage) (MKM-DD-001)

Total Tests	32
Passed	30
Failed	2
Skipped	0
Duration	0.00s

Table 2: Detailed Test Results — Flood Risk (Depth-Damage)

Test Description	Acceptance Criteria	Result	Time
Every hour from 0..n must be present in output, in order.	<code>hours == list(range(len(gauge_readings)))</code>	Pass	0.000s
Flood depth must be non-negative at every time step.	<code>r['depth_m'] >= 0.0</code>	Pass	0.000s
Each hydrograph entry must contain hour, wse_m, depth_m, and flooded.	<code>'hour' in r; 'wse_m' in r (+2 more)</code>	Pass	0.000s
Empty gauge readings must return empty property hydrograph.	<code>build_property_hydrograph([], 8.0, 1.0, 0.9, 6.0, 0.3) == []</code>	Pass	0.000s
When floor level exceeds peak WSE, no time step should be flooded.	<code>r['flooded'] is False</code>	Pass	0.000s
With travel time of 5 hours, first 5 hours must show zero flood depth.	<code>r['depth_m'] == 0.0; r['flooded'] is False</code>	Pass	0.000s
Property hydrograph must have same number of time steps as gauge input.	<code>len(result) == len(gauge_readings)</code>	Pass	0.000s
Low-elevation property at gauge location must flood at peak water level.	<code>max(peak_depths) > 0</code>	Pass	0.000s
Slope from 10m to 8m over 1000m should be 0.002 (2m/1000m).	<code>abs(s - 0.002) < 1e-6</code>	Pass	0.000s
Flat terrain (equal elevations) must return MIN_SLOPE, not zero.	<code>s == MIN_SLOPE</code>	Pass	0.000s
Slope must be the same regardless of flow direction (uses absolute value).	<code>s1 == s2</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zero horizontal distance must return MIN_SLOPE to avoid division by zero.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s
Monotonicity: deeper water must produce higher velocity at constant slope.	<code>v2 > v1</code>	Pass	0.000s
Negative depth is physically invalid; must return zero velocity.	<code>compute_manning_velocity(-1.0, 0.005) == 0.0</code>	Pass	0.000s
Negative slope (downhill in opposite direction) must use absolute value.	<code>v_pos == v_neg</code>	Pass	0.000s
Manning velocity at d=1.0m, S=0.005, n=0.04 should be ~1.77 m/s.	<code>1.5 < v < 2.0</code>	Pass	0.000s
Slopes below MIN_SLOPE must be clamped to MIN_SLOPE to avoid	<code>v == v_min</code>	Pass	0.000s
Monotonicity: steeper slope must produce higher velocity at constant depth.	<code>v2 > v1</code>	Pass	0.000s
Zero depth must produce zero velocity (no flow without water).	<code>compute_manning_velocity(0.0, 0.005) == 0.0</code>	Pass	0.000s
Zero roughness coefficient causes division by zero; must return 0.	<code>compute_manning_velocity(1.0, 0.005, roughness=0.0) == 0.0</code>	Pass	0.000s
At distance = characteristic length, factor must equal $1/e$ 0.368.	<code>abs(f - 1.0 / math.e) < 0.001</code>	Pass	0.000s
<code>compute_attenuation</code> is a backwards-compatible alias.	<code>compute_attenuation(800) == compute_retention(800)</code>	Pass	0.000s
At 5x the decay length, retention should be $\leq 1\%$.	<code>f < 0.01</code>	Pass	0.000s
At 800m with default 3km length scale, retention 0.77.	<code>0.70 <= f <= 0.85</code>	FAIL	0.000s
Negative distance is clamped to zero; must return 1.0.	<code>compute_retention(-100) == 1.0</code>	Pass	0.000s
At 1km with default 3km length scale, retention 0.72.	<code>0.65 <= f <= 0.80</code>	FAIL	0.000s
At zero distance, retention must be 1.0 (full signal).	<code>compute_retention(0) == 1.0</code>	Pass	0.000s
Zero decay length means instant decay; must return 0.0.	<code>compute_retention(100, 0) == 0.0</code>	Pass	0.000s
Travel time for 500m at d=1.0m, S=0.005 should be well under 1 hour.	<code>0 < t < 1.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Monotonicity: greater distance must produce longer travel time.	$t_2 > t_1$	Pass	0.000s
Zero depth produces zero velocity, so travel time must be infinite.	$t == \text{float}('inf')$	Pass	0.000s
Zero distance must produce zero travel time.	$t == 0.0; s == \text{MIN_SLOPE}$	Pass	0.000s

Failed Test Details

test_near_river_high_retention File: tests/models/velocity.py

```

1 tests/models/velocity.py:132: in test_near_river_high_retention
2     assert 0.70 <= f <= 0.85
3 E   AssertionError

```

test_one_km_retention File: tests/models/velocity.py

```

1 tests/models/velocity.py:137: in test_one_km_retention
2     assert 0.65 <= f <= 0.80
3 E   AssertionError

```

1.1 Test Document History

Date	Version	Description	Author
05-Mar-2026	1.0	Initial test suite (29 tests)	D. Kelly
07-Mar-2026	1.1	29 test(s) added; 29 test(s) removed (total: 29)	D. Kelly
18-Mar-2026	1.2	117 test(s) added (total: 146)	D. Kelly
22-Mar-2026	1.3	18 test(s) removed (total: 128)	D. Kelly
23-Mar-2026	1.4	99 test(s) removed (total: 29)	D. Kelly
03-Apr-2026	1.5	8 test(s) added; 5 test(s) removed (total: 32)	D. Kelly