



GaugeHD Synthetic — Test Results

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 03-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

1 Test Results — GaugeHD Synthetic (MKM-GHD-001)

Tests run on **03 April 2026 at 20:15:57**.

Table 1: Test Results Summary — GaugeHD Synthetic (MKM-GHD-001)

Total Tests	62
Passed	55
Failed	7
Skipped	0
Duration	36.02s

Table 2: Detailed Test Results — GaugeHD Synthetic

Test Description	Acceptance Criteria	Result	Time
<code>_snap_to_river</code> skips zero-length segments without error.	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
<code>_create_synthetic_gauge</code> returns None when flanking gauge not in lookup.	<code>result is None</code>	FAIL	0.000s
Lines 83-110: <code>generate_all_gauge_histories</code> processes all gauges.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.058s
Lines 105-107: error on one gauge -i logged, continues.	<code>isinstance(result, list)</code>	Pass	0.097s
All levels positive	<code>all(obs["level_meters"] > 0 for obs in result)</code>	Pass	0.006s
Correct length approximately	<code>728 <= len(result) <= 732</code>	Pass	0.003s
Dates are sequential	<code>(d_curr - d_prev).days == 1</code>	Pass	0.003s
Different seeds different output	<code>levels1 != levels2</code>	Pass	0.013s
Each obs has date and level	<code>"date" in obs; "level_meters" in obs</code> (+1 more)	Pass	0.001s
Gauge data without FloodGauge wrapper uses defaults.	<code>isinstance(result, list)</code>	Pass	0.001s
When historical high date is within range, that day gets historical_high level.	<code>match[0]["level_meters"] == 7.5</code>	Pass	0.002s
Invalid date format doesn't crash.	<code>isinstance(result, list)</code>	Pass	0.001s
Historical high date before start_date is ignored.	<code>isinstance(result, list)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 176-179: Historical high injected via fallback when date not matched in loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 8.0</code>	Pass	0.001s
Gauge data with no FloodStages uses sensible defaults.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Lines 97-100: Partially tidal gauge uses dampened tidal signal.	<code>len(result) > 700;</code> <code>all(lev > 0 for lev in levels)</code>	Pass	0.003s
Returns list	<code>isinstance(result, list)</code>	Pass	0.002s
Seed reproducible	<code>r1 == r2</code>	Pass	0.003s
Lines 92-95: Tidal gauge uses wider daily_std, tidal_amplitude > 0.	<code>len(result) > 700;</code> <code>max(levels) > min(levels)</code>	Pass	0.003s
Lines 147-149: Tidal component with spring-neap cycle.	<code>11 != 12</code>	Pass	0.003s
Lines 138-141: historical high injected after main loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 9.99</code>	Pass	0.004s
When historical_high_dt is None (out of range), post-loop block skipped.	<code>all(o["level_meters"] != 8.0 for o in result)</code>	Pass	0.002s
When historical_high_date is None, both branches skipped.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.002s
generate() returns count=0 when GAUGE_POINTS has > 2 entries.	<code>result["count"] == 0</code>	Pass	0.001s
generate() returns count=0 when GAUGE_POINTS is None.	<code>result["count"] == 0</code>	Pass	0.001s
Lines 74-75: missing file raises FileNotFoundError.	—	Pass	0.000s
Lines 72-80: load_gauge_portfolio reads gauge.json.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.001s
_load_river_polyline returns None when cache file doesn't exist.	<code>result is None or isinstance(result, list)</code>	Pass	0.001s
_snap_to_river returns original coords when river is None.	<code>lat == 51.46; lon == -0.30</code>	Pass	0.000s
Lines 143-144: bad CSV -i error logged, continues.	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 113-147: process_nra_directory scans CSV files.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
Line 134: output_dir=None uses config.get_gaugehd_dir().	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 131-147: no matching files -i empty list.	<code>result == []</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Property projecting to seg_idx=0, t~0 should not create a gauge.	result["count"] == 0	FAIL	2.211s
Propertyhc has synth in nearest gauges	found_synth	Pass	0.004s
Synthetic gauge in propertyhc should have basis_bps computed.	"basis_bps" in ng	Pass	0.004s
Every property has one synthetic gauge	not failures	Pass	1.859s
Every property has three gauges total	len(ngs) == 3	Pass	0.040s
Every property has two real gauges	not failures	Pass	1.498s
Properties should have flood_events sourced from gauge storm responses.	properties_with_events > 0	Pass	1.500s
At least some properties should have flooded=True events.	flooded.count > 0	Pass	1.512s
Appends to gauge json	len(data["flood_gauges"]) > 3;	Pass	2.244s
Creates synthetic gauges	len(synth) > 0 result["count"] > 0; len(result["gauge_ids"]) == result["count"]	Pass	2.221s
Two properties near the same river point should share a synthetic gauge.	result["count"] == 2	FAIL	2.201s
Property far beyond polyline end should not create a synthetic gauge.	result["count"] == 0	FAIL	2.217s
Interpolated elevation	3.0 <= elev <= 5.0	Pass	2.220s
Interpolated flood stages	3.5 <= stages["FloodAlert"] <= 4.5; 4.5 <= stages["FloodWarning"] <= 5.5 (+1 more)	Pass	2.221s
No gauge json returns zero	result["count"] == 0	Pass	0.000s
No property json returns zero	result["count"] == 0	FAIL	2.209s
Synthetic gauge has cdm structure	"GaugeID" in fg["Header"]; "CatchmentID" in fg["Header"] (+8 more)	Pass	2.210s
Synthetic gauge lat/lon should be on the polyline (very close to it).	dist_m < 50.0; dist_m < 1.0	Pass	2.464s
A pre-existing SYNTH- gauge in gauge.json is skipped in polyline matching.	result["count"] >= 0	Pass	2.212s
Gauge json has synth gauges	len(synth) > 0	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Synth gauge has required cdm fields	<code>fg["Header"]["GaugeID"].startswith("SYNTH")</code> <code>fg["Location"]["GaugeLatitude"] != 0</code> (+7 more)	Pass	0.002s
Gaugehc has synth curves	<code>len(synth) > 0</code>	Pass	0.013s
Synth has term structure	<code>len(ts) > 0</code>	Pass	0.011s
Synth hazard rates positive	<code>hc.get("annual.hazard.rate.alert", 0)</code> <code>> 0</code>	Pass	0.010s
Synth gaugets files exist	<code>len(synth_files) > 0</code>	Pass	0.001s
At least some storms should exceed alert at synthetic gauges.	<code>len(exceeded) > 0</code>	Pass	0.141s
Synth gaugets have storm responses	<code>len(resps) > 0</code>	Pass	0.154s
Property with lat=0 is silently skipped.	<code>result["count"] == 0</code>	FAIL	2.207s
Property with lon=0 is silently skipped.	<code>result["count"] == 0</code>	FAIL	2.211s

Failed Test Details

test_deduplication File: tests/port/gauge/test_synthetic_gauge.py

```

1 tests/port/gauge/test_synthetic_gauge.py:250: in test_deduplication
2     assert result["count"] == 2
3 E     assert 85 == 2

```

test_no_property_json_returns_zero File: tests/port/gauge/test_synthetic_gauge.py

```

1 tests/port/gauge/test_synthetic_gauge.py:261: in test_no_property_json_returns_zero
2     assert result["count"] == 0
3 E     assert 90 == 0

```

test_edge_property_beyond_polyline File: tests/port/gauge/test_synthetic_gauge.py

```

1 tests/port/gauge/test_synthetic_gauge.py:275: in test_edge_property_beyond_polyline
2     assert result["count"] == 0
3 E     assert 90 == 0

```

test_property_with_zero_lat_skipped File: tests/port/gauge/test_synthetic_gauge_coverage.py

```

1 tests/port/gauge/test_synthetic_gauge_coverage.py:210: in test_property_with_zero_lat_skipped
2     assert result["count"] == 0
3 E     assert 88 == 0

```

test_property_with_zero_lon_skipped File: tests/port/gauge/test_synthetic_gauge_coverage.py

```

1 tests/port/gauge/test_synthetic_gauge_coverage.py:223: in test_property_with_zero_lon_skipped
2     assert result["count"] == 0
3 E     assert 91 == 0

```

test_property_at_polyline_start_returns_none File: tests/port/gauge/test_synthetic_gauge_coverage

```
1 tests/port/gauge/test_synthetic_gauge_coverage.py:269: in
    test_property_at_polyline_start_returns_none
2     assert result["count"] == 0
3 E     assert 89 == 0
```

test_missing_flanking_gauge_returns_none File: tests/port/gauge/test_synthetic_gauge_coverage.py

```
1 tests/port/gauge/test_synthetic_gauge_coverage.py:299: in
    test_missing_flanking_gauge_returns_none
2     result = gen._create_synthetic_gauge(51.46, -0.30, gauge_lookup, polyline)
3 E     AttributeError: 'SyntheticGaugeGenerator' object has no attribute '_create_synthetic_gauge',
```

1.1 Test Document History

Date	Version	Description	Author
27-Mar-2026	1.0	Initial test suite (80 tests)	D. Kelly
03-Apr-2026	1.1	18 test(s) removed (total: 62)	D. Kelly