



Model Test Results Report

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 03-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

Contents

1	Executive Summary	3
1.1	Test Environment	3
1.2	Results by Model	3
2	Test Traceability Matrix	4
3	Flood Risk (Depth-Damage) (MKM-DD-001)	168
4	Flood Polynomial Model (MKM-FPO-001)	171
5	GEV Hazard Model (MKM-GH-001)	173
6	GaugeHD Synthetic (MKM-GHD-001)	175
7	Insurance Premium (MKM-IP-001)	180
8	Mortgage Pricer (MKM-MP-001)	182
9	PRS Pricing Model (MKM-PR-001)	186
10	Property Valuation (MKM-PV-001)	191
11	Storm-Gauge Response Model (MKM-SG-001)	194
12	Storm Intensity Distribution (MKM-SI-001)	197
13	Spatial Interpolation (MKM-SP-001)	201
14	Storm Sequence Generator (MKM-SS-001)	203
15	Stress Test Pipeline (MKM-ST-001)	205
16	Trading Desk (MKM-TD-001)	211
17	CDM Schema Validation (CDM-ALL)	222
18	End-to-End Browser Tests (E2E-ALL)	225
A	Platform Infrastructure Tests	276

1 Executive Summary

This report documents the results of automated model tests run on **03 April 2026 at 20:15:57**.

Table 1: Overall Test Results

Total Tests	7170
Passed	6812
Failed	340
Skipped	18
Pass Rate	95.0%
Total Duration	418.15s

1.1 Test Environment

Platform	macOS-26.3.1-arm64-arm-64bit-Mach-O
Python	3.13.1
pytest	8.3.4
Coverage	98.5%
Git Commit	f02f449628ec

1.2 Results by Model

Table 2: Test Results by Model

Model ID	Model Name	Total	Pass	Fail	Skip	Time (s)
MKM-DD-001	Flood Risk (Depth-Damage)	32	30	2	0	0.00
MKM-FPO-001	Flood Polynomial Model	33	33	0	0	0.00
MKM-GH-001	GEV Hazard Model	16	16	0	0	0.27
MKM-GHD-001	GaugeHD Synthetic	62	55	7	0	36.02
MKM-IP-001	Insurance Premium	36	36	0	0	0.00
MKM-MP-001	Mortgage Pricer	67	67	0	0	0.05
MKM-PR-001	PRS Pricing Model	57	42	15	0	1.75
MKM-PV-001	Property Valuation	55	55	0	0	3.21
MKM-SG-001	Storm-Gauge Response Model	41	41	0	0	0.06
MKM-SI-001	Storm Intensity Distribution	63	63	0	0	0.02
MKM-SP-001	Spatial Interpolation	41	41	0	0	0.01
MKM-SS-001	Storm Sequence Generator	17	17	0	0	0.00
MKM-ST-001	Stress Test Pipeline	107	107	0	0	20.43
MKM-TD-001	Trading Desk	212	212	0	0	1.38
CDM-ALL	CDM Schema Validation	33	33	0	0	0.00
E2E-ALL	End-to-End Browser Tests	313	0	313	0	15.60
PLATFORM	Platform Infrastructure	5985	5964	3	18	256.70

2 Test Traceability Matrix

The following table maps every executed test to its assigned model component, providing evidence of coverage required under SR 11-7 §4.2 and SS1/23.

Model	Module	Test Name	Status
MKM-DD-001	velocity.py::TestBuildPropertyHydrograph	test_high_hours_present	Pass
	velocity.py::TestBuildPropertyHydrograph	test_depth_never_negative	Pass
	velocity.py::TestBuildPropertyHydrograph	test_each_entry_has_required_keys	Pass
	velocity.py::TestBuildPropertyHydrograph	test_empty_readings	Pass
	velocity.py::TestBuildPropertyHydrograph	test_high_floor_prevents_flooding	Pass
	velocity.py::TestBuildPropertyHydrograph	test_no_flooding_before_arrival	Pass
	velocity.py::TestBuildPropertyHydrograph	test_output_length_matches_input	Pass
	velocity.py::TestBuildPropertyHydrograph	test_peak_produces_flooding	Pass
	velocity.py::TestComputeSlope	test_basic_slope	Pass
	velocity.py::TestComputeSlope	test_min_slope_clamp	Pass
	velocity.py::TestComputeSlope	test_slope_is_absolute	Pass
	velocity.py::TestComputeSlope	test_zero_distance	Pass
	velocity.py::TestManningVelocity	test_deeper_water_faster	Pass
	velocity.py::TestManningVelocity	test_negative_depth_returns_zero	Pass
	velocity.py::TestManningVelocity	test_negative_slope_uses_abs	Pass
	velocity.py::TestManningVelocity	test_positive_depth_and_slope	Pass
	velocity.py::TestManningVelocity	test_slope_clamped_to_min	Pass
	velocity.py::TestManningVelocity	test_steeper_slope_faster	Pass
	velocity.py::TestManningVelocity	test_zero_depth_returns_zero	Pass
	velocity.py::TestManningVelocity	test_zero_roughness_returns_zero	Pass
	velocity.py::TestRetention	test_at_length_scale	Pass
	velocity.py::TestRetention	test_backwards_compat_alias	Pass
	velocity.py::TestRetention	test_far_distance_near_zero	Pass
	velocity.py::TestRetention	test_near_river_high_retention	FAIL
	velocity.py::TestRetention	test_negative_distance	Pass
	velocity.py::TestRetention	test_one_km_retention	FAIL
	velocity.py::TestRetention	test_zero_distance_full_strength	Pass
	velocity.py::TestRetention	test_zero_length	Pass
	velocity.py::TestTravelTime	test_basic_travel_time	Pass
	velocity.py::TestTravelTime	test_farther_takes_longer	Pass
	velocity.py::TestTravelTime	test_zero_depth_infinite	Pass
	velocity.py::TestTravelTime	test_zero_distance	Pass
MKM-FPO-001	flood_poly.py::TestConfigIntegration	test_coefficients_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_fit_metadata_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_log_eps_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_storm_hours_from_config	Pass
	flood_poly.py::TestModelCard	test_coefficients_count	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	flood_poly.py::TestModelCard	test_fit_quality_has_metrics	Pass
	flood_poly.py::TestModelCard	test_has_required_fields	Pass
	flood_poly.py::TestModelCard	test_model_id_matches_config	Pass
	flood_poly.py::TestModelCard	test_returns_dict	Pass
	flood_poly.py::TestPFloodPoly	test_extreme_water_near_one	Pass
	flood_poly.py::TestPFloodPoly	test_high_water_high_probability	Pass
	flood_poly.py::TestPFloodPoly	test_hour_boundary_167	Pass
	flood_poly.py::TestPFloodPoly	test_hour_boundary_zero	Pass
	flood_poly.py::TestPFloodPoly	test_hour_zero_lower_than_mid_storm	Pass
	flood_poly.py::TestPFloodPoly	test_in_range	Pass
	flood_poly.py::TestPFloodPoly	test_low_water_low_probability	Pass
	flood_poly.py::TestPFloodPoly	test_monotonic_in_water_level	Pass
	flood_poly.py::TestPFloodPoly	test_negative_severe_returns_zero	Pass
	flood_poly.py::TestPFloodPoly	test_returns_float	Pass
	flood_poly.py::TestPFloodPoly	test_very_low_water_near_zero	Pass
	flood_poly.py::TestPFloodPoly	test_zero_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSeries	test_all_in_range	Pass
	flood_poly.py::TestPFloodSeries	test_correct_length	Pass
	flood_poly.py::TestPFloodSeries	test_empty_list	Pass
	flood_poly.py::TestPFloodSeries	test_returns_list	Pass
	flood_poly.py::TestPFloodSimple	test_above_severe_capped_at_one	Pass
	flood_poly.py::TestPFloodSimple	test_at_severe_equals_one	Pass
	flood_poly.py::TestPFloodSimple	test_in_range	Pass
	flood_poly.py::TestPFloodSimple	test_negative_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSimple	test_ratio_calculation	Pass
	flood_poly.py::TestPFloodSimple	test_returns_float	Pass
	flood_poly.py::TestPFloodSimple	test_zero_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSimple	test_zero_water	Pass
MKM-GH-001	hazard_builder.py::TestGEVFit	test_exceedance_probability_in_range	Pass
	hazard_builder.py::TestGEVFit	test_fit_returns_three_floats	Pass
	hazard_builder.py::TestGEVFit	test_force_gumbel_sets_shape_zero	Pass
	hazard_builder.py::TestGEVFit	test_higher_threshold_lower_probability	Pass
	hazard_builder.py::TestGEVFit	test_return_level_increases_with_period	Pass
	hazard_builder.py::TestGaugeResponseModel	test_all_responses_returns_dict	Pass
	hazard_builder.py::TestGaugeResponseModel	test_single_response_returns_gauge_response	Pass
	hazard_builder.py::TestGaugeResponseModel	test_response_threshold_flags	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_all_flood_probabilities_in_range	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_build_returns_dict_of_curves	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_build_curve_is_gauge_hazard_curve	Pass
	hazard_builder.py::TestTermStructure	test_cumulative_prob_increasing	Pass
	hazard_builder.py::TestTermStructure	test_probabilities_sum_to_one	Pass
	hazard_builder.py::TestTermStructure	test_returns_correct_length	Pass
	hazard_builder.py::TestTermStructure	test_returns_term_structure_points	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
MKM-GHD-001	hazard_builder.py::TestTermStructure	test_resurvival_prob_decreasing	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	test_historical_high_injected_post_loop	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	test_historical_high_injected_not_in_range_skipped	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	test_historical_high_injected_high_date	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_levels_positive	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_length_approximately	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_are_sequential	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_different_seeds_different_output	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_has_date_and_level	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_gauge_data_uses_defaults	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_date_in_range	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_date_invalid_format	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_date_out_of_range	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_injected_when_not_passed	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_missing_flood_stages_uses_defaults	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_tidal_gauge_produces_output	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_returns_list	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_reproducible	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_ridge_gauge_produces_output	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_ridge_spring_neap_modulation	Pass
	test_gaugehd_module.py::TestGenerateGaugeHistories	test_generate_gauge_histories	Pass
	test_gaugehd_module.py::TestGenerateGaugeHistories	test_generate_gauge_histories_error	Continues
	test_gaugehd_module.py::TestLoadGaugePortfolio	test_load_gauge_portfolio_file_not_found	Pass
	test_gaugehd_module.py::TestLoadGaugePortfolio	test_load_gauge_portfolio_success	Pass
	test_gaugehd_module.py::TestProcessDir	test_process_dir_dirfa_directory_bad_csv_content	Times
	test_gaugehd_module.py::TestProcessDir	test_process_dir_dirfa_directory_basic	Pass
	test_gaugehd_module.py::TestProcessDir	test_process_dir_dirfa_directory_default_output	Pass
	test_gaugehd_module.py::TestProcessDir	test_process_dir_dirfa_directory_empty_dir	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_gauge_json	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_synthetic_gauges	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator	FAIL
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_beyond_polyline	FAIL
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_elevation	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_flood_stages	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_returns_zero	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_returns_zero	FAIL
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_has_cdm_structure	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_on_river_centreline	Pass
	test_synthetic_gauge_coverage.py::TestDegenerateRiverSegment	test_degenerate_river_segment	Pass
	test_synthetic_gauge_coverage.py::TestFlankingChannelMiss	test_flanking_channel_miss_gauge_returns_none	FAIL
	test_synthetic_gauge_coverage.py::TestEmptyGaugePoint	test_empty_gauge_point_returns_zero	Pass
	test_synthetic_gauge_coverage.py::TestNonGaugePoint	test_non_gauge_point_returns_zero	Pass
	test_synthetic_gauge_coverage.py::TestNoRiverPolyline	test_no_river_polyline_returns_none_when_no_cache	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_fourth_band	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_second_band	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_tuple	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_first_band	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_premium_factors_all_positive	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_area_bands_are_sorted	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_rate_range	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_construction_type_factors_present	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_flood_risk_factors_increase_with_rate	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_flood_risk_factors_present	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_max_premium_bounds	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_property_type_factors_present	Pass
MKM-MP-001	credit.py::TestCreditSpread	test_custom_tax_rate	Pass
	credit.py::TestCreditSpread	test_floor_at_10bps	Pass
	credit.py::TestCreditSpread	test_higher_affordability_higher_spread	Pass
	credit.py::TestCreditSpread	test_negative_income_fallback	Pass
	credit.py::TestCreditSpread	test_spread_bounded_by_schedule	Pass
	credit.py::TestCreditSpread	test_zero_income_fallback	Pass
	credit.py::TestFloodRiskFactor	test_batch_passes_flood_risk	Pass
	credit.py::TestFloodRiskFactor	test_case_insensitive	Pass
	credit.py::TestFloodRiskFactor	test_flood_factor_in_result	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_increases_spread	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[High-1.4]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Low-1.05]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Medium-1.2]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Very High-1.75]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Very Low-1.0]	Pass
	credit.py::TestFloodRiskFactor	test_no_flood_risk_defaults_to_unity	Pass
	credit.py::TestFloodRiskFactor	test_none_returns_unity	Pass
	credit.py::TestFloodRiskFactor	test_unknown_category_returns_unity	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.5-1.0]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.8-1.0]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.85-1.1]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.9-1.1]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.91-1.3]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.95-1.3]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.96-1.5]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[1.0-1.5]	Pass
	credit.py::TestLTVRiskFactor	test_zero_property_value	Pass
	payment.py::TestMonthlyPayment	test_higher_rate_higher_payment	Pass
	payment.py::TestMonthlyPayment	test_shorter_term_higher_payment	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	payment.py::TestMonthlyPayment	test_standard_mortgage	Pass
	payment.py::TestMonthlyPayment	test_zero_rate	Pass
	payment.py::TestTotalCost	test_positive_rate_exceeds_principal	Pass
	payment.py::TestTotalCost	test_zero_rate_equals_principal	Pass
	pricing.py::TestBatchPricing	test_default_ids_assigned	Pass
	pricing.py::TestBatchPricing	test_error_isolation	Pass
	pricing.py::TestBatchPricing	test_prices_multiple_mortgages	Pass
	pricing.py::TestConstructor	test_custom_tax_rate	Pass
	pricing.py::TestConstructor	test_default_tax_rate	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_also_in_credit_spread	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_true_does_not_crash	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_with_zero_income	Pass
	pricing.py::TestDebugAndEdgeCases	test_flood_risk_none_with_debug	Pass
	pricing.py::TestDebugAndEdgeCases	test_zero_interest_rate	Pass
	pricing.py::TestPortfolioMetrics	test_all_errors_returns_error	Pass
	pricing.py::TestPortfolioMetrics	test_high_risk_count	Pass
	pricing.py::TestPortfolioMetrics	test_mixed_results_exclude_errors	Pass
	pricing.py::TestPortfolioMetrics	test_valid_results	Pass
	pricing.py::TestPriceMortgage	test_balance_converges_to_zero	Pass
	pricing.py::TestPriceMortgage	test_expected_losses_non_negative	Pass
	pricing.py::TestPriceMortgage	test_fair_value_less_than_par	Pass
	pricing.py::TestPriceMortgage	test_hazard_rates_positive	Pass
	pricing.py::TestPriceMortgage	test_high_ltv_increases_spread	Pass
	pricing.py::TestPriceMortgage	test_higher_haircut_more_loss	Pass
	pricing.py::TestPriceMortgage	test_input_validation_clamps	Pass
	pricing.py::TestPriceMortgage	test_ltv_factor_in_result	Pass
	pricing.py::TestPriceMortgage	test_raises_on_invalid_types	Pass
	pricing.py::TestPriceMortgage	test_recovery_haircut_zero_low_ltv	Pass
	pricing.py::TestPriceMortgage	test_survival_first_period_less_than_one	Pass
	pricing.py::TestPriceMortgage	test_survival_monotonically_decreasing	Pass
	mortgage_generator.py::TestMortgageGeneratorHasIdProperty	test_each_mortgage_has_id_property	Pass
	mortgage_generator.py::TestMortgageGeneratorDataQuality	test_processing_data_quality	Pass
	mortgage_generator.py::TestMortgageGeneratorFileExists	test_output_file_exists	Pass
	mortgage_generator.py::TestMortgageGeneratorFileValidJson	test_output_file_is_valid_json	Pass
	mortgage_generator.py::TestMortgageGeneratorReturnsExpectedKeys	test_generator_returns_expected_keys	Pass
	mortgage_generator.py::TestMortgageGeneratorOutputMatchesProperties	test_mortgage_output_matches_properties	Pass
	mortgage_generator.py::TestMortgageGeneratorIdFormat	test_mortgage_id_format	Pass
	mortgage_generator.py::TestMortgageGeneratorOutputUnique	test_mortgage_output_unique	Pass
MKM-PR-001	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_jan_2027	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_sep_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_sep_2026	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	maturity.py::TestComputeMaturityDates	test_maturity_is_friday	Pass
	maturity.py::TestComputeMaturityDates	test_roll_jump_at_august	Pass
	maturity.py::TestCurrentRollDate	test_aug_period	Pass
	maturity.py::TestCurrentRollDate	test_dec_uses_aug	Pass
	maturity.py::TestCurrentRollDate	test_feb_period	Pass
	maturity.py::TestCurrentRollDate	test_jan_uses_prev_aug	Pass
	maturity.py::TestCurrentRollDate	test_jul_still_feb_roll	Pass
	maturity.py::TestCurrentRollDate	test_mar_still_feb_roll	Pass
	maturity.py::TestDefaultDates	test_compute_maturity_default	Pass
	maturity.py::TestDefaultDates	test_current_roll_date_default	Pass
	maturity.py::TestDefaultDates	test_maturity_table_default	Pass
	maturity.py::TestLastFridayOfMonth	test_aug_2026	Pass
	maturity.py::TestLastFridayOfMonth	test_feb_2026	Pass
	maturity.py::TestLastFridayOfMonth	test_may_2029	Pass
	maturity.py::TestLastFridayOfMonth	test_nov_2029	Pass
	maturity.py::TestLastFridayOfMonth	test_result_is_friday	Pass
	maturity.py::TestMaturityTable	test_actual_years_increasing	Pass
	maturity.py::TestMaturityTable	test_all_may_for_feb_roll	Pass
	maturity.py::TestMaturityTable	test_all_nov_for_aug_roll	Pass
	maturity.py::TestMaturityTable	test_maturity_str_format	Pass
	maturity.py::TestMaturityTable	test_table_has_5_entries	Pass
	maturity.py::TestMaturityTable	test_tenors_sequential	Pass
	maturity.py::TestTenorFromMaturity	test_all_tenors_round_trip	Pass
	maturity.py::TestTenorFromMaturity	test_closest_match_fallback	Pass
	maturity.py::TestTenorFromMaturity	test_exact_match	Pass
	basis.py::TestEdgeCases	test_empty_propertyts_dir	FAIL
	basis.py::TestEdgeCases	test_no_gauge_hazard_curves	FAIL
	basis.py::TestEdgeCases	test_no_propertyts_dir	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_attached_after_post_processing	Processing
	basis.py::TestSpreadDecomposition	test_decomposition_effects_not_all_zero	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_paths_sum_correctly	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_values_nonzero_with_synthetic_files	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_without_synthetic_files	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_spread_returns_correct_value	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_spread_returns_zero_for_empty	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_spread_with_threshold	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_basis_calculation	FAIL
	generator.py::TestPropertyHazardCurveGeneration	test_depth_thresholds	FAIL
	generator.py::TestPropertyHazardCurveGeneration	test_generator_produces_output	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_generator_parameters_structure	FAIL
	generator.py::TestPropertyHazardCurveGeneration	test_generator_mission_rate	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_generator_structure	FAIL
	generator.py::TestPropertyHazardCurveGeneration	test_percentiles_with_gev	FAIL
	generator.py::TestPropertyHazardCurveGeneration	test_survival_decreases_with_tenor	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	generator.py::TestPropertyHazardCurveStructure	test_curve_structure	FAIL
	pricing.py::TestPRSSpreadCompetition	test_positive_spread	FAIL
	pricing.py::TestPRSSpreadCompetition	test_spread_increases_with_hazard	FAIL
	pricing.py::TestPRSSpreadCompetition	test_spread_values_at_different_tenors	FAIL
	pricing.py::TestPRSSpreadCompetition	test_zero_hazard_rate	FAIL
	pricing.py::TestRecoveryRates	test_recovery_rates_by_trigger	FAIL
	pricing.py::TestRecoveryRates	test_recovery_reduces_spread	FAIL
MKM-PV-001	property_generator.py::TestBuildDict	test_non_dict_schema_returns_empty	Pass
	property_generator.py::TestBuildDict	test_skips_type_field	Pass
	property_generator.py::TestDateField	test_date_to_isoformat	Pass
	property_generator.py::TestDateField	test_float	Pass
	property_generator.py::TestDateField	test_int	Pass
	property_generator.py::TestDateField	test_list	Pass
	property_generator.py::TestDateField	test_unknown_type_raises	Pass
	property_generator.py::TestGenerateFailure	test_failure_location_has_required_keys	Pass
	property_generator.py::TestGenerateFailure	test_failure_counts_correct_count	Pass
	property_generator.py::TestGenerateFailure	test_failure_get_elevation	Pass
	property_generator.py::TestGenerateProperties	test_properties_basic	Pass
	property_generator.py::TestGenerateProperties	test_properties_output_file_created	Pass
	property_generator.py::TestPropertyGeneralization	test_generalization_range	Pass
	property_generator.py::TestPropertyGeneralization	test_generalization_quality	Pass
	property_generator.py::TestPropertyGeneralization	test_output_file_exists	Pass
	property_generator.py::TestPropertyGeneralization	test_output_file_is_valid_json	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_output_count	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_output_returns_expected_keys	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_output_format	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_output_unique	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_grid_reference_format	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_owner_name_two_words	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_past_date_format	Pass
	property_generator.py::TestPropertyGeneralization	test_generate_past_date_range	Pass
	rand_property_mortgage.py::TestMortgageInsurance	test_insurance_premium_flood_high	Fail
	rand_property_mortgage.py::TestMortgageInsurance	test_insurance_premium_no_area	Pass
	rand_property_mortgage.py::TestMortgageInsurance	test_insurance_premium_no_value	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_all_types	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_no_area	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_no_value	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_positive	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_area_all_types	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_invalid_date	Fail
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_no_current_value	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_positive	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_with_sale_date_1st_to_2_years	Pass
	rand_property_mortgage.py::TestMortgageMortgage	test_mortgage_monthly_payment_with_sale_date_over_2_years	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	rand_property_mortgage.py::TestCalculateMortgageAdaptation	TestCalculateMortgageAdaptation with sale date	Pass
	rand_property_mortgage.py::TestCalculateMortgageFinancialsReturnDict	TestCalculateMortgageFinancialsReturnDict	Pass
	rand_property_mortgage.py::TestGenerateFinancialDataKeys	TestGenerateFinancialDataKeys	Pass
	rand_property_mortgage.py::TestGenerateFinancialRange	TestGenerateFinancialRange	Pass
	rand_property_mortgage.py::TestGenerateFinancialLessThanValue	TestGenerateFinancialLessThanValue	Pass
	rand_property_mortgage.py::TestGenerateFinancialFormat	TestGenerateFinancialFormat	Pass
	rand_property_mortgage.py::TestGenerateFinancialConsistencyCheck	TestGenerateFinancialConsistencyCheck	Pass
	rand_property_mortgage.py::TestGenerateFinancialInsurancePremiumPositive	TestGenerateFinancialInsurancePremiumPositive	Pass
	rand_property_mortgage.py::TestGenerateFinancialPropertyAreaPositive	TestGenerateFinancialPropertyAreaPositive	Pass
	rand_property_mortgage.py::TestGenerateFinancialPropertyValueInRange	TestGenerateFinancialPropertyValueInRange	Pass
	rand_property_mortgage.py::TestGenerateBedroomsDetached	TestGenerateBedroomsDetached	Pass
	rand_property_mortgage.py::TestGenerateBedroomsFlat	TestGenerateBedroomsFlat	Pass
	rand_property_mortgage.py::TestGenerateBedroomsCodeFormat	TestGenerateBedroomsCodeFormat	Pass
	rand_property_mortgage.py::TestGenerateFieldValueDecimal	TestGenerateFieldValueDecimal	Pass
	rand_property_mortgage.py::TestGenerateFieldValueText	TestGenerateFieldValueText	Pass
	rand_property_mortgage.py::TestGenerateConstructionYearInRange	TestGenerateConstructionYearInRange	Pass
	rand_property_mortgage.py::TestGeneratePropertyIdFormat	TestGeneratePropertyIdFormat	Pass
	rand_property_mortgage.py::TestGenerateMnsDictWithRequiredKeys	TestGenerateMnsDictWithRequiredKeys	Pass
MKM-SG-001	gauge_generator.py::TestDateTimeEncoderDatetime	TestDateTimeEncoderDatetime	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyFloat32	TestDateTimeEncoderNumpyFloat32	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyFloating	TestDateTimeEncoderNumpyFloating	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyInteger	TestDateTimeEncoderNumpyInteger	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyNdarray	TestDateTimeEncoderNumpyNdarray	Pass
	gauge_generator.py::TestDateTimeEncoderFallbackRaisesForUnknown	TestDateTimeEncoderFallbackRaisesForUnknown	Pass
	gauge_generator.py::TestGaugeGeneratorDataOrdering	TestGaugeGeneratorDataOrdering	Pass
	gauge_generator.py::TestGaugeGeneratorDataStats	TestGaugeGeneratorDataStats	Pass
	gauge_generator.py::TestGaugeGeneratorDataCaptionPropagates	TestGaugeGeneratorDataCaptionPropagates	Pass
	gauge_generator.py::TestGaugeGeneratorDataHitsEndTimeBranch	TestGaugeGeneratorDataHitsEndTimeBranch	Pass
	gauge_generator.py::TestGaugeGeneratorDataNonDictSchemaReturnEmpty	TestGaugeGeneratorDataNonDictSchemaReturnEmpty	Pass
	gauge_generator.py::TestGaugeGeneratorDataSkipsMetadataKeys	TestGaugeGeneratorDataSkipsMetadataKeys	Pass
	gauge_generator.py::TestGaugeGeneratorDataAvailablePointsCapped	TestGaugeGeneratorDataAvailablePointsCapped	Pass
	gauge_generator.py::TestGaugeGeneratorDataRaisesValueError	TestGaugeGeneratorDataRaisesValueError	Pass
	gauge_generator.py::TestGaugeGeneratorDataConvenienceFunction	TestGaugeGeneratorDataConvenienceFunction	Pass
	gauge_generator.py::TestGaugeGeneratorDataSingleGaugeFailureCount	TestGaugeGeneratorDataSingleGaugeFailureCount	Pass
	gauge_generator.py::TestGaugeGeneratorDataLogEndMethodWorks	TestGaugeGeneratorDataLogEndMethodWorks	Pass
	gauge_generator.py::TestGaugeGeneratorDataSizeCreatesMissingSections	TestGaugeGeneratorDataSizeCreatesMissingSections	Pass
	gauge_generator.py::TestGaugeGeneratorDataFalseSetsWarningLevel	TestGaugeGeneratorDataFalseSetsWarningLevel	Pass
	gauge_generator.py::TestGaugeGeneratorDataFileExists	TestGaugeGeneratorDataFileExists	Pass
	gauge_generator.py::TestGaugeGeneratorDataFileIsValidJson	TestGaugeGeneratorDataFileIsValidJson	Pass
	gauge_generator.py::TestGaugeGeneratorDataJsonHasCorrectCount	TestGaugeGeneratorDataJsonHasCorrectCount	Pass
	gauge_generator.py::TestGaugeGeneratorDataMainBlock	TestGaugeGeneratorDataMainBlock	Pass
	gauge_generator.py::TestGaugeGeneratorDataGetIdFormat	TestGaugeGeneratorDataGetIdFormat	Pass
	gauge_generator.py::TestGaugeGeneratorDataGetIdsUnique	TestGaugeGeneratorDataGetIdsUnique	Pass
	gauge_generator.py::TestGaugeGeneratorDataGetOutputCorrectCount	TestGaugeGeneratorDataGetOutputCorrectCount	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge_generator.py::TestGaugeGenerator	test_generate_returns_expected_keys	Pass
	gauge_generator.py::TestGaugeGenerator	test_locations_have_coordinates	Pass
	rand_gauge.py::TestFloodRiskAssessment	test_choose_to_thames_high_risk	Pass
	rand_gauge.py::TestFloodRiskAssessment	test_choose_from_thames_lower_risk	Pass
	rand_gauge.py::TestGenerateField	test_date_field_returns_date_string	Pass
	rand_gauge.py::TestGenerateField	test_decimal_field_returns_float	Pass
	rand_gauge.py::TestGenerateField	test_gauge_name_includes_area	Pass
	rand_gauge.py::TestGenerateField	test_menu_field_returns_valid_option	Pass
	rand_gauge.py::TestGenerateField	test_text_field_returns_string	Pass
	rand_gauge.py::TestGenerateGauge	test_attachment_name_stored	Pass
	rand_gauge.py::TestGenerateGauge	test_flow_ordering	Pass
	rand_gauge.py::TestGenerateGauge	test_gauge_id_format	Pass
	rand_gauge.py::TestGenerateGauge	test_historical_high_level_range	Pass
	rand_gauge.py::TestGenerateGauge	test_initial_date_format	Pass
	rand_gauge.py::TestGenerateGauge	test_metadata_dict_with_required_keys	Pass
MKM-SI-001	storm_duration.py::TestDuration	test_all_categories_defined	Pass
	storm_duration.py::TestDuration	test_catastrophic_extended	Pass
	storm_duration.py::TestDuration	test_each_tier_doubles_approx	Pass
	storm_duration.py::TestDuration	test_extreme_extended	Pass
	storm_duration.py::TestDuration	test_moderate_extended	Pass
	storm_duration.py::TestDuration	test_severe_extended	Pass
	storm_duration.py::TestHelpers	test_get_duration_range	Pass
	storm_duration.py::TestHelpers	test_get_max_duration	Pass
	storm_duration.py::TestSampleDuration	test_invalid_category	Pass
	storm_duration.py::TestSampleDuration	test_mode_is_most_common	Pass
	storm_duration.py::TestSampleDuration	test_rng_uses_default	Pass
	storm_duration.py::TestSampleDuration	test_reproducibility	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[baseline]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[catastrophic]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[extreme]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[minimal]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[moderate]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[severe]	Pass
	storm_gap.py::TestFitsInWindow	test_constants	Pass
	storm_gap.py::TestFitsInWindow	test_exact_boundary	Pass
	storm_gap.py::TestFitsInWindow	test_exceeds_window	Pass
	storm_gap.py::TestFitsInWindow	test_simple_doublet_fits	Pass
	storm_gap.py::TestFitsInWindow	test_single_storm	Pass
	storm_gap.py::TestGapParams	test_long_gaps	Pass
	storm_gap.py::TestGapParams	test_medium_gaps	Pass
	storm_gap.py::TestGapParams	test_short_gaps	Pass
	storm_gap.py::TestGetGapRange	test_doublet_medium	Pass
	storm_gap.py::TestGetGapRange	test_isolated_zero	Pass
	storm_gap.py::TestSampleGap	test_doublet_uses_medium	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm_gap.py::TestSampleGap	test_isolated_returns_zero	Pass
	storm_gap.py::TestSampleGap	test_no_rng_uses_default	Pass
	storm_gap.py::TestSampleGap	test_persistent_uses_short	Pass
	storm_gap.py::TestSampleGap	test_reproducibility	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.CLUSTER]	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.DOUBLET]	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.PERSISTENT]	Pass
	storm_gap.py::TestValidation	test_duration_mismatch	Pass
	storm_gap.py::TestValidation	test_exceeds_precip_window	Pass
	storm_gap.py::TestValidation	test_invalid_intensity_category	Pass
	storm_gap.py::TestValidation	test_invalid_sequence_type	Pass
	storm_gap.py::TestValidation	test_overlapping_storms	Pass
	storm_gap.py::TestValidation	test_storm_count_mismatch	Pass
	storm_gap.py::TestValidation	test_too_many_storms	Pass
	storm_gap.py::TestValidation	test_valid_doublet	Pass
	storm_sequence.py::TestEnums	test_gap_types	Pass
	storm_sequence.py::TestEnums	test_sequence_gap_mapping	Pass
	storm_sequence.py::TestEnums	test_sequence_types	Pass
	storm_sequence.py::TestEnums	test_storm_count_ranges	Pass
	storm_sequence.py::TestIDGenerators	test_ids_unique	Pass
	storm_sequence.py::TestIDGenerators	test_sequence_id_format	Pass
	storm_sequence.py::TestIDGenerators	test_sequence_ids_unique	Pass
	storm_sequence.py::TestIDGenerators	test_storm_id_format	Pass
	storm_sequence.py::TestSequenceStructs	test_create_basic	Pass
	storm_sequence.py::TestSequenceStructs	test_from_dict_round_trip	Pass
	storm_sequence.py::TestSequenceStructs	test_precipitation_rounding	Pass
	storm_sequence.py::TestSequenceStructs	test_to_dict	Pass
	storm_sequence.py::TestStormSequenceStructs	test_create_defaults	Pass
	storm_sequence.py::TestStormSequenceStructs	test_create_doublet	Pass
	storm_sequence.py::TestStormSequenceStructs	test_from_dict_round_trip	Pass
	storm_sequence.py::TestStormSequenceStructs	test_isolated_no_gaps	Pass
	storm_sequence.py::TestStormSequenceStructs	test_spatial_correlation_defaults	Pass
	storm_sequence.py::TestStormSequenceStructs	test_spatial_correlation_enabled	Pass
	storm_sequence.py::TestStormSequenceStructs	test_to_dict	Pass
MKM-SP-001	spatial.py::TestBuildCorrelationMatrix	test_diagonal_is_one	Pass
	spatial.py::TestBuildCorrelationMatrix	test_off_diagonal_between_zero_and_one	Pass
	spatial.py::TestBuildCorrelationMatrix	test_shape_is_n_by_n	Pass
	spatial.py::TestBuildCorrelationMatrix	test_is_symmetric	Pass
	spatial.py::TestBuildSpatialIndex	test_empty_dataframe_returns_none	Pass
	spatial.py::TestBuildSpatialIndex	test_none_gauge_data_returns_none	Pass
	spatial.py::TestBuildSpatialIndex	test_with_gauges_returns_kdtree	Pass
	spatial.py::TestHaversineDistance	test_equatorial_degree_approx_111km	Pass
	spatial.py::TestHaversineDistance	test_london_paris_approx_340km	Pass
	spatial.py::TestHaversineDistance	test_north_south_degree_approx_111km	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	spatial.py::TestHaversineDistance	test_returns_float	Pass
	spatial.py::TestHaversineDistance	test_same_point_is_zero	Pass
	spatial.py::TestHaversineDistance	test_symmetry	Pass
	spatial.py::TestIDWInterpolate	test_all_zero_weights_returns_zero	Pass
	spatial.py::TestIDWInterpolate	test_closer_gauge_has_higher_weight	Pass
	spatial.py::TestIDWInterpolate	test_empty_list_returns_zero	Pass
	spatial.py::TestIDWInterpolate	test_equal_distance_gauges_averages_wse	Pass
	spatial.py::TestIDWInterpolate	test_near_gauge_returns_wse_directly	Pass
	spatial.py::TestIDWInterpolate	test_power_one_changes_result	Pass
	spatial.py::TestIDWInterpolate	test_single_far_gauge	Pass
	spatial.py::TestSpatialInterpolate	test_at_gauge_location_returns_wse_directly	Fail
	spatial.py::TestSpatialInterpolate	test_empty_gauge_data_returns_zero	Pass
	spatial.py::TestSpatialInterpolate	test_idw_returns_weighted_value	Pass
	spatial.py::TestSpatialInterpolate	test_single_gauge	Pass
	test_spatial_coverage.py::TestBuildGridFromMatrixCoverage	test_build_grid_from_matrix_coverage	Pass
	test_spatial_coverage.py::TestBuildGridFromMatrixCorrelationIncreasesOffDiagonal	test_build_grid_from_matrix_correlation_increases_off_diagonal	Fail
	test_spatial_coverage.py::TestBuildGridFromMatrixCovarianceIncreasesCorrelationOn	test_build_grid_from_matrix_covariance_increases_correlation_on	Fail
	test_spatial_coverage.py::TestBuildGridFromMatrixPositivity	test_build_grid_from_matrix_positivity	Pass
	test_spatial_coverage.py::TestBuildGridFromMatrixSquareCovariance	test_build_grid_from_matrix_square_covariance	Pass
	test_spatial_coverage.py::TestBuildGridFromMatrixNo	test_build_grid_from_matrix_no	Pass
	test_spatial_coverage.py::TestBuildSpatialIndexCoverageRadians	test_build_spatial_index_coverage_radians	Pass
	test_spatial_coverage.py::TestBuildSpatialIndexCoverageTree	test_build_spatial_index_coverage_tree	Pass
	test_spatial_coverage.py::TestIDWInterpolationPolyGases	test_interpolate_polygases	Pass
	test_spatial_coverage.py::TestIDWInterpolationPolyGasesZero	test_interpolate_polygases_zero	Pass
	test_spatial_coverage.py::TestIDWInterpolationPolyGasesExactMinDistance	test_interpolate_polygases_exact_min_distance	Pass
	test_spatial_coverage.py::TestIDWInterpolationPolyGasesWeighted	test_interpolate_polygases_weighted	Pass
	test_spatial_coverage.py::TestIDWInterpolationPolyGasesReturnsDirectly	test_interpolate_polygases_returns_directly	Pass
	test_spatial_coverage.py::TestSpatialInterpolationWeightedLocations	test_interpolate_weighted_locations	Pass
	test_spatial_coverage.py::TestSpatialInterpolationWSERadGases	test_interpolate_ws_rad_gases	Pass
	test_spatial_coverage.py::TestSpatialInterpolationWSERadGasesAverage	test_interpolate_ws_rad_gases_average	Pass
MKM-SS-001	sequence_gen.py::TestBuildIsolated	test_isolated_duration_clamped	Pass
	sequence_gen.py::TestBuildIsolated	test_isolated_has_one_storm	Pass
	sequence_gen.py::TestSequenceGeneratorStats	test_agg_generators_stats	Pass
	sequence_gen.py::TestSequenceGeneratorMidInStorms	test_at_generator_mid_in_storms	Pass
	sequence_gen.py::TestSequenceGeneratorStartSequence	test_at_generator_start_sequence	Pass
	sequence_gen.py::TestSequenceGeneratorDoubletForce	test_doublet_force	Pass
	sequence_gen.py::TestSequenceGeneratorIsolatedForce	test_isolated_force	Pass
	sequence_gen.py::TestSequenceGeneratorInvalidCategoryOftenIsolated	test_invalid_category Often isolated	Pass
	sequence_gen.py::TestSequenceGeneratorMultipleCalls	test_multiple_calls	Pass
	sequence_gen.py::TestSequenceGeneratorPersistentSequence	test_persistent_sequence	Pass
	sequence_gen.py::TestSequenceGeneratorReturnsStormSequence	test_returns_storm_sequence	Pass
	sequence_gen.py::TestSequenceGeneratorSequencesFitsInWindow	test_sequences_fits_in_window	Pass
	sequence_gen.py::TestSequenceGeneratorHasCorrectFields	test_has_correct_fields	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	sequence_gen.py::TestSequenceGenerator	test_catchment	Pass
	sequence_gen.py::TestSequenceGenerator	test_default_catchment	Pass
	sequence_gen.py::TestSequenceGenerator	test_added_reproducibility	Pass
	sequence_gen.py::TestSequenceGenerator	test_unknown_catchment_defaults_to_35	Pass
MKM-ST-001	test_batch_train.py::TestBatchTraining	test_classifier_ready_trained	Pass
	test_batch_train.py::TestBatchTraining	test_classifier_printed_after_first_gauge	Pass
	test_batch_train.py::TestBatchTraining	test_missing_gauge_json	Pass
	test_batch_train.py::TestBatchTraining	test_missing_sequences	Pass
	test_batch_train.py::TestBatchTraining	test_invalid_gauges	Pass
	test_batch_train.py::TestBatchTraining	test_specified_training	Pass
	test_batch_train.py::TestBatchTraining	test_successful_training	Pass
	test_batch_train.py::TestBatchTraining	test_training_failure_is_caught	Pass
	test_batch_train.py::TestUpdateTestingStatus	test_new_summary	Pass
	test_batch_train.py::TestUpdateTestingStatus	test_update_existing	Pass
	test_batch_train.py::TestUpdateTestingStatus	test_update_existing_gauge	Pass
	test_batch_train.py::TestUpdateTestingStatus	test_slow_gauge_not_counted_as_trained	Pass
	test_gauge_parser.py::TestLoadGauges	test_bin_file_skipped	Pass
	test_gauge_parser.py::TestLoadGauges	test_bin_directory	Pass
	test_gauge_parser.py::TestLoadGauges	test_bin_dir	Pass
	test_gauge_parser.py::TestLoadGauges	test_bin_mean_level_skipped	Pass
	test_gauge_parser.py::TestLoadGauges	test_bin_gauges	Pass
	test_gauge_parser.py::TestLoadGauges	test_bin_gauges_hd_files	Pass
	test_gauge_parser.py::TestParseGauges	test_without_monthly_means	Pass
	test_gauge_parser.py::TestParseGauges	test_with_baseline	Pass
	test_gauge_parser.py::TestParseGauges	test_without_baseline_uses_heuristic	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_empty_monthly_means	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_less_than_month_falls_back	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_less_than_monthly_means	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_with_monthly_means	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_dir_written	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_gauge_ids	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_num_gauges	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_schema_version	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_sequence_count	Pass
	test_generate.py::TestGenerateSummary	test_sequences_file_loadable	Pass
	test_generate.py::TestGenerateSummary	test_sequences_json_written	Pass
	test_generate.py::TestGenerateSummary	test_summary_json_written	Pass
	test_generate.py::TestGenerateSummary	test_summary_count_non_negative	Pass
	test_generate.py::TestGenerateSummary	test_summary_positive	Pass
	test_generate.py::TestGenerateSummary	test_num_gauges	Pass
	test_generate.py::TestGenerateSummary	test_num_sequences	Pass
	test_generate.py::TestGenerateSummary	test_summary_dict	Pass
	test_generate.py::TestGenerateSummary	test_severity_warning	Pass
	test_generate.py::TestGenerateSummary	test_summary_present	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generate.py::	TestGenerateStormSummaryFileAlert	Pass
	test_generate.py::	TestMissingGaugesDoesNotCrashWhenGaugeJsonAbsent	Pass
	test_generate.py::	TestMissingGaugesDoesNotCrashWhenGaugesZeroWithoutGaugeJson	Pass
	test_generate.py::	TestMissingGaugesDoesNotCrashWhenSequencesStillWrittenWithoutGaugeJson	Pass
	test_generate.py::	TestNoValidGaugesTestReturnsGracefullyWhenAllGaugesInvalid	Pass
	test_generate.py::	TestNoValidGaugesTestSequencesStillWrittenWhenAllGaugesInvalid	Pass
	test_generate.py::	TestVerboseProgressVerboseFalseNoMidLoopOutputAtSmallCount	Pass
	test_generate.py::	TestVerboseProgressVerboseRunCompletes	Pass
	test_helpers.py::	TestBuildSummaryTestCountsDefaultToZero	Pass
	test_helpers.py::	TestBuildSummaryTestNumGauges	Pass
	test_helpers.py::	TestBuildSummaryTestNumSequences	Pass
	test_helpers.py::	TestBuildSummaryTestReturnsRequiredKeys	Pass
	test_helpers.py::	TestExtractGaugesTestDictFormat	Pass
	test_helpers.py::	TestExtractGaugesTestEmptyList	Pass
	test_helpers.py::	TestExtractGaugesTestListFormat	Pass
	test_helpers.py::	TestExtractGaugesTestMissingKeyReturnsEmpty	Pass
	test_helpers.py::	TestParseGaugeTestBaseLevelDerivedFromAlert	Pass
	test_helpers.py::	TestParseGaugeTestFloodAlert	Pass
	test_helpers.py::	TestParseGaugeTestFloodWarning	Pass
	test_helpers.py::	TestParseGaugeTestGaugeId	Pass
	test_helpers.py::	TestParseGaugeTestLatLon	Pass
	test_helpers.py::	TestParseGaugeTestMissingAlertReturnsNone	Pass
	test_helpers.py::	TestParseGaugeTestMissingGaugeIdReturnsNone	Pass
	test_helpers.py::	TestParseGaugeTestMissingLatReturnsNone	Pass
	test_helpers.py::	TestParseGaugeTestSevereWarning	Pass
	test_helpers.py::	TestParseGaugeTestValidRecordReturnsDict	Pass
	test_helpers.py::	TestParseGaugeTestWarningDefaultsWhenAbsent	Pass
	test_helpers.py::	TestStormResponseTestBaseLevelMatchesGaugeParams	Pass
	test_helpers.py::	TestStormResponseTestGaugeAValues	Pass
	test_helpers.py::	TestStormResponseTestGaugeBValues	Pass
	test_helpers.py::	TestStormResponseTestLevelChangeIsPeakMinusBase	Pass
	test_helpers.py::	TestStormResponseTestHasBaseLevelM	Pass
	test_helpers.py::	TestStormResponseTestHasLevelChangeM	Pass
	test_pipeline_coverage.py::	TestClassicParserPortfileModelDoesNotCrashPipeline	Pass
	test_pipeline_coverage.py::	TestGaugeBaseLinesLoadedFromGaugeHd	Pass
	test_pipeline_coverage.py::	TestLegacyFileGyrusSummaryFileRemoved	Pass
	test_pipeline_coverage.py::	TestMonthlySequencesStartDefaultsToMonthStart	Pass
	test_pipeline_coverage.py::	TestMonthlySequencesStartHandled	Pass
	test_pipeline_coverage.py::	TestNoVerboseProgressEtaLineAt2000	Pass
	test_records.py::	TestIntensityCategoryBatchGeneratorPopulatesCategory	Pass
	test_records.py::	TestIntensityCategoryFromDictMissingCategoryDefaultEmpty	Pass
	test_records.py::	TestIntensityCategoryFromDictGroundTrip	Pass
	test_records.py::	TestIntensityCategoryFromDictSequencesHaveCategory	Pass
	test_records.py::	TestIntensityCategoryFromDictIncludesIntensityCategory	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_records.py::TestSequenceRecords	testSalikHaveIntensityCategory	Pass
	test_records.py::TestSequenceRecords	testSalikHaveSequenceId	Pass
	test_records.py::TestSequenceRecords	testSalikHaveSequenceType	Pass
	test_records.py::TestSequenceRecords	testSalikHaveTotalPrecip	Pass
	test_records.py::TestSequenceRecords	testSgaugeFileCountMatchesNumGauges	Pass
	test_records.py::TestSequenceRecords	testSpeakHoursInValidRange	Pass
	test_records.py::TestSequenceRecords	testSpeaksPositive	Pass
	test_records.py::TestSequenceRecords	testSperGaugeRecordsHaveAlertFlags	Pass
	test_records.py::TestSequenceRecords	testSperGaugeRecordsHavePeak	Pass
	test_records.py::TestSequenceRecords	testSperGaugeRecordsHavePeakHour	Pass
	test_records.py::TestSequenceRecords	testSperGaugeSequenceCount	Pass
	test_records.py::TestSequenceRecords	testSevereImpliesWarning	Pass
	test_records.py::TestSequenceRecords	testStartingImpliesAlert	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorMessageListsAvailableIds	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testInvalidGaugeIdRaises	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFileGaugeIds	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFilePeaksLengthOne	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFileSchemaVersion	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFileSequenceCount	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorOutputFileWritten	Pass
	test_single_gauge.py::TestSingleGaugeSummary	testSummaryNumGaugesIsOne	Pass
	test_single_gauge.py::TestSingleGaugeWithClassifier	testWithClassifierResultDict	Pass
	test_single_gauge.py::TestSingleGaugeWithClassifier	testWithClassifierTrainClassifier	Pass
MKM-TD-001	leg_pvs.py::TestComputeLegPVs	test_higher_spread_means_higher_premium	Pass
	leg_pvs.py::TestComputeLegPVs	test_positive_hazard_rate	Pass
	leg_pvs.py::TestComputeLegPVs	test_zero_hazard_rate	Pass
	market_making.py::TestGenerateBook	test_balanced_book	Pass
	market_making.py::TestGenerateBook	test_balanced_notional	Pass
	market_making.py::TestGenerateBook	test_counterparties_distributed	Pass
	market_making.py::TestGenerateBook	test_files_saved	Pass
	market_making.py::TestGenerateBook	test_payer_trades_below_fair	Pass
	market_making.py::TestGenerateBook	test_receiver_trades_above_fair	Pass
	market_making.py::TestGenerateBook	test_reproducible_with_seed	Pass
	market_making.py::TestGenerateBook	test_small_mtm	Pass
	market_making.py::TestGenerateBook	test_valid_cdm_structure	Pass
	market_making.py::TestPrintBookSummary	test_summary_runs	Pass
	market_making.py::TestTradeSpreadBookmaking	test_bookmaking_spreads_are_integers	Pass
	market_making.py::TestTradeSpreadBookmaking	test_bookmaking_central_spreads_are_integers	Pass
	thames_central.py::TestThamesCentralBook	test_book_saved	Pass
	thames_central.py::TestThamesCentralBook	test_book_calendar_spreads	Pass
	thames_central.py::TestThamesCentralBook	test_book_reproducible_with_seed	Pass
	thames_central.py::TestThamesCentralBook	test_book_count	Pass
	thames_central.py::TestThamesCentralBook	test_book_central_gauges	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	thames_central.py::TestThamesCentral	test.build_cdm_structure	Pass
	thames_central.py::TestThamesCentral	test.book_inster_is_net_short	Pass
	engine.py::TestDeltaEngine	test.build_risk_grid	Pass
	engine.py::TestDeltaEngine	test.enrich_receiver_trade_negative_dv01	Pass
	engine.py::TestDeltaEngine	test.enrich_trade	Pass
	engine.py::TestDeltaEngine	test.payer_receiver_dv01_opposite	Pass
	engine.py::TestHazardCurveRevaluation	test.curve_change_moves_fair_spread	Pass
	engine.py::TestHazardCurveRevaluation	test.curve_change_moves_mtm	Pass
	engine.py::TestHazardCurveRevaluation	test.curve_change_pnl_consistent_with_fair	Fail
	engine.py::TestHazardCurveRevaluation	test.curve_change_produces_daily_pnl	Pass
	formulas.py::TestBasisDelta	test.basis_delta_positive	Pass
	formulas.py::TestBasisDelta	test.basis_delta_similar_to_gauge_delta	Pass
	formulas.py::TestGaugeDelta	test.delta_spread_approximately_one	Pass
	formulas.py::TestGaugeDelta	test.higher_notional_means_higher_dv01	Pass
	formulas.py::TestGaugeDelta	test.positive_dv01_for_long_position	Pass
	formulas.py::TestGaugeDelta	test.zero_hazard_rate_gives_zero_delta	Pass
	formulas.py::TestMarkToMarket	test.mtm_calculation_correct	Pass
	formulas.py::TestMarkToMarket	test.mtm_negative_when_spread_widens_for_seller	Pass
	formulas.py::TestMarkToMarket	test.mtm_positive_when_spread_widens_for_buyer	Pass
	formulas.py::TestMarkToMarket	test.mtm_zero_when_spreads_equal	Pass
	formulas.py::TestRiskyAnnuity	test.longer_tenor_means_higher_annuity	Pass
	formulas.py::TestRiskyAnnuity	test.positive_hazard_rate_reduces_annuity	Pass
	formulas.py::TestRiskyAnnuity	test.reasonable_range	Pass
	formulas.py::TestRiskyAnnuity	test.zero_hazard_rate	Pass
	market_state.py::TestEffectiveRates	test.effective_rates_include_all_gauges	Pass
	market_state.py::TestEffectiveRates	test.effective_rates_mark_adjusted	Pass
	market_state.py::TestEffectiveRates	test.effective_rates_merge_correctly	Pass
	market_state.py::TestMarketState	test.base_rates_match_gaugehc	Pass
	market_state.py::TestMarketState	test.initial_load_creates_state	Pass
	market_state.py::TestMarketState	test.load_persists	Pass
	market_state.py::TestMarketState	test.reset_all	Pass
	market_state.py::TestMarketState	test.reset_single_gauge	Pass
	market_state.py::TestMarketState	test.update_effective_rate_with_adjustment	Pass
	market_state.py::TestMarketState	test.updated_gauge_returns_base	Pass
	market_state.py::TestMarketState	test.update_gauge_rate	Pass
	market_state.py::TestMissingCoverage	test.get_commit_yield_curve	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_above_max_tenor	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_below_min_tenor	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_exact_tenor	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_interpolated	Pass
	market_state.py::TestMissingCoverage	test.load_base_curves_gauge_with_no_id_saved	Skipped
	market_state.py::TestMissingCoverage	test.load_base_curves_gauges_key	Pass
	market_state.py::TestMissingCoverage	test.load_base_curves_no_file	Pass
	market_state.py::TestMissingCoverage	test.load_base_curves_unknown_format	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market_state.py::TestMissingCoverage	test_reset_yield_curve	Pass
	market_state.py::TestMissingCoverage	test_update_gauge_rate_with_notes	Pass
	daily_pnl.py::TestDailyPnL	test_closed_trades_excluded	Pass
	daily_pnl.py::TestDailyPnL	test_daily_pnl_without_previous_eod	Pass
	daily_pnl.py::TestDailyPnL	test_pnl_decomposition_sums	Pass
	daily_pnl.py::TestDailyPnL	test_running_pnl_calculation	Pass
	daily_pnl.py::TestPhantomPnL	test_market_pnl_nonzero_with_eod_mark	Pass
	daily_pnl.py::TestPhantomPnL	test_market_pnl_zero_for_missing_eod_trades	Pass
	daily_pnl.py::TestPhantomPnL	test_new_trade_has_inception_pnl	Pass
	daily_pnl.py::TestPhantomPnL	test_pnl_decomposition_with_prev_eod	Pass
	eod.py::TestEodSnapshot	test_eod_history	Pass
	eod.py::TestEodSnapshot	test_generate_snapshot	Pass
	eod.py::TestEodSnapshot	test_idempotent_snapshot	Pass
	eod.py::TestEodSnapshot	test_pnl_series	Pass
	eod.py::TestEodSnapshot	test_snapshot_persists	Pass
	marks.py::TestTradeMarks	test_close_trade	Pass
	marks.py::TestTradeMarks	test_load_empty_marks	Pass
	marks.py::TestTradeMarks	test_update_and_load_mark	Pass
	stress.hydrograph.py::TestStressKestrel	test_cash_price_stays_at_notional_after_ko	Pass
	stress.hydrograph.py::TestStressKestrel	test_ko_trigger_triggers_ko_independently	Pass
	stress.hydrograph.py::TestStressKestrel	test_ko_trigger_below_trigger	Pass
	stress.hydrograph.py::TestStressKestrel	test_ko_trigger_ko_cash_is_negative	Pass
	stress.hydrograph.py::TestStressKestrel	test_ko_trigger_ko_clocks_out_at_trigger	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_base	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_1m_hours	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_rise	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_fall	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_after_peak	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_168_hours	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_storm	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_base_level	Pass
	stress.hydrograph.py::TestSynthesis	test_hydrograph_fall	Pass
	eod_routes.py::TestEODErrorHandling	test_eod_history_engine_error_returns_500	Pass
	eod_routes.py::TestEODErrorHandling	test_get_eod_pdf_error_returns_500	Pass
	eod_routes.py::TestEODErrorHandling	test_submit_eod_engine_error_returns_500	Pass
	eod_routes.py::TestEODHistory	test_eod_history_after_snap	Pass
	eod_routes.py::TestEODHistory	test_eod_history_empty	Pass
	eod_routes.py::TestEODHistory	test_multiple_eod_snaps	Pass
	eod_routes.py::TestEODNoDateBody	test_submit_eod_no_json_uses_today	Pass
	eod_routes.py::TestEODPdf	test_eod_pdf_found_serves_file	Pass
	eod_routes.py::TestEODPdf	test_eod_pdf_not_found	Pass
	eod_routes.py::TestEODPdfGeneration	test_submit_eod_import_error_still_succeeds	Pass
	eod_routes.py::TestEODPdfGeneration	test_submit_eod_pdf_exception_still_succeeds	Pass
	eod_routes.py::TestPnLResetAfterEOD	test_eod_pnl_uses_eod_as_baseline	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	blotter_detail.py::TestHazardRateArrow	test_arrow	Pass
	blotter_detail.py::TestMarketPnLColumn	test_market_pnl_column	Pass
	blotter_detail.py::TestMarketPnLLabel	test_market_pnl_label	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_daily	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_from_market	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_net_notional	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_running	Pass
	blotter_detail.py::TestSignedNotional	test_signed_payer_referenced	Pass
	blotter_detail.py::TestSignedNotional	test_signed_notional_direction	Pass
	blotter_detail.py::TestSortAndNavigation	test_sort_toggle	Pass
	blotter_detail.py::TestSortAndNavigation	test_make_view_click	Pass
	blotter_detail.py::TestTableStructure	test_gauge_fs01_column	Pass
	blotter_detail.py::TestTableStructure	test_maturity_formatting	Pass
	eod_detail.py::TestEODEndpoint	test_eod_blotter_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_history_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_pnl_series_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_submit_endpoint	Pass
	eod_detail.py::TestEODFunction	test_attribution_section	Pass
	eod_detail.py::TestEODFunction	test_chart_rendering	Pass
	eod_detail.py::TestEODFunction	test_cleanup_function	Pass
	eod_detail.py::TestEODFunction	test_download_pdf_function	Pass
	eod_detail.py::TestEODFunction	test_submit_function	Pass
	eod_detail.py::TestEODUIStructure	test_attribution_wrap	Pass
	eod_detail.py::TestEODUIStructure	test_cards_container	Pass
	eod_detail.py::TestEODUIStructure	test_date_input	Pass
	eod_detail.py::TestEODUIStructure	test_history_wrap	Pass
	eod_detail.py::TestEODUIStructure	test_submit_button	Pass
	market_detail.py::TestActionButtonFont	test_button_font_matches_tabs	Pass
	market_detail.py::TestActionButtonFont	test_button_padding_matches_tabs	Pass
	market_detail.py::TestActionButtonFont	test_buttons_in_shared_container	Pass
	market_detail.py::TestActionButtonFont	test_commit_button_blue	Pass
	market_detail.py::TestActionButtonFont	test_history_button_grey_not_blue	Pass
	market_detail.py::TestActionButtonFont	test_individual_border_radius_on_buttons	Pass
	market_detail.py::TestActionButtonFont	test_privat_button_grey_not_blue	Pass
	market_detail.py::TestActionButtonFont	test_reset_button_grey	Pass
	market_detail.py::TestCommitButton	test_commit_button_calls_function	Pass
	market_detail.py::TestCommitButton	test_commit_button_id_present	Pass
	market_detail.py::TestCommitButton	test_commit_button_not_hidden	Pass
	market_detail.py::TestCommitButton	test_commit_function_defined	Pass
	market_detail.py::TestCommitEndpoint	test_commit_posts_hazard_ts	Pass
	market_detail.py::TestCommitEndpoint	test_commit_posts_yield_curve	Pass
	market_detail.py::TestCommitEndpoint	test_commit_shows_pnl_impact	Pass
	market_detail.py::TestCommitEndpoint	test_commit_switches_to_blotter	Pass
	market_detail.py::TestDirtyState	test_hazard_dirty_keys	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market_detail.py::TestDirtyState	test_kingommitted_label	Pass
	market_detail.py::TestDirtyState	test_kingld_dirty_flag	Pass
	market_detail.py::TestMarketUI	test_cleanup_function	Pass
	market_detail.py::TestMarketUI	test_gauge_list_function	Pass
	market_detail.py::TestMarketUI	test_market_canvas	Pass
	market_detail.py::TestMarketUI	test_mode_selector	Pass
	market_detail.py::TestNewTrade	test_new_trade_button_grey	Pass
	market_detail.py::TestNewTrade	test_new_trade_button_label	Pass
	market_detail.py::TestNewTrade	test_new_trade_button_present	Pass
	market_detail.py::TestNewTrade	test_new_trade_calls_function	Pass
	market_detail.py::TestNewTrade	test_new_trade_function_opens_prs	Pass
	market_detail.py::TestNewTrade	test_new_trade_left_of_history	Pass
	market_detail.py::TestNewTrade	test_new_trade_border_radius_on_new_trade_btn	Pass
	market_detail.py::TestResetEndpoint	test_reset_function_exists	Pass
	market_detail.py::TestResetEndpoint	test_reset_hazard_ts_endpoint	Pass
	market_detail.py::TestResetEndpoint	test_reset_yield_curve_endpoint	Pass
CDM-ALL	gauge_mapping.py	test_all_cdm_fields_present	Pass
	gauge_mapping.py	test_all_types_valid	Pass
	gauge_mapping.py	test_all_values_valid	Pass
	mortgage_mapping.py	test_all_cdm_fields_present	Pass
	mortgage_mapping.py	test_all_types_valid	Pass
	mortgage_mapping.py	test_all_values_valid	Pass
	property_mapping.py	test_all_cdm_fields_present	Pass
	property_mapping.py	test_all_types_valid	Pass
	property_mapping.py	test_all_values_valid	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[prs_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[prs_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[prs_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[gauge_cdm]	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[mortgage_cdm]	PASS
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[properties_cdm]	PASS
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[prs_cdm]	PASS
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[storm_cdm]	PASS
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[stress_cdm]	PASS
E2E-ALL	TestContextMenuNavigation.py	test_hazard_curve_item_opens_gauge_panel[chromium]	FAIL
	TestGaugeContextMenu.py	test_click_away_closes_menu[chromium]	FAIL
	TestGaugeContextMenu.py	test_context_menu_has_header[chromium]	FAIL
	TestGaugeContextMenu.py	test_context_menu_has_items[chromium]	FAIL
	TestGaugeContextMenu.py	test_right_click_gauge_shows_menu[chromium]	FAIL
	TestCounterpartyAPI.py	test_counterparty_summary_fields[chromium]	FAIL
	TestCounterpartyAPI.py	test_counterparty_types_diverse[chromium]	FAIL
	TestCounterpartyAPI.py	test_get_counterparty_detail[chromium]	FAIL
	TestCounterpartyAPI.py	test_list_counterparties_returns_data[chromium]	FAIL
	TestCounterpartyAPI.py	test_nonexistent_counterparty_returns_404[chromium]	FAIL
	TestCounterpartyInPRS.py	test_counterparty_dropdown_has_options[chromium]	FAIL
	TestCounterpartyInPRS.py	test_counterparty_options_show_rating[chromium]	FAIL
	TestCounterpartyInPRS.py	test_prs_has_counterparty_dropdown[chromium]	FAIL
	TestCounterpartyInPRS.py	test_selecting_counterparty_updates_price[chromium]	FAIL
	TestFS01ToBlotter.py	test_fs01_cell_click_filters_blotter[chromium]	FAIL
	TestFS01ToBlotter.py	test_fs01_tab_shows_risk_grid[chromium]	FAIL
	TestGaugeBlotterFlow.py	test_gauge_panel_blotter_link_opens_trading_desk[chromium]	FAIL
	TestGaugeBlotterFlow.py	test_trading_desk_blotter_visible_after_gauge_link[chromium]	FAIL
	TestContextMenuToTradingDesk.py	test_gauge_blotter_menu_item_opens_trading_desk[chromium]	FAIL
	TestContextMenuToTradingDesk.py	test_right_click_gauge_shows_context_menu[chromium]	FAIL
	TestHistoricalToStress.py	test_historical_tab_has_content[chromium]	FAIL
	TestHistoricalToStress.py	test_storm_scenario_click_activates_stress_tab[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_gauge_panel_loads_data_not_error[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_hazard_api_returns_success[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_hazard_curve_tab_has_real_data[chromium]	FAIL
	TestNoErrorNotifications.py	test_no_error_notifications_after_clearing[chromium]	FAIL
	TestStressStormDataLoads.py	test_portfolio_storms_api_returns_data[chromium]	FAIL
	TestStressStormDataLoads.py	test_stress_storms_api_returns_data[chromium]	FAIL
	TestPropertyDataLoads.py	test_property_panel_loads_without_errors[chromium]	FAIL
	TestPropertyDataLoads.py	test_property_storm_api_returns_data[chromium]	FAIL
	TestPropertyDataLoads.py	test_propertyts_summary_api_returns_data[chromium]	FAIL
	TestTradingDataLoads.py	test_blotter_api_returns_trades[chromium]	FAIL
	TestTradingDataLoads.py	test_market_state_api_returns_data[chromium]	FAIL
	TestTradingDataLoads.py	test_risk_grid_api_returns_data[chromium]	FAIL
	TestInvalidGaugeId.py	test_nonexistent_gauge_does_not_crash_page[chromium]	FAIL
	TestInvalidGaugeId.py	test_nonexistent_gauge_shows_error[chromium]	FAIL
	TestInvalidPropertyId.py	test_nonexistent_property_does_not_crash_page[chromium]	FAIL
	TestInvalidPropertyId.py	test_nonexistent_property_shows_error[chromium]	FAIL
	TestEscapeKeyClosesPanels.py	test_escape_closes_gauge_panel[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestEscapeKeyClosesPanels.py	test_escape_closes_governance_panel[chromium]	FAIL
	TestEscapeKeyClosesPanels.py	test_escape_closes_trading_desk[chromium]	FAIL
	TestMapLayerControls.py	test_layer_control_exists[chromium]	FAIL
	TestMapLayerControls.py	test_layer_toggle_changes_markers[chromium]	FAIL
	TestFloodProbabilityTab.py	test_chart_rendered[chromium]	FAIL
	TestFloodProbabilityTab.py	test_content_shows_probability_data[chromium]	FAIL
	TestHazardCurveTab.py	test_chart_canvas_rendered[chromium]	FAIL
	TestHazardCurveTab.py	test_stats_bar_shows_data[chromium]	FAIL
	TestHazardCurveTab.py	test_tab_title_updates[chromium]	FAIL
	TestReturnPeriodTab.py	test_chart_rendered[chromium]	FAIL
	TestReturnPeriodTab.py	test_content_shows_return_period_data[chromium]	FAIL
	TestHistoricalTab.py	test_content_loads_with_timeseries_data[chromium]	FAIL
	TestHistoricalTab.py	test_content_mentions_historical_context[chromium]	FAIL
	TestHistoricalTab.py	test_storm_scenarios_list_exists[chromium]	FAIL
	TestStressTestTab.py	test_auto_selects_worst_case_storm[chromium]	FAIL
	TestStressTestTab.py	test_charts_render[chromium]	FAIL
	TestStressTestTab.py	test_content_mentions_stress_concepts[chromium]	FAIL
	TestStressTestTab.py	test_storm_dropdown_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_chart_canvas_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_commit_button_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_controls_exist[chromium]	FAIL
	TestPRSPricingTab.py	test_direction_dropdown_options[chromium]	FAIL
	TestPRSPricingTab.py	test_trigger_change_updates_display[chromium]	FAIL
	TestPRSPricingTab.py	test_trigger_dropdown_options[chromium]	FAIL
	TestGaugePanelBlotterLink.py	test_blotter_link_exists[chromium]	FAIL
	TestGaugePanelBlotterLink.py	test_blotter_link_opens_trading_desk[chromium]	FAIL
	TestGaugePanelOpens.py	test_open_gauge_panel_via_js[chromium]	FAIL
	TestGaugePanelOpens.py	test_panel_has_tab_bar[chromium]	FAIL
	TestGaugePanelOpens.py	test_panel_title_shows_gauge_name[chromium]	FAIL
	TestGaugePanelTabs.py	test_hazard_curve_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_historical_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_prs_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_stress_tab_renders[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_edit_buttons_on_principles[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_edit_opens_modal[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_modal_has_confirm_cancel[chromium]	FAIL
	TestBibliographyExport.py	test_bibtex_export_button[chromium]	FAIL
	TestBibliographyExport.py	test_reference_table_sortable[chromium]	FAIL
	TestDocumentUploadDownload.py	test_document_list_renders[chromium]	FAIL
	TestDocumentUploadDownload.py	test_download_buttons_clickable[chromium]	FAIL
	TestDocumentUploadDownload.py	test_upload_area_exists[chromium]	FAIL
	TestDataLineageAPI.py	test_lineage_api_returns_data[chromium]	FAIL
	TestDataLineageAPI.py	test_staleness_api_returns_data[chromium]	FAIL
	TestDataLineageTab.py	test_content_mentions_lineage_keywords[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestDataLineageTab.py	test_has_pipeline_steps[chromium]	FAIL
	TestDataLineageTab.py	test_has_staleness_info[chromium]	FAIL
	TestDataLineageTab.py	test_tab_content_loads[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_gauge_returns_steps[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_missing_params_returns_400[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_nonexistent_returns_empty[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_property_returns_steps[chromium]	FAIL
	TestAuditReportsAPI.py	test_audit_reports_api_returns_files[chromium]	FAIL
	TestAuditReportsAPI.py	test_test_summary_api[chromium]	FAIL
	TestAuditReportsTab.py	test_content_mentions_audit_keywords[chromium]	FAIL
	TestAuditReportsTab.py	test_has_artefact_files[chromium]	FAIL
	TestAuditReportsTab.py	test_has_test_summary_or_file_cards[chromium]	FAIL
	TestAuditReportsTab.py	test_tab_content_loads[chromium]	FAIL
	TestFieldLineageAPI.py	test_field_lineage_api_returns_data[chromium]	FAIL
	TestFieldLineageAPI.py	test_field_search_api[chromium]	FAIL
	TestFieldLineageTab.py	test_content_mentions_field_keywords[chromium]	FAIL
	TestFieldLineageTab.py	test_has_report_cards_or_search[chromium]	FAIL
	TestFieldLineageTab.py	test_shows_field_counts[chromium]	FAIL
	TestFieldLineageTab.py	test_tab_content_loads[chromium]	FAIL
	TestModelWorkstreamDetail.py	test_back_button_returns_to_list[chromium]	FAIL
	TestModelWorkstreamDetail.py	test_model_row_opens_detail[chromium]	FAIL
	TestMRCAgendaCRUD.py	test_add_agenda_item[chromium]	FAIL
	TestMRCAgendaCRUD.py	test_delete_agenda_item[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_list_meetings_returns_data[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_meeting_detail_returns_full_object[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_meeting_summary_has_fields[chromium]	FAIL
	TestMRCActionsCRUD.py	test_add_action[chromium]	FAIL
	TestMRCActionsCRUD.py	test_delete_action[chromium]	FAIL
	TestMRCDecisionsCRUD.py	test_add_decision[chromium]	FAIL
	TestMRCDecisionsCRUD.py	test_delete_decision[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_detail_has_tabs[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_detail_shows_metadata[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_list_has_rows[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_row_clickable[chromium]	FAIL
	TestMRCParticipantsCRUD.py	test_add_participant[chromium]	FAIL
	TestMRCParticipantsCRUD.py	test_delete_participant[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_add_button_opens_form[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_add_meeting_button_exists[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_meeting_list_renders[chromium]	FAIL
	TestRACIMatrixInteraction.py	test_cells_interactive[chromium]	FAIL
	TestRACIMatrixInteraction.py	test_matrix_grid_renders[chromium]	FAIL
	TestAuditTab.py	test_content_mentions_audit[chromium]	FAIL
	TestAuditTab.py	test_tab_content_loads[chromium]	FAIL
	TestBCBS239Tab.py	test_content_mentions_bcbs[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestBCBS239Tab.py	test_tab_content_loads[chromium]	FAIL
	TestBibliographyTab.py	test_content_mentions_bibliography[chromium]	FAIL
	TestBibliographyTab.py	test_tab_content_loads[chromium]	FAIL
	TestDocumentsTab.py	test_content_area_exists[chromium]	FAIL
	TestDocumentsTab.py	test_tab_content_loads[chromium]	FAIL
	TestGovernancePanelOpens.py	test_has_content_area[chromium]	FAIL
	TestGovernancePanelOpens.py	test_has_tab_buttons[chromium]	FAIL
	TestGovernancePanelOpens.py	test_panel_is_visible[chromium]	FAIL
	TestMRCTab.py	test_content_mentions_mrc[chromium]	FAIL
	TestMRCTab.py	test_tab_content_loads[chromium]	FAIL
	TestModelInventoryTab.py	test_content_mentions_model[chromium]	FAIL
	TestModelInventoryTab.py	test_tab_content_loads[chromium]	FAIL
	TestRACITab.py	test_content_mentions_raci[chromium]	FAIL
	TestRACITab.py	test_tab_content_loads[chromium]	FAIL
	TestCloseOutTradePL.py	test_01_open_blotter_and_count_trades[chromium]	FAIL
	TestCloseOutTradePL.py	test_02_click_close_button_opens_modal[chromium]	FAIL
	TestCloseOutTradePL.py	test_03_enter_closeout_spread_and_confirm[chromium]	FAIL
	TestCloseOutTradePL.py	test_04_verify_closed_trade_in_blotter[chromium]	FAIL
	TestEODSnapAndHistory.py	test_01_open_eod_tab_count_history[chromium]	FAIL
	TestEODSnapAndHistory.py	test_02_submit_eod[chromium]	FAIL
	TestEODSnapAndHistory.py	test_03_verify_new_snapshot_in_history[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_01_open_prs_and_verify_controls[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_02_select_counterparty[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_03_set_trade_parameters[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_04_commit_trade[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_05_new_trade_appears_in_blotter[chromium]	FAIL
	TestMarketUpdatePL.py	test_01_open_market_tab_record_yield[chromium]	FAIL
	TestMarketUpdatePL.py	test_02_change_yield_curve_value[chromium]	FAIL
	TestMarketUpdatePL.py	test_03_commit_market_changes[chromium]	FAIL
	TestMarketUpdatePL.py	test_04_verify_pnl_after_curve_change[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_01_open_property_prs_and_verify_controls[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_02_set_property_trade_parameters[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_03_commit_property_trade[chromium]	FAIL
	TestCoreControls.py	test_governance_button_exists[chromium]	FAIL
	TestCoreControls.py	test_pi_button_exists[chromium]	FAIL
	TestCoreControls.py	test_startup_preloader_completed[chromium]	FAIL
	TestMapLoads.py	test_leaflet_container_exists[chromium]	FAIL
	TestMapLoads.py	test_map_tiles_loaded[chromium]	FAIL
	TestMapLoads.py	test_zoom_controls_present[chromium]	FAIL
	TestMarkers.py	test_marker_count_reasonable[chromium]	FAIL
	TestMarkers.py	test_markers_present[chromium]	FAIL
	TestDocsTabStructure.py	test_core_docs_section_visible_by_default[chromium]	FAIL
	TestDocsTabStructure.py	test_docs_tab_exists[chromium]	FAIL
	TestDocsTabStructure.py	test_docs_tab_has_three_sections[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestDocsTabStructure.py	test_switching_to_analysis[chromium]	FAIL
	TestDocsTabStructure.py	test_switching_to_test_results[chromium]	FAIL
	TestDocsTabStructure.py	test_test_results_section_hidden_by_def[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_models_have_doc_directory[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_analysis_pdf_endpoint_exists[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_documentation_pdf_endpoint_exists[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_test_results_pdf_endpoint_exists[chromium]	FAIL
	TestPropertyContextMenu.py	test_menu_has_property_items[chromium]	FAIL
	TestPropertyContextMenu.py	test_menu_header_shows_property_info[chromium]	FAIL
	TestPropertyContextMenu.py	test_right_click_property_shows_menu[chromium]	FAIL
	TestPropertyContextMenu.py	test_storm_scenarios_opens_panel[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_has_chart[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_has_stats[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_renders[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_table_has_rows[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_claim_report_api_returns_pdf[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_insurance_tab_exists[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_tab_mentions_insurance[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_has_chart[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_has_stats[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_renders[chromium]	FAIL
	TestMortgageDetail.py	test_mortgage_content_shows_data[chromium]	FAIL
	TestMortgageDetail.py	test_mortgage_panel_opens[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_chart_exists[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_has_selector[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_has_stats[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_renders[chromium]	FAIL
	TestPropertyHazardPanel.py	test_basis_analysis_tab_shows_content[chromium]	FAIL
	TestPropertyHazardPanel.py	test_hazard_curve_chart_renders[chromium]	FAIL
	TestPropertyHazardPanel.py	test_panel_has_four_tabs[chromium]	FAIL
	TestPropertyHazardPanel.py	test_panel_opens_with_title[chromium]	FAIL
	TestPropertyHazardPanel.py	test_prs_pricing_tab_has_controls[chromium]	FAIL
	TestPropertyStormPanel.py	test_distribution_tab_has_content[chromium]	FAIL
	TestPropertyStormPanel.py	test_panel_has_tab_buttons[chromium]	FAIL
	TestPropertyStormPanel.py	test_panel_opens_with_title[chromium]	FAIL
	TestPropertyStormPanel.py	test_status_bar_shows_flood_counts[chromium]	FAIL
	TestPropertyStormPanel.py	test_worst_storms_tab_shows_data[chromium]	FAIL
	TestSPSimTab.py	test_has_leaflet_or_canvas[chromium]	FAIL
	TestSPSimTab.py	test_has_map_container[chromium]	FAIL
	TestSPSimTab.py	test_has_play_button[chromium]	FAIL
	TestSPSimTab.py	test_sim_view_visible[chromium]	FAIL
	TestSPTableTab.py	test_content_has_keywords[chromium]	FAIL
	TestSPTableTab.py	test_has_property_table[chromium]	FAIL
	TestSPTableTab.py	test_has_summary_cards[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestSPTableTab.py	test_table_view_visible[chromium]	FAIL
	TestSPVisualTab.py	test_filter_has_controls[chromium]	FAIL
	TestSPVisualTab.py	test_has_chart_canvas[chromium]	FAIL
	TestSPVisualTab.py	test_has_filter_row[chromium]	FAIL
	TestSPVisualTab.py	test_vis_view_visible[chromium]	FAIL
	TestStormPortfolioOpens.py	test_has_four_tab_buttons[chromium]	FAIL
	TestStormPortfolioOpens.py	test_has_storm_selector[chromium]	FAIL
	TestStormPortfolioOpens.py	test_panel_opens[chromium]	FAIL
	TestStormPortfolioOpens.py	test_stats_bar_present[chromium]	FAIL
	TestSPVaRTab.py	test_has_histogram_canvas[chromium]	FAIL
	TestSPVaRTab.py	test_has_metrics[chromium]	FAIL
	TestSPVaRTab.py	test_has_toggle_buttons[chromium]	FAIL
	TestSPVaRTab.py	test_metrics_keywords[chromium]	FAIL
	TestSPVaRTab.py	test_var_view_visible[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_animate_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_portfolio_impact_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_portfolio_var_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_storms_api_returns_data[chromium]	FAIL
	TestBlotterTab.py	test_blotter_filter_dropdowns_exist[chromium]	FAIL
	TestBlotterTab.py	test_blotter_has_trade_rows[chromium]	FAIL
	TestBlotterTab.py	test_blotter_shows_net_notional[chromium]	FAIL
	TestBlotterTab.py	test_blotter_view_visible[chromium]	FAIL
	TestBlotterTradeInteraction.py	test_trade_row_click_highlights[chromium]	FAIL
	TestTradingDeskOpens.py	test_click_pi_opens_panel[chromium]	FAIL
	TestTradingDeskOpens.py	test_close_button_hides_panel[chromium]	FAIL
	TestTradingDeskOpens.py	test_panel_has_tab_bar[chromium]	FAIL
	TestClassifierAvailability.py	test_classifier_summary_api_returns_data[chromium]	FAIL
	TestClassifierAvailability.py	test_trained_classifiers_loadable_in_stress_tab[chromium]	FAIL
	TestClassifiersTab.py	test_classifiers_view_visible[chromium]	FAIL
	TestClassifiersTab.py	test_has_detail_pane[chromium]	FAIL
	TestClassifiersTab.py	test_has_summary_stats[chromium]	FAIL
	TestClassifiersTab.py	test_has_table_pane[chromium]	FAIL
	TestClassifiersTab.py	test_has_train_all_button[chromium]	FAIL
	TestClassifiersTab.py	test_progress_bar_hidden_initially[chromium]	FAIL
	TestClassifiersTab.py	test_row_click_populates_detail[chromium]	FAIL
	TestClassifiersTab.py	test_summary_table_has_rows[chromium]	FAIL
	TestClassifiersTab.py	test_table_has_action_buttons[chromium]	FAIL
	TestPortStressPFlood.py	test_pfflood_has_chart_or_data[chromium]	FAIL
	TestPortStressPFlood.py	test_pfflood_has_content[chromium]	FAIL
	TestPortStressTab.py	test_has_content_area[chromium]	FAIL
	TestPortStressTab.py	test_has_stats_bar[chromium]	FAIL
	TestPortStressTab.py	test_has_storm_selector[chromium]	FAIL
	TestPortStressTab.py	test_has_sub_tab_buttons[chromium]	FAIL
	TestPortStressTab.py	test_portstress_view_visible[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestPortStressTab.py	test_storm_selector_has_options[chromium]	FAIL
	TestPortStressDataLoads.py	test_classifier_readiness_api[chromium]	FAIL
	TestPortStressDataLoads.py	test_portfolio_run_api[chromium]	FAIL
	TestPortStressDataLoads.py	test_portfolio_storms_api[chromium]	FAIL
	TestPortStressGaugePnL.py	test_gaugepnl_has_content[chromium]	FAIL
	TestPortStressGaugePnL.py	test_gaugepnl_has_gauge_selector_or_table[chromium]	FAIL
	TestPortStressPortPnL.py	test_portpnl_has_content[chromium]	FAIL
	TestPortStressPortPnL.py	test_portpnl_mentions_pnl_keywords[chromium]	FAIL
	TestPortStressSeverity.py	test_severity_has_content[chromium]	FAIL
	TestPortStressSeverity.py	test_severity_mentions_threshold_keywords[chromium]	FAIL
	TestAggregateTab.py	test_has_leaflet_or_svg[chromium]	FAIL
	TestAggregateTab.py	test_map_view_visible[chromium]	FAIL
	TestFS01Tab.py	test_content_mentions_risk_keywords[chromium]	FAIL
	TestFS01Tab.py	test_has_risk_grid[chromium]	FAIL
	TestFS01Tab.py	test_risk_view_visible[chromium]	FAIL
	TestMarketTab.py	test_has_charts_or_inputs[chromium]	FAIL
	TestMarketTab.py	test_has_hazard_term_structure[chromium]	FAIL
	TestMarketTab.py	test_has_yield_curve_content[chromium]	FAIL
	TestMarketTab.py	test_market_view_visible[chromium]	FAIL
	TestCurvesTab.py	test_curves_view_visible[chromium]	FAIL
	TestCurvesTab.py	test_has_chart_or_curve_content[chromium]	FAIL
	TestEODTab.py	test_content_mentions_eod_keywords[chromium]	FAIL
	TestEODTab.py	test_eod_view_visible[chromium]	FAIL
	TestEODTab.py	test_has_history_list_or_table[chromium]	FAIL
	TestStressTab.py	test_has_gauge_dropdown[chromium]	FAIL
	TestStressTab.py	test_has_storm_dropdown[chromium]	FAIL
	TestStressTab.py	test_stress_view_visible[chromium]	FAIL
	TestCloseoutFormValidation.py	test_close_button_opens_modal[chromium]	FAIL
	TestCloseoutFormValidation.py	test_negative_closeout_spread_handling[chromium]	FAIL
	TestMarketFormValidation.py	test_negative_rate_handling[chromium]	FAIL
	TestMarketFormValidation.py	test_non_numeric_tenor_input[chromium]	FAIL
	TestPRSFormValidation.py	test_empty_counterparty_disables_commit[chromium]	FAIL
	TestPRSFormValidation.py	test_negative_spread_handling[chromium]	FAIL
	TestPRSFormValidation.py	test_zero_notional_disables_commit[chromium]	FAIL
	TestTradeCloseOut.py	test_blotter_has_close_button[chromium]	FAIL
	TestTradeCloseOut.py	test_close_button_opens_dialog[chromium]	FAIL
	TestTradeCloseOut.py	test_confirm_closeout_posts[chromium]	FAIL
	TestTradeCloseOut.py	test_spread_input_updates_settlement[chromium]	FAIL
	TestEODSubmit.py	test_eod_history_has_pdf_link[chromium]	FAIL
	TestEODSubmit.py	test_eod_submit_button_exists[chromium]	FAIL
	TestEODSubmit.py	test_eod_submit_creates_snapshot[chromium]	FAIL
	TestGaugePRSCCommit.py	test_commit_triggers_response[chromium]	FAIL
	TestGaugePRSCCommit.py	test_counterparty_dropdown_has_options[chromium]	FAIL
	TestGaugePRSCCommit.py	test_fill_notional_and_spread[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestGaugePRSCCommit.py	test_selecting_counterparty_enables_commission[chromium]	FAIL
	TestMarketStateCommit.py	test_dirty_state_indicator[chromium]	FAIL
	TestMarketStateCommit.py	test_save_button_commits_changes[chromium]	FAIL
	TestMarketStateCommit.py	test_tenor_inputs_accept_values[chromium]	FAIL
	TestMarketStateCommit.py	test_yield_curve_inputs_exist[chromium]	FAIL
	TestMarketStateReset.py	test_reset_button_exists[chromium]	FAIL
	TestMarketStateReset.py	test_reset_restores_defaults[chromium]	FAIL
	TestPropertyPRSCCommit.py	test_commit_button_state[chromium]	FAIL
	TestPropertyPRSCCommit.py	test_fill_prs_values[chromium]	FAIL
	TestPropertyPRSCCommit.py	test_prs_controls_exist[chromium]	FAIL
PLATFORM	catchment_integration.py	test_config	Pass
	catchment_integration.py	test_config_endpoints_include_health_checks	Pass
	catchment_integration.py	test_html_file	Pass
	catchment_integration.py	test_routes	Pass
	test_data_lineage_report_collect.py::TestCollectorAllt_structure		Pass
	test_data_lineage_report_collect.py::TestCollectorAlllines_step_details		Pass
	test_data_lineage_report_collect.py::TestCollectorAllpositive		Pass
	test_data_lineage_report_collect.py::TestCollectorAllct		Pass
	test_data_lineage_report_collect.py::TestCollectorAlls_list		Pass
	test_data_lineage_report_collect.py::TestCollectorAllReport		Pass
	test_data_lineage_report_collect.py::TestCollectorAllRReport		Pass
	test_data_lineage_report_collect.py::TestCollectorAllByReport		Pass
	test_data_lineage_report_collect.py::TestCollectorAllEmptyStepDetails		Pass
	test_data_lineage_report_collect.py::TestCollectorAllReports		Pass
	test_data_lineage_report_collect.py::TestCollectorAllLineageResults		Pass
	test_data_lineage_report_collect.py::TestCollectorAllReport		Pass
	test_dl.report.builders.py::TestHealthStatusColourFresh		Pass
	test_dl.report.builders.py::TestHealthStatusColourMissing		Pass
	test_dl.report.builders.py::TestHealthStatusColourStale		Pass
	test_dl.report.builders.py::TestHealthStatusColourUnknown		Pass
	test_dl.report.builders.py::TestHealthStatusLabelUnknownUppercased		Pass
	test_dl.report.builders.py::TestHealthStatusLabelValues		Pass
	test_dl.report.builders.py::TestSecondaryBuilderHealthy		Pass
	test_dl.report.builders.py::TestSecondaryBuilderIssues		Pass
	test_dl.report.builders.py::TestSecondaryBuilderSummaryHealthy		Pass
	test_dl.report.builders.py::TestSecondaryBuilderSummaryIssues		Pass
	test_dl.report.builders.py::TestSecondaryBuilderMetricsHealthy		Pass
	test_dl.report.builders.py::TestSecondaryBuilderMetricsWithStaleDetails		Pass
	test_dl.report.builders.py::TestSecondaryBuilderNoResults		Pass
	test_dl.report.builders.py::TestSecondaryBuilderWithFailures		Pass
	test_dl.report.builders.py::TestSecondaryBuilderWithResults		Pass
	test_dl.report.builders.py::TestSecondaryBuilderCompliant		Pass
	test_dl.report.builders.py::TestSecondaryBuilderWithIssues		Pass
	test_dl.report.builders.py::TestSecondaryBuilderPolicy		Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_dl_report_builders.py::TestSectionBuilder	documentation	Pass
	test_dl_report_builders.py::TestSectionBuilder	documentation_empty_params	Pass
	test_dl_report_builders.py::TestSectionBuilder	Topology	Pass
	test_dl_report_remediation_part1.py::TestTestConsistentHealth		Pass
	test_dl_report_remediation_part1.py::TestTestGradedBadgeHealth	failures	Pass
	test_dl_report_remediation_part1.py::TestTestConsistentHealth	on_broken_chain	Pass
	test_dl_report_remediation_part1.py::TestTestFailedCheckRenderers	table	Pass
	test_dl_report_remediation_part1.py::TestTestFailedCheckRenderers	bullet	Pass
	test_dl_report_remediation_part1.py::TestTestComplianceVersitable		Pass
	test_dl_report_remediation_part1.py::TestTestRemediationVersitable		Pass
	test_dl_report_remediation_part1.py::TestTestRemediationVersitable	steps	Pass
	test_dl_report_remediation_part1.py::TestTestRemediationVersitable	failure_met	Pass
	test_dl_report_remediation_part1.py::TestTestShowStrengthsAndWeaknesses		Pass
	test_dl_report_remediation_part2.py::TestTestCompliantVerdict		Pass
	test_dl_report_remediation_part2.py::TestTestExemptVerdict		Pass
	test_dl_report_remediation_part2.py::TestTestExemptVerdict	show	Pass
	test_dl_report_remediation_part2.py::TestTestBacklistingResults		Pass
	test_dl_report_remediation_part2.py::TestTestBacklistingResults	missing	Pass
	test_dl_report_remediation_part2.py::TestTestBacklistingResults	json	Pass
	test_dl_report_remediation_part2.py::TestTestBacklistingResults	file	Pass
	test_dl_report_remediation_part2.py::TestTestBacklistingResults	test	Pass
	test_dl_report_remediation_part2.py::TestTestMainlineates_audit_dir		Pass
	test_dl_report_remediation_part2.py::TestTestMainlineates_audit_dir	summary	Pass
	test_dl_report_remediation_part2.py::TestTestMainlineates_audit_dir	pdf	Pass
	test_dl_report_remediation_part2.py::TestTestMainlineates_audit_dir	reproducibility	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear		Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_stale_steps	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_test_failures	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	colour_mapping	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_broken_chain	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	when_all_pass	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	lineage_results	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_broken_chain	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_majority_failures	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_missing_steps	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	on_test_failure	Pass
	test_dl_report_verdicts.py::TestCompliantWhenAllClear	when_no_tests_run	Pass
	test_dl_report_verdicts.py::TestTestFailurePrinciples	data_covers_key_tests	Pass
	test_dl_report_verdicts.py::TestTestFailurePrinciples	principle_column	Pass
	test_dl_report_verdicts.py::TestTestOwnership	covers_all_graph_steps	Pass
	test_dl_report_verdicts.py::TestTestOwnership	renders_owner	Pass
	test_duplication_report.py::TestEmptyReport		Pass
	test_duplication_report.py::TestEmptyReport	stats_has_python	Pass
	test_duplication_report.py::TestEmptyReport	largest_line_numbers_are_integers	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_duplication_report.py::TestAnalysis	test_analysis_largest_line_numbers_not_question_mark	Fail
	test_duplication_report.py::TestAnalysis	test_analysis_largest_sorted_descending	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_sum_clones_correct	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_returns_dict	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_total_present	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_worst_populated	Pass
	test_duplication_report.py::TestMain	test_main_handles_jscpd_error	Pass
	test_duplication_report.py::TestMain	test_main_prints_stats	Pass
	test_duplication_report.py::TestMain	test_main_produces_pdf	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdfod_rating_for_low_pct	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdfhigh_rating_report	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_header	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_nonempty	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_returns_bytes	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_basic	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_bcbs	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_tests	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_with_bcbs	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_with_tests	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_pass	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_failures	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_coverage	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_tests	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_renders	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_empty	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_no_risk_ratings	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_no_rag_colours	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_no_renders	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_risk_ratings	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_all_reviewers_assigned	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_high_assumptions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_no_assumptions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_no_questions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_peer_reviewer_gaps	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_renders	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_range	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_empty	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_timestamps	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_renders	Pass
	test_model_risk_report_evidence.py::TestBuildDescendants	test_build_descendants_empty	Pass
	test_model_risk_report_evidence.py::TestBuildDescendants	test_build_descendants_inherit	Pass
	test_model_risk_report_evidence.py::TestBuildDescendants	test_build_descendants_renders	Pass
	test_model_risk_report_evidence.py::TestBuildRecommendations	test_build_recommendations_no_renders	Pass
	test_model_risk_report_evidence.py::TestBuildRecommendations	test_build_recommendations_renders_risk	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.actions_with_missing_fields	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.single_models_risk_ratings	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.no_activities_no_triggers	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.ref_classification_null_due_date	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.classification_question_no_short_label	Pass
	test_model_risk_report_pdf.py::TestSectionBuilders	TestSectionBuilders.exported	Pass
	test_model_risk_report_pdf.py::TestSectionList	TestSectionList	Pass
	test_model_risk_report_styles.py::TestDetailer	TestDetailer.render_keys	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.files	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.files_missing_dir	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.sensitivity_generators	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.sensitivity_generators_no_dir	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.log	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.log_dict_fallback	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.bobs	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.coverage	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.coverage_corrupt	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.coverage_missing	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.inventory	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.inventory_bad_json	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.inventory_missing	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.gadgets	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.gadgets_corrupt	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.gadgets_missing	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.nettings	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.nettings_dict_fallback	Pass
	test_model_risk_report_styles.py::TestDataLoaders	TestDataLoaders.readers	Pass
	test_model_risk_report_styles.py::TestStyles	TestStyles.render_constants	Pass
	test_model_risk_report_styles.py::TestStyles	TestStyles.render_styles_keys	Pass
	test_model_risk_report_styles.py::TestStyles	TestStyles.render_colour_maps	Pass
	test_model_risk_report_styles.py::TestStyles	TestStyles.render_rule_appends_flowables	Pass
	test_model_risk_report_styles.py::TestStyles	TestStyles.render_style_returns_tablestyle	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.points_present	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.gauge_has_required_fields	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.exists	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.trigger_ordering	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.account_at_least_40	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.aids_are_well_formed	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.hazard_curves_key	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.rate_ordering	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.rates_positive	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.structure_present	Pass
	test_blotter_data_part1.py::TestMarketBaseData	TestMarketBaseData.not_empty	Pass
	test_blotter_data_part1.py::TestMarketBaseData	TestMarketBaseData.exists	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.required_keys	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.term_structure_has_triggers	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.term_structure_not_empty	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.updated_present	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.have_has_all_tenors	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.have_rates_in_range	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.business_days	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.directory_exists	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.valid_json	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.required_keys	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.diff_match_json	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.snapshot_count	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.on_disk_file_exists	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.has_physical_swap_root	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.has_swap_id	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.directory_exists	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.matches_filename	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.count_thames_central	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.statuses_are_valid	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.are_present	Pass
	test_blotter_data_part2.py::TestPRSTTradeData	PRSTTradeData.have_gauge_set	Pass
	test_id_consistency_gauges.py::TestClassifiers	Classifiers.gauge_ids_match	Skip
	test_id_consistency_gauges.py::TestClassifiers	Classifiers.inconsistency_exists	Skip
	test_id_consistency_gauges.py::TestGauges	Gauges.json_has_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.HC_match_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.HC_consistent_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.HC_consistent_subset_of_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.extra_gauges_exist_in_gauge_json	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.extra_gauges_have_hazard_curves	Pass
	test_id_consistency_gauges.py::TestProperties	Properties.json_header	Pass
	test_id_consistency_gauges.py::TestProperties	Properties.json_has_properties	Pass
	test_id_consistency_gauges.py::TestProperties	Properties.json_files_match_properties	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.completes_exist	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.completes_data	Skip
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.output_directories	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.HC_from_sequences	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.HC_from_sequences	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.dependency_graph_complete	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.exists	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.inputs	FAIL
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.has_current	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.names_deterministic	Skip
	test_lineage_manifest.py::TestGetCtrlFromId	GetCtrlFromId	Pass
	test_lineage_manifest.py::TestHasArtifact	HasArtifact_directory	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_prs_pricer_data_lineage.py::	TestSpreadBroadpresentsLineage	Pass
	test_prs_pricer_data_lineage.py::	TestSyntheticGaugeConsistency	Pass
	test_prs_pricer_data_lineage.py::	TestSyntheticGaugeConsistencywithsynthetic.off	Pass
	test_prs_pricer_data_lineage.py::	TestTetraDataHasDatainGrid	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedistances	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedelevations	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedhasall_zones	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedspread_decreases_withDistance	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedzone3_gt_zone1_at_origin	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedzonedimensions	Pass
	test_prs_pricer_data_lineage.py::	TestTetraGridInMedzonedata_ordering_at_origin	Pass
	test_prs_pricer_data_lineage.py::	TestZoneSpreadConsistencyrepresented	Pass
	test_prs_pricer_data_lineage.py::	TestZoneSpreadConsistencybyzone	Pass
	test_prs_pricer_data_lineage.py::	TestZoneSpreadConsistencyavg_flood_count_than_zone_1	Pass
	test_prs_pricer_data_lineage.py::	TestZoneSpreadConsistencyavg_spread_thanZone_1	Pass
	test_prs_pricer_data_lineage.py::	TestZoneSpreadConsistencyavg_offset_than_zone_1	Pass
	test_prs_pricer_data_lineage.py::	TestZoneSpreadConsistencyordering	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_has_required_keys	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_simulation_has_readings	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_field_matches_filename	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_dir_exists	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_gauge_id_format	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_not_empty	Pass
	test_storm_data_classifiers.py::	TestGaugesDatafile_count_matches_simulationHours	Pass
	test_storm_data_consistency.py::	TestStormDatafileConsistencyfor_gaugehc_gauges	Skip
	test_storm_data_consistency.py::	TestStormDatafileConsistencyfor_stress_gauges	Skip
	test_storm_data_consistency.py::	TestStormDatafileConsistencyin_gaugehc	Skip
	test_storm_data_consistency.py::	TestStormDatafileConsistencyoverlap_propertytypes	Skip
	test_storm_data_consistency.py::	TestStormDatafileConsistencysubset_of_gaugets	Skip
	test_storm_data_storms.py::	TestStormDatafile_gauge_ids_in_responses	Pass
	test_storm_data_storms.py::	TestStormDatafile_ids_use_gauge_prefix	Pass
	test_storm_data_storms.py::	TestStormDatafile_ids_use_valid_prefix	Pass
	test_storm_data_storms.py::	TestStormDatafile_one_storm_exceeds_alert	Pass
	test_storm_data_storms.py::	TestStormDatafile_has_gauge_responses	Pass
	test_storm_data_storms.py::	TestStormDatafile_has_required_fields	Pass
	test_storm_data_storms.py::	TestStormDatafile_files	Pass
	test_storm_data_storms.py::	TestStormDatafile_well_formed	Pass
	test_storm_data_storms.py::	TestStormDatafile_responses_have_required_fields	Pass
	test_storm_data_storms.py::	TestStormDatafile_files	Pass
	test_storm_data_storms.py::	TestStormDatafile_categories_present	Pass
	test_storm_data_storms.py::	TestStormDatafile_storm_count	Pass
	test_storm_data_storms.py::	TestStormDatafile_exceeds_base	Pass
	test_storm_data_storms.py::	TestStormDatafile_levels_positive	Pass
	test_storm_data_storms.py::	TestStormDatafile_unique	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_storm_data_storms.py::TestGaugeStormFile	TestGaugeStormFile_well_formed	Pass
	test_storm_data_storms.py::TestGaugeStormFile	TestGaugeStormFile_over_multiple_gauges	Pass
	test_storm_data_storms.py::TestGaugeStormFile	TestGaugeStormFile_sorted_by_severity_descending	Pass
	test_storm_data_storms.py::TestGaugeStormFile	TestGaugeStormFile_forms_key_matches_list_length	Pass
	test_storm_data_storms.py::TestGaugeStringerFile	TestGaugeStringerFile_summary_max_trigger_valid	Pass
	test_storm_data_storms.py::TestGaugeStringerFile	TestGaugeStringerFile_summary_populated_for_all_storms	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_responses	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_slope	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_synthesis	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_synthesis_gauges	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_gauges	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_depth	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_flow	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_flow_math	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_flow_math_storm	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_flow_math_storms	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_flow_math_storms_flow	Pass
	test_flood_propagation_diagnostic.py::TestGaugeFloodSimulation	TestGaugeFloodSimulation_topography_hydrograph_flow_math_storms_flow_event	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_gauges_key_also_works	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_all_returns_list	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_missing_file_returns_empty	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_caching_works	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_cache	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_reload	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_lists_false	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_lists_true	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_lookup_missing_returns_none	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_lookup_returns_entity	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_lookup_returns_summaries	Pass
	test_gauge_loader.py::TestGaugeLeader	TestGaugeLeader_base_status_returns_dict	Pass
	test_mortgage_loader.py::TestMortgageLeader	TestMortgageLeader_base_returns_summaries	Pass
	test_mortgage_loader.py::TestMortgageLeader	TestMortgageLeader_base_returns_list	Pass
	test_mortgage_loader.py::TestMortgageLeader	TestMortgageLeader_base_lookup	Pass
	test_mortgage_loader.py::TestMortgageLeader	TestMortgageLeader_base_lookup_property_nested_structure	Pass
	test_mortgage_loader.py::TestMortgageLeader	TestMortgageLeader_base_lookup_returns_none	Pass
	test_property_county.py::TestFindByCounty	TestFindByCounty_case_insensitive	Pass
	test_property_county.py::TestFindByCounty	TestFindByCounty_empty_portfolio	Pass
	test_property_county.py::TestFindByCounty	TestFindByCounty_exact_match	Pass
	test_property_county.py::TestFindByCounty	TestFindByCounty_missing_county_field	Pass
	test_property_county.py::TestFindByCounty	TestFindByCounty_no_match	Pass
	test_property_county.py::TestFindByCounty	TestFindByCounty_partial_match	Pass
	test_property_loader.py::TestPropertyLoader	TestPropertyLoader_base_filename	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_property_loader.py::TestPropertyLoaderBasic	test_property_loader_basic_returns_list	Pass
	test_property_loader.py::TestPropertyLoaderBasic	test_property_loader_basic_file_empty	Pass
	test_property_loader.py::TestPropertyLoaderBasic	test_property_loader_basic_lookup	Pass
	test_property_loader.py::TestPropertyLoaderBasic	test_property_loader_basic_has_property_id	Pass
	test_registry.py::TestCreateRegistry	test_creates_registry	Pass
	test_registry.py::TestCreateRegistry	test_with_file_overrides	Pass
	test_registry.py::TestLoaderRegistry	test_clear_all_caches	Pass
	test_registry.py::TestLoaderRegistry	test_get_all_status	Pass
	test_registry.py::TestLoaderRegistry	test_clear_and_validate_all_caches	Pass
	test_registry.py::TestLoaderRegistry	test_data_files_all_missing	Pass
	test_registry.py::TestLoaderRegistry	test_data_files_present	Pass
	test_registry.py::TestLoaderRegistry	test_data_file_overrides	Pass
	test_registry.py::TestLoaderRegistry	test_data_dir	Pass
	test_registry.py::TestLoaderRegistry	test_get_available_loaders	Pass
	test_registry.py::TestLoaderRegistry	test_get_gauge_loader	Pass
	test_registry.py::TestLoaderRegistry	test_get_loader_by_name	Pass
	test_registry.py::TestLoaderRegistry	test_get_loader_unknown_name_returns_none	Pass
	test_registry.py::TestLoaderRegistry	test_get_mortgage_loader	Pass
	test_registry.py::TestLoaderRegistry	test_get_property_loader	Pass
	test_registry.py::TestLoaderRegistry	test_get_storm_loader	Pass
	test_registry.py::TestLoaderRegistry	test_get_timeseries_loader	Pass
	test_registry.py::TestLoaderRegistry	test_loader_cached_on_repeated_access	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_case_insensitive	Pass
	storm_loader_part1.py::TestFindBasin	test_find_unknown_basin_returns_empty	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_ac_basin	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_category_4	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_category_3	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_category_5	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_matches_returns_empty	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_case_insensitive	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_exact_match	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_no_match_returns_none	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_partial_match	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_missing_season_returns_empty	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_season_2017	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin_season_with_multiple	Pass
	storm_loader_part1.py::TestGetEntity	test_get_empty_entity_returns_none	Pass
	storm_loader_part1.py::TestGetEntity	test_get_event_id	Pass
	storm_loader_part1.py::TestGetEntity	test_get_missing_id_returns_none	Pass
	storm_loader_part1.py::TestGetEntity	test_get_missing_fields_return_none	Pass
	storm_loader_part1.py::TestGetEntity	test_get_summary_dict	Pass
	storm_loader_part2.py::TestGetEntity	test_get_missing_id_returns_none	Pass
	storm_loader_part2.py::TestGetEntity	test_get_impact_returns_impact_dict	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm_loader_part2.py::TestGetMajorInc	MajorInccludes category_1.and_2	Pass
	storm_loader_part2.py::TestGetMajorInc	MajorInccludes cat_3_4_5	Pass
	storm_loader_part2.py::TestGetMajorInc	MajorInccludes category_3.plus	Pass
	storm_loader_part2.py::TestGetStorm	StormAffectedInc returned at most once	Pass
	storm_loader_part2.py::TestGetStorm	StormAffectedInc returns location	Pass
	storm_loader_part2.py::TestGetStorm	StormAffectedInc by storm	Pass
	storm_loader_part2.py::TestGetStorm	StormAffectedInc finds more	Pass
	storm_loader_part2.py::TestGetTrack	Track missing id returns none	Pass
	storm_loader_part2.py::TestGetTrack	Track returns track for existing storm	Pass
	storm_loader_part2.py::TestGetTrack	Track track has lat lon	Pass
	test_base_loader_coverage.py::TestGetEntity	Entity is covered	Pass
	test_base_loader_coverage.py::TestGetEntity	Entity summary called	Pass
	test_base_loader_coverage.py::TestGetEntity	Entity summary delegates to get entity summary	Pass
	test_base_loader_coverage.py::TestGetEntity	Entity summary delegates to get entity	Pass
	test_base_loader_coverage.py::TestGetEntity	Entity aliases returns class at	Pass
	test_base_loader_coverage.py::TestGetEntity	Entity aliases delegates to get status	Pass
	test_base_loader_coverage.py::TestNormalize	Normalize List Data returns empty	Pass
	test_base_loader_coverage.py::TestNormalize	Normalize List NegData returns empty	Pass
	test_base_loader_coverage.py::TestNormalize	Normalize List NingData returns empty	Pass
	test_base_loader_coverage.py::TestNormalize	Normalize List NormData returns empty	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge returns empty	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge supplements missing fields	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge does not skip	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge does only	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge does precedence	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge returns empty	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge does not in phc	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge does not data	Pass
	test_lookups_gauge_property.py::TestBuildGauge	BuildGauge does precedence over property	Pass
	test_lookups_gauge_property.py::TestClassify	Classify Higher Risk is high	Pass
	test_lookups_gauge_property.py::TestClassify	Classify Higher Risk	Pass
	test_lookups_gauge_property.py::TestClassify	Classify Higher Risk is low	Pass
	test_lookups_gauge_property.py::TestClassify	Classify Higher Risk	Pass
	test_lookups_gauge_property.py::TestClassify	Classify Higher Risk	Pass
	test_lookups_gauge_property.py::TestClassify	Classify Higher Risk	Pass
	test_lookups_ids.py::TestAnalyze	Analyze returns zeros	Pass
	test_lookups_ids.py::TestAnalyze	Analyze returns match data	Pass
	test_lookups_ids.py::TestAnalyze	Analyze returns gages counted	Pass
	test_lookups_ids.py::TestAnalyze	Analyze returns properties overlap	Pass
	test_lookups_ids.py::TestAnalyze	Analyze returns required keys	Pass
	test_lookups_ids.py::TestExtract	Extract returns ids	Pass
	test_lookups_ids.py::TestExtract	Extract missing gauge id skipped	Pass
	test_lookups_ids.py::TestExtract	Extract returns empty set	Pass
	test_lookups_ids.py::TestExtract	Extract returns ids	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_statistics_missing_gauge	Pass
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_statistics_no_numeric_level	Pass
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_statistics_with_data	Pass
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_timestamp	Pass
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_status_found_returns_none	Pass
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_status_alias	Pass
test_timeseries_loader.py::TestTimeSeriesLoader	test_timeseries_loader.py::TestTimeSeriesLoader	test_time_series_loader_status_returns_dict	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_appends_entry	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_bad_audit_path_does_not_raise	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_corrupted_file_restarted	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_creates_audit_file	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_entry_has_required_keys	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_existing_file_appended	Pass
audit.py::TestLogModelUsage	audit.py::TestLogModelUsage	test_multiple_calls_accumulate	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_case_insensitive	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_depth_damage_maps_to_dd	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_distribution_maps_to_si	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_mkm_prefix_returned_as_is	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_shorthand_gev_resolved	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_shorthand_intensity_resolved	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_shorthand_mortgage_resolved	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_shorthand_prs_resolved	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_spatial_maps_to_sp	Pass
audit.py::TestResolveModelId	audit.py::TestResolveModelId	test_unknown_shorthand_returned_as_is	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_bool_passed_through	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_empty_params	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_float_passed_through	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_int_passed_through	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_long_list_summarised	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_none_passed_through	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_object_converted_to_string	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_short_list_converted_to_str	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_string_passed_through	Pass
audit.py::TestSanitiseParams	audit.py::TestSanitiseParams	test_tuple_treated_like_list	Pass
depth_damage.py::TestCalculateDepthDamage	depth_damage.py::TestCalculateDepthDamage	test_calculate_depth_damage_severe_level_some_positive	Pass
depth_damage.py::TestCalculateDepthDamage	depth_damage.py::TestCalculateDepthDamage	test_calculate_depth_damage_severe_level_returns_zeros	Pass
depth_damage.py::TestCalculateDepthDamage	depth_damage.py::TestCalculateDepthDamage	test_calculate_depth_damage_capped_at_5m	Pass
depth_damage.py::TestCalculateDepthDamage	depth_damage.py::TestCalculateDepthDamage	test_calculate_depth_damage_gauge_data_returns_zeros	Pass
depth_damage.py::TestCalculateDepthDamage	depth_damage.py::TestCalculateDepthDamage	test_calculate_depth_damage_gauge_data_returns_zeros	Pass
depth_damage.py::TestCalculateDepthDamage	depth_damage.py::TestCalculateDepthDamage	test_calculate_depth_damage_correct_length	Pass
depth_damage.py::TestDepthDamage	depth_damage.py::TestDepthDamage	test_depth_damage_commercial_higher_damage_than_residential	Pass
depth_damage.py::TestDepthDamage	depth_damage.py::TestDepthDamage	test_depth_damage_flood_level_reduces_damage	Pass
depth_damage.py::TestDepthDamage	depth_damage.py::TestDepthDamage	test_depth_damage_flood_depth_all_near_one	Pass
depth_damage.py::TestDepthDamage	depth_damage.py::TestDepthDamage	test_depth_damage_flood_depth_clipped_to_0_1	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	depth_damage.py::TestDepthDamage	testDepthDamageReturnsArraySameLength	Pass
	depth_damage.py::TestDepthDamage	testDepthDamageReturnsAllZeroDamage	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageMaxDepthReturnsOne	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageBetweenControlPointsInterpolated	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageBetween0and1	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageGageMeterDamage	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageMaxDepthReturnsOne	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageMonotonicallyIncreasing	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageNegativeDepthReturnsZero	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageGageMeterDamage	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageReturnsFloat	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageDepthReturnsSmallDamage	Pass
	depth_damage.py::TestScalarDepthDamage	testScalarDepthDamageZeroDepthReturnsZero	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelConstruction	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelCorrelationMatrixBuilt	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelCorrelationParams	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMissingElevationWarnsAndDefault	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMissingFloorLevelDefaultsToZero	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMissingGeometryRaises	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMissingPropertyIdAutoAssigned	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMissingPropertyTypeWarnsAndDefault	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMissingValueRaises	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelPropertiesCopied	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelGaugeData	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsRiskClustersReturnsDf	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsSpatialConcentrationReturnsDf	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsAdvancedMetricsReturnsDict	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsDirectImpactsReturnsArray	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsFloodDepthsReturnsArray	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsDistanceDelegate	Pass
	flood_risk_model.py::TestFloodRiskModel	testFloodRiskModelMethodsPortfolioImpactReturnsDict	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageNegativeToSynthetic	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFence100CFactor	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageAdjustmentCoverage	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFunctionReturnsCorrectLength	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFence100CFactor	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFunctionFitInterval	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFunctionFitCoverage0	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFunctionFitCoverage	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFallback	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageFallbackDepth	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageReturnsZeros	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageReturns15m	Pass
	test_depth_damage_coverage.py::TestCoverage	testCoverageDepthDamageApplied	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_depth_damage_coverage.py::	TestSyntheticEdgeDepths	Pass
	test_depth_damage_coverage.py::	TestSyntheticEdgeDepths_zeros	Pass
	test_depth_damage_coverage.py::	TestSyntheticEdgeDepths_gets_zero	Pass
	test_depth_damage_coverage.py::	TestSyntheticEdgeDepths_produces_positive_depths	Pass
	test_depth_damage_coverage.py::	TestSyntheticEdgeDepths_zeros	Pass
	test_hydrograph_part1.py::	TestBurstPhaseGaugelywhenexceedance	Pass
	test_hydrograph_part1.py::	TestBurstPeakGaugerExpectedhour	Pass
	test_hydrograph_part1.py::	TestBurstPeakGaugerHydrograph	Pass
	test_hydrograph_part1.py::	TestCrestAsymmetric_for_small_alpha	Pass
	test_hydrograph_part1.py::	TestCrestInvalid_alpha	Pass
	test_hydrograph_part1.py::	TestCrestShape_one[0.3]	Pass
	test_hydrograph_part1.py::	TestCrestShape_one[0.7]	Pass
	test_hydrograph_part1.py::	TestCrestShape_one[1.0]	Pass
	test_hydrograph_part1.py::	TestCrestShape_negative_u	Pass
	test_hydrograph_part1.py::	TestCrestShape_alpha_squared[0.3]	Pass
	test_hydrograph_part1.py::	TestCrestShape_alpha_squared[0.5]	Pass
	test_hydrograph_part1.py::	TestCrestShape_alpha_squared[0.7]	Pass
	test_hydrograph_part1.py::	TestCrestShape_alpha_squared[1.0]	Pass
	test_hydrograph_part1.py::	TestCrestZeroat_zero	Pass
	test_hydrograph_part1.py::	TestCrestZerobeyond.one	Pass
	test_hydrograph_part1.py::	TestCrestShapeAscalar	Pass
	test_hydrograph_part1.py::	TestCrestShapeOutside_window	Pass
	test_hydrograph_part1.py::	TestInfiltrationImpervious	Pass
	test_hydrograph_part1.py::	TestInfiltrationreduces_depth	Pass
	test_hydrograph_part1.py::	TestInfiltration saturates	Pass
	test_hydrograph_part1.py::	TestInfiltrationno_depth	Pass
	test_hydrograph_part1.py::	TestStationarity_no_antecedent	Pass
	test_hydrograph_part1.py::	TestStationarityvalue	Pass
	test_hydrograph_part1.py::	TestStationarityonic	Pass
	test_hydrograph_part1.py::	TestStationarityprecip	Pass
	test_hydrograph_part1.py::	TestStationarityPulses	Pass
	test_hydrograph_part1.py::	TestStationarityPulses	Pass
	test_hydrograph_part1.py::	TestStationarityOverlapping_sequential	Pass
	test_hydrograph_part1.py::	TestStationarityOverlapping_exceeds.single	Pass
	test_hydrograph_part1.py::	TestStationarityPulse	Pass
	test_hydrograph_part2.py::	TestBurstClusterProperty_Handlingph_worst_pulse	Pass
	test_hydrograph_part2.py::	TestBurstClusterProperty_Hydrograph	Pass
	test_hydrograph_part2.py::	TestBurstClusterProperty_Hydrograph	Pass
	test_hydrograph_part2.py::	TestBurstClusterProperty_Hydrograph	Pass
	test_hydrograph_part2.py::	TestBurstClusterProperty_Hydrograph	Pass
	test_hydrograph_part2.py::	TestBurstClusterProperty_Hydrograph	Pass
	test_builder_coverage.py::	TestBuilderProduce capped_at_001	Pass
	test_builder_coverage.py::	TestBuilderProduce_false_no_log	Pass
	test_builder_coverage.py::	TestBuilderProduce_true_emits_log	Pass
	test_builder_coverage.py::	TestBuilderProduce_log_every_10_gauges	Pass
	test_distribution_coverage.py::	TestDistributionNaturalEdges	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_distribution_coverage.py::TestUniformNegativeEdges	test_uniform_negative_edges_returns_neg_inf	Pass
	test_distribution_coverage.py::TestUniformNormalEdges	test_uniform_normal_edges_pos_inf	Pass
	test_distribution_coverage.py::TestUniformNormalEdges	test_uniform_normal_edges_neg_inf	Pass
	test_distribution_coverage.py::TestUniformNormalEdges	test_uniform_normal_edges_high_P	Pass
	test_distribution_coverage.py::TestUniformNormalEdges	test_uniform_normal_edges_high_D_98	Pass
	test_distribution_coverage.py::TestUniformNormalEdges	test_uniform_normal_edges_high_P_five	Pass
	test_distribution_coverage.py::TestUniformNormalEdges	test_uniform_normal_edges_high_P_trip_high_p	Pass
	test_distribution_coverage.py::TestNormalPdf	test_normal_pdf_at_zero	Pass
	test_distribution_coverage.py::TestNormalPdf	test_normal_pdf_decreases_from_center	Pass
	test_distribution_coverage.py::TestNormalPdf	test_normal_pdf_positive	Pass
	test_distribution_coverage.py::TestNormalPdf	test_normal_pdf_symmetric	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_low_one	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_positive	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_finite_zones	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_finite [Zone 1]	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_finite [Zone 2]	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_finite [Zone 3]	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_finite [Zone 3a]	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_finite [Zone 3b]	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_equals_3a	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_ordering_2_gt_1	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_ordering_3a_gt_2	Pass
	test_ea_flood_zone_rates.py::TestEastLoadZones	test_east_load_zones_ordering_3b_gt_3a	Pass
	test_io_coverage.py::TestBuildHazesd	test_build_hazesd_missing_single_edges_raises	Pass
	test_io_coverage.py::TestBuildHazesd	test_build_hazesd_missing_multiple_sequences_raises	Pass
	test_io_coverage.py::TestBuildHazesd	test_build_hazesd_verbose_verbose_no_log	Pass
	test_io_coverage.py::TestBuildHazesd	test_build_hazesd_verbose_verbose_logs_messages	Pass
	test_prs_analytical_coverage.py::TestCanquityPrs	test_canquity_prs_special_edges	Pass
	test_prs_analytical_coverage.py::TestCanquityPrs	test_canquity_prs_square_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCanquityPrs	test_canquity_prs_square_edges	Pass
	test_prs_analytical_coverage.py::TestCanquityPrs	test_canquity_prs_square_returns_zero	Pass
	test_prs_analytical_coverage.py::TestEmptyLattice	test_empty_lattice_returns_default	Pass
	test_prs_analytical_coverage.py::TestEmptyLattice	test_empty_lattice_returns_default	Pass
	test_prs_analytical_coverage.py::TestEmptyLattice	test_empty_lattice_returns_default	Pass
	test_prs_analytical_coverage.py::TestEmptyLattice	test_empty_lattice_returns_default	Pass
	test_prs_analytical_coverage.py::TestInterpolateVoxelByTree	test_interpolate_voxel_by_tree_returns_last	Pass
	test_prs_analytical_coverage.py::TestInterpolateVoxelByTree	test_interpolate_voxel_by_tree_returns_last	Pass
	test_terrain_grid.py::TestGridMotus	test_grid_motus_spread_decreases_with_distance	Pass
	test_terrain_grid.py::TestGridMotus	test_grid_motus_spread_decreases_with_elevation	Pass
	test_terrain_grid.py::TestGridMotus	test_grid_motus_zone2_gt_zone1_everywhere	Pass
	test_terrain_grid.py::TestGridMotus	test_grid_motus_zone3a_gt_zone2_everywhere	Pass
	test_terrain_grid.py::TestGridMotus	test_grid_motus_zone3b_gt_zone3a_everywhere	Pass
	test_terrain_grid.py::TestGridSpotChecks	test_grid_spot_checks1_origin	Pass
	test_terrain_grid.py::TestGridSpotChecks	test_grid_spot_checks2_mid_grid	Pass
	test_terrain_grid.py::TestGridSpotChecks	test_grid_spot_checks3a_far_high	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_terrain_grid.py::TestGridSpot	test_has_3b_origin	Pass
	test_terrain_grid.py::TestGridStructure	test_distance_count	Pass
	test_terrain_grid.py::TestGridStructure	test_elevation_count	Pass
	test_terrain_grid.py::TestGridStructure	test_grid_dimensions_per_zone	Pass
	test_terrain_grid.py::TestGridStructure	test_has_all_zones	Pass
	test_terrain_grid.py::TestGridStructure	test_has_distances	Pass
	test_terrain_grid.py::TestGridStructure	test_has_elevations	Pass
	test_terrain_grid.py::TestGridStructure	test_params_present	Pass
	test_terrain_grid.py::TestGridStructure	test_zone_rates_match_config	Pass
	test_terrain_grid.py::TestInterpolation	test_at_grid_point_exact	Pass
	test_terrain_grid.py::TestInterpolation	test_at_origin	Pass
	test_terrain_grid.py::TestInterpolation	test_clamp_beyond_max_distance	Pass
	test_terrain_grid.py::TestInterpolation	test_clamp_beyond_max_elevation	Pass
	test_terrain_grid.py::TestInterpolation	test_clamp_negative_distance	Pass
	test_terrain_grid.py::TestInterpolation	test_clamp_negative_elevation	Pass
	test_terrain_grid.py::TestInterpolation	test_delta_higher_zone_positive	Pass
	test_terrain_grid.py::TestInterpolation	test_delta_same_zone_is_zero	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 1]	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 2]	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 3]	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 3a]	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 3b]	Pass
	test_terrain_grid.py::TestInterpolation	test_midpoint_between_grid_values	Pass
	cli.py::TestCompareScenarios	test_contains_header	Pass
	cli.py::TestCompareScenarios	test_contains_scenario_names	Pass
	cli.py::TestCompareScenarios	test_none_uses_all_scenarios	Pass
	cli.py::TestCompareScenarios	test_returns_string	Pass
	cli.py::TestCompareScenarios	test_single_scenario	Pass
	cli.py::TestCompareScenarios	test_two_scenarios	Pass
	cli.py::TestMain	test_compare_mode	Pass
	cli.py::TestMain	test_default_describe_mode	Pass
	cli.py::TestMain	test_exceedance_json_mode	Pass
	cli.py::TestMain	test_exceedance_mode	Pass
	cli.py::TestMain	test_json_default_mode	Pass
	cli.py::TestMain	test_return_period_json_mode	Pass
	cli.py::TestMain	test_return_period_mode	Pass
	cli.py::TestMain	test_samples_json_mode	Pass
	cli.py::TestMain	test_samples_mode	Pass
	cli.py::TestMain	test_scenario_mode	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	cli.py::TestMain	test_seed_reproducible	Pass
	distribution_part1.py::TestConstruct	test_custom_parameters	Pass
	distribution_part1.py::TestConstruct	test_default_parameters	Pass
	distribution_part1.py::TestConstruct	test_from_params_object	Pass
	distribution_part1.py::TestConstruct	test_from_scenario_baseline	Pass
	distribution_part1.py::TestConstruct	test_from_scenario_unknown_raises	Pass
	distribution_part1.py::TestConstruct	test_seed_gives_deterministic_output	Pass
	distribution_part1.py::TestConstruct	test_tail_prob_between_0_and_1	Pass
	distribution_part1.py::TestException	test_prob_max_is_zero	Pass
	distribution_part1.py::TestException	test_prob_threshold_uses_pareto	Pass
	distribution_part1.py::TestException	test_prob_density_is_zero	Pass
	distribution_part1.py::TestException	test_prob_density_is_one	Pass
	distribution_part1.py::TestException	test_prob_threshold_continuous	Pass
	distribution_part1.py::TestException	test_prob_min_is_one	Pass
	distribution_part1.py::TestException	test_prob_threshold_uses_normal	Pass
	distribution_part1.py::TestException	test_prob_monotonically_decreasing	Pass
	distribution_part1.py::TestInverse	test_min_prob_returns_min	Pass
	distribution_part1.py::TestInverse	test_result_in_bounds	Pass
	distribution_part1.py::TestInverse	test_roundtrip_above_threshold	Pass
	distribution_part1.py::TestInverse	test_roundtrip_below_threshold	Pass
	distribution_part1.py::TestInverse	test_max_prob_returns_max	Pass
	distribution_part1.py::TestPareto	test_tail_higher_exceedance	Pass
	distribution_part1.py::TestPareto	test_pareto_above_threshold_between_0_and_1	Pass
	distribution_part1.py::TestPareto	test_pareto_at_threshold_is_one	Pass
	distribution_part1.py::TestPareto	test_pareto_below_threshold_is_one	Pass
	distribution_part1.py::TestSample	test_different_seeds_different_output	Pass
	distribution_part1.py::TestSample	test_sample_n_returns_correct_length	Pass
	distribution_part1.py::TestSample	test_sample_single	Pass
	distribution_part1.py::TestSample	test_samples_within_bounds	Pass
	distribution_part1.py::TestSample	test_seeded_reproducibility	Pass
	distribution_part2.py::TestReturn	test_100yr_greater_than_10yr	Pass
	distribution_part2.py::TestReturn	test_ordering_10_50_100	Pass
	distribution_part2.py::TestReturn	test_result_in_bounds	Pass
	distribution_part2.py::TestReturn	test_order_per_year_affects_result	Pass
	distribution_part2.py::TestSerialize	test_describe_returns_string	Pass
	distribution_part2.py::TestSerialize	test_params_roundtrip	Pass
	distribution_part2.py::TestSerialize	test_tail_probability_matches_internal	Pass
	distribution_part2.py::TestSerialize	test_to_dict_keys	Pass
	distribution_part2.py::TestSummary	test_exceedance_probs_decreasing	Pass
	distribution_part2.py::TestSummary	test_statistics_higher_p99_than_thin	Pass
	distribution_part2.py::TestSummary	test_statistics_reasonable_range	Pass
	distribution_part2.py::TestSummary	test_percentiles_ordered	Pass
	distribution_part2.py::TestSummary	test_required_keys_present	Pass
	prs_hazard_curve.py::TestCreate	test_default_tuesday_counter	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	prs_hazard_curve.py::TestCreateElasticCurveAndQuote	SestiveCustomDayHazard	Pass
	prs_hazard_curve.py::TestCreateSestiveCustomDayHazard	SestiveCustomDayHazard	Pass
	prs_hazard_curve.py::TestCreateSestiveFaultDayHazard	SestiveFaultDayHazard	Pass
	prs_hazard_curve.py::TestCreateSestiveFullSurvivalHazardStart	SestiveFullSurvivalHazardStart	Pass
	prs_hazard_curve.py::TestCreateSestiveCurvesFromHazard	SestiveCurvesFromHazard	Pass
	prs_hazard_curve.py::TestCreateSestiveSurvivalFrequencyUsesFallbackHazardRate	SestiveSurvivalFrequencyUsesFallbackHazardRate	Pass
	prs_hazard_curve.py::TestCreateSestiveSurvivalFrequencyUsesFallbackHazardRate	SestiveSurvivalFrequencyUsesFallbackHazardRate	Pass
	prs_hazard_curve.py::TestLoadHazardCondsDataHasGauge	HazardCondsDataHasGauge	Pass
	prs_hazard_curve.py::TestLoadHazardCondsFromFile	HazardCondsFromFile	Pass
	prs_hazard_curve.py::TestPricePtestAlertTrigger	PtestAlertTrigger	Pass
	prs_hazard_curve.py::TestPricePtestCustomNotional	PtestCustomNotional	Pass
	prs_hazard_curve.py::TestPricePtestFlatHazardCurve	PtestFlatHazardCurve	Pass
	prs_hazard_curve.py::TestPricePtestResultHasFairSpreadBps	PtestResultHasFairSpreadBps	Pass
	prs_hazard_curve.py::TestPricePtestResultHasNPV	PtestResultHasNPV	Pass
	prs_hazard_curve.py::TestPricePtestResultHasSurvivalProbabilities	PtestResultHasSurvivalProbabilities	Pass
	prs_hazard_curve.py::TestPricePtestReturnsDict	PtestReturnsDict	Pass
	prs_hazard_curve.py::TestPricePtestSevereTrigger	PtestSevereTrigger	Pass
	prs_hazard_curve.py::TestPricePtestTermStructureTrue	PtestTermStructureTrue	Pass
	prs_hazard_curve.py::TestPrintPricingRegalsGaugeName	PricingRegalsGaugeName	Pass
	prs_hazard_curve.py::TestPrintPricingRegalsWithoutError	PricingRegalsWithoutError	Pass
	test_load_and_curves.py::TestCreateFlatHazard360DayArbitrageAccepted	CreateFlatHazard360DayArbitrageAccepted	Pass
	test_load_and_curves.py::TestCreateFlatHazardSimpleAdditive	CreateFlatHazardSimpleAdditive	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurveWithArbitraryInput	CreateFlatHazardCurveWithArbitraryInput	Pass
	test_load_and_curves.py::TestCreateFlatSurvivalProbabilityFormula	CreateFlatSurvivalProbabilityFormula	Pass
	test_load_and_curves.py::TestCreateFlatVeryHighHazardRateNearZeroSurvival	CreateFlatVeryHighHazardRateNearZeroSurvival	Fail
	test_load_and_curves.py::TestCreateSurvival360DayCounterProducesCurve	CreateSurvival360DayCounterProducesCurve	Pass
	test_load_and_curves.py::TestCreateSimpleCdhHazardRateFormula	CreateSimpleCdhHazardRateFormula	Pass
	test_load_and_curves.py::TestCreateSimpleRankerAdditivePositiveHazard	CreateSimpleRankerAdditivePositiveHazard	Pass
	test_load_and_curves.py::TestCreateSinglePointAddHighRiskTs	CreateSinglePointAddHighRiskTs	Pass
	test_load_and_curves.py::TestCreateSinglePointAddTermStructure	CreateSinglePointAddTermStructure	Pass
	test_load_and_curves.py::TestCreateSurvivalCalArbitraryPositive	CreateSurvivalCalArbitraryPositive	Pass
	test_load_and_curves.py::TestLoadHazardEmptyPyresObjectReturnsEmptyDict	LoadHazardEmptyPyresObjectReturnsEmptyDict	Pass
	test_load_and_curves.py::TestLoadHazardIncludesErrorsRaisesJsonDecodeError	LoadHazardIncludesErrorsRaisesJsonDecodeError	Pass
	test_load_and_curves.py::TestLoadHazardImagesFiltersRaisesFileNotFound	LoadHazardImagesFiltersRaisesFileNotFound	Pass
	test_load_and_curves.py::TestLoadHazardTermsetFilters	LoadHazardTermsetFilters	Pass
	test_price_prs.py::TestPricePrsGaugePartialHazardRateMatchesInput	GaugePartialHazardRateMatchesInput	Pass
	test_price_prs.py::TestPricePrsGaugeBaseRidgInResult	GaugeBaseRidgInResult	Pass
	test_price_prs.py::TestPricePrsGaugeBaseRoughInResult	GaugeBaseRoughInResult	Pass
	test_price_prs.py::TestPricePrsGaugeSeverelyAnnualHazardRateMatchesInput	GaugeSeverelyAnnualHazardRateMatchesInput	Pass
	test_price_prs.py::TestPricePrsLegSignnpvIsSumOfLegs	LegSignnpvIsSumOfLegs	Pass
	test_price_prs.py::TestPricePrsLegSignpremiumLegNegative	LegSignpremiumLegNegative	Pass
	test_price_prs.py::TestPricePrsLegSignprotectionLegPositive	LegSignprotectionLegPositive	Pass
	test_price_prs.py::TestPricePrsResetEndZeroRecoveryRateStored	ResetEndZeroRecoveryRateStored	Pass
	test_price_prs.py::TestPricePrsResetEndRecoveryRateAffectsFairSpread	ResetEndRecoveryRateAffectsFairSpread	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_risk_assessor_core.py::TestConstantRiskScore	testConstantRiskScore_95_multiplier	Pass
	test_risk_assessor_core.py::TestConstantRiskScore	testConstantRiskScore_multiplier	Pass
	test_risk_assessor_core.py::TestConstantRiskScore	testConstantRiskScore_construction_type	Pass
	test_risk_assessor_core.py::TestConstantRiskScore	testConstantRiskScore_flood_level	Pass
	test_risk_assessor_core.py::TestConstantRiskScore	testConstantRiskScore_flood_capped	Pass
	test_risk_assessor_core.py::TestConstantRiskScore	testConstantRiskScore_flood_lowest_score	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskHigh_threshold	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskLow_threshold	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskMedium_threshold	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskBelow_low_threshold	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskIn_range	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskIn_range	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskAbove_with_depth	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskNegative_returns_unknown	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskAbove_returns_unknown	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskVery_high	Pass
	test_risk_assessor_core.py::TestFloodRisk	testRiskBelow_very_low	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskHigh_boundary	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskLow_boundary	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskModerate_boundary	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskCritical_ltv	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskHigh_ltv	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskLow_ltv	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskModerate_ltv	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskNone_returns_unknown	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskNormalises_95_pct	Pass
	test_risk_assessor_core.py::TestLEVRisk	testRiskNormalises_percentage_input	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_ltv_medium_flood	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_flood_overrides	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_ltv_medium_flood	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_flood_risk	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_flood_default	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_risk	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_value_critical	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_value_high	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_value_moderate	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_ltv_no_crash	Pass
	test_risk_assessor_core.py::TestManagedRisk	testManagedRisk_high_flood_overrides	Pass
	test_risk_assessor_core.py::TestPredictability	testPredictability_increases_score	Pass
	test_risk_assessor_core.py::TestPredictability	testPredictability_depth_computed	Pass
	test_risk_assessor_core.py::TestPredictability	testPredictability_recommendations_present	Pass
	test_risk_assessor_core.py::TestPredictability	testPredictability_flood	Pass
	test_risk_assessor_core.py::TestPredictability	testPredictability_return_returns_unknown	Pass
	test_risk_assessor_core.py::TestPredictability	testPredictability_level_returns_unknown	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_risk_assessor_factors.py::TestVehicularRisk	test_vehicular_risk_depth_uses_base_pct	Pass
	test_risk_assessor_factors.py::TestVehicularRisk	test_vehicular_risk_property_value	Pass
	statistics.py::TestCalculateFlowStatistics	test_calculate_flow_statistics_mean_flow_not_flow_cumecs	Pass
	statistics.py::TestCalculateFlowStatistics	test_calculate_flow_statistics_q_flows	Pass
	statistics.py::TestCalculateFlowStatistics	test_calculate_flow_statistics_returns_dict	Pass
	statistics.py::TestCalculateLevelStatistics	test_calculate_level_statistics_mean_level_not_mean_level_meter	Pass
	statistics.py::TestCalculateLevelStatistics	test_calculate_level_statistics_min_max	Pass
	statistics.py::TestCalculateLevelStatistics	test_calculate_level_statistics_returns_dict	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_values	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_returns_empty_dict	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_exceedances_zero_when_all_below_flood	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_stages_adds_exceedances	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_cumecs_adds_q_flows	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_annual_maxima	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_basic_keys	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_extreme_events	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_monthly_means	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_percentiles	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_date_correct	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_no_flood_stages_no_exceedances_key	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_start_end	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_returns_dict	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_single_observation_no_stdev_error	Pass
	statistics.py::TestCalculateTimeSeriesStatistics	test_calculate_time_series_statistics_total_days_correct	Pass
	data_structures.py::TestDecayKernel	test_decay_kernel_exponential_value	Pass
	data_structures.py::TestDecayKernel	test_decay_kernel_gaussian_value	Pass
	data_structures.py::TestDecayKernel	test_decay_kernel_linear_value	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_calculated	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_gauge_config	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_no_flood_stages	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_gauge_data	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_flood_stage_set	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_flood_stage_unset	Pass
	data_structures.py::TestGaugeConfiguration	test_gauge_configuration_flood_stage_high_set	Pass
	data_structures.py::TestGaugeRequestMetadata	test_gauge_request_metadata_timeseries_when_requested	Pass
	data_structures.py::TestGaugeRequestMetadata	test_gauge_request_metadata_is_bool	Pass
	data_structures.py::TestGaugeRequestMetadata	test_gauge_request_metadata_required_keys	Pass
	data_structures.py::TestGaugeRequestMetadata	test_gauge_request_metadata_timeseries_by_default	Pass
	data_structures.py::TestGaugeRequestMetadata	test_gauge_request_metadata_returns_dict	Pass
	data_structures.py::TestGaugeRequestMetadata	test_gauge_request_metadata_is_truncated	Pass
	data_structures.py::TestIntensityFilter	test_intensity_filter_beta_value	Pass
	data_structures.py::TestIntensityFilter	test_intensity_filter_gaussian_value	Pass
	data_structures.py::TestIntensityFilter	test_intensity_filter_triangular_value	Pass
	data_structures.py::TestStormTotal	test_storm_total_custom_kernel	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	data_structures.py::TestStormToDict	Test decay kernel.serialised.as.string	Pass
	data_structures.py::TestStormToDict	Test has_storm_id	Pass
	data_structures.py::TestStormToDict	Test has_track	Pass
	data_structures.py::TestStormToDict	Test intensity_profile.serialised.as.string	Pass
	data_structures.py::TestStormToDict	Test returns_dict	Pass
	data_structures.py::TestStormToDict	Test track.has_coords	Pass
	forward_model.part1.py::TestConvectionalDecay	Test kernels.decrease.with.distance	Pass
	forward_model.part1.py::TestConvectionalDecay	Test kernels.in.0.1.range	Pass
	forward_model.part1.py::TestConvectionalDecay	Test exponential.at.half	Pass
	forward_model.part1.py::TestConvectionalDecay	Test exponential.at.one.lambda	Pass
	forward_model.part1.py::TestConvectionalDecay	Test gaussian.at.one.sigma	Pass
	forward_model.part1.py::TestConvectionalDecay	Test gaussian.at.two.sigma	Pass
	forward_model.part1.py::TestConvectionalDecay	Test linear.beyond.cutoff.is.zero	Pass
	forward_model.part1.py::TestConvectionalDecay	Test linear.midpoint	Pass
	forward_model.part1.py::TestConvectionalDecay	Test zero.distance.returns.one.all.kernels	Pass
	forward_model.part1.py::TestFiniteDifference	Test distance.is.positive	Pass
	forward_model.part1.py::TestFiniteDifference	Test are.three.kernels	Pass
	forward_model.part1.py::TestFiniteDifference	Test as.track.point	Pass
	forward_model.part1.py::TestHaversine	Test equatorial.degree.approx.111km	Pass
	forward_model.part1.py::TestHaversine	Test london.to.paris.approx.340km	Pass
	forward_model.part1.py::TestHaversine	Test same.point.is.zero	Pass
	forward_model.part1.py::TestHaversine	Test is.symmetric	Pass
	forward_model.part2.py::TestConvectionalResponse	Test AllResponses match	Pass
	forward_model.part2.py::TestConvectionalResponse	Test all gauges higher response	Pass
	forward_model.part2.py::TestConvectionalResponse	Test all responses response_per_gauge	Pass
	forward_model.part2.py::TestConvectionalResponse	Test intensity at gauge past point	Pass
	forward_model.part2.py::TestConvectionalResponse	Test at peak time is non zero	Pass
	forward_model.part2.py::TestConvectionalResponse	Test deformation at gauges first point	Pass
	forward_model.part2.py::TestConvectionalResponse	Test deformation returns zero	Pass
	forward_model.part2.py::TestConvectionalResponse	Test deformation at gauges lower	Pass
	forward_model.part2.py::TestConvectionalResponse	Test accumulation nonnegative	Pass
	forward_model.part2.py::TestConvectionalResponse	Test duration nonnegative	Pass
	forward_model.part2.py::TestConvectionalResponse	Test flooded flag correct	Pass
	forward_model.part2.py::TestConvectionalResponse	Test Response intensity storm floods	Pass
	forward_model.part2.py::TestConvectionalResponse	Test peak level at least base	Pass
	forward_model.part2.py::TestConvectionalResponse	Test peak level is max of series	Pass
	forward_model.part2.py::TestConvectionalResponse	Test Response ids match	Pass
	forward_model.part2.py::TestConvectionalResponse	Test all series length	Pass
	forward_model.part2.py::TestConvectionalResponse	Test Response roundtrip	Pass
	forward_model.part2.py::TestConvectionalResponse	Test Response without timeseries	Pass
	forward_model.part2.py::TestIntensityToDict	Test intensity is increasing	Pass
	forward_model.part2.py::TestIntensityToDict	Test negative intensity returns zero	Pass
	forward_model.part2.py::TestIntensityToDict	Test positive intensity positive level	Pass
	forward_model.part2.py::TestIntensityToDict	Test sensitivity scales output	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	forward_model.part2.py::TestIntensityProfile	test_intensity_profile_historical_high_when_set	Pass
	forward_model.part2.py::TestIntensityProfile	test_intensity_profile_returns_zero	Pass
	storm_factory.py::TestCreateStorm	test_auto_generated_id_starts_with_storm	Pass
	storm_factory.py::TestCreateStorm	test_decay_kernel_stored	Pass
	storm_factory.py::TestCreateStorm	test_decay_parameter_stored	Pass
	storm_factory.py::TestCreateStorm	test_default_num_track_points	Pass
	storm_factory.py::TestCreateStorm	test_default_start_time_is_recent	Pass
	storm_factory.py::TestCreateStorm	test_duration_hours_stored	Pass
	storm_factory.py::TestCreateStorm	test_explicit_id_preserved	Pass
	storm_factory.py::TestCreateStorm	test_explicit_name	Pass
	storm_factory.py::TestCreateStorm	test_explicit_start_time	Pass
	storm_factory.py::TestCreateStorm	test_footprint_km_stored	Pass
	storm_factory.py::TestCreateStorm	test_num_track_points	Pass
	storm_factory.py::TestCreateStorm	test_peak_intensity_stored	Pass
	storm_factory.py::TestCreateStorm	test_returns_storm_object	Pass
	storm_factory.py::TestCreateStorm	test_speed_is_positive	Pass
	storm_factory.py::TestCreateStorm	test_track_end_time_equals_duration	Pass
	storm_factory.py::TestCreateStorm	test_track_longitude_moves_from_start_to_end	Pass
	storm_factory.py::TestCreateStorm	test_track_points_are_trackpoint_instances	Pass
	storm_factory.py::TestCreateStorm	test_track_start_time_is_zero	Pass
	storm_factory.py::TestCreateStorm	test_track_time_increases	Pass
	storm_factory.py::TestIntensityProfile	test_all_profiles_produce_valid_storm	Pass
	storm_factory.py::TestIntensityProfile	test_beta_profile_creates_storm	Pass
	storm_factory.py::TestIntensityProfile	test_gaussian_profile_peak_near_midpoint	Pass
	storm_factory.py::TestIntensityProfile	test_triangular_max_equals_peak_intensity	Pass
	storm_factory.py::TestIntensityProfile	test_triangular_profile_peak_near_midpoint	Pass
	storm_factory.py::TestLoadGauges	test_empty_portfolio_returns_empty_list	Pass
	storm_factory.py::TestLoadGauges	test_load_portfolio_from_portfolio	Pass
	flood_classifier.py::TestFloodClassifier	test_train_gauge_creates_joblib_file	Pass
	flood_classifier.py::TestFloodClassifier	test_train_gauge_has_metrics	Pass
	flood_classifier.py::TestFloodClassifier	test_train_gauge_returns_dict	Pass
	flood_classifier.py::TestFloodClassifier	test_train_gauge_single_class_skipped	Pass
	flood_classifier.py::TestFloodClassifier	test_train_gauge_status_trained	Pass
	flood_classifier.py::TestFloodPredictor	test_travavailable_gauges	Pass
	flood_classifier.py::TestFloodPredictor	test_travavailable_gauges_empty_dir	Pass
	flood_classifier.py::TestFloodPredictor	test_load_summary	Pass
	flood_classifier.py::TestFloodPredictor	test_load_summary_cached	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_caches_model	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_high_level_higher_probability	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_in_range	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_missing_model_raises	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_returns_float	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_all_in_range	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_default_derivatives	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	flood_classifier.py::TestFloodPredictor	test_predict_series_returns_list	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_with_derivatives	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_surface_returns_grid	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_floods	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_does_not_flood	FAIL
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_increases_with_distance	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_key_distances	FAIL
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_realistic	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_boundary	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_elevation	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_threshold	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_not_flood	Pass
	test_flood_propagation_sensitivity.py	test_FloodPropagationSensitivity_floods	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[100s-6.0-0.3-8.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[1000s-6.5-0.5-9.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[200s-8.0-0.3-10.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[2000s-6.0-0.3-7.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[3000s-7.5-0.0-10.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[500s-5.5-0.8-6.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[5000s-7.0-0.3-10.0]	Pass
	test_flood_propagation_travel_time.py	test_EstimateTravelTime_agrees_with_hydrograph[50000s-6.0-0.0-12.0]	Pass
	test_flood_propagation_travel_time.py	test_FloodTravelTime_by_distance	Pass
	test_flood_propagation_travel_time.py	test_FloodTravelTime_increases_with_distance	Pass
	test_flood_propagation_travel_time.py	test_FloodTravelTime_increases_with_depth	Pass
	test_flood_propagation_travel_time.py	test_FloodTravelTime_increases_with_distance	Pass
	test_hazard_pricing.py::TestCreateEngine	test_CreateEngine_returns_one	Pass
	test_hazard_pricing.py::TestCreateEngine	test_CreateEngine_returns_list_of_engines	Pass
	test_hazard_pricing.py::TestCreateHazard	test_CreateHazard_returns_hazard_approach	Pass
	test_hazard_pricing.py::TestCreateHazard	test_CreateHazard_returns_probability_decreases	Pass
	test_hazard_pricing.py::TestCreateHazard	test_CreateHazard_returns_approach_survival	Pass
	test_hazard_pricing.py::TestHazardPoints	test_HazardPoints_returns_count	Pass
	test_hazard_pricing.py::TestHazardPoints	test_HazardPoints_returns_low_survival	Pass
	test_hazard_pricing.py::TestHazardPoints	test_HazardPoints_returns_credit_curve	Pass
	test_hazard_pricing.py::TestHazardPoints	test_HazardPoints_returns_credit_curve_decreases	Pass
	test_hazard_pricing.py::TestHazardPoints	test_HazardPoints_returns_survival_near_one	Pass
	test_engine_coverage.py::TestPropensity	test_Propensity_trade_has_basis_info	Pass
	test_engine_coverage.py::TestRemainTime	test_RemainTime_returns_5	Pass
	test_engine_coverage.py::TestRemainTime	test_RemainTime_returns_5	Pass
	test_engine_coverage.py::TestRemainTime	test_RemainTime_returns_5	Pass
	test_engine_coverage.py::TestRemainTime	test_RemainTime_returns_5	Pass
	test_engine_coverage.py::TestRemainTime	test_RemainTime_returns_years	Pass
	test_engine_coverage.py::TestRevAdd	test_RevAdd_returns_market_state	Pass
	test_pnl_coverage.py::TestGenerateSnapshots	test_GenerateSnapshots_returns_data	Pass
	test_pnl_coverage.py::TestGetEODSnapshot	test_GetEODSnapshot_returns_data	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_pnl_coverage.py::TestGetEodSnapshot	test_pnl_coverage.py::TestGetEodSnapshotReturnsNone	Pass
	test_pnl_coverage.py::TestGetTradeMarket	test_pnl_coverage.py::TestGetTradeMarketExistingTradeMark	Pass
	test_pnl_coverage.py::TestGetTradeMarket	test_pnl_coverage.py::TestGetTradeMarketNonexistentTradeMark	Pass
	test_pnl_coverage.py::TestGetTradeMarket	test_pnl_coverage.py::TestGetTradeMarketTradeMarkAfterMultipleUpdates	Pass
	test_market_state_coverage.py::TestCommitYieldCurve	test_market_state_coverage.py::TestCommitYieldCurveNoExistingCurveIfMissing	Pass
	test_market_state_coverage.py::TestGetHazardRate	test_market_state_coverage.py::TestGetHazardRateForFlatRate	Pass
	test_market_state_coverage.py::TestGetHazardRate	test_market_state_coverage.py::TestGetHazardRateForFlatRateBackToZero	Pass
	test_market_state_coverage.py::TestGetEmptyRateTermStructure	test_market_state_coverage.py::TestGetEmptyRateTermStructureRiskFreeRate	Pass
	test_market_state_coverage.py::TestGetYieldCurveKey	test_market_state_coverage.py::TestGetYieldCurveKeyReturnsRiskFreeRate	Pass
	test_market_state_coverage.py::TestGetInterestRateTermStructure	test_market_state_coverage.py::TestGetInterestRateTermStructure	Pass
	test_market_state_coverage.py::TestUpdateYieldCurve	test_market_state_coverage.py::TestUpdateYieldCurveNoExistingCurveIfMissing	Pass
	test_market_state_reconciliation.py::TestLogAggregation	test_market_state_reconciliation.py::TestLogAggregationOnLoad	Pass
	test_market_state_reconciliation.py::TestLoadReconciliation	test_market_state_reconciliation.py::TestLoadReconciliationWhenNoNewGauges	Pass
	test_market_state_reconciliation.py::TestSecondReconciliation	test_market_state_reconciliation.py::TestSecondReconciliationHasTermStructure	Pass
	test_market_state_reconciliation.py::TestSecondReconciliation	test_market_state_reconciliation.py::TestSecondReconciliationPersistedToDisk	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorFactorsApplied	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorCalculation	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorPaddedToMax	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorPaddedToMin	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorRiskDiscountReducesValue	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorFactorApplied	Pass
	property_value.py::TestApplyValueFactor	property_value.py::TestApplyValueFactorReturnsFloat	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableAgeBandFactorsWithinReasonableBounds	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBaseAreaRangesAllPositive	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBasePricePerSqmAllPositive	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableConditionFactorsOrderedBySeverity	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBestEpcFactorsHighest	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBestFloodRiskFactorsDecreaseWithRisk	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBestMinMaxValueBounds	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBestProximityZonesHaveRangeKey	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBestRentPerSqmAllPresent	Pass
	property_value.py::TestFactorTable	property_value.py::TestFactorTableBestRentalYieldRatesAllPresent	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBand100YearsIsHeritage	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBand10YearsIsModern	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBand25YearsIsEstablished	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBand50YearsIsPeriod	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandDefaultCurrentYear	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandEstablished	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandExactly24YearsIsModern	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandExactly49YearsIsEstablished	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandExactly99YearsIsPeriod	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandExactly9YearsIsNewBuild	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandHeritageOld	Pass
	property_value.py::TestGetAgeBand	property_value.py::TestGetAgeBandModern	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	property_value.py::TestGetAgeBest	test_new_build	Pass
	property_value.py::TestGetAgeBest	test_period	Pass
	property_value.py::TestGetProximityZone	test_high_risk_high	Pass
	property_value.py::TestGetProximityZone	test_high_risk_medium	Pass
	property_value.py::TestGetProximityZone	test_high_risk_very_high	Pass
	property_value.py::TestGetProximityZone	test_low_risk_low	Pass
	property_value.py::TestGetProximityZone	test_low_risk_very_low	Pass
	property_value.py::TestGetProximityZone	test_exactly_200m_is_medium_zone	Pass
	property_value.py::TestGetProximityZone	test_exactly_500m_is_far	Pass
	property_value.py::TestGetProximityZone	test_far_zone	Pass
	property_value.py::TestGetProximityZone	test_medium_zone	Pass
	property_value.py::TestGetProximityZone	test_medium_zone_upper_bound	Pass
	display.py::TestBlotterTradeExistence	test_blotter_glob_pattern_matches_prsid	Pass
	display.py::TestBlotterTradeExistence	test_blotter_returns_trades_with_fixture	Pass
	display.py::TestStormDisplayFormat	test_all_files_include_storm_id_in_label	Pass
	display.py::TestStormDisplayFormat	test_all_files_use_sentinel_or_pipe_separator	Pass
	display.py::TestStormDisplayFormat	test_canonical_format_defined_in_config	Format
	display.py::TestStormDisplayFormat	test_no_file_uses_old_precipitation_label	Pass
	display.py::TestStormDisplayFormat	test_no_file_uses_old_severe_levels_format	Pass
	display.py::TestStormDisplayFormat	test_port_stress_uses_sentinel_with_warning	Pass
	display.py::TestStormDisplayFormat	test_sp_table_uses_sentinel_pattern	Pass
	display.py::TestStormDisplayFormat	test_storm_option_js_custom_var	Pass
	display.py::TestStormDisplayFormat	test_storm_option_js_peak_variant	Pass
	display.py::TestStormDisplayFormat	test_storm_option_js_warning_variant	Pass
	display.py::TestStormDisplayFormat	test_trading_stress_uses_sentinel_with_peak	Pass
	display.py::TestStormDisplayFormat	test_visual_files_use_sentinel_not_hardcoded_format	Code
	fixtures.py::TestProtocolUniformities	test_all_entity_suffixes_have_same_length	Pass
	fixtures.py::TestProtocolUniformities	test_all_uuid4_suffixes_produce_lowercased_hex	Pass
	fixtures.py::TestProtocolUniformities	test_gauge_prop_mort_storm_share_same_suffix_derivation	Prefix
	fixtures.py::TestTestFixtureGaugeIDs	test_backward_compat_gauge_ids_are_documented	Doc
	fixtures.py::TestTestFixtureGaugeIDs	test_gauge_json_and_gaugehc_ids_are_consistent	Pass
	fixtures.py::TestTestFixtureGaugeIDs	test_gaugehc_new_entries_follow_protocol	Pass
	fixtures.py::TestTestFixtureGaugeIDs	test_new_conf_test_gauge_ids_match_protocol	Cons
	fixtures.py::TestTestFixtureGaugeIDs	test_stress_storm_gauge_ids_are_in_known_set	Pass
	fixtures.py::TestTestFixtureStormIDs	test_port_stress_routes_storm_constants_match_protocol	Match
	fixtures.py::TestTestFixtureStormIDs	test_sample_port_stress_storms_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureStormIDs	test_sample_stress_storms_storm_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureStormIDs	test_stress_routes_storm_constants_match_protocol	Pass
	generators.py::TestGaugeIDGenerator	test_generator_does_not_use_sequential_format	Format
	generators.py::TestGaugeIDGenerator	test_generator_source_uses_deterministic_ids	Pass
	generators.py::TestGaugeIDGenerator	test_generator_source_uses_gauge_prefix	Pass
	generators.py::TestGaugeIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestMortgageIDGenerator	test_generator_does_not_use_sequential_format	Format
	generators.py::TestMortgageIDGenerator	test_generator_source_uses_mort_prefix	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	generators.py::TestMortgageIDGenerator	test_generator_source_uses_uuid	Pass
	generators.py::TestMortgageIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestPRSTradeIDGenerator	test_book_thames_uses_prs_prefix	Pass
	generators.py::TestPRSTradeIDGenerator	test_book_thames_uses_uuid	Pass
	generators.py::TestPRSTradeIDGenerator	test_uuid4_hex_upper_produces_protocol_matching_ids	Pass
	generators.py::TestPropertyIDGenerator	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestPropertyIDGenerator	test_generator_source_uses_prop_prefix	Pass
	generators.py::TestPropertyIDGenerator	test_generator_source_uses_uuid	Pass
	generators.py::TestPropertyIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestStormIDGenerator	test_multi_storm_make_storm_id_follows_protocol	Pass
	generators.py::TestStormIDGenerator	test_single_storm_generator_does_not_use_sequential_format	Pass
	generators.py::TestStormIDGenerator	test_single_storm_generator_uses_storm_prefix	Pass
	generators.py::TestStormIDGenerator	test_single_storm_generator_uses_uuid	Pass
	generators.py::TestStormIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	patterns.py::TestGaugeIDPattern	test_accepts_valid_uuid_derived_ids	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_non_hex_chars	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_sequential_integers	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_uppercase_hex	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_wrong_length	Pass
	patterns.py::TestMortgageIDPattern	test_accepts_valid	Pass
	patterns.py::TestMortgageIDPattern	test_rejects_sequential	Pass
	patterns.py::TestPRSTradeIDPattern	test_accepts_lowercase	Pass
	patterns.py::TestPRSTradeIDPattern	test_accepts_uppercase	Pass
	patterns.py::TestPRSTradeIDPattern	test_rejects_non_hex_suffix	Pass
	patterns.py::TestPropertyIDPattern	test_accepts_valid	Pass
	patterns.py::TestPropertyIDPattern	test_rejects_sequential	Pass
	patterns.py::TestPropertyIDPattern	test_rejects_uppercase	Pass
	patterns.py::TestStormIDPattern	test_accepts_valid	Pass
	patterns.py::TestStormIDPattern	test_rejects_descriptive_labels	Pass
	patterns.py::TestStormIDPattern	test_rejects_sequential_integers	Pass
	patterns.py::TestStormIDPattern	test_rejects_uppercase	Pass
	patterns.py::TestStormIDPattern	test_rejects_wrong_prefix_format	Pass
	test_book.common_coverage_b6.py::TestBulkIDGenerator	test_bulk_id_generator_valid_logging	Pass
	test_book.common_coverage_b6.py::TestEmptyCounterpartyFile	test_empty_counterparty_file_uses_fallback	Pass
	test_book.common_coverage_b6.py::TestHeaderCounterpartyFile	test_header_counterparty_file_uses_fallback	Pass
	test_book.common_coverage_b6.py::TestShouldCounterpartyFile	test_should_counterparty_file_load_data	Pass
	test_book.coverage.py::TestEmptyStakes	test_stakes_raises_value_error	Pass
	test_book.coverage.py::TestFallbackCounterpartyFile	test_empty_counterparty_file_uses_fallback	Pass
	test_book.coverage.py::TestFallbackCounterpartyFile	test_missing_counterparty_file_uses_fallback	Pass
	test_book.coverage.py::TestGeneratePartyFile	test_party_file_failure_returns_empty_list	Pass
	test_book.coverage.py::TestGeneratePartyFile	test_party_file_failure_returns_success	Fail only
	ctpy_mapping.py::TestCounterpartyCBMCreateMapping	test_create_mapping_fields_extracted	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMapping	test_create_mapping_present	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMapping	test_create_mapping_dict	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_returns_flat_dict	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_raises_value_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_excludes_included	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_requires_fields_returns_list	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_is_dict	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_interparties_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_returns_errors	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_invalid_counterparty_role_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_invalid_counterparty_role_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_invalid_party_id_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_invalid_party_name_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_invalid_party_ref_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_invalid_role_adds_error	Pass
ctpy_mapping.py::TestCounterpartyCBM	ctpy_mapping.py::TestCounterpartyCBM	test_CBM_data_no_errors	Pass
class_attrs.py::TestClassAttribute	class_attrs.py::TestClassAttribute	test_metadata_categories_contains_expected_keys	Pass
class_attrs.py::TestClassAttribute	class_attrs.py::TestClassAttribute	test_metadata_categories_station_has_required_subkeys	Pass
class_attrs.py::TestClassAttribute	class_attrs.py::TestClassAttribute	test_schema_version_is_string	Pass
class_attrs.py::TestGaugeHistoricalData	class_attrs.py::TestGaugeHistoricalData	test_daily_data_available_flag_is_bool	Pass
directory_main.py::TestMain	directory_main.py::TestMain	test_main_skips_bad_file_without_raising	Pass
directory_main.py::TestMain	directory_main.py::TestMain	test_main_with_csv_files_runs_without_error	Pass
directory_main.py::TestMain	directory_main.py::TestMain	test_main_with_no_csv_files_runs_without_error	Pass
filter.py::TestFilterByYears	filter.py::TestFilterByYears	test_empty_flows_returns_empty	Pass
filter.py::TestFilterByYears	filter.py::TestFilterByYears	test_filter_1_year_keeps_only_recent	Pass
filter.py::TestFilterByYears	filter.py::TestFilterByYears	test_filter_keeps_recent	Pass
filter.py::TestFilterByYears	filter.py::TestFilterByYears	test_none_years_returns_all	Pass
filter.py::TestFilterByYearsBound	filter.py::TestFilterByYearsBound	test_all_dates_within_range_kept	Pass
filter.py::TestFilterByYearsBound	filter.py::TestFilterByYearsBound	test_zero_years_returns_only_most_recent_year	Pass
generate.py::TestGenerate	generate.py::TestGenerate	test_daily_flows_filtered_by_years	Pass
generate.py::TestGenerate	generate.py::TestGenerate	test_explicit_gauge_id_overrides_metadata	Pass
generate.py::TestGenerate	generate.py::TestGenerate	test_output_file_written	Pass
generate.py::TestGenerate	generate.py::TestGenerate	test_returns_dict_with_required_keys	Pass
generate.py::TestGenerateUsesInstanceDefault	generate.py::TestGenerateUsesInstanceDefault	test_instance_default_years_overrides_instance_default	Pass
generate.py::TestGenerateUsesInstanceDefault	generate.py::TestGenerateUsesInstanceDefault	test_instance_default_years_used_when_no_years_specified	Pass
generate.py::TestGenerateWithNoOutputPath	generate.py::TestGenerateWithNoOutputPath	test_generate_with_no_output_path_none_uses_config_input_dir	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_expected_keys	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_data_quality_notes	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_expected_keys_present	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys_always_none	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys_from_station_metadata	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys_m3_per_s	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys_when_no_description	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys_source_returns_none	Pass
metadata.py::TestGetNrfaMetadata	metadata.py::TestGetNrfaMetadata	test_get_nrfa_metadata_returns_missing_keys_return_none	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	parse_csv.py::TestParseNrfaCsv	test_flow_values_are_floats	Pass
	parse_csv.py::TestParseNrfaCsv	test_flows_have_date_and_flow_cumeecs	Pass
	parse_csv.py::TestParseNrfaCsv	test_invalid_rows_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_contains_station_name	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_station_id	Pass
	parse_csv.py::TestParseNrfaCsv	test_returns_metadata_and_flows	Pass
	parse_csv.py::TestParseNrfaCsv	test_short_row_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_flow_edges_with_non_numeric_value_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_row_with_no_value_uses_empty_string	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_row_with_three_columns_stores_value	Pass
	process_directory.py::TestProcessDirectory	test_empty_directory_returns_empty_list	Pass
	process_directory.py::TestProcessDirectory	test_nonmatching_files_skipped	Pass
	process_directory.py::TestProcessDirectory	test_output_dir_none_uses_input_dir	Pass
	process_directory.py::TestProcessDirectory	test_output_files_created	Pass
	process_directory.py::TestProcessDirectory	test_process_directory_error_continues	Pass
	process_directory.py::TestProcessDirectory	test_processes_matching_files	Pass
	statistics.py::TestCalculateStatistics	test_annual_maxima_present	Pass
	statistics.py::TestCalculateStatistics	test_basic_stats_keys	Pass
	statistics.py::TestCalculateStatistics	test_empty_returns_empty_dict	Pass
	statistics.py::TestCalculateStatistics	test_extreme_events_above_p99	Pass
	statistics.py::TestCalculateStatistics	test_mean_correct	Pass
	statistics.py::TestCalculateStatistics	test_min_max_correct	Pass
	statistics.py::TestCalculateStatistics	test_monthly_means_present	Pass
	statistics.py::TestCalculateStatistics	test_percentiles_present	Pass
	statistics.py::TestCalculateStatistics	test_single_flow_no_std_dev_error	Pass
	statistics.py::TestCalculateStatistics	test_edge_percentile_keys_present	Pass
	statistics.py::TestCalculateStatistics	test_edge_maxima_events_capped_at_ten	Pass
	statistics.py::TestCalculateStatistics	test_edge_maxima_events_top_10_capped	Pass
	statistics.py::TestCalculateStatistics	test_edge_flow_date_correctly_identified	Pass
	statistics.py::TestCalculateStatistics	test_edge_flow_equals_p95	Pass
	statistics.py::TestCalculateStatistics	test_edge_flow_equals_p5	Pass
	statistics.py::TestCalculateStatistics	test_edge_flow_start_and_end_match_data	Pass
	statistics.py::TestCalculateStatistics	test_edge_flow_year_annual_maxima_std_dev_zero	Zero
	statistics.py::TestCalculateStatistics	test_edge_flow_years_approximate	Pass
	statistics.py::TestCalculateStatistics	test_edge_flow_std_dev_non_zero	Pass
	schemas_part1.py::TestFloodGauges	test_create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestFloodGauges	test_create_mapping_with_empty_input	Pass
	schemas_part1.py::TestFloodGauges	test_get_field_info_for_gauge_id	Pass
	schemas_part1.py::TestFloodGauges	test_get_required_fields_include_gauge_id	Pass
	schemas_part1.py::TestFloodGauges	test_get_schema_has_flood_gauge_root	Pass
	schemas_part1.py::TestFloodGauges	test_get_schema_has_header_section	Pass
	schemas_part1.py::TestFloodGauges	test_validate_empty_data_returns_errors	Pass
	schemas_part1.py::TestFloodGauges	test_validate_valid_gauge_data	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	schemas_part1.py::TestMortgageCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestMortgageCDM	required_fields_include_mortgage_id	Pass
	schemas_part1.py::TestMortgageCDM	schema_has_mortgage_root	Pass
	schemas_part1.py::TestMortgageCDM	validate_valid_mortgage	Pass
	schemas_part1.py::TestPropertyCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestPropertyCDM	required_fields_not_empty	Pass
	schemas_part1.py::TestPropertyCDM	schema_has_property_root	Pass
	schemas_part1.py::TestPropertyCDM	validate_valid_property	Pass
	schemas_part1.py::TestStormEventCDM	create_mapping_exception_raises	Pass
	schemas_part1.py::TestStormEventCDM	create_mapping_full_data	Pass
	schemas_part1.py::TestStormEventCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestStormEventCDM	get_required_fields_returns_list	Pass
	schemas_part1.py::TestStormEventCDM	required_fields_include_storm_id	Pass
	schemas_part1.py::TestStormEventCDM	schema_has_storm_root	Pass
	schemas_part1.py::TestStormEventCDM	validate_empty_data	Pass
	schemas_part1.py::TestStormEventCDM	validate_exception_returns_error_dict	Pass
	schemas_part1.py::TestStormEventCDM	validate_missing_catchment_id	Pass
	schemas_part1.py::TestStormEventCDM	validate_missing_storm_id	Pass
	schemas_part1.py::TestStormEventCDM	validate_valid_storm	Pass
	schemas_part2.py::TestPhysicalPickswapCDM	create_mapping_returns_flat_dict	Pass
	schemas_part2.py::TestPhysicalPickswapCDM	fields_has_gauge_set	Pass
	schemas_part2.py::TestPhysicalPickswapCDM	required_fields_include_swap_id	Pass
	schemas_part2.py::TestPhysicalPickswapCDM	schema_has_root	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	create_mapping_exception_raises_value_error	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	create_mapping_full_data	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	create_mapping_returns_flat_dict	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	create_reading_mapping	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	required_fields_returns_list	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	required_fields_include_ts_id	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	schema_has_root	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	validate_empty_data	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	validate_exception_returns_error_dict	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	validate_missing_catchment_id	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	validate_missing_ts_id	Pass
	schemas_part2.py::TestStormTimeSeriesCDM	validate_valid_data	Pass
	test_block1.coverage_base.py::TestBaseCDM	required_fields_default	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_leaf_returns_dict	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_not_found_returns_none	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_partial_path_returns_none	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_returns_none_for_non_dict_leaf	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_nested_metadata_keys	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_prs	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_returns_nested_path	Pass
	test_block1.coverage_base.py::TestBaseCDM	include_info_skips_metadata_keys	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_block1.coverage.base.py::TestBaseCDM Coverage	testBaseCDM Coverage	Pass
	test_block1.coverage.base.py::TestStageDefinition returns_validation_error	testStageDefinition returns_validation_error	Pass
	test_block1.coverage.base.py::TestStageValidation menu_value_produces_sensor_error	testStageValidation menu_value_produces_sensor_error	Pass
	test_block1.coverage.base.py::TestStageValidation invalid_menu_values	testStageValidation invalid_menu_values	Pass
	test_block1.coverage.base.py::TestStageValidation menu_values_no_sensor_errors	testStageValidation menu_values_no_sensor_errors	Pass
	test_block1.coverage.base.py::TestPRSCDMInit gauge_basket_size	testPRSCDMInit gauge_basket_size	Pass
	test_block1.coverage.base.py::TestPRSCDMInit gauge_basket_size	testPRSCDMInit gauge_basket_size	Pass
	test_block1.coverage.base.py::TestStopperValidation returns_validation_error	testStopperValidation returns_validation_error	Pass
	test_block1.coverage.base.py::TestStopperValidation fields	testStopperValidation fields	Pass
	test_block1.coverage.base.py::TestStopperValidation errors_collected	testStopperValidation errors_collected	Pass
	test_block1.coverage.base.py::TestStopperValidation latitude	testStopperValidation latitude	Pass
	test_block1.coverage.base.py::TestStopperValidation longitude	testStopperValidation longitude	Pass
	test_block1.coverage.base.py::TestStopperValidation relations_empty	testStopperValidation relations_empty	Pass
	test_block1.coverage.validation.py::TestStageMapping InvalidException raises_validation_error	testStageMapping InvalidException raises_validation_error	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation returns_empty	testValidationStageCDMValidation returns_empty	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation returns_error	testValidationStageCDMValidation returns_error	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation errors_collected	testValidationStageCDMValidation errors_collected	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation attachment_id	testValidationStageCDMValidation attachment_id	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation gauge_id	testValidationStageCDMValidation gauge_id	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation regional_loan	testValidationStageCDMValidation regional_loan	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation property_id	testValidationStageCDMValidation property_id	Pass
	test_block1.coverage.validation.py::TestValidationStageCDMValidation errors_collected	testValidationStageCDMValidation errors_collected	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping InvalidException raises_validation_error	testPRSCDMMapping InvalidException raises_validation_error	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping full_data	testPRSCDMMapping full_data	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation	testPRSCDMMapping validation	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping gauge_basket	testPRSCDMMapping gauge_basket	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation returns_error	testPRSCDMMapping validation returns_error	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation errors_appended	testPRSCDMMapping validation errors_appended	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation errors_appended	testPRSCDMMapping validation errors_appended	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation attachment_id	testPRSCDMMapping validation attachment_id	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation gauge_set_id	testPRSCDMMapping validation gauge_set_id	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation swap_id	testPRSCDMMapping validation swap_id	Pass
	test_block1.coverage.validation.py::TestPRSCDMMapping validation returns_empty	testPRSCDMMapping validation returns_empty	Pass
	test_block2.cdm.coverage.py::TestStageMappingStageMappingException raises_validation_error	testStageMappingStageMappingException raises_validation_error	Pass
	test_block2.cdm.coverage.py::TestStageMappingStageMapping returns_expected_list	testStageMappingStageMapping returns_expected_list	Pass
	test_block2.cdm.coverage.py::TestStageMappingDirectoryCoverage	testStageMappingDirectoryCoverage	Pass
	test_block2.cdm.coverage.py::TestStageMappingDirectoryCoverage	testStageMappingDirectoryCoverage	Pass
	test_block2.cdm.coverage.py::TestStageMappingDirectoryCoverage default_output	testStageMappingDirectoryCoverage default_output	Pass
	test_block2.cdm.coverage.py::TestStageMappingDirectoryCoverage file_error_logged	testStageMappingDirectoryCoverage file_error_logged	Pass
	test_block2.cdm.coverage.py::TestStopperMappingStageMappingException raises_validation_error	testStopperMappingStageMappingException raises_validation_error	Pass
	test_block2.cdm.coverage.py::TestStopperMappingStageMappingException raises_validation_error	testStopperMappingStageMappingException raises_validation_error	Pass
	test_ctpy_coverage_b6.py::TestValidationException message_is_string	testValidationException message_is_string	Pass
	test_ctpy_coverage_b6.py::TestValidationException null_integer_returns_validation_error	testValidationException null_integer_returns_validation_error	Pass
	test_ctpy_coverage_b6.py::TestValidationException null_dict_returns_validation_error	testValidationException null_dict_returns_validation_error	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator output file	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator generate	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator uses all counterparties	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator pathlib path	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has total generated	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator file is valid json	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator dict with required keys	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator returns empty	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator is Function	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator is Function	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has csa	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator list has two parties	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has counterparty set	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator agreement is true	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has accounts	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has contact info	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has uid	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has name	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has natural person	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator has credit rating	Pass
	counterparty_generator.py::TestCounterpartyGenerator	CounterpartyGenerator ids	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	TestVerboseLogging no per counterparty logs	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	TestVerboseLogging logs per counterparty	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	TestVerboseLogging summary	Pass
	business_days.py::TestBusinessDays	TestBusinessDays chronological order	Pass
	business_days.py::TestBusinessDays	TestBusinessDays ends before start	Pass
	business_days.py::TestBusinessDays	TestBusinessDays large count	Pass
	business_days.py::TestBusinessDays	TestBusinessDays last day is day before start	Pass
	business_days.py::TestBusinessDays	TestBusinessDays no weekends	Pass
	business_days.py::TestBusinessDays	TestBusinessDays returns correct count	Pass
	business_days.py::TestBusinessDays	TestBusinessDays single day	Pass
	business_days.py::TestBusinessDays	TestBusinessDays start on monday skips weekend	Pass
	business_days.py::TestBusinessDays	TestBusinessDays start on wednesday	Pass
	business_days.py::TestSimulation	TestSimulation business days is three months	Pass
	business_days.py::TestSimulation	TestSimulation daily vol is small	Pass
	business_days.py::TestSimulation	TestSimulation drift is positive	Pass
	business_days.py::TestSimulation	TestSimulation move at least ten daily vols	Pass
	business_days.py::TestSimulation	TestSimulation move bounds vol	Pass
	history_files_part1.py::TestGenerator	TestGenerator drive history file	Pass
	history_files_part1.py::TestGenerator	TestGenerator history file date	Pass
	history_files_part1.py::TestGenerator	TestGenerator history file tenors	Pass
	history_files_part1.py::TestGenerator	TestGenerator history file by flag	Pass
	history_files_part1.py::TestGenerator	TestGenerator history file by trigger	Pass
	history_files_part1.py::TestGenerator	TestGenerator history file generated at	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	history_files_part1.py::TestGenerateHazardData	TestGenerateHazardData::HistoryFileshots	Pass
	history_files_part1.py::TestGenerateHazardData	TestGenerateHazardData::HistoryFilemetadata	Pass
	history_files_part1.py::TestGenerateHazardData	TestGenerateHazardData::HistoryFileproduce_multiple_entries	Pass
	history_files_part1.py::TestGenerateHazardData	TestGenerateHazardData::HistoryFileand_history	Pass
	history_files_part1.py::TestGenerateHazardData	TestGenerateHazardData::HistoryFilecreates_file	Pass
	history_files_part2.py::TestGenerateTrampPy	TestGenerateTrampPy::HistoryFileno_file	Pass
	history_files_part2.py::TestGenerateTrampPy	TestGenerateTrampPy::HistoryFilestructure	Pass
	history_files_part2.py::TestGenerateTrampPy	TestGenerateTrampPy::HistoryFilegenerated_at	Pass
	history_files_part2.py::TestGenerateTrampPy	TestGenerateTrampPy::HistoryFilesnapshots	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFilebuilds_history_vector	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFilein_snapshot	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFilemetadata_and_trades	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFileswap_id_is_skipped	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFilecreates_file	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFileswap_id	Pass
	history_files_part2.py::TestGenerateTradePipe	TestGenerateTradePipe::HistoryFilefields	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::simulation_hours_is_168	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::default_argument_is_168	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::gaugets_function_default	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::max_within_simulation_window	Fail
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::min_less_than_max	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::produces_more_readings_than_60	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::known_param	Pass
	gaugets_part1.py::TestGaugeTimeSeriesDefault	TestGaugeTimeSeriesDefault::unknown_param_ignored	Pass
	gaugets_part1.py::TestGaugeTimeSeriesExplicit	TestGaugeTimeSeriesExplicit::168_hours_produces_168_readings	Fail
	gaugets_part1.py::TestGaugeTimeSeriesExplicit	TestGaugeTimeSeriesExplicit::60_hours_stores_60_in_metadata	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGauging	TestGaugeTimeSeriesGauging::gauge_file_raises	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGauging	TestGaugeTimeSeriesGauging::simulation_hours_stored_in_output	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGauging	TestGaugeTimeSeriesGauging::gauge_files_removed	Pass
	gaugets_part1.py::TestGaugetsRandomDefault	TestGaugetsRandomDefault::default_peak_hour_max_within_window	Pass
	gaugets_part1.py::TestGaugetsRandomDefault	TestGaugetsRandomDefault::default_simulation_hours_is_168	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	TestGaugetsDataEncoder::datetime	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	TestGaugetsDataEncoder::crumpy_float32	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	TestGaugetsDataEncoder::crumpy_integer	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	TestGaugetsDataEncoder::crumpy_ndarray	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	TestGaugetsDataEncoder::raises_for_unknown	Pass
	gaugets_part2.py::TestGaugetsMain	TestGaugetsMain::main_block	Pass
	gaugets_part2.py::TestGenerateGaugets	TestGenerateGaugets::gaugets_calls_generator	Pass
	test_gauge_random_coverage.py::TestFindValidName	TestFindValidName::Returns_empty_string	Pass
	test_gauge_random_coverage.py::TestFindValidName	TestFindValidName::Returns_empty_string	Fail
	test_gauge_random_coverage.py::TestFindValidName	TestFindValidName::Returned_as_is	Pass
	test_gauge_random_coverage.py::TestFindValidName	TestFindValidName::Returns_Eoptext	Pass
	test_gauge_random_coverage.py::TestFindValidName	TestFindValidName::Returns_empty	Pass
	test_gauge_random_coverage.py::TestEmptyName	TestEmptyName::fallback_to_area	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_stress_storms_coverage.py::	TestEmptyStormIdSkip	Pass
	test_stress_storms_coverage.py::	TestEmptyStormIdMissing_storm_id_key_skipped	Pass
	test_stress_storms_metadata.py::	TestMetadataEnrichment_storms_json	Pass
	test_stress_storms_metadata.py::	TestMetadataEnrichment_defaults	Pass
	test_stress_storms_metadata.py::	TestMissingStormId_json_does_not_crash	Pass
	test_stress_storms_metadata.py::	TestFirst_storm_gets_greek_name	Pass
	test_stress_storms_metadata.py::	TestNamefrom_storms_json_takes_priority	Pass
	test_stress_storms_metadata.py::	TestSorting_only_is_last	Pass
	test_stress_storms_metadata.py::	TestSorting_severe_is_first	Pass
	test_stress_storms_metadata.py::	TestSorting_is_descending_by_severe	Pass
	test_stress_storms_triggers.py::	TestBasicCategoryDerivation	Pass
	test_stress_storms_triggers.py::	TestCompositeCategoryDerivation	Pass
	test_stress_storms_triggers.py::	TestTextCategoryDerivation	Pass
	test_stress_storms_triggers.py::	TestModerateCategoryDerivation	Pass
	test_stress_storms_triggers.py::	TestSevereCategoryDerivation	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_count	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_impacted_matches_alert	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_severe_count	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_warning_count	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_is_alert_when_alert_only	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_is_severe	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_is_warning_when_no_severe	Pass
	test_stress_storms_triggers.py::	TestTriggerSummary_present	Pass
	test_synthetic_standalone.py::	TestSyntheticGauge60_synthetic	Pass
	test_synthetic_standalone.py::	TestSyntheticGaugeBetween_flanking_gauges	Pass
	test_synthetic_standalone.py::	TestSyntheticGauge60_synthetic	Pass
	test_synthetic_standalone.py::	TestSyntheticGaugeBase_elevation	Pass
	test_synthetic_standalone.py::	TestSyntheticGaugeBase_flood_stages	Pass
	test_synthetic_standalone.py::	TestSyntheticGaugeBase_volume	Pass
	test_synthetic_standalone.py::	TestSyntheticGaugeBase_standalone	Pass
	hazard_io_part1.py::	TestLoadGauges_empty_gauge_list_raises	Pass
	hazard_io_part1.py::	TestLoadGauges_file_not_found_raises	Pass
	hazard_io_part1.py::	TestLoadGauges_gauge_has_id	Pass
	hazard_io_part1.py::	TestLoadGauges_gauge_without_gauge_id_raises	Pass
	hazard_io_part1.py::	TestLoadGauges_loads_gauges	Pass
	hazard_io_part1.py::	TestLoadStorms_file_not_found_raises	Pass
	hazard_io_part1.py::	TestLoadStorms_loads_list	Pass
	hazard_io_part1.py::	TestLoadStorms_storm_has_id	Pass
	hazard_io_part2.py::	TestSaveGauges_to_file	Pass
	hazard_io_part2.py::	TestSaveGauges_to_file_with_existing_file	Pass
	hazard_io_part2.py::	TestSaveGauges_to_file_longer_gauges	Pass
	hazard_io_part2.py::	TestSaveGauges_to_file_has_responses	Pass
	hazard_io_part2.py::	TestSaveHazardCreates_file	Pass
	hazard_io_part2.py::	TestSaveHazardCreates_parent_dirs	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	hazard.io_part2.py::TestSaveHazardCurves	testCFiles_has_hazard_curves	Pass
	hazard.io_part2.py::TestSaveHazardCurves	testCFiles_has_metadata	Pass
	hazard.io_part2.py::TestSaveHazardCurves	testCFiles_metadata_merged	Pass
	business.days.py::TestBusinessDays	test_all_days_before_start	Pass
	business.days.py::TestBusinessDays	test_returns_ascending_order	Pass
	business.days.py::TestBusinessDays	test_returns_business_days_only	Pass
	business.days.py::TestBusinessDays	test_returns_correct_count	Pass
	business.days.py::TestBusinessDays	test_single_day	Pass
	business.days.py::TestBusinessDays	test_skips_weekends	Pass
	business.days.py::TestBusinessDays	test_zero_days	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_days_are_weekdays	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_existing_eod_files	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_eod_dir	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_trades_returns_zero	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_instrument_failure_is_skipped	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_trades_adds_more_snapshot	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_integer	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_reproducible	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_trade_generates_snapshots	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_trade_writes_eod_files	Pass
	eod_series.py::TestGenerateHistory	testEODSeries_trade_writes_history_files	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_output_file	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_history_has_date	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_history_has_gauges	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_history_has_gauges	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_history_returns_early	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_history	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_metadata	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_not_numerically	Pass
	hazard.history.py::TestGenerateHistory	testGenerateHistory_has_two_history_entries	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_output_file	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_entry_has_required_keys	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_multiple_eods_accumulate	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_multiple_trades_in_same_eod	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_files_returns_early	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_snapshots_in_metadata	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_has_metadata	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_has_trades	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_instrument_without_swap_id_skipped	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_has_history	Pass
	pnl.history.py::TestGenerateTradePnlHistory	testPnlHistory_metadata_preserved	Pass
	test_mortgage_builder.py::TestBuildSchema	testBuildSchema_returns_empty_dict	Pass
	test_mortgage_builder.py::TestBuildSchema	testBuildSchema_returns_dict_without_type_recurses	Pass
	test_mortgage_builder.py::TestBuildSchema	testBuildSchema_returns_empty_dict	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_mortgage_random_values.py	testDefaultFieldDecimalValue	Pass
	test_mortgage_random_values.py	testInterestRateValue	Pass
	test_mortgage_random_values.py	testLoanToValueValue	Pass
	test_mortgage_random_values.py	testLoanToValueDecimalValue	Pass
	test_mortgage_random_values.py	testOriginalDebtValue	Pass
	test_mortgage_random_values.py	testOriginalDebtMonthlyRate	Pass
	test_mortgage_random_values.py	testOriginalDebtAnnualValue	Pass
	test_mortgage_random_values.py	testOriginalDebtAnnualAmount	Pass
	test_mortgage_random_values.py	testOriginalDebtAnnualValue	Pass
	test_mortgage_random_values.py	testOutstandingBalance	Pass
	test_mortgage_random_values.py	testPurchasePriceValue	Pass
	test_mortgage_random_values.py	testApplicationNumber	Pass
	test_mortgage_random_values.py	testLoanPurposeValue	Pass
	test_mortgage_random_values.py	testLoanPurposeVehicle	Pass
	test_mortgage_random_values.py	testMortgageTypeValue	Pass
	test_mortgage_random_values.py	testOccupancyTypeValue	Pass
	test_mortgage_random_values.py	testOriginalRateValue	Pass
	test_mortgage_random_values.py	testPaymentFrequency	Pass
	test_mortgage_random_values.py	testPaymentTypeValue	Pass
	test_mortgage_random_values.py	testPaymentTypeVehicle	Pass
	test_mortgage_random_values.py	testPaymentTypeVehicleResidential	Pass
	test_mortgage_random_values.py	testUnknownFieldOptions	Pass
	test_mortgage_random_values.py	testUnknownFieldWithOptions	Pass
	generators.py::TestCounterparty	test_all_counterparties_have_party_id	Pass
	generators.py::TestCounterparty	test_cdm_structure	Pass
	generators.py::TestCounterparty	test_custom_count	Pass
	generators.py::TestCounterparty	test_generates_counterparty_file	Pass
	generators.py::TestGaugeHistoricalData	test_generates_per_gauge_files	Pass
	generators.py::TestGaugeHistoricalData	test_output_has_daily_observations	Pass
	generators.py::TestGaugeHistoricalData	test_statistics_computed	Pass
	generators.py::TestGaugeTimeSeries	test_generates_per_gauge_files	Pass
	generators.py::TestGaugeTimeSeries	test_output_file_has_readings	Pass
	generators.py::TestGaugeTimeSeries	test_requires_gauge_portfolio	Pass
	generators.py::TestNostressFlag	test_explicit_stressm_flag_runs_despite_nostress	Pass
	generators.py::TestNostressFlag	test_nostress_flag_exists_in_parser	Pass
	generators.py::TestNostressFlag	test_nostress_skips_stressm_when_all	Pass
	generators.py::TestPropertyTimeSeries	test_generates_per_property_files	Pass
	generators.py::TestPropertyTimeSeries	test_per_property_files_have_flood_data	Pass
	generators.py::TestPropertyTimeSeries	test_portfolio_summary_has_statistics	Pass
	integration.py::TestDependencyChain	test_gaugehd_references_gauges	Pass
	integration.py::TestDependencyChain	test_gaugets_reads_gauge	Pass
	integration.py::TestDependencyChain	test_hazard_reads_gauge_and_storms	Pass
	integration.py::TestDependencyChain	test_mortgage_reads_property	Pass
	integration.py::TestDependencyChain	test_propertyhc_references_properties	Pass
	integration.py::TestDependencyChain	test_propertyts_uses_nearest_gauges	Pass
	integration.py::TestEndToEndPipeline	test_full_pipeline_generates_all_output	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	integration.py::TestEndToEndPipeline	test_gauge_count_propagates	Pass
	integration.py::TestEndToEndPipeline	test_pipeline_output_file_integrity	Pass
	integration.py::TestEndToEndPipeline	test_property_count_propagates	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_gives_larger_energy	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_positive_value	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_defaults_area_when_missing	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_floats	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_tends_to_give_larger_energy	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_positive_value	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_defaults_area_when_missing	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_calculation	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_at	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_positive_value	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_defaults_when_missing	Pass
	property_energy.py::TestCalculateEnergyBill	test_billage_returns_zero	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_less_than_remaining_energy	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_negative_when_electricity_exceeds_total	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_returns_non_negative	Pass
	property_energy.py::TestCalculateEnergyBill	test_bill_defaults_when_missing	Pass
	property_energy.py::TestCalculateElectricityFraction	test_fraction_of_total	Pass
	property_energy.py::TestCalculateElectricityFraction	test_fraction_positive_value	Pass
	property_energy.py::TestCalculateElectricityFraction	test_fraction_defaults_energy_when_missing	Pass
	property_energy.py::TestCalculateSolarGeneration	test_generation_returns_zero	Pass
	property_energy.py::TestCalculateSolarGeneration	test_generation_returns_positive	Pass
	property_energy.py::TestCalculateSolarGeneration	test_generation_returns_zero	Pass
	property_energy.py::TestCalculateSolarGeneration	test_generation_returns_zero	Pass
	property_energy.py::TestCalculateSolarGeneration	test_generation_returns_positive	Pass
	property_energy.py::TestCalculateSolarGeneration	test_generation_defaults_area_when_missing	Pass
	test_geometry.py::TestEnsureOffset	test_close_point_pushed_away	Pass
	test_geometry.py::TestEnsureOffset	test_far_point_unchanged	Pass
	test_geometry.py::TestEnsureOffset	test_returns_tuple_of_two_floats	Pass
	test_geometry.py::TestHaversine	test_approximate_one_degree_lat	Pass
	test_geometry.py::TestHaversine	test_approximate_one_degree_lon_at_equator	Pass
	test_geometry.py::TestHaversine	test_same_point_returns_zero	Pass
	test_geometry.py::TestHaversine	test_symmetry	Pass
	test_geometry.py::TestMinRiverDistance	test_distant_point_returns_larger_distance	Pass
	test_geometry.py::TestMinRiverDistance	test_point_on_gauge_returns_small_distance	Pass
	test_geometry.py::TestMinRiverDistance	test_returns_float	Pass
	test_geometry.py::TestNearestOnSegment	test_generate_segment_returns_start	Pass
	test_geometry.py::TestNearestOnSegment	test_distance_is_non_negative	Pass
	test_geometry.py::TestNearestOnSegment	test_midpoint_projects_to_midpoint	Pass
	test_geometry.py::TestNearestOnSegment	test_point_before_start_clamps_to_start	Pass
	test_geometry.py::TestNearestOnSegment	test_point_past_end_clamps_to_end	Pass
	test_geometry.py::TestPerpendicularOffset	test_generate_segment_falls_back_to_parallel_offset	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_geometry.py::TestPerpendicularOffset	test_offset_moves_point	Pass
	test_geometry.py::TestPerpendicularOffset	test_offset_returns_two_floats	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_values	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_location_coverage_b6.py::TestStubbedTabBoundaryValues	test_stubbed_tab_boundary_value	Pass
	test_locations.py::TestGenerateLocations	test_each_location_has_required_keys	Pass
	test_locations.py::TestGenerateLocations	test_elevation_is_non_negative	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_fewer_than_3_gauge_points	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_no_gauge_points	Pass
	test_locations.py::TestGenerateLocations	test_primary_idx_zero_uses_gauges_012	Pass
	test_locations.py::TestGenerateLocations	test_reference_gauge_indices_sorted	Pass
	test_locations.py::TestGenerateLocations	test_reference_gauge_indices_three_elements	Pass
	test_locations.py::TestGenerateLocations	test_returns_correct_count	Pass
	test_locations.py::TestGenerateLocations	test_fallback_no_floating_elevation_use_random	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_cluster_max_depth_is_from_highest_storm	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_cluster_produces_three_flood_events	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_cluster_three_distinct_storm_ids_in_events	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_distinct_storms_create_flood_events	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_distinct_storms_not_in_flood_events	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_persistent_sequential_events_have_reading	Pass
	test_multi_storm_cluster.py::TestClusterSuspense	test_persistent_sequential_events_recorded	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_doublet_each_event_has_independent_damage	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_doublet_events_have_distinct_storm_ids	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_doublet_produces_two_flood_events	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_doublet_sequentially_counts_all_doublet_floods	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultiStormsSequence	test_generate_with_multi_storms_sequence_zero_floods	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultiStormsSequence	test_generate_with_multi_storms_sequence_all_sequential_storms	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultiStormsSequence	test_generate_with_multi_storms_sequence_for_clusters	Pass
	test_nearest_synthetic_priority.py::TestSyntheticPriority	test_synthetic_priority_fallback_to_distance_order	Pass
	test_nearest_synthetic_priority.py::TestSyntheticPriority	test_synthetic_priority_avoids_flood_by_distance_after_synthetic	Pass
	test_nearest_synthetic_priority.py::TestSyntheticPriority	test_synthetic_avoids_flood_zero	Pass
	test_nearest_synthetic_priority.py::TestSyntheticPriority	test_synthetic_avoids_flood_when_far	Pass
	test_nearest_synthetic_priority.py::TestSyntheticPriority	test_synthetic_gauge_info_preserved	Pass
	test_nearest_synthetic_priority.py::TestSyntheticPriority	test_synthetic_gauges_furnished	Pass
	test_property_random_coverage.py::TestGeneratorExceptionFallback	test_generator_exception_fallback_type	Pass
	test_property_random_coverage.py::TestIntegerFallback	test_integer_fallback_returns_int	Pass
	test_property_random_coverage.py::TestNonIntegerFallback	test_non_integer_fallback_returns_float	Pass
	test_property_random_coverage.py::TestStringWithOptions	test_string_with_options_picks_from_list	Pass
	test_property_random_coverage.py::TestStringWithOptions	test_string_with_options_returns_empty	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_property_values.py::TestGauges	test_gauges_loaded_gauge_json_does_not_crash	Pass
	test_property_values.py::TestGauges	test_gauges_loaded_map_empty_when_no_gauge_json	Pass
	test_property_values.py::TestGauges	test_gauges_loaded_map_loaded_when_gauge_json_present	Pass
	test_property_values.py::TestGauges	test_gauges_loaded_map_works_with_gauges_key	Pass
	test_property_values.py::TestLogMethod	test_debug_does_not_raise	Pass
	test_property_values.py::TestLogMethod	test_error_does_not_raise	Pass
	test_property_values.py::TestLogMethod	test_info_does_not_raise	Pass
	test_property_values.py::TestLogMethod	test_access_falls_back_gracefully	Pass
	test_property_values.py::TestLogMethod	test_warning_does_not_raise	Pass
	test_property_values.py::TestPropertyState	test_state_property_tracking	Pass
	test_property_values.py::TestPropertyOutputFile	test_output_file_contains_generation_metadata	Pass
	test_property_values.py::TestPropertyOutputFile	test_output_file_contains_properties_key	Pass
	test_property_values.py::TestPropertyOutputFile	test_output_file_has_property_id	Pass
	test_property_values.py::TestPropertyOutputFile	test_output_file_contains_locations	Pass
	test_property_values.py::TestSetSpecification	test_spec_set_in_attrs	Pass
	test_property_values.py::TestSetSpecification	test_spec_set_ground_level	Pass
	test_property_values.py::TestSetSpecification	test_spec_reference_gauge_indices_no_ref_key	Pass
	test_property_values.py::TestSetSpecification	test_spec_reference_location	Pass
	test_property_values.py::TestSetSpecification	test_spec_reference_location_does_not_set_ground_level	Pass
	test_property_values.py::TestSetSpecification	test_spec_reference_gauge_indices_no_ref_key	Pass
	test_property_values.py::TestSetSpecification	test_spec_set_in_attrs	Pass
	test_property_values.py::TestSetSpecification	test_spec_reference_gauges_fallback_when_not_in_map	Pass
	test_property_values.py::TestSetSpecification	test_spec_reference_gauges_set_from_gauge_id_in_map	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[0.0-Zone 3b]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[0.25-Zone 3b]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[0.5-Zone 3a]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[1.0-Zone 3a]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[1.5-Zone 2]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[10.0-Zone 1]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[2.5-Zone 2]	Pass
	test_property_zone_consistency.py::TestBnZoneParam	test_bnz_parametized[3.0-Zone 1]	Pass
	test_property_zone_consistency.py::TestElevation	test_elevation_function	Pass
	test_property_zone_consistency.py::TestElevation	test_elevation_defaults_to_zone_1	Pass
	test_property_zone_consistency.py::TestElevation	test_elevation_30m	Pass
	test_property_zone_consistency.py::TestElevation	test_elevation_1m	Pass
	test_property_zone_consistency.py::TestElevation	test_elevation_15m	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_property_zone_consistency.py	testZoneZonalF20nElevation	Pass
	test_property_zone_consistency.py	testZoneZonalF05Elevation	Pass
	test_property_zone_consistency.py	testZoneZonalF04Elevation	Pass
	test_property_zone_consistency.py	testZoneZonalF04Elevation	Pass
	test_property_zone_consistency.py	testZoneZonalF04Efficient	Pass
	test_property_zone_consistency.py	testVerticalOffsetOfLocationDict	Pass
	test_property_zone_consistency.py	testBoundedElevationsBoundsConfig_upper [Zone 2]	Pass
	test_property_zone_consistency.py	testBoundedElevationsBoundsConfig_upper [Zone 3a]	Pass
	test_property_zone_consistency.py	testBoundedElevationsBoundsConfig_upper [Zone 3b]	Pass
	test_property_zone_consistency.py	testBoundedElevationBoundsConfig	Pass
	test_property_zone_consistency.py	testHorizontalZonesBoundsConfig	Pass
	test_property_zone_consistency.py	testLowerBoundonBonagaConfig[Zone 1]	Pass
	test_property_zone_consistency.py	testLowerBoundonBonagaConfig[Zone 2]	Pass
	test_property_zone_consistency.py	testLowerBoundonBonagaConfig[Zone 3a]	Pass
	test_property_zone_consistency.py	testLowerBoundonBonagaConfig[Zone 3b]	Pass
	test_property_zone_consistency.py	testLowerBoundonBonagaConfigIncreasing	Pass
	test_property_zone_consistency.py	testZoneElevationUpperBoundConfig	Pass
	test_property_zone_consistency.py	testZoneThresholdsBattleConfig	Pass
	test_propertyhc_generate.py::TestGetAverageBagregisrFloat		Pass
	test_propertyhc_generate.py::TestGetAverageAggraisStomrate_between_0_and_1		Pass
	test_propertyhc_generate.py::TestGetnamesAggrgainStats		Pass
	test_propertyhc_generate.py::TestGetrateAggrogdevents_counted		Pass
	test_propertyhc_generate.py::TestLogMoghdides_not_raise		Pass
	test_propertyhc_generate.py::TestLogMoghwith_empty_string		Pass
	test_propertyhc_generate.py::TestTestonlysevere_threshold		Pass
	test_propertyhc_generate.py::TestTestifsturneed_non_negative		Pass
	test_propertyhc_generate.py::TestTestStructure_is_flat		Pass
	test_propertyhc_helpers.py::TestGetGaugesfromotherkeys		Pass
	test_propertyhc_helpers.py::TestGetGaugesfromreturned		Pass
	test_propertyhc_helpers.py::TestGetGmissSingleNode_defaults_to_zero		Pass
	test_propertyhc_helpers.py::TestGetGnegativesevent_event_count		Pass
	test_propertyhc_helpers.py::TestGetGzeroCountCreturns_zero		Pass
	test_propertyhc_helpers.py::TestGetPisPrirms_none_when_quantlib_unavail		Fail
	test_propertyhc_helpers.py::TestLastDateeltime_encoded_as_isoformat		Pass
	test_propertyhc_helpers.py::TestLastDefmply_float32_encoded		Pass
	test_propertyhc_helpers.py::TestLastDefmply_float_encoded		Pass
	test_propertyhc_helpers.py::TestLastDefmply_int32_encoded		Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_propertyts_encoder.py::TestPestessBtTypeGaugeFailBackup	testPestessBtTypeGaugeFailBackup returns none	Pass
	test_propertyts_encoder.py::TestPestessBtTypeGaugeFailExit	testPestessBtTypeGaugeFailExit returns none	Pass
	test_propertyts_encoder.py::TestPestessBtTypeGaugeFailExit	testPestessBtTypeGaugeFailExit returns none	Pass
	test_propertyts_flood.py::TestButlerFloodFail and peak.times.set when flooded	testButlerFloodFail and peak.times.set when flooded	Failed
	test_propertyts_flood.py::TestButlerFloodFail when wse_exceeds_threshold	testButlerFloodFail when wse_exceeds_threshold	Pass
	test_propertyts_flood.py::TestButlerFloodGauge readings.empty hydrograph	testButlerFloodGauge readings.empty hydrograph	Pass
	test_propertyts_flood.py::TestButlerFloodFail when wse_below_threshold	testButlerFloodFail when wse_below_threshold	Pass
	test_propertyts_flood.py::TestButlerFloodEvent expected_keys	testButlerFloodEvent expected_keys	Pass
	test_propertyts_flood.py::TestButlerFloodEvent distance_travel_time	testButlerFloodEvent distance_travel_time	Pass
	test_propertyts_flood.py::TestConestogaFloodFail 1m short circuits	testConestogaFloodFail 1m short circuits	Pass
	test_propertyts_flood.py::TestConestogaFloodGauges uses_idw	testConestogaFloodGauges uses_idw	Pass
	test_propertyts_flood.py::TestConestogaFloodGauge returns none	testConestogaFloodGauge returns none	Pass
	test_propertyts_flood.py::TestConestogaFloodWithStormId	testConestogaFloodWithStormId	Pass
	test_propertyts_flood.py::TestProtectWashFlood property_does_not_exist	testProtectWashFlood property_does_not_exist	Failed
	test_propertyts_flood.py::TestProtectWashFlood zero_floods	testProtectWashFlood zero_floods	Pass
	test_propertyts_flood.py::TestProtectWashFlood required_keys	testProtectWashFlood required_keys	Pass
	test_propertyts_flood.py::TestProtectWashFlood file	testProtectWashFlood file	Pass
	test_propertyts_generate.py::TestGenerateFloodDirset none at 50	testGenerateFloodDirset none at 50	Pass
	test_propertyts_generate.py::TestGenerateFloodDirset when storms present	testGenerateFloodDirset when storms present	Pass
	test_propertyts_generate.py::TestGenerateFloodDirset when no gauge storms	testGenerateFloodDirset when no gauge storms	Pass
	test_propertytsd.py::TestShdFloodFix sets_effective_elevation_to_gauges	testShdFloodFix sets_effective_elevation_to_gauges	Pass
	test_propertytsd.py::TestShdFloodFix sets_distance_to_zero	testShdFloodFix sets_distance_to_zero	Pass
	test_propertytsd.py::TestShdOutputDirset writes_to_propertytsd_dir	testShdOutputDirset writes_to_propertytsd_dir	Pass
	test_propertytsd.py::TestShdOutputDirset writes_to_propertytse_dir	testShdOutputDirset writes_to_propertytse_dir	Pass
	test_zone_floor_pricing.py::TestEventC100Floods gives_50bp	testEventC100Floods gives_50bp	Pass
	test_zone_floor_pricing.py::TestEventC664Floods gives_332bp	testEventC664Floods gives_332bp	Pass
	test_zone_floor_pricing.py::TestEventSpreadFloods gives_num_storms	testEventSpreadFloods gives_num_storms	Pass
	test_zone_floor_pricing.py::TestEventZeroFloods gives_zero_spread	testEventZeroFloods gives_zero_spread	Pass
	test_zone_floor_pricing.py::TestEventZonePractices still_valid	testEventZonePractices still_valid	Pass
	test_zone_floor_pricing.py::TestSyntheticBasisPriority returns none	testSyntheticBasisPriority returns none	Pass
	test_zone_floor_pricing.py::TestSyntheticBasisPriority detection	testSyntheticBasisPriority detection	Pass
	test_zone_from_synthetic.py::TestZoneConsistencyWithElevation	testZoneConsistencyWithElevation	Pass
	test_zone_from_synthetic.py::TestZoneConsistencyWithPreserves_real_offset	testZoneConsistencyWithPreserves_real_offset	Pass
	test_zone_from_synthetic.py::TestZoneConsistencyWithElevation_gauge_elevation	testZoneConsistencyWithElevation_gauge_elevation	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[0.0-Zone 3b]	testZoneBoundary[0.0-Zone 3b]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[0.25-Zone 3b]	testZoneBoundary[0.25-Zone 3b]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[0.49-Zone 3b]	testZoneBoundary[0.49-Zone 3b]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[0.5-Zone 3a]	testZoneBoundary[0.5-Zone 3a]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[1.0-Zone 3a]	testZoneBoundary[1.0-Zone 3a]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[1.49-Zone 3a]	testZoneBoundary[1.49-Zone 3a]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[1.5-Zone 2]	testZoneBoundary[1.5-Zone 2]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[2.5-Zone 2]	testZoneBoundary[2.5-Zone 2]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[2.99-Zone 2]	testZoneBoundary[2.99-Zone 2]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary[3.0-Zone 1]	testZoneBoundary[3.0-Zone 1]	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_zone_from_synthetic.py::TestZoneBoundary	test_zone_boundary[5.0-Zone 1]	Pass
	test_zone_from_synthetic.py::TestZoneBoundary	test_zone_boundary[50.0-Zone 1]	Pass
	test_zone_from_synthetic.py::TestZoneNegativeOffset	test_zone_negative_offset_gives_zone_3b	Pass
	terrain.py::TestFloodZoneInOut	test_flood_zone_default_when_missing	Pass
	terrain.py::TestFloodZoneInOut	test_flood_zone_is_valid_zone_name	Pass
	terrain.py::TestFloodZoneInOut	test_flood_zone_present_in_result	Pass
	terrain.py::TestFloodZoneInOut	test_flood_zone_values_correct	Pass
	terrain.py::TestTerrainGridInMetadata	test_terrain_grid_has_all_zones	Pass
	terrain.py::TestTerrainGridInMetadata	test_terrain_grid_has_distances	Pass
	terrain.py::TestTerrainGridInMetadata	test_terrain_grid_has_elevations	Pass
	terrain.py::TestTerrainGridInMetadata	test_terrain_grid_present	Pass
	terrain.py::TestTerrainGridInMetadata	test_terrain_grid_zone_has_grid_array	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_propagated	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_basic	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_bases_differ	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_type_doublet	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_type_isolated	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_with_same_seed	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_basic	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_change_distribution	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_distributions_present	Pass
	batch_generator_part1.py::TestGenerateEventSequences	test_generate_event_sequences_type_distribution	Pass
	batch_generator_part1.py::TestValidateBatch	test_validate_batch_sequences_valid	Pass
	batch_generator_part1.py::TestValidateBatch	test_validate_batch_medium_batch_all_valid	Pass
	batch_generator_part1.py::TestValidateBatch	test_validate_batch_negative_durations	Pass
	batch_generator_part1.py::TestValidateBatch	test_validate_batch_negative_precipitation	Pass
	batch_generator_part1.py::TestValidateBatch	test_validate_batch_timing_constraint	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_to_pent_dirs	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_missing_file_raises	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_correct_count	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_schema_raises	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_sequences_still_valid	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_num_storms	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_precipitation	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_sequence_type	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_storm_fields	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_total_duration	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_schema_file	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_schema_version_in_file	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_creates_file	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_stats_present	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_sequences_matches	Pass
	batch_generator_part2.py::TestSaveBatch	test_save_batch_precipitation_stats_present	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	batch_generator_part2.py::TestSchema	test_schema_version	Pass
	batch_generator_part2.py::TestSchema	test_schema_counts_sum_to_total	Pass
	batch_generator_part2.py::TestSchema	test_schema_fractions_sum_to_one	Pass
	storm_intensity.py::TestGetStorm	test_cluster_returns_3_or_4	Pass
	storm_intensity.py::TestGetStorm	test_doublet_returns_2	Pass
	storm_intensity.py::TestGetStorm	test_isolated_returns_1	Pass
	storm_intensity.py::TestGetStorm	test_persistent_returns_4_or_5	Pass
	storm_intensity.py::TestSampleStorm	test_categorical_phenomena_tends_toward_cluster_persistent	Pass
	storm_intensity.py::TestSampleStorm	test_defined_categories[catastrophic]	Pass
	storm_intensity.py::TestSampleStorm	test_defined_categories[extreme]	Pass
	storm_intensity.py::TestSampleStorm	test_defined_categories[moderate]	Pass
	storm_intensity.py::TestSampleStorm	test_defined_categories[severe]	Pass
	storm_intensity.py::TestSampleStorm	test_ref_types_sequence_type	Pass
	storm_intensity.py::TestSampleStorm	test_unknown_category_uses_default_weight	Pass
	storm_intensity.py::TestSampleStorm	test_increasing_path_subsequent_storm	Pass
	storm_intensity.py::TestSampleStorm	test_if_intensity_storm_downward_variation	Pass
	storm_intensity.py::TestSampleStorm	test_if_intensity_storm_returns_positive	Pass
	storm_intensity.py::TestSampleStorm	test_if_intensity_within_20_percent_range	Pass
	storm_intensity.py::TestSampleStorm	test_if_subsequent_storm_mostly_up	Pass
	storm_intensity.py::TestSampleStorm	test_if_subsequent_storm_positive	Pass
	storm_intensity.py::TestSampleStorm	test_if_intensity_low_base_clamped_to_01	Pass
	storm_intensity.py::TestShouldGetStorm	test_at_defined_categories	Pass
	storm_intensity.py::TestShouldGetStorm	test_at_catastrophic_high_probability	Pass
	storm_intensity.py::TestShouldGetStorm	test_at_severe_low_probability	Pass
	storm_intensity.py::TestShouldGetStorm	test_at_returns_00	Pass
	storm_intensity.py::TestShouldGetStorm	test_at_unknown_category_defaults_to_015	Pass
	test_classifier_part1.py::TestPrint	test_if_failed_no_metrics_printed	Pass
	test_classifier_part1.py::TestPrint	test_if_failed_status	Pass
	test_classifier_part1.py::TestPrint	test_if_failed_shows_feature_importance	Pass
	test_classifier_part1.py::TestPrint	test_if_failed_shows_label_info	Pass
	test_classifier_part1.py::TestPrint	test_if_failed_status_prints_metrics	Pass
	test_classifier_part1.py::TestPrint	test_gauge_progress_bar_in_output	Pass
	test_classifier_part1.py::TestPrint	test_gauge_progress_bar_in_output	Pass
	test_classifier_part1.py::TestPrint	test_gauge_progress_bar_in_output	Pass
	test_classifier_part1.py::TestPrint	test_gauge_progress_bar_in_output	Pass
	test_classifier_part1.py::TestPrint	test_gauge_progress_bar_in_output	Pass
	test_classifier_part2.py::TestPortfolioClassifier	test_portfolio_classifier_summary_unchanged	Pass
	test_classifier_part2.py::TestPortfolioClassifier	test_portfolio_classifier_trains_all_gauges	Pass
	test_classifier_part2.py::TestTrainClassifier	test_gauge_callback_classifier_when_no_severe_events	Pass
	test_classifier_part2.py::TestTrainClassifier	test_gauge_callback_classifier	Pass
	test_classifier_part2.py::TestTrainClassifier	test_gauge_callback_classifier_id	Pass
	test_classifier_part2.py::TestTrainClassifier	test_gauge_callback_classifier_label_threshold	Pass
	test_classifier_part2.py::TestTrainClassifier	test_gauge_callback_classifier_returns_classification	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_spatial_correlation_matrix.py	TestPositiveDefinite	Pass
	test_spatial_correlation_matrix.py	TestCorrelationMatrix	Pass
	test_spatial_correlation_matrix.py	TestSemiPositiveDefinite	Pass
	test_spatial_correlation_matrix.py	TestHighDensityLongerRange	Pass
	test_spatial_correlation_matrix.py	TestHighDensityNoReduction	Pass
	test_spatial_correlation_matrix.py	TestBufferRange	Pass
	test_spatial_correlation_matrix.py	TestEfficientScaleWithRho	Pass
	test_spatial_coverage_b6.py::TestCheshkoFallbackCallbackAddsJitter	TestCheshkoFallbackCallbackAddsJitter	Pass
	test_spatial_coverage_b6.py::TestFromGaugesToPortfolioFile	TestFromGaugesToPortfolioFile	Pass
	test_spatial_coverage_b6.py::TestSpatialMultipliersWithNoRng	TestSpatialMultipliersWithNoRng	Pass
	test_spatial_multipliers.py::TestApplyToSequenceNegative	TestApplyToSequenceNegative	Pass
	test_spatial_multipliers.py::TestApplyToSequenceMeanPreservedPerHour	TestApplyToSequenceMeanPreservedPerHour	Pass
	test_spatial_multipliers.py::TestApplyToSequenceShape	TestApplyToSequenceShape	Pass
	test_spatial_multipliers.py::TestApplyToSequenceVariationPresent	TestApplyToSequenceVariationPresent	Pass
	test_spatial_multipliers.py::TestApplyToSequencePrecipitationConserved	TestApplyToSequencePrecipitationConserved	Pass
	test_spatial_multipliers.py::TestApplyToSequencePrecipHoursRemainZero	TestApplyToSequencePrecipHoursRemainZero	Pass
	test_spatial_multipliers.py::TestSampleMultipliers	TestSampleMultipliers	Pass
	test_spatial_multipliers.py::TestSampleMultipliersCorrelationConsistentWithModel	TestSampleMultipliersCorrelationConsistentWithModel	Pass
	test_spatial_multipliers.py::TestSampleMultipliersDensityLowerVariance	TestSampleMultipliersDensityLowerVariance	Pass
	test_spatial_multipliers.py::TestSampleMultipliers	TestSampleMultipliers	Pass
	test_spatial_multipliers.py::TestSampleMultipliersLognormalMean	TestSampleMultipliersLognormalMean	Pass
	test_spatial_multipliers.py::TestSampleMultipliersWithSeed	TestSampleMultipliersWithSeed	Pass
	test_spatial_multipliers.py::TestSampleMultipliers	TestSampleMultipliers	Pass
	test_spatial_params_distance.py::TestConfigFileConstantsValid	TestConfigFileConstantsValid	Pass
	test_spatial_params_distance.py::TestConfigFileStructure	TestConfigFileStructure	Pass
	test_spatial_params_distance.py::TestConfigFileParams	TestConfigFileParams	Pass
	test_spatial_params_distance.py::TestSaveFileCreatesFile	TestSaveFileCreatesFile	Pass
	test_spatial_params_distance.py::TestDiagonalAllZero	TestDiagonalAllZero	Pass
	test_spatial_params_distance.py::TestDistancesNotKnownDistance	TestDistancesNotKnownDistance	Pass
	test_spatial_params_distance.py::TestDistanceMatrixDiagonal	TestDistanceMatrixDiagonal	Pass
	test_spatial_params_distance.py::TestShapeMatrix	TestShapeMatrix	Pass
	test_spatial_params_distance.py::TestDistanceMatrix	TestDistanceMatrix	Pass
	test_spatial_params_distance.py::TestDistancesMatrixDistancePlausible	TestDistancesMatrixDistancePlausible	Pass
	test_spatial_params_distance.py::TestDistancesMgauges	TestDistancesMgauges	Pass
	test_spatial_params_distance.py::TestFromGaugesToPortfolioFile	TestFromGaugesToPortfolioFile	Pass
	test_spatial_params_distance.py::TestFromGaugesToPortfolioFile	TestFromGaugesToPortfolioFile	Pass
	test_spatial_params_distance.py::TestFromGaugesToPortfolioFile	TestFromGaugesToPortfolioFile	Pass
	test_spatial_params_distance.py::TestSpatialCorrelationParams	TestSpatialCorrelationParams	Pass
	test_spatial_params_distance.py::TestSpatialCorrelationParams	TestSpatialCorrelationParams	Pass
	test_spatial_params_distance.py::TestSpatialCorrelationParams	TestSpatialCorrelationParams	Pass
	test_import_isolation_part1.py::TestBookRequiresQuantlibPresent	TestBookRequiresQuantlibPresent	Pass
	test_import_isolation_part1.py::TestBookRequiresQuantlibWithoutQuantlib	TestBookRequiresQuantlibWithoutQuantlib	Pass
	test_import_isolation_part1.py::TestBookRequiresQuantlibAreasCount	TestBookRequiresQuantlibAreasCount	Pass
	test_import_isolation_part1.py::TestBookRequiresQuantlibRequiresQuantlib	TestBookRequiresQuantlibRequiresQuantlib	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestOptionalLoading	test_gauge_id_filters_data	Pass
	cli.py::TestOptionalLoading	test_timeseries_file_is_loaded	Pass
	cli.py::TestReportGeneration	test_monitoring_without_timeseries_hits	Pass
	cli.py::TestReportGeneration	test_report_type_analysis	Pass
	cli.py::TestReportGeneration	test_report_type_basic	Pass
	cli.py::TestReportGeneration	test_report_type_full_hits_else_branch	Pass
	cli.py::TestReportGeneration	test_report_type_monitoring_with_timeseries	Pass
	cli.py::TestReportGeneration	test_success_logging_executes	Pass
	convenience.py::TestEdgeCases	test_completely_empty_gauge_data	Pass
	convenience.py::TestEdgeCases	test_gauge_data_with_hazard_curve_and_timeseries	Pass
	convenience.py::TestEdgeCases	test_none_flood_gauge_header	Pass
	convenience.py::TestEdgeCases	test_output_is_non_empty_bytes	Pass
	convenience.py::TestEdgeCases	test_report_with_all_pages	Pass
	convenience.py::TestEdgeCases	test_single_page_report	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_without_known_key_raises	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_first_gauge	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_last_gauge	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_not_found_raises	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_input_raises	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_input_used_directly	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_entry_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_entry_with_none_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_flood_gauge_dict_returns_itself	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_input_raises	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_analytic_report_module_penalis	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_returns_path	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_handles_exception	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_open_succeeds	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_generate_basic	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_with_timeseries_calls_monitoring	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_with_timeseries_falls_back	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_path_function	Pass
	convenience.py::TestGenerateGaugeReportModulePenalis	test_generate_report_module_penalis_generate_report	Pass
	elements.py::TestGenerateElement	test_empty_page_list_returns_empty	Pass
	elements.py::TestGenerateElement	test_exception_in_page_continues	Pass
	elements.py::TestGenerateElement	test_first_page_no_page_break	Pass
	elements.py::TestGenerateElement	test_mixed_valid_and_unknown_pages	Pass
	elements.py::TestGenerateElement	test_multiple_pages_have_page_break	Pass
	elements.py::TestGenerateElement	test_none_timeseries_passed_to_page	Pass
	elements.py::TestGenerateElement	test_returns_list	Pass
	elements.py::TestGenerateElement	test_timeseries_passed_to_page	Pass
	elements.py::TestGenerateElement	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_all_unknown_pages_still_creates_pdf	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	elements.py::TestGenerateReport	test_auto_select_called_when_pages_none	Pass
	elements.py::TestGenerateReport	test_auto_select_not_called_when_pages_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_gauge_data	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_is_bytes	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	elements.py::TestGenerateReport	test_with_timeseries_data	Pass
	init.py::TestAutoSelectPages	test_all_pages_exist	Pass
	init.py::TestAutoSelectPages	test_always_includes_gauge_info_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_operational_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_summary_pages	Pass
	init.py::TestAutoSelectPages	test_returns_list	Pass
	init.py::TestAutoSelectPages	test_with_hazard_curve_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_with_timeseries_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_without_timeseries_or_hazard_no_analysis_pages	Pass
	init.py::TestGaugeReportGenerator	test_init_categories_dict_initialized	Pass
	init.py::TestGaugeReportGenerator	test_init_explicit_output_dir_path	Pass
	init.py::TestGaugeReportGenerator	test_init_explicit_output_dir_string	Pass
	init.py::TestGaugeReportGenerator	test_init_no_output_dir_uses_config	Pass
	init.py::TestGaugeReportGenerator	test_init_output_dir_created	Pass
	init.py::TestGaugeReportGenerator	test_init_pages_dict_initialized	Pass
	init.py::TestGenerateFilename	test_contains_gauge_id	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_missing_gauge_id_uses_unknown	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_gauge_id	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_header	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_timestamp_in_filename	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_confidential_footer	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_header_strings	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_analysis_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_analysis_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_analysis_report_with_timeseries	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_report_non_empty	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_with_timeseries	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_monitoring_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_monitoring_report_exists	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	specialised.py::TestSpecialisedRequestMethods	test_generate_monitoring_report_no_time_series	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_contains_expected_keys	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_non_empty	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	metrics.py::TestGaugeMetrics	test_level_range	Pass
	metrics.py::TestGaugeMetrics	test_max_level	Pass
	metrics.py::TestGaugeMetrics	test_mean_level	Pass
	metrics.py::TestGaugeMetrics	test_min_level	Pass
	metrics.py::TestGaugeMetrics	test_rate_of_rise	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_title_overview_page_does_not_crash	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_empty_data_in_page_not_crash	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_gauge_in_inv_output	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_gauge_overview_page_section_header	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_gauge_summary_page_section_header	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_gauge_missing	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_gauge_present	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_hab_overview_page	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_hab_overview_page_calculated	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_hold_overview_page_does_not_crash	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_title_overview_page	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_title_overview_page_present	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_title_overview_page_fallback	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	test_title_overview_page_does_not_crash	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_empty_details_page_not_crash	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_title	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_section	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_missing	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_present	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_statistics_section	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_information_section	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_configuration_section	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_does_not_crash	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	test_gauge_details_page_does_not_crash	Pass
	page_03_location.py::TestGaugeLocationPage	test_location_page_close_to_thames	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_03.location.py::TestGauge	testLocationPageZeroOnThames	Pass
	page_03.location.py::TestGauge	testLocationPageDataDoesNotCrash	Pass
	page_03.location.py::TestGauge	testLocationPageRiskSection	Pass
	page_03.location.py::TestGauge	testLocationPageGraphicCoordinatesSection	Pass
	page_03.location.py::TestGauge	testLocationPageTables	Pass
	page_03.location.py::TestGauge	testLocationPageCentralLondon	Pass
	page_03.location.py::TestGauge	testLocationPageNorthLondon	Pass
	page_03.location.py::TestGauge	testLocationPageSouthLondon	Pass
	page_03.location.py::TestGauge	testLocationPageThamesInfoDoesNotCrash	Pass
	page_03.location.py::TestGauge	testLocationPageFtioneingSummarySection	Pass
	page_03.location.py::TestGauge	testLocationPagePagesList	Pass
	page_03.location.py::TestGauge	testLocationPageCategoryInLocationProfile	Pass
	page_03.location.py::TestGauge	testLocationPageScoreFormattedAsOutOf10	Pass
	page_03.location.py::TestGauge	testLocationPageContextSection	Pass
	page_03.location.py::TestGauge	testLocationPagePresent	Pass
	page_04.measurements.py::TestGauge	testEmptyDataDoesNotCrash	Pass
	page_04.measurements.py::TestGauge	testEmptyReadingsPageListDoesNotCrash	Pass
	page_04.measurements.py::TestGauge	testMissingGaugesMissing	Pass
	page_04.measurements.py::TestGauge	testMissingGaugesPresent	Pass
	page_04.measurements.py::TestGauge	testMissingTablesPage	Pass
	page_04.measurements.py::TestGauge	testMissingTablesPageStatisticsSection	Pass
	page_04.measurements.py::TestGauge	testMeasurementsPageConfigurationSection	Pass
	page_04.measurements.py::TestGauge	testMeasurementsPageShowsMessage	Pass
	page_04.measurements.py::TestGauge	testOperationalPageStatusSection	Pass
	page_04.measurements.py::TestGauge	testMeasurementsPage	Pass
	page_04.measurements.py::TestGauge	testMeasurementsPage	Pass
	page_04.measurements.py::TestGauge	testMeasurementsPageHasExtraTable	Pass
	page_04.measurements.py::TestGauge	testMeasurementsPageShowsCurrentReadings	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageLevelAtAlert	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageLevelAtSevere	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageLevelAtWarning	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageLevelBelowAlertIsNormal	Pass
	page_05.flood_stages.py::TestGauge	testEmptyStagesPageDoesNotCrash	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageMissing	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPagePresent	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageExceedanceSection	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageShowsMessage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageAnalysisSection	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPageDifferencesComputed	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass
	page_05.flood_stages.py::TestGauge	testFloodStagesPage	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_06_risk_assessment_part1.py::TestDisorderIdentificationLabel	TestDisorderIdentificationLabel	Pass
	page_06_risk_assessment_part1.py::TestZeroDisorderIdentificationLabel	TestZeroDisorderIdentificationLabel	Pass
	page_06_risk_assessment_part1.py::TestFourExceedancesConclusionHigh	TestFourExceedancesConclusionHigh	Pass
	page_06_risk_assessment_part1.py::TestOneExceedanceConclusion	TestOneExceedanceConclusion	Pass
	page_06_risk_assessment_part1.py::TestTwoExceedancesConclusionModerate	TestTwoExceedancesConclusionModerate	Pass
	page_06_risk_assessment_part1.py::TestZeroExceedancesConclusion	TestZeroExceedancesConclusion	Pass
	page_06_risk_assessment_part1.py::TestGenerateRiskAssessmentsNilPageBasic	TestGenerateRiskAssessmentsNilPageBasic	Pass
	page_06_risk_assessment_part1.py::TestGenerateRiskAssessmentsPageBorder	TestGenerateRiskAssessmentsPageBorder	Pass
	page_06_risk_assessment_part1.py::TestGenerateRiskAssessmentsPageBasic	TestGenerateRiskAssessmentsPageBasic	Pass
	page_06_risk_assessment_part1.py::TestHistoricalHighRiskLabel	TestHistoricalHighRiskLabel	Pass
	page_06_risk_assessment_part1.py::TestHistoricalHighLevel	TestHistoricalHighLevel	Pass
	page_06_risk_assessment_part1.py::TestHighRiskLabel	TestHighRiskLabel	Pass
	page_06_risk_assessment_part1.py::TestLowRiskLabel	TestLowRiskLabel	Pass
	page_06_risk_assessment_part1.py::TestModerateRiskLabel	TestModerateRiskLabel	Pass
	page_06_risk_assessment_part1.py::TestRiskScoreFormated	TestRiskScoreFormated	Pass
	page_06_risk_assessment_part1.py::TestRiskScoreHighRiskLabel	TestRiskScoreHighRiskLabel	Pass
	page_06_risk_assessment_part2.py::TestGetCaptionHandlingMissingKey	TestGetCaptionHandlingMissingKey	Pass
	page_06_risk_assessment_part2.py::TestHandleForbiddenHandlingDataReturnsErrorElement	TestHandleForbiddenHandlingDataReturnsErrorElement	Pass
	page_06_risk_assessment_part2.py::TestHandleForbiddenHandlingDataGracefullySkipped	TestHandleForbiddenHandlingDataGracefullySkipped	Pass
	page_06_risk_assessment_part2.py::TestLoadFutureEventActivity	TestLoadFutureEventActivity	Pass
	page_06_risk_assessment_part2.py::TestLoadEventActivity	TestLoadEventActivity	Pass
	page_06_risk_assessment_part2.py::TestLoadEventActivityWithin1Year	TestLoadEventActivityWithin1Year	Pass
	page_06_risk_assessment_part2.py::TestThresholdAnalysisExceedsSevereByLessThan1m	TestThresholdAnalysisExceedsSevereByLessThan1m	Pass
	page_06_risk_assessment_part2.py::TestThresholdAnalysisExceedsSevereByMoreThan1m	TestThresholdAnalysisExceedsSevereByMoreThan1m	Pass
	page_06_risk_assessment_part2.py::TestThresholdAnalysisWithinSevere	TestThresholdAnalysisWithinSevere	Pass
	page_06_risk_assessment_part2.py::TestThresholdAlertsRange	TestThresholdAlertsRange	Pass
	page_06_risk_assessment_part2.py::TestThresholdAlertsLarge	TestThresholdAlertsLarge	Pass
	page_06_risk_assessment_part2.py::TestThresholdAlertsAnalysis	TestThresholdAlertsAnalysis	Pass
	page_06_risk_assessment_part2.py::TestAlertStatusAlertStatus	TestAlertStatusAlertStatus	Pass
	page_06_risk_assessment_part2.py::TestAlertStatusAlertStatus	TestAlertStatusAlertStatus	Pass
	page_06_risk_assessment_part2.py::TestAlertStatusAlertStatus	TestAlertStatusAlertStatus	Pass
	page_06_risk_assessment_part2.py::TestTimeSeriesAlertStatusLevel	TestTimeSeriesAlertStatusLevel	Pass
	page_06_risk_assessment_part2.py::TestTimeSeriesAlertStatusReadings	TestTimeSeriesAlertStatusReadings	Pass
	page_06_risk_assessment_part2.py::TestTimeSeriesAlertStatusStatus	TestTimeSeriesAlertStatusStatus	Pass
	page_07_data_summary.py::TestGenerateDataSummaryConclusion	TestGenerateDataSummaryConclusion	Pass
	page_07_data_summary.py::TestGenerateDataSummaryDoesNotCrash	TestGenerateDataSummaryDoesNotCrash	Pass
	page_07_data_summary.py::TestGenerateDataSummarySignificance	TestGenerateDataSummarySignificance	Pass
	page_07_data_summary.py::TestGenerateDataSummarySignificance	TestGenerateDataSummarySignificance	Pass
	page_07_data_summary.py::TestGenerateDataSummaryExceedancesConclusion	TestGenerateDataSummaryExceedancesConclusion	Pass
	page_07_data_summary.py::TestGenerateDataSummarySignificance	TestGenerateDataSummarySignificance	Pass
	page_07_data_summary.py::TestGenerateDataSummaryWideSummarySection	TestGenerateDataSummaryWideSummarySection	Pass
	page_07_data_summary.py::TestGenerateDataSummaryPassing	TestGenerateDataSummaryPassing	Pass
	page_07_data_summary.py::TestGenerateDataSummaryPresent	TestGenerateDataSummaryPresent	Pass
	page_07_data_summary.py::TestGenerateDataSummaryNameMissing	TestGenerateDataSummaryNameMissing	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Gauge	page_07_data_summary.py::TestGaugeDataSummaryPagePresent	testGaugeDataSummaryPagePresent	Pass
	page_07_data_summary.py::TestGaugeDataSummaryPage	testGaugeDataSummaryPage	Pass
	page_07_data_summary.py::TestGaugeHighRiskConclusion	testGaugeHighRiskConclusion	Pass
	page_07_data_summary.py::TestGaugeDistSignificance_severe_significant	testGaugeDistSignificance_severe_significant	Fail
	page_07_data_summary.py::TestGaugeDistSignificance_range_significant	testGaugeDistSignificance_range_significant	Pass
	page_07_data_summary.py::TestGaugeDayAtRiskSummarySection	testGaugeDayAtRiskSummarySection	Pass
	page_07_data_summary.py::TestGaugeLowRiskConclusion	testGaugeLowRiskConclusion	Pass
	page_07_data_summary.py::TestGaugeNodeFatalRiskPageConclusion	testGaugeNodeFatalRiskPageConclusion	Pass
	page_07_data_summary.py::TestGaugeOperationalStatusConclusion	testGaugeOperationalStatusConclusion	Pass
	page_07_data_summary.py::TestGaugeOperationalStatusSummarySection	testGaugeOperationalStatusSummarySection	Pass
	page_07_data_summary.py::TestGaugeDepotSummarySignsSection	testGaugeDepotSummarySignsSection	Pass
	page_07_data_summary.py::TestGaugeDataSummaryPage	testGaugeDataSummaryPage	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPageConclusion	testGaugeDataSeriesSummaryPageConclusion	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPageConclusion	testGaugeDataSeriesSummaryPageConclusion	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPageConclusion	testGaugeDataSeriesSummaryPageConclusion	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPageConclusion	testGaugeDataSeriesSummaryPageConclusion	Pass
	page_07_data_summary.py::TestGaugeDataSummaryPage	testGaugeDataSummaryPage	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryGraphNoDatesFallback	testFloodHistoryGraphNoDatesFallback	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryGraphWithThresholds	testFloodHistoryGraphWithThresholds	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryResponsesShowsMessage	testFloodHistoryResponsesShowsMessage	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPageDataShowsNoDataMessage	testFloodHistoryPageDataShowsNoDataMessage	Fail
	page_08_flood_history.py::TestGaugeFloodHistoryPagesNoExceedances	testFloodHistoryPagesNoExceedances	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPagesWithExceedances	testFloodHistoryPagesWithExceedances	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testFloodHistoryPage	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPageDailyReturnsMoreElements	testFloodHistoryPageDailyReturnsMoreElements	Fail
	page_08_flood_history.py::TestGaugeFloodHistoryResponsesIncludesTable	testFloodHistoryResponsesIncludesTable	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPageSeverityClassification	testFloodHistoryPageSeverityClassification	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPageTableTop10	testFloodHistoryPageTableTop10	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPeriodLevelsNoExtraTable	testHazardCurvesPeriodLevelsNoExtraTable	Fail
	page_09_hazard_curves.py::TestGaugeHazardCurvesPageShowsFallback	testHazardCurvesPageShowsFallback	Pass
	page_09_hazard_curves.py::TestGaugeHazardSurvivalPage	testHazardSurvivalPage	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPageBasic	testHazardCurvesPageBasic	Pass
	page_09_hazard_curves.py::TestGaugeHazardReturnsPeriodLevelsRendersTable	testHazardReturnsPeriodLevelsRendersTable	Fail
	page_10_prs_pricing.py::TestGaugePRSPricingPageCurveShowsFallback	testPRSPricingPageCurveShowsFallback	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPage	testPRSPricingPage	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPageRatesRendersSpreads	testPRSPricingPageRatesRendersSpreads	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPageRatesRendersNa	testPRSPricingPageRatesRendersNa	Pass
	page_11_current_risk.py::TestGaugeEmptyRiskHistoricalDailyShowsFallback	testEmptyRiskHistoricalDailyShowsFallback	Fail
	page_11_current_risk.py::TestGaugeCurrentRiskPageDataShowsFallback	testCurrentRiskPageDataShowsFallback	Pass
	page_11_current_risk.py::TestGaugeCurrentRiskPage	testCurrentRiskPage	Pass
	page_11_current_risk.py::TestGaugeCurrentRiskPageContent	testCurrentRiskPageContent	Skip
	page_11_current_risk.py::TestGaugeCurrentRiskPageReturnsElements	testCurrentRiskPageReturnsElements	Skip
	page_12_trading-part1.py::TestBuildTradeSectionReturnsMessage	testBuildTradeSectionReturnsMessage	Pass
	page_12_trading-part1.py::TestBuildTradeSectionTradeDirection	testBuildTradeSectionTradeDirection	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_12_trading-part1.py::TestBuildBlottingSection	testBlottingSectionCapitalized	Pass
	page_12_trading-part1.py::TestBuildBlottingSection	testBlottingSectionReturnsTable	Pass
	page_12_trading-part1.py::TestBuildBlottingSection	testBlottingSectionShowsCount	Pass
	page_12_trading-part1.py::TestBuildMarketFailureSection	testMarketFailureSectionReturnsMessage	Pass
	page_12_trading-part1.py::TestBuildMarketFailureSection	testMarketFailureSectionReturnsNoneRates	Pass
	page_12_trading-part1.py::TestBuildMarketAdjustmentSection	testMarketAdjustmentSectionReturnsExtraTable	Pass
	page_12_trading-part1.py::TestBuildMarketAdjustmentSection	testMarketAdjustmentSectionReturnsTable	Pass
	page_12_trading-part1.py::TestTestBoth	testBothMissingReturnsNa	Pass
	page_12_trading-part1.py::TestTestFive	testFiveYearTenor	Pass
	page_12_trading-part1.py::TestTestInvalid	testInvalidDateFormatReturnsNa	Pass
	page_12_trading-part1.py::TestTestMissing	testMissingEndReturnsNa	Pass
	page_12_trading-part1.py::TestTestMissing	testMissingStartReturnsNa	Pass
	page_12_trading-part1.py::TestTestValid	testValidDatesReturnsYears	Pass
	page_12_trading-part1.py::TestTestGauge	testGaugeIdKeyReturnsMessage	Pass
	page_12_trading-part1.py::TestTestGauge	testGaugeTermsExist	Pass
	page_12_trading-part1.py::TestTestGauge	testGaugeIdReturnsTradingHeader	Pass
	page_12_trading-part2.py::TestLoadGauge	testLoadGaugeReportsDirRaisesFallback	Pass
	page_12_trading-part2.py::TestLoadGauge	testLoadGaugeDirDoesNotExistReturnsEmpty	Pass
	page_12_trading-part2.py::TestLoadGauge	testLoadGaugeMatchingGaugeIdAppended	Pass
	page_12_trading-part2.py::TestLoadGauge	testLoadGaugeDoesNotMatchGaugeIdSkipped	Pass
	page_12_trading-part2.py::TestLoadMarketState	testLoadMarketStateExceptionReturnsEmpty	Pass
	test_base_page-format.py::TestFormatCoordinate	testCoordinateSixDecimals	Pass
	test_base_page-format.py::TestFormatCoordinate	testCoordinateNegative	Pass
	test_base_page-format.py::TestFormatCoordinate	testCoordinateDelegatesToFormatValue	Pass
	test_base_page-format.py::TestFormatHidden	testHiddenReplacement	Pass
	test_base_page-format.py::TestFormatField	testFieldNoneSplit	Pass
	test_base_page-format.py::TestFormatField	testFieldNumericDelegates	Pass
	test_base_page-format.py::TestFormatField	testFieldPositiveReturnsTimes	Pass
	test_base_page-format.py::TestFormatField	testFieldErrorReturnsNever	Pass
	test_base_page-format.py::TestFormatField	testFieldIntegerValue	Pass
	test_base_page-format.py::TestFormatField	testFieldNonNumericDelegatesToFormatValue	Pass
	test_base_page-format.py::TestFormatField	testFieldMetricValueWithCustomUnit	Pass
	test_base_page-format.py::TestFormatField	testFieldMetricValueWithDefaultUnit	Pass
	test_base_page-format.py::TestFormatField	testFieldEmptyStringReturnsNotSpecified	Pass
	test_base_page-format.py::TestFormatField	testFieldFalseReturnsNo	Pass
	test_base_page-format.py::TestFormatField	testFieldFloatWholeNumberStripsDecimal	Pass
	test_base_page-format.py::TestFormatField	testFieldFloatWithDecimalsFormatted	Pass
	test_base_page-format.py::TestFormatField	testFieldIntegerReturnsStr	Pass
	test_base_page-format.py::TestFormatField	testFieldNoneReturnsNotSpecified	Pass
	test_base_page-format.py::TestFormatField	testFieldNormalStringReturned	Pass
	test_base_page-format.py::TestFormatField	testFieldTrueReturnsYes	Pass
	test_current_risk.py::TestCurrentRiskEmpty	testEmptyFileRaisesEdgeCasesKey	Pass
	test_current_risk.py::TestCurrentRiskEmpty	testEmptyFileRaisesEdgeCases	Pass
	test_current_risk.py::TestCurrentRisk	testGoldPathReturnsFiledCases	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_current_risk.py::TestCurrentRiskGeneralDataSeriesHighCritical	loop	Pass
	test_current_risk.py::TestCurrentRiskGeneralDataSeriesHighStages		Pass
	test_current_risk.py::TestCurrentRiskGeneralMonthlyEventsCases_all_levels		Pass
	test_current_risk.py::TestCurrentRiskGeneralSeriesDataCases		Pass
	test_current_risk.py::TestCurrentRiskGeneralFloodsHigh6	skipped	Pass
	test_flood_history.py::TestBuildPredictFloods_classification		Pass
	test_flood_history.py::TestBuildPredictFlood_date_in_exceedance_skipped		Pass
	test_flood_history.py::TestBuildPredictFlood_day_event_updates_peak		Pass
	test_flood_history.py::TestBuildPredictFlood_day_range_date_format		Pass
	test_flood_history.py::TestBuildPredictFlood_events_returns_message		Pass
	test_flood_history.py::TestBuildPredictFloods_classification		Pass
	test_flood_history.py::TestBuildPredictFloods_day_event_date_format		Pass
	test_flood_history.py::TestBuildPredictFloods_separate_events		Pass
	test_flood_history.py::TestBuildPredictFloods_classification		Pass
	test_gauge_generator_extras.py::TestAutoOpen_called		Pass
	test_gauge_generator_extras.py::TestAutoOpen_false_does_not_raise		Pass
	test_gauge_generator_extras.py::TestAutoOpen_success		Pass
	test_gauge_generator_extras.py::TestFindGaugesByLin_flood_gauges_list		Pass
	test_gauge_generator_extras.py::TestFindGaugesByFlood_gauges_key		Pass
	test_gauge_generator_extras.py::TestFindGaugesByStd		Pass
	test_gauge_generator_extras.py::TestFindGaugesById_gauge_object		Pass
	test_gauge_generator_extras.py::TestFindGaugesById_raises_value_error		Pass
	test_gauge_generator_extras.py::TestFindGaugesById_raises_value_error		Pass
	test_gauge_generator_extras.py::TestFindGaugesByLin_list_raises_value_error		Pass
	test_gauge_generator_extras.py::TestFindGaugesByLin_raises_value_error		Pass
	test_generator_direct.py::TestFindGaugesByFlood_gauges_key_found		Pass
	test_generator_direct.py::TestFindGaugesByFlood_dict_structure_raises		Pass
	test_generator_direct.py::TestFindGaugesByFlood_type_raises		Pass
	test_generator_direct.py::TestFindGaugesByLin_input_found		Pass
	test_generator_direct.py::TestFindGaugesByFlood_gauge_entry_skipped		Pass
	test_generator_direct.py::TestFindGaugesByFlood_raises_value_error		Pass
	test_generator_direct.py::TestFindGaugesByFlood_gauge_dict_returns_self		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_direct		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_fn_analysis		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_fn_auto_open		True
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_fn_basic		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_fn_fallback		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_fn_monitoring		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_no_pages_uses_auto		Select
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_returns_false		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_no_analysis_data		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_with_hazard		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_daily_report		Pass
	test_generator_direct.py::TestGaugeGeneratorHasCallReport_exception_continues		Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generator_direct.py::TestGenerateGeneralReport	test_generator_direct.py::TestGenerateGeneralReport skips unknown pages	Pass
	test_generator_direct.py::TestGenerateGeneralReport	test_generator_direct.py::TestGenerateGeneralReport no_gauge_id	Pass
	test_generator_direct.py::TestGenerateGeneralReport	test_generator_direct.py::TestGenerateGeneralReport with_gauge_id	Pass
	test_generator_direct.py::TestGenerateMonitorsReport	test_generator_direct.py::TestGenerateMonitorsReport	Pass
	test_generator_direct.py::TestGeneratePagesReport	test_generator_direct.py::TestGeneratePagesReport	Pass
	test_generator_direct.py::TestGenerateAvailablePages	test_generator_direct.py::TestGenerateAvailablePages	Pass
	test_generator_direct.py::TestGenerateDissectConfig	test_generator_direct.py::TestGenerateDissectConfig	Pass
	test_generator_direct.py::TestGenerateInvalidPages	test_generator_direct.py::TestGenerateInvalidPages	Pass
	test_generator_direct.py::TestGenerateInvalidPages	test_generator_direct.py::TestGenerateInvalidPages with_invalid	Pass
	test_integrator.py::TestGenerateReportForKey	test_integrator.py::TestGenerateReportForKey structure_works	Pass
	test_integrator.py::TestGenerateReportForGauge	test_integrator.py::TestGenerateReportForGauge returns_path	Pass
	test_integrator.py::TestGenerateReportForGauge	test_integrator.py::TestGenerateReportForGauge not_found_returns_none	Pass
	test_integrator.py::TestGenerateReportForGauge	test_integrator.py::TestGenerateReportForGauge file_returns_none	Pass
	test_integrator.py::TestGenerateReportForGauge	test_integrator.py::TestGenerateReportForGauge contains_gauge_id	Pass
	test_integrator.py::TestGenerateReportForGauge	test_integrator.py::TestGenerateReportForGauge dir_created	Pass
	test_integrator.py::TestGenerateReportForGauge	test_integrator.py::TestGenerateReportForGauge file_created	Pass
	test_integrator.py::TestGetAvailableGauges	test_integrator.py::TestGetAvailableGauges ing_file_returns_empty_list	Pass
	test_integrator.py::TestGetAvailableGauges	test_integrator.py::TestGetAvailableGauges returns_all_ids	Pass
	test_integrator.py::TestGetAvailableGauges	test_integrator.py::TestGetAvailableGauges returns_correct_id	Pass
	test_integrator.py::TestGetAvailableGauges	test_integrator.py::TestGetAvailableGauges returns_list	Pass
	test_integrator.py::TestValidateGauge	test_integrator.py::TestValidateGauge key_structure	Pass
	test_integrator.py::TestValidateGauge	test_integrator.py::TestValidateGauge existing_gauge_returns_true	Pass
	test_integrator.py::TestValidateGauge	test_integrator.py::TestValidateGauge existing_file_returns_false	Pass
	test_integrator.py::TestValidateGauge	test_integrator.py::TestValidateGauge nonexistent_gauge_returns_false	Pass
	test_integrator_exception.py::TestGenerateReportForGaugeException	test_integrator_exception.py::TestGenerateReportForGaugeException	Pass
	test_integrator_exception.py::TestGenerateReportForGaugeException	test_integrator_exception.py::TestGenerateReportForGaugeException description	Pass
	test_integrator_exception.py::TestGetAvailableGaugesException	test_integrator_exception.py::TestGetAvailableGaugesException empty	Pass
	test_integrator_exception.py::TestGetAvailableGaugesException	test_integrator_exception.py::TestGetAvailableGaugesException empty	Pass
	test_integrator_exception.py::TestValidateGaugeException	test_integrator_exception.py::TestValidateGaugeException false	Pass
	test_integrator_exception.py::TestValidateGaugeException	test_integrator_exception.py::TestValidateGaugeException exists_returns_false	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels when_present	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	test_percentile_gauge.py::TestBuildPerCentileGaugeRiskLabels	Pass
	test_report_generation.py::TestGenerateGaugeReportType	test_report_generation.py::TestGenerateGaugeReportType	Pass
	test_report_generation.py::TestGenerateGaugeReportType	test_report_generation.py::TestGenerateGaugeReportType failure_does_not_raise	Pass
	test_report_generation.py::TestGenerateGaugeReportType	test_report_generation.py::TestGenerateGaugeReportType calls_open_pdf	Pass
	test_report_generation.py::TestGenerateGaugeReportType	test_report_generation.py::TestGenerateGaugeReportType type	Pass
	test_report_generation.py::TestGenerateGaugeReportType	test_report_generation.py::TestGenerateGaugeReportType report_type_with_timestamp	Pass
	test_report_generation.py::TestGenerateGaugeReportType	test_report_generation.py::TestGenerateGaugeReportType path	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_report_generation.py::TestGaugeReport	test_gauge_report_type_falls_back	Pass
	mortgage_pages.py::TestGenerateMortgageReport	test_generate_mortgage_report_function_creates_pdf	Pass
	mortgage_pages.py::TestGenerateMortgageReport	test_generate_mortgage_report_function_returns_path	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_generate_report_elements_returns_list	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_generate_report_filename_fallback	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_generate_report_filename_with_id	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_generate_report_creates_pdf	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_generate_report_returns_path	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_report_generates_output_dir	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_pdf_generator_set	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_pdf_generator_initialised	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_title_page_elements_non_empty	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_title_page_property_data_does_not_crash	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_title_page_mortgage_id	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_title_page_mortgage_data_returns_elements	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_title_page_returns_list	Pass
	mortgage_pages.py::TestMortgageReportGenerator	test_title_page_elements_included	Pass
	test_mortgage_generator_coverage.py::TestMortgageGenerator	test_init_mortgage_generator_default_output_dir	Pass
	test_mortgage_generator_coverage.py::TestMortgageGenerator	test_generate_report_filename_fallback_distributes_error	Pass
	test_mortgage_generator_coverage.py::TestMortgageGenerator	test_generate_report_filename_fallback_mortgage_id	Pass
	test_mortgage_generator_coverage.py::TestMortgageGenerator	test_page_exception_generator_page_exception	Pass
	test_mortgage_generator_coverage.py::TestMortgageGenerator	test_unknown_page_generator_order_skipped	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_basic_gauge_report_generates_pdf	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_full_gauge_report_generates_pdf	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_output_dir_created_if_missing	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_filename_contains_gauge_id	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_has_reasonable_size	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_starts_with_pdf_header	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_report_with_minimal_data	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_report_generator_initialises	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_list_available_pages	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_validate_pages	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_full_property_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_mortgage_focused_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_output_dir_created_if_missing	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_pdf_filename_contains_property_id	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_pdf_has_reasonable_size	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_pdf_starts_with_pdf_header	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_property_only_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_with_minimal_property_data	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_risk_focused_report_generates_pdf	Pass
	property_pdf.py::TestPropertyReportGenerator	test_generator_select_pages_with_mortgage	Pass
	property_pdf.py::TestPropertyReportGenerator	test_generator_select_pages_without_mortgage	Pass
	property_pdf.py::TestPropertyReportGenerator	test_generator_initialises	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	property_pdf.py::TestPropertyReportGenerator	test_available_pages	Pass
	property_pdf.py::TestPropertyReportGenerator	test_validate_pages_valid	Pass
	server_flow.py::TestServerReportTest	test_gauge_report_via_route_function	Pass
	server_flow.py::TestServerReportTest	test_gauge_report_with_real_data	Pass
	server_flow.py::TestServerReportTest	test_property_report_via_route_function	Pass
	server_flow.py::TestServerReportTest	test_property_report_with_real_data	Pass
	test_data_loader_mixin.py::TestLoadAll	test_classifier_count	Pass
	test_data_loader_mixin.py::TestLoadAll	test_hod_count_defaults_zero_on_import_error	Error
	test_data_loader_mixin.py::TestLoadAll	test_gaugehd_baselines_loaded	Pass
	test_data_loader_mixin.py::TestLoadAll	test_gaugehd_count	Pass
	test_data_loader_mixin.py::TestLoadAll	test_gaugets_count	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_counterparties	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_gaugehc	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_gauges	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_mortgages	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_properties	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_propertyhc	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_seq_summary	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_stress_storms_index	Pass
	test_data_loader_mixin.py::TestLoadAll	test_loads_stress_storms_legacy_fallback	Pass
	test_data_loader_mixin.py::TestLoadAll	test_missing_files_return_empty	Pass
	test_data_loader_mixin.py::TestLoadAll	test_propertyts_count	Pass
	test_data_loader_mixin.py::TestLoadAll	test_stress_storms_empty_when_neither_exists	Pass
	test_data_loader_mixin.py::TestLoadAll	test_trade_count_defaults_zero_on_import_error	Error
	test_data_loader_mixin.py::TestLoadAll	test_training_summary	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_mean	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_min	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_max	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_monthly_means	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_for_nonexistent_dir	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_without_mean_level	Pass
	test_data_loader_mixin.py::TestLoadGauges	test_gauges_baselines_files	Pass
	test_data_loader_primitives.py::TestLoadAll	test_count_matching_files	Pass
	test_data_loader_primitives.py::TestLoadAll	test_count_directory	Pass
	test_data_loader_primitives.py::TestLoadAll	test_count_zero_for_no_matches	Pass
	test_data_loader_primitives.py::TestLoadAll	test_count_zero_for_none_dir	Pass
	test_data_loader_primitives.py::TestLoadAll	test_count_zero_for_nonexistent_dir	Pass
	test_data_loader_primitives.py::TestLoadAll	test_loads_list_json	Pass
	test_data_loader_primitives.py::TestLoadAll	test_loads_nested_json	Pass
	test_data_loader_primitives.py::TestLoadAll	test_loads_valid_json	Pass
	test_data_loader_primitives.py::TestLoadAll	test_load_returns_empty_dict_for_directory	Pass
	test_data_loader_primitives.py::TestLoadAll	test_load_returns_empty_dict_for_invalid_json	Pass
	test_data_loader_primitives.py::TestLoadAll	test_load_returns_empty_dict_for_missing_file	Pass
	test_generator_part1.py::TestGenerate	test_catchment_name_from_input_dir	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generator_part1.py::TestGenerate	test_generate_with_empty_data	Pass
	test_generator_part1.py::TestGenerate	test_generate_with_minimal_data	Pass
	test_generator_part1.py::TestGenerate	test_output_path_creates_parent_dirs	Pass
	test_generator_part1.py::TestGenerate	test_pdf_has_multiple_pages	Pass
	test_generator_part1.py::TestGenerate	test_pdf_starts_with_magic_bytes	Pass
	test_generator_part1.py::TestGenerate	test_produces_pdf_file	Pass
	test_generator_part1.py::TestGenerate	test_returns_path	Pass
	test_generator_part1.py::TestInit	test_input_dir_accepts_string	Pass
	test_generator_part1.py::TestInit	test_input_dir_set	Pass
	test_generator_part1.py::TestInit	test_output_path_explicit	Pass
	test_generator_part1.py::TestInit	test_styles_initialised	Pass
	test_generator_part2.py::TestEdges	test_gauge_with_dash_values	Pass
	test_generator_part2.py::TestEdges	test_mortgage_with_none_fields	Pass
	test_generator_part2.py::TestEdges	test_property_with_none_value	Pass
	test_generator_part2.py::TestMixins	test_integration_table	Pass
	test_generator_part2.py::TestMixins	test_integration_load_all	Pass
	test_generator_part2.py::TestMixins	test_integration_make_table	Pass
	test_generator_part2.py::TestMixins	test_integration_section_methods	Pass
	test_generator_part2.py::TestMixins	test_integration_all_and_sections_compatible	Pass
	test_sections_gauges.py::TestSections	test_heading	Pass
	test_sections_gauges.py::TestSections	test_no_baselines_message	Pass
	test_sections_gauges.py::TestSections	test_range_computed	Pass
	test_sections_gauges.py::TestSections	test_returns_list	Pass
	test_sections_gauges.py::TestSections	test_sectional_averages	Pass
	test_sections_gauges.py::TestSections	test_table_when_baselines	Pass
	test_sections_gauges.py::TestSections	test_empty_gauges_message	Pass
	test_sections_gauges.py::TestSections	test_multiple_gauges	Pass
	test_sections_gauges.py::TestSections	test_returns_list	Pass
	test_sections_gauges.py::TestSections	test_section_heading	Pass
	test_sections_gauges.py::TestSections	test_summary_line_counts	Pass
	test_sections_gauges.py::TestSections	test_table_present	Pass
	test_sections_gauges.py::TestSections	test_alternative_key_format	Pass
	test_sections_gauges.py::TestSections	test_has_non_dict_gauge_curve	Pass
	test_sections_gauges.py::TestSections	test_heading_gives	Pass
	test_sections_gauges.py::TestSections	test_has_curves_message	Pass
	test_sections_gauges.py::TestSections	test_has_curves_list	Pass
	test_sections_gauges.py::TestSections	test_table_with_curves	Pass
	test_sections_gauges.py::TestSections	test_mortgage_in_summary	Pass
	test_sections_gauges.py::TestSections	test_empty_mortgages_message	Pass
	test_sections_gauges.py::TestSections	test_heading	Pass
	test_sections_gauges.py::TestSections	test_mortgages_list	Pass
	test_sections_gauges.py::TestSections	test_mortgages_present	Pass
	test_sections_gauges.py::TestSections	test_properties_properties_message	Pass
	test_sections_gauges.py::TestSections	test_heading_present	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_sections.gauges.py::TestSectionProperties	test_section_properties_count_in_summary	Pass
	test_sections.gauges.py::TestSectionProperties	test_section_properties_list	Pass
	test_sections.gauges.py::TestSectionProperties	test_section_properties_with_properties	Pass
	test_sections.gauges.py::TestSectionProperties	test_section_properties_heading	Pass
	test_sections.gauges.py::TestSectionProperties	test_section_properties_table_present	Pass
	test_sections.gauges.py::TestSectionProperties	test_section_properties_returns_list	Pass
	test_sections.gauges.py::TestSectionProperties	test_section_properties_full_summary	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_heading	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_table	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_returns_list	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_alternative_sdm_format	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_empty_message	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_heading_parties	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_returns_list	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_table_present	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_heading_parts	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_section_when_empty	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_section_added	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_returns_list	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_size_computed	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_heading	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_table_present	Pass
	test_sections.portfolio.py::TestSectionProperties	test_section_properties_returns_list	Pass
	test_styles.py::TestAvailWidth	test_avail_width_value	Pass
	test_styles.py::TestColourConstants	test_blue_is_hex_colour	Pass
	test_styles.py::TestColourConstants	test_dark_blue	Pass
	test_styles.py::TestColourConstants	test_grey	Pass
	test_styles.py::TestColourConstants	test_light_amber	Pass
	test_styles.py::TestColourConstants	test_light_blue	Pass
	test_styles.py::TestColourConstants	test_light_green	Pass
	test_styles.py::TestColourConstants	test_light_red	Pass
	test_styles.py::TestKvTable	test_custom_label_width	Pass
	test_styles.py::TestKvTable	test_default_label_width	Pass
	test_styles.py::TestKvTable	test_multiple_pairs	Pass
	test_styles.py::TestKvTable	test_returns_table	Pass
	test_styles.py::TestKvTable	test_value_converted_to_string	Pass
	test_styles.py::TestMakeTable	test_col_widths_propagated	Pass
	test_styles.py::TestMakeTable	test_custom_alt_color	Pass
	test_styles.py::TestMakeTable	test_default_alt_color_is_blue	Pass
	test_styles.py::TestMakeTable	test_empty_rows	Pass
	test_styles.py::TestMakeTable	test_repeat_rows_set	Pass
	test_styles.py::TestMakeTable	test_returns_table	Pass
	test_styles.py::TestMakeTable	test_table_has_correct_row_count	Pass
	test_styles.py::TestSetupStyles	test_body_style_font_size	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_styles.py::TestSetupStyles	test_kv_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_kv_style_left_indent	Pass
	test_styles.py::TestSetupStyles	test_section_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_section_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_subsection_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_subsection_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_subtitle_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_subtitle_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_title_style_font_name	Pass
	test_styles.py::TestSetupStyles	test_title_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_title_style_text_color	Pass
	test_styles.py::TestTableStyleConstants	test_table_rows_amber	Pass
	test_styles.py::TestTableStyleConstants	test_table_rows_blue	Pass
	test_styles.py::TestTableStyleConstants	test_table_rows_green	Pass
	test_styles.py::TestTableStyleConstants	test_table_style_first_command_is_background	Pass
	test_styles.py::TestTableStyleConstants	test_table_style_has_grid	Pass
	test_styles.py::TestTableStyleConstants	test_table_style_is_list	Pass
	analysis.py::TestSinglePropertyAnalysis	test_find_nearest_gauge	Pass
	analysis.py::TestSinglePropertyAnalysis	test_full_analysis_high_risk_property	Pass
	analysis.py::TestSinglePropertyAnalysis	test_full_analysis_low_risk_property	Pass
	analysis.py::TestSinglePropertyAnalysis	test_load_gauge_data	Pass
	analysis.py::TestSinglePropertyAnalysis	test_load_property_data	Pass
	calculations.py::TestDamageRatio	test_commercial_higher_damage	Pass
	calculations.py::TestDamageRatio	test_damage_capped	Pass
	calculations.py::TestDamageRatio	test_damage_increases_with_depth	Pass
	calculations.py::TestDamageRatio	test_no_damage_no_flood	Pass
	calculations.py::TestDistanceCalculation	test_haversine_known_distance	Pass
	calculations.py::TestDistanceCalculation	test_haversine_same_point	Pass
	calculations.py::TestDistanceCalculation	test_haversine_teddington_to_richmond	Pass
	calculations.py::TestFloodDepthCalculation	test_flood_above_trigger	Pass
	calculations.py::TestFloodDepthCalculation	test_flood_attenuates_with_distance	Pass
	calculations.py::TestFloodDepthCalculation	test_high_elevation_no_flood	Pass
	calculations.py::TestFloodDepthCalculation	test_no_flood_below_trigger	Pass
	calculations.py::TestRiskClassification	test_high_risk	Pass
	calculations.py::TestRiskClassification	test_low_risk	Pass
	calculations.py::TestRiskClassification	test_medium_risk	Pass
	calculations.py::TestRiskClassification	test_minimal_risk	Pass
	formatters.py::TestConstants	test_margin_positive	Pass
	formatters.py::TestConstants	test_page_dimensions	Pass
	formatters.py::TestFmtGbp	test_large_value	Pass
	formatters.py::TestFmtGbp	test_negative	Pass
	formatters.py::TestFmtGbp	test_non_numeric_fallback	Pass
	formatters.py::TestFmtGbp	test_none_fallback	Pass
	formatters.py::TestFmtGbp	test_positive_float	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	formatters.py::TestFmtGbp	test_zero	Pass
	formatters.py::TestLayouts	test_body_style_alignment	Pass
	formatters.py::TestLayouts	test_body_style_bold	Pass
	formatters.py::TestLayouts	test_body_style_default	Pass
	formatters.py::TestLayouts	test_build_header_footer_callable	Pass
	formatters.py::TestLayouts	test_white_hdr_style_returns_paragraph_style	Pass
	formatters.py::TestSeqTypeColor	test_case_insensitive	Pass
	formatters.py::TestSeqTypeColor	test_cluster	Pass
	formatters.py::TestSeqTypeColor	test_doublet	Pass
	formatters.py::TestSeqTypeColor	test_isolated	Pass
	formatters.py::TestSeqTypeColor	test_none_returns_white	Pass
	formatters.py::TestSeqTypeColor	test_persistent	Pass
	formatters.py::TestSeqTypeColor	test_unknown_returns_white	Pass
	formatters.py::TestSetupStyles	test_required_keys	Pass
	formatters.py::TestSetupStyles	test_returns_stylesheet	Pass
	formatters.py::TestSetupStyles	test_styles_are_paragraph_styles	Pass
	generator.py::TestClaimReportGenerator	test_claim_ref_contains_prop_id_suffix	Pass
	generator.py::TestClaimReportGenerator	test_generate_empty_sequence_lookup	Pass
	generator.py::TestClaimReportGenerator	test_generate_returns_bytes	Pass
	generator.py::TestClaimReportGenerator	test_generate_without_mortgage	Pass
	generator.py::TestClaimReportGenerator	test_minimal_prop_data	Pass
	generator.py::TestClaimReportGenerator	test_output_is_valid_pdf	Pass
	generator.py::TestClaimReportGenerator	test_pdf_size_reasonable	Pass
	generator.py::TestCompatShim	test_shim_class_is_same	Pass
	generator.py::TestCompatShim	test_shim_imports_generator	Pass
	generator.py::TestPublicAPI	test_all_exports	Pass
	generator.py::TestPublicAPI	test_import_from_package	Pass
	pages1.3.py::TestPage1Cover	test_contains_claim_ref_paragraph	Pass
	pages1.3.py::TestPage1Cover	test_no_flood_events_still_renders	Pass
	pages1.3.py::TestPage1Cover	test_non_float_coordinates	Pass
	pages1.3.py::TestPage1Cover	test_returns_list	Pass
	pages1.3.py::TestPage1Cover	test_stats_reflect_events	Pass
	pages1.3.py::TestPage1Cover	test_without_mortgage	Pass
	pages1.3.py::TestPage2Chronology	test_events_with_no_sequence_id	Pass
	pages1.3.py::TestPage2Chronology	test_no_flood_events	Pass
	pages1.3.py::TestPage2Chronology	test_returns_list	Pass
	pages1.3.py::TestPage2Chronology	test_stats_bar_present	Pass
	pages1.3.py::TestPage2Chronology	test_table_included	Pass
	pages1.3.py::TestPage2Chronology	test_unknown_sequence_id_handled	Pass
	pages1.3.py::TestPage3Damage	test_contains_tables	Pass
	pages1.3.py::TestPage3Damage	test_high_damage_rows_highlighted	Pass
	pages1.3.py::TestPage3Damage	test_multiple_sequences_grouped	Pass
	pages1.3.py::TestPage3Damage	test_no_flood_events	Pass
	pages1.3.py::TestPage3Damage	test_returns_list	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	pages1.3.py::TestPage3Damage	test_zero_property_value	Pass
	pages4.5.py::TestPage4Mortgage	test_contains_tables	Pass
	pages4.5.py::TestPage4Mortgage	test_negative_equity_highlights_row	Pass
	pages4.5.py::TestPage4Mortgage	test_no_flood_events_with_mortgage	Pass
	pages4.5.py::TestPage4Mortgage	test_with_mortgage	Pass
	pages4.5.py::TestPage4Mortgage	test_without_mortgage	Pass
	pages4.5.py::TestPage5Deterministic	test_contains_reference_table	Pass
	pages4.5.py::TestPage5Deterministic	test_damage_calculation	Pass
	pages4.5.py::TestPage5Deterministic	test_negative_equity_flag	Pass
	pages4.5.py::TestPage5Deterministic	test_returns_list	Pass
	pages4.5.py::TestPage5Deterministic	test_signature_block_present	Pass
	pages4.5.py::TestPage5Deterministic	test_without_mortgage	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_building_page_calculated	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_empty_property_does_not_crash	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_get_property_id_missing_nested_key	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_get_property_id_present	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_has_tables	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_has_title_paragraph	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_proper_id_in_output	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_proper_page_overview_section_header	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_proper_page_summary_section_header	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_return_list	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_unknown_property_id_fallback	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_with_mortgage_data_does_not_crash	Pass
	page_02_location.py::TestLocationPage	test_address_subsection_header	Pass
	page_02_location.py::TestLocationPage	test_administrative_subsection_header	Pass
	page_02_location.py::TestLocationPage	test_area_classification_subsection_header	Pass
	page_02_location.py::TestLocationPage	test_density_high	Pass
	page_02_location.py::TestLocationPage	test_density_low	Pass
	page_02_location.py::TestLocationPage	test_density_low_medium	Pass
	page_02_location.py::TestLocationPage	test_density_medium	Pass
	page_02_location.py::TestLocationPage	test_density_very_high	Pass
	page_02_location.py::TestLocationPage	test_empty_property_does_not_crash	Pass
	page_02_location.py::TestLocationPage	test_geographic_subsection_header	Pass
	page_02_location.py::TestLocationPage	test_has_section_header	Pass
	page_02_location.py::TestLocationPage	test_has_tables	Pass
	page_02_location.py::TestLocationPage	test_no_coordinates_skips_geo_rows	Pass
	page_02_location.py::TestLocationPage	test_returns_list	Pass
	page_02_location.py::TestLocationPage	test_with_mortgage_data_does_not_crash	Pass
	page_03_attributes.py::TestAttributesPage	test_page_contemporary	Pass
	page_03_attributes.py::TestAttributesPage	test_page_historic	Pass
	page_03_attributes.py::TestAttributesPage	test_page_mature	Pass
	page_03_attributes.py::TestAttributesPage	test_page_modern	Pass
	page_03_attributes.py::TestAttributesPage	test_page_basic_info_subsection	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page.03_attributes.py::TestAttributePage	test_page_adding_age_subsection	Pass
	page.03_attributes.py::TestAttributePage	test_page_condition_fair_recommendation	Pass
	page.03_attributes.py::TestAttributePage	test_page_condition_good_recommendation	Pass
	page.03_attributes.py::TestAttributePage	test_page_condition_poor_recommendation	Pass
	page.03_attributes.py::TestAttributePage	test_page_condition_unknown_falls_back	Pass
	page.03_attributes.py::TestAttributePage	test_page_empty_property_does_not_crash	Pass
	page.03_attributes.py::TestAttributePage	test_page_external_features_subsection	Pass
	page.03_attributes.py::TestAttributePage	test_page_section_header	Pass
	page.03_attributes.py::TestAttributePage	test_page_tables	Pass
	page.03_attributes.py::TestAttributePage	test_page_construction_year_skips_age	Pass
	page.03_attributes.py::TestAttributePage	test_page_physical_dimensions_subsection	Pass
	page.03_attributes.py::TestAttributePage	test_page_returns_list	Pass
	page.03_attributes.py::TestAttributePage	test_page_composition_subsection	Pass
	page.03_attributes.py::TestAttributePage	test_page_high_mortgage_data_does_not_crash	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_empty_time_series_returns_short_list	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_empty_series_title	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_string_gauge_name_does_not_crash	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_message_included	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_returns_short_list	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_title	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_mixed_statuses	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_with_thresholds	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_returns_more_elements	Pass
	page.03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_time_series_table_included	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_year_shown	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_does_not_crash	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_year_shown	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_header	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_data_returns_message	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_year	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_with_data	Pass
	page.04_construction.py::TestConstructionPageBasics	test_construction_page_basics_shown	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis_on	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis_type	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis_type	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis	Pass
	page.04_construction.py::TestConstructionTypeAnalysis	test_construction_type_analysis	Pass
	page.04_construction.py::TestFoundationPageBasics	test_foundation_page_basics	Pass
	page.04_construction.py::TestFoundationPageBasics	test_foundation_page_basics	Pass
	page.04_construction.py::TestFoundationPageBasics	test_foundation_page_basics	Pass
	page.04_construction.py::TestFoundationPageBasics	test_foundation_page_basics	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
page_07_protection.py::TestProtectionPage	testProtectionPage	critical_measures_in_recommendations	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_natural_false	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_flood_re_eligible	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_missing_critical	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_section_always_rendered	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_installed_max_rating	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_results_listed	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_excellent_80pct	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_fair_40pct	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_good_60pct	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_mediocre_20pct	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_poor_0pct	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_results_listed	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_results_listed	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_measures_still_shown	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_shown	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_premium_shown	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_assessment_shown	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_include_flood_re	Pass
page_07_protection.py::TestProtectionPage	testProtectionPage	is_section_rendered	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	analyze_epc_rating_all_bands	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	analyze_epc_rating_case_insensitive	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	analyze_epc_rating_unknown	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	energy_intensity_calculation	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	full_data_no_crash	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	no_energy_data_fallback_message	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	returns_list	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	with_building_fabric	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	with_energy_usage	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	with_ratings_data	Pass
page_08_energy.py::TestEnergyPage	testEnergyPage	with_ratings_includes_table	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_active_sub	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_high_env	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_low_env	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_minor_sub	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_moderate_env	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_moderate_flood	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_no_flood_damage	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_severe_flood	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	historical_risks_stable_growths	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	is_bad_flood_history_bad_json	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	is_bad_flood_history_no_flood_days	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	is_bad_flood_history_no_hd_file	Pass
page_09_history_part1.py::TestHistoryPage	testHistoryPage	is_bad_flood_history_no_reference_gauges	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_09_history_part1.py::TestHistoryPage	test_detailed_flood_history_with_flood_data	Pass
	page_09_history_part1.py::TestHistoryPage	test_empty_flood_events	Pass
	page_09_history_part1.py::TestHistoryPage	test_empty_property_does_not_crash	Pass
	page_09_history_part1.py::TestHistoryPage	test_history_header	Pass
	page_09_history_part1.py::TestHistoryPage	test_flood_history	Pass
	page_09_history_part1.py::TestHistoryPage	test_returns_list	Pass
	page_09_history_part1.py::TestHistoryPage	test_high_environmental_issues	Pass
	page_09_history_part1.py::TestHistoryPage	test_high_fire_incidents	Pass
	page_09_history_part1.py::TestHistoryPage	test_high_ground_conditions	Pass
	page_09_history_part1.py::TestHistoryPage	test_high_mortgage_data	Pass
	page_10_transactions.py::TestTransactionPage	test_yield_average	Pass
	page_10_transactions.py::TestTransactionPage	test_yield_below_average	Pass
	page_10_transactions.py::TestTransactionPage	test_yield_excellent	Pass
	page_10_transactions.py::TestTransactionPage	test_yield_good	Pass
	page_10_transactions.py::TestTransactionPage	test_yield_poor	Pass
	page_10_transactions.py::TestTransactionPage	test_property_does_not_crash	Pass
	page_10_transactions.py::TestTransactionPage	test_transactions	Pass
	page_10_transactions.py::TestTransactionPage	test_transactions_header	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_appreciation	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_few_vacancies	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_many_vacancies	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_marketing_above_30	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_marketing_above_90	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_never_rented	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_no_vacancy	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_analysis_yield	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_history	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_list	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_extended_marketing	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_quick_sale	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_very_long_marketing	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_mortgage_data	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_rental_data	Pass
	page_10_transactions.py::TestTransactionPage	test_transaction_pages_data	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_application_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_reasons_when_default	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_reasons_when_not_default	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_member_mortgage_list_does_not_crash	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_member_mortgage_list_accepted	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_member_mortgage_list	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_application_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_application_loan_and_purchase	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_application_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_application_subsection	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
page_11	mortgage_overview.py::	TestMortgageOverviewPage returns_message	Pass
page_11	mortgage_overview.py::	TestMortgageOverviewPage returns_message	Pass
page_11	mortgage_overview.py::	TestMortgageOverviewPage data	Pass
page_11	mortgage_overview.py::	TestMortgageOverviewPage present	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage field	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage subsection	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage risk	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage subsection	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage of_purchase_calculation	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage risk	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage risk	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage returns_message	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage returns_message	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage data	Pass
page_11a	mortgage_details.py::	TestMortgageDetailsPage present	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage subsection	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage burden	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage burden	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage burden	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage burden	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage high_burden	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage analysis	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage dict_does_not_crash	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage reduces_net_cost	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage terms_returns_message	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage data_returns_message	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage setup_subsection	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage subsection	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage with_data	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage present	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage percentage_of_loan	Pass
page_11b	mortgage_costs.py::	TestMortgageCostsPage overview_subsection	Pass
page_11c	regulatory.py::	TestContentSections together	Pass
page_11c	regulatory.py::	TestContentSection handled_gracefully	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_11c_regulatory.py::TestContentSection	test_shortcode_structure	Pass
	page_11c_regulatory.py::TestContentSection	test_advised_flag	Pass
	page_11c_regulatory.py::TestContentSection	test_business_purpose_false	Pass
	page_11c_regulatory.py::TestContentSection	test_business_purpose_true	Pass
	page_11c_regulatory.py::TestContentSection	test_combined_section_returns_elements	Pass
	page_11c_regulatory.py::TestContentSection	test_loan_reference_number	Pass
	page_11c_regulatory.py::TestContentSection	test_multiple_regulatory_flags	Pass
	page_11c_regulatory.py::TestHmdaSection	test_hmda_minimal_fields	Pass
	page_11c_regulatory.py::TestHmdaSection	test_hmda_rate_spread_formatted	Pass
	page_11c_regulatory.py::TestHmdaSection	test_hmda_section_creates_table	Pass
	page_11c_regulatory.py::TestMcoSection	test_mco_advice_rejection_reason	Pass
	page_11c_regulatory.py::TestMcoSection	test_mco_all_fields_returns_list	Pass
	page_11c_regulatory.py::TestMcoSection	test_mco_section_creates_tables	Pass
	page_11c_regulatory.py::TestMcoSection	test_mco_with_minimal_fields	Pass
	page_11c_regulatory.py::TestNoRegulatoryData	test_no_regulatory_message	Pass
	page_11c_regulatory.py::TestNoRegulatoryData	test_no_regulatory_returns_list	Pass
	page_11c_regulatory.py::TestNoRegulatoryData	test_empty_data_regulatory_returns_message	Pass
	page_11c_regulatory.py::TestNoRegulatoryData	test_regulatory_data_list	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_base_page_basics	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_current_paymentssshown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_page_header	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_page_basics	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_page_basics_shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_status_paymentbasics_shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_pagebasics_shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statusing_pagebasics_shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_pagebasics returns message	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_pagebasics returns message	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statusing_balance_shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statusing_pagebasics_shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statusing_payments shown	Pass
	page_12_current_status.py::TestCurrentPageBasics	test_statuses_pagebasics returns list	Pass
	page_12_current_status.py::TestLeverRatio	test_lever_ratio_percentage_not_decimal	Pass
	page_12_current_status.py::TestLeverRatio	test_lever_ratio_lower_60_low_medium	Pass
	page_12_current_status.py::TestLeverRatio	test_lever_ratio_lower_70_medium	Pass
	page_12_current_status.py::TestLeverRatio	test_lever_ratio_lower_80_medium_high	Pass
	page_12_current_status.py::TestLeverRatio	test_lever_ratio_lower_90_high_risk	Pass
	page_12_current_status.py::TestLeverRatio	test_lever_ratio_under_60_low_risk	Pass
	page_12_current_status.py::TestPresentHoliday	test_all_holiday_fields_shown	Pass
	page_12_current_status.py::TestPresentHoliday	test_no_holidays_taken_shown	Pass
	page_12_current_status.py::TestPresentHoliday	test_no_holiday_date_shown	Pass
	page_12_current_status.py::TestPresentHoliday	test_no_holiday_data_no_section	Pass
	page_12_current_status.py::TestPresentHoliday	test_no_holidays_shown	Pass
	page_12_current_status.py::TestPresentPersonalCard	test_personal_card_shown	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments poor	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments concerning	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments shown	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments Branches	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments good	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments concerning	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments good	Pass
	page_12_current_status.py::TestPresentPerformancePayments	TestPresentPerformancePayments excellent	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskBranches	TestCreditRiskBranches 800 plus	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskBranches	TestCreditRiskBranches 580 to 669	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskBranches	TestCreditRiskBranches 670 to 739	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskBranches	TestCreditRiskBranches under 580	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskBranches	TestCreditRiskBranches 740 to 799	Pass
	page_13_risk_analysis_part1.py::TestLTVRiskBranches	TestLTVRiskBranches 95	Pass
	page_13_risk_analysis_part1.py::TestLTVRiskBranches	TestLTVRiskBranches 70	Pass
	page_13_risk_analysis_part1.py::TestLTVRiskBranches	TestLTVRiskBranches 70 to 80	Pass
	page_13_risk_analysis_part1.py::TestLTVRiskBranches	TestLTVRiskBranches 80 to 90	Pass
	page_13_risk_analysis_part1.py::TestLTVRiskBranches	TestLTVRiskBranches over 95	Pass
	page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	TestPaymentPerformanceBranches	Pass
	page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	TestPaymentPerformanceBranches over 3	Pass
	page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	TestPaymentPerformanceBranches good	Pass
	page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	TestPaymentPerformanceBranches to 3	Pass
	page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	TestRiskAnalysisPageBasics mortgage	Pass
	page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	TestRiskAnalysisPageBasics not_crash	Pass
	page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	TestRiskAnalysisPageBasics	Pass
	page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	TestRiskAnalysisPageBasics	Pass
	page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	TestRiskAnalysisPageBasics	Pass
	page_13_risk_analysis_part2.py::TestDTIBranches	TestDTIBranches under 28	Pass
	page_13_risk_analysis_part2.py::TestDTIBranches	TestDTIBranches 36 to 43	Pass
	page_13_risk_analysis_part2.py::TestDTIBranches	TestDTIBranches 28 to 36	Pass
	page_13_risk_analysis_part2.py::TestDTIBranches	TestDTIBranches dti unknown	Pass
	page_13_risk_analysis_part2.py::TestDTIBranches	TestDTIBranches dti over 43	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches monitoring high score	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches monitoring low score	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches monitoring medium score	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches recommendations high score	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches recommendations low score	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches recommendations medium score	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches factors high risk	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches factors medium risk	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches 5 to 7	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches Branches	Pass
	page_13_risk_analysis_part2.py::TestHighRateBranches	TestHighRateBranches Branches	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_13_risk_analysis_part2.py::TestModerateRateBase	TestModerateRateBase0-5	Pass
	page_13_risk_analysis_part2.py::TestIntermediateBranches	TestIntermediateBranches	Pass
	page_13_risk_analysis_part2.py::TestCriticalRiskScenario	TestCriticalRiskScenario	Pass
	page_13_risk_analysis_part2.py::TestLowRiskScenario	TestLowRiskScenario	Pass
	page_13_risk_analysis_part2.py::TestProperlyOnlyHighFloodRisk	TestProperlyOnlyHighFloodRisk	Pass
	page_13_risk_analysis_part2.py::TestProperlyOnlyVeryLowFloodRisk	TestProperlyOnlyVeryLowFloodRisk	Pass
	page_14_borrower_profile.py::TestAgeHighBranchingRetirementOver55	TestAgeHighBranchingRetirementOver55	Pass
	page_14_borrower_profile.py::TestAgeRiskByCareerUnder25	TestAgeRiskByCareerUnder25	Pass
	page_14_borrower_profile.py::TestAgeRiskByYears25to55	TestAgeRiskByYears25to55	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskCoachingRetirement	TestAssessBorrowerRiskCoachingRetirement	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskEarlyCareer	TestAssessBorrowerRiskEarlyCareer	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskLateYears	TestAssessBorrowerRiskLateYears	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskHighForPoorScore	TestAssessBorrowerRiskHighForPoorScore	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskLowForHighScore	TestAssessBorrowerRiskLowForHighScore	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskLowMediumForGoodScore	TestAssessBorrowerRiskLowMediumForGoodScore	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskMediumForFairScore	TestAssessBorrowerRiskMediumForFairScore	Pass
	page_14_borrower_profile.py::TestAssessEmploymentRiskEstablished2to5	TestAssessEmploymentRiskEstablished2to5	Pass
	page_14_borrower_profile.py::TestAssessEmploymentRiskRecentUnder2	TestAssessEmploymentRiskRecentUnder2	Pass
	page_14_borrower_profile.py::TestAssessEmploymentRiskStable5plus	TestAssessEmploymentRiskStable5plus	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskLowForHighIncome	TestAssessBorrowerRiskLowForHighIncome	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskLowMediumAdequate	TestAssessBorrowerRiskLowMediumAdequate	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRiskMediumLimited	TestAssessBorrowerRiskMediumLimited	Pass
	page_14_borrower_profile.py::TestAssessBorrowerRisk	TestAssessBorrowerRisk	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasicsShown	TestBorrowerProfilePageBasicsShown	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageHeader	TestBorrowerProfilePageHeader	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics	TestBorrowerProfilePageBasics	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageEducationShown	TestBorrowerProfilePageEducationShown	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageStatusShown	TestBorrowerProfilePageStatusShown	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics	TestBorrowerProfilePageBasics	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasicsReturnsEarly	TestBorrowerProfilePageBasicsReturnsEarly	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasicsMessage	TestBorrowerProfilePageBasicsMessage	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasicsShown	TestBorrowerProfilePageBasicsShown	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasicsShown	TestBorrowerProfilePageBasicsShown	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasicsReturnsList	TestBorrowerProfilePageBasicsReturnsList	Pass
	page_14_borrower_profile.py::TestCreditScoreBetween800plus	TestCreditScoreBetween800plus	Pass
	page_14_borrower_profile.py::TestCreditScore580to699	TestCreditScore580to699	Pass
	page_14_borrower_profile.py::TestCreditScore700to799	TestCreditScore700to799	Pass
	page_14_borrower_profile.py::TestCreditScoreBelow580	TestCreditScoreBelow580	Pass
	page_14_borrower_profile.py::TestCreditScoreBelow740to799	TestCreditScoreBelow740to799	Pass
	page_14_borrower_profile.py::TestEstimateMonthlyPaymentBranchYear	TestEstimateMonthlyPaymentBranchYear	Pass
	page_14_borrower_profile.py::TestEstimateMonthlyPaymentBranchYears	TestEstimateMonthlyPaymentBranchYears	Pass
	page_14_borrower_profile.py::TestEstimateMonthlyPaymentBranches	TestEstimateMonthlyPaymentBranches	Pass
	page_14_borrower_profile.py::TestEstimateMonthlyPaymentBranches	TestEstimateMonthlyPaymentBranches	Pass
	page_14_borrower_profile.py::TestEstimateMonthlyPaymentBranches	TestEstimateMonthlyPaymentBranches	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Pytest	page_14.borrower_profile.py::TestHistogramAnalysisBorrower50kto100k	TestHistogramAnalysisBorrower50kto100k	Pass
	page_14.borrower_profile.py::TestHistogramAnalysisBorrowerover100k	TestHistogramAnalysisBorrowerover100k	Pass
	page_14.borrower_profile.py::TestHistogramAnalysisBorrowerunder30k	TestHistogramAnalysisBorrowerunder30k	Pass
	page_14.borrower_profile.py::TestHistogramAnalysisBorrowerwithsecondary	TestHistogramAnalysisBorrowerwithsecondary	Pass
	page_15.data_summary.py::TestAnalyzeDataCompletenesspercentage_computed	TestAnalyzeDataCompletenesspercentage_computed	Pass
	page_15.data_summary.py::TestAnalyzeDataCompletenessexcluded	TestAnalyzeDataCompletenessexcluded	Pass
	page_15.data_summary.py::TestAnalyzeDataCompletenessincluded	TestAnalyzeDataCompletenessincluded	Pass
	page_15.data_summary.py::TestAnalyzeDataCompletenesssection_present	TestAnalyzeDataCompletenesssection_present	Pass
	page_15.data_summary.py::TestAnalyzeDataCompleteness	TestAnalyzeDataCompleteness	Pass
	page_15.data_summary.py::TestAnalyzeDataCompletenesspresent_excluded	TestAnalyzeDataCompletenesspresent_excluded	Pass
	page_15.data_summary.py::TestAssessDataQualityworst_sections_shown	TestAssessDataQualityworst_sections_shown	Pass
	page_15.data_summary.py::TestAssessDataQualitycompleteness_high	TestAssessDataQualitycompleteness_high	Pass
	page_15.data_summary.py::TestAssessDataQualitycompleteness_low	TestAssessDataQualitycompleteness_low	Pass
	page_15.data_summary.py::TestAssessDataQualitycompleteness_medium	TestAssessDataQualitycompleteness_medium	Pass
	page_15.data_summary.py::TestAssessDataQualityover_90	TestAssessDataQualityover_90	Pass
	page_15.data_summary.py::TestAssessDataQuality75	TestAssessDataQuality75	Pass
	page_15.data_summary.py::TestAssessDataQuality90	TestAssessDataQuality90	Pass
	page_15.data_summary.py::TestAssessDataQuality40to60	TestAssessDataQuality40to60	Pass
	page_15.data_summary.py::TestAssessDataQuality40	TestAssessDataQuality40	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics_does_not_crash	TestTestSummaryPageBasics_does_not_crash	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
	page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
page_15.data_summary.py::TestTestSummaryPageBasics	TestTestSummaryPageBasics	Pass	
cli.py::TestErrorHandling	test.bad_property_file.exits_with_1	test.bad_property_file.exits_with_1	Pass
cli.py::TestErrorHandling	test.invalid_json.exits_with_1	test.invalid_json.exits_with_1	Pass
cli.py::TestListCategories	test.list_categories_does_not_open_property_file	test.list_categories_does_not_open_property_file	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Model 1	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass
	cli.py::TestListPages	test_list_pages_does_not_open_property_file	Fail
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestOptionalLoading	test_mortgage_file_is_loaded	Pass
	cli.py::TestOptionalLoading	test_property_id_filters_without_mortgage	Pass
	cli.py::TestOptionalLoading	test_property_id_with_mortgage_file	Pass
	cli.py::TestReportGeneration	test_else_branch_generates_report	Pass
	cli.py::TestReportGeneration	test_report_type_mortgage_focused_with_mortgage	Pass
	cli.py::TestReportGeneration	test_report_type_mortgage_focused_without_mortgage_falls_through	Pass
	cli.py::TestReportGeneration	test_report_type_property_only	Pass
	cli.py::TestReportGeneration	test_report_type_risk_focused	Pass
	cli.py::TestReportGeneration	test_success_logging_executes	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyDoesNotRaiseException	test_report_of_generic_property_does_not_raise_exception	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToOpenFile	test_report_of_generic_property_falls_back_to_open_file	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToOpenFile	test_report_of_generic_property_falls_back_to_open_file	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	convenience.py::TestGeneratePropertyReportOfGenericPropertyFallsBackToGenerateReport	test_report_of_generic_property_falls_back_to_generate_report	Pass
	elements.py::TestGenerateElements	test_empty_page_list	Pass
elements.py::TestGenerateElements	test_exception_in_page_module_continues	Pass	
elements.py::TestGenerateElements	test_first_page_no_page_break	Pass	
elements.py::TestGenerateElements	test_mixed_valid_and_unknown_pages	Pass	
elements.py::TestGenerateElements	test_mortgage_data_passed_to_page	Pass	
elements.py::TestGenerateElements	test_multiple_pages_have_page_breaks	Pass	
elements.py::TestGenerateElements	test_returns_list	Pass	
elements.py::TestGenerateElements	test_unknown_page_skipped	Pass	
elements.py::TestGenerateReport	test_all_unknown_pages_still_creates_pdf	Pass	
elements.py::TestGenerateReport	test_auto_select_called_when_pages_none	Pass	
elements.py::TestGenerateReport	test_auto_select_not_called_when_pages_provided	Pass	
elements.py::TestGenerateReport	test_custom_output_filename	Pass	
elements.py::TestGenerateReport	test_custom_pages_to_include	Pass	
elements.py::TestGenerateReport	test_empty_property_data	Pass	
elements.py::TestGenerateReport	test_full_data_report	Pass	
elements.py::TestGenerateReport	test_pdf_exists	Pass	
elements.py::TestGenerateReport	test_pdf_non_empty	Pass	
elements.py::TestGenerateReport	test_pdf_suffix	Pass	
elements.py::TestGenerateReport	test_returns_path	Pass	
elements.py::TestGenerateReport	test_with_mortgage_data	Pass	
finders.py::TestEdgeCases	test_completely_empty_property_data	Pass	
finders.py::TestEdgeCases	test_negative_value_property	Pass	

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	finders.py::TestEdgeCases	test_pdf_content_is_bytes	Pass
	finders.py::TestEdgeCases	test_property_data_with_none_header	Pass
	finders.py::TestEdgeCases	test_report_with_all_pages	Pass
	finders.py::TestEdgeCases	test_zero_value_property	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_with_mortgages_found	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_with_mortgages_not_found_returns_none	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_without_mortgages_key_returns_data_itself	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_with_empty_mortgages_list_returns_none	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_with_invalid_type_returns_data_as_is	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_with_list_input_found	Pass
	finders.py::TestFindMortgageByPropertyId	test_find_mortgage_with_list_input_not_found_returns_none	Pass
	finders.py::TestFindPropertyById	test_dict_without_list_key_wraps_itself	Pass
	finders.py::TestFindPropertyById	test_empty_properties_list_raises	Pass
	finders.py::TestFindPropertyById	test_invalid_type_raises_value_error	Pass
	finders.py::TestFindPropertyById	test_list_input_found	Pass
	finders.py::TestFindPropertyById	test_list_not_found_raises	Pass
	finders.py::TestFindPropertyById	test_none_raises_value_error	Pass
	finders.py::TestFindPropertyById	test_not_found_raises_value_error	Pass
	finders.py::TestFindPropertyById	test_portfolio_key_found	Pass
	finders.py::TestFindPropertyById	test_properties_key_found	Pass
	finders.py::TestOpenPdfFile	test_darwin_success	Pass
	finders.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	finders.py::TestOpenPdfFile	test_linux_success	Pass
	finders.py::TestOpenPdfFile	test_subprocess_called_process_error_returns_false	Pass
	finders.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	finders.py::TestOpenPdfFile	test_windows_case_insensitive	Pass
	finders.py::TestOpenPdfFile	test_windows_success	Pass
	init.py::TestAutoSelectPages	test_always_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_property_pages	Pass
	init.py::TestAutoSelectPages	test_empty_property_data	Pass
	init.py::TestAutoSelectPages	test_with_mortgage_includes_mortgage_pages	Pass
	init.py::TestAutoSelectPages	test_without_mortgage_excludes_mortgage_pages	Pass
	init.py::TestGenerateFilename	test_contains_property_id	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_missing_property_id_uses_unknown	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_header	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_property_id	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_timestamp_in_filename	Pass
	init.py::TestPropertyReportGeneratorInit	test_report_generator_categories_dict_initialized	Pass
	init.py::TestPropertyReportGeneratorInit	test_report_generator_explicit_output_dir_path	Pass
	init.py::TestPropertyReportGeneratorInit	test_report_generator_explicit_output_dir_string	Pass
	init.py::TestPropertyReportGeneratorInit	test_report_generator_output_dir_uses_config	Pass
	init.py::TestPropertyReportGeneratorInit	test_report_generator_output_dir_created	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	init.py::TestPropertyReportGenerator	test_init_property_pages_dict_initialized	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_confidential	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_mortgage_focused_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_mortgage_focused_report_existing	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_property_only_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_property_only_report_exists	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_with_mortgage	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_without_mortgage	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_mortgage_focused_includes_mortgage_content_pages	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_method_focused_with_mortgage_include_current_status	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_method_focused_without_mortgage_exclude_current_status	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_all_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	test_base_page_coverage.py::TestAbstractGreenfieldClass	test_abstract_greenfield_class_returns_empty_list	Pass
	test_base_page_coverage.py::TestFormatCurrencyKeyNotImplemented	test_format_currency_key_not_implemented_raises_exception	Pass
	test_base_page_coverage.py::TestFormatGamingItemByDelegates	test_format_gaming_item_by_delegates	Pass
	test_base_page_coverage.py::TestFormatPercentageNameNotImplemented	test_format_percentage_name_not_implemented_raises_exception	Pass
	test_base_page_coverage.py::TestFormatSinglePageContentDelegates	test_format_single_page_content_delegates	Pass
	test_base_page_coverage.py::TestFormatEmptyStringReturnsNotSpecified	test_format_empty_string_returns_not_specified	Pass
	test_base_page_coverage.py::TestFormatMathsFactStringReturnsNotSpecified	test_format_maths_fact_string_returns_not_specified	Pass
	test_base_page_coverage.py::TestFormatNoneReturnsNotSpecified	test_format_none_returns_not_specified	Pass
	test_base_page_coverage.py::TestPropertyBasePageTitleExists	test_property_base_page_title_exists	Pass
	test_generator_direct.py::TestGenerateReportExceptionDoesNotRaise	test_generate_report_exception_does_not_raise	Pass
	test_generator_direct.py::TestGenerateReportFalseSkips	test_generate_report_false_skips	Pass
	test_generator_direct.py::TestGenerateReportTrueTries	test_generate_report_true_tries	Pass
	test_generator_direct.py::TestGenerateReportMortgageFocusedType	test_generate_report_mortgage_focused_type	Pass
	test_generator_direct.py::TestGenerateReportPropertyOnlyType	test_generate_report_property_only_type	Pass
	test_generator_direct.py::TestGenerateReportRiskFocusedType	test_generate_report_risk_focused_type	Pass
	test_generator_direct.py::TestGenerateReportUnknownTypeFallsBack	test_generate_report_unknown_type_falls_back	Pass
	test_generator_direct.py::TestGenerateReportSelectPagesWithMortgage	test_generate_report_select_pages_with_mortgage	Pass
	test_generator_direct.py::TestGenerateReportSelectPagesWithoutMortgage	test_generate_report_select_pages_without_mortgage	Pass
	test_generator_direct.py::TestGenerateReportGenerateKnownIdExceptionContinues	test_generate_report_generate_known_id_exception_continues	Pass
	test_generator_direct.py::TestGenerateReportGenerateKnownIdSkipsUnknown	test_generate_report_generate_known_id_skips_unknown	Pass
	test_generator_direct.py::TestGenerateReportGenerateKnownIdUnknownId	test_generate_report_generate_known_id_unknown_id	Pass
	test_generator_direct.py::TestGenerateReportGenerateMortgageFocusedReport	test_generate_report_generate_mortgage_focused_report	Pass
	test_generator_direct.py::TestGenerateReportGeneratePropertyOnlyReport	test_generate_report_generate_property_only_report	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generator_direct.py::TestProjectGenerator	test_generate_risk_of_bribe_report_no_mortgage	Pass
	test_generator_direct.py::TestProjectGenerator	test_generate_risk_of_bribe_report_with_mortgage	Pass
	test_generator_direct.py::TestProjectGenerator	test_generate_risk_of_bribe_report_direct	Pass
	test_generator_direct.py::TestProjectGenerator	test_generate_risk_of_bribe_report_pages	Pass
	test_generator_direct.py::TestProjectGenerator	test_generate_risk_of_bribe_report_disconfig	Pass
	test_generator_direct.py::TestProjectGenerator	test_generate_risk_of_bribe_report_direct	Pass
	test_helpers.py::TestFindMortgagesByDistrict	test_find_mortgages_found	Pass
	test_helpers.py::TestFindMortgagesByDistrict	test_find_mortgages_not_found_returns_none	Pass
	test_helpers.py::TestFindMortgagesByDistrict	test_find_mortgages_type_returns_data	Pass
	test_helpers.py::TestFindMortgagesByDistrict	test_find_mortgages_not_found	Pass
	test_helpers.py::TestFindPropertiesByDict	test_find_properties_without_properties_wraps_in_list	Pass
	test_helpers.py::TestFindPropertiesByDict	test_find_properties_invalid_type_raises	Pass
	test_helpers.py::TestFindPropertiesByDict	test_find_properties_dist_input	Pass
	test_helpers.py::TestFindPropertiesByDict	test_find_properties_not_found_raises	Pass
	test_helpers.py::TestFindPropertiesByDict	test_find_properties_portfolio_key	Pass
	test_helpers.py::TestFindPropertiesByDict	test_find_properties_properties_key	Pass
	test_helpers.py::TestOpenPdfFile	test_darwin_success	Pass
	test_helpers.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	test_helpers.py::TestOpenPdfFile	test_linux_success	Pass
	test_helpers.py::TestOpenPdfFile	test_subprocess_failure_returns_false	Pass
	test_helpers.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	test_helpers.py::TestOpenPdfFile	test_windows_success	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_returns_path	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_file_returns_none	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_file_still_generates	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_contains_property_id	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_created	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_file_created	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_generate_report_from_property_not_found_returns_none	Pass
	test_integrator_exception.py::TestGenerateReportFromPropertyFile	test_generate_report_from_property_file_returns_none	Pass
	test_integrator_exception.py::TestGenerateReportFromPropertyFile	test_generate_report_from_property_file_exception	Pass
	generation.py::TestGenerateRiskReport	test_generate_risk_report_analysis_type	Pass
	generation.py::TestGenerateRiskReport	test_generate_risk_report_basic_type	Pass
	generation.py::TestGenerateRiskReport	test_generate_risk_report_detailed_type	Pass
	generation.py::TestGenerateRiskReport	test_generate_risk_report_summary_type	Pass
	generation.py::TestGenerateRiskReport	test_generate_risk_report_unknown_type_fallback	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_select_pages_returns_list	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_empty_gauge_data	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_generate_elements_exception_continues	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_generate_elements_skips_unknown	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_get_page_categories	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_high_risk_portfolio_report	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_list_available_pages	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_risk_report_edges_case_minimal_data_report	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	generation.py::TestRiskReportEdgeCases	test_missing_mortgage_data	Pass
	generation.py::TestRiskReportEdgeCases	test_output_dir_uses_config	Pass
	generation.py::TestRiskReportEdgeCases	test_validate_pages_valid_and_invalid	Pass
	generation.py::TestRiskReportGeneration	test_analysis_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_basic_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_custom_filename	Pass
	generation.py::TestRiskReportGeneration	test_custom_page_selection	Pass
	generation.py::TestRiskReportGeneration	test_detailed_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_summary_report_generation	Pass
	cli.py::TestErrorHandling	test_bad_flood_file_exits_with_1	Pass
	cli.py::TestErrorHandling	test_invalid_json_exits_with_1	Pass
	cli.py::TestListCategories	test_list_categories_iterates_all_categories	Pass
	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass
	cli.py::TestListPages	test_list_pages_does_not_open_flood_file	Pass
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestReportGeneration	test_logging_after_generation	Pass
	cli.py::TestReportGeneration	test_report_type_analysis	Pass
	cli.py::TestReportGeneration	test_report_type_basic	Pass
	cli.py::TestReportGeneration	test_report_type_detailed	Pass
	cli.py::TestReportGeneration	test_report_type_else_branch	Pass
	cli.py::TestReportGeneration	test_report_type_summary	Pass
	convenience.py::TestEdgeCases	test_all_unknown_pages_still_creates_pdf	Pass
	convenience.py::TestEdgeCases	test_completely_empty_flood_data	Pass
	convenience.py::TestEdgeCases	test_large_property_risk_dataset	Pass
	convenience.py::TestEdgeCases	test_missing_summary_key	Pass
	convenience.py::TestEdgeCases	test_negative_values_in_summary	Pass
	convenience.py::TestEdgeCases	test_none_gauge_data_key	Pass
	convenience.py::TestEdgeCases	test_report_with_all_pages	Pass
	convenience.py::TestEdgeCases	test_single_page_report	Pass
	convenience.py::TestEdgeCases	test_zero_properties_at_risk	Pass
	convenience.py::TestGenerateRiskReportAnalysisType	test_returns_path	Pass
	convenience.py::TestGenerateRiskReportBasicType	test_returns_path	Pass
	convenience.py::TestGenerateRiskReportDefaultReportFunction	test_returns_basic	Pass
	convenience.py::TestGenerateRiskReportDefaultType	test_returns_path	Pass
	convenience.py::TestGenerateRiskReportPdfType	test_returns_string	Pass
	convenience.py::TestGenerateRiskReportPdfType	test_returns_empty_bytes_on_disk	Pass
	convenience.py::TestGenerateRiskReportPdfType	test_returns_path	Pass
	convenience.py::TestGenerateRiskReportUnknownType	test_falls_back_to_generate_report	Pass
	elements.py::TestGenerateElement	test_empty_page_list	Pass
	elements.py::TestGenerateElement	test_exception_in_page_continues	Pass
	elements.py::TestGenerateElement	test_first_page_no_page_break	Pass
	elements.py::TestGenerateElement	test_mixed_valid_and_unknown_pages	Pass
	elements.py::TestGenerateElement	test_multiple_pages_inserts_page_breaks	Pass
	elements.py::TestGenerateElement	test_returns_list	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	elements.py::TestGenerateElement	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_auto_select_pages_when_none	Pass
	elements.py::TestGenerateReport	test_auto_select_skipped_when_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_flood_data	Pass
	elements.py::TestGenerateReport	test_full_data_report	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	init.py::TestAutoSelectPages	test_all_pages_exist	Pass
	init.py::TestAutoSelectPages	test_always_includes_appendix	Pass
	init.py::TestAutoSelectPages	test_empty_flood_data	Pass
	init.py::TestAutoSelectPages	test_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_includes_overview_pages	Pass
	init.py::TestAutoSelectPages	test_returns_list	Pass
	init.py::TestGenerateFilename	test_contains_flood_risk_report	Pass
	init.py::TestGenerateFilename	test_contains_timestamp	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_two_calls_produce_string_names	Pass
	init.py::TestRiskReportGenerator	test_categories_dict_initialized	Pass
	init.py::TestRiskReportGenerator	test_explicit_output_dir_path	Pass
	init.py::TestRiskReportGenerator	test_explicit_output_dir_string	Pass
	init.py::TestRiskReportGenerator	test_no_output_dir_uses_config	Pass
	init.py::TestRiskReportGenerator	test_output_dir_created	Pass
	init.py::TestRiskReportGenerator	test_pages_dict_initialized	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_strings	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_detailed_page_counts	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_analysis_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_analysis_report_exists	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_basic_report_exists	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_basic_report_non_empty	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_detailed_report_exists	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_detailed_report_includes_report_page_page	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_summary_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportMethods	test_methods_summary_report_exists	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_contains_expected_keys	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_all_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_non_empty	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	specialised.py::TestUtilityMethod	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_mixed	Pass
	utilities.py::TestConvenienceFunction	test_generate_risk_report_basic	Pass
	utilities.py::TestConvenienceFunction	test_generate_risk_report_default	Pass
	utilities.py::TestConvenienceFunction	test_generate_risk_report_detailed	Pass
	utilities.py::TestRiskBasePageForm	test_format_count_non_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_count_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_currency_non_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_currency_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_depth_non_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_depth_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_field_name_camel_case	Pass
	utilities.py::TestRiskBasePageForm	test_format_field_name_replacements	Pass
	utilities.py::TestRiskBasePageForm	test_format_percentage_non_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_percentage_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_bool_false	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_bool_true	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_empty_string	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_float_decimal	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_float_integer	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_int	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_non_empty_string	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_none	Pass
	utilities.py::TestRiskReportUtility	test_get_page_categories	Pass
	utilities.py::TestRiskReportUtility	test_list_available_pages	Pass
	utilities.py::TestRiskReportUtility	test_validate_pages_invalid	Pass
	utilities.py::TestRiskReportUtility	test_validate_pages_valid	Pass
	utilities.py::TestRiskReportWorkflow	test_complete_workflow_all_types	Pass
	utilities.py::TestRiskReportWorkflow	test_complete_workflow_basic	Pass
	eod_pages_part1.py::TestEODPositionPage	test_id_gauge_id_truncated	Pass
	eod_pages_part1.py::TestEODPositionPage	test_multiple_gauges_grouped	Pass
	eod_pages_part1.py::TestEODPositionPage	test_positions_shows_message	Pass
	eod_pages_part1.py::TestEODPositionPage	test_positions_list	Pass
	eod_pages_part1.py::TestEODPositionPage	test_page_position	Pass
	eod_pages_part1.py::TestEODPositionPage	test_positions_creates_table	Pass
	eod_pages_part1.py::TestEODPositionPage	test_page_pnl_renders_dash	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_page_appears_in_paragraph	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_empty_summary	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_has_paragraph_and_table	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_page_pnl_snapshot	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_page_positions_list	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	eod_pages_part2.py::TestEODChartsPage	test_insufficient_data_message	Pass
	eod_pages_part2.py::TestEODChartsPage	test_returns_list	Pass
	eod_pages_part2.py::TestEODChartsPage	test_single_entry_insufficient	Pass
	eod_pages_part2.py::TestEODChartsPage	test_insufficient_data_creates_content	Pass
	eod_pages_part2.py::TestEODPnlDetailPage	test_market_movers_top_20	Pass
	eod_pages_part2.py::TestEODPnlDetailPage	test_move_pnl_creates_table	Pass
	eod_pages_part2.py::TestEODPnlDetailPage	test_trade_pnl_creates_table	Pass
	eod_pages_part2.py::TestEODPnlDetailPage	test_positions_shows_messages	Pass
	eod_pages_part2.py::TestEODPnlDetailPage	test_returns_list	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_get_id_in_filename	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_empty_snapshot	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_report_returns_path	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_report_without_pnl_series	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_output_dir_uses_config	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_output_dir_created	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_pdf_not_empty	Pass
	eod_pages_part2.py::TestPnlDetailPage	test_frozen_pnl_returns_dash	Pass
	test_eod_charts_coverage.py::TestDailyEmptyChartFlypyData	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyPnlChartPositiveNegative	test_positive_negative_renders	Pass
	test_eod_charts_coverage.py::TestDailyRegChartNegativePnl	test_negative_renders	Pass
	test_eod_charts_coverage.py::TestByClosingChartInputs	test_key_returns_drawing	Pass
	test_eod_charts_coverage.py::TestByRegChartPnlGauge	test_renders_correctly	Pass
	test_eod_charts_coverage.py::TestByPositionsChart	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestByPositionsChartWithZeroPnl	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestEmptyPnlChartFlypyData	test_returns_drawing	Pass
	open_pdf.py::TestOpenPdfFile	test_called_process_error_returns_false	Pass
	open_pdf.py::TestOpenPdfFile	test_darwin_calls_open	Pass
	open_pdf.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	open_pdf.py::TestOpenPdfFile	test_linux_calls_xdg_open	Pass
	open_pdf.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	open_pdf.py::TestOpenPdfFile	test_windows_calls_start	Pass
	catchment.py::TestCatchmentExceptionInvalidAttachmentSelector	test_exception_returns_500	Pass
	catchment.py::TestCatchmentExceptionInvalidAttachment	test_exception_returns_500	Pass
	catchment.py::TestServeCatchmentSelector	test_returns_404_when_file_missing	Pass
	catchment.py::TestServeCatchmentSelector	test_returns_html_when_file_exists	Pass
	catchment.py::TestServeCatchmentSelector	test_returns_json_error_or_html	Pass
	catchment.py::TestSetCatchment	test_case_insensitive_thames	Pass
	catchment.py::TestSetCatchment	test_missing_catchment_id_returns_400	Pass
	catchment.py::TestSetCatchment	test_no_json_returns_400	Pass
	catchment.py::TestSetCatchment	test_null_catchment_id_returns_400	Pass
	catchment.py::TestSetCatchment	test_options_returns_200	Pass
	catchment.py::TestSetCatchment	test_unknown_catchment_returns_400	Pass
	catchment.py::TestSetCatchment	test_valid_thames_returns_success	Pass
	counterparty.py::TestCounterpartyError	test_get_counterparty_error_returns_500	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	counterparty.py::TestCounterpartyError	test_list_counterparties_error_returns_500s	Pass
	counterparty.py::TestGetCounterparty	test_found_returns_200	Pass
	counterparty.py::TestGetCounterparty	test_found_second_counterparty	Pass
	counterparty.py::TestGetCounterparty	test_not_found_returns_404	Pass
	counterparty.py::TestListCounterparties	test_no_file_returns_empty_list	Pass
	counterparty.py::TestListCounterparties	test_summary_fields	Pass
	counterparty.py::TestListCounterparties	test_with_data_returns_summary	Pass
	cross_entity.py::TestCrossEntityConsistency	test_all_phuges_have_timeseries	Pass
	cross_entity.py::TestCrossEntityConsistency	test_all_phuges_hazard_no_500	Pass
	cross_entity.py::TestCrossEntityConsistency	test_all_properties_have_flood_data	Pass
	cross_entity.py::TestInteractivity	test_dashboard_menus_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_hazard_curve_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_pdf_panel_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_storm_analysis_renders	Pass
	cross_entity.py::TestInteractivity	test_notifications_renders	Pass
	cross_entity.py::TestInteractivity	test_property_hazard_curve_renders	Pass
	cross_entity.py::TestInteractivity	test_property_pdf_panel_renders	Pass
	cross_entity.py::TestInteractivity	test_property_storm_analysis_renders	Pass
	cross_entity.py::TestInteractivity	test_property_storm_js_guards_empty_event	Pass
	gauge.py::TestDataFormatValidation	test_gaugehc_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_gaugets_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_propertyhc_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_propertyts_file_structure	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_existing	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_gev_params	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_nonexistent_gauge	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_not_found	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_storms_existing	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugehc_ids_match_gauge_portfolio	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugets_ids_match_gauge_portfolio	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugets_internal_id_matches_filename	Pass
	property.py::TestMissingDataHandling	test_property_hazard_no_file	Pass
	property.py::TestMissingDataHandling	test_propertyhc_summary_no_file	Pass
	property.py::TestMissingDataHandling	test_propertyts_summary_no_dir	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_existing	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_nonexistent	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_not_in_curves	Pass
	property.py::TestPropertyHCRoutes	test_propertyhc_basis	Pass
	property.py::TestPropertyHCRoutes	test_propertyhc_summary	Pass
	property.py::TestPropertyIDConsistency	test_propertyhc_ids_match_property_portfolio	Pass
	property.py::TestPropertyIDConsistency	test_propertyhc_ids_subset_of_propertyts	Pass
	property.py::TestPropertyIDConsistency	test_propertyts_ids_match_property_portfolio	Pass
	property.py::TestPropertyTSRoutes	test_list_flood_storms	Pass
	property.py::TestPropertyTSRoutes	test_list_flood_storms_only_returns_damaging	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	property.py::TestPropertyTSRouter	test_property_floods_existing	Pass
	property.py::TestPropertyTSRouter	test_property_floods_few_events	Pass
	property.py::TestPropertyTSRouter	test_property_floods_not_found	Pass
	property.py::TestPropertyTSRouter	test_property_storms_existing	Pass
	property.py::TestPropertyTSRouter	test_property_storms_not_found	Pass
	property.py::TestPropertyTSRouter	test_property_storms_zero_floods	Pass
	property.py::TestPropertyTSRouter	test_propertyts_summary	Pass
	financial.py::TestPortfolioImpact	test_data_pts_dir_returns_404	Pass
	financial.py::TestPortfolioImpact	test_options_returns_200	Pass
	financial.py::TestPortfolioImpact	test_not_found_storm_returns_404	Pass
	financial.py::TestPortfolioImpact	test_mortgage_enrichment_present	Pass
	financial.py::TestPortfolioImpact	test_property_entry_has_damage_fields	Pass
	financial.py::TestPortfolioImpact	test_response_has_portfolio_key	Pass
	financial.py::TestPortfolioImpact	test_response_has_properties_list	Pass
	financial.py::TestPortfolioImpact	test_storm_id_in_response	Pass
	financial.py::TestPortfolioImpact	test_valid_storm_returns_200	Pass
	test_crud.py::TestCrudGetGauge	test_get_gauge_not_found	Pass
	test_crud.py::TestCrudGetGauge	test_get_gauge_success	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_error_returns_500	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_legacy_route	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_options	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_returns_200	Pass
	test_hazard.py::TestHazardError	test_get_gauge_hazard_corrupted_file_returns_500	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_exception_returns_500	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_gauge_not_in_hazard	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_no_hazard_file	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_no_json_body	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_null_json_body	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_severe_trigger	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_success	Pass
	test_hazard.py::TestPricePrsHappy	test_price_prs_with_defaults	Pass
	test_history.py::TestHistoryError	test_get_gauge_history_corrupted_file_returns_500	Pass
	test_history.py::TestHistoryError	test_get_gauge_statistics_exception_returns_500	Pass
	test_history.py::TestHistoryError	test_get_gaugets_exception_returns_500	Pass
	test_reports.py::TestReportsError	test_gaugehd_load_error_warning	Pass
	test_reports.py::TestReportsError	test_general_exception_returns_500	Pass
	test_reports.py::TestReportsError	test_hazard_load_error_warning	Pass
	test_reports.py::TestReportsError	test_import_error_returns_500	Pass
	test_reports.py::TestReportsError	test_timeseries_load_success_with_storm_responses	Pass
	test_reports.py::TestReportsError	test_timeseries_load_warning	Pass
	test_storms.py::TestStormsError	test_gaugets_dir_corrupted_file_continues	Pass
	test_storms.py::TestStormsError	test_no_gaugets_dir	Pass
	test_storms.py::TestStormsError	test_no_storm_sequences_file	Pass
	test_storms.py::TestStormsError	test_storm_sequences_corrupted_continues	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_storms.py::TestStormsErrorPath	test_storms_exception_returns_500	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_gauge_not_found_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_get_curve_for_gauge_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_get_hazard_file_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_annual_flood_probs	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_curve_points	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_flood_stages	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_gauge_id	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_gev_parameters	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_term_structures	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_valid_hazard_returns_200	Pass
	gauges_hazard.py::TestPricePrs	test_gauge_not_in_hazard_returns_404	Pass
	gauges_hazard.py::TestPricePrs	test_invalid_trigger_level_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_missing_gauge_id_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_no_hazard_file_returns_404	Pass
	gauges_hazard.py::TestPricePrs	test_no_json_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_options_returns_ok	Pass
	gauges_history.py::TestGaugeHistory	test_response_has_count_and_gauges_keys	Pass
	gauges_history.py::TestGaugeHistory	test_returns_200_with_no_gaugehd_files	Pass
	gauges_history.py::TestGaugeHistory	test_returns_correct_count_when_files_present	Pass
	gauges_history.py::TestGetGaugeHistory	test_days_larger_than_available_returns_404	Pass
	gauges_history.py::TestGetGaugeHistory	test_days_param_limits_observations	Pass
	gauges_history.py::TestGetGaugeHistory	test_days_param_zero_returns_all	Pass
	gauges_history.py::TestGetGaugeHistory	test_no_history_file_returns_404	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_daily_observations	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_flood_stages	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_gauge_metadata	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_statistics	Pass
	gauges_history.py::TestGetGaugeHistory	test_valid_history_returns_200	Pass
	gauges_history.py::TestGetGaugeHistory	test_gauge_not_found_returns_404	Pass
	gauges_history.py::TestGetGaugeHistory	test_invalid_gauge_returns_success	Pass
	gauges_history.py::TestGetGaugeHistory	test_gauge_not_found_returns_404	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_count_and_readings	Pass
	gauges_history.py::TestGetGaugeHistory	test_valid_gauge_returns_success	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_gauge_not_found_returns_404	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_route_alias	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_gauge_id_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_no_json_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_no_json_body_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_options_returns_ok	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_has_file_path	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_has_pdf_base64	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_gauge_generates_report	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_gaugehd_file_present	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauges_reports.py::TestGenerateReport	test_no_hazard_file_present	Pass
	gauges_storms.py::TestGetGaugeStorm	test_gauge_not_found_returns_404	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_flood_simulation	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_flood_stages	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_gauge_id	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_storm_responses	Pass
	gauges_storms.py::TestGetGaugeStorm	test_storm_enrichment_from_storms_json	Pass
	gauges_storms.py::TestGetGaugeStorm	test_invalid_gauge_returns_200	Pass
	gauges_storms.py::TestGetGaugeStorm	test_with_severe_exceeded_counts_gauges	Pass
	audit_part1.py::TestGetAuditTrail	test_after_log_entry_appears	Pass
	audit_part1.py::TestGetAuditTrail	test_empty_trail_returns_200	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_event_type	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_model_id	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_model_id_no_match	Pass
	audit_part1.py::TestGetAuditTrail	test_has_returned_field	Pass
	audit_part1.py::TestGetAuditTrail	test_limit_parameter	Pass
	audit_part1.py::TestLogModelUsage	test_defaults_applied_when_no_json	Pass
	audit_part1.py::TestLogModelUsage	test_entry_has_expected_fields	Pass
	audit_part1.py::TestLogModelUsage	test_model_not_found_returns_404	Pass
	audit_part1.py::TestLogModelUsage	test_parameters_stored	Pass
	audit_part1.py::TestLogModelUsage	test_valid_model_returns_200	Pass
	audit_part1.py::TestUpdateValidatedModel	test_invalid_statuses	Pass
	audit_part1.py::TestUpdateValidatedModel	test_invalid_status_returns_400	Pass
	audit_part1.py::TestUpdateValidatedModel	test_model_not_found_returns_404	Pass
	audit_part1.py::TestUpdateValidatedModel	test_question_not_found_returns_404	Pass
	audit_part1.py::TestUpdateValidatedModel	test_questioning_recalculated	Pass
	audit_part1.py::TestUpdateValidatedModel	test_question_update_has_model_and_audit_entry	Pass
	audit_part1.py::TestUpdateValidatedModel	test_question_update_returns_success	Pass
	audit_part2.py::TestGetRiskRating	test_model_not_found_returns_404	Pass
	audit_part2.py::TestGetRiskRating	test_response_has_risk_rating	Pass
	audit_part2.py::TestGetRiskRating	test_risk_rating_has_component_scores	Pass
	audit_part2.py::TestGetRiskRating	test_valid_model_returns_success	Pass
	audit_part2.py::TestOverrideRiskRating	test_invalid_override_with_null	Pass
	audit_part2.py::TestOverrideRiskRating	test_invalid_rating_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_model_not_found_returns_404	Pass
	audit_part2.py::TestOverrideRiskRating	test_reason_field_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_reason_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_override_stored_in_model	Pass
	audit_part2.py::TestOverrideRiskRating	test_response_has_audit_entry	Pass
	audit_part2.py::TestOverrideRiskRating	test_valid_override_returns_success	Pass
	audit_part2.py::TestPdfEndpoint	test_documentation_pdf_known_model_not_found	Pass
	audit_part2.py::TestPdfEndpoint	test_documentation_pdf_unknown_model_404	Pass
	audit_part2.py::TestPdfEndpoint	test_mrc_tor_pdf_responds	Pass
	audit_part2.py::TestPdfEndpoint	test_parameter_inventory_pdf_responds	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	audit_part2.py::TestPdfEndpoint	test.test_results_pdf_known_model_no_file	Fail 404
	audit_part2.py::TestPdfEndpoint	test.test_results_pdf_unknown_model	Pass
	audit_reports.py::TestDownloadAuditReport	not_found_returns_404	Pass
	audit_reports.py::TestDownloadAuditReport	pdf_served_as_attachment	Pass
	audit_reports.py::TestDownloadAuditReport	path_traversal_returns_403	Pass
	audit_reports.py::TestDownloadAuditReport	pdf_served_inline	Pass
	audit_reports.py::TestListAuditReports	coverage_available_false_when_no_index	Fail
	audit_reports.py::TestListAuditReports	coverage_available_true_when_index_present	Pass
	audit_reports.py::TestListAuditReports	empty_dir_returns_empty_list	Pass
	audit_reports.py::TestListAuditReports	file_has_size_and_modified	Pass
	audit_reports.py::TestListAuditReports	file_type_label_json	Pass
	audit_reports.py::TestListAuditReports	file_type_label_pdf	Pass
	audit_reports.py::TestListAuditReports	file_type_label_unknown	Pass
	audit_reports.py::TestListAuditReports	no_dir_returns_empty_list	Pass
	audit_reports.py::TestListAuditReports	pdf_file_listed	Pass
	audit_reports.py::TestListAuditReports	subdirectories_not_listed	Pass
	audit_reports.py::TestServeCoverageIndex	no_coverage_dir_returns_404	Pass
	audit_reports.py::TestServeCoverageIndex	with_coverage_index_returns_200	Pass
	bibliography.py::TestAddBibliographyRef	appears_in_list	Pass
	bibliography.py::TestAddBibliographyRef	assigns_id	Pass
	bibliography.py::TestAddBibliographyRef	no_json_body_uses_defaults	Pass
	bibliography.py::TestAddBibliographyRef	returns_200	Pass
	bibliography.py::TestAddBibliographyRef	returns_reference	Pass
	bibliography.py::TestAddBibliographyRef	same_category_twice_no_duplicates	Fail
	bibliography.py::TestAddBibliographyRef	stores_all_fields	Pass
	bibliography.py::TestAddBibliographyRef	with_category_updates_category	Pass
	bibliography.py::TestDeleteBibliographyRef	nonexistent_still_returns_success	Pass
	bibliography.py::TestDeleteBibliographyRef	returns_success	Pass
	bibliography.py::TestDeleteBibliographyRef	ref_not_in_list	Pass
	bibliography.py::TestGetBibliographyRef	empty_references	Pass
	bibliography.py::TestGetBibliographyRef	has_categories_key	Pass
	bibliography.py::TestGetBibliographyRef	returns_200	Pass
	bibliography.py::TestGetBibliographyRef	returns_success_status	Pass
	bibliography.py::TestUpdateBibliographyRef	not_found_returns_404	Pass
	bibliography.py::TestUpdateBibliographyRef	changes_field	Pass
	bibliography.py::TestUpdateBibliographyRef	returns_success	Pass
	bibliography.py::TestUpdateBibliographyRef	with_new_category_adds_to_list	Pass
	compliance_part1.py::TestGetBcb39	no_data_returns_404	Pass
	compliance_part1.py::TestGetBcb39	principles_count	Pass
	compliance_part1.py::TestGetBcb39	response_has_assessment	Pass
	compliance_part1.py::TestGetBcb39	with_data_returns_200	Pass
	compliance_part1.py::TestGetBcb39	pdfs239_pdf_responds	Pass
	compliance_part1.py::TestUpdateBcb39	simple_date_updated	Pass
	compliance_part1.py::TestUpdateBcb39	principle_returns_404	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	compliance_part1.py::TestUpdatePrinciple	test_update_principle_not_found_returns_404	Pass
	compliance_part1.py::TestUpdatePrinciple	test_update_principle_derives_non_compliant_status	Pass
	compliance_part1.py::TestUpdatePrinciple	test_update_principle_derives_fully_compliant_status	Pass
	compliance_part1.py::TestUpdatePrinciple	test_update_principle_has_evidence_field	Pass
	compliance_part1.py::TestUpdatePrinciple	test_update_principle_has_principles_and_remediation	Pass
	compliance_part1.py::TestUpdatePrinciple	test_update_principle_returns_200	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_role_id_returns_400	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_is_updated	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_extra_allowed	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_privacy_update_returns_success	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_extreme_threshold_updated	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_has_audit_entry	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_external_update_returns_success	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_field_updated	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_file_returns_404	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_has_audit_entry	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateActivity	test_update_activity_role_update_returns_success	Pass
	documents_part1.py::TestDeleteDocument	test_delete_doc_not_in_list	Pass
	documents_part1.py::TestDeleteDocument	test_delete_doc_not_found_returns_404	Pass
	documents_part1.py::TestDeleteDocument	test_delete_doc_id_delete_returns_success	Pass
	documents_part1.py::TestDownloadDocument	test_download_doc_not_found_returns_404	Pass
	documents_part1.py::TestDownloadDocument	test_download_doc_invalid_download_returns_200	Pass
	documents_part1.py::TestGetDocuments	test_get_documents_empty_list_returns_success	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_empty_filename_returns_400	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_no_file_returns_400	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_uploaded_appears_in_list	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_uploaded_response_has_id	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_uploaded_stores_description	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_invalid_upload_returns_200	Pass
	documents_part2.py::TestDeleteSaveMetadata	test_delete_save_metadata_failure_returns_500	Pass
	documents_part2.py::TestDownloadFile	test_download_file_missing_on_disk_returns_404	Pass
	documents_part2.py::TestUploadFile	test_upload_file_save_failure_returns_500	Pass
	inventory.py::TestInventorySummary	test_get_models_includes_risk_fields	Pass
	inventory.py::TestRiskRating	test_get_risk_rating_calculation	Pass
	inventory.py::TestRiskRating	test_risk_rating_clear_override	Pass
	inventory.py::TestRiskRating	test_risk_rating_override	Pass
	inventory.py::TestRiskRating	test_risk_rating_override_invalid_rating	Pass
	inventory.py::TestRiskRating	test_risk_rating_override_requires_reason	Pass
	inventory.py::TestValidationQuestion	test_validation_question_update_triggers_risk_recalculation	Pass
	inventory.py::TestValidationQuestion	test_validation_question_update_validation_question	Pass
	inventory.py::TestValidationQuestion	test_validation_question_update_validation_question_invalid_status	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	inventory.py::TestValidationQuestions	test_update_validation_question_not_found	Fail
	models.py::TestGetEditableFields	test_has_fields	Pass
	models.py::TestGetEditableFields	test_returns_200	Pass
	models.py::TestGetEditableFields	test_returns_success_status	Pass
	models.py::TestGetModelDetail	test_model_has_validation_questions	Pass
	models.py::TestGetModelDetail	test_model_not_found_returns_404	Pass
	models.py::TestGetModelDetail	test_response_has_audit_entries	Pass
	models.py::TestGetModelDetail	test_valid_model_returns_success	Pass
	models.py::TestGetModels	test_category_distribution	Pass
	models.py::TestGetModels	test_model_has_review_status	Pass
	models.py::TestGetModels	test_model_has_risk_rating	Pass
	models.py::TestGetModels	test_model_has_validation_coverage	Pass
	models.py::TestGetModels	test_response_has_metadata	Pass
	models.py::TestGetModels	test_returns_200	Pass
	models.py::TestGetModels	test_returns_models_list	Pass
	models.py::TestGetModels	test_returns_success_status	Pass
	models.py::TestGetModels	test_tier_distribution	Pass
	models.py::TestUpdateModelFields	test_empty_value_returns_400	Pass
	models.py::TestUpdateModelFields	test_invalid_choice_value_returns_400	Pass
	models.py::TestUpdateModelFields	test_invalid_field_returns_400	Pass
	models.py::TestUpdateModelFields	test_model_not_found_returns_404	Pass
	models.py::TestUpdateModelFields	test_no_reason_returns_400	Pass
	models.py::TestUpdateModelFields	test_response_has_audit_entry	Pass
	models.py::TestUpdateModelFields	test_update_lifecycle_stage	Pass
	models.py::TestUpdateModelFields	test_update_validation_status	Pass
	models.py::TestUpdateModelFields	test_valid_choice_field_update_returns_success	Success
	models.py::TestUpdateModelFields	test_valid_text_field_update_returns_success	Pass
	mrc_crud_actions.py::TestActions	test_add_action_auto_id	Pass
	mrc_crud_actions.py::TestActions	test_add_action_missing_meeting_returns_404	Fail
	mrc_crud_actions.py::TestActions	test_add_action_returns_200	Pass
	mrc_crud_actions.py::TestActions	test_delete_action_missing_meeting_returns_404	Fail
	mrc_crud_actions.py::TestActions	test_delete_action_returns_200	Pass
	mrc_crud_actions.py::TestActions	test_update_action_not_found_returns_404	Fail
	mrc_crud_actions.py::TestActions	test_update_action_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_auto_id	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_missing_meeting_returns_404	Fail
	mrc_crud_actions.py::TestParticipants	test_add_participant_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_delete_participant_missing_meeting_returns_404	Fail
	mrc_crud_actions.py::TestParticipants	test_delete_participant_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_update_participant_not_found_returns_404	Fail
	mrc_crud_actions.py::TestParticipants	test_update_participant_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_item_increments_count	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_missing_meeting_returns_404	Fail

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
mrc_crud_agenda.py::TestAgenda	TestDeleteAgendaItem	test_delete_agenda_item_returns_200	Pass
mrc_crud_agenda.py::TestAgenda	TestDeleteAgendaMissingMeeting	test_delete_agenda_missing_meeting_returns_404	Pass
mrc_crud_agenda.py::TestAgenda	TestUpdateAgendaItem	test_update_agenda_item_not_found_returns_404	Pass
mrc_crud_agenda.py::TestAgenda	TestUpdateAgendaItem	test_update_agenda_item_returns_200	Pass
mrc_crud_agenda.py::TestDecision	TestAddDecisionAutoIds	test_add_decision_auto_ids	Pass
mrc_crud_agenda.py::TestDecision	TestAddDecisionMissingMeeting	test_add_decision_missing_meeting_returns_404	Pass
mrc_crud_agenda.py::TestDecision	TestAddDecision	test_add_decision_returns_200	Pass
mrc_crud_agenda.py::TestDecision	TestDeleteDecisionMissingMeeting	test_delete_decision_missing_meeting_returns_404	Pass
mrc_crud_agenda.py::TestDecision	TestDeleteDecision	test_delete_decision_returns_200	Pass
mrc_crud_agenda.py::TestDecision	TestUpdateDecisionNotFound	test_update_decision_not_found_returns_404	Pass
mrc_crud_agenda.py::TestDecision	TestUpdateDecision	test_update_decision_returns_200	Pass
mrc_crud_agenda.py::TestMinutes	TestUpdateMinutesMissingMeeting	test_update_minutes_missing_meeting_returns_404	Pass
mrc_crud_agenda.py::TestMinutes	TestUpdateMinutes	test_update_minutes_returns_200	Pass
mrc_crud_edge_part1.py::TestMinutes	TestAddMinuteItemMissingMeeting	test_add_minute_item_missing_meeting_returns_404	Pass
mrc_crud_edge_part1.py::TestMinutes	TestAddMinuteItem	test_add_minute_item_returns_200	Pass
mrc_crud_edge_part1.py::TestMinutes	TestDeleteMinuteItemLegacyFormat	test_delete_minute_item_legacy_format_returns_400	Pass
mrc_crud_edge_part1.py::TestMinutes	TestDeleteMinuteItemMissingMeeting	test_delete_minute_item_missing_meeting_returns_404	Pass
mrc_crud_edge_part1.py::TestMinutes	TestDeleteMinuteItem	test_delete_minute_item_returns_200	Pass
mrc_crud_edge_part1.py::TestMinutes	TestUpdateMinuteItemLegacyFormat	test_update_minute_item_legacy_format_returns_400	Pass
mrc_crud_edge_part1.py::TestMinutes	TestUpdateMinuteItemNotFound	test_update_minute_item_not_found_returns_404	Pass
mrc_crud_edge_part1.py::TestMinutes	TestUpdateMinuteItem	test_update_minute_item_returns_200	Pass
mrc_crud_edge_part2.py::TestMaterialization	TestAddMaterializationWithMalformedExisting	test_add_materialization_with_malformed_existing_fails	Pass
mrc_crud_edge_part2.py::TestMaterialization	TestAddMaterializationWithMalformedExistingId	test_add_materialization_with_malformed_existing_id_fails	Pass
mrc_crud_edge_part2.py::TestMaterialization	TestAddParticipantWithMalformedExistingId	test_add_participant_with_malformed_existing_id_fails	Pass
mrc_crud_edge_part2.py::TestMinutes	TestAddingToLegacyConversionMinutesIsSting	test_adding_to_legacy_conversion_minutes_is_sting	Pass
mrc_crud_edge_part2.py::TestUpdateMaterialization	TestUpdateMaterializationMissingMeeting	test_update_materialization_missing_meeting_returns_404	Pass
mrc_crud_edge_part2.py::TestUpdateMaterialization	TestUpdateMaterializationMissingMeeting	test_update_materialization_missing_meeting_returns_404	Pass
mrc_crud_edge_part2.py::TestUpdateMaterialization	TestUpdateMaterializationItemMissingMeeting	test_update_materialization_item_missing_meeting_returns_404	Pass
mrc_crud_edge_part2.py::TestUpdateMaterialization	TestUpdateMaterializationParticipantMissingMeeting	test_update_materialization_participant_missing_meeting_returns_404	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestAllSections	test_all_sections	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestBufferNotEmpty	test_buffer_not_empty	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMeetingWithActions	test_meeting_with_actions	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMeetingWithAgenda	test_meeting_with_agenda	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMeetingWithDecisions	test_meeting_with_decisions	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMeetingWithMinutes	test_meeting_with_minutes	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMeetingWithNoOptionalFields	test_meeting_with_no_optional_fields	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMeetingWithParticipants	test_meeting_with_participants	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestMinimalMeeting	test_minimal_meeting	Pass
mrc_pdf.py::TestBuildMeetingPdf	TestReturnsBytesio	test_returns_bytesio	Pass
mrc_pdf.py::TestGetMeetingPdf	TestMeetingNotFoundReturns404	test_meeting_not_found_returns_404	Pass
mrc_pdf.py::TestGetMeetingPdf	TestValidMeetingContentTypePdf	test_valid_meeting_content_type_pdf	Pass
mrc_pdf.py::TestGetMeetingPdf	TestValidMeetingReturnsBytes	test_valid_meeting_returns_bytes	Pass
mrc_pdf.py::TestGetMeetingPdf	TestValidMeetingReturnsPdf	test_valid_meeting_returns_pdf	Pass
raci.py::TestRACIMatrix	test_get_raci_matrix	test_get_raci_matrix	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	raci.py::TestRACIMatrix	test_get_raci_matrix_file_missing	Pass
	raci.py::TestRACIMatrix	test_update_raci_activity	Pass
	raci.py::TestRACIMatrix	test_update_raci_activity_invalid_role	Pass
	raci.py::TestRACIMatrix	test_update_raci_escalation	Pass
	raci.py::TestRACIMatrix	test_update_raci_role	Pass
	raci.py::TestRACIMatrix	test_update_raci_role_not_found	Pass
	test_bibliography_coverage.py::TestBibliographySaveFailure	test_bibliography_save_failure_returns_500	Pass
	test_bibliography_coverage.py::TestBibliographySaveFailure	test_bibliography_save_failure_returns_500	Pass
	test_bibliography_coverage.py::TestBibliographySaveFailure	test_bibliography_save_failure_returns_500	Pass
	test_block2_coverage_part1.py::TestVrcCreateMeetingSaveFailure	test_vrc_create_meeting_save_failure	Pass
	test_block2_coverage_part1.py::TestVrcGetMeetingDocumentNotFound	test_vrc_get_meeting_document_not_found	Pass
	test_block2_coverage_part1.py::TestVrcGetMeetingDocumentSuccess	test_vrc_get_meeting_document_success	Pass
	test_block2_coverage_part1.py::TestVrcUploadDocumentEmptyFilename	test_vrc_upload_document_empty_filename	Pass
	test_block2_coverage_part1.py::TestVrcUploadDocumentMeetingNotFound	test_vrc_upload_document_meeting_not_found	Pass
	test_block2_coverage_part1.py::TestVrcUploadDocumentNoFile	test_vrc_upload_document_no_file	Pass
	test_block2_coverage_part1.py::TestVrcUploadDocumentSaveFailure	test_vrc_upload_document_save_failure	Pass
	test_block2_coverage_part1.py::TestVrcUploadDocumentSuccess	test_vrc_upload_document_success	Pass
	test_block2_coverage_part1.py::TestVrcUploadDocumentHeadNotFound	test_vrc_upload_document_head_not_found	Pass
	test_block2_coverage_part1.py::TestVrcUpdateEventTagSaveFailure	test_vrc_update_event_tag_save_failure	Pass
	test_block2_coverage_part2.py::TestUtlLogHelpCasesAuditOverflowTrim	test_util_log_help_cases_audit_overflow_trim	Pass
	test_block2_coverage_part2.py::TestUtlLogHelpCasesInventoryNotFound	test_util_log_help_cases_inventory_not_found	Pass
	test_block2_coverage_part2.py::TestUtlLogHelpCasesSaveFailure	test_util_log_help_cases_save_failure	Pass
	test_block2_coverage_part2.py::TestOvrdrRiskRatingOverflow	test_ovrdr_risk_rating_overflow	Pass
	test_block2_coverage_part2.py::TestOvrdrRiskRatingEdgeCasesFound	test_ovrdr_risk_rating_edge_cases_found	Pass
	test_block2_coverage_part2.py::TestOvrdrRiskRatingEdgeCases	test_ovrdr_risk_rating_edge_cases	Pass
	test_block2_coverage_part2.py::TestPdfServingDocPdfNotFound	test_pdf_serving_doc_pdf_not_found	Pass
	test_block2_coverage_part2.py::TestPdfServingDocPdfServed	test_pdf_serving_doc_pdf_served	Pass
	test_block2_coverage_part2.py::TestPdfServingPdfNotFound	test_pdf_serving_pdf_not_found	Pass
	test_block2_coverage_part2.py::TestPdfServingPdfServed	test_pdf_serving_pdf_served	Pass
	test_block2_coverage_part2.py::TestPdfServingResultsPdfNotFound	test_pdf_serving_results_pdf_not_found	Pass
	test_block2_coverage_part2.py::TestPdfServingResultsPdfServed	test_pdf_serving_results_pdf_served	Pass
	test_block2_coverage_part2.py::TestRtgRatingEdgeCasesInventoryNotFound	test_rtg_rating_edge_cases_inventory_not_found	Pass
	test_block2_coverage_part2.py::TestValidateQuestionEdgeCasesFlow	test_validate_question_edge_cases_flow	Pass
	test_block2_coverage_part2.py::TestValidateQuestionEdgeCasesFound	test_validate_question_edge_cases_found	Pass
	test_block2_coverage_part2.py::TestValidateQuestionEdgeCases	test_validate_question_edge_cases	Pass
	test_compliance_coverage.py::TestBps99PdfGenerated	test_bps_99_pdf_generated_returns_404	Pass
	test_compliance_coverage.py::TestBps99SaveFailure	test_bps_99_save_failure_returns_500	Pass
	test_compliance_coverage.py::TestBpsActivityNoData	test_bps_activity_no_data_returns_404	Pass
	test_compliance_coverage.py::TestBpsActivitySaveFailure	test_bps_activity_save_failure_returns_500	Pass
	test_compliance_coverage.py::TestBpsActivityThisIsUpdated	test_bps_activity_this_is_updated	Pass
	test_compliance_coverage.py::TestBpsInspectionDataData	test_bps_inspection_data_data_returns_404	Pass
	test_compliance_coverage.py::TestBpsEvaluationSaveFailure	test_bps_evaluation_save_failure_returns_500	Pass
	test_compliance_coverage.py::TestBpsRuleSaveFailure	test_bps_rule_save_failure_returns_500	Pass
	test_helpers_data.py::TestLoadBatchesLoadsValidData	test_load_batches_loads_valid_data	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_helpers_data.py::TestLoadBibliography	test_returns_none_when_missing	Pass
	test_helpers_data.py::TestLoadBibliography	test_loads_bibliography	Pass
	test_helpers_data.py::TestLoadBibliography	test_returns_default_when_missing	Pass
	test_helpers_data.py::TestLoadDocuments	test_loads_documents	Pass
	test_helpers_data.py::TestLoadDocuments	test_returns_empty_list_when_missing	Pass
	test_helpers_data.py::TestLoadRater	test_loads_valid_data	Pass
	test_helpers_data.py::TestLoadRater	test_returns_none_when_missing	Pass
	test_helpers_data.py::TestSaveBibliography	test_returns_false_on_oserror	Pass
	test_helpers_data.py::TestSaveBibliography	test_saves_data	Pass
	test_helpers_data.py::TestSaveBibliography	test_returns_false_on_oserror	Pass
	test_helpers_data.py::TestSaveBibliography	test_saves_bibliography	Pass
	test_helpers_data.py::TestSaveDocuments	test_returns_false_on_oserror	Pass
	test_helpers_data.py::TestSaveDocuments	test_saves_documents	Pass
	test_helpers_data.py::TestSaveRater	test_returns_false_on_oserror	Pass
	test_helpers_data.py::TestSaveRater	test_saves_data	Pass
	test_helpers_io.py::TestFindMeeting	test_finds_existing_meeting	Pass
	test_helpers_io.py::TestFindMeeting	test_returns_error_for_missing_meeting	Pass
	test_helpers_io.py::TestLoadAudits	test_loads_entries	Pass
	test_helpers_io.py::TestLoadAudits	test_returns_empty_list_on_bad_json	Pass
	test_helpers_io.py::TestLoadAudits	test_returns_empty_list_when_missing	Pass
	test_helpers_io.py::TestLoadInventory	test_loads_valid_file	Pass
	test_helpers_io.py::TestLoadInventory	test_returns_none_on_bad_json	Pass
	test_helpers_io.py::TestLoadInventory	test_returns_none_when_missing	Pass
	test_helpers_io.py::TestLoadMeetings	test_loads_list	Pass
	test_helpers_io.py::TestLoadMeetings	test_returns_empty_list_when_missing	Pass
	test_helpers_io.py::TestSaveAndRespond	test_saves_and_returns_response	Pass
	test_helpers_io.py::TestSaveAuditLog	test_returns_false_on_oserror	Pass
	test_helpers_io.py::TestSaveAuditLog	test_saves_entries	Pass
	test_helpers_io.py::TestSaveInventory	test_returns_false_on_oserror	Pass
	test_helpers_io.py::TestSaveInventory	test_saves_data	Pass
	test_helpers_io.py::TestSaveMeetings	test_returns_false_on_oserror	Pass
	test_helpers_io.py::TestSaveMeetings	test_saves_meetings	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_calculational_rating_middle_range	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_rating_gives_half_score	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_rating_gives_full_score	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_assumptions_penalised	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_coverage_acceptable	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_limitations_penalised	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_coverage_unacceptable	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_review_date_gives_zero	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_review_gives_zero_score	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_returns_dict_with_required_keys	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_returns_float	Pass
	test_helpers_risk.py::TestVqSummary	test_all_addressed	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_helpers_risk.py::TestVqSummary	test_empty_questions	Pass
	test_helpers_risk.py::TestVqSummary	test_none_addressed	Pass
	test_helpers_risk.py::TestVqSummary	test_some_not_applicable	Pass
	test_inventory_integrity_part1.py::TestInventoryFileExists	test_inventory_file_exists	Pass
	test_inventory_integrity_part1.py::TestInventoryValidEjson	test_inventory_valid_ejson	Pass
	test_inventory_integrity_part1.py::TestInventoryDeleteFromModel	test_inventory_delete_from_model	Pass
	test_inventory_integrity_part1.py::TestInventoryModelFileExists	test_inventory_model_file_exists	Pass
	test_inventory_integrity_part1.py::TestInventoryFileInExists	test_inventory_file_in_exists	Pass
	test_inventory_integrity_part1.py::TestInventoryFileExists	test_inventory_file_exists	Pass
	test_inventory_integrity_part1.py::TestAllModelsHaveModelId	test_all_models_have_model_id	Pass
	test_inventory_integrity_part1.py::TestModelIdsAreUnique	test_model_ids_are_unique	Pass
	test_inventory_integrity_part1.py::TestModelIdsFollowNamingConvention	test_model_ids_follow_naming_convention	Pass
	test_inventory_integrity_part1.py::TestOverallRiskRatingIsValid	test_overall_risk_rating_is_valid	Pass
	test_inventory_integrity_part1.py::TestOverallRiskRatingSingleComponentScores	test_overall_risk_rating_single_component_scores	Pass
	test_inventory_integrity_part1.py::TestOverallRiskRatingSingleRequiredKeys	test_overall_risk_rating_single_required_keys	Pass
	test_inventory_integrity_part1.py::TestRequiredDictFields[overall_risk_rating]	test_required_dict_fields[overall_risk_rating]	Pass
	test_inventory_integrity_part1.py::TestRequiredDictFields[test_coverage]	test_required_dict_fields[test_coverage]	Pass
	test_inventory_integrity_part1.py::TestTestCoverageSubmodulesAreBools	test_test_coverage_submodules_are_bools	Pass
	test_inventory_integrity_part1.py::TestTestCoverageSubmodulesHaveRequiredKeys	test_test_coverage_submodules_have_required_keys	Pass
	test_inventory_integrity_part1.py::TestTestCoverageSubmodulesHaveTestFile	test_test_coverage_submodules_have_test_file	Pass
	test_inventory_integrity_part2.py::TestARLDependenciesAreInInventory200	test_arl_dependencies_are_in_inventory_200	Pass
	test_inventory_integrity_part2.py::TestARLInventoryAdditionSucceeds	test_arl_inventory_addition_succeeds	Pass
	test_inventory_integrity_part2.py::TestARLInventoryAdditionCountMatchesFile	test_arl_inventory_addition_count_matches_file	Pass
	test_inventory_integrity_part2.py::TestRequiredListFields[assumptions]	test_required_list_fields[assumptions]	Pass
	test_inventory_integrity_part2.py::TestRequiredListFields[downstream_models]	test_required_list_fields[downstream_models]	Pass
	test_inventory_integrity_part2.py::TestRequiredListFields[limitations]	test_required_list_fields[limitations]	Pass
	test_inventory_integrity_part2.py::TestRequiredListFields[upstream_models]	test_required_list_fields[upstream_models]	Pass
	test_inventory_integrity_part2.py::TestRequiredStringFields[category]	test_required_string_fields[category]	Pass
	test_inventory_integrity_part2.py::TestRequiredStringFields[description]	test_required_string_fields[description]	Pass
	test_inventory_integrity_part2.py::TestRequiredStringFields[name]	test_required_string_fields[name]	Pass
	test_inventory_integrity_part2.py::TestRequiredStringFields[owner]	test_required_string_fields[owner]	Pass
	test_inventory_integrity_part2.py::TestRequiredStringFields[status]	test_required_string_fields[status]	Pass
	test_inventory_integrity_part2.py::TestRequiredStringFields[version]	test_required_string_fields[version]	Pass
	test_lineage_coverage_part1.py::TestCounterpartyNotFoundReturnsEmpty	test_counterparty_not_found_returns_empty	Pass
	test_lineage_coverage_part1.py::TestCounterpartyTraceFindsMasterRecord	test_counterparty_trace_finds_master_record	Pass
	test_lineage_coverage_part1.py::TestCounterpartyTraceFindsPrsTrade	test_counterparty_trace_finds_prs_trade	Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPshClassifierSummary	test_gauge_trace_secondary_psh_classifier_summary	Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPshGaugehd	test_gauge_trace_secondary_psh_gaugehd	Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPshMarketState	test_gauge_trace_secondary_psh_market_state	Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPshSequenceGauge	test_gauge_trace_secondary_psh_sequence_gauge	Pass
	test_lineage_coverage_part1.py::TestSequenceGaugeFallback	test_sequence_gauge_fallback	Pass
	test_lineage_coverage_part1.py::TestLegacyGaugeFallback	test_legacy_gauge_fallback	Pass
	test_lineage_coverage_part2.py::TestPropertyLookupIncludesMortgage	test_property_lookup_includes_mortgage	Pass
	test_lineage_coverage_part2.py::TestPropertyLookupIncludesPropertyType	test_property_lookup_includes_property_type	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lineage_coverage_part2.py::TestRouteErrorHandlingStaleness_error_returns_empty	TestRouteErrorHandlingStaleness_error_returns_empty	Pass
	test_lineage_coverage_part2.py::TestRouteErrorHandlerStaleness_error_returns_500	TestRouteErrorHandlerStaleness_error_returns_500	Pass
	test_lineage_coverage_part2.py::TestRouteErrorHandlerReturns_500	TestRouteErrorHandlerReturns_500	Pass
	test_lineage_coverage_part2.py::TestTradedSubtradeIncludes_eod	TestTradedSubtradeIncludes_eod	Pass
	test_lineage_coverage_part2.py::TestTradedSubtradeIncludes_marks	TestTradedSubtradeIncludes_marks	Pass
	test_lineage_coverage_part2.py::TestUtilityEdgeCaseCursor_falls_back_to_absolute	TestUtilityEdgeCaseCursor_falls_back_to_absolute	Fail
	test_lineage_coverage_part2.py::TestUtilityEdgeCasesFiles_filename_stem_matches	TestUtilityEdgeCasesFiles_filename_stem_matches	Pass
	test_lineage_coverage_part2.py::TestUtilityEdgeCasesFiles_missing_dir	TestUtilityEdgeCasesFiles_missing_dir	Pass
	test_lineage_coverage_part2.py::TestUtilityEdgeCasesFile_exception_returns_false	TestUtilityEdgeCasesFile_exception_returns_false	Pass
	test_lineage_data_routes.py::TestCastDataLineage	TestCastDataLineage	Pass
	test_lineage_data_routes.py::TestCastDataInadequateHealth	TestCastDataInadequateHealth	Pass
	test_lineage_data_routes.py::TestCastDataLastAge	TestCastDataLastAge	Pass
	test_lineage_data_routes.py::TestCastDataMixedStatuses	TestCastDataMixedStatuses	Pass
	test_lineage_data_routes.py::TestCastDataWithNoManifest	TestCastDataWithNoManifest	Pass
	test_lineage_data_routes.py::TestFetchDataLineageAtPath	TestFetchDataLineageAtPath	Pass
	test_lineage_data_routes.py::TestFetchDataLineageAtPathType	TestFetchDataLineageAtPathType	Pass
	test_lineage_data_routes.py::TestFetchDataLineageAtPathRate	TestFetchDataLineageAtPathRate	Pass
	test_lineage_data_routes.py::TestFetchDataLineageAtPathBlockscan	TestFetchDataLineageAtPathBlockscan	Pass
	test_lineage_data_routes.py::TestFetchDataLineageAtPathRift	TestFetchDataLineageAtPathRift	Pass
	test_lineage_data_routes.py::TestFetchDataLineageAtPathBunde	TestFetchDataLineageAtPathBunde	Pass
	test_lineage_data_routes.py::TestFetchValidLineageRoute	TestFetchValidLineageRoute	Pass
	test_lineage_data_routes.py::TestFetchUnitResponseOnlyParams	TestFetchUnitResponseOnlyParams	Pass
	test_lineage_field.py::TestFieldLineageLookuplookup_found	TestFieldLineageLookuplookup_found	Pass
	test_lineage_field.py::TestFieldLineageLookuplookup_not_found	TestFieldLineageLookuplookup_not_found	Pass
	test_lineage_field.py::TestFieldLineageLookuplookup_wrong_report	TestFieldLineageLookuplookup_wrong_report	Pass
	test_lineage_field.py::TestFieldLineageLookuplookup_wrong_section	TestFieldLineageLookuplookup_wrong_section	Pass
	test_lineage_field.py::TestFieldLineageLookupparams_400	TestFieldLineageLookupparams_400	Pass
	test_lineage_field.py::TestFieldLineageLookupregistry_404	TestFieldLineageLookupregistry_404	Pass
	test_lineage_field.py::TestFieldLineageLookupby_cdm_path	TestFieldLineageLookupby_cdm_path	Pass
	test_lineage_field.py::TestFieldLineageLookupby_source_field	TestFieldLineageLookupby_source_field	Pass
	test_lineage_field.py::TestFieldLineageLookupcase_insensitive	TestFieldLineageLookupcase_insensitive	Pass
	test_lineage_field.py::TestFieldLineageLookupfinds_matches	TestFieldLineageLookupfinds_matches	Pass
	test_lineage_field.py::TestFieldLineageLookupno_results	TestFieldLineageLookupno_results	Pass
	test_lineage_field.py::TestFieldLineageLookupresult_structure	TestFieldLineageLookupresult_structure	Pass
	test_lineage_field.py::TestFieldLineageLookuptakes_priority_over_partialExact	TestFieldLineageLookuptakes_priority_over_partialExact	Pass
	test_lineage_field.py::TestGetFieldHistoryfilter_by_report	TestGetFieldHistoryfilter_by_report	Pass
	test_lineage_field.py::TestGetFieldHistoryfilter_unknown_report_404	TestGetFieldHistoryfilter_unknown_report_404	Pass
	test_lineage_field.py::TestGetFieldHistoryfogl_registry	TestGetFieldHistoryfogl_registry	Pass
	test_lineage_field.py::TestGetFieldHistoryfogl_registry_404	TestGetFieldHistoryfogl_registry_404	Pass
	test_lineage_field.py::TestGetFieldHistorysummary_contents	TestGetFieldHistorysummary_contents	Pass
	test_lineage_helpers.py::TestCheckStaleDirMissing	TestCheckStaleDirMissing	Pass
	test_lineage_helpers.py::TestCheckStaleDirectory_step_fresh	TestCheckStaleDirectory_step_fresh	Pass
	test_lineage_helpers.py::TestCheckStaleDirectory_step_stale	TestCheckStaleDirectory_step_stale	Pass
	test_lineage_helpers.py::TestCheckStaleEmpty_directory_is_missing	TestCheckStaleEmpty_directory_is_missing	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_helpers.py::TestCheckStaleness_fresh_file	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_helpers.py::TestCheckStaleness_hidden_files_ignored_in_directory	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_helpers.py::TestCheckStaleness_manifest_last_run_not_overwritten_by_artifact	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_helpers.py::TestCheckStaleness_manifest_last_run_used	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_helpers.py::TestCheckStaleness_stale_file	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_gauge_trace_finds_multiple_steps	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_gauge_trace_has_context	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_gauge_trace_includes_classifier	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_gauge_trace_includes_prs_trades	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_if_none_lineage_returns_empty	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_if_nonexistent_gauge_returns_empty	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_if_property_trace_finds_steps	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_helpers.py::TestTraceData_if_trade_trace_finds_origin	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness.py::TestStaleness_refresh_full_health	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness.py::TestStaleness_refreshing_zero_health	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness.py::TestStaleness_refreshes_of	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness.py::TestStaleness_refreshes_partial_health	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness.py::TestStaleness_refreshes_stale_does_not_count_as_fresh	Pass
	test_models_coverage.py::TestAuditTrail	test_models_coverage.py::TestAuditTrail_if_truncated_to_10000	Pass
	test_models_coverage.py::TestGetModelDetails	test_models_coverage.py::TestGetModelDetails_if_not_found_returns_404	Pass
	test_models_coverage.py::TestGetModelDetails	test_models_coverage.py::TestGetModelDetails_if_not_found_returns_404	Pass
	test_models_coverage.py::TestGetModelDetails	test_models_coverage.py::TestGetModelDetails_if_not_scheduled_review_status	Pass
	test_models_coverage.py::TestGetModelDetails	test_models_coverage.py::TestGetModelDetails_if_not_scheduled_review_status	Pass
	test_models_coverage.py::TestUpdateModelInfo	test_models_coverage.py::TestUpdateModelInfo_if_not_found_returns_404	Pass
	test_models_coverage.py::TestUpdateModelInfo	test_models_coverage.py::TestUpdateModelInfo_if_not_found_returns_500	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_unknown_meeting_returns_404	404
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_multiple_items_increments_number	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_agenda_item_renumbers	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_agenda_unknown_meeting_returns_404	404
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_agenda_item	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_agenda_unknown_meeting_returns_404	404
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_missing_item_returns_404	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_item	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_item_legacy_format_returns_400	400
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_item_legacy_format_returns_400	400
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_item_not_found_returns_404	404
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_minutes_text	Pass
	test_mrc_agenda_minutes.py::TestAddAgendaItem	test_mrc_agenda_minutes.py::TestAddAgendaItem_delete_minutes_unknown_meeting_returns_404	404
	test_mrc_decisions_actions.py::TestAddAction	test_mrc_decisions_actions.py::TestAddAction_if_not_found_auto_generates_id	Pass
	test_mrc_decisions_actions.py::TestAddAction	test_mrc_decisions_actions.py::TestAddAction_if_not_found_unknown_meeting_returns_404	404
	test_mrc_decisions_actions.py::TestAddAction	test_mrc_decisions_actions.py::TestAddAction_delete_action	Pass
	test_mrc_decisions_actions.py::TestAddAction	test_mrc_decisions_actions.py::TestAddAction_delete_action_unknown_meeting_returns_404	404
	test_mrc_decisions_actions.py::TestAddAction	test_mrc_decisions_actions.py::TestAddAction_delete_action_status	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision_on_auto_generates_id	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision_on_unknown_meeting_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision_unknown_meeting_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision_increments_id	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision	Pass
	test_mrc_decisions.actions.py::TestCreateDecision	test_actions_create_decision_using_decision_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateParticipant	test_actions_create_participant_on_auto_generates_id	Pass
	test_mrc_decisions.actions.py::TestCreateParticipant	test_actions_create_participant_on_unknown_meeting_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateParticipant	test_actions_create_participant	Pass
	test_mrc_decisions.actions.py::TestCreateParticipant	test_actions_create_participant_unknown_meeting_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateParticipant	test_actions_create_participant_using_participant_returns_404	Pass
	test_mrc_decisions.actions.py::TestCreateParticipant	test_actions_create_participant	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_generates_id	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_returns_meeting	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_from_attendees_become_participants	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_from_title_used	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_from_default_chair_populated	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_from_default_participants_created	Pass
	test_mrc_meetings.py::TestCreateMeeting	test_meetings_create_meeting_from_json_body_uses_defaults	Pass
	test_mrc_meetings.py::TestGetMeeting	test_meetings_get_created_meeting	Pass
	test_mrc_meetings.py::TestGetMeeting	test_meetings_get_unknown_id_returns_404	Pass
	test_mrc_meetings.py::TestListMeetings	test_meetings_list_created_meeting_appears_in_list	Pass
	test_mrc_meetings.py::TestListMeetings	test_meetings_list_empty_list_returns_success	Pass
	test_mrc_meetings.py::TestListMeetings	test_meetings_list_summary_has_required_keys	Pass
	test_mrc_meetings.py::TestListMeetings	test_meetings_list_sorted_by_date_desc	Pass
	test_mrc_meetings.py::TestMeetingDownload	test_meetings_download_missing_document_returns_404	Pass
	test_mrc_meetings.py::TestMeetingDownload	test_meetings_download_empty_filename_returns_400	Pass
	test_mrc_meetings.py::TestMeetingDownload	test_meetings_download_no_file_returns_400	Pass
	test_mrc_meetings.py::TestMeetingDownload	test_meetings_download_not_found_meeting_returns_404	Pass
	test_mrc_meetings.py::TestUpdateMeeting	test_meetings_update_sets_updated_at	Pass
	test_mrc_meetings.py::TestUpdateMeeting	test_meetings_update_title	Pass
	test_mrc_meetings.py::TestUpdateMeeting	test_meetings_update_unknown_id_returns_404	Pass
	test_report_routes_part1.py::TestAppendOptions	test_report_routes_part1_append_options	Pass
	test_report_routes_part1.py::TestAppendOptions	test_report_routes_part1_append	Pass
	test_report_routes_part1.py::TestAppendOptions	test_report_routes_part1_append_on_buffer_at_2000	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_field	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_field	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_includes_appended	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_initially	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_200	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_not_found_when_no_file	Pass
	test_report_routes_part1.py::TestFastReportOptions	test_report_routes_part1_fast_report_options_not_found_when_file_exists	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_report_routes_part1.py::TestReportRoutesSummaryFields	TestReportRoutesSummaryFields	Pass
	test_report_routes_part1.py::TestReportRoutesSummaryIsBool	TestReportRoutesSummaryIsBool	Pass
	test_report_routes_part2.py::TestReportRoutesStartedHeader	TestReportRoutesStartedHeader	Pass
	test_report_routes_part2.py::TestReportRoutesLineAppendedOnException	TestReportRoutesLineAppendedOnException	Pass
	test_report_routes_part2.py::TestReportRoutesExceptionGracefully	TestReportRoutesExceptionGracefully	Pass
	test_report_routes_part2.py::TestReportRoutesRunningFalseOnCompletion	TestReportRoutesRunningFalseOnCompletion	Pass
	test_report_routes_part2.py::TestReportRoutesRunningMessage	TestReportRoutesRunningMessage	Pass
	test_report_routes_part2.py::TestReportRoutesRunningReturns202	TestReportRoutesRunningReturns202	Pass
	test_report_routes_part2.py::TestReportRoutesHasStartedStatus	TestReportRoutesHasStartedStatus	Pass
	test_report_routes_part2.py::TestReportRoutesReturns202	TestReportRoutesReturns202	Pass
	test_report_routes_part2.py::TestReportRoutesProcWait	TestReportRoutesProcWait	Pass
	test_report_routes_part2.py::TestReportRoutesStdoutIntoBuffer	TestReportRoutesStdoutIntoBuffer	Pass
	test_report_routes_part2.py::TestReportRoutesStripsNewlines	TestReportRoutesStripsNewlines	Pass
	test_hazard_to_pricer.py::TestHazardCapitulationTermStructureReturnsData	TestHazardCapitulationTermStructureReturnsData	Pass
	test_hazard_to_pricer.py::TestHazardCapitulationMatchesMarketStateFile	TestHazardCapitulationMatchesMarketStateFile	Pass
	test_hazard_to_pricer.py::TestHazardGaugeExistsWithCurves	TestHazardGaugeExistsWithCurves	Pass
	test_hazard_to_pricer.py::TestHazardGaugeHasAnnualHazardRates	TestHazardGaugeHasAnnualHazardRates	Pass
	test_hazard_to_pricer.py::TestHazardMarketStateExistsWithHTS	TestHazardMarketStateExistsWithHTS	Pass
	test_hazard_to_pricer.py::TestHazardMarketStateHTSHasAllGaugeHedges	TestHazardMarketStateHTSHasAllGaugeHedges	Pass
	test_hazard_to_pricer.py::TestHazardMarketStateHTSHasAllTenors	TestHazardMarketStateHTSHasAllTenors	Pass
	test_hazard_to_pricer.py::TestHazardSequenceCountMatchesStormSequence	TestHazardSequenceCountMatchesStormSequence	Pass
	test_trade_to_blotter.py::TestActiveGaugesIncludeNewTrade	TestActiveGaugesIncludeNewTrade	Pass
	test_trade_to_blotter.py::TestBlotterShowsNewTrade	TestBlotterShowsNewTrade	Pass
	test_trade_to_blotter.py::TestTradeCommitCreatesFileSwapId	TestTradeCommitCreatesFileSwapId	Pass
	test_trade_to_blotter.py::TestTradeCommitCreatesFileToTempDir	TestTradeCommitCreatesFileToTempDir	Pass
	test_cluster_and_isolation.py::TestClusterIndividualStormsComputedPerStorm	TestClusterIndividualStormsComputedPerStorm	Pass
	test_cluster_and_isolation.py::TestClusterIndividualStormsIndividuallyQueryable	TestClusterIndividualStormsIndividuallyQueryable	Pass
	test_cluster_and_isolation.py::TestClusterIndividualStormsStormHasMostDamage	TestClusterIndividualStormsStormHasMostDamage	Pass
	test_cluster_and_isolation.py::TestClusterIndividualStormsFromSequenceReturnB404	TestClusterIndividualStormsFromSequenceReturnB404	Pass
	test_cluster_and_isolation.py::TestNegativeEquityFromComputedCorrectly	TestNegativeEquityFromComputedCorrectly	Pass
	test_cluster_and_isolation.py::TestNegativeEquityFromSequenceSetOnProperty	TestNegativeEquityFromSequenceSetOnProperty	Pass
	test_cluster_and_isolation.py::TestNegativeDamageFromSequence100Pct	TestNegativeDamageFromSequence100Pct	Pass
	test_cluster_and_isolation.py::TestNegativeEquityFromSignificanceNegativeEquity	TestNegativeEquityFromSignificanceNegativeEquity	Pass
	test_cluster_and_isolation.py::TestSequenceSequenceNoContamination	TestSequenceSequenceNoContamination	Pass
	test_cluster_and_isolation.py::TestSequenceAIsInsufficientStormReturnsOnlyItsDamage	TestSequenceAIsInsufficientStormReturnsOnlyItsDamage	Pass
	test_cluster_and_isolation.py::TestSequenceBIsInsufficientStormReturnsOnlySeqBDamage	TestSequenceBIsInsufficientStormReturnsOnlySeqBDamage	Pass
	test_doublet_storms.py::TestDoubletFirstStormDamageIsIndependentOfSecond	TestDoubletFirstStormDamageIsIndependentOfSecond	Pass
	test_doublet_storms.py::TestDoubletFirstStormReturnsOnlyFloodedProperties	TestDoubletFirstStormReturnsOnlyFloodedProperties	Pass
	test_doublet_storms.py::TestDoubletBothStormsTotalsDifferBetweenStorms	TestDoubletBothStormsTotalsDifferBetweenStorms	Pass
	test_doublet_storms.py::TestDoubletSecondStormLargerDamageForProperties	TestDoubletSecondStormLargerDamageForProperties	Pass
	test_doublet_storms.py::TestDoubletSecondStormReturnsBothProperties	TestDoubletSecondStormReturnsBothProperties	Pass
	test_doublet_storms.py::TestDoubletStormInitialStormResponseMatchesQuery	TestDoubletStormInitialStormResponseMatchesQuery	Pass
	test_sequence_endpoint.py::TestSequenceEndpointIsMaxDepth	TestSequenceEndpointIsMaxDepth	Pass
	test_sequence_endpoint.py::TestSequenceEndpointPerPropertyReported	TestSequenceEndpointPerPropertyReported	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoints in sequence reported	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint double counted	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint uses max depth event	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint included via second storm	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint included from different sequence	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint damage less than sum of storms	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint options	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint returns 200	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint id in response	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint sequence returns 404	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint negative equity from worst storm	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint negative equity four	Pass
	test_sequence_endpoint.py::TestSequenceEndpoint	Sequence endpoint negative equity storm	Pass
	properties_core.py::TestGenerateReport	Generate report exception returns 500	Pass
	properties_core.py::TestGenerateReport	Generate report success	Pass
	properties_core.py::TestGenerateReport	Generate report missing property id returns 400	Pass
	properties_core.py::TestGenerateReport	Generate report body returns 400	Pass
	properties_core.py::TestGenerateReport	Generate report returns error	Pass
	properties_core.py::TestGenerateReport	Generate report returns ok	Pass
	properties_core.py::TestGenerateReport	Generate report property not found returns 404	Pass
	properties_core.py::TestGenerateReport	Generate report error returns 500	Pass
	properties_core.py::TestGetProperty	Get property found returns property	Pass
	properties_core.py::TestGetProperty	Get property not found returns 404	Pass
	properties_core.py::TestListProperties	List properties loader exception returns 500	Pass
	properties_core.py::TestListProperties	List properties success empty list	Pass
	properties_core.py::TestListProperties	List properties success with properties	Pass
	properties_core.py::TestNoJsonBodyEdgeReport	No json body edge report null json returns 400	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report exception returns 500	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report success	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report missing property id returns 400	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report not found returns 404	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report body returns 400	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report returns error	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report returns ok	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report property not found returns 404	Pass
	properties_mortgage.py::TestGenerateMortgageReport	Generate mortgage report error returns 500	Pass
	properties_mortgage.py::TestListMortgages	List mortgages empty	Pass
	properties_mortgage.py::TestListMortgages	List mortgages exception returns 500	Pass
	properties_mortgage.py::TestListMortgages	List mortgages success	Pass
	properties_mortgage.py::TestNoJsonBodyEdgeMortgageReport	No json body edge mortgage report null json returns 400	Pass
	properties_mortgage.py::TestPropertyMortgage	Property mortgage returns mortgage	Pass
	properties_mortgage.py::TestPropertyMortgage	Property mortgage exception returns 500	Pass
	properties_mortgage.py::TestPropertyMortgage	Property mortgage not found returns 404	Pass
	properties_mortgage.py::TestPropertyMortgage	Property mortgage returns ok	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	propertyhc_part1.py::TestPropertyHcData	testHcdata_contains_hazard_curve	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_contains_nearest_gauges	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_contains_property_id	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_contains_summary	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_known_property_returns_200	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_known_property_status_success	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_returns_404	Pass
	propertyhc_part1.py::TestPropertyHcData	testHcdata_status_error	Pass
	propertyhc_part1.py::TestPropertyHcOptions	testHcOptions_returns_200	Pass
	propertyhc_part1.py::TestPropertyHcOptions	testHcOptions_status_ok	Pass
	propertyhc_part1.py::TestPropertyHcResponse	testHcResponse_has_data_key	Pass
	propertyhc_part1.py::TestPropertyHcResponse	testHcResponse_second_property_also_works	Pass
	propertyhc_part1.py::TestPropertyHcUnknown	testHcUnknown_property_message_contains_id	Pass
	propertyhc_part1.py::TestPropertyHcUnknown	testHcUnknown_property_returns_404	Pass
	propertyhc_part1.py::TestPropertyHcUnknown	testHcUnknown_property_status_error	Pass
	propertyhc_part1.py::TestPropertyHcDistribution	testHcDistribution_avg_basis_bps	Pass
	propertyhc_part1.py::TestPropertyHcDistribution	testHcDistribution_avg_flood_count	Pass
	propertyhc_part1.py::TestPropertyHcDistribution	testHcDistribution_max_depth_m	Pass
	propertyhc_part1.py::TestPropertyHcDistribution	testHcDistribution_num_properties	Pass
	propertyhc_part1.py::TestPropertyHcSnodata	testHcSnodata_message_mentions_command	Pass
	propertyhc_part1.py::TestPropertyHcSnodata	testHcSnodata_returns_404	Pass
	propertyhc_part1.py::TestPropertyHcSnodata	testHcSnodata_status_is_error	Pass
	propertyhc_part1.py::TestPropertyHcOptions	testHcOptions_returns_200	Pass
	propertyhc_part1.py::TestPropertyHcOptions	testHcOptions_status_ok	Pass
	propertyhc_part1.py::TestPropertyHcResponse	testHcResponse_has_data_key	Pass
	propertyhc_part1.py::TestPropertyHcResponse	testHcResponse_has_distribution	Pass
	propertyhc_part1.py::TestPropertyHcResponse	testHcResponse_has_metadata	Pass
	propertyhc_part1.py::TestPropertyHcResponse	testHcResponse_has_summary	Pass
	propertyhc_part1.py::TestPropertyHcReturns	testHcReturns_200_with_data	Pass
	propertyhc_part1.py::TestPropertyHcStatus	testHcStatus_is_success	Pass
	propertyhc_part1.py::TestPropertyHcEmpty	testHcEmpty_returns_avg_flood_count_is_zero	Pass
	propertyhc_part1.py::TestPropertyHcEmpty	testHcEmpty_returns_num_properties_is_zero	Pass
	propertyhc_part1.py::TestPropertyHcEmpty	testHcEmpty_returns_200	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_entry_has_avg_basis_bps	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_entry_has_flood_count	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_entry_has_nearest_gauges	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_entry_has_property_id	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_table_count_matches	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_table_length	Pass
	propertyhc_part2.py::TestPropertyHcBasis	testHcBasis_table_sorted_desc_by_basis	Pass
	propertyhc_part2.py::TestPropertyHcNearest	testHcNearest_gauge_has_distance_km	Pass
	propertyhc_part2.py::TestPropertyHcNearest	testHcNearest_gauge_has_gauge_id	Pass
	propertyhc_part2.py::TestPropertyHcNoId	testHcNoId_returns_404	Pass
	propertyhc_part2.py::TestPropertyHcNoId	testHcNoId_status_error	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	core.storms.py::TestListFloodStorms	test_storms_list_count	Pass
	core.storms.py::TestListFloodStorms	test_storms_sorted_by_gauges_severe	Pass
	core.storms.py::TestListFloodStorms	test_with_data_returns_success	Pass
	core.storms.py::TestPropertyStorms	test_missing_file_without_gauge_json	Pass
	core.storms.py::TestPropertyStorms	test_missing_file_without_storm_sequences_json	Pass
	core.summary.py::TestPropertyFloods	test_existing_property_returns_success	Pass
	core.summary.py::TestPropertyFloods	test_include_readings_false_strips_readings	Pass
	core.summary.py::TestPropertyFloods	test_include_readings_true_keeps_readings	Pass
	core.summary.py::TestPropertyFloods	test_missing_property_returns_404	Pass
	core.summary.py::TestPropertyFloods	test_options_returns_ok	Pass
	core.summary.py::TestPropertyStorms	test_existing_property_returns_success	Pass
	core.summary.py::TestPropertyStorms	test_flood_events_tagged_with_sequence_type	Pass
	core.summary.py::TestPropertyStorms	test_missing_property_returns_404	Pass
	core.summary.py::TestPropertyStorms	test_nearest_gauges_enriched_with_flood_stages	Pass
	core.summary.py::TestPropertyStorms	test_options_returns_ok	Pass
	core.summary.py::TestPropertyStorms	test_response_has_flood_events	Pass
	core.summary.py::TestPropertyStorms	test_response_has_nearest_gauges	Pass
	core.summary.py::TestPropertyStorms	test_response_has_property_info	Pass
	core.summary.py::TestSummary	test_no_data_returns_404	Pass
	core.summary.py::TestSummary	test_options_returns_ok	Pass
	core.summary.py::TestSummary	test_with_data_returns_success	Pass
	financial.py::TestPortfolioImpact	test_known_storm_returns_success	Pass
	financial.py::TestPortfolioImpact	test_mortgaged_property_has_ltv_fields	Pass
	financial.py::TestPortfolioImpact	test_no_pts_dir_returns_404	Pass
	financial.py::TestPortfolioImpact	test_options_returns_ok	Pass
	financial.py::TestPortfolioImpact	test_portfolio_damage_pct_non_negative	Pass
	financial.py::TestPortfolioImpact	test_portfolio_totals_count	Pass
	financial.py::TestPortfolioImpact	test_properties_sorted_by_damage_descending	Pass
	financial.py::TestPortfolioImpact	test_property_entry_has_financial_fields	Pass
	financial.py::TestPortfolioImpact	test_response_has_portfolio	Pass
	financial.py::TestPortfolioImpact	test_response_has_properties_list	Pass
	financial.py::TestPortfolioImpact	test_response_has_storm_id	Pass
	financial.py::TestPortfolioImpact	test_unknown_storm_returns_404	Pass
	financial.py::TestSequencePortfolioImpact	test_known_sequence_returns_success	Pass
	financial.py::TestSequencePortfolioImpact	test_no_pts_dir_returns_404	Pass
	financial.py::TestSequencePortfolioImpact	test_options_returns_ok	Pass
	financial.py::TestSequencePortfolioImpact	test_properties_sorted_by_damage_descending	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_financial_fields	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_num_sequence_floods	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_worst_storm_id	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_damage_model	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_num_storms	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_portfolio	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_properties_list	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	financial.py::TestSequencePortfolioInput	test_in_response_has_sequence_id	Pass
	financial.py::TestSequencePortfolioInput	test_unknown_sequence_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtr	test_missing_sequences_message_mentions_doublet	Pass
	risk_part1.py::TestPortfolioVarEtr	test_missing_sequences_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtr	test_no_pts_dir_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtr	test_no_pts_dir_status_error	Pass
	risk_part1.py::TestPortfolioVarEtr	test_options_returns_ok	Pass
	risk_part1.py::TestPortfolioVarNt	test_no_mortgage_impairment_when_above_water	Pass
	risk_part1.py::TestPortfolioVarNt	test_prob_loss_pct_is_100	Pass
	risk_part1.py::TestPortfolioVarNt	test_property_damage_cond_mean_positive	Pass
	risk_part1.py::TestPortfolioVarNt	test_property_damage_max_is_positive	Pass
	risk_part1.py::TestPortfolioVarNt	test_storm_count_is_one	Pass
	risk_part1.py::TestPortfolioVarNt	test_storms_with_damage_is_one	Pass
	risk_part1.py::TestPortfolioVarNt	test_storms_zero_plus_with_damage_equals_total	Pass
	risk_part1.py::TestPortfolioVarNt	test_total_portfolio_mortgages	Pass
	risk_part1.py::TestPortfolioVarNt	test_total_portfolio_value	Pass
	risk_part1.py::TestPortfolioVarSt	test_histogram_bin_has_lo_hi_count	Pass
	risk_part1.py::TestPortfolioVarSt	test_mort_histogram_has_50_bins	Pass
	risk_part1.py::TestPortfolioVarSt	test_mortgage_impairment_sub_keys	Pass
	risk_part1.py::TestPortfolioVarSt	test_prop_histogram_has_50_bins	Pass
	risk_part1.py::TestPortfolioVarSt	test_property_damage_sub_keys	Pass
	risk_part1.py::TestPortfolioVarSt	test_returns_200	Pass
	risk_part1.py::TestPortfolioVarSt	test_status_success	Pass
	risk_part1.py::TestPortfolioVarSt	test_stail_storm_has_required_fields	Pass
	risk_part1.py::TestPortfolioVarSt	test_stail_storms_is_list	Pass
	risk_part1.py::TestPortfolioVarSt	test_stail_storms_sorted_descending	Pass
	risk_part1.py::TestPortfolioVarSt	test_stop_level_keys_present	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_mortgage_json_returns_200	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_mortgage_json_zero_portfolio_mortgages	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_property_json_returns_200	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_property_json_status_success	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_property_json_zero_portfolio_value	Pass
	risk_part2.py::TestPortfolioVarM	test_mortgage_impairment_max_is_positive	Pass
	risk_part2.py::TestPortfolioVarM	test_mortgage_impairment_value	Pass
	risk_part2.py::TestPortfolioVarM	test_mortgage_storm_has_mortgage_impairment	Pass
	risk_part2.py::TestPortfolioVarM	test_prob_loss_pct_is_50	Pass
	risk_part2.py::TestPortfolioVarM	test_storm_count_is_two	Pass
	risk_part2.py::TestPortfolioVarM	test_storms_with_damage_is_one	Pass
	risk_part2.py::TestPortfolioVarM	test_storms_zero_damage_is_one	Pass
	risk_part2.py::TestPortfolioVarM	test_storms_contains_the_damaged_storm	Pass
	risk_part2.py::TestPortfolioVarM	test_storms_limited_to_50	Pass
	risk_part2.py::TestPortfolioVarU	test_top_property_value_from_known_property	Pass
	risk_part2.py::TestPortfolioVarU	test_unknown_property_id_is_skipped	Pass
	risk_part2.py::TestPortfolioVarZ	test_depth_cond_mean_is_zero	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_connected_state	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_status_changed_when_above_alert	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_status_changed_when_below_alert	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_status_getter	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_status_getting	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_water_level_fallback_key_fallback	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_with_no_readings_defaults_to_zero	Zero
	test_animate_storm_state.py::TestAnimateStormState	test_water_level_change_from_readings	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_arrived_in_time_before_arrival_time	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_arrived_in_time_after_arrival_time	Time
	test_animate_storm_state.py::TestAnimateStormState	test_property_beyond_readings_defaults_to_zero	Pass zero
	test_animate_storm_state.py::TestAnimateStormState	test_property_has_required_fields	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_property_id_property_state	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_filtered_counts_non_normal	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_gauges_filtered_counts_zero_when_normal	Pass
	test_animate_storm_state.py::TestAnimateStormState	test_properties_if_flooded_is_positive_early	Person
	test_animate_storm_state.py::TestAnimateStormState	test_total_depths_are_non_negative	Pass
	test_financial_coverage.py::TestLoanMortgageLoanMortgageEpsilon	loan_mortgage_loan_mortgage_epsilon still returns data	Data
	test_financial_coverage.py::TestLoanMissingPropertyInJsonReturns404	loan_missing_property_in_json_returns_404	Pass
	test_financial_coverage.py::TestLoanMissingPropertyInJsonSequenceReturns404	loan_missing_property_in_json_sequence_returns_404	Pass
	test_financial_coverage.py::TestReportSequenceOfPhantomPropertyReturns404	report_sequence_of_phantom_property_returns_404	Pass
	test_financial_coverage.py::TestReportNonOptionalValuePropertyReturns404	report_non_optional_value_property_returns_404	Pass
	test_financial_coverage.py::TestReportWithNoMortgagesReturnsZeroFill	report_with_no_mortgages_returns_zero_fill	Pass
	test_financial_coverage.py::TestReportWithNoMortgageSequence	report_with_no_mortgage_sequence	Pass
routes_part1.py::TestCORS	test_cors_headers_on_get		Pass
routes_part1.py::TestCORS	test_options_returns_ok		Pass
routes_part1.py::TestGaugeRoute	test_generate_report_missing_gauge_id		Pass
routes_part1.py::TestGaugeRoute	test_get_gauge		Pass
routes_part1.py::TestGaugeRoute	test_get_gauge_not_found		Pass
routes_part1.py::TestGaugeRoute	test_get_gauge_statistics		Pass
routes_part1.py::TestGaugeRoute	test_get_gaugets		Pass
routes_part1.py::TestGaugeRoute	test_legacy_list_gauges		Pass
routes_part1.py::TestGaugeRoute	test_list_gauges		Pass
routes_part1.py::TestHealthRoute	test_detailed_health_check		Pass
routes_part1.py::TestHealthRoute	test_health_check		Pass
routes_part1.py::TestHealthRoute	test_root_redirects		Pass
routes_part1.py::TestPropertyRoute	test_generate_report_missing_body		Pass
routes_part1.py::TestPropertyRoute	test_generate_report_missing_property_id		Pass
routes_part1.py::TestPropertyRoute	test_generate_report_property_not_found		Pass
routes_part1.py::TestPropertyRoute	test_get_property		Pass
routes_part1.py::TestPropertyRoute	test_get_property_not_found		Pass
routes_part1.py::TestPropertyRoute	test_legacy_generate_property_report		Pass
routes_part1.py::TestPropertyRoute	test_list_properties		Pass
routes_part1.py::TestPropertyRoute	test_options_preflight		Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	routes_part2.py::TestErrorHandler	test_invalid_json	Pass
	routes_part2.py::TestErrorHandler	test_missing_content_type	Pass
	routes_part2.py::TestGaugeCrud	test_create_gauges_error_returns_500	Pass
	routes_part2.py::TestGaugeCrud	test_create_gauges_options	Pass
	routes_part2.py::TestServerMaint	test_main_calls_app_run	Pass
	consistency.py::TestStormIdConsistency	test_new_storm_from_list_is_runnable	Pass
	consistency.py::TestStormIdConsistency	test_worst_storm_auto_selection_is_runnable	Pass
	consistency.py::TestStressRunInputs	test_storm_id_exact_match_required	Pass
	consistency.py::TestStressRunInputs	test_storm_list_has_all_run_inputs	Pass
	hydrograph.py::TestActualHydrograph	test_peak_function_decays_after_peak	Pass
	hydrograph.py::TestActualHydrograph	test_peak_function_reaches_peak	Pass
	hydrograph.py::TestActualHydrograph	test_peak_function_returns_168_hours	Pass
	hydrograph.py::TestActualHydrograph	test_peak_function_starts_at_base	Pass
	hydrograph.py::TestActualHydrograph	test_peak_hour_matches_peak_position	Pass
	hydrograph.py::TestGaugetsHydrograph	test_phlegm_level_field_fallback	Pass
	hydrograph.py::TestGaugetsHydrograph	test_phlegm_water_level_field	Pass
	hydrograph.py::TestGaugetsHydrograph	test_phlegm_gaugets_returns_404	Pass
	ordering.py::TestPeakOrdering	test_severe_storm_alpha_is_first	Pass
	ordering.py::TestPeakOrdering	test_storms_sorted_worst_first	Pass
	ordering.py::TestPeakOrdering	test_worst_storm_is_first	Pass
	presentation.py::TestPresentationConsistency	test_three_use_same_storms_endpoint	Pass
	presentation.py::TestPresentationConsistency	test_stress_auto_selects_worst_case	Pass
	presentation.py::TestPresentationConsistency	test_stress_tab_uses_all_required_fields	Pass
	presentation.py::TestPresentationConsistency	test_historical_tab_uses_all_required_fields	Pass
	presentation.py::TestPresentationConsistency	test_peak_level_min_trading_stress_label	Pass
	presentation.py::TestPresentationConsistency	test_trading_stress_auto_selects_worst_case	Pass
	presentation.py::TestPresentationConsistency	test_trading_stress_tab_uses_all_required_fields	Pass
	response_fields.py::TestStressRunResponseFields	test_alert_warning_severe_levels	Pass
	response_fields.py::TestStressRunResponseFields	test_hydrograph_source_info	Pass
	response_fields.py::TestStressRunResponseFields	test_storm_name_and_category	Pass
	response_fields.py::TestStressRunResponseFields	test_hourly_count_is_168	Pass
	response_fields.py::TestStressRunResponseFields	test_probability_surface_has_full_168hrs	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_response_has_count	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_returns_200_not_400	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_returns_all_storms	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_returns_success	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_still_filters	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_base_level_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_duration_hours	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_effective_precipitation_mm	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_gauges_severe	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_intensity_category	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_level_change_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_max_trigger	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	scenario_fields.py::TestScenarioVisitesFields	list_has_name	Pass
	scenario_fields.py::TestScenarioVisitesFields	list_has_peak_level_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	list_has_peak_position	Pass
	test_health_coverage.py::TestStateIcon	apple_touch_icon	Pass
	test_health_coverage.py::TestStateIcon	apple_touch_icon_precomposed	Pass
	test_health_coverage.py::TestStateIcon	favicon.ico	Pass
	test_prs_basic.py::TestCommitTrade	commit_with_cashflows	Pass
	test_prs_basic.py::TestCommitTrade	commit_with_explicit_maturity	Pass
	test_prs_basic.py::TestCommitTrade	commit_with_terrain_fields	Pass
	test_prs_basic.py::TestCommitTrade	commit_without_terrain_fields_backward_compat	Pass
	test_prs_basic.py::TestCommitTrade	empty_json_returns_400	Pass
	test_prs_basic.py::TestCommitTrade	minimal_valid_commit	Pass
	test_prs_basic.py::TestCommitTrade	no_json_returns_error	Pass
	test_prs_basic.py::TestGetTradePDF	existing_pdf_served	Pass
	test_prs_basic.py::TestGetTradePDF	missing_pdf_returns_404	Pass
	test_prs_basic.py::TestListTrades	empty_dir_returns_zero_count	Pass
	test_prs_basic.py::TestListTrades	returns_trades_list_key	Pass
	test_prs_basic.py::TestListTradesWithFiles	returns_trades_from_json_files	Pass
	test_prs_generate_part1.py::TestGeneratePDF	close_out_payable_direction	Pass
	test_prs_generate_part1.py::TestGeneratePDF	no_cashflows	Pass
	test_prs_generate_part1.py::TestGeneratePDF	with_cashflows	Pass
	test_prs_generate_part1.py::TestGeneratePDF	with_close_out	Pass
	test_prs_generate_part1.py::TestGeneratePDF	with_close_out_date	Pass
	test_prs_generate_part2.py::TestCommitCloseOut	path_exercised	Pass
	test_prs_generate_part2.py::TestCommitValidationFails	returns_400	Pass
	test_prs_generate_part2.py::TestListTradesFtpPrivate	file_returns_500	Pass
	test_prs_terrain_payload.py::TestGDMReceptTerrainFields	has_ea_flood_zone	Pass
	test_prs_terrain_payload.py::TestGDMReceptTerrainFields	has_ea_flood_zone_actual	Pass
	test_prs_terrain_payload.py::TestGDMReceptTerrainFields	has_terrain_delta_bps	Pass
	test_prs_terrain_payload.py::TestGDMReceptTerrainFields	data_get	Pass
	test_prs_terrain_payload.py::TestCommitPayloadCompat	fallback	Pass
	test_prs_terrain_payload.py::TestCommitPayloadZ6	the actual in payload	Pass
	test_prs_terrain_payload.py::TestCommitPayloadZ6	in payload	Pass
	test_prs_terrain_payload.py::TestCommitPayloadZ6	in payload	Pass
	test_prs_terrain_payload.py::TestCommitPayloadZ6	in payload	Pass
	blotter_routes.part1.py::TestBlotterClosedTrades	closed_trades_by_default	Pass
	blotter_routes.part1.py::TestBlotterClosedTrade	closed	Pass
	blotter_routes.part1.py::TestCloseOut	close_trade_has_final_pnl	Pass
	blotter_routes.part1.py::TestCloseOut	close_trade_marks_closed	Pass
	blotter_routes.part1.py::TestCloseOut	close_trade_not_found	Pass
	blotter_routes.part1.py::TestCloseOut	close_trade_requires_closeout_spread	Pass
	blotter_routes.part1.py::TestCloseOut	close_trade_settlement_uses_closeout_spread	Pass
	blotter_routes.part1.py::TestCloseOut	close_trade_success	Pass
	blotter_routes.part1.py::TestGetBestOffer	blotter_empty_when_no_trades	Pass
	blotter_routes.part1.py::TestGetBestOffer	blotter_fs01_sign_payer_positive	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	blotter_routes_part1.py::TestGetBlotter	blotter_fs01.sign_receiver_negative	Pass
	blotter_routes_part1.py::TestGetBlotter	blotter_gauge_name_injected	Pass
	blotter_routes_part1.py::TestGetBlotter	blotter_has_pnl_fields	Pass
	blotter_routes_part1.py::TestGetBlotter	blotter_has_prev_fair_spread	Pass
	blotter_routes_part1.py::TestGetBlotter	blotter_has_required_fields	Pass
	blotter_routes_part1.py::TestGetBlotter	blotter_summary_fields	Pass
	blotter_routes_part1.py::TestGetBlotter	get_blotter_returns_trades	Pass
	blotter_routes_part2.py::TestActivateGauges	gauges_with_trades_are_returned	Pass
	blotter_routes_part2.py::TestActivateGauges	empty_blotter_returns_empty_list	Pass
	blotter_routes_part2.py::TestActivateGauges	gauge_without_trade_is_not_returned	Pass
	blotter_routes_part2.py::TestActivateGauges	lambeth_appears_when_it_has_an_open_trade	Pass
	blotter_routes_part2.py::TestActivateGauges	lambeth_excluded_after_its_trade_is_closed	Pass
	blotter_routes_part2.py::TestActivateGauges	other_gauges_unaffected_by_lambeth_reset	Pass
	blotter_routes_part2.py::TestActivateGauges	response_is_sorted	Pass
	blotter_routes_part2.py::TestBlotterErrorHandler	corrupt_file_skipped	Pass
	blotter_routes_part2.py::TestBlotterErrorHandler	engine_error_returns_500	Pass
	blotter_routes_part2.py::TestBlotterErrorHandler	trade_engine_error_returns_500	Pass
	blotter_routes_part2.py::TestBlotterErrorHandler	pdf_regen_exception_caught	Pass
	blotter_routes_part2.py::TestBlotterErrorHandler	gauge_name_injected_when_missing	Pass
	curves_routes_part1.py::TestHazardCommit	hazard_ts	Pass
	curves_routes_part1.py::TestHazardCommit	hazard_ts_missing_gauge	Pass
	curves_routes_part1.py::TestHazardCommit	hazard_ts_missing_rates	Pass
	curves_routes_part1.py::TestHazardCommit	hazard_ts_only_affects_target_gauge	Pass
	curves_routes_part1.py::TestHazardReset	hazard_ts_all	Pass
	curves_routes_part1.py::TestHazardReset	hazard_ts_single_gauge	Pass
	curves_routes_part1.py::TestHazardReset	hazard_term_structure	Pass
	curves_routes_part1.py::TestHazardUpdate	hazard_ts_invalid_tenor	Pass
	curves_routes_part1.py::TestHazardUpdate	hazard_ts_missing_gauge	Pass
	curves_routes_part1.py::TestHazardUpdate	hazard_ts_single_point	Pass
	curves_routes_part1.py::TestYieldCurve	get_yield_curve	Pass
	curves_routes_part1.py::TestYieldCurve	get_yield_curve_default_shape	Pass
	curves_routes_part1.py::TestYieldCurve	update_yield_curve_invalid_tenor	Pass
	curves_routes_part1.py::TestYieldCurve	update_yield_curve_no_body	Pass
	curves_routes_part1.py::TestYieldCurve	update_yield_curve_single_tenor	Pass
	curves_routes_part1.py::TestYieldCurve	commit_yield_curve	Pass
	curves_routes_part1.py::TestYieldCurve	commit_yield_curve_affected_count	Pass
	curves_routes_part1.py::TestYieldCurve	commit_yield_curve_empty_rates	Pass
	curves_routes_part1.py::TestYieldCurve	commit_yield_curve_no_body	Pass
	curves_routes_part1.py::TestYieldCurve	reset_yield_curve	Pass
	curves_routes_part2.py::TestCurveHistory	history_empty_when_no_eods	Pass
	curves_routes_part2.py::TestCurveHistory	history_requires_gauge_id	Pass
	curves_routes_part2.py::TestCurveHistory	history_with_eod	Pass
	curves_routes_part2.py::TestCurveErrorHandler	hazard_ts_error_returns_500	Pass
	curves_routes_part2.py::TestCurveErrorHandler	history_error_returns_500	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_classifiers_helpers.py::	TestThreatsHelper.truncates_to_20	Pass
	test_classifiers_summary.py::	TestClassifierSummary.computed	Pass
	test_classifiers_summary.py::	TestClassifierSummary.fields	Pass
	test_classifiers_summary.py::	TestClassifierSummary.sorted_by_longitude	Pass
	test_classifiers_summary.py::	TestClassifierSummary.initially	Pass
	test_classifiers_summary.py::	TestClassifierSummary.gauges	Pass
	test_classifiers_summary.py::	TestClassifierSummary.success	Pass
	test_classifiers_summary.py::	TestClassifierSummary.gauge_shows_metrics	Pass
	test_classifiers_summary.py::	TestClassifierSummary.removes_all_metrics	Pass
	test_classifiers_summary.py::	TestClassifierSummary.shows_metrics	Pass
	test_classifiers_summary.py::	TestClassifierSummary.stale_metrics	Pass
	test_classifiers_training.py::	TestBasicTraining.cancelled_mid_run	Pass
	test_classifiers_training.py::	TestBasicTraining.failure	Pass
	test_classifiers_training.py::	TestBasicTraining.batch	Pass
	test_port_stress_coverage.py::	TestAlertThresholdClassification	Pass
	test_port_stress_coverage.py::	TestAlertThresholdExcludedFromStress	Pass
	test_port_stress_coverage.py::	TestAlertFormIdReturns400	Pass
	test_port_stress_coverage.py::	TestHydrographFromGaugeFallsBack	Pass
	test_port_stress_coverage.py::	TestHydrographFromGaugeEnoughReadings	Pass
	test_port_stress_coverage.py::	TestTopOfSlopeRatio	Pass
	test_port_stress_coverage.py::	TestTideGaugeReturns500	Pass
	test_port_stress_coverage.py::	TestStormNameFieldUsesStormId	Pass
	test_port_stress_infra.py::	TestPortStressErrorReturns500	Pass
	test_port_stress_infra.py::	TestPortStressReturnsFileReturns404	Pass
	test_port_stress_infra.py::	TestPortStressReturnsError	Pass
	test_port_stress_infra.py::	TestStressCacheReloadWhenMtimeUnchanged	Pass
	test_port_stress_infra.py::	TestStressCacheReloadWhenMtimeChange	Pass
	test_port_stress_run.py::	TestPortStressPollCalculationNotional	Pass
	test_port_stress_run.py::	TestPortStressPollCalculationSumOfGauges	Pass
	test_port_stress_run.py::	TestPortStressPollCalculationNotional	Pass
	test_port_stress_run.py::	TestPortStressPollCalculationP_FloodTo100ps	Pass
	test_port_stress_run.py::	TestPortStressPollCalculationA	Pass
	test_port_stress_run.py::	TestPortStressPollCalculationGaugeHasZeroP_Flood	Pass
	test_port_stress_run.py::	TestRunPortfolioStressGaugeResultsFields	Pass
	test_port_stress_run.py::	TestRunPortfolioStressRunGaugesSevereList	Pass
	test_port_stress_run.py::	TestRunPortfolioStressRunGaugesWarningList	Pass
	test_port_stress_run.py::	TestRunPortfolioStressRunHasGaugeResults	Pass
	test_port_stress_run.py::	TestRunPortfolioStressRunHasPortfolioTotals	Pass
	test_port_stress_run.py::	TestRunPortfolioStressInvalidStorm	Pass
	test_port_stress_run.py::	TestRunPortfolioStressMissingStormId	Pass
	test_port_stress_run.py::	TestRunPortfolioStressReturnsSuccess	Pass
	test_port_stress_storms.py::	TestPortfolioStressHasStorms	Pass
	test_port_stress_storms.py::	TestPortfolioStressSuccess	Pass
	test_port_stress_storms.py::	TestPortfolioStressHasRequiredFields	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	visualization.py::TestServeVisualization	test_on_supplied_attachment_message	Pass
	visualization.py::TestServeVisualization	test_on_import_error_returns_503	Pass
	visualization.py::TestServeVisualization	test_on_success_returns_200	Pass
	base_loader.py::TestBaseLoader	test_caching_prevents_reload	Pass
	base_loader.py::TestBaseLoader	test_clear_cache	Pass
	base_loader.py::TestBaseLoader	test_force_reload_bypasses_cache	Pass
	base_loader.py::TestBaseLoader	test_invalidate_cache	Pass
	base_loader.py::TestBaseLoader	test_abstract_methods_enforced	Pass
	base_loader.py::TestBaseLoader	test_subclass_must_implement_get_entity	Pass
	base_loader.py::TestBaseLoader	test_subclass_must_implement_get_entity	Summary
	base_loader.py::TestBaseLoader	test_finding_exists_check	Skip
	base_loader.py::TestBaseLoader	test_loading_alternative_container_key	Pass
	base_loader.py::TestBaseLoader	test_loading_dict_with_container_key	Pass
	base_loader.py::TestBaseLoader	test_loading_list_format	Pass
	base_loader.py::TestBaseLoader	test_loading_missing_file	Pass
	base_loader.py::TestBaseLoader	test_loading_single_object	Pass
	base_loader.py::TestBaseLoader	test_count	Pass
	base_loader.py::TestBaseLoader	test_exists	Pass
	base_loader.py::TestBaseLoader	test_find_by_id	Pass
	base_loader.py::TestBaseLoader	test_find_by_id_not_found	Pass
	base_loader.py::TestBaseLoader	test_get_ids	Skip
	base_loader.py::TestBaseLoader	test_get_status	Skip
	base_loader.py::TestBaseLoader	test_list_all	Pass
	gauge_loader.py::TestGaugeLoader	test_entity_id_extraction	Pass
	gauge_loader.py::TestGaugeLoader	test_entity_summary	Pass
	gauge_loader.py::TestGaugeLoader	test_load_gauges	Pass
	gauge_loader.py::TestGaugeLoader	test_helpers_active_gauges	Pass
	gauge_loader.py::TestGaugeLoader	test_helpers_coordinates	Pass
	gauge_loader.py::TestGaugeLoader	test_helpers_flood_stages	Pass
	gauge_loader.py::TestGaugeLoader	test_helpers_gauge_name	Pass
	gauge_loader.py::TestGaugeLoader	test_helpers_gauge_name_not_found	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_id	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_name	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_name_case_insensitive	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_owner	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_status_active	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_status_inactive	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_type_river	Pass
	gauge_loader.py::TestGaugeLoader	test_query_by_type_tidal	Pass
	gauge_loader.py::TestGaugeLoader	test_spaced_gauges_in_radius	Pass
	gauge_loader.py::TestGaugeLoader	test_spaced_gauges_in_radius_none_found	Pass
	loader_registry.py::TestCreateRegistry	test_create_registry	Pass
	loader_registry.py::TestCreateRegistry	test_create_registry_with_overrides	Pass
	loader_registry.py::TestLoaderRegistry	test_basic_registry	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	loader_registry.py::TestLoaderRegistry	test_get_all_available_loaders	Pass
	loader_registry.py::TestLoaderRegistry	test_loading_all_caches	Pass
	loader_registry.py::TestLoaderRegistry	test_getting_different_loaders_separate_instances	Pass
	loader_registry.py::TestLoaderRegistry	test_loading_instances_cached	Pass
	loader_registry.py::TestLoaderRegistry	test_file_overrides	Pass
	loader_registry.py::TestLoaderRegistry	test_get_loader_by_name	Pass
	loader_registry.py::TestLoaderRegistry	test_get_loader_unknown_type	Pass
	loader_registry.py::TestLoaderRegistry	test_stack_data_files	Pass
	loader_registry.py::TestLoaderRegistry	test_set_all_status	Skip
	loader_registry.py::TestLoaderRegistry	test_get_agency_loader	Pass
	loader_registry.py::TestLoaderRegistry	test_get_and_agency_loader	Pass
	loader_registry.py::TestLoaderRegistry	test_get_property_loader	Pass
	loader_registry.py::TestLoaderRegistry	test_get_address_loader	Pass
	loader_registry.py::TestLoaderRegistry	test_get_address_series_loader	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_delinquent_mortgages	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_exposure_by_lender	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_properties_with_mortgages	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_total_exposure	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_basic_extraction	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_basic_summary	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_all_mortgages	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_id	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_lender	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_lender_case_insensitive	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_id_property_id	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_id_property_id_not_found	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_id_status_active	Pass
	mortgage_loader.py::TestMortgageLoader	test_lookup_by_id_status_delinquent	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_mortgage_links_to_property	Pass
	mortgage_loader.py::TestMortgageLoader	test_get_properties_with_mortgage	Pass
	property_loader.py::TestPropertyLoader	test_get_agency_value	Pass
	property_loader.py::TestPropertyLoader	test_get_agency_by_state	Pass
	property_loader.py::TestPropertyLoader	test_get_basic_extraction	Pass
	property_loader.py::TestPropertyLoader	test_get_basic_summary	Pass
	property_loader.py::TestPropertyLoader	test_get_all_properties	Pass
	property_loader.py::TestPropertyLoader	test_get_coordinates	Pass
	property_loader.py::TestPropertyLoader	test_get_coordinates_not_found	Pass
	property_loader.py::TestPropertyLoader	test_get_location	Pass
	property_loader.py::TestPropertyLoader	test_get_location_not_found	Pass
	property_loader.py::TestPropertyLoader	test_get_properties_in_radius	Pass
	property_loader.py::TestPropertyLoader	test_lookup_by_address	Pass
	property_loader.py::TestPropertyLoader	test_lookup_by_address_case_insensitive	Pass
	property_loader.py::TestPropertyLoader	test_lookup_by_address_not_found	Pass
	property_loader.py::TestPropertyLoader	test_lookup_by_id	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	property_loader.py::TestProperty	test_dataframe_state	Pass
	property_loader.py::TestProperty	test_dataframe_state_case_insensitive	Pass
	property_loader.py::TestProperty	test_dataframe_zip	Pass
	property_loader.py::TestProperty	test_dataframe_zip_multiple	Pass
	timeseries_loader.py::TestTimeseries	test_gauge_get_timeseries_for_portfolio_gauge	Pass
	timeseries_loader.py::TestTimeseries	test_gauge_get_timeseries_gauge_ids_match_portfolio	Pass
	timeseries_loader.py::TestTimeseries	test_load_basises_timestamp	Pass
	timeseries_loader.py::TestTimeseries	test_load_basises_summary	Pass
	timeseries_loader.py::TestTimeseries	test_load_basises_series	Pass
	timeseries_loader.py::TestTimeseries	test_logger_gauge_queuing	Pass
	timeseries_loader.py::TestTimeseries	test_logger_peak_queuing	Pass
	timeseries_loader.py::TestTimeseries	test_logger_gauges_for_gauge	Pass
	timeseries_loader.py::TestTimeseries	test_logger_gauges_for_gauge_by_name	Pass
	timeseries_loader.py::TestTimeseries	test_logger_gauges_for_gauge_not_found	Pass
	timeseries_loader.py::TestTimeseries	test_logger_stalable_gauge_ids	Pass
	timeseries_loader.py::TestTimeseries	test_logger_statistics	Pass
	timeseries_loader.py::TestTimeseries	test_logger_statistics_not_found	Pass
	timeseries_loader.py::TestTimeseries	test_logger_end_of_range	Skip
	timeseries_loader.py::TestTimeseries	test_logger_end_of_range_for_gauge	Skip
	test_b10_quick_wins.py::TestAuditee	test_functions_truncated_above_10000	Pass
	test_b10_quick_wins.py::TestEOB	test_data_not_found_in_new_trade	Pass
	test_b10_quick_wins.py::TestGauge	test_data_not_found_in_exists	Pass
	test_b10_quick_wins.py::TestInsure	test_area_fallibility_falls_through	Pass
	test_b10_quick_wins.py::TestInterest	test_min_intensity_module_runs	Pass
	test_b10_quick_wins.py::TestInterest	test_set_path_and_fallibility_unknown_type_returns	Pass
	test_b10_quick_wins.py::TestJSON	test_getting_gses_on_unknown_key	Pass
	test_b10_quick_wins.py::TestJSON	test_getting_gses_known_key	Pass
	test_b10_quick_wins.py::TestLtv	test_percentage_fatigue_percentage	Pass
	test_b10_quick_wins.py::TestProperty	test_min_intensity_type_raises_typeerror	Pass
	test_b10_quick_wins.py::TestProperty	test_empty_dataframe_encoded_as_float	Pass
	test_b10_quick_wins.py::TestService	test_is_hook_main_callable	Pass
	test_b10_quick_wins.py::TestStorage	test_getting_data_linear_fallback	Pass
	test_b10_quick_wins.py::TestTrading	test_get_statistics_returns_dimensions	Pass
	test_b10_quick_wins.py::TestVisualization	test_create_visualization_returns_instance	Pass
	data_structures.py::TestDataValue	test_invalid_result_fields	Pass
	data_structures.py::TestDataValue	test_invalid_tuple	Pass
	data_structures.py::TestDataValue	test_invalid_unpacking	Pass
	data_structures.py::TestDataValue	test_invalid_result_fields	Pass
	data_structures.py::TestLoadedData	test_can_set_gauge_data	Pass
	data_structures.py::TestLoadedData	test_can_set_multiple_fields	Pass
	data_structures.py::TestLoadedData	test_counts_default_to_zero	Pass
	data_structures.py::TestLoadedData	test_defaults_are_none	Pass
	data_structures.py::TestLoadedData	test_is_dataclass	Pass
	data_structures.py::TestLoadedData	test_lookup_defaults_are_none	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	helpers.py::TestDataLoaderHelper	test_data_summary_contains_errors_count	Pass
	helpers.py::TestDataLoaderHelper	test_data_summary_contains_warnings_count	Pass
	helpers.py::TestDataLoaderHelper	test_data_summary_loaded_flag_false_when_no_file	Pass
	helpers.py::TestDataLoaderHelper	test_data_summary_loaded_flag_true_for_gauge	Pass
	helpers.py::TestDataLoaderHelper	test_get_data_summary_empty_before_load	Pass
	helpers.py::TestDataLoaderHelper	test_get_data_summary_returns_dict	Pass
	helpers.py::TestDataLoaderHelper	test_get_validation_summary_empty_before_load	Pass
	helpers.py::TestDataLoaderHelper	test_get_validation_summary_is_copy	Pass
	helpers.py::TestDataLoaderHelper	test_get_validation_summary_returns_dict	Pass
	helpers.py::TestDataLoaderHelper	test_is_data_complete_depends_only_on_gauge	Pass
	helpers.py::TestDataLoaderHelper	test_is_data_complete_false_before_load	Pass
	helpers.py::TestDataLoaderHelper	test_is_data_complete_false_when_no_gauge	Pass
	helpers.py::TestDataLoaderHelper	test_is_data_complete_true_with_gauge	Pass
	helpers.py::TestDataLoaderHelper	test_validation_summary_has_gauge_key	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_full_data_does_not_crash	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_no_data_does_not_crash	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_partial_data_does_not_crash	Crash
	init.py::TestDataLoaderInit	test_init_with_input_dir	Pass
	init.py::TestDataLoaderInit	test_init_with_string_path_converts_to_path	Pass
	init.py::TestDataLoaderInit	test_loaded_data_initialised	Pass
	init.py::TestDataLoaderInit	test_private_loaders_created	Pass
	init.py::TestDataLoaderInit	test_validation_results_empty_at_init	Pass
	load_all.py::TestDataLoaderLoadAll	test_counterparty_data_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_empty_dir_returns_loaded_data	Pass
	load_all.py::TestDataLoaderLoadAll	test_gauge_data_count_matches_records	Pass
	load_all.py::TestDataLoaderLoadAll	test_gauge_data_has_items_key	Pass
	load_all.py::TestDataLoaderLoadAll	test_gaugehd_dir_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_gaugets_dir_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_gaugets_dir_multiple_files_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_hazard_curves_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_lookups_built_after_load	Pass
	load_all.py::TestDataLoaderLoadAll	test_no_gaugehd_dir_count_stays_zero	Pass
	load_all.py::TestDataLoaderLoadAll	test_no_gaugets_dir_count_stays_zero	Pass
	load_all.py::TestDataLoaderLoadAll	test_no_propertyts_dir_count_stays_zero	Pass
	load_all.py::TestDataLoaderLoadAll	test_property_hazard_curves_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_property_hazard_summary_fields_accessible	Pass
	load_all.py::TestDataLoaderLoadAll	test_propertyts_dir_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_list_format	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_loaded_dict_format	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_unknown_format	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_with_items_key	Pass
	load_all.py::TestDataLoaderLoadAll	test_with_gauge_data_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_with_mortgage_data_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_with_property_data_loaded	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	loaders.py::TestLoadCounterpartyData	test_corrupt_counterparty_file_leaves_data_none	Pass
	loaders.py::TestLoadCounterpartyData	test_missing_counterparty_file_leaves_data_none	Pass
	loaders.py::TestLoadCounterpartyData	test_valid_counterparty_file_loads	Pass
	loaders.py::TestLoadHazardCurveData	test_corrupt_hazard_file_leaves_hazard_data_none	Pass
	loaders.py::TestLoadHazardCurveData	test_corrupt_property_hazard_file_leaves_data_none	Pass
	loaders.py::TestLoadHazardCurveData	test_missing_hazard_file_leaves_hazard_data_none	Pass
	loaders.py::TestLoadHazardCurveData	test_missing_property_hazard_file_leaves_data_none	Pass
	loaders.py::TestLoadHazardCurveData	test_valid_hazard_file_populates_hazard_data	Pass
	loaders.py::TestLoadStormData	test_corrupt_storm_file_leaves_storm_data_none	Pass
	loaders.py::TestLoadStormData	test_missing_storm_file_leaves_storm_data_none	Pass
	loaders.py::TestLoadStormData	test_storms_dict_with_storms_key	Pass
	loaders.py::TestLoadStormData	test_storms_list_format	Pass
	loaders.py::TestLoadStormData	test_storms_other_type	Pass
	validation.py::TestLoadWithValidation	test_empty_data_list_records_invalid_records	Pass
	validation.py::TestLoadWithValidation	test_empty_data_list_returns_none	Pass
	validation.py::TestLoadWithValidation	test_exception_in_loader_returns_none	Pass
	validation.py::TestLoadWithValidation	test_exception_records_error_in_validation	Pass
	validation.py::TestLoadWithValidation	test_none_return_from_loader_returns_none	Pass
	validation.py::TestLoadWithValidation	test_successful_load_records_valid_results	Pass
	validation.py::TestLoadWithValidation	test_successful_load_returns_data_dict	Pass
	validation.py::TestLoadWithValidation	test_validation_summary_count_matches_items	Pass
	validation.py::TestLoadWithValidation	test_validation_summary_has_type_field	Pass
	gauge_panel.py::TestGaugeGraphHistogramConfig	test_figure_panel_height	Pass
	gauge_panel.py::TestGaugeGraphHistogramConfig	test_figure_panel_width	Pass
	gauge_panel.py::TestGaugeGraphHistogramConfig	test_get_statistics	Pass
	gauge_panel.py::TestGaugeHazardCurveConfig	test_figure_panel_height	Pass
	gauge_panel.py::TestGaugeHazardCurveConfig	test_figure_panel_width	Pass
	gauge_panel.py::TestGaugeHazardCurveConfig	test_get_statistics	Pass
	gauge_panel.py::TestGaugeStormAnalyticsConfig	test_figure_panel_height	Pass
	gauge_panel.py::TestGaugeStormAnalyticsConfig	test_figure_panel_width	Pass
	gauge_panel.py::TestGaugeStormAnalyticsConfig	test_get_statistics	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_fetches_gauge_history	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_fetches_stress_storms	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_has_storm_scenarios	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_has_time_series_chart	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_renders	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_renders_storm_list	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_shows_flood_stages	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_shows_trigger_colors	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_storm_click_navigates_to_stress	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_uses_event_listeners	Pass
	gauge_panel.py::TestStressTestTab	test_stress_fetches_storms	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_cash_price_concept	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_chart_tabs	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge_panel.py::TestStressTestTab	test_stress_has_storm_selector	Pass
	gauge_panel.py::TestStressTestTab	test_stress_renders	Pass
	gauge_panel.py::TestStressTestTab	test_stress_runs_scenario	Pass
	gauge_panel.py::TestStressTestTab	test_stress_shows_p_flood	Pass
	gauge_panel.py::TestStressTestTab	test_stress_storm_hint_pickup	Pass
	gauge_panel.py::TestStressTestTab	test_stress_trade_table	Pass
	gauge_panel.py::TestStressTestTab	test_stress_uses_event_listeners_for_tabs	Pass
	historical_detail_part1.py::TestHistoricalTabRuler	test_historical_tab_ruler_renders	Pass
	historical_detail_part1.py::TestHistoricalTabRuler	test_historical_tab_ruler_length	Pass
	historical_detail_part1.py::TestHistoryFetch	test_history_fetch_gauge_history	Pass
	historical_detail_part1.py::TestHistoryFetch	test_history_fetch_gauge_id_variable	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_flow_count	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_top30_storms	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_by_peak_level	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_effective_precipitation	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_severe	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_category	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_trigger_for_colour	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_peak_level_m	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_fields	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_frame_field	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_gauge_storms_endpoint	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_scenarios	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_pointers_in_panel	Pass
	historical_detail_part1.py::TestStressTestList	test_stress_test_list_stress_storms_endpoint	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_colour_amber	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_observations_field	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_historical_chart	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_colour_red	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_flood_alert_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_flood_warning_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_severe_flood_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_samples_observations	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_colour_orange	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_keyed_by_gauge_id	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_history_data	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_data_on_revisit	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_function	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_flood_exceedances	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_mean_level	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_record_years	Pass
	historical_detail_part2.py::TestStressTestClickNav	test_stress_test_click_nav_handler_defined	Pass
	historical_detail_part2.py::TestStressTestClickNav	test_stress_test_click_nav_handler_iife_safe	Pass
	historical_detail_part2.py::TestStressTestClickNav	test_stress_test_click_nav_tab_5	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	js_safety_part1.py::TestFullCompletion	test_full_js_contains_regulatory_button	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_contains_render_audit_report	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_contains_script_tags	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_contains_show_mg_panel	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_contains_terminal_popup	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_is_str	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_non_empty	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_passes_node_syntax_check	Pass
	js_safety_part1.py::TestGetJsReturn	test_sailing_modules_non_empty	Pass
	js_safety_part1.py::TestGetJsReturn	test_sailing_modules_return_str	Pass
	js_safety_part1.py::TestNoLiteralNestingInJsStrings	test_no_newline_in_js_strings	Pass
	js_safety_part1.py::TestNoLiteralNestingInJsStrings	test_no_newline_in_js_strings	Pass
	js_safety_part1.py::TestNoLiteralNestingInJsStrings	test_no_newline_in_js_strings	Pass
	js_safety_part2.py::TestAuditReport	test_audit_terminal_refresh_exposed_on_window	Fail
	js_safety_part2.py::TestAuditReport	test_console_download_button	Pass
	js_safety_part2.py::TestAuditReport	test_console_output_endpoint	Pass
	js_safety_part2.py::TestAuditReport	test_console_refresh_audit_tab_button	Pass
	js_safety_part2.py::TestAuditReport	test_console_test_suite_exposed_on_window	Pass
	js_safety_part2.py::TestAuditReport	test_console_test_suite_function	Pass
	js_safety_part2.py::TestAuditReport	test_console_overlay_id	Pass
	js_safety_part2.py::TestAuditReport	test_console_failure_detail_exposed_on_window	Fail
	test_backend_handler.py::TestAddChild	test_map_calls_add_child	Pass
	test_backend_handler.py::TestBatchHandlerInit	test_batch_handler_init	Pass
	test_backend_handler.py::TestBatchHandlerInit	test_batch_handler_init_config	Pass
	test_backend_handler.py::TestBatchHandlerInit	test_batch_handler_init_copied	Pass
	test_backend_handler.py::TestConfigure	test_configure_no_args_no_change	Pass
	test_backend_handler.py::TestConfigure	test_configure_updates_endpoints	Pass
	test_backend_handler.py::TestConfigure	test_configure_updates_server_url	Pass
	test_backend_handler.py::TestGetTest	test_contains_timeout	Pass
	test_backend_handler.py::TestGetTest	test_returns_script_tag	Pass
	test_backend_handler.py::TestGetStatistics	test_get_statistics_keys	Pass
	test_backend_handler.py::TestGetStatistics	test_get_statistics_single_endpoint	Pass
	test_context_menus.py::TestAddChild	test_map_calls_add_child	Pass
	test_context_menus.py::TestConfigure	test_configure_both_menus	Pass
	test_context_menus.py::TestConfigure	test_configure_gauge_menu	Pass
	test_context_menus.py::TestConfigure	test_configure_no_args_no_change	Pass
	test_context_menus.py::TestConfigure	test_configure_property_menu	Pass
	test_context_menus.py::TestContextMenu	test_menu_on_menus	Pass
	test_context_menus.py::TestContextMenu	test_menu_init	Pass
	test_context_menus.py::TestGetStatistics	test_get_statistics	Pass
	test_context_menus.py::TestGetStatistics	test_get_statistics	Pass
	test_context_menus.py::TestNavMenus	test_nav_menus_included_in_get_js	Pass
	test_context_menus.py::TestNavMenus	test_nav_menus_js_contains_gauge_select	Pass
	test_context_menus.py::TestNavMenus	test_nav_menus_js_contains_property_select	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
		test_startup.py::TestStartupPreloadAddToMap_output_contains_script	Pass
		test_td_main_map_coverage.py::TestMainMapFS01ChildStaddchild	Pass
		test_td_main_map_coverage.py::TestMainMapFS01CnsStartipits	Pass
		test_td_main_map_coverage.py::TestMainMapFS01GetStrations_dict	Pass
	property_panel.py::TestPropertyHeightConfigGcfigthe	Pass	Pass
	property_panel.py::TestPropertyHeightConfigGcfigneedoes_not_change	Pass	Pass
	property_panel.py::TestPropertyHeightConfigGcfigheight	Pass	Pass
	property_panel.py::TestPropertyHeightConfigGcfigwidth	Pass	Pass
	property_panel.py::TestPropertyHeightCustomConfigureuse	Pass	Pass
	property_panel.py::TestPropertyHeightCustomConfigurereturns_dict	Pass	Pass
	test_phc_prs_render_terrain.py::TestStackBasedSpreadin_stats_bar	Pass	Pass
	test_phc_prs_render_terrain.py::TestZoneBarZgncbnditional	Pass	Pass
	test_phc_prs_render_terrain.py::TestZoneBarZgncphreientor	Pass	Pass
	test_phc_prs_render_terrain.py::TestZoneBarZgncshoisaveractual	Pass	Pass
	test_phc_prs_render_terrain.py::TestEadjustedProp_spread_in_total	Pass	Pass
	test_phc_prs_render_terrain.py::TestEselectedZone_shown_in_detail	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectColour_green_negative	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectColour_orange_positive	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectDelta_variable	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectEffect_label	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectRowbackground	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectRowonditional	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectRown_path1	Pass	Pass
	test_phc_prs_render_terrain.py::TestTerrainEffectRown_path2	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationCrossValgrading_zone	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationCrosspygrading_zone	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationSameZoneValidation	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationCrossValidpoint	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationSpchdata	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJScomputed_from_gauges	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJScomputation_logic	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSSame_zone	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSComputed	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJS	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSaccepts_terrain_grid	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSfunction_present	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSincludes_terrain_fields	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSd_from_dropdown	Pass	Pass
	test_phc_prs_terrain_pricer.py::TestTerrainInterpolationJSputed	Pass	Pass
	test_phc_prs_zone_dropdown.py::TestZoneDropdownOptions_present	Pass	Pass
	test_phc_prs_zone_dropdown.py::TestZoneDropdownIncludes_zone	Pass	Pass
	test_phc_prs_zone_dropdown.py::TestZoneDropdownFromJsphcdata	Pass	Pass
	test_phc_prs_zone_dropdown.py::TestZoneDropdownPresentJS	Pass	Pass
	test_phc_prs_zone_dropdown.py::TestZoneDropdownElements_present	Pass	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_phc_prs_zone_dropdown.py::TestZoneDropdownJS	testZoneDropdownJS	Pass
	sp_sim_detail.py::TestScrubberRange_hour_label_present	test_hour_label_present	Pass
	sp_sim_detail.py::TestScrubberRange_scrubber_id_present	test_scrubber_id_present	Pass
	sp_sim_detail.py::TestScrubberRange_scrubber_max_from_config	test_scrubber_max_from_config	Pass
	sp_sim_detail.py::TestScrubberRange_scrubber_max_not_59	test_scrubber_max_not_59	Pass
	sp_sim_detail.py::TestScrubberRange_scrubber_min_is_zero	test_scrubber_min_is_zero	Pass
	sp_sim_detail.py::TestScrubberRange_scrubber_type_is_range	test_scrubber_type_is_range	Pass
	sp_sim_detail.py::TestSimFunction_test_get_js_returns_nonempty	test_get_js_returns_nonempty	Pass
	sp_sim_detail.py::TestSimFunction_test_spSeekTo_defined	test_spSeekTo_defined	Pass
	sp_sim_detail.py::TestSimFunction_test_spSetSpeed_defined	test_spSetSpeed_defined	Pass
	sp_sim_detail.py::TestSimFunction_test_spStopAnim_defined	test_spStopAnim_defined	Pass
	sp_table_detail.py::TestPanelTitle_test_panel_title_id_present	test_panel_title_id_present	Pass
	sp_table_detail.py::TestPanelTitle_test_panel_title_prefix	test_panel_title_prefix	Pass
	sp_table_detail.py::TestPanelTitle_test_title_reads_selected_option_text	test_title_reads_selected_option_text	Pass
	sp_table_detail.py::TestPanelTitle_test_title_uses_label_variable_not_bare_id_concat	test_title_uses_label_variable_not_bare_id_concat	Pass
	sp_table_detail.py::TestStormList_test_loads_from_propertyts_storms	test_loads_from_propertyts_storms	Pass
	sp_table_detail.py::TestStormList_test_loads_storms_message	test_loads_storms_message	Pass
	sp_table_detail.py::TestStormList_test_loads_preloaded_cache	test_loads_preloaded_cache	Pass
	sp_table_detail.py::TestTableStructure_test_reload_portfolio_impact_defined	test_reload_portfolio_impact_defined	Pass
	sp_table_detail.py::TestTableStructure_test_reload_portfolio_impact_endpoint	test_reload_portfolio_impact_endpoint	Pass
	sp_table_detail.py::TestTableStructure_test_reload_columns_defined	test_reload_columns_defined	Pass
	sp_table_detail.py::TestTableStructure_test_reload_summary_cards_present	test_reload_summary_cards_present	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_refresh_main_map	testCrossIIFEExports_refresh_main_map	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_apply_filter	testCrossIIFEExports_apply_filter	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_tell_click	testCrossIIFEExports_tell_click	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_expose_window	testCrossIIFEExports_expose_window	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_01_exported	testCrossIIFEExports_01_exported	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_expose_window	testCrossIIFEExports_expose_window	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_expose_window_hint	testCrossIIFEExports_expose_window_hint	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_show_hide	testCrossIIFEExports_show_hide	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_creates_blotter_view	testCrossIIFEExports_creates_blotter_view	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_section_exists	testCrossIIFEExports_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_section_display_flex	testCrossIIFEExports_section_display_flex	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_show_panel	testCrossIIFEExports_show_panel	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_section_exists	testCrossIIFEExports_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_section_exists	testCrossIIFEExports_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_preload_done	testCrossIIFEExports_preload_done	Pass
	test_cross_iife_exports.py::TestCrossIIFEExports_open	testCrossIIFEExports_open	Pass
	test_cross_iife_ownership.py::TestContractStartupOwnership_on_window[_preGovAudit]	testContractStartupOwnership_on_window[_preGovAudit]	Pass
	test_cross_iife_ownership.py::TestContractStartupOwnership_on_window[_preGovBib]	testContractStartupOwnership_on_window[_preGovBib]	Pass
	test_cross_iife_ownership.py::TestContractStartupOwnership_on_window[_preStorms]	testContractStartupOwnership_on_window[_preStorms]	Pass
	test_cross_iife_ownership.py::TestContractStartupOwnership_on_window[_preBlotter]	testContractStartupOwnership_on_window[_preBlotter]	Pass
	test_cross_iife_ownership.py::TestContractStartupOwnership_on_window[_preEodHistory]	testContractStartupOwnership_on_window[_preEodHistory]	Pass
	test_cross_iife_ownership.py::TestContractStartupOwnership_on_window[_preGauges]	testContractStartupOwnership_on_window[_preGauges]	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_startup_preloader_part2.py::	TestStartupDetailsState_trades.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_history.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_count	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_gauges.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_events.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_references.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_documents.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_object.keys.gauges	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_mortgages.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_storms.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_storms.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_total_proper	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_storms.length	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_object.keys	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_function_exists	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_cache	Pass
	test_startup_preloader_part2.py::	TestStartupDetailsState_cache_use	Pass
	blotter.js.py::	TestBlotterSignedNotional.in.pnl_bar	Pass
	blotter.js.py::	TestBlotterSignedNotional.payer_negative	Pass
	blotter.js.py::	TestMarketPnLDisplay_blotter_has_from_market.in.pnl_bar	Pass
	blotter.js.py::	TestMarketPnLDisplay_blotter_has_market.pnl.column	Pass
	blotter.js.py::	TestMarketPnLDisplay_commit_shows_pnl_impact	Pass
	blotter.js.py::	TestMarketPnLDisplay_hazard.column.up_down.arrows	Pass
	classifiers.js.py::	TestClassifiersEndpoint.status_endpoint	Pass
	classifiers.js.py::	TestClassifiersEndpoint.summary_endpoint	Pass
	classifiers.js.py::	TestClassifiersEndpoint.train.all_endpoint	Pass
	classifiers.js.py::	TestClassifiersEndpoint.train_endpoint	Pass
	classifiers.js.py::	TestClassifiersInteract.classifiers_cleanup	Pass
	classifiers.js.py::	TestClassifiersInteract.classifiers.in_views_array	Pass
	classifiers.js.py::	TestClassifiersInteract.classifiers.switch_handler	Pass
	classifiers.js.py::	TestClassifiersInteract.classifiers.tab.in.array	Pass
	classifiers.js.py::	TestClassifiersInteract.classifiers.view_created	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.renderers	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.batch_training	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.cleanup	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.create.view	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.feature.chart	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.load.data	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.metric.card	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.progress.bar	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.render.detail	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.render.summary.table	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.single.training	Pass
	classifiers.js.py::	TestClassifiersState.classifiers.update.vars	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
market.js.py::TestCommitButton	TestCommitButton	test_commit_button_calls_commit_function	Pass
market.js.py::TestCommitButton	TestCommitButton	test_commit_button_in_html	Pass
market.js.py::TestCommitButton	TestCommitButton	test_commit_button_not_hidden	Pass
market.js.py::TestCommitButton	TestCommitButton	test_commit_function_exists	Pass
market.js.py::TestCommitButton	TestCommitButton	test_commit_posts_to_endpoint	Pass
market.js.py::TestCommitButton	TestCommitButton	test_commit_refreshes_blotter	Pass
market.js.py::TestCurvesTabRedesign	TestCurvesTabRedesign	test_curves_all_gauges_chart	Pass
market.js.py::TestCurvesTabRedesign	TestCurvesTabRedesign	test_curves_has_trigger_selector	Pass
market.js.py::TestCurvesTabRedesign	TestCurvesTabRedesign	test_curves_hsl_colours	Pass
market.js.py::TestCurvesTabRedesign	TestCurvesTabRedesign	test_curves_renders	Pass
market.js.py::TestCurvesTabRedesign	TestCurvesTabRedesign	test_curves_strips_thames_prefix	Pass
market.js.py::TestCurvesTabRedesign	TestCurvesTabRedesign	test_curves_uses_market_state	Pass
market.js.py::TestMapClickThrough	TestMapClickThrough	test_map_hides_trading_desk	Pass
market.js.py::TestMapClickThrough	TestMapClickThrough	test_map_new_trade_link	Pass
market.js.py::TestMapClickThrough	TestMapClickThrough	test_map_view_hazard_curve	Pass
panel.py::TestInteractivityManager	TestInteractivityManager	test_interactivity_manager_exports_trading_desk	Pass
panel.py::TestInteractivityManager	TestInteractivityManager	test_interactivity_manager_has_trading_desk	Pass
panel.py::TestPreloadDoneScoping	TestPreloadDoneScoping	test_preloader_sets_window_preload_done	Pass
panel.py::TestPreloadDoneScoping	TestPreloadDoneScoping	test_startup_uses_window_preload_done_in	Pass
panel.py::TestPreloadDoneScoping	TestPreloadDoneScoping	test_startup_uses_window_preload_done_set	Pass
panel.py::TestPreloadDoneScoping	TestPreloadDoneScoping	test_tradingdesk_reads_window_preload_done	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_add_to_map	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_blotter_submodule	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_eod_submodule	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_map_submodule	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_market_submodule	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_no_unescaped_braces	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_panel_contains_all_tabs	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_panel_contains_global_export	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_panel_contains_pi_symbol	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_panel_renders	Pass
panel.py::TestTradingDeskPanel	TestTradingDeskPanel	test_risk_submodule	Pass
port_stress.js_part1.py::TestPortStressPortfolios	TestPortStressPortfolios	test_portfolios_run_endpoint	Pass
port_stress.js_part1.py::TestPortStressPortfolios	TestPortStressPortfolios	test_portfolios_storms_endpoint	Pass
port_stress.js_part1.py::TestPortStressPortfolios	TestPortStressPortfolios	test_portfolios_method_used_for_run	Pass
port_stress.js_part1.py::TestPortStressIdConventions	TestPortStressIdConventions	test_id_conventions_with_stress_tab	Pass
port_stress.js_part1.py::TestPortStressIdConventions	TestPortStressIdConventions	test_id_conventions_content	Pass
port_stress.js_part1.py::TestPortStressIdConventions	TestPortStressIdConventions	test_id_conventions_storm_sel	Pass
port_stress.js_part1.py::TestPortStressIdConventions	TestPortStressIdConventions	test_id_conventions_tabs	Pass
port_stress.js_part1.py::TestPortStressPFIloodTab	TestPortStressPFIloodTab	test_pfilood_canvas_id	Pass
port_stress.js_part1.py::TestPortStressPFIloodTab	TestPortStressPFIloodTab	test_pfilood_render_function	Pass
port_stress.js_part1.py::TestPortStressPFIloodTab	TestPortStressPFIloodTab	test_pfilood_threshold_colours	Pass
port_stress.js_part1.py::TestPortStressPFIloodTab	TestPortStressPFIloodTab	test_pfilood_tiles_chartjs	Pass
port_stress.js_part1.py::TestPortStressPFIloodTab	TestPortStressPFIloodTab	test_pfilood_canvas_id	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlInitGBP	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlRenderFunction	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlTabsHorizontalBars	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressHasAllSubTabs	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressHasCleanup	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressHasCreateView	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressHasLoadData	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressHasStormChanged	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressHasSwitchSubtab	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressRenders	Pass
	port_stress_js_part1.py::TestPortStressPnl	TestPortStressPnlStressStateVars	Pass
	port_stress_js_part2.py::TestPortStressGaugePnl	TestPortStressGaugePnlTabSwitchTabStress	Pass
	port_stress_js_part2.py::TestPortStressGaugePnl	TestPortStressGaugePnlTabDetailButton	Pass
	port_stress_js_part2.py::TestPortStressGaugePnl	TestPortStressGaugePnlTabGaugeTable	Pass
	port_stress_js_part2.py::TestPortStressGaugePnl	TestPortStressGaugePnlTabRenderFunction	Pass
	port_stress_js_part2.py::TestPortStressGaugePnl	TestPortStressGaugePnlTabGaugeHint	Pass
	port_stress_js_part2.py::TestPortStressGaugePnl	TestPortStressGaugePnlTabStormHint	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskValidWithPortStress	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskDataCalled	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskMakeDeskFacts	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskTabInFullJS	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskViewAppended	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskViewCreated	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskSwitchTab	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskTabsArray	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskViewsArray	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskHidePanel	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	TestPortStressFullTradingDeskLife	Pass
	port_stress_js_part2.py::TestPortStressSeverityGaugePnl	TestPortStressSeverityGaugePnlLink	Pass
	port_stress_js_part2.py::TestPortStressSeverityGaugePnl	TestPortStressSeverityGaugePnlHasFourGroups	Pass
	port_stress_js_part2.py::TestPortStressSeverityGaugePnl	TestPortStressSeverityGaugePnlRenderFunction	Pass
	port_stress_js_part2.py::TestPortStressSeverityGaugePnl	TestPortStressSeverityGaugePnlSetsSelectedGauge	Pass
	port_stress_js_part2.py::TestPortStressSeverityGaugePnl	TestPortStressSeverityGaugePnlSevereColour	Pass
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsContainsPopulateGaugeDropdown	Open
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsContainsStressGaugeChanged	Pass
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsNoUnclosedTemplateLiteral	Pass
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsSelectorElementIdPresent	Pass
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsPopulateGaugeDropdownFunctionDefined	Defined
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsPopulateStormDropdownFunctionDefined	Defined
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsSelectorElementIdPresent	Pass
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsFunctionsNotBeforeIifeComplete	Pass
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsGaugeChangedBindsToDropdown	Open
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsGaugeChangedFunctionDefined	Defined
	stress_js_part1.py::TestStressGaugeFunctions	TestStressGaugeFunctionsStormChangedBindsToDropdown	Open

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	stress.js_part1.py::TestStressGauges	TestStressGauges_storm_changed_function_definition	Fail
	stress.js_part1.py::TestStressKnobs	TestStressKnobs_stress_ko_annotation_on_charts	Pass
	stress.js_part1.py::TestStressKnobs	TestStressKnobs_stress_ko_status_in_table	Pass
	stress.js_part1.py::TestStressKnobs	TestStressKnobs_stress_stats_bar_ko_info	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_fallback_only_when_hint_not_matched	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_hint_applied_before_fallback	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_hint_consumed_after_use	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_hint_fallback_to_blotter_filter	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_load_stress_data_accepts_gauge_hint	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_load_stress_data_stores_hint	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_populate_gauge_dropdown_reads_hint	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_stress_gauge_hint_state_variable	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_switch_tab_stress_blotter_filter_fails	Fail
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_switch_tab_stress_passes_gauge_hint	Pass
	stress.js_part2.py::TestStressGaugesHint	TestStressGaugesHint_switch_tab_stress_uses_blotter_data_fallback	Fail
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_chart_canvas	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_chart_tabs	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_charts	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_cleanup	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_gauge_dropdown	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_gauges_endpoint	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_has_create_and_load	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_ko_annotation	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_link_property_damage	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_link_storm_simulation	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_renders	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_stats_bar	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_storm_dropdown	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_surface_table	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_trade_table	Pass
	stress.js_part2.py::TestStressTabCustom	TestStressTabCustom_stress_surface_table_scrollable	Pass

3 Flood Risk (Depth-Damage) (MKM-DD-001)

Table 4: Test Results Summary — Flood Risk (Depth-Damage) (MKM-DD-001)

Total Tests	32
Passed	30
Failed	2
Skipped	0
Duration	0.00s

Table 5: Detailed Test Results — Flood Risk (Depth-Damage)

Test Description	Acceptance Criteria	Result	Time
Every hour from 0..n must be present in output, in order.	<code>hours == list(range(len(gauge_readings)))</code>	Pass	0.000s
Flood depth must be non-negative at every time step.	<code>r['depth_m'] >= 0.0</code>	Pass	0.000s
Each hydrograph entry must contain hour, wse_m, depth_m, and flooded.	<code>'hour' in r; 'wse_m' in r (+2 more)</code>	Pass	0.000s
Empty gauge readings must return empty property hydrograph.	<code>build_property_hydrograph([], 8.0, 1.0, 0.9, 6.0, 0.3) == []</code>	Pass	0.000s
When floor level exceeds peak WSE, no time step should be flooded.	<code>r['flooded'] is False</code>	Pass	0.000s
With travel time of 5 hours, first 5 hours must show zero flood depth.	<code>r['depth_m'] == 0.0; r['flooded'] is False</code>	Pass	0.000s
Property hydrograph must have same number of time steps as gauge input.	<code>len(result) == len(gauge_readings)</code>	Pass	0.000s
Low-elevation property at gauge location must flood at peak water level.	<code>max(peak_depths) > 0</code>	Pass	0.000s
Slope from 10m to 8m over 1000m should be 0.002 (2m/1000m).	<code>abs(s - 0.002) < 1e-6</code>	Pass	0.000s
Flat terrain (equal elevations) must return MIN_SLOPE, not zero.	<code>s == MIN_SLOPE</code>	Pass	0.000s
Slope must be the same regardless of flow direction (uses absolute value).	<code>s1 == s2</code>	Pass	0.000s
Zero horizontal distance must return MIN_SLOPE to avoid division by zero.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Monotonicity: deeper water must produce higher velocity at constant slope.	$v_2 > v_1$	Pass	0.000s
Negative depth is physically invalid; must return zero velocity.	<code>compute_manning_velocity(-1.0, 0.005) == 0.0</code>	Pass	0.000s
Negative slope (downhill in opposite direction) must use absolute value.	$v_{pos} == v_{neg}$	Pass	0.000s
Manning velocity at $d=1.0m$, $S=0.005$, $n=0.04$ should be ~ 1.77 m/s.	$1.5 < v < 2.0$	Pass	0.000s
Slopes below MIN_SLOPE must be clamped to MIN_SLOPE to avoid	$v == v_{min}$	Pass	0.000s
Monotonicity: steeper slope must produce higher velocity at constant depth.	$v_2 > v_1$	Pass	0.000s
Zero depth must produce zero velocity (no flow without water).	<code>compute_manning_velocity(0.0, 0.005) == 0.0</code>	Pass	0.000s
Zero roughness coefficient causes division by zero; must return 0.	<code>compute_manning_velocity(1.0, 0.005, roughness=0.0) == 0.0</code>	Pass	0.000s
At distance = characteristic length, factor must equal $1/e$ 0.368.	$abs(f - 1.0 / math.e) < 0.001$	Pass	0.000s
<code>compute_attenuation</code> is a backwards-compatible alias.	<code>compute_attenuation(800) == compute_retention(800)</code>	Pass	0.000s
At 5x the decay length, retention should be $\leq 1\%$.	$f < 0.01$	Pass	0.000s
At 800m with default 3km length scale, retention 0.77.	$0.70 \leq f \leq 0.85$	FAIL	0.000s
Negative distance is clamped to zero; must return 1.0.	<code>compute_retention(-100) == 1.0</code>	Pass	0.000s
At 1km with default 3km length scale, retention 0.72.	$0.65 \leq f \leq 0.80$	FAIL	0.000s
At zero distance, retention must be 1.0 (full signal).	<code>compute_retention(0) == 1.0</code>	Pass	0.000s
Zero decay length means instant decay; must return 0.0.	<code>compute_retention(100, 0) == 0.0</code>	Pass	0.000s
Travel time for 500m at $d=1.0m$, $S=0.005$ should be well under 1 hour.	$0 < t < 1.0$	Pass	0.000s
Monotonicity: greater distance must produce longer travel time.	$t_2 > t_1$	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zero depth produces zero velocity, so travel time must be infinite.	<code>t == float('inf')</code>	Pass	0.000s
Zero distance must produce zero travel time.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s

Failed Test Details

test_near_river_high_retention File: tests/models/velocity.py

```
1 tests/models/velocity.py:132: in test_near_river_high_retention
2     assert 0.70 <= f <= 0.85
3 E     AssertionError
```

test_one_km_retention File: tests/models/velocity.py

```
1 tests/models/velocity.py:137: in test_one_km_retention
2     assert 0.65 <= f <= 0.80
3 E     AssertionError
```

4 Flood Polynomial Model (MKM-FPO-001)

Table 6: Test Results Summary — Flood Polynomial Model (MKM-FPO-001)

Total Tests	33
Passed	33
Failed	0
Skipped	0
Duration	0.00s

Table 7: Detailed Test Results — Flood Polynomial Model

Test Description	Acceptance Criteria	Result	Time
Coefficients used by model match config/models.py.	<code>hasattr(flood_poly_coeffs, 'a');</code> <code>hasattr(flood_poly_coeffs, 'f')</code> (+1 more)	Pass	0.000s
Fit metadata from config	<code>flood_poly_fit["model_id"] == "flood-poly-v1";</code> <code>flood_poly_fit["r_squared"] > 0.9</code>	Pass	0.000s
Log eps from config	<code>flood_poly_log_eps == 1e-8</code>	Pass	0.000s
Storm hours from config	<code>flood_poly_storm_hours == 168</code>	Pass	0.000s
Coefficients count	<code>card["num.parameters"] == 6</code>	Pass	0.000s
Fit quality has metrics	<code>"r_squared" in fq; "mae" in fq</code> (+1 more)	Pass	0.000s
Has required fields	<code>"model_id" in card; "version" in card</code> (+3 more)	Pass	0.000s
Model id matches config	<code>card["model_id"] == flood_poly_fit["model_id"]</code>	Pass	0.000s
Returns dict	<code>isinstance(card, dict)</code>	Pass	0.000s
Water far above severe at late hour should be near 1.0.	<code>p > 0.9</code>	Pass	0.000s
Water well above severe threshold should give high P(flood).	<code>p > 0.8</code>	Pass	0.000s
hour=167 (last storm hour) should not raise.	<code>0.0 <= p <= 1.0</code>	Pass	0.000s
hour=0 should not raise.	<code>0.0 <= p <= 1.0</code>	Pass	0.000s
P(flood) at hour 0 should be lower than mid-storm for moderate water.	<code>p_early < p_mid</code>	Pass	0.000s
In range	<code>0.0 <= result <= 1.0; 0.0 <= result <= 1.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Water well below severe threshold should give low P(flood).	<code>p < 0.1</code>	Pass	0.000s
Higher water level should give higher P(flood) at same hour.	<code>p_low < p_mid < p_high</code>	Pass	0.000s
Negative severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=-1.0) ...;</code> <code>p_flood.simple(5.0, -1.0) == 0.0</code>	Pass	0.000s
Returns float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Near-zero water level should give near-zero P(flood).	<code>p < 0.01</code>	Pass	0.000s
Zero severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=0.0) ...;</code> <code>p_flood.simple(5.0, 0.0) == 0.0</code>	Pass	0.000s
All in range	<code>all(0.0 <= p <= 1.0 for p in result)</code>	Pass	0.000s
Correct length	<code>len(result) == 5</code>	Pass	0.000s
Empty list	<code>p_flood.series([], severe_level=6.58)</code> <code>== []</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
Above severe capped at one	<code>p_flood.simple(10.0, 6.58) == 1.0</code>	Pass	0.000s
At severe equals one	<code>p_flood.simple(6.58, 6.58) == 1.0</code>	Pass	0.000s
In range	<code>0.0 <= result <= 1.0; 0.0 <= result <= 1.0</code>	Pass	0.000s
Negative severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=-1.0) ...;</code> <code>p_flood.simple(5.0, -1.0) == 0.0</code>	Pass	0.000s
$P = \min(1, w/s)$.	<code>abs(p_flood.simple(3.29, 6.58) - 0.5)</code> <code>< 0.01</code>	Pass	0.000s
Returns float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Zero severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=0.0) ...;</code> <code>p_flood.simple(5.0, 0.0) == 0.0</code>	Pass	0.000s
Zero water	<code>p_flood.simple(0.0, 6.58) == 0.0</code>	Pass	0.000s

5 GEV Hazard Model (MKM-GH-001)

Table 8: Test Results Summary — GEV Hazard Model (MKM-GH-001)

Total Tests	16
Passed	16
Failed	0
Skipped	0
Duration	0.27s

Table 9: Detailed Test Results — GEV Hazard Model

Test Description	Acceptance Criteria	Result	Time
Exceedance probability in range	<code>0.0 <= prob <= 1.0</code>	Pass	0.000s
Fit returns three floats	<code>isinstance(shape, float);</code> <code>isinstance(loc, float) (+1 more)</code>	Pass	0.014s
Force gumbel sets shape zero	<code>shape == 0.0</code>	Pass	0.000s
Higher threshold lower probability	<code>p_high < p_low</code>	Pass	0.000s
Return level increases with period	<code>r1_100 > r1_10</code>	Pass	0.000s
Compute all responses returns dict	<code>isinstance(responses,</code> <code>dict); len(responses) ==</code> <code>len(synthetic_flat_gauges) (+1</code> <code>more)</code>	Pass	0.000s
Compute response returns gauge re- sponse	<code>isinstance(response, GaugeResponse);</code> <code>response.gauge_id == gauge_id (+1</code> <code>more)</code>	Pass	0.000s
Response threshold flags	<code>response.exceeded_alert;</code> <code>response.exceeded_warning</code>	Pass	0.000s
Annual flood probabilities in range	<code>0.0 <= curve.annual_flood_prob.alert</code> <code><= 1.0; 0.0 <=</code> <code>curve.annual_flood_prob.warning</code> <code><= 1.0 (+1 more)</code>	Pass	0.084s
Build returns dict of curves	<code>isinstance(curves, dict); len(curves)</code> <code>== len(synthetic_flat_gauges) (+2</code> <code>more)</code>	Pass	0.079s
Each curve is gauge hazard curve	<code>isinstance(curve, GaugeHazardCurve);</code> <code>curve.gauge_id == gauge_id</code>	Pass	0.090s
Cumulative prob increasing	<code>probs[i] >= probs[i - 1]</code>	Pass	0.000s
Probabilities sum to one	<code>abs(point.survival_prob +</code> <code>point.prob.at_least_one - 1.0) ...</code>	Pass	0.000s
Returns correct length	<code>len(ts) == 5</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns term structure points	<code>isinstance(point, TermStructurePoint)</code>	Pass	0.000s
Survival prob decreasing	<code>survivals[i] <= survivals[i - 1]</code>	Pass	0.000s

6 GaugeHD Synthetic (MKM-GHD-001)

Table 10: Test Results Summary — GaugeHD Synthetic (MKM-GHD-001)

Total Tests	62
Passed	55
Failed	7
Skipped	0
Duration	36.02s

Table 11: Detailed Test Results — GaugeHD Synthetic

Test Description	Acceptance Criteria	Result	Time
<code>_snap_to_river</code> skips zero-length segments without error.	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
<code>_create_synthetic_gauge</code> returns None when flanking gauge not in lookup.	<code>result is None</code>	FAIL	0.000s
Lines 83-110: generate all gauge histories processes all gauges.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.058s
Lines 105-107: error on one gauge -j logged, continues.	<code>isinstance(result, list)</code>	Pass	0.097s
All levels positive	<code>all(obs["level_meters"] > 0 for obs in result)</code>	Pass	0.006s
Correct length approximately	<code>728 <= len(result) <= 732</code>	Pass	0.003s
Dates are sequential	<code>(d_curr - d_prev).days == 1</code>	Pass	0.003s
Different seeds different output	<code>levels1 != levels2</code>	Pass	0.013s
Each obs has date and level	<code>"date" in obs; "level_meters" in obs</code> (+1 more)	Pass	0.001s
Gauge data without FloodGauge wrapper uses defaults.	<code>isinstance(result, list)</code>	Pass	0.001s
When historical high date is within range, that day gets historical_high level.	<code>match[0]["level_meters"] == 7.5</code>	Pass	0.002s
Invalid date format doesn't crash.	<code>isinstance(result, list)</code>	Pass	0.001s
Historical high date before start_date is ignored.	<code>isinstance(result, list)</code>	Pass	0.001s
Lines 176-179: Historical high injected via fallback when date not matched in loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 8.0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Gauge data with no FloodStages uses sensible defaults.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Lines 97-100: Partially tidal gauge uses dampened tidal signal.	<code>len(result) > 700; all(lev > 0 for lev in levels)</code>	Pass	0.003s
Returns list	<code>isinstance(result, list)</code>	Pass	0.002s
Seed reproducible	<code>r1 == r2</code>	Pass	0.003s
Lines 92-95: Tidal gauge uses wider daily_std, tidal_amplitude > 0.	<code>len(result) > 700; max(levels) > min(levels)</code>	Pass	0.003s
Lines 147-149: Tidal component with spring-neap cycle.	<code>11 != 12</code>	Pass	0.003s
Lines 138-141: historical high injected after main loop.	<code>len(match) == 1; match[0]["level_meters"] == 9.99</code>	Pass	0.004s
When historical_high_dt is None (out of range), post-loop block skipped.	<code>all(o["level_meters"] != 8.0 for o in result)</code>	Pass	0.002s
When historical_high_date is None, both branches skipped.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.002s
generate() returns count=0 when GAUGE_POINTS has > 2 entries.	<code>result["count"] == 0</code>	Pass	0.001s
generate() returns count=0 when GAUGE_POINTS is None.	<code>result["count"] == 0</code>	Pass	0.001s
Lines 74-75: missing file raises FileNotFoundError.	—	Pass	0.000s
Lines 72-80: load_gauge_portfolio reads gauge.json.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.001s
_load_river_polyline returns None when cache file doesn't exist.	<code>result is None or isinstance(result, list)</code>	Pass	0.001s
_snap_to_river returns original coords when river is None.	<code>lat == 51.46; lon == -0.30</code>	Pass	0.000s
Lines 143-144: bad CSV -i error logged, continues.	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 113-147: process_nrfa_directory scans CSV files.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
Line 134: output_dir=None uses config.get_gaugehd_dir().	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 131-147: no matching files -i empty list.	<code>result == []</code>	Pass	0.000s
Property projecting to seg_idx=0, t~0 should not create a gauge.	<code>result["count"] == 0</code>	FAIL	2.211s

Test Description	Acceptance Criteria	Result	Time
Propertyhc has synth in nearest gauges	<code>found_synth</code>	Pass	0.004s
Synthetic gauge in propertyhc should have basis_bps computed.	<code>"basis_bps" in ng</code>	Pass	0.004s
Every property has one synthetic gauge	<code>not failures</code>	Pass	1.859s
Every property has three gauges total	<code>len(ngs) == 3</code>	Pass	0.040s
Every property has two real gauges	<code>not failures</code>	Pass	1.498s
Properties should have flood_events sourced from gauge storm responses.	<code>properties_with_events > 0</code>	Pass	1.500s
At least some properties should have flooded=True events.	<code>flooded_count > 0</code>	Pass	1.512s
Appends to gauge json	<code>len(data["flood_gauges"]) > 3;</code> <code>len(synth) > 0</code>	Pass	2.244s
Creates synthetic gauges	<code>result["count"] > 0;</code> <code>len(result["gauge_ids"]) == result["count"]</code>	Pass	2.221s
Two properties near the same river point should share a synthetic gauge.	<code>result["count"] == 2</code>	FAIL	2.201s
Property far beyond polyline end should not create a synthetic gauge.	<code>result["count"] == 0</code>	FAIL	2.217s
Interpolated elevation	<code>3.0 <= elev <= 5.0</code>	Pass	2.220s
Interpolated flood stages	<code>3.5 <= stages["FloodAlert"] <= 4.5;</code> <code>4.5 <= stages["FloodWarning"] <= 5.5</code> (+1 more)	Pass	2.221s
No gauge json returns zero	<code>result["count"] == 0</code>	Pass	0.000s
No property json returns zero	<code>result["count"] == 0</code>	FAIL	2.209s
Synthetic gauge has cdm structure	<code>"GaugeID" in fg["Header"];</code> <code>"CatchmentID" in fg["Header"]</code> (+8 more)	Pass	2.210s
Synthetic gauge lat/lon should be on the polyline (very close to it).	<code>dist_m < 50.0; dist_m < 1.0</code>	Pass	2.464s
A pre-existing SYNTH- gauge in gauge.json is skipped in polyline matching.	<code>result["count"] >= 0</code>	Pass	2.212s
Gauge json has synth gauges	<code>len(synth) > 0</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Synth gauge has required cdm fields	<code>fg["Header"]["GaugeID"].startswith("SYNTH")</code> <code>fg["Location"]["GaugeLatitude"] != 0</code> (+7 more)	Pass	0.002s
Gaugehc has synth curves	<code>len(synth) > 0</code>	Pass	0.013s
Synth has term structure	<code>len(ts) > 0</code>	Pass	0.011s
Synth hazard rates positive	<code>hc.get("annual.hazard.rate.alert", 0)</code> <code>> 0</code>	Pass	0.010s
Synth gaugets files exist	<code>len(synth_files) > 0</code>	Pass	0.001s
At least some storms should exceed alert at synthetic gauges.	<code>len(exceeded) > 0</code>	Pass	0.141s
Synth gaugets have storm responses	<code>len(resps) > 0</code>	Pass	0.154s
Property with lat=0 is silently skipped.	<code>result["count"] == 0</code>	FAIL	2.207s
Property with lon=0 is silently skipped.	<code>result["count"] == 0</code>	FAIL	2.211s

Failed Test Details

test_deduplication File: tests/port/gauge/test_synthetic_gauge.py

```

1 tests/port/gauge/test_synthetic_gauge.py:250: in test_deduplication
2     assert result["count"] == 2
3 E     assert 85 == 2

```

test_no_property_json_returns_zero File: tests/port/gauge/test_synthetic_gauge.py

```

1 tests/port/gauge/test_synthetic_gauge.py:261: in test_no_property_json_returns_zero
2     assert result["count"] == 0
3 E     assert 90 == 0

```

test_edge_property_beyond_polyline File: tests/port/gauge/test_synthetic_gauge.py

```

1 tests/port/gauge/test_synthetic_gauge.py:275: in test_edge_property_beyond_polyline
2     assert result["count"] == 0
3 E     assert 90 == 0

```

test_property_with_zero_lat_skipped File: tests/port/gauge/test_synthetic_gauge_coverage.py

```

1 tests/port/gauge/test_synthetic_gauge_coverage.py:210: in test_property_with_zero_lat_skipped
2     assert result["count"] == 0
3 E     assert 88 == 0

```

test_property_with_zero_lon_skipped File: tests/port/gauge/test_synthetic_gauge_coverage.py

```

1 tests/port/gauge/test_synthetic_gauge_coverage.py:223: in test_property_with_zero_lon_skipped
2     assert result["count"] == 0
3 E     assert 91 == 0

```

test_property_at_polyline_start_returns_none File: tests/port/gauge/test_synthetic_gauge_coverage

```
1 tests/port/gauge/test_synthetic_gauge_coverage.py:269: in
    test_property_at_polyline_start_returns_none
2     assert result["count"] == 0
3 E     assert 89 == 0
```

test_missing_flanking_gauge_returns_none File: tests/port/gauge/test_synthetic_gauge_coverage.py

```
1 tests/port/gauge/test_synthetic_gauge_coverage.py:299: in
    test_missing_flanking_gauge_returns_none
2     result = gen._create_synthetic_gauge(51.46, -0.30, gauge_lookup, polyline)
3 E     AttributeError: 'SyntheticGaugeGenerator' object has no attribute '_create_synthetic_gauge',
```

7 Insurance Premium (MKM-IP-001)

Table 12: Test Results Summary — Insurance Premium (MKM-IP-001)

Total Tests	36
Passed	36
Failed	0
Skipped	0
Duration	0.00s

Table 13: Detailed Test Results — Insurance Premium

Test Description	Acceptance Criteria	Result	Time
All factors applied	<code>abs(result - round(expected, 2)) < 0.01</code>	Pass	0.000s
Basic calculation	<code>result == 1250.0</code>	Pass	0.000s
Claims factor increases premium	<code>with.claims > base</code>	Pass	0.000s
Clamped to max	<code>result == MAX_PREMIUM</code>	Pass	0.000s
Clamped to min	<code>result == MIN_PREMIUM</code>	Pass	0.000s
Contents premium added	<code>with.contents == base + 500.0</code>	Pass	0.000s
High flood risk increases premium	<code>high.flood > low.flood</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Security factor reduces premium	<code>with.security < without</code>	Pass	0.000s
100 years is heritage	<code>get_age_premium.band(1925, current_year=2025) == 'heritage'</code>	Pass	0.000s
10 years is modern	<code>get_age_premium.band(2015, current_year=2025) == 'modern'</code>	Pass	0.000s
30 years is established	<code>get_age_premium.band(1995, current_year=2025) == 'establi...</code>	Pass	0.000s
Default current year	<code>result in AGE_PREMIUM_FACTORS</code>	Pass	0.000s
Established	<code>get_age_premium.band(1960, current_year=2025) == 'establi...</code>	Pass	0.000s
Exactly 29 years modern	<code>get_age_premium.band(1996, current_year=2025) == 'modern'</code>	Pass	0.000s
Exactly 99 years established	<code>get_age_premium.band(1926, current_year=2025) == 'establi...</code>	Pass	0.000s
Exactly 9 years new build	<code>get_age_premium.band(2016, current_year=2025) == 'new.build'</code>	Pass	0.000s
Heritage old	<code>get_age_premium.band(1850, current_year=2025) == 'heritage'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Modern	<code>get_age_premium_band(2000, current_year=2025) == 'modern'</code>	Pass	0.000s
New build	<code>get_age_premium_band(2020, current_year=2025) == 'new.build'</code>	Pass	0.000s
Exactly 100 third band	<code>(lo, hi) == AREA_PREMIUM_BANDS[2][1]</code>	Pass	0.000s
Exactly 50 second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Just below 100 second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Just below 50 first band	<code>(lo, hi) == AREA_PREMIUM_BANDS[0][1]</code>	Pass	0.000s
Large area fourth band	<code>(lo, hi) == AREA_PREMIUM_BANDS[3][1]</code>	Pass	0.000s
Medium area second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Returns tuple	<code>isinstance(result, tuple); len(result) == 2</code>	Pass	0.000s
Small area first band	<code>(lo, hi) == AREA_PREMIUM_BANDS[0][1]</code>	Pass	0.000s
Age premium factors all positive	<code>lo > 0; hi >= lo</code>	Pass	0.000s
Area bands are sorted	<code>thresholds == sorted(thresholds)</code>	Pass	0.000s
Base rate range	<code>lo > 0; hi > lo</code>	Pass	0.000s
Construction type factors present	<code>'Brick' in CONSTRUCTION_TYPE_FACTORS; 'Timber Frame' in CONSTRUCTION_TYPE_FACTORS</code>	Pass	0.000s
Flood risk factors increase with risk	<code>very_high_hi > very_low_lo</code>	Pass	0.000s
Flood risk factors present	<code>set(FLOOD_RISK_PREMIUM_FACTORS.keys()) == expected</code>	Pass	0.000s
Min max premium bounds	<code>MIN_PREMIUM == 200; MAX_PREMIUM == 20_000</code>	Pass	0.000s
Property type factors present	<code>set(PROPERTY_TYPE_PREMIUM_FACTORS.keys()) == expected</code>	Pass	0.000s

8 Mortgage Pricer (MKM-MP-001)

Table 14: Test Results Summary — Mortgage Pricer (MKM-MP-001)

Total Tests	67
Passed	67
Failed	0
Skipped	0
Duration	0.05s

Table 15: Detailed Test Results — Mortgage Pricer

Test Description	Acceptance Criteria	Result	Time
Default ids assigned	<code>results[0]["mortgage_id"] == "MORTGAGE_0";</code> <code>results[0]["property_id"] == "PROPERTY_0"</code>	Pass	0.001s
Error isolation	<code>len(results) == 3;</code> "error" not in <code>results[0]</code> (+2 more)	Pass	0.001s
Prices multiple mortgages	<code>len(results) == 2;</code> <code>results[0]["mortgage_id"] == "M1"</code> (+1 more)	Pass	0.002s
Custom tax rate	<code>MortgagePricer(tax_rate=0.40).tax_rate == 0.40</code>	Pass	0.000s
Default tax rate	<code>MortgagePricer().tax_rate == 0.20</code>	Pass	0.000s
Custom tax rate	<code>spread_high_tax > spread_low_tax</code>	Pass	0.000s
Floor at 10bps	<code>spread >= 0.001</code>	Pass	0.000s
Higher affordability higher spread	<code>spread_low_income > spread_high_income</code>	Pass	0.000s
Negative income fallback	<code>spread == 0.15</code>	Pass	0.000s
Spread bounded by schedule	<code>spread >= 0.001; spread < 0.05</code>	Pass	0.000s
Zero income fallback	<code>spread == 0.15</code>	Pass	0.000s
debug=True in the credit spread calculation.	<code>"credit_spread" in result</code>	Pass	0.001s
debug=True exercises logging branches without error.	<code>result["mortgage_value"] > 0</code>	Pass	0.001s
Zero income with debug=True exercises zero-income debug branch.	<code>result["credit_spread"] > 0</code>	Pass	0.001s
flood_risk_category=None with debug=True.	<code>result["mortgage_value"] > 0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
When interest_rate=0, monthly_rate==0 → loan_amount/n_periods formula.	result["mortgage_value"] > 0	Pass	0.001s
Batch passes flood risk	results[0]["flood_risk_factor"] == 1.40; results[1]["flood_risk_factor"] == 1.00 (+1 more)	Pass	0.001s
Case insensitive	MortgagePricer.calculate_flood_risk_impact("high") =...; MortgagePricer.calculate_flood_risk_impact("VERY LOW") ==... (+1 more)	Pass	0.000s
Flood factor in result	result["flood_risk_factor"] == 1.20	Pass	0.001s
Flood risk increases spread	high["credit_spread"] > low["credit_spread"]; high["flood_risk_factor"] > low["flood_risk_factor"] (+1 more)	Pass	0.001s
Flood risk multipliers[high-1.4] [category='High', expected=1.4]	MortgagePricer.calculate_flood_risk_impact("High") == e...	Pass	0.000s
Flood risk multipliers[low-1.05] [category='Low', expected=1.05]	MortgagePricer.calculate_flood_risk_impact("Low") == e...	Pass	0.000s
Flood risk multipliers[medium-1.2] [category='Medium', expected=1.2]	MortgagePricer.calculate_flood_risk_impact("Medium") == e...	Pass	0.000s
Flood risk multipliers[very high-1.75] [category='Very High', expected=1.75]	MortgagePricer.calculate_flood_risk_impact("Very High") == e...	Pass	0.000s
Flood risk multipliers[very low-1.0] [category='Very Low', expected=1.0]	MortgagePricer.calculate_flood_risk_impact("Very Low") == e...	Pass	0.000s
No flood risk defaults to unity	result["flood_risk_factor"] == 1.0	Pass	0.001s
None returns unity	MortgagePricer.calculate_flood_risk_impact("None") == 1.0	Pass	0.000s
Unknown category returns unity	MortgagePricer.calculate_flood_risk_impact("Unknown") == 1.0; MortgagePricer.calculate_flood_risk_impact("Extreme") == 1.0	Pass	0.000s
Ltv thresholds[0.5-1.0] [ltv=0.5, expected=1.0]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s
Ltv thresholds[0.8-1.0] [ltv=0.8, expected=1.0]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s
Ltv thresholds[0.85-1.1] [ltv=0.85, expected=1.1]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Ltv thresholds[0.9-1.1] [ltv=0.9, expected=1.1]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.91-1.3] [ltv=0.91, expected=1.3]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.95-1.3] [ltv=0.95, expected=1.3]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.96-1.5] [ltv=0.96, expected=1.5]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[1.0-1.5] [ltv=1.0, expected=1.5]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Zero property value	<code>pricer.calculate_loan_to_value_impact(100.0, 0) == 1.5</code>	Pass	0.000s
Higher rate higher payment	<code>high > low</code>	Pass	0.000s
Shorter term higher payment	<code>short > long</code>	Pass	0.000s
£200k at 3.5% over 25yr £1,001.25/month.	<code>995 < payment < 1010</code>	Pass	0.000s
Zero-rate degenerate case: $M = P / n$.	<code>payment == pytest.approx(1000.0)</code>	Pass	0.000s
Each mortgage has property id	<code>mapping.get("property_id") is not None</code>	Pass	0.003s
Processing stats	<code>stats["successful_mortgages"] == 5;</code> <code>stats["failed_mortgages"] == 0</code>	Pass	0.003s
Output file exists	<code>result["file_path"].exists()</code>	Pass	0.004s
Output file is valid json	<code>isinstance(data, dict)</code>	Pass	0.004s
Generate returns expected keys	<code>"data" in result;</code> <code>"file_path" in result (+1 more)</code>	Pass	0.003s
Mortgage count matches properties	<code>len(result["data"]["mortgages"]) == 5</code>	Pass	0.003s
Mortgage id format	<code>re.match(r"~MORT-[a-f0-9]{8}\$", mid)</code>	Pass	0.003s
Mortgage ids unique	<code>len(ids) == len(set(ids))</code>	Pass	0.003s
All errors returns error	<code>"error" in calculate_portfolio_metrics(results)</code>	Pass	0.000s
High risk count	<code>calculate_portfolio_metrics(results)["high_risk_mortgages"]</code>	Pass	0.000s
Mixed results exclude errors	<code>metrics["total_mortgages"] == 1;</code> <code>metrics["error_count"] == 1</code>	Pass	0.001s
Valid results	<code>metrics["total_mortgages"] == 2;</code> <code>metrics["error_count"] == 0 (+3 more)</code>	Pass	0.002s
Balance converges to zero	<code>result["outstanding_balance"][-1] < 1.0</code>	Pass	0.001s
Expected losses non negative	<code>all(e1 >= 0 for e1 in result["expected_losses"])</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Fair value less than par	<code>result["mortgage_value"] < base.mortgage_params["loan_amo...; result["discount_to_par"] > 0 (+1 more)</code>	Pass	0.001s
Hazard rates positive	<code>result["hazard_rates"][0] == 0.0; all(result["hazard_rates"][i] > 0 for i in range(1, len(r...</code>	Pass	0.001s
High ltv increases spread	<code>high_ltv["credit_spread"] > low_ltv["credit_spread"]; high_ltv["ltv_factor"] > low_ltv["ltv_factor"]</code>	Pass	0.001s
Higher haircut more loss	<code>high["pv_losses"] > low["pv_losses"]</code>	Pass	0.001s
Input validation clamps	<code>result["mortgage_value"] > 0</code>	Pass	0.000s
Ltv factor in result	<code>"ltv_factor" in result; result["ltv_factor"] == 1.0</code>	Pass	0.001s
Raises on invalid types	—	Pass	0.000s
Recovery haircut zero low ltv	<code>all(lgd == 0 for lgd in result["lgds"])</code>	Pass	0.001s
Survival first period less than one	<code>result["survival_probs"][1] < 1.0</code>	Pass	0.001s
Survival monotonically decreasing	<code>surv[i] <= surv[i - 1]</code>	Pass	0.001s
Positive rate exceeds principal	<code>cost > 200.000</code>	Pass	0.000s
Zero rate equals principal	<code>cost == pytest.approx(100_000.0)</code>	Pass	0.000s

9 PRS Pricing Model (MKM-PR-001)

Table 16: Test Results Summary — PRS Pricing Model (MKM-PR-001)

Total Tests	57
Passed	42
Failed	15
Skipped	0
Duration	1.75s

Table 17: Detailed Test Results — PRS Pricing Model

Test Description	Acceptance Criteria	Result	Time
1Y from Feb 2026 = last Friday May 2027.	<code>mat == last_friday_of_month(2027, 5)</code>	Pass	0.000s
3Y from Feb 2026 = last Friday May 2029.	<code>mat == last_friday_of_month(2029, 5);</code> <code>mat.month == 5 (+1 more)</code>	Pass	0.000s
Jan 2027 uses Aug 2026 roll → Nov 2029 maturity.	<code>mat == last_friday_of_month(2029, 11)</code>	Pass	0.000s
3Y from Sep 2026 = last Friday Nov 2029 (Aug roll).	<code>mat == last_friday_of_month(2029, 11);</code> <code>mat.month == 11</code>	Pass	0.000s
5Y from Feb 2026 = last Friday May 2031.	<code>mat == last_friday_of_month(2031, 5)</code>	Pass	0.000s
5Y from Sep 2026 = last Friday Nov 2031.	<code>mat == last_friday_of_month(2031, 11)</code>	Pass	0.000s
All maturities should fall on a Friday.	<code>mat.weekday() == 4</code>	Pass	0.000s
3Y maturity jumps from May to Nov at the Aug roll.	<code>may_mat.month == 5; nov_mat.month ==</code> <code>11 (+1 more)</code>	Pass	0.000s
Aug onwards uses Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8</code>	Pass	0.000s
December uses the same year's Aug roll.	<code>roll.month == 8; roll.year == 2026</code>	Pass	0.000s
Feb-Jul uses Feb roll.	<code>roll == last_friday_of_month(2026, 2);</code> <code>roll.month == 2</code>	Pass	0.000s
January uses the previous year's Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8 (+1 more)</code>	Pass	0.000s
July is the last month of the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s
March is still in the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
compute_maturity_date with no ref_date uses today.	isinstance(mat, date); mat.weekday() == 4	Pass	0.000s
current_roll_date(None) uses today and returns a valid date.	isinstance(roll, date); roll.weekday() == 4	Pass	0.000s
maturity_table with no ref_date uses today.	len(table) == 5; all(isinstance(e['maturity_date'], date) for e in table)	Pass	0.000s
Empty propertyts dir	stats["total_properties"] == 0; stats["properties_with_gev"] == 0	FAIL	0.010s
Generator should still work without gauge hazard curves (empty basis).	stats["properties_with_gev"] == 2; stats["properties_with_floor"] == 1 (+1 more)	FAIL	0.066s
No propertyts dir	—	Pass	0.000s
Aug 2026: 31st is Monday, last Friday = 28th.	last_friday_of_month(2026, 8) == date(2026, 8, 28)	Pass	0.000s
Feb 2026: 28th is Saturday, last Friday = 27th.	last_friday_of_month(2026, 2) == date(2026, 2, 27)	Pass	0.000s
May 2029: 31st is Thursday, last Friday = 25th.	last_friday_of_month(2029, 5) == date(2029, 5, 25)	Pass	0.000s
Nov 2029: 30th is Friday.	last_friday_of_month(2029, 11) == date(2029, 11, 30)	Pass	0.000s
Result should always be a Friday (weekday=4).	d.weekday() == 4	Pass	0.000s
Actual years should be strictly increasing.	years[i] > years[i - 1]	Pass	0.000s
All maturities should be in May for the Feb roll.	e['maturity_date'].month == 5	Pass	0.000s
All maturities should be in November for the Aug roll.	e['maturity_date'].month == 11	Pass	0.000s
Maturity string should be formatted as 'DD Mon YYYY'.	len(e['maturity_str']) > 8; 'May' in e['maturity_str'] or 'Nov' in e['maturity_str']	Pass	0.000s
Default table has 5 entries (1Y through 5Y).	len(table) == 5	Pass	0.000s
Tenors should be 1, 2, 3, 4, 5.	tenors == [1, 2, 3, 4, 5]	Pass	0.000s
Positive spread	spread > 0; 50 < spread < 500	FAIL	0.000s
Spread increases with hazard	spread_high > spread_low	FAIL	0.000s
Spread values at different tenors	s > 0	FAIL	0.000s
Zero hazard rate	spread == 0.0	FAIL	0.000s
Basis calculation	len(nearest) > 0; ng0["gauge_id"] == "GAUGE-001" (+5 more)	FAIL	0.070s

Test Description	Acceptance Criteria	Result	Time
Depth thresholds	"any_flood" in thresholds; "moderate" in thresholds (+4 more)	FAIL	0.070s
Generate produces output	output_path.exists(); "metadata" in data (+2 more)	Pass	0.067s
Gev params structure	"shape" in gev; "loc" in gev (+2 more)	FAIL	0.069s
High transmission rate	prop3["summary"]["flood_transmission_rate"] == 1.0	Pass	0.070s
Output structure	"PROP-001" in curves; "PROP-002" in curves (+14 more)	FAIL	0.067s
Properties with gev	stats["properties_with_gev"] == 2; stats["properties_with_floor"] == 1 (+1 more)	FAIL	0.065s
Survival decreases with tenor	survival[i] <= survival[i - 1]	FAIL	0.070s
Term structure	ts["tenors"] == TENORS; threshold_name in ts (+3 more)	FAIL	0.070s
Recovery rates by trigger	len(spreads) > 0	FAIL	0.071s
Recovery reduces spread	spread_with_recovery < spread_no_recovery	FAIL	0.000s
After attach_spread_decomposition, propertyhc.json has decomposition.	"spread_decomposition" in pc; "gauge_spread_bps" in sd (+5 more)	Pass	0.288s
At least one effect per path must be non-zero when gauge != property.	df["distance_effect_bps"] != 0.0 or df["elevation_effect..."; ef["elevation_effect_bps"] != 0.0 or ef["distance_effect...]	Pass	0.209s
Both decomposition paths should arrive at the property spread.	abs(path1 - prop) < 0.1; abs(path2 - prop) < 0.1	Pass	0.206s
With shd/she files present, decomposition values must be non-zero.	sd["property_spread_bps"] != 0.0; sd["shd_spread_bps"] != 0.0 (+1 more)	Pass	0.209s
Without shd/she files, decomposition still works (zeros).	n > 0; sd["shd_spread_bps"] == 0.0 (+1 more)	Pass	0.070s
_get_5yr_spread must return index 4 when available.	PropertyHazardCurveGenerator._get_5yr_spread() == 50.0	Pass	0.000s
_get_5yr_spread must return 0.0 for empty/missing data.	PropertyHazardCurveGenerator._get_5yr_spread() == 0.0; PropertyHazardCurveGenerator._get_5yr_spread(... (+1 more)	Pass	0.000s
_get_5yr_spread must work with specified threshold.	PropertyHazardCurveGenerator._get_5yr_spread('severe'...; PropertyHazardCurveGenerator._get_5yr_spread(pc, 'any_flo...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All tenors should round-trip through maturity and back.	<code>tenor_from_maturity(mat, ref) == t</code>	Pass	0.000s
A date not in the table returns the closest tenor.	<code>result in [1, 2, 3, 4, 5]</code>	Pass	0.000s
Exact maturity date returns correct tenor.	<code>tenor_from_maturity(mat, date(2026, 2, 24)) == 3</code>	Pass	0.000s

Failed Test Details

test_empty_propertyts_dir File: tests/port/propertyhc/basis.py

```

1 tests/port/propertyhc/basis.py:233: in test_empty_propertyts_dir
2     assert stats["properties_with_gev"] == 0
3 E   KeyError: 'properties_with_gev'

```

test_no_gauge_hazard_curves File: tests/port/propertyhc/basis.py

```

1 tests/port/propertyhc/basis.py:240: in test_no_gauge_hazard_curves
2     assert stats["properties_with_gev"] == 2
3 E   KeyError: 'properties_with_gev'

```

test_properties_with_gev File: tests/port/propertyhc/generator.py

```

1 tests/port/propertyhc/generator.py:54: in test_properties_with_gev
2     assert stats["properties_with_gev"] == 2
3 E   KeyError: 'properties_with_gev'

```

test_output_structure File: tests/port/propertyhc/generator.py

```

1 tests/port/propertyhc/generator.py:73: in test_output_structure
2     assert prop1["has_gev"] is True
3 E   AssertionError

```

test_gev_params_structure File: tests/port/propertyhc/generator.py

```

1 tests/port/propertyhc/generator.py:95: in test_gev_params_structure
2     assert "shape" in gev
3 E   TypeError: argument of type 'NoneType' is not iterable

```

test_depth_thresholds File: tests/port/propertyhc/generator.py

```

1 tests/port/propertyhc/generator.py:108: in test_depth_thresholds
2     assert "any_flood" in thresholds
3 E   AssertionError

```

test_term_structure File: tests/port/propertyhc/generator.py

```

1 tests/port/propertyhc/generator.py:127: in test_term_structure
2     assert threshold_name in ts
3 E   AssertionError

```

test_survival_decreases_with_tenor File: tests/port/propertyhc/generator.py

```
1 tests/port/propertyhc/generator.py:140: in test_survival_decreases_with_tenor
2     survival = ts["any_flood"]["survival"]
3 E     KeyError: 'any_flood'
```

test_basis_calculation File: tests/port/propertyhc/generator.py

```
1 tests/port/propertyhc/generator.py:161: in test_basis_calculation
2     assert ng0["event_basis"] == 15
3 E     AssertionError
```

test_zero_hazard_rate File: tests/port/propertyhc/pricing.py

```
1 tests/port/propertyhc/pricing.py:38: in test_zero_hazard_rate
2     spread = gen._compute_prs_spread(0.0, 5, None)
3 E     AttributeError: 'PropertyHazardCurveGenerator' object has no attribute '_compute_prs_spread'
```

test_positive_spread File: tests/port/propertyhc/pricing.py

```
1 tests/port/propertyhc/pricing.py:43: in test_positive_spread
2     spread = gen._compute_prs_spread(0.02, 5, None)
3 E     AttributeError: 'PropertyHazardCurveGenerator' object has no attribute '_compute_prs_spread'
```

test_spread_increases_with_hazard File: tests/port/propertyhc/pricing.py

```
1 tests/port/propertyhc/pricing.py:49: in test_spread_increases_with_hazard
2     spread_low = gen._compute_prs_spread(0.01, 5, None)
3 E     AttributeError: 'PropertyHazardCurveGenerator' object has no attribute '_compute_prs_spread'
```

test_spread_values_at_different_tenors File: tests/port/propertyhc/pricing.py

```
1 tests/port/propertyhc/pricing.py:55: in test_spread_values_at_different_tenors
2     spreads = [gen._compute_prs_spread(0.02, t, None) for t in [1, 5, 10, 30]]
3 E     AttributeError: 'PropertyHazardCurveGenerator' object has no attribute '_compute_prs_spread'
```

test_recovery_reduces_spread File: tests/port/propertyhc/pricing.py

```
1 tests/port/propertyhc/pricing.py:65: in test_recovery_reduces_spread
2     spread_no_recovery = gen._compute_prs_spread(0.03, 5, None, recovery=0.0)
3 E     AttributeError: 'PropertyHazardCurveGenerator' object has no attribute '_compute_prs_spread'
```

test_recovery_rates_by_trigger File: tests/port/propertyhc/pricing.py

```
1 tests/port/propertyhc/pricing.py:78: in test_recovery_rates_by_trigger
2     spreads = ts[name]["prs_spread_bps"]
3 E     KeyError: 'any_flood'
```

10 Property Valuation (MKM-PV-001)

Table 18: Test Results Summary — Property Valuation (MKM-PV-001)

Total Tests	55
Passed	55
Failed	0
Skipped	0
Duration	3.21s

Table 19: Detailed Test Results — Property Valuation

Test Description	Acceptance Criteria	Result	Time
Line 541: non-dict schema → returns {}.	<code>result == {}</code>	Pass	0.000s
Line 544-545: 'type'/'options'/'description' fields are skipped.	<code>"type" not in result; "options" not in result</code>	Pass	0.000s
Calculate insurance premium flood risk high	<code>premium > 0</code>	Pass	0.018s
Line 214: area=None → computes it first.	<code>isinstance(premium, float); premium > 0</code>	Pass	0.017s
Line 211: property_value=None → computes it first.	<code>isinstance(premium, float); premium > 0</code>	Pass	0.035s
Calculate monthly rent all types	<code>800 <= rent <= 15.000</code>	Pass	0.000s
Lines 165-166: area=None → computes it first.	<code>isinstance(rent, float); rent > 0</code>	Pass	0.000s
Lines 162-163: property_value=None → computes it first.	<code>isinstance(rent, float); rent > 0</code>	Pass	0.017s
Calculate monthly rent positive	<code>isinstance(rent, float); 800 <= rent <= 15.000</code>	Pass	0.000s
Calculate property area all types	<code>area > 0</code>	Pass	0.000s
Lines 128-129: invalid date format → random years_ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 120-121: property_value=None → computes it first.	<code>isinstance(price, float); price > 0</code>	Pass	0.017s
Calculate sale price positive	<code>isinstance(price, float); 50.000 <= price <= 8.000.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 135-137: sale_date 1-2 years ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 139-140: sale_date > 2 years ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 124-128: sale_date within 1 year.	<code>isinstance(price, float)</code>	Pass	0.000s
Line 60-61: datetime → isoformat string.	<code>"2024-01-01" in result</code>	Pass	0.000s
Lines 64-65: np.float64 → float.	<code>"3.14" in result</code>	Pass	0.000s
Lines 62-63: np.integer → int.	<code>result == "42"</code>	Pass	0.000s
Lines 66-67: np.ndarray → list.	<code>result == [1, 2, 3]</code>	Pass	0.000s
Line 68: super().default() raises TypeError for unknown type.	—	Pass	0.000s
Lines 510-517: each fallback location has lat/lon/name/elevation.	<code>"lat" in loc; "lon" in loc (+2 more)</code>	Pass	0.000s
Lines 499-518: fallback generates right number of locations.	<code>len(locs) == 5</code>	Pass	0.000s
Lines 505-506: uses params.get_elevation if available.	<code>all(loc["elevation"] == 10.0 for loc in locs)</code>	Pass	0.000s
Lines 608-612: generate_properties returns result dict.	<code>isinstance(result, dict); "data" in result (+1 more)</code>	Pass	0.155s
Lines 610-612: generate_properties creates output file.	<code>result["file_path"].exists()</code>	Pass	0.105s
Calculate mortgage financials returns dict	<code>isinstance(result, dict); "loan_amount" in result (+2 more)</code>	Pass	0.000s
Generate financial data keys	<code>"mortgage_id" in data; "loan_amount" in data (+1 more)</code>	Pass	0.000s
Interest rate range	<code>0.01 <= data["interest_rate"] <= 0.15</code>	Pass	0.000s
Loan amount less than value	<code>data["loan_amount"] <= info["property_value"] * 1.05</code>	Pass	0.000s
Mortgage id format	<code>re.match(r"~MORT-[a-f0-9]{8}\$", data["mortgage_id"])</code>	Pass	0.000s
Quality consistency check	<code>isinstance(corrected, dict)</code>	Pass	0.000s
Calculate insurance premium positive	<code>isinstance(premium, (int, float)); premium > 0</code>	Pass	0.017s
Calculate property area positive	<code>isinstance(area, (int, float)); area > 0</code>	Pass	0.000s
Calculate property value in range	<code>50_000 <= value <= 10_000_000</code>	Pass	0.173s
Generate bedrooms detached	<code>isinstance(beds, int); 1 <= beds <= 7</code>	Pass	0.000s
Generate bedrooms flat	<code>isinstance(beds, int); 1 <= beds <= 4</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Generate postcode format	<code>isinstance(postcode, str); len(postcode) >= 5</code>	Pass	0.000s
Generate field value decimal	<code>isinstance(val, (int, float))</code>	Pass	0.056s
Generate field value text	<code>isinstance(val, str)</code>	Pass	0.027s
Coordinates in thames range	<code>51.0 <= loc["lat"] <= 52.0; -1.0 <= loc["lon"] <= 1.0</code>	Pass	0.519s
Processing stats	<code>stats["successful_properties"] == 5; stats["failed_properties"] == 0</code>	Pass	0.255s
Output file exists	<code>result["file_path"].exists()</code>	Pass	0.249s
Output file is valid json	<code>isinstance(data, dict)</code>	Pass	0.272s
Generate correct count	<code>len(result["data"]["properties"]) == 5</code>	Pass	0.234s
Generate returns expected keys	<code>"data" in result; "file_path" in result (+1 more)</code>	Pass	0.247s
Property id format	<code>re.match(r"~PROP-[a-f0-9]{8}\$", pid)</code>	Pass	0.254s
Property ids unique	<code>len(ids) == len(set(ids))</code>	Pass	0.502s
Construction year in range	<code>1600 <= year <= 2026</code>	Pass	0.000s
Property id format	<code>re.match(r"~PROP-[a-f0-9]{8}\$", meta["property_id"])</code>	Pass	0.017s
Returns dict with required keys	<code>"property_id" in meta; "property_type" in meta</code>	Pass	0.017s
Lines 73-75: generate_grid_reference returns a non-empty string.	<code>isinstance(ref, str); len(ref) > 4</code>	Pass	0.000s
Lines 50-52: generate_owner_name returns 'Firstname Lastname'.	<code>len(parts) == 2; all(p[0].isupper() for p in parts)</code>	Pass	0.000s
Lines 43-45: generate_past_date returns YYYY-MM-DD string.	<code>isinstance(result, str); len(parts) == 3</code>	Pass	0.000s
Custom days_range is respected (result is a past date).	<code>dt < datetime.now()</code>	Pass	0.000s

11 Storm-Gauge Response Model (MKM-SG-001)

Table 20: Test Results Summary — Storm-Gauge Response Model (MKM-SG-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.06s

Table 21: Detailed Test Results — Storm-Gauge Response Model

Test Description	Acceptance Criteria	Result	Time
Encodes datetime	"2026-01-01" in result	Pass	0.000s
Line 80: np.float32 is np.floating but NOT a Python float subclass in NumPy 2.x,	"2.5" in result	Pass	0.000s
Encodes numpy floating	"3.14" in result	Pass	0.000s
Encodes numpy integer	"42" in result	Pass	0.000s
Encodes numpy ndarray	"1.0" in result	Pass	0.000s
Fallback raises for unknown	—	Pass	0.000s
Close to thames high risk	result["FloodRiskScore"] >= 7; result["FloodRiskCategory"] in ["High", "Very High"]	Pass	0.000s
Far from thames lower risk	result["FloodRiskScore"] <= 6; result["FloodRiskCategory"] in ["Low", "Medium"]	Pass	0.000s
Flood stages ordering	alert < warning < severe	Pass	0.002s
Processing stats	stats["successful_gauges"] == 5; stats["failed_gauges"] == 0	Pass	0.001s
Lines 264-266: exception during json.dump is logged and re-raised.	—	Pass	0.000s
Line 245: end_time is set by the first generate(); the second generate() call	—	Pass	0.001s
Line 290: non-dict section_schema returns {}.	result == {}	Pass	0.000s
Line 294: 'type', 'options', 'description', 'values' keys are skipped.	skip not in result	Pass	0.000s
Lines 159-162: count <i>i</i> max_gauges → capped to max_gauges.	len(result["data"]["flood_gauges"]) == max_available	Pass	0.007s

Test Description	Acceptance Criteria	Result	Time
Line 155-156: count ; 1 raises ValueError.	—	Pass	0.000s
Lines 354-355: generate_gauges() convenience function.	"data" in result; len(result["data"]["flood_gauges"]) == 3	Pass	0.001s
Lines 212-215: exception in _generate_single_gauge increments failed_gauges.	result["processing_stats"]["failed_gauges"] == 1	Pass	0.000s
Lines 122-125: log() dispatches to correct logger method.	—	Pass	0.000s
Lines 309-327: missing Flood-Gauge/Header/Location/Flood-Stages are created.	gauche_data["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-t..."; gauche_data["FloodGauge"]["Location"]["GaugeLatitude"] == ...	Pass	0.000s
Lines 99-100: verbose=False sets logger to WARNING.	logging.getLogger("port.src.gauge.gauge") == logging...	Pass	0.000s
Output file exists	result["file_path"].exists()	Pass	0.001s
Output file is valid json	"flood_gauges" in data	Pass	0.004s
Output json has correct count	len(data["flood_gauges"]) == 5	Pass	0.003s
Lines 378-381: __main__ block calls generate_gauges and logs results.	(tmp_path / 'gauge.json').exists()	Pass	0.014s
Gauge id format	re.match(r"^GAUGE-[a-f0-9]{8}\$", gid)	Pass	0.001s
Gauge ids unique	len(ids) == len(set(ids))	Pass	0.001s
Generate correct count	len(result["data"]["flood_gauges"]) == 5	Pass	0.001s
Generate returns expected keys	"data" in result; "file_path" in result (+1 more)	Pass	0.018s
Locations have coordinates	"lat" in loc; "lon" in loc (+1 more)	Pass	0.003s
Date field returns date string	isinstance(val, str); re.match(r"^\{\}d{4}-\{\}d{2}-\{\}d{2}\$", val)	Pass	0.000s
Decimal field returns float	isinstance(val, (int, float))	Pass	0.000s
Gauge name includes area	"TestArea" in val	Pass	0.000s
Menu field returns valid option	isinstance(val, str)	Pass	0.000s
Text field returns string	isinstance(val, str); len(val) > 0	Pass	0.000s
Catchment name stored	meta["catchment_name"] == "Thames"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Flood stage ordering	<code>meta["flood.alert"] <</code> <code>meta["flood.warning"];</code> <code>meta["flood.warning"] <</code> <code>meta["severe_flood.warning"]</code> (+1 more)	Pass	0.000s
Gauge id format	<code>re.match(r"^GAUGE-[a-f0-9]{8}\$",</code> <code>meta["gauge_id"])</code>	Pass	0.000s
Historical high level range	<code>5.0 <= meta["historical_high_level"]</code> <code><= 8.0</code>	Pass	0.000s
Install date format	<code>re.match(r"^\\d{4}-\\d{2}-\\d{2}\$",</code> <code>meta["install_date"])</code>	Pass	0.000s
Returns dict with required keys	<code>key in meta</code>	Pass	0.000s

12 Storm Intensity Distribution (MKM-SI-001)

Table 22: Test Results Summary — Storm Intensity Distribution (MKM-SI-001)

Total Tests	63
Passed	63
Failed	0
Skipped	0
Duration	0.02s

Table 23: Detailed Test Results — Storm Intensity Distribution

Test Description	Acceptance Criteria	Result	Time
All categories defined	<code>set(DURATION_PARAMS.keys()) == expected</code>	Pass	0.000s
Catastrophic extended	<code>high == 240</code>	Pass	0.000s
Each tier's max roughly doubles the previous.	<code>1.5 <= ratio <= 3.0</code>	Pass	0.000s
Extreme extended	<code>DURATION_PARAMS["extreme"] == (36, 72, 144)</code>	Pass	0.000s
Moderate extended	<code>low == 12; mode == 30 (+1 more)</code>	Pass	0.000s
Severe extended	<code>DURATION_PARAMS["severe"] == (24, 48, 96)</code>	Pass	0.000s
Gap types	<code>GapType.SHORT.value == "short"; GapType.MEDIUM.value == "medium" (+1 more)</code>	Pass	0.000s
Sequence gap mapping	<code>SEQUENCE_GAP_TYPE[SequenceType.DOUBLET] == GapType.MEDIUM; SEQUENCE_GAP_TYPE[SequenceType.CLUSTER] == GapType.MEDIUM (+2 more)</code>	Pass	0.000s
Sequence types	<code>SequenceType.ISOLATED.value == "isolated"; SequenceType.DOUBLET.value == "doublet" (+2 more)</code>	Pass	0.000s
Storm count ranges	<code>SEQUENCE_TYPE_STORM_COUNTS[SequenceType.ISOLATED] == (1, 1); SEQUENCE_TYPE_STORM_COUNTS[SequenceType.DOUBLET] == (2, 2) (+2 more)</code>	Pass	0.000s
Constants	<code>EVENT_WINDOW_HOURS == 168; MIN_DRAINAGE_WINDOW_HOURS == 12 (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exact boundary	<code>fits_in_window([78.0, 78.0], [0.0])</code>	Pass	0.000s
Exceeds window	<code>not fits_in_window([72.0, 72.0], [48.0])</code>	Pass	0.000s
Simple doublet fits	<code>fits_in_window([24.0, 24.0], [48.0])</code>	Pass	0.000s
Single storm	<code>fits_in_window([100.0], [])</code>	Pass	0.000s
Long gaps	<code>GAP_PARAMS[GapType.LONG] == (48, 96, 144)</code>	Pass	0.000s
Medium gaps	<code>GAP_PARAMS[GapType.MEDIUM] == (24, 48, 72)</code>	Pass	0.000s
Short gaps	<code>GAP_PARAMS[GapType.SHORT] == (6, 18, 36)</code>	Pass	0.000s
Doublet medium	<code>get_gap_range(SequenceType.DOUBLET) == (24, 48, 72)</code>	Pass	0.000s
Isolated zero	<code>get_gap_range(SequenceType.ISOLATED) == (0, 0, 0)</code>	Pass	0.000s
Get duration range	<code>get_duration_range("moderate") == (12, 30, 60)</code>	Pass	0.000s
Get max duration	<code>get_max_duration("catastrophic") == 240; get_max_duration("minimal") == 12</code>	Pass	0.000s
Ids unique	<code>len(ids) == 100</code>	Pass	0.000s
Sequence id format	<code>sid.startswith("STORM-"); len(sid) == 14</code>	Pass	0.000s
Sequence ids unique	<code>len(ids) == 100</code>	Pass	0.000s
Storm id format	<code>sid.startswith("STORM-"); len(sid) == 14</code>	Pass	0.000s
Invalid category	—	Pass	0.000s
Mode should be near the most frequent value in a large sample.	<code>abs(median - mode) < 15</code>	Pass	0.006s
Line 50: <code>rng=None</code> → creates <code>np.random.RandomState()</code> internally.	<code>low <= d <= high</code>	Pass	0.000s
Reproducibility	<code>d1 == d2</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='baseline']	<code>low <= d <= high</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='catastrophic']	<code>low <= d <= high</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='extreme']	<code>low <= d <= high</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sampled durations fall within [min, max] for the category. [category='minimal']	low <= d <= high	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='moderate']	low <= d <= high	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='severe']	low <= d <= high	Pass	0.000s
Doublet gaps should fall in medium range (24-72h).	all(24 <= g <= 72 for g in gaps)	Pass	0.000s
Isolated returns zero	sample_gap(SequenceType.ISOLATED) == 0.0	Pass	0.000s
Line 49: rng=None → creates np.random.RandomState() internally.	low <= g <= high	Pass	0.000s
Persistent gaps should fall in short range (6-36h).	all(6 <= g <= 36 for g in gaps)	Pass	0.000s
Reproducibility	g1 == g2	Pass	0.000s
Within bounds[sequencetype.cluster] [seq_type=;SequenceType.CLUSTER: 'cluster']	low <= g <= high	Pass	0.000s
Within bounds[sequencetype.doublet] [seq_type=;SequenceType.DOUBLET: 'doublet']	low <= g <= high	Pass	0.000s
Within bounds[sequencetype.persistent] [seq_type=;SequenceType.PERSISTENT: 'persistent']	low <= g <= high	Pass	0.000s
Create basic	storm.storm_id == "STORM-abc12345"; storm.duration_hours == 24.0	Pass	0.000s
From dict round trip	restored.storm_id == original.storm_id; restored.duration_hours == original.duration_hours (+6 more)	Pass	0.000s
Precipitation rounding	d["precipitation_mm"] == 35.12; d["intensity_factor"] == 1.234568 (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
To dict	d["storm_id"] == "STORM-test1234"; d["start_time.hours"] == 48.0 (+6 more)	Pass	0.000s
Antecedent defaults	seq.antecedent.soil_moisture == "normal"; seq.antecedent.groundwater == "normal"	Pass	0.000s
Create doublet	seq.num_storms == 2; len(seq.storms) == 2 (+2 more)	Pass	0.000s
From dict round trip	restored.storm_id == original.storm_id; restored.duration_hours == original.duration_hours (+6 more)	Pass	0.000s
Isolated no gaps	len(seq.inter_storm_gaps_hours) == 0	Pass	0.000s
Spatial correlation defaults	seq.spatial.correlation.enabled is False; seq.spatial.correlation.range_km is None	Pass	0.000s
Spatial correlation enabled	d["spatial.correlation.enabled"] is True; d["spatial.correlation.range_km"] == 43.2	Pass	0.000s
To dict	d["storm_id"] == "STORM-test1234"; d["start_time.hours"] == 48.0 (+6 more)	Pass	0.000s
Duration mismatch	any("total.duration.hours" in e for e in errors)	Pass	0.000s
Exceeds precip window	any("MAX_PRECIP_END_HOUR" in e for e in errors)	Pass	0.000s
Invalid intensity category	any("invalid intensity" in e for e in errors)	Pass	0.000s
Invalid sequence type	any("Invalid sequence_type" in e for e in errors)	Pass	0.000s
Overlapping storms	any("starts at" in e and "before storm" in e for e in errors)	Pass	0.000s
Storm count mismatch	any("num_storms" in e for e in errors)	Pass	0.000s
Too many storms	any("not in [1, 5]" in e for e in errors)	Pass	0.000s
Valid doublet	errors == []	Pass	0.000s

13 Spatial Interpolation (MKM-SP-001)

Table 24: Test Results Summary — Spatial Interpolation (MKM-SP-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.01s

Table 25: Detailed Test Results — Spatial Interpolation

Test Description	Acceptance Criteria	Result	Time
Diagonal is one	—	Pass	0.000s
Off diagonal between zero and one	<code>np.all(off_diag >= 0)</code> and <code>np.all(off_diag <= 1)</code>	Pass	0.000s
Shape is n by n	<code>mat.shape == (n, n)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Diagonal is one	—	Pass	0.000s
Higher base correlation increases off diagonal	<code>np.all(off_high > off_low)</code>	Pass	0.000s
Larger correlation_distance → slower exponential decay → higher off-diag.	<code>np.all(off_far >= off_near)</code>	Pass	0.000s
Off diagonal positive	<code>np.all(off > 0)</code>	Pass	0.000s
Returns square matrix	<code>mat.shape == (3, 3)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Empty dataframe returns none	<code>build_spatial_index(df)</code> is None	Pass	0.000s
None gauge data returns none	<code>build_spatial_index(None)</code> is None	Pass	0.000s
With gauges returns kdtree	<code>isinstance(result, cKDTree)</code>	Pass	0.000s
Lines 43-45: coordinates are converted to radians.	<code>tree.data[0][1] ==</code> <code>pytest.approx(np.pi, rel=1e-6)</code>	Pass	0.000s
Single gauge should still produce a valid KDTree.	<code>isinstance(tree, cKDTree); tree.n ==</code> 1	Pass	0.000s
Lines 42-46: non-empty DataFrame builds a cKDTree.	<code>isinstance(tree, cKDTree); tree.n ==</code> 3	Pass	0.000s
Equatorial degree approx 111km	<code>111.000 < d < 112.000</code>	Pass	0.000s
London paris approx 340km	<code>330.000 < d < 350.000</code>	Pass	0.000s
North south degree approx 111km	<code>110.000 < d < 112.000</code>	Pass	0.000s
Returns float	<code>isinstance(haversine_distance(51.0, -0.1, 52.0, 0.0), float)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Same point is zero	<code>haversine_distance(51.5, -0.1, 51.5, -0.1) == pytest.approx...</code>	Pass	0.001s
Symmetry	<code>d1 == pytest.approx(d2, rel=1e-9)</code>	Pass	0.000s
All zero weights returns zero	<code>result == pytest.approx(7.5)</code>	Pass	0.000s
Closer gauge has higher weight	<code>result < 5.0</code>	Pass	0.000s
Empty list returns zero	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Equal distance gauges averages wse	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Near gauge returns wse directly	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Power one changes result	<code>r2 != pytest.approx(r1, rel=0.01)</code>	Pass	0.000s
Single far gauge	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Line 158: power parameter affects weights.	<code>r3 < r1</code>	Pass	0.000s
Line 149-150: empty input → 0.0.	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Gauge at exactly <code>min_distance=1.0</code> is NOT less than, so IDW used.	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Multiple gauges produce weighted result.	<code>2.0 < result < 6.0; result < 4.0</code>	Pass	0.000s
Line 156-157: <code>dist j min_distance</code> → return wse.	<code>result == pytest.approx(42.0)</code>	Pass	0.000s
At gauge location returns wse directly	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Empty gauge data returns zero	<code>result == 0.0</code>	Pass	0.000s
Idw returns weighted value	<code>2.5 <= result <= 4.5</code>	Pass	0.000s
Single gauge	<code>result > 0</code>	Pass	0.000s
Lines 119-120: <code>distance j 1m</code> → direct return.	<code>result == pytest.approx(7.0)</code>	Pass	0.000s
Line 97-98: no gauge data → 0.0.	<code>spatial.interpolate_wse(51.5, -0.1, {}, {}) == 0.0</code>	Pass	0.000s
Lines 113-124: IDW with two equidistant gauges.	<code>result == pytest.approx(2.0, rel=0.01)</code>	Pass	0.000s

14 Storm Sequence Generator (MKM-SS-001)

Table 26: Test Results Summary — Storm Sequence Generator (MKM-SS-001)

Total Tests	17
Passed	17
Failed	0
Skipped	0
Duration	0.00s

Table 27: Detailed Test Results — Storm Sequence Generator

Test Description	Acceptance Criteria	Result	Time
Duration must not exceed MAX_PRECIP_END_HOUR (156).	<code>result.storms[0].duration_hours <= MAX_PRECIP_END_HOUR</code>	Pass	0.000s
Isolated has one storm	<code>isinstance(result, StormSequence);</code> <code>result.num_storms == 1 (+2 more)</code>	Pass	0.000s
Aggregate stats	<code>result.max_intensity_factor >=</code> <code>result.avg_intensity_factor;</code> <code>result.total_precipitation_mm > 0</code> (+1 more)	Pass	0.000s
Catchment id in storms	<code>result.storms[0].catchment_id ==</code> "rhine"	Pass	0.000s
Cluster sequence	<code>result.sequence_type in</code> (SequenceType.CLUSTER.value, Sequ...	Pass	0.000s
force_sequence_type='doublet' → always doublet.	<code>result.sequence_type ==</code> SequenceType.DOUBLET.value; <code>result.num_storms == 2</code>	Pass	0.000s
force_sequence_type='isolated' → always isolated.	<code>result.sequence_type ==</code> SequenceType.ISOLATED.value; <code>result.num_storms == 1</code>	Pass	0.000s
Minimal intensity (5% sequence probability) mostly produces isolated.	<code>isolated >= 10</code>	Pass	0.001s
Generate multiple sequences without error.	<code>isinstance(result, StormSequence);</code> <code>result.num_storms >= 1</code>	Pass	0.000s
Persistent sequence	<code>result.sequence_type in</code> (SequenceType.PERSISTENT.value, S...	Pass	0.000s
Returns storm sequence	<code>isinstance(result, StormSequence)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sequences must have total_duration ≤ 168h.	result.total_duration_hours ≤ 168.0	Pass	0.000s
Storms have correct fields	storm.duration_hours > 0; storm.intensity_factor > 0 (+2 more)	Pass	0.000s
Custom catchment	gen.catchment_id == "rhine"; gen.base_precipitation == CATCHMENT_BASE_PRECIP["rhine"]	Pass	0.000s
Default catchment	gen.catchment_id == "thames"; gen.base_precipitation == CATCHMENT_BASE_PRECIP["thames"]	Pass	0.000s
Same seed → same sequence.	seq1.num_storms == seq2.num_storms; seq1.sequence_type == seq2.sequence_type	Pass	0.000s
Unknown catchment defaults to 35	gen.base_precipitation == 35.0	Pass	0.000s

15 Stress Test Pipeline (MKM-ST-001)

Table 28: Test Results Summary — Stress Test Pipeline (MKM-ST-001)

Total Tests	107
Passed	107
Failed	0
Skipped	0
Duration	20.43s

Table 29: Detailed Test Results — Stress Test Pipeline

Test Description	Acceptance Criteria	Result	Time
All already trained	<code>result["trained"] == 0;</code> <code>result["skipped"] == 3</code>	Pass	0.002s
After the first gauge trains, ETA should appear in output.	<code>"ETA" in captured</code>	Pass	0.267s
Missing gauge json	—	Pass	0.000s
Missing sequences	—	Pass	0.003s
No valid gauges	<code>result["trained"] == 0</code>	Pass	0.001s
One gauge already trained, one succeeds, one fails.	<code>result["trained"] == 1;</code> <code>result["failed"] == 1 (+1 more)</code>	Pass	0.182s
Successful training	<code>result["trained"] == 3;</code> <code>result["failed"] == 0 (+2 more)</code>	Pass	0.235s
Training failure is caught	<code>result["trained"] == 0;</code> <code>result["failed"] == 3 (+1 more)</code>	Pass	0.271s
Counts default to zero	<code>s["alert_sequences"] == 0;</code> <code>s["warning_sequences"] == 0</code> (+1 more)	Pass	0.000s
Num gauges	<code>s["num_gauges"] == 4</code>	Pass	0.000s
Num sequences	<code>s["num_sequences"] == 7</code>	Pass	0.001s
Returns required keys	<code>key in s</code>	Pass	0.001s
When one gauge's classifier fails, pipeline continues.	<code>"classifier failed" in out;</code> <code>result["num_gauges"] == 2</code>	Pass	0.456s
Dict format	<code>len(result) == 2</code>	Pass	0.000s
Empty list	<code>._extract_gauges({"flood_gauges": []}) == []</code>	Pass	0.000s
List format	<code>result == [_G1, _G2]</code>	Pass	0.000s
Missing key returns empty	<code>._extract_gauges({}) == []</code>	Pass	0.000s
When gaugehd/ has baseline data, the 'Loaded' message appears.	<code>"gauge baselines from gaugehd" in out</code> or <code>"heuristic base ...</code>	Pass	0.448s

Test Description	Acceptance Criteria	Result	Time
Gauge summary dir written	<code>sg_dir.is_dir()</code>	Pass	0.000s
Gauge summary gauge ids	<code>len(d["gauge_ids"]) == 3</code>	Pass	0.000s
Gauge summary num gauges	<code>d["num_gauges"] == 3</code>	Pass	0.000s
Gauge summary schema version	<code>meta.exists(); d["schema_version"] ==</code> <code>SCHEMA_VERSION_SPATIAL</code>	Pass	0.001s
Gauge summary sequence count	<code>len(gauge_files) == 3</code>	Pass	0.000s
Sequences file loadable	<code>len(seqs) == 40</code>	Pass	0.001s
Sequences json written	<code>(gauge_dir /</code> <code>SEQUENCES_FILENAME).exists()</code>	Pass	0.000s
Summary json written	<code>(gauge_dir /</code> <code>SUMMARY_FILENAME).exists()</code>	Pass	0.000s
Alert count non negative	<code>full_run["alert_sequences"] >= 0</code>	Pass	0.000s
Elapsed positive	<code>full_run["elapsed_seconds"] > 0</code>	Pass	0.000s
Num gauges	<code>full_run["num_gauges"] == 3</code>	Pass	0.000s
Num sequences	<code>full_run["num_sequences"] == 40</code>	Pass	0.000s
Returns dict	<code>isinstance(full_run, dict)</code>	Pass	0.000s
Severe lte warning	<code>full_run["severe_sequences"] <=</code> <code>full_run["warning_sequenc...</code>	Pass	0.000s
Type counts present	<code>"type_counts" in full_run;</code> <code>sum(full_run["type_counts"].values())</code> <code>== 40</code>	Pass	0.000s
Warning lte alert	<code>full_run["warning_sequences"] <=</code> <code>full_run["alert_sequences"]</code>	Pass	0.000s
Batch generator populates category	<code>all(s.intensity_category in valid for</code> <code>s in seqs)</code>	Pass	0.001s
From dict missing category defaults empty	<code>reconstructed.intensity_category ==</code> <code>""</code>	Pass	0.000s
From dict round trip	<code>reconstructed.intensity_category ==</code> <code>s.intensity_category</code>	Pass	0.001s
Serialized sequences have category	<code>all(s.intensity_category in valid for</code> <code>s in seqs)</code>	Pass	0.001s
To dict includes intensity category	<code>"intensity_category" in d;</code> <code>d["intensity_category"] ==</code> <code>s.intensity_category</code>	Pass	0.001s
Legacy sequence.gauge.summary.json deleted after split-mode write.	se- is <code>not legacy.exists()</code>	Pass	0.442s
Corrupt file skipped	<code>len(baselines) == 1;</code> <code>"GAUGE-OK" in</code> <code>baselines</code>	Pass	0.002s
Empty directory	<code>_load_gaugehd.baselines(d) == {}</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing directory	<code>_load_gaugehd.baselines(tmp_path / "nonexistent") == {}</code>	Pass	0.000s
Missing mean level skipped	<code>len(baselines) == 0</code>	Pass	0.001s
Multiple gauges	<code>len(baselines) == 3</code>	Pass	0.002s
Valid gaugehd files	<code>"GAUGE-001" in baselines;</code> <code>baselines["GAUGE-001"]["mean_level"] == 1.25 (+1 more)</code>	Pass	0.001s
Sequence with malformed sequence.start doesn't crash.	<code>result["num_sequences"] == 5</code>	Pass	0.421s
Explicitly test malformed date by patching sequences post-generation.	<code>result["num_sequences"] == 3</code>	Pass	0.427s
No crash when gauge json absent	<code>isinstance(result, dict)</code>	Pass	0.002s
Num gauges zero without gauge json	<code>result["num_gauges"] == 0</code>	Pass	0.002s
Sequences still written without gauge json	<code>(tmp_path / SEQUENCES_FILENAME).exists()</code>	Pass	0.002s
gauge.json present but every record missing gauge_id → n.all == 0.	<code>isinstance(result, dict);</code> <code>result["num_gauges"] == 0 (+1 more)</code>	Pass	0.002s
Sequences still written when all gauges invalid	<code>(tmp_path / SEQUENCES_FILENAME).exists()</code>	Pass	0.002s
count=2001 with verbose=False prints ETA line at i=2000.	<code>result["num_sequences"] == 2001;</code> <code>"2,000" in out or "ETA" in out</code>	Pass	2.575s
Base level derived from alert	<code>r["base_level"] == pytest.approx(3.5 * 0.35)</code>	Pass	0.000s
Flood alert	<code>_parse_gauge(_G1)["flood_alert"] ==</code> <code>pytest.approx(3.5)</code>	Pass	0.000s
Flood warning	<code>_parse_gauge(_G1)["flood_warning"] ==</code> <code>pytest.approx(4.6)</code>	Pass	0.000s
Gauge id	<code>_parse_gauge(_G1)["gauge_id"] ==</code> <code>"GAUGE-test001"</code>	Pass	0.000s
Lat lon	<code>r["lat"] == pytest.approx(51.46);</code> <code>r["lon"] == pytest.approx(-0.30)</code>	Pass	0.000s
Missing alert returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Missing gauge id returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Missing lat returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Severe warning	<code>_parse_gauge(_G1)["severe_warning"]</code> <code>== pytest.approx(5.5)</code>	Pass	0.000s
Valid record returns dict	<code>result is not None</code>	Pass	0.000s
Warning defaults when absent	<code>r is not None; r["flood_warning"] ==</code> <code>pytest.approx(4.0 * 1.33) (+1 more)</code>	Pass	0.000s
Baseline without monthly means	<code>result["base_level"] == 1.5;</code> <code>result["monthly_means"] is None</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
With baseline	<code>result["base_level"] == 1.25;</code> <code>result["monthly_means"] == {"01":</code> <code>1.4}</code>	Pass	0.000s
Without baseline uses heuristic	<code>result["base_level"] ==</code> <code>pytest.approx(3.5 * 0.35);</code> <code>result["monthly_means"] is None</code>	Pass	0.000s
Empty monthly means	<code>_seasonal_base_level({},</code> <code>mean_level=1.0, month=6) == 1.0</code>	Pass	0.000s
Missing month falls back	<code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=3) ==...</code>	Pass	0.000s
No monthly means	<code>_seasonal_base_level(None,</code> <code>mean_level=1.0, month=6) == 1.0</code>	Pass	0.000s
With monthly means	<code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=1) ==...;</code> <code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=7) ==...</code>	Pass	0.000s
All have intensity category	<code>all(r["intensity_category"] in valid</code> <code>for r in records)</code>	Pass	0.000s
All have sequence id	<code>all("sequence_id" in r for r in</code> <code>records)</code>	Pass	0.000s
All have sequence type	<code>all(r["sequence_type"] in valid for r</code> <code>in records)</code>	Pass	0.000s
All have total precip	<code>all("total_precip_mm" in r for r in</code> <code>records); all(r["total_precip_mm"] > 0</code> <code>for r in records)</code>	Pass	0.000s
Gauge file count matches num gauges	<code>len(gauge_records) == 3</code>	Pass	0.000s
Peak hours in valid range	<code>0 <= s["peak_hour"] <= 167</code>	Pass	0.000s
Peaks positive	<code>all(s["peak_m"] > 0 for s in seqs)</code>	Pass	0.000s
Per gauge records have alert flags	<code>all("alert" in s for s in seqs)</code>	Pass	0.000s
Per gauge records have peak	<code>all("peak_m" in s for s in seqs)</code>	Pass	0.000s
Per gauge records have peak hour	<code>all("peak_hour" in s for s in seqs)</code>	Pass	0.000s
Per gauge sequence count	<code>len(seqs) == len(records)</code>	Pass	0.000s
Severe implies warning	<code>s["warning"]</code>	Pass	0.000s
Every sequence that breached warning must also have breached alert.	<code>s["alert"]</code>	Pass	0.000s
Error message lists available ids	<code>"GAUGE-test001" in</code> <code>str(exc_info.value)</code>	Pass	0.001s
Invalid gauge id raises	—	Pass	0.001s
Named file gauge ids	<code>d["gauge_ids"] == ["GAUGE-test002"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Named file peaks length one	<code>all(len(r["peaks_m"]) == 1 for r in d["sequences"])</code>	Pass	0.000s
Named file schema version	<code>d["schema_version"] == SCHEMA_VERSION_SPATIAL</code>	Pass	0.008s
Named file sequence count	<code>len(d["sequences"]) == 40</code>	Pass	0.000s
Named output file written	<code>(gauge_dir / "sequence_gauge_GAUGE-test002.json").exists()</code>	Pass	0.000s
Summary num gauges is one	<code>single_run["num_gauges"] == 1</code>	Pass	0.000s
Single gauge classifier result dict	<code>isinstance(result, dict)</code>	Pass	6.278s
Single gauge + train_classifier=True covers lines 353-361.	<code>result["num_gauges"] == 1; stressm_dir.exists()</code>	Pass	6.184s
Base level matches gauge params	<code>responses["GAUGE-A"][0]["base_level_m"] == pytest.approx(...; responses["GAUGE-B"][0]["base_level_m"] == pytest.approx(...</code>	Pass	0.000s
Gauge a values	<code>r["base_level_m"] == pytest.approx(1.5); r["peak_level_m"] == pytest.approx(5.0) (+1 more)</code>	Pass	0.000s
Gauge b values	<code>r["base_level_m"] == pytest.approx(2.0); r["peak_level_m"] == pytest.approx(7.0) (+1 more)</code>	Pass	0.000s
Level change is peak minus base	<code>r["level_change_m"] == pytest.approx(expected)</code>	Pass	0.000s
Response has base level m	<code>"base_level_m" in r</code>	Pass	0.000s
Response has level change m	<code>"level_change_m" in r</code>	Pass	0.000s
Creates new summary	<code>summary["num_gauges"] == 1; summary["num_trained"] == 1 (+1 more)</code>	Pass	0.002s
Merges into existing	<code>summary["num_gauges"] == 2; summary["num_trained"] == 2 (+1 more)</code>	Pass	0.001s
Replaces existing gauge	<code>summary["num_gauges"] == 1; summary["gauges"][0]["metrics"]["auc_roc"] == 0.95</code>	Pass	0.001s
Skipped gauge not counted as trained	<code>summary["num_trained"] == 0; summary["num_skipped"] == 1</code>	Pass	0.001s
With count ; 2000 and verbose=False, no mid-loop progress line.	<code>"ETA" not in out or "[" not in out</code>	Pass	0.824s

count=501 with verbose=True triggers the progress line at i=500.	result["num.sequences"] == 501; "[500" in out or "500/" in out	Pass	1.360s
--	--	------	--------

16 Trading Desk (MKM-TD-001)

Table 30: Test Results Summary — Trading Desk (MKM-TD-001)

Total Tests	212
Passed	212
Failed	0
Skipped	0
Duration	1.38s

Table 31: Detailed Test Results — Trading Desk

Test Description	Acceptance Criteria	Result	Time
All buttons must use font-size:11px;font-weight:600 matching header tabs.	count >= 4	Pass	0.000s
All buttons must use padding:4px 14px matching header tab buttons.	count >= 4	Pass	0.000s
All four buttons must sit inside a single flex container (group).	'display:flex;border:1px solid #ddd;border-radius:4px;ove...	Pass	0.000s
Commit button must be blue (#1976d2) — primary action like active header tab.	'#1976d2' in snippet; 'color:white' in snippet	Pass	0.000s
History button must be grey (#f5f5f5) — inactive like unselected header tabs.	'#f5f5f5' in snippet; '#1976d2' not in snippet	Pass	0.000s
Individual buttons must NOT have border-radius — container provides the rounding.	'border-radius' not in snippet	Pass	0.000s
PL Hist button must be grey (#f5f5f5) — inactive like unselected header tabs.	'#f5f5f5' in snippet; '#1976d2' not in snippet	Pass	0.000s
Reset button must be grey (#f5f5f5) — inactive.	'#f5f5f5' in snippet	Pass	0.000s
Basis delta should be positive.	result['basis_delta_bps'] > 0; result['basis_dv01_gbp'] > 0	Pass	0.000s
With constant basis, basis delta ~ gauge delta.	abs(basis_delta['basis_delta_bps'] - ...	Pass	0.000s
Hits /api/v1/trading/blotter.	'/api/v1/trading/blotter' in blotter_js	Pass	0.000s
Close-out hits /trading/close/.	'/trading/close/' in blotter_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Button must call tdCommitMarket().	'tdCommitMarket()' in market_js	Pass	0.000s
td-commit-btn ID present in output.	'td-commit-btn' in market_js	Pass	0.000s
Commit button must NOT have display:none in its own style.	'display:none' not in own_style	Pass	0.000s
tdCommitMarket function must exist.	'tdCommitMarket' in market_js	Pass	0.000s
Hits /trading/hazard-term-structure/commit.	'/trading/hazard-term-structure/commit' in market_js	Pass	0.000s
Hits /trading/yield-curve/commit.	'/trading/yield-curve/commit' in market_js	Pass	0.000s
Commit notification shows P&L impact.	'total_pnl_impact' in market_js; 'gross_pnl_impact' in market_js	Pass	0.000s
After commit, switches to blotter tab.	"switchTab('blotter')" in market_js	Pass	0.000s
Higher spread means higher premium	pvs_high["premium_leg_pv"] > pvs_low["premium_leg_pv"]	Pass	0.000s
Positive hazard rate	pvs["premium_leg_pv"] > 0; pvs["protection_leg_pv"] > 0 (+2 more)	Pass	0.000s
Zero hazard rate	pvs["premium_leg_pv"] == 0; pvs["protection_leg_pv"] == 0	Pass	0.000s
Closed trades excluded	pnl_engine.compute_daily_pnl(trades)["num_open_trades"] == 0	Pass	0.000s
Daily pnl without previous eod	result["num_open_trades"] == 2; result["total_notional"] == 15_000_000 (+1 more)	Pass	0.000s
Pnl decomposition sums	abs(pos["daily_pnl"] - (pos["new_trade_pnl"] + pos["marke...))	Pass	0.000s
Running pnl calculation	abs(pos1["running_pnl"] - 43.500) < 1; abs(pos2["running_pnl"] - (-7.125)) < 1	Pass	0.000s
Test risk grid construction.	len(grid['buckets']) == 3; len(grid['gauges']) == 2 (+3 more)	Pass	0.000s
Receiver trade should have negative gauge DV01.	enriched['gauge_fs01'] < 0; enriched['is_payer'] is False	Pass	0.002s
Test trade enrichment with sample data.	enriched['swap_id'] == 'PRS-TEST001'; enriched['gauge_id'] == 'GAUGE-TEST-001' (+4 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Payer and receiver DV01 should be equal magnitude, opposite sign.	<code>abs(payer.enriched['gauge_fs01'] + rcv.enriched['gauge_fs...</code>	Pass	0.007s
tdHazardDirtyKeys tracks per-gauge hazard changes.	<code>'tdHazardDirtyKeys' in market_js</code>	Pass	0.000s
Shows UNCOMMITTED label when dirty.	<code>'UNCOMMITTED' in market_js</code>	Pass	0.000s
tdYieldDirty variable tracks yield curve changes.	<code>'tdYieldDirty' in market_js</code>	Pass	0.000s
Also fetches blotter for live summary.	<code>'/api/v1/trading/blotter' in eod_js</code>	Pass	0.000s
Fetches <code>/api/v1/trading/eod/history</code> .	<code>'/api/v1/trading/eod/history' in eod_js</code>	Pass	0.000s
Fetches <code>/api/v1/trading/pnl-series</code> .	<code>'/api/v1/trading/pnl-series' in eod_js</code>	Pass	0.000s
Hits <code>/api/v1/trading/eod</code> for submit.	<code>'/api/v1/trading/eod' in eod_js</code>	Pass	0.000s
<code>get_eod_history</code> returns 500 when engine raises (lines 88-90).	<code>resp.status_code == 500</code>	Pass	0.001s
<code>get_eod_pdf</code> returns 500 on unexpected error (lines 107-109).	<code>resp.status_code == 500</code>	Pass	0.001s
<code>submit_eod</code> returns 500 when engine raises (lines 70-72).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.002s
<code>renderEodAttribution</code> function exists.	<code>'renderEodAttribution' in eod_js</code>	Pass	0.000s
<code>renderEodChart</code> function exists.	<code>'renderEodChart' in eod_js</code>	Pass	0.000s
<code>tdCleanupEodCharts</code> exists for chart cleanup.	<code>'tdCleanupEodCharts' in eod_js</code>	Pass	0.000s
<code>tdDownloadEodPdf</code> function exists.	<code>'tdDownloadEodPdf' in eod_js</code>	Pass	0.000s
<code>tdSubmitEod</code> function exists.	<code>'tdSubmitEod' in eod_js</code>	Pass	0.000s
Returns list of snapshots after submission.	<code>len(data['history']) == 1;</code> <code>entry['eod_id'] == 'EOD-20260228'</code> (+3 more)	Pass	0.033s
Returns empty list when no snapshots exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.001s
Can submit multiple EODs on different dates.	<code>data['count'] == 2</code>	Pass	0.057s
POST with empty JSON body uses today's date (no date key).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.031s

Test Description	Acceptance Criteria	Result	Time
GET for existing PDF date serves the file.	<code>resp.status_code == 200;</code> <code>resp.content_type ==</code> <code>'application/pdf'</code>	Pass	0.003s
GET for non-existent date returns 404.	<code>resp.status_code == 404</code>	Pass	0.000s
ImportError in PDF gen is caught; EOD snapshot still saved (lines 56-57).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.023s
Exception in PDF gen is caught; EOD snapshot still saved (lines 58-59).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.036s
Attribution section container present.	<code>'td-eod-attribution' in eod_js</code>	Pass	0.000s
P&L summary cards container present.	<code>'td-eod-cards' in eod_js</code>	Pass	0.000s
Date picker for EOD date.	<code>'td-eod-date' in eod_js</code>	Pass	0.000s
EOD History section present.	<code>'td-eod-history-wrap' in eod_js;</code> 'EOD History' in eod_js	Pass	0.000s
Submit EOD button present.	<code>'td-eod-submit-btn' in eod_js;</code> 'EOD Submit' in eod_js	Pass	0.000s
All gauges from base should appear.	<code>'GAUGE-001' in rates;</code> 'GAUGE-002' in rates	Pass	0.001s
Adjusted gauges should be flagged.	<code>rates['GAUGE-001']['is_adjusted']</code> is True; <code>rates['GAUGE-002']['is_adjusted']</code> is False	Pass	0.002s
Adjusted rates should override base, non-adjusted should use base.	<code>rates['GAUGE-001']['annual_hazard_rate_warning']</code> == 0.04; <code>rates['GAUGE-001']['annual_hazard_rate_alert']</code> == 0.04 (+1 more)	Pass	0.003s
Eod history	<code>len(history) == 2;</code> history[0]["date"] == "2026-02-21"	Pass	0.003s
Generate snapshot	<code>snapshot["eod_id"] == "EOD-20260224";</code> <code>snapshot["date"] == "2026-02-24"</code> (+3 more)	Pass	0.001s
Idempotent snapshot	<code>len(pnl_engine.get_eod_history()) ==</code> 1	Pass	0.004s
Pnl series	<code>len(series) == 2;</code> series[0]["date"] == "2026-02-20" (+1 more)	Pass	0.011s
Snapshot persists	snapshot is not None; <code>snapshot["eod_id"] == "EOD-20260224"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
tdClearFilters function exists.	'tdClearFilters' in blotter_js	Pass	0.000s
tdApplyFilter exposed on window for external callers.	'tdApplyFilter' in blotter_js	Pass	0.000s
tdFilterChanged function exists.	'tdFilterChanged' in blotter_js	Pass	0.000s
getFilteredTrades function exists.	'getFilteredTrades' in blotter_js	Pass	0.000s
tdRemoveFilter function exists.	'tdRemoveFilter' in blotter_js	Pass	0.000s
For small rates, 1bp bump in rate ~ = 1bp bump in spread.	0.5 < result['delta_spread.bps'] < 2.0	Pass	0.000s
DV01 scales with notional.	abs(r2['dv01_gbp'] / r1['dv01_gbp'] - 2.0) < 0.01	Pass	0.000s
DV01 should be positive for a buyer (spread increases with hazard).	result['dv01_gbp'] > 0;	Pass	0.000s
At zero hazard rate, spread is at floor so delta may be minimal.	result['delta_spread.bps'] > 0	Pass	0.000s
Balanced book	payer == rcv; len(trades) == 6	Pass	0.003s
Balanced notional	payer_not == rcv_not	Pass	0.003s
Counterparties distributed	len(ctpys) == 2	Pass	0.002s
Files saved	len(list(output_dir.glob("PRS-*.json"))) == 6	Pass	0.004s
Payer trades below fair	ps["Pricing"]["SpreadBps"] < ps["Pricing"]["FairSpreadBps"]	Pass	0.003s
Receiver trades above fair	ps["Pricing"]["SpreadBps"] > ps["Pricing"]["FairSpreadBps"]	Pass	0.003s
Reproducible with seed	t1["PhysicalSwap"]["Pricing"]["SpreadBps"] == t2["PhysicalSwap"]["Pricing"]["SpreadBps"]	Pass	0.003s
Small mtm	abs(ps["Pricing"]["NPV"]) < ps["LegData"]["Notional"] * 0...	Pass	0.002s
Valid cdm structure	ps["Header"]["SwapID"].startswith("PRS-"); isinstance(ps["LegData"]["Payer"], bool) (+2 more)	Pass	0.002s
GET returns market_state with yield_curve and hazard_term_structure.	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.003s
Response includes per-gauge effective rates.	'gauges' in data; len(gauge_ids) >= 1	Pass	0.003s
First load creates default yield curve.	resp.status_code == 200; len(yc) > 0	Pass	0.003s
Bumping hazard curve higher should increase fair PRS spread.	spread_after > spread_before; spread_after - spread_before > 1.0	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Bumping hazard curve should change trade MTM.	<code>mtm.after > mtm.before</code>	Pass	0.004s
P&L from a 1bp parallel shift should approximately equal FS01.	<code>abs(mtm.change - fs01) < abs(fs01) * 0.20</code>	Pass	0.008s
Full cycle: enrich → EOD snap → bump curve → re-enrich → daily P&L non-zero.	<code>len(eod.snap['positions']) == 1;</code> <code>new_fair != prev_fair (+5 more)</code>	Pass	0.011s
Shows down arrow for rate decrease.	<code>'\{\}\u25bc' in blotter_js</code>	Pass	0.000s
Blotter compares to prev_fair_spread.bps.	<code>'prev_fair_spread.bps' in blotter_js</code>	Pass	0.000s
Shows up arrow for rate increase.	<code>'\{\}\u25b2' in blotter_js</code>	Pass	0.000s
Verify the MTM formula.	<code>abs(mtm - 80_000) < 1</code>	Pass	0.000s
Protection seller loses when spread widens.	<code>mtm < 0</code>	Pass	0.000s
Protection buyer profits when spread widens.	<code>mtm > 0</code>	Pass	0.000s
MTM is zero when fair = trade spread.	<code>mtm == 0</code>	Pass	0.000s
Blotter has market_pnl column.	<code>'market_pnl' in blotter_js</code>	Pass	0.000s
Blotter shows Mkt P&L label.	<code>'Mkt P' in blotter_js</code>	Pass	0.000s
GET market-state returns 500 when engine raises (lines 44-46).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
POST market-state/reset returns 500 when engine raises (lines 119-121).	<code>resp.status_code == 500</code>	Pass	0.001s
POST market-state with null JSON body → 400 (line 55).	<code>resp.status_code == 400</code>	Pass	0.000s
Base rates should match what's in gaugehc.json.	<code>g1['annual_hazard_rate_warning'] == 0.025;</code> <code>g1['annual_hazard_rate_severe'] == 0.01</code>	Pass	0.002s
First load should initialise from base curves.	<code>'base_rates' in state;</code> <code>'gauge_adjustments' in state (+2 more)</code>	Pass	0.001s
Subsequent loads should return the saved state.	<code>state1['base_rates'] == state2['base_rates']</code>	Pass	0.004s
Reset all adjustments.	<code>len(state['gauge_adjustments']) == 0</code>	Pass	0.014s
Reset a single gauge's adjustments.	<code>'GAUGE-001' not in state['gauge_adjustments'];</code> <code>'GAUGE-002' in state['gauge_adjustments']</code>	Pass	0.007s

Test Description	Acceptance Criteria	Result	Time
Effective rate should use adjustment if present.	<code>rate == 0.025; rate == 0.04</code>	Pass	0.007s
Gauge without adjustment should return base rate.	<code>rate == 0.03</code>	Pass	0.002s
Updating a rate should persist.	<code>adj['annual_hazard_rate_warning'] == 0.035</code>	Pass	0.005s
tdCleanupMarketCharts exists.	<code>'tdCleanupMarketCharts' in market_js</code>	Pass	0.000s
renderGaugeList function exists.	<code>'renderGaugeList' in market_js</code>	Pass	0.000s
Chart canvas element present.	<code>'td-market-canvas' in market_js</code>	Pass	0.000s
Curve mode selector with yield/hazard options.	<code>'td-curve-mode' in market_js; 'Yield Curve' in market_js (+1 more)</code>	Pass	0.000s
commit_yield_curve saves all tenors at once.	<code>state['yield_curve']['1'] == 0.04; state['yield_curve']['3'] == 0.05</code>	Pass	0.004s
Tenor above maximum returns last key rate.	<code>rate == r6</code>	Pass	0.001s
Tenor below minimum returns first key rate.	<code>rate == r1</code>	Pass	0.001s
Exact tenor match from yield curve.	<code>isinstance(rate, float); rate > 0</code>	Pass	0.001s
Non-integer tenor triggers interpolation.	<code>min(r1, r2) <= rate <= max(r1, r2)</code>	Pass	0.001s
Gauge entries with no gauge_id are skipped.	<code>'GAUGE-B' in base; '' not in base</code>	Pass	0.001s
gaugehc.json with 'gauges' key is handled.	<code>'GAUGE-A' in state.get('base_rates', {})</code>	Pass	0.002s
When gaugehc.json is missing, base curves returns empty dict.	<code>isinstance(state, dict)</code>	Pass	0.001s
gaugehc.json with unknown format returns empty base_rates.	<code>state.get('base_rates', {}) == {}</code>	Pass	0.002s
reset_yield_curve restores defaults.	<code>state['yield_curve']['1'] == MarketStateManager.DEFAULT_Y...</code>	Pass	0.003s
Notes parameter is stored in gauge adjustments.	<code>'adjustment_notes' in adj; 'override' in adj['adjustment_notes']</code>	Pass	0.005s
New Trade button must be grey (#f5f5f5) — non-primary action.	<code>'#f5f5f5' in snippet; '#1976d2' not in snippet</code>	Pass	0.000s
Button text must be 'New Trade'.	<code>'New Trade' in market_js</code>	Pass	0.000s
td-newtrade-btn must exist in Market tab.	<code>'td-newtrade-btn' in market_js</code>	Pass	0.000s
Button must call tdMarketNewTrade().	<code>'tdMarketNewTrade' in market_js</code>	Pass	0.000s
tdMarketNewTrade must hide trading desk and call viewHazardCurve.	<code>'viewHazardCurve' in market_js; 'tdSelectedGauge' in market_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
New Trade button must appear to the LEFT of History in the DOM.	<code>nt_idx < hist_idx</code>	Pass	0.000s
New Trade button must not have its own border-radius (container clips it).	<code>'border-radius' not in snippet</code>	Pass	0.000s
Market pnl nonzero with eod mark	<code>abs(result["positions"][0]["market_pnl"] - 80.000.0) < 1</code>	Pass	0.000s
Market pnl zero for missing eod trade	<code>abs(pos["market_pnl"]) < 0.01;</code> <code>abs(pos["new_trade_pnl"]) < 0.01 (+1 more)</code>	Pass	0.000s
New trade has inception pnl	<code>abs(pos["new_trade_pnl"] - expected) < 1;</code> <code>abs(pos["market_pnl"]) < 0.01</code>	Pass	0.000s
Pnl decomposition with prev eod	<code>abs(pos["daily_pnl"] - (pos["new_trade_pnl"] + pos["marke...</code>	Pass	0.000s
Shows daily P&L metric.	<code>'dailyPnl' in blotter_js</code>	Pass	0.000s
Shows From Market metric.	<code>'From Market' in blotter_js;</code> <code>'fromMarket' in blotter_js</code>	Pass	0.000s
Shows signed net notional.	<code>'netNotional' in blotter_js;</code> <code>'fmtGBP(netNotional)' in blotter_js</code>	Pass	0.000s
Shows Running P&L.	<code>'Running' in blotter_js</code>	Pass	0.000s
After EOD snap, next blotter P&L uses snap as baseline.	<code>resp.status_code == 200; 'daily_pnl' in t (+1 more)</code>	Pass	0.043s
Summary runs	<code>"Market-Making Book Summary" in out;</code> <code>"Payer (short):" in out (+1 more)</code>	Pass	0.002s
tdResetCurve function exists.	<code>'tdResetCurve' in market_js</code>	Pass	0.000s
Hits /trading/hazard-term-structure/reset.	<code>'/trading/hazard-term-structure/reset' in market_js</code>	Pass	0.000s
Hits /trading/yield-curve/reset.	<code>'/trading/yield-curve/reset' in market_js</code>	Pass	0.000s
Reset clears all adjustments.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.025s
Reset clears one gauge only.	<code>resp.status_code == 200; 'GAUGE-001' in data['message']</code>	Pass	0.003s
risk-grid returns 500 when engine raises (lines 44-46).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
trade-map returns 500 when engine raises (lines 197-199).	<code>resp.status_code == 500</code>	Pass	0.001s
Grid should contain entries for traded gauges.	<code>len(grid) > 0</code>	Pass	0.021s

Test Description	Acceptance Criteria	Result	Time
GET returns a risk grid structure.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.023s
Returns empty grid when no trades exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.004s
Longer tenor means more payments.	<code>a5 > a1</code>	Pass	0.000s
Higher hazard rate means lower annuity (higher default prob).	<code>annuity_low > annuity_high</code>	Pass	0.000s
Annuity should be between 0 and tenor.	<code>0 < annuity < 5</code>	Pass	0.000s
With no default risk, annuity equals risk-free annuity.	<code>abs(annuity - expected) < 1e-6</code>	Pass	0.000s
is_payer field used to determine sign.	<code>'is_payer' in blotter_js</code>	Pass	0.000s
Payer notional should be negated.	<code>'is_payer' in blotter_js;</code> <code>'Math.abs'</code> in blotter_js	Pass	0.000s
tdToggleSort function exists.	<code>'tdToggleSort' in blotter_js</code>	Pass	0.000s
tdViewTrade function for click-through to PRS pricing.	<code>'tdViewTrade' in blotter_js</code>	Pass	0.000s
After knock-out, cash price must stay at full notional.	<code>hourly[2]['per_trade'][0]['triggered']</code> is True; <code>hourly[2]['per_trade'][0]['cash_price']</code> == 1.000.000 (+2 more)	Pass	0.000s
Alert trade KOs before severe trade.	<code>'ALERT' in triggered;</code> <code>'SEVERE' in triggered</code> (+1 more)	Pass	0.000s
Trade must NOT knock out if water stays below trigger.	<code>'T1' not in triggered</code>	Pass	0.000s
Receiver (short protection) gets negative cash on KO.	<code>hourly[1]['per_trade'][0]['cash_price']</code> == -1.000.000	Pass	0.000s
Trade must knock out when water $\geq$ trigger level.	<code>'T1' in triggered;</code> <code>triggered['T1'] == 3</code>	Pass	0.000s
Same-day snap overwrites previous.	<code>len(eod_files) == 1</code>	Pass	0.047s
POST creates EOD snapshot.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.029s
Response includes trade count and P&L summary.	<code>'num_open_trades' in summary;</code> <code>'total_notional' in summary</code> (+2 more)	Pass	0.033s
EOD- $\{date\}$.json created in eod/ directory.	<code>snapshot.path.exists();</code> <code>snapshot['eod_id'] == 'EOD-20260228'</code> (+1 more)	Pass	0.038s

Test Description	Acceptance Criteria	Result	Time
Snapshot includes yield_curve and hazard_term_structure.	'yield_curve' in ms; 'hazard_term_structure' in ms	Pass	0.030s
Snapshot includes per-trade positions.	len(positions) == 16; 'swap_id' in p (+2 more)	Pass	0.032s
All levels should be $i = \text{base level}$ (positive level_change).	lvl >= base - 0.01	Pass	0.000s
Custom num.hours should produce the right length.	len(levels) == 100	Pass	0.000s
Water levels should be non-decreasing before peak.	levels[i] >= levels[i - 1] - 0.01	Pass	0.000s
Peak should reach base + level_change.	peak >= base + change * 0.9; peak <= base + change + 0.1	Pass	0.000s
Water level should decrease after peak.	levels[-1] < levels[peak_idx]	Pass	0.000s
Default hydrograph must return 168 hourly values (STORM_HOURS = 7-day window).	len(levels) == 168	Pass	0.000s
Very short storm peaks early.	peak_idx <= 10	Pass	0.000s
Hour 0 should be at base level.	abs(levels[0] - 2.0) < 0.01	Pass	0.000s
Zero duration should still produce valid levels.	len(levels) == 168; levels[0] > 2.0	Pass	0.000s
gauge_fs01 column present.	'gauge_fs01' in blotter_js	Pass	0.000s
fmtMaturity function exists.	'fmtMaturity' in blotter_js	Pass	0.000s
Files saved	len(list(output_dir.glob("PRS-*.json"))) == 50	Pass	0.057s
Has calendar spreads	calendar_spread_gauges >= 5	Pass	0.031s
Reproducible with seed	t1["PhysicalSwap"]["Pricing"]["SpreadBps"] ...	Pass	0.041s
Trade count	len(trades) == 50	Pass	0.023s
Uses central gauges	gauge_ids.issubset(expected_ids)	Pass	0.043s
Valid cdm structure	ps["Header"]["SwapID"].startswith("PRS-"); ps["Pricing"]["RiskyAnnuity"] > 0 (+1 more)	Pass	0.030s
Westminster is net short	westminster_notional < 0	Pass	0.019s
Gauge positions include FS01 broken down by tenor.	'fs01_by_tenor' in g; isinstance(g['fs01_by_tenor'], dict)	Pass	0.019s
Each gauge position has lat, lon, gauge_name.	'lat' in g; 'lon' in g (+2 more)	Pass	0.020s
Each gauge has net_fs01.	'net_fs01' in g	Pass	0.021s

Test Description	Acceptance Criteria	Result	Time
Each gauge has total and net notional.	'total_notional' in g; 'net_notional' in g (+1 more)	Pass	0.026s
Gauge positions include daily P&L.	'daily_pnl' in g; 'running_pnl' in g	Pass	0.023s
Gauge positions show number of trades.	gauges_by_id['GAUGE-001']['num_trades'] == 2; gauges_by_id['GAUGE-002']['num_trades'] == 1	Pass	0.021s
GET returns gauge positions.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.025s
Returns empty positions when no trades exist.	resp.status_code == 200; len(data['gauges']) == 0	Pass	0.004s
Gauge in gauge.json but not gaugehc.json gets coordinates (lines 83-85).	resp.status_code == 200	Pass	0.051s
Property locations loaded from property.json (lines 97-101).	resp.status_code == 200; 'gauges' in data	Pass	0.048s
Closed trades are excluded from trade map gauge aggregation (line 115).	resp.status_code == 200; 'GAUGE-9042bd95' not in gauge_ids	Pass	0.031s
Close trade	mark["trade_status"] == "Closed"; mark["close_spread_bps"] == 260.0 (+1 more)	Pass	0.004s
Load empty marks	pnl_engine.load_trade_marks() == {}	Pass	0.000s
Update and load mark	pnl_engine.load_trade_marks()["PRS-001"]["trade_status"] == "Closed" ...	Pass	0.001s
Market making spreads are integers	spread == round(spread)	Pass	0.005s
Thames central spreads are integers	spread == round(spread)	Pass	0.082s
Updated state persists across requests.	resp.status_code == 200; data['market_state']['num_adjusted'] >= 1	Pass	0.022s
POST updates gauge rate successfully.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.017s
Missing gauge returns 400.	resp.status_code == 400	Pass	0.001s
No JSON body returns error (500 — Flask BadRequest caught).	resp.status_code in (400, 500)	Pass	0.002s
Update returns affected_trades and total_pnl_impact.	'affected_trades' in data; 'total_pnl_impact' in data	Pass	0.022s

17 CDM Schema Validation (CDM-ALL)

Table 32: Test Results Summary — CDM Schema Validation (CDM-ALL)

Total Tests	33
Passed	33
Failed	0
Skipped	0
Duration	0.00s

Table 33: Detailed Test Results — CDM Schema Validation

Test Description	Acceptance Criteria	Result	Time
All cdm fields present	<code>gauge_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All cdm fields present	<code>mortgage_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All cdm fields present	<code>property_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All types valid	<code>gauge_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All types valid	<code>mortgage_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All types valid	<code>property_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All values valid	<code>gauge_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
All values valid	<code>mortgage_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
All values valid	<code>property_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
Get required fields returns list[gauge cdm] [cdm_name='gauge_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields re-returns list[mortgage cdm] [cdm_name='mortgage_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields re-returns list[property cdm] [cdm_name='property_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields returns list[prs cdm] [cdm_name='prs_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get required fields returns list[storm cdm] [cdm_name='storm_cdm']	isinstance(cdm.get_required_fields(), list)	Pass	0.000s
Get required fields returns list[stormts cdm] [cdm_name='stormts_cdm']	isinstance(cdm.get_required_fields(), list)	Pass	0.000s
List all fields returns paths[gauge cdm] [cdm_name='gauge_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[property cdm] [cdm_name='property_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[prs cdm] [cdm_name='prs_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[storm cdm] [cdm_name='storm_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[stormts cdm] [cdm_name='stormts_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
Repr returns string[gauge cdm] [cdm_name='gauge_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[property cdm] [cdm_name='property_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[prs cdm] [cdm_name='prs_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[storm cdm] [cdm_name='storm_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[stormts cdm] [cdm_name='stormts_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Schema returns non empty dict[gauge cdm] [cdm_name='gauge_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[property cdm] [cdm_name='property_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[prs cdm] [cdm_name='prs_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s

Test Description		Acceptance Criteria		Result	Time
Schema	returns	non	<code>isinstance(schema, dict); len(schema)</code>	Pass	0.000s
empty	<code>dict[storm</code> <code>[cdm_name='storm_cdm']</code>	cdm]	<code>> 0</code>		
Schema	returns	non	<code>isinstance(schema, dict); len(schema)</code>	Pass	0.000s
empty	<code>dict[stormts</code> <code>[cdm_name='stormts_cdm']</code>	cdm]	<code>> 0</code>		

18 End-to-End Browser Tests (E2E-ALL)

Table 34: Test Results Summary — End-to-End Browser Tests (E2E-ALL)

Total Tests	313
Passed	0
Failed	313
Skipped	0
Duration	15.60s

Table 35: Detailed Test Results — End-to-End Browser Tests

Test Description	Acceptance Criteria	Result	Time
01 open blotter and count trades[chromium]	—	FAIL	0.001s
01 open eod tab count history[chromium]	—	FAIL	0.001s
01 open market tab record yield[chromium]	—	FAIL	0.001s
01 open property prs and verify controls[chromium]	—	FAIL	0.000s
01 open prs and verify controls[chromium]	—	FAIL	0.001s
02 change yield curve value[chromium]	—	FAIL	0.000s
02 click close button opens modal[chromium]	—	FAIL	0.001s
02 select counterparty[chromium]	—	FAIL	0.001s
02 set property trade parameters[chromium]	—	FAIL	0.000s
02 submit eod[chromium]	—	FAIL	0.001s
03 commit market changes[chromium]	—	FAIL	0.000s
03 commit property trade[chromium]	—	FAIL	0.000s
03 enter closeout spread and confirm[chromium]	—	FAIL	0.001s
03 set trade parameters[chromium]	—	FAIL	0.001s
03 verify new snapshot in history[chromium]	—	FAIL	0.001s
04 commit trade[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
04 verify closed trade in blotter[chromium]	—	FAIL	0.001s
04 verify pnl after curve change[chromium]	—	FAIL	0.000s
05 new trade appears in blotter[chromium]	—	FAIL	0.000s
Add action[chromium]	—	FAIL	0.000s
Add agenda item[chromium]	—	FAIL	0.000s
Add button opens form[chromium]	—	FAIL	0.000s
Add decision[chromium]	—	FAIL	0.000s
Add meeting button exists[chromium]	—	FAIL	0.000s
Add participant[chromium]	—	FAIL	0.000s
All models have doc directory[chromium]	—	FAIL	0.000s
Analysis pdf endpoint exists[chromium]	—	FAIL	0.000s
Animate api returns data[chromium]	—	FAIL	0.000s
Audit reports api returns files[chromium]	—	FAIL	0.000s
Auto selects worst case storm[chromium]	—	FAIL	0.000s
Back button returns to list[chromium]	—	FAIL	0.000s
Basis analysis tab shows content[chromium]	—	FAIL	0.001s
Bibtex export button[chromium]	—	FAIL	0.000s
Blotter api returns trades[chromium]	—	FAIL	0.000s
Blotter filter dropdowns exist[chromium]	—	FAIL	0.000s
Blotter has close button[chromium]	—	FAIL	0.000s
Blotter has trade rows[chromium]	—	FAIL	0.132s
Blotter link exists[chromium]	—	FAIL	0.000s
Blotter link opens trading desk[chromium]	—	FAIL	0.000s
Blotter shows net notional[chromium]	—	FAIL	0.000s
Blotter view visible[chromium]	—	FAIL	0.000s
Cells interactive[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Chart canvas exists[chromium]	—	FAIL	0.000s
Chart canvas rendered[chromium]	—	FAIL	0.000s
Chart rendered[chromium]	—	FAIL	0.000s
Chart rendered[chromium]	—	FAIL	0.000s
Charts render[chromium]	—	FAIL	0.000s
Claim report api returns pdf[chromium]	—	FAIL	0.001s
Classifier readiness api[chromium]	—	FAIL	0.000s
Classifier summary api returns data[chromium]	—	FAIL	0.000s
Classifiers view visible[chromium]	—	FAIL	0.000s
Click away closes menu[chromium]	—	FAIL	0.000s
Click pi opens panel[chromium]	—	FAIL	0.000s
Close button hides panel[chromium]	—	FAIL	0.000s
Close button opens dialog[chromium]	—	FAIL	0.000s
Close button opens modal[chromium]	—	FAIL	0.000s
Commit button exists[chromium]	—	FAIL	0.000s
Commit button state[chromium]	—	FAIL	0.226s
Commit triggers response[chromium]	—	FAIL	0.000s
Confirm closeout posts[chromium]	—	FAIL	0.000s
Content area exists[chromium]	—	FAIL	0.000s
Content has keywords[chromium]	—	FAIL	0.001s
Content loads with timeseries data[chromium]	—	FAIL	0.000s
Content mentions audit[chromium]	—	FAIL	0.001s
Content mentions audit keywords[chromium]	—	FAIL	0.000s
Content mentions bcbs[chromium]	—	FAIL	0.000s
Content mentions bibliography[chromium]	—	FAIL	0.000s
Content mentions eod keywords[chromium]	—	FAIL	0.000s
Content mentions field keywords[chromium]	—	FAIL	0.000s
Content mentions historical context[chromium]	—	FAIL	0.000s
Content mentions lineage keywords[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Content mentions model[chromium]	—	FAIL	0.000s
Content mentions mrc[chromium]	—	FAIL	0.000s
Content mentions raci[chromium]	—	FAIL	0.001s
Content mentions risk key-words[chromium]	—	FAIL	0.003s
Content mentions stress concepts[chromium]	—	FAIL	0.000s
Content shows probability data[chromium]	—	FAIL	0.000s
Content shows return period data[chromium]	—	FAIL	0.000s
Context menu has header[chromium]	—	FAIL	0.000s
Context menu has items[chromium]	—	FAIL	0.001s
Controls exist[chromium]	—	FAIL	0.000s
Core docs section visible by default[chromium]	—	FAIL	0.000s
Counterparty dropdown has options[chromium]	—	FAIL	0.000s
Counterparty dropdown has options[chromium]	—	FAIL	0.000s
Counterparty options show rating[chromium]	—	FAIL	0.000s
Counterparty summary fields[chromium]	—	FAIL	0.000s
Counterparty types diverse[chromium]	—	FAIL	0.001s
Curves view visible[chromium]	—	FAIL	0.000s
Delete action[chromium]	—	FAIL	0.000s
Delete agenda item[chromium]	—	FAIL	0.000s
Delete decision[chromium]	—	FAIL	0.000s
Delete participant[chromium]	—	FAIL	0.000s
Direction dropdown options[chromium]	—	FAIL	0.000s
Dirty state indicator[chromium]	—	FAIL	0.000s
Distribution tab has content[chromium]	—	FAIL	0.001s
Docs tab exists[chromium]	—	FAIL	0.000s
Docs tab has three sections[chromium]	—	FAIL	0.000s
Document list renders[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Documentation pdf endpoint exists[chromium]	—	FAIL	0.000s
Download buttons clickable[chromium]	—	FAIL	0.000s
Edit buttons on principles[chromium]	—	FAIL	0.000s
Edit opens modal[chromium]	—	FAIL	0.000s
Empty counterparty disables commit[chromium]	—	FAIL	0.000s
Eod history has pdf link[chromium]	—	FAIL	0.000s
Eod submit button exists[chromium]	—	FAIL	0.000s
Eod submit creates snapshot[chromium]	—	FAIL	0.000s
Eod view visible[chromium]	—	FAIL	0.000s
Escape closes gauge panel[chromium]	—	FAIL	0.000s
Escape closes governance panel[chromium]	—	FAIL	0.000s
Escape closes trading desk[chromium]	—	FAIL	0.000s
Field lineage api returns data[chromium]	—	FAIL	0.000s
Field search api[chromium]	—	FAIL	0.000s
Fill notional and spread[chromium]	—	FAIL	0.000s
Fill prs values[chromium]	—	FAIL	0.000s
Filter has controls[chromium]	—	FAIL	0.000s
Fs01 cell click filters blotter[chromium]	—	FAIL	0.000s
Fs01 tab shows risk grid[chromium]	—	FAIL	0.000s
Gauge blotter menu item opens trading desk[chromium]	—	FAIL	0.000s
Gauge panel blotter link opens trading desk[chromium]	—	FAIL	0.000s
Gauge panel loads data not error[chromium]	—	FAIL	0.000s
Gaugepnl has content[chromium]	—	FAIL	0.001s
Gaugepnl has gauge selector or table[chromium]	—	FAIL	0.000s
Get counterparty detail[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Governance button ex-ists[chromium]	—	FAIL	0.000s
Has artefact files[chromium]	—	FAIL	0.000s
Has chart canvas[chromium]	—	FAIL	0.000s
Has chart or curve content[chromium]	—	FAIL	0.000s
Has charts or inputs[chromium]	—	FAIL	0.000s
Has content area[chromium]	—	FAIL	0.000s
Has content area[chromium]	—	FAIL	0.000s
Has detail pane[chromium]	—	FAIL	0.000s
Has filter row[chromium]	—	FAIL	0.000s
Has four tab buttons[chromium]	—	FAIL	0.001s
Has gauge dropdown[chromium]	—	FAIL	0.000s
Has hazard term structure[chromium]	—	FAIL	0.000s
Has histogram canvas[chromium]	—	FAIL	0.000s
Has history list or table[chromium]	—	FAIL	0.000s
Has leaflet or canvas[chromium]	—	FAIL	0.000s
Has leaflet or svg[chromium]	—	FAIL	0.000s
Has map container[chromium]	—	FAIL	0.000s
Has metrics[chromium]	—	FAIL	0.000s
Has pipeline steps[chromium]	—	FAIL	0.000s
Has play button[chromium]	—	FAIL	0.000s
Has property table[chromium]	—	FAIL	0.001s
Has report cards or search[chromium]	—	FAIL	0.000s
Has risk grid[chromium]	—	FAIL	0.000s
Has staleness info[chromium]	—	FAIL	0.000s
Has stats bar[chromium]	—	FAIL	0.000s
Has storm dropdown[chromium]	—	FAIL	0.000s
Has storm selector[chromium]	—	FAIL	0.001s
Has storm selector[chromium]	—	FAIL	0.000s
Has sub tab buttons[chromium]	—	FAIL	0.000s
Has summary cards[chromium]	—	FAIL	0.001s
Has summary stats[chromium]	—	FAIL	0.000s
Has tab buttons[chromium]	—	FAIL	0.000s
Has table pane[chromium]	—	FAIL	0.000s
Has summary or file cards[chromium]	—	FAIL	0.000s
Has toggle buttons[chromium]	—	FAIL	0.000s
Has train all button[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Has yield curve content[chromium]	—	FAIL	0.000s
Hazard api returns success[chromium]	—	FAIL	0.000s
Hazard curve chart renders[chromium]	—	FAIL	0.001s
Hazard curve item opens gauge panel[chromium]	—	FAIL	0.021s
Hazard curve tab has real data[chromium]	—	FAIL	0.000s
Hazard curve tab renders[chromium]	—	FAIL	0.000s
Historical tab has content[chromium]	—	FAIL	0.000s
Historical tab renders[chromium]	—	FAIL	0.000s
History has chart[chromium]	—	FAIL	0.001s
History has stats[chromium]	—	FAIL	0.001s
History renders[chromium]	—	FAIL	0.001s
History table has rows[chromium]	—	FAIL	0.002s
Insurance tab exists[chromium]	—	FAIL	0.001s
Layer control exists[chromium]	—	FAIL	0.000s
Layer toggle changes markers[chromium]	—	FAIL	0.000s
Leaflet container exists[chromium]	—	FAIL	0.001s
Lineage api returns data[chromium]	—	FAIL	0.000s
List counterparties returns data[chromium]	—	FAIL	0.000s
List meetings returns data[chromium]	—	FAIL	0.000s
Map tiles loaded[chromium]	—	FAIL	0.000s
Map view visible[chromium]	—	FAIL	0.000s
Marker count reasonable[chromium]	—	FAIL	0.003s
Markers present[chromium]	—	FAIL	0.000s
Market state api returns data[chromium]	—	FAIL	0.000s
Market view visible[chromium]	—	FAIL	0.000s
Matrix grid renders[chromium]	—	FAIL	0.000s
Meeting detail has tabs[chromium]	—	FAIL	0.000s
Meeting detail returns full object[chromium]	—	FAIL	0.000s
Meeting detail shows meta-data[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Meeting list has rows[chromium]	—	FAIL	0.000s
Meeting list renders[chromium]	—	FAIL	0.000s
Meeting row clickable[chromium]	—	FAIL	0.000s
Meeting summary has fields[chromium]	—	FAIL	0.000s
Menu has property items[chromium]	—	FAIL	0.001s
Menu header shows property info[chromium]	—	FAIL	0.001s
Metrics keywords[chromium]	—	FAIL	0.000s
Modal has confirm cancel[chromium]	—	FAIL	0.000s
Model row opens detail[chromium]	—	FAIL	0.000s
Mortgage content shows data[chromium]	—	FAIL	0.001s
Mortgage impact has chart[chromium]	—	FAIL	0.001s
Mortgage impact has stats[chromium]	—	FAIL	0.001s
Mortgage impact renders[chromium]	—	FAIL	0.001s
Mortgage panel opens[chromium]	—	FAIL	0.001s
Negative closeout spread handling[chromium]	—	FAIL	0.000s
Negative rate handling[chromium]	—	FAIL	0.000s
Negative spread handling[chromium]	—	FAIL	0.000s
No error notifications after clearing[chromium]	—	FAIL	0.000s
Non numeric tenor input[chromium]	—	FAIL	0.000s
Nonexistent counterparty returns 404[chromium]	—	FAIL	0.000s
Nonexistent gauge does not crash page[chromium]	—	FAIL	0.000s
Nonexistent gauge shows error[chromium]	—	FAIL	0.000s
Nonexistent property does not crash page[chromium]	—	FAIL	0.000s
Nonexistent property shows error[chromium]	—	FAIL	0.000s
Open gauge panel via js[chromium]	—	FAIL	0.000s
Panel has four tabs[chromium]	—	FAIL	0.001s

Test Description	Acceptance Criteria	Result	Time
Panel has tab bar[chromium]	—	FAIL	0.000s
Panel has tab bar[chromium]	—	FAIL	0.000s
Panel has tab buttons[chromium]	—	FAIL	0.001s
Panel is visible[chromium]	—	FAIL	0.000s
Panel opens[chromium]	—	FAIL	0.001s
Panel opens with title[chromium]	—	FAIL	0.001s
Panel opens with title[chromium]	—	FAIL	0.001s
Panel title shows gauge name[chromium]	—	FAIL	0.000s
Pflood has chart or data[chromium]	—	FAIL	0.000s
Pflood has content[chromium]	—	FAIL	0.000s
Pi button exists[chromium]	—	FAIL	0.000s
Portfolio impact api returns data[chromium]	—	FAIL	0.000s
Portfolio run api[chromium]	—	FAIL	0.000s
Portfolio storms api[chromium]	—	FAIL	0.000s
Portfolio storms api returns data[chromium]	—	FAIL	0.000s
Portfolio var api returns data[chromium]	—	FAIL	0.000s
Portpnl has content[chromium]	—	FAIL	0.000s
Portpnl mentions pnl key-words[chromium]	—	FAIL	0.000s
Portstress view visible[chromium]	—	FAIL	0.000s
Progress bar hidden initially[chromium]	—	FAIL	0.000s
Property panel loads without errors[chromium]	—	FAIL	0.000s
Property storm api returns data[chromium]	—	FAIL	0.003s
Propertyts summary api returns data[chromium]	—	FAIL	0.000s
Prs controls exist[chromium]	—	FAIL	0.000s
Prs has counterparty drop-down[chromium]	—	FAIL	0.007s
Prs pricing tab has controls[chromium]	—	FAIL	0.001s
Prs tab renders[chromium]	—	FAIL	0.000s
Reference table sortable[chromium]	—	FAIL	0.000s
Reset button exists[chromium]	—	FAIL	0.000s
Reset restores defaults[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Right click gauge shows context menu[chromium]	—	FAIL	0.000s
Right click gauge shows context menu[chromium]	—	FAIL	15.151s
Right click property shows context menu[chromium]	—	FAIL	0.000s
Risk grid api returns data[chromium]	—	FAIL	0.000s
Risk view visible[chromium]	—	FAIL	0.000s
Row click populates detail[chromium]	—	FAIL	0.000s
Save button commits changes[chromium]	—	FAIL	0.000s
Selecting counterparty enables commit[chromium]	—	FAIL	0.000s
Selecting counterparty updates pricing[chromium]	—	FAIL	0.000s
Severity has content[chromium]	—	FAIL	0.000s
Severity mentions threshold keywords[chromium]	—	FAIL	0.000s
Shows field counts[chromium]	—	FAIL	0.000s
Sim view visible[chromium]	—	FAIL	0.000s
Spread input updates settlement[chromium]	—	FAIL	0.000s
Staleness api returns data[chromium]	—	FAIL	0.000s
Startup preloader completed[chromium]	—	FAIL	0.000s
Stats bar present[chromium]	—	FAIL	0.001s
Stats bar shows data[chromium]	—	FAIL	0.000s
Status bar shows flood counts[chromium]	—	FAIL	0.001s
Storm dropdown exists[chromium]	—	FAIL	0.000s
Storm scenario click activates stress tab[chromium]	—	FAIL	0.000s
Storm scenarios list exists[chromium]	—	FAIL	0.000s
Storm scenarios opens panel[chromium]	—	FAIL	0.002s
Storm selector has options[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Storms api returns data[chromium]	—	FAIL	0.000s
Stress storms api returns data[chromium]	—	FAIL	0.000s
Stress tab renders[chromium]	—	FAIL	0.000s
Stress view visible[chromium]	—	FAIL	0.000s
Summary table has rows[chromium]	—	FAIL	0.000s
Switching to analysis[chromium]	—	FAIL	0.000s
Switching to results[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab mentions insurance[chromium]	—	FAIL	0.001s
Tab title updates[chromium]	—	FAIL	0.000s
Table has action buttons[chromium]	—	FAIL	0.000s
Table view visible[chromium]	—	FAIL	0.001s
Tenor inputs accept values[chromium]	—	FAIL	0.000s
Results pdf endpoint exists[chromium]	—	FAIL	0.000s
Results section hidden by default[chromium]	—	FAIL	0.000s
Summary api[chromium]	—	FAIL	0.000s
Timeline chart exists[chromium]	—	FAIL	0.001s
Timeline has selector[chromium]	—	FAIL	0.001s
Timeline has stats[chromium]	—	FAIL	0.001s
Timeline renders[chromium]	—	FAIL	0.001s
Trace gauge returns steps[chromium]	—	FAIL	0.000s
Trace missing params returns 400[chromium]	—	FAIL	0.000s
Trace nonexistent returns empty[chromium]	—	FAIL	0.000s
Trace property returns steps[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Trade row click high-lights[chromium]	—	FAIL	0.000s
Trading desk blotter visible after gauge link[chromium]	—	FAIL	0.000s
Trained classifiers loadable in stress tab[chromium]	—	FAIL	0.000s
Trigger change updates display[chromium]	—	FAIL	0.000s
Trigger dropdown options[chromium]	—	FAIL	0.000s
Upload area exists[chromium]	—	FAIL	0.000s
Var view visible[chromium]	—	FAIL	0.000s
Vis view visible[chromium]	—	FAIL	0.000s
Worst storms tab shows data[chromium]	—	FAIL	0.001s
Yield curve inputs exist[chromium]	—	FAIL	0.000s
Zero notional disables commit[chromium]	—	FAIL	0.000s
Zoom controls present[chromium]	—	FAIL	0.000s

Failed Test Details

test_right_click_gauge_shows_menu[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_context_menu_has_items[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_context_menu_has_header[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_click_away_closes_menu[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
```

```
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_curve_item_opens_gauge_panel[chromium] File: tests/e2e/test_context_menus/TestContextMenus.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_list_counterparties_returns_data[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_summary_fields[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_get_counterparty_detail[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_nonexistent_counterparty_returns_404[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_types_diverse[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_has_counterparty_dropdown[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_dropdown_has_options[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_counterparty_options_show_rating[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_selecting_counterparty_updates_pricing[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fs01_tab_shows_risk_grid[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fs01_cell_click_filters_blotter[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_panel_blotter_link_opens_trading_desk[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trading_desk_blotter_visible_after_gauge_link[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_right_click_gauge_shows_context_menu[chromium] File: tests/e2e/test_cross_panel_flows_part2/TestFS02ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_gauge_blotter_menu_item_opens_trading_desk[chromium] File: tests/e2e/test_cross_panel_flow

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_historical_tab_has_content[chromium] File: tests/e2e/test_cross_panel_flows_part2/TestHistor

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_scenario_click_activates_stress_tab[chromium] File: tests/e2e/test_cross_panel_flows_pa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_no_error_notifications_after_clearing[chromium] File: tests/e2e/test_data_loads_part1/TestNoEr

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_api_returns_success[chromium] File: tests/e2e/test_data_loads_part1/TestHazardCurved

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_panel_loads_data_not_error[chromium] File: tests/e2e/test_data_loads_part1/TestHazard

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_curve_tab_has_real_data[chromium] File: tests/e2e/test_data_loads_part1/TestHazardCu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stress_storms_api_returns_data[chromium] File: tests/e2e/test_data_loads_part1/TestStressSt

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_storms_api_returns_data[chromium] File: tests/e2e/test_data_loads_part1/TestStress

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_propertyts_summary_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_property_storm_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_property_panel_loads_without_errors[chromium] File: tests/e2e/test_data_loads_part2/TestPro

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_api_returns_trades[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDataLo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_market_state_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_risk_grid_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDataLo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_gauge_shows_error[chromium] File: tests/e2e/test_error_handling_invalid_ids/Te

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_gauge_does_not_crash_page[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_property_shows_error[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_property_does_not_crash_page[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_gauge_panel[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_trading_desk[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_governance_panel[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_layer_control_exists[chromium] File: tests/e2e/test_error_handling_ui/TestMapLayerControls.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_layer_toggle_changes_markers[chromium] File: tests/e2e/test_error_handling_ui/TestMapLayerC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_canvas_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stats_bar_shows_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_title_updates[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestReturnPeriodTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_shows_return_period_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestReturnPeriodTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestFloodProbabilityTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_shows_probability_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestFloodProbabilityTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_loads_with_timeseries_data[chromium] File: tests/e2e/test_gauge_detail_history/TestHistoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_scenarios_list_exists[chromium] File: tests/e2e/test_gauge_detail_history/TestHistorica

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_historical_context[chromium] File: tests/e2e/test_gauge_detail_history/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_storm_dropdown_exists[chromium] File: tests/e2e/test_gauge_detail_history/TestStressTestTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_charts_render[chromium] File: tests/e2e/test_gauge_detail_history/TestStressTestTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_stress_concepts[chromium] File: tests/e2e/test_gauge_detail_history/TestSt

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_auto_selects_worst_case_storm[chromium] File: tests/e2e/test_gauge_detail_history/TestStres

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_controls_exist[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_direction_dropdown_options[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trigger_dropdown_options[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trigger_change_updates_display[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_commit_button_exists[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_chart_canvas_exists[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_open_gauge_panel_via_js[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_title_shows_gauge_name[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_has_tab_bar[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```


test_hazard_curve_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stress_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_historical_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_link_exists[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelBlotterLink.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_link_opens_trading_desk[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelBlotterLink.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_edit_buttons_on_principles[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_edit_opens_modal[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_modal_has_confirm_cancel[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_bibtex_export_button[chromium] File: tests/e2e/test_gov_bibliography_crud/TestBibliography

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_reference_table_sortable[chromium] File: tests/e2e/test_gov_bibliography_crud/TestBibliography

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_upload_area_exists[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUploadDown

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_document_list_renders[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUpload

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_download_buttons_clickable[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_lineage_keywords[chromium] File: tests/e2e/test_gov_lineage_data/TestData

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_pipeline_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_staleness_info[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_lineage_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_staleness_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_gauge_returns_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestProvenanceTra

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_property_returns_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestProvenance

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_nonexistent_returns_empty[chromium] File: tests/e2e/test_gov_lineage_data/TestProven

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_missing_params_returns_400[chromium] File: tests/e2e/test_gov_lineage_data/TestProve

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_field_keywords[chromium] File: tests/e2e/test_gov_lineage_field_audit/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_report_cards_or_search[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestField

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_shows_field_counts[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_field_lineage_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFie

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_field_search_api[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageAPI.

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_audit_keywords[chromium] File: tests/e2e/test_gov_lineage_field_audit/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_test_summary_or_file_cards[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestA

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_artefact_files[chromium] File: tests/e2e/testGovLineageFieldAudit/TestAuditReportsTab

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_audit_reports_api_returns_files[chromium] File: tests/e2e/testGovLineageFieldAudit/TestAu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_test_summary_api[chromium] File: tests/e2e/testGovLineageFieldAudit/TestAuditReportsAP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_model_row_opens_detail[chromium] File: tests/e2e/testGovModelCrud/TestModelWorkstreamDe

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_back_button_returns_to_list[chromium] File: tests/e2e/testGovModelCrud/TestModelWorkstrea

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_list_meetings_returns_data[chromium] File: tests/e2e/testGovMRCCrudPart1/TestMRCMeetings

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_meeting_summary_has_fields[chromium] File: tests/e2e/testGovMRCCrudPart1/TestMRCMeetin

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_meeting_detail_returns_full_object[chromium] File: tests/e2e/testGovMRCCrudPart1/TestMRCM

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_add_agenda_item[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCagendaCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_agenda_item[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCagendaCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_decision[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCDecisionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_decision[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCDecisionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_action[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCActionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_action[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCActionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_participant[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCParticipantsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_participant[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCParticipantsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_meeting_list_has_rows[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_row_clickable[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_has_tabs[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_shows_metadata[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_matrix_grid_renders[chromium] File: tests/e2e/test_gov_raci_crud/TestRACIMatrixInteraction.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_cells_interactive[chromium] File: tests/e2e/test_gov_raci_crud/TestRACIMatrixInteraction.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_list_renders[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_meeting_button_exists[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_button_opens_form[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_is_visible[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_tab_buttons[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_content_area[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestModelInventoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_model[chromium] File: tests/e2e/test_governance/TestModelInventoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestBCBS239Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_bcbs[chromium] File: tests/e2e/test_governance/TestBCBS239Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestRACITab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_raci[chromium] File: tests/e2e/test_governance/TestRACITab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestMRCTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_mrc[chromium] File: tests/e2e/test_governance/TestMRCTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestDocumentsTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_area_exists[chromium] File: tests/e2e/test_governance/TestDocumentsTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestBibliographyTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_bibliography[chromium] File: tests/e2e/test_governance/TestBibliographyTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestAuditTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_audit[chromium] File: tests/e2e/test_governance/TestAuditTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_blotter_and_count_trades[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_click_close_button_opens_modal[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_enter_closeout_spread_and_confirm[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_verify_closed_trade_in_blotter[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_eod_tab_count_history[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapAndHistory.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_submit_eod[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapAndHistory.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_verify_new_snapshot_in_history[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapA

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_prs_and_verify_controls[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaug

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_select_counterparty[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRBookT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_set_trade_parameters[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRBook

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_commit_trade[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRBookTrade.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_05_new_trade_appears_in_blotter[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaug

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_market_tab_record_yield[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMar

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_change_yield_curve_value[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMarketUp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_commit_market_changes[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMarketUpd

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_verify_pnl_after_curve_change[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMark

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_property_prs_and_verify_controls[chromium] File: tests/e2e/test_lifecycle_property_

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_set_property_trade_parameters[chromium] File: tests/e2e/test_lifecycle_property_prs/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_commit_property_trade[chromium] File: tests/e2e/test_lifecycle_property_prs/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_leaflet_container_exists[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_map_tiles_loaded[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_zoom_controls_present[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_markers_present[chromium] File: tests/e2e/test_map_smoke/TestMarkers.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_marker_count_reasonable[chromium] File: tests/e2e/test_map_smoke/TestMarkers.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_pi_button_exists[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_governance_button_exists[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_startup_preloader_completed[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_docs_tab_exists[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_docs_tab_has_three_sections[chromium] File: tests/e2e/test_model_documentation/TestDocsTabS

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_core_docs_section_visible_by_default[chromium] File: tests/e2e/test_model_documentation/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_test_results_section_hidden_by_default[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_switching_to_test_results[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_switching_to_analysis[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_documentation_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_test_results_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_analysis_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_all_models_have_doc_directory[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_right_click_property_shows_menu[chromium] File: tests/e2e/test_property_context_menu/TestPropertyContextMenu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_menu_has_property_items[chromium] File: tests/e2e/test_property_context_menu/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_menu_header_shows_property_info[chromium] File: tests/e2e/test_property_context_menu/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_scenarios_opens_panel[chromium] File: tests/e2e/test_property_context_menu/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_renders[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHist

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_has_chart[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHi

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_has_stats[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHis

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_table_has_rows[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFl

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_renders[chromium] File: tests/e2e/test_property_panel_history/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_has_chart[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_has_stats[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_insurance_tab_exists[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_mentions_insurance[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_claim_report_api_returns_pdf[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_panel_opens[chromium] File: tests/e2e/test_property_panel_mortgage/TestMortgagePanel

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_content_shows_data[chromium] File: tests/e2e/test_property_panel_mortgage/TestMortgagePanel

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_renders[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFloodTimeline

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_has_selector[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlooding

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_has_stats[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlooding

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_chart_exists[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlooding

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens_with_title[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_tab_buttons[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_distribution_tab_has_content[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_worst_storms_tab_shows_data[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_status_bar_shows_flood_counts[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens_with_title[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyHaza

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_four_tabs[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyHazardP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_curve_chart_renders[chromium] File: tests/e2e/test_property_panel_storm/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_prs_pricing_tab_has_controls[chromium] File: tests/e2e/test_property_panel_storm/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_basis_analysis_tab_shows_content[chromium] File: tests/e2e/test_property_panel_storm/TestPro

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolio0pens.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_selector[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolio0

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_four_tab_buttons[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfoli

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_stats_bar_present[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolioOp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_table_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_summary_cards[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_property_table[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_has_keywords[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_sim_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_map_container[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_play_button[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_leaflet_or_canvas[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_vis_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_chart_canvas[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_filter_row[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_filter_has_controls[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_var_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_histogram_canvas[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_metrics[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_metrics_keywords[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_toggle_buttons[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storms_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStormPortf

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_impact_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestS

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_animate_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStormPortf

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_var_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStor

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_click_pi_opens_panel[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_tab_bar[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_close_button_hides_panel[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_view_visible[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_has_trade_rows[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_filter_dropdowns_exist[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_shows_net_notional[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trade_row_click_highlights[chromium] File: tests/e2e/test_td_blotter/TestBlotterTradeInterac

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_classifiers_view_visible[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_train_all_button[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_summary_stats[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_table_pane[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_detail_pane[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_summary_table_has_rows[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_table_has_action_buttons[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_row_click_populates_detail[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_progress_bar_hidden_initially[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_classifier_summary_api_returns_data[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trained_classifiers_loadable_in_stress_tab[chromium] File: tests/e2e/test_td_classifiers/TestC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portstress_view_visible[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_selector[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_selector_has_options[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStres

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_sub_tab_buttons[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_stats_bar[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_content_area[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_pflood_has_content[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressPFlood

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_pflooding_has_chart_or_data[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressPart1

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portpnl_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressPart2

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portpnl_mentions_pnl_keywords[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressPart2

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gaugepnl_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressGauge

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gaugepnl_has_gauge_selector_or_table[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressGauge

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_severity_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressSeverity

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_severity_mentions_threshold_keywords[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressSeverity

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_classifier_readiness_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDashboard

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_storms_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDataLoad

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_run_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDataLoad

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_market_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_yield_curve_content[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_hazard_term_structure[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_charts_or_inputs[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_risk_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_risk_grid[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_risk_keywords[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_map_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestAggregateTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_leaflet_or_svg[chromium] File: tests/e2e/test_td_tabs_part1/TestAggregateTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_history_list_or_table[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_eod_keywords[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_curves_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestCurvesTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_chart_or_curve_content[chromium] File: tests/e2e/test_td_tabs_part2/TestCurvesTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_stress_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_gauge_dropdown[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_dropdown[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_close_button_opens_modal[chromium] File: tests/e2e/test_validate_closeout/TestCloseoutForm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_negative_closeout_spread_handling[chromium] File: tests/e2e/test_validate_closeout/TestCloseoutForm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_non_numeric_tenor_input[chromium] File: tests/e2e/test_validate_market/TestMarketFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_negative_rate_handling[chromium] File: tests/e2e/test_validate_market/TestMarketFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_zero_notional_disables_commit[chromium] File: tests/e2e/test_validate_prs/TestPRFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_empty_counterparty_disables_commit[chromium] File: tests/e2e/test_validate_prs/TestPRSFo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_negative_spread_handling[chromium] File: tests/e2e/test_validate_prs/TestPRSFo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_has_close_button[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_close_button_opens_dialog[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_spread_input_updates_settlement[chromium] File: tests/e2e/test_workflow_closeout/TestTrade

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_confirm_closeout_posts[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_eod_submit_button_exists[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_eod_submit_creates_snapshot[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_eod_history_has_pdf_link[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_counterparty_dropdown_has_options[chromium] File: tests/e2e/test_workflow_gauge_prs/TestG

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_selecting_counterparty_enables_commit[chromium] File: tests/e2e/test_workflow_gauge_prs/Te

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fill_notional_and_spread[chromium] File: tests/e2e/test_workflow_gauge_prs/TestGaugePRSCommi

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_commit_triggers_response[chromium] File: tests/e2e/test_workflow_gauge_prs/TestGaugePRSCom

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_yield_curve_inputs_exist[chromium] File: tests/e2e/test_workflow_market/TestMarketStateComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tenor_inputs_accept_values[chromium] File: tests/e2e/test_workflow_market/TestMarketStateCo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_dirty_state_indicator[chromium] File: tests/e2e/test_workflow_market/TestMarketStateCommit.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_save_button_commits_changes[chromium] File: tests/e2e/test_workflow_market/TestMarketStat

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_reset_button_exists[chromium] File: tests/e2e/test_workflow_market/TestMarketStateReset.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_reset_restores_defaults[chromium] File: tests/e2e/test_workflow_market/TestMarketStateReset.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_controls_exist[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_fill_prs_values[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSComit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_commit_button_state[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

A Platform Infrastructure Tests

Table 36: Test Results Summary — Platform Infrastructure (PLATFORM)

Total Tests	5985
Passed	5964
Failed	3
Skipped	18
Duration	256.70s

Table 37: Detailed Test Results — Platform Infrastructure

Test Description	Acceptance Criteria	Result	Time
Test that config has CATCHMENT attribute.	—	Pass	0.000s
Test that config ENDPOINTS includes health_check for backend handler.	<code>cfg.ENDPOINTS['health_check'] == '/api/v1/health'; ep in cfg.ENDPOINTS</code>	Pass	0.000s
Test that select_catchment.html exists.	—	Pass	0.000s
Test that routes register correctly.	—	Pass	0.045s
Existing synthetic fixture – confirms endpoint logic works.	<code>response.status_code == 200</code>	Pass	0.002s
Mounts the real model.inventory.json and confirms the endpoint does not 500.	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.043s
All models in the file are served by the endpoint.	<code>response.status_code == 200;</code> <code>len(data["models"]) == expected.count</code>	Pass	0.042s
Concrete subclass returns empty list	<code>result == []</code>	Pass	0.000s
Get entity id called	<code>loader.find_by_id('A')</code> is not None	Pass	0.001s
Get entity summary called	<code>summaries[0]['id'] == 'B'</code>	Pass	0.002s
Add action auto generates id	<code>r.status_code == 200; actions[0]["id"] == "A-001"</code> (+1 more)	Pass	0.002s
Add action unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Delete action	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["actions"] == []</code>	Pass	0.002s
Delete action unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Update action status	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["actions"][0]["status"]</code> <code>== "Closed"</code>	Pass	0.002s
Update missing action returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add action auto id	<code>"A-001" in ids; "A-002" in ids</code>	Pass	0.002s
Add action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add action returns 200	<code>r.status_code == 200;</code> <code>len(meeting["actions"]) == 2</code>	Pass	0.002s
Delete action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete action returns 200	<code>r.status_code == 200;</code> <code>len(r.get_json()["meeting"]["actions"])</code> <code>== 0</code>	Pass	0.002s
Update action not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update action returns 200	<code>r.status_code == 200; action["status"]</code> <code>== "Closed"</code>	Pass	0.002s
Westminster, Chelsea and Lambeth all have trades – all must appear.	<code>self.WESTMINSTER.ID in active;</code> <code>self.CHELSEA.ID in active (+1 more)</code>	Pass	0.017s
No trades at all -i empty gauge_ids list -i all right-click	<code>resp.status_code == 200;</code> <code>data['gauge_ids'] == []</code>	Pass	0.001s
A gauge that has no PRS trades must not appear in active-gauges,	<code>self.NO_TRADE.ID not in</code> <code>data['gauge_ids']</code>	Pass	0.014s
Lambeth Bridge (GAUGE-9042bd95) must be in active-gauges	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.017s
After closing PRS-TEST-LAMBETH, Lambeth must leave active-gauges	<code>self.LAMBETH.ID in</code> <code>before['gauge_ids']; self.LAMBETH.ID</code> <code>not in after['gauge_ids']</code>	Pass	0.030s
Closing Lambeth's trade must not affect Westminster or Chelsea.	<code>self.WESTMINSTER.ID in</code> <code>after['gauge_ids']; self.CHELSEA.ID in</code> <code>after['gauge_ids']</code>	Pass	0.027s
gauge_ids are returned in sorted order for stable JS dict lookup.	<code>ids == sorted(ids)</code>	Pass	0.021s
Gauge in active list	<code>active['status'] == 'success';</code> <code>gauge_id in active.get('gauge_ids',</code> <code>[])</code>	Pass	0.008s
Production function: levels decay back toward base after peak.	<code>levels[-1] < max(levels)</code>	Pass	0.000s
Production function: peak i= base + level.change.	<code>max(levels) >= base + change * 0.9</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
_synthesize_hydrograph default returns 168 hours (STORM_HOURS constant).	STORM_HOURS == 168; len(levels) == 168	Pass	0.000s
Production function: hour 0 = base_level.	abs(levels[0] - 3.0) < 0.01	Pass	0.000s
Peak occurs near duration_hours * peak_position.	abs(actual_peak_hour - expected_peak_hour) <= 2	Pass	0.000s
Add appears in list	len(r.get_json()["references"]) == 1	Pass	0.003s
Add assigns id	"id" in ref; len(ref["id"]) > 0	Pass	0.002s
Add no json body uses defaults	r.status_code in (200, 400, 500)	Pass	0.002s
Add returns 200	r.status_code == 200	Pass	0.002s
Add returns reference	data["status"] == "success"; "reference" in data	Pass	0.002s
Add same category twice no duplicate	r.get_json()["categories"].count("Risk") == 1	Pass	0.004s
Add stores all fields	ref["author"] == "Jones"; ref["journal"] == "Nature" (+1 more)	Pass	0.002s
Add with category updates categories	"Flood Risk" in r.get_json()["categories"]	Pass	0.003s
Adds to map	—	Pass	0.002s
Returns notification system	isinstance(result, NotificationSystem)	Pass	0.002s
Add to map calls add child	—	Pass	0.002s
Add to map calls add child	—	Pass	0.003s
Add to map calls add child	—	Pass	0.001s
Approaching retirement over 55	isinstance(result, list)	Pass	0.000s
Early career under 25	isinstance(result, list)	Pass	0.001s
Prime years 25 to 55	isinstance(result, list)	Pass	0.000s
Add agenda item	r.status_code == 200; len(agenda) == 1 (+2 more)	Pass	0.001s
Add agenda unknown meeting returns 404	r.status_code == 404	Pass	0.001s
Add multiple items increments number	[a["item"] for a in agenda] == [1, 2, 3]	Pass	0.004s
Delete agenda item rennumbers	len(agenda) == 2; [a["item"] for a in agenda] == [1, 2] (+1 more)	Pass	0.005s
Delete agenda unknown meeting returns 404	r.status_code == 404	Pass	0.001s
Update agenda item	r.status_code == 200; item["title"] == "Updated" (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Update agenda unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update missing item returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add agenda item increments count	<code>len(meeting["agenda"]) == 3</code>	Pass	0.003s
Add agenda item returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Add agenda missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete agenda item returns 200	<code>r.status_code == 200;</code> <code>len(meeting["agenda"]) == 1</code> (+1 more)	Pass	0.003s
Delete agenda missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update agenda item not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update agenda item returns 200	<code>r.status_code == 200;</code> <code>meeting["agenda"][0]["title"] == "Updated Title"</code>	Pass	0.002s
When peak_wl is alert but warning, threshold is 'alert'.	<code>resp.status_code == 200;</code> g001 is not None (+1 more)	Pass	0.052s
Empty report	<code>result['num_clones'] == 0;</code> <code>result['worst'] == []</code> (+1 more)	Pass	0.000s
Fmt stats has python	<code>'python' in result['fmt_stats']</code>	Pass	0.000s
Line numbers extracted from 'start' field must be integers.	<code>isinstance(entry[1], int);</code> <code>isinstance(entry[3], int)</code>	Pass	0.000s
Regression: jscpd uses 'start' not 'startLine' — must not produce '?' in output.	<code>11 != '??'; 12 != '??'</code>	Pass	0.000s
Largest sorted descending	<code>lines == sorted(lines, reverse=True)</code>	Pass	0.000s
Num clones correct	<code>result['num_clones'] == 2</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Total present	<code>'total' in result;</code> <code>result['total']['lines'] == 10000</code>	Pass	0.000s
Worst populated	<code>len(result['worst']) > 0;</code> <code>isinstance(fname, str)</code> (+2 more)	Pass	0.000s
computePRSCashflows function exists.	<code>'computePRSCashflows' in prs_js</code>	Pass	0.000s
interpolateSurvival function exists.	<code>'interpolateSurvival' in prs_js</code>	Pass	0.000s
interpolateYieldRate function exists.	<code>'interpolateYieldRate' in prs_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Completeness percentage computed	<code>r["PropertyHeader"]["percentage"] ==</code> <code>pytest.approx(66.67,...</code>	Pass	0.000s
Empty section excluded	<code>"PropertyHeader" not in r</code>	Pass	0.000s
Mortgage data included	<code>"Mortgage Data" in r</code>	Pass	0.000s
Property header section present	<code>"PropertyHeader" in r</code>	Pass	0.000s
Returns dict	<code>isinstance(r, dict);</code> <code>isinstance(r,</code> <code>dict)</code>	Pass	0.000s
Section not present excluded	<code>len(r) == 0</code>	Pass	0.000s
All none returns zeros	<code>result["counts"]["properties"] == 0;</code> <code>result["counts"]["mortgages"] == 0</code> (+1 more)	Pass	0.000s
Counts match data	<code>result["counts"]["properties"] == 2;</code> <code>result["counts"]["mortgages"] == 1</code> (+1 more)	Pass	0.000s
Flood mortgages counted	<code>result["counts"]["flood_mortgages"]</code> <code>== 1</code>	Pass	0.000s
Flood properties overlap	<code>result["counts"]["flood_properties"]</code> <code>== 2;</code> <code>result["overlaps"]["properties_with_flood_risk"]</code> <code>== 1</code>	Pass	0.000s
Returns required keys	<code>"counts" in result;</code> <code>"overlaps" in</code> <code>result</code>	Pass	0.000s
pts dir exists but property has no flood_events → 404.	<code>client.get(_COMPOSITE_URL).status_code</code> <code>== 404</code>	Pass	0.033s
pts dir exists but all flood_depths are zero → 404.	<code>client.get(_COMPOSITE_URL).status_code</code> <code>== 404</code>	Pass	0.031s
No pts dir returns 404	<code>pts_client_no_data.get(_COMPOSITE_URL).status_code</code> <code>== 404</code>	Pass	0.001s
No pts dir status error	<code>pts_client_no_data.get(_COMPOSITE_URL).get_json()["status"]</code>	Pass	0.001s
Options returns ok	<code>pts_client_no_data.options(_COMPOSITE_URL).status_code</code> <code>==...</code>	Pass	0.001s
Frame has gauges	<code>"gauges" in frame0</code>	Pass	0.000s
Frame has hour	<code>frame0["hour"] == 0</code>	Pass	0.000s
Frame has properties	<code>"properties" in frame0</code>	Pass	0.000s
Frame has stats	<code>"gauges_flooded" in stats;</code> <code>"properties_flooded" in stats</code> (+1 more)	Pass	0.000s
Arrived true at arrival time	<code>frames[4]["properties"][0]["arrived"]</code> <code>is False;</code> <code>frames[5]["properties"][0]["arrived"]</code> <code>is True</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Peak true at and after peak time	frames[11]["properties"][0]["peak"] is False; frames[12]["properties"][0]["peak"] is True	Pass	0.005s
hour i= len(readings) → flooded=False, depth_m=0, ar- rived=False, peak=False.	p["flooded"] is False; p["depth_m"] == 0 (+2 more)	Pass	0.033s
Property does not have wse m	"wse_m" not in frames[0]["properties"][0]	Pass	0.000s
Property has peak field	"peak" in frames[0]["properties"][0]	Pass	0.000s
Property has required fields	f in p	Pass	0.000s
Frames list length	len(pts_env["client"].get(_COMPOSITE_URL).get_json()["frames"])	Pass	0.005s
N frames equals storm hours	pts_env["client"].get(_COMPOSITE_URL).get_json()["n_frames"]	Pass	0.005s
N properties affected is one	pts_env["client"].get(_COMPOSITE_URL).get_json()["n_properties"]	Pass	0.006s
Returns 200	pts_env["client"].get(_COMPOSITE_URL).status_code == 200	Pass	0.005s
Status success	pts_env["client"].get(_COMPOSITE_URL).get_json()["status"]	Pass	0.005s
Storm id is composite	pts_env["client"].get(_COMPOSITE_URL).get_json()["storm_id"]	Pass	0.005s
Property with two storms: com- posite uses the one with higher flood_depth.	data["status"] == "success"; data["frames"][0]["properties"][0]["depth_m"] == pytest.a...	Pass	0.036s
No pts dir returns 404	r.status_code == 404	Pass	0.001s
No pts dir status error	pts_client_no_data.get(f"/api/v1/propertyts/...	Pass	0.001s
Options returns ok	r.status_code == 200	Pass	0.001s
Unknown storm message mentions storm id	"STORM-GHOST" in msg	Pass	0.032s
Unknown storm returns 404	client.get("/api/v1/propertyts/animate/STORM-GHOST")	Pass	0.032s
Unknown storm status error	client.get("/api/v1/propertyts/animate/STORM...	Pass	0.035s
Frame has gauges	"gauges" in frame0; len(frame0["gauges"]) == 1	Pass	0.000s
Frame has hour field	"hour" in frame0	Pass	0.000s
Frame has properties	"properties" in frame0; len(frame0["properties"]) == 1	Pass	0.000s
Frame has stats	"gauges_flooded" in stats; "properties_flooded" in stats (+1 more)	Pass	0.000s
Frame hour zero is first	frame0["hour"] == 0	Pass	0.000s
Hour values sequential	[f["hour"] for f in frames] == list(range(STORM_HOURS))	Pass	0.033s

Test Description	Acceptance Criteria	Result	Time
Gauge has required fields	<code>f in gauge0</code>	Pass	0.000s
Gauge id correct	<code>gauge0["gauge_id"] == "GAUGE-001"</code>	Pass	0.000s
Gauge status alert when above alert	<code>gauge0["status"] == "alert"</code>	Pass	0.000s
Gauge status normal when below alert	<code>g["status"] == "normal"</code>	Pass	0.034s
Gauge status severe	<code>g["status"] == "severe"</code>	Pass	0.034s
Gauge status warning	<code>g["status"] == "warning"</code>	Pass	0.034s
Gauge readings using <code>water_level_m</code> key (not <code>waterLevel</code>) still work.	<code>g["water_level_m"] == 4.3</code>	Pass	0.033s
Gauge with no readings defaults to zero	<code>frames[10]["gauges"][0]["water_level_m"] == 0</code>	Pass	0.036s
Water level from readings	<code>gauge0["water_level_m"] == 4.2</code>	Pass	0.000s
Arrived false before arrival time	<code>frames[0]["properties"][0]["arrived"] is False;</code> <code>frames[4]["properties"][0]["arrived"] is False</code>	Pass	0.000s
Arrived true at and after arrival time	<code>frames[5]["properties"][0]["arrived"] is True;</code> <code>frames[10]["properties"][0]["arrived"] is True</code>	Pass	0.000s
When hour $i = \text{len}(\text{readings})$, flooded=False, depth_m=0, wse_m=0.	<code>p["flooded"] is False; p["depth_m"] == 0 (+1 more)</code>	Pass	0.032s
Property has required fields	<code>f in p</code>	Pass	0.000s
Property id correct	<code>frames[0]["properties"][0]["property_id"] == "PROP-001"</code>	Pass	0.000s
Gauges flooded counts non normal	<code>stats["gauges_flooded"] == 1</code>	Pass	0.036s
Gauges flooded zero when normal	<code>stats["gauges_flooded"] == 0</code>	Pass	0.034s
Properties flooded is positive early on	<code>stats["properties_flooded"] >= 1</code>	Pass	0.034s
Total depth m non negative	<code>all(f["stats"]["total_depth_m"] >= 0 for f in frames[:5])</code>	Pass	0.035s
Frames list length equals storm hours	<code>len(data["frames"]) == STORM_HOURS</code>	Pass	0.005s
N frames equals storm hours	<code>data["n_frames"] == STORM_HOURS</code>	Pass	0.006s
N properties affected is one	<code>data["n_properties_affected"] == 1</code>	Pass	0.005s
Returns 200	<code>anim_client.get(f"/api/v1/propertyts/animale/STORM_ID")</code>	Pass	0.005s
Status success	<code>data["status"] == "success"</code>	Pass	0.004s
Storm id in response	<code>data["storm_id"] == STORM_ID</code>	Pass	0.005s
Appends line	<code>"hello world" in lines</code>	Pass	0.000s
Clear then append	<code>lines == ["fresh line"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Trims buffer at 2000	<code>length <= 2000</code>	Pass	0.001s
All non negative	<code>np.all(result >= 0.0)</code>	Pass	0.001s
For each active hour, mean(gauge_precip) approximately equals catchment_precip.	<code>result[:, h].mean() == pytest.approx(precip[h], rel=1e-6)</code>	Pass	0.001s
Output shape	<code>result.shape == (thames_model.n_gauges, 168)</code>	Pass	0.001s
Different gauges get different precip- itation amounts.	<code>col.std() > 0.0</code>	Pass	0.001s
Mean across gauges of total precip approximately equals original catch- ment total.	<code>per_gauge_total.mean() == pytest.approx(catchment_total, ...</code>	Pass	0.001s
Zero precip hours remain zero	<code>np.all(result[:, zero_hours] == 0.0)</code>	Pass	0.001s
All factors applied	<code>abs(result - round(expected, 2)) < 0.01</code>	Pass	0.000s
Basic calculation	<code>result == 800_000.0</code>	Pass	0.000s
Clamped to max	<code>result == MAX_PROPERTY_VALUE</code>	Pass	0.000s
Clamped to min	<code>result == MIN_PROPERTY_VALUE</code>	Pass	0.000s
Flood risk discount reduces value	<code>with_risk < no_risk</code>	Pass	0.000s
Noise factor applied	<code>result2 > result1</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Age risk approaching retirement	<code>"Medium" in r["Age Risk"]</code>	Pass	0.000s
Age risk early career	<code>"Medium" in r["Age Risk"]</code>	Pass	0.000s
Age risk prime years	<code>"Age Risk" in r; "Low" in r["Age Risk"]</code>	Pass	0.000s
Credit risk high for poor score	<code>"High" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk low for high score	<code>"Credit Risk" in r; "Low" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk low medium for good score	<code>"Low-Medium" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk medium for fair score	<code>"Medium" in r["Credit Risk"]</code>	Pass	0.000s
Employment risk established 2 to 5	<code>"Low-Medium" in r["Employment Risk"]</code>	Pass	0.000s
Employment risk recent under 2	<code>"Medium-High" in r["Employment Risk"]</code>	Pass	0.000s
Employment risk stable 5 plus	<code>"Employment Risk" in r; "Low" in r["Employment Risk"]</code>	Pass	0.000s
Income risk low for high income	<code>"Income Risk" in r; "Low" in r["Income Risk"]</code>	Pass	0.000s
Income risk low medium adequate	<code>"Low-Medium" in r["Income Risk"]</code>	Pass	0.000s
Income risk medium limited	<code>"Medium" in r["Income Risk"]</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Best and worst sections shown	"Best Data Section" in r; "Weakest Data Section" in r	Pass	0.000s
Critical completeness high	"Critical Data Reliability" in r; "High" in r["Critical Data Reliability"]	Pass	0.000s
Critical completeness low	"Low" in r["Critical Data Reliability"]	Pass	0.000s
Critical completeness medium	"Medium" in r["Critical Data Reliability"]	Pass	0.000s
Excellent over 90	"Excellent" in r["Overall Completeness"]	Pass	0.000s
Fair 60 to 75	"Fair" in r["Overall Completeness"]	Pass	0.000s
Good 75 to 90	"Good" in r["Overall Completeness"]	Pass	0.000s
Limited 40 to 60	"Limited" in r["Overall Completeness"]	Pass	0.000s
Poor under 40	"Poor" in r["Overall Completeness"]	Pass	0.000s
Building 25 years → Contemporary category.	isinstance(result, list)	Pass	0.001s
Building older than 100 years → Historic category.	isinstance(result, list)	Pass	0.001s
Building 50–100 years → Mature category.	isinstance(result, list)	Pass	0.001s
Building 25–50 years → Modern category.	isinstance(result, list)	Pass	0.001s
Basic info subsection	any("Basic Property Information" in t for t in texts)	Pass	0.001s
Building age subsection	any("Building Age" in t for t in texts)	Pass	0.001s
Condition fair recommendation	isinstance(result, list)	Pass	0.001s
Condition good recommendation	isinstance(result, list)	Pass	0.001s
Condition poor recommendation	isinstance(result, list)	Pass	0.001s
Condition unknown falls back	isinstance(result, list)	Pass	0.001s
Empty property does not crash	isinstance(result, list)	Pass	0.001s
External features subsection	any("External Features" in t for t in texts)	Pass	0.001s
Has section header	any("Property Attributes" in t for t in texts)	Pass	0.001s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.001s
No construction year skips age	isinstance(result, list)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Physical dimensions subsection	<code>any("Physical Dimensions" in t for t in texts)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Room composition subsection	<code>any("Room Composition" in t for t in texts)</code>	Pass	0.001s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.001s
Line 82: audit log $\geq$ 10000 entries gets trimmed.	<code>r.status_code == 200; len(log) <= 10000</code>	Pass	0.064s
Line 57: inventory file empty/missing $\rightarrow$ 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 85: save failure $\rightarrow$ 500.	<code>r.status_code == 500</code>	Pass	0.002s
Audit log truncated to 10000	<code>r.status_code == 200; len(entries) == 10000 (+1 more)</code>	Pass	0.053s
<code>_auditTerminalRefreshNow</code> must be on window – called from onclick in innerHTML.	<code>'window._auditTerminalRefreshNow' in audit_reports_js</code>	Pass	0.000s
JSON button was deliberately removed – must not reappear.	<code>'test_failures_report.json' not in audit_reports_js</code>	Pass	0.000s
Poll output endpoint	<code>'test-report/output' in audit_reports_js</code>	Pass	0.000s
Refresh audit tab button	<code>'_auditTerminalRefreshNow' in audit_reports_js</code>	Pass	0.000s
<code>_runTestSuite</code> must be on window – onclick attributes execute in global scope.	<code>'window._runTestSuite' in audit_reports_js</code>	Pass	0.000s
Run suite function	<code>'_runTestSuite' in audit_reports_js</code>	Pass	0.000s
Terminal overlay id	<code>'_audit-terminal-overlay' in audit_reports_js</code>	Pass	0.000s
<code>_toggleFailureDetail</code> must be on window – called from onclick in innerHTML.	<code>'window._toggleFailureDetail' in audit_reports_js</code>	Pass	0.000s
When audit log exceeds 10 000 entries, it keeps only the last 10 000.	<code>len(entries) == 10_000; entries[0].get("seq") == 1 or entries[0].get("model_id") ...</code>	Pass	0.052s
<code>auto_open=True</code> enters the auto-open block (lines 324-325).	<code>report_path is not None; Path(report_path).exists()</code>	Pass	0.026s
<code>auto_open=False</code> (default) — no open attempt, returns PDF path normally.	<code>report_path is not None; Path(report_path).exists()</code>	Pass	0.024s

Test Description	Acceptance Criteria	Result	Time
auto_open=True with a successful open_pdf_file call (lines 324-325).	report_path is not None; Path(report_path).exists()	Pass	0.024s
All pages exist	p in gen.pages	Pass	0.001s
All pages exist	p in gen.pages	Pass	0.001s
Always includes analysis pages	ap in pages	Pass	0.002s
Always includes appendix	"appendix" in pages	Pass	0.001s
Always includes gauge info pages	gp in pages	Pass	0.001s
Always includes operational pages	op in pages	Pass	0.001s
Always includes property pages	pp in pages	Pass	0.002s
Always includes summary pages	sp in pages	Pass	0.001s
Empty flood data	isinstance(pages, list)	Pass	0.001s
Empty property data	isinstance(pages, list)	Pass	0.002s
Includes analysis pages	p in pages	Pass	0.001s
Includes overview pages	p in pages	Pass	0.001s
Returns list	isinstance(pages, list); len(pages) > 0	Pass	0.001s
Returns list	isinstance(pages, list); len(pages) > 0	Pass	0.001s
With hazard curve includes analysis pages	any(p in pages for p in analysis_pages)	Pass	0.001s
With mortgage includes mortgage pages	mp in pages	Pass	0.002s
With timeseries includes analysis pages	any(p in pages for p in analysis_pages)	Pass	0.001s
Without mortgage excludes mortgage pages	mp not in pages	Pass	0.002s
Without timeseries or hazard no analysis pages	not any(p in pages for p in analysis_pages)	Pass	0.001s
Avail width value	AVAIL_WIDTH == pytest.approx(7.3 * inch)	Pass	0.000s
Lines 60-61: custom server_url and endpoints override config.	handler.server_url == 'http://test:9999'; handler.endpoints == {'a': '/api/a'}	Pass	0.000s
Lines 60-61: default server_url and endpoints from config.	handler.server_url == config.SERVER_URL; handler.endpoints == config.ENDPOINTS	Pass	0.000s
Endpoints dict is a copy, not a reference.	'z' not in handler.endpoints	Pass	0.000s
Line 154: BaseCDM.get_required_fields returns empty list by default.	cdm.get_required_fields() == []	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
get_field_info on a leaf field returns its definition.	info is not None; info["type"] == "text"	Pass	0.000s
Line 116: field path not found returns None.	mortgage_cdm.get_field_info("Mortgage.Nonexistent.Field") is None	Pass	0.000s
Line 116: partial path that resolves to non-dict returns None.	mortgage_cdm.get_field_info("Nonexistent") is None	Pass	0.000s
Line 118: get_field_info returns None when leaf is not a dict.	cdm.get_field_info("Root.Field") is None	Pass	0.000s
Line 133: metadata keys at nested level are also skipped.	"Root.Sub.Name" in fields; 'options' not in path_parts (+1 more)	Pass	0.000s
list_all_fields on PRS CDM covers nested GaugeSet section.	any("GaugeSet" in f for f in fields); any("Triggers" in f for f in fields)	Pass	0.000s
Line 133: list_all_fields recurses nested sections.	isinstance(fields, list); len(fields) > 10 (+2 more)	Pass	0.000s
Line 133: 'type', 'options', 'values', 'description', 'items' are skipped.	len(fields) == 1; fields[0] == "Section.RealField"	Pass	0.000s
Line 157: __repr__ returns class name.	"MortgageCDM" in repr(mortgage_cdm)	Pass	0.000s
Verify data is cached after first load.	len(result1) == len(result2) == 3	Pass	0.001s
Test cache clearing.	loader._cache is not None; loader._cache is None (+1 more)	Pass	0.001s
Verify force_reload bypasses cache.	len(result1) == 3; len(result2) == 0	Pass	0.002s
Test cache invalidation.	loader._cache_valid is True; loader._cache_valid is False	Pass	0.001s
Verify abstract methods must be implemented.	—	Pass	0.000s
Subclass must implement get_entity_id.	—	Pass	0.000s
Subclass must implement get_entity_summary.	—	Pass	0.000s
Test file_exists method.	loader.file_exists() is True; loader2.file_exists() is False	Skip	0.000s
Load data with alternative container key (portfolio).	len(result) == 1	Pass	0.001s
Load data when JSON has container key.	len(result) == 2	Pass	0.001s
Load data when JSON is a direct list.	len(result) == 1; result[0]['PropertyHeader']['Header']['PropertyID'] == 'P1'	Pass	0.001s
Handle missing file gracefully.	result == []	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Load data when JSON is single object.	<code>len(result) == 1</code>	Pass	0.001s
Test count method.	<code>property_loader.count() == 3</code>	Pass	0.005s
Test exists method.	<code>property_loader.exists("PROP-001")</code> <code>is True;</code> <code>property_loader.exists("NONEXISTENT")</code> <code>is False</code>	Pass	0.001s
Test finding entity by ID.	<code>result is not None;</code> <code>result['PropertyHeader']['Header']['PropertyID']</code> <code>== "PROP..."</code>	Pass	0.001s
Test finding non-existent entity.	<code>result is None</code>	Pass	0.001s
Test getting all IDs.	<code>len(ids) == 3; "PROP-001" in ids</code> (+2 more)	Skip	0.000s
Test get_status method.	<code>status['entity_type'] == 'property';</code> <code>status['file_exists'] is True</code> (+1 more)	Skip	0.000s
Test listing all entities.	<code>len(result) == 3; all('propertyId' in item for item in result)</code>	Pass	0.001s
Post loop cancellation returns early	<code>cl_mod..batch_job is None</code>	Pass	0.001s
Batch returns immediately when cancelled before start	<code>call_count == 0; cl_mod..batch_job is None</code>	Pass	0.000s
Successful batch reads metrics from summary	<code>cl_mod..batch_job["status"] == "complete"; result["auc_roc"] == 0.95</code> (+1 more)	Pass	0.002s
ETA computed from elapsed/completed when avg_per_gauge is 0.	<code>data["eta_seconds"] is not None;</code> <code>data["eta_seconds"] >= 40</code>	Pass	0.001s
ETA is None when no gauges completed yet and no historical avg.	<code>data["eta_seconds"] is None</code>	Pass	0.001s
POST when every gauge has a .joblib returns 'complete'.	<code>data["status"] == "complete";</code> <code>data["message"] == "All gauges already trained"</code>	Pass	0.011s
POST while batch is running returns current progress without starting new job.	<code>data["status"] == "running";</code> <code>data["completed"] == 2</code> (+1 more)	Pass	0.001s
Complete status includes results list.	<code>data["status"] == "complete";</code> <code>len(data["results"]) == 2</code>	Pass	0.001s
POST returns running or complete.	<code>data["status"] in ("running", "complete", "error")</code>	Pass	0.002s
Status endpoint returns expected fields when batch is running.	<code>data["status"] == "running";</code> <code>data["total"] == 10</code> (+4 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Status endpoint returns idle when no batch is running.	<code>data["status"] == "idle"</code>	Pass	0.001s
Pdf not generated returns 404	<code>r.status_code == 404;</code> <code>"not yet generated" in r.get_json()["message"]</code>	Pass	0.001s
Save failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Line 74: POST add when save fails.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Line 112: DELETE when save fails.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Line 100: PUT update when save fails.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Closed trades excluded from blotter by default.	<code>'PRS-TEST-001' not in swap_ids</code>	Pass	0.034s
include_closed=true returns closed trades too.	<code>'PRS-TEST-001' in swap_ids</code>	Pass	0.029s
Corrupt JSON in prs dir is skipped via inner exception (lines 134-135).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.048s
Blotter returns 500 when engine raises (lines 94-96).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.002s
Close trade returns 500 when engine raises (lines 251-253).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
PDF regen exception is caught; trade close still succeeds (lines 236-237).	<code>resp.status_code == 200;</code> <code>data['swap_id'] == 'PRS-TEST-001'</code> (+1 more)	Pass	0.014s
Trade with empty GaugeName gets name injected from gauge locations.	<code>resp.status_code == 200;</code> <code>noname[0].get('gauge_name', '') != ''</code>	Pass	0.052s
New trade in blotter	<code>blotter['status'] == 'success';</code> <code>swap_id in trade_ids</code>	Pass	0.046s
P&L bar should display net notional (signed sum).	<code>'netNotional' in js;</code> <code>'fmtGBP(netNotional)' in js</code>	Pass	0.000s
Payer (Pay) should show negative notional.	<code>'is_payer' in js; 'netNotional' in js</code>	Pass	0.000s
PRS-*.json glob must match PRS-{8hex} filenames (the production format).	<code>fnmatch.fnmatch(name, 'PRS-*.json');</code> <code>fnmatch.fnmatch(name, 'PRS-*.json')</code>	Pass	0.000s
When PRS trade files are present, GET /trading/blotter returns them.	<code>len(found) == 1</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
When QuantLib IS available, book must export its public API.	<code>isinstance(THAMES_CENTRAL_AREAS, list); len(THAMES_CENTRAL_AREAS) > 0</code>	Pass	0.000s
port.src.book itself can be imported without QuantLib because	<code>hasattr(mod, "THAMES_CENTRAL_AREAS")</code>	Pass	0.002s
Thames Central book should cover exactly 10 gauge areas.	<code>len(THAMES_CENTRAL_AREAS) == 10</code>	Pass	0.000s
models.hazard.pricing has 'import QuantLib as ql' at module level.	—	Pass	0.001s
Family members shown	<code>isinstance(result, list)</code>	Pass	0.000s
Has borrower header	<code>any("Borrower" in t for t in texts)</code>	Pass	0.001s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Income verification shown	<code>isinstance(result, list)</code>	Pass	0.000s
Marital status shown	<code>isinstance(result, list)</code>	Pass	0.000s
Nationality shown	<code>isinstance(result, list)</code>	Pass	0.000s
No borrower details returns early	<code>any("No borrower" in t for t in texts)</code>	Pass	0.000s
No mortgage returns message	<code>any("No mortgage" in t for t in texts)</code>	Pass	0.000s
Residency status shown	<code>isinstance(result, list)</code>	Pass	0.001s
Secondary income shown	<code>isinstance(result, list)</code>	Pass	0.001s
With mortgage returns list	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.001s
All none returns empty dicts	<code>result["mortgage_lookup"] == {};</code> <code>result["gauge_flood_info"] == {} (+1 more)</code>	Pass	0.000s
All none returns four keys	<code>set(result.keys()) == {"mortgage_lookup", "g...</code>	Pass	0.000s
With data populates lookups	<code>"P1" in result["mortgage_lookup"]</code>	Pass	0.000s
Audit trail date range	<code>len(story) >= 6</code>	Pass	0.000s
Audit trail empty	<code>len(story) >= 2</code>	Pass	0.000s
Audit trail no timestamps	<code>len(story) >= 4</code>	Pass	0.000s
Audit trail renders	<code>len(story) > 0</code>	Pass	0.000s
Bcbs239 all compliant	<code>len(story) >= 4</code>	Pass	0.000s
Bcbs239 at risk	<code>len(story) >= 5</code>	Pass	0.000s
Bcbs239 no principles	<code>len(story) >= 2</code>	Pass	0.000s
Bcbs239 renders	<code>len(story) > 0</code>	Pass	0.000s
No trades returns message	<code>any("No open PRS trades" in t for t in texts)</code>	Pass	0.000s
Receiver trade direction	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Trigger capitalized	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
With trades returns table	<code>len(tables) >= 1</code>	Pass	0.000s
With trades shows count	<code>any("Total trades: 2" in t for t in texts)</code>	Pass	0.000s
Line 186: when CDM validation returns errors, a warning is logged.	<code>record is not None; "PhysicalSwap" in record (+1 more)</code>	Pass	0.001s
When compound event causes flooding, readings are present.	<code>"readings" in result; result["flood_depth_m"] > 0 (+2 more)</code>	Pass	0.171s
Property too high for flood -i no readings key.	<code>result["flooded"] is False; "readings" not in result (+1 more)</code>	Pass	0.169s
Isolated storm type passed through to event.	<code>result["sequence_type"] == "isolated"; result["num_pulses"] == 1</code>	Pass	0.168s
Compound event has all expected keys including compound-specific ones.	<code>result["compound"] is True; result["num_pulses"] == 2 (+2 more)</code>	Pass	0.172s
When gauge severe i base_level, superposition cap is computed.	<code>call_kwargs is not None; cap_arg is not None</code>	Pass	0.171s
Distance=0 -i travel_time_hrs=0.	<code>result["travel_time_hrs"] == 0.0</code>	Pass	0.171s
Compound cluster should produce more flooding than its best pulse alone.	<code>max_cluster > max_single</code>	Pass	0.001s
Cluster should have longer flood duration than isolated.	<code>dur_cluster > dur_iso</code>	Pass	0.000s
A big isolated pulse should flood the property.	<code>max_depth > 2.0</code>	Pass	0.000s
Property too high above gauge -i no flooding.	<code>max_depth == 0.0</code>	Pass	0.000s
Output schema	<code>len(result) == 168; all('hour' in r for r in result) (+3 more)</code>	Pass	0.000s
Cover basic	<code>len(story) > 0</code>	Pass	0.001s
Cover no bcbs	<code>len(story) >= 3</code>	Pass	0.000s
Cover no tests	<code>len(story) >= 3</code>	Pass	0.000s
Cover with bcbs	<code>'BCBS' in combined or len(story) >= 5</code>	Pass	0.001s
Cover with tests	<code>len(story) >= 5</code>	Pass	0.000s
Documents empty	<code>len(story) >= 2</code>	Pass	0.000s
Documents file list	<code>len(story) >= 4</code>	Pass	0.000s
Documents renders	<code>len(story) > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exec summary all pass	<code>len(story) > 0</code>	Pass	0.000s
Exec summary failures	<code>len(story) > 0</code>	Pass	0.000s
Exec summary no coverage	<code>len(story) > 0</code>	Pass	0.000s
Exec summary no tests	<code>len(story) > 0</code>	Pass	0.001s
Exec summary renders	<code>len(story) > 0</code>	Pass	0.000s
When flooded, arrival_time and peak_time are set.	<code>result["arrival_time_hrs"] is not None;</code> <code>result["peak_time_hrs"] is not None</code>	Pass	0.173s
High WSE above property elevation -i flooded=True.	<code>result["flooded"] is True;</code> <code>result["flood_depth_m"] > 0</code>	Pass	0.172s
Gaugets with empty readings -i no readings key (not flooded).	<code>"readings" not in result</code>	Pass	0.172s
Low WSE -i flooded=False.	<code>result["flooded"] is False</code>	Pass	0.171s
_build_flood_event returns dict with required keys.	<code>key in result; "readings" in result</code>	Pass	0.174s
Distance=0 -i travel_time=0 path.	<code>result["travel_time_hrs"] == 0.0</code>	Pass	0.174s
Both none returns empty	<code>build_gauge_flood_info(None, None) == {}</code>	Pass	0.000s
Gauge data supplements missing fields	<code>"GAUGE-002" in result;</code> <code>result["GAUGE-002"]["gauge_name"] == "My Gauge" (+2 more)</code>	Pass	0.000s
Gauge without id skipped	<code>result == {}</code>	Pass	0.000s
Hazard curves only	<code>"GAUGE-001" in result;</code> <code>result["GAUGE-001"]["gauge_name"] == "Thames at Chelsea" (+2 more)</code>	Pass	0.000s
Hazard data takes precedence	<code>result["GAUGE-003"]["gauge_name"] == "From HC"</code>	Pass	0.000s
Line 247: FileNotFoundError when gauge.json missing.	—	Pass	0.038s
Line 235: FileNotFoundError when storm_sequences.json missing.	—	Pass	0.000s
Verbose=False should skip log messages.	<code>result['summary']['num_gauges'] == 1;</code> <code>len(info_msgs) == 0</code>	Pass	0.025s
Lines 242, 254, 273, 280-281, 288: verbose logging.	<code>result['summary']['num_gauges'] == 1;</code> <code>result['summary']['num_storms'] == 20</code> (+3 more)	Pass	0.045s
Inventory empty	<code>len(story) >= 2</code>	Pass	0.000s
Inventory no risk ratings	<code>len(story) >= 3</code>	Pass	0.000s
Inventory rag colours	<code>len(story) >= 3</code>	Pass	0.000s
Inventory renders	<code>len(story) > 0</code>	Pass	0.000s
Inventory risk ratings	<code>len(story) >= 4</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mrc completed actions excluded	<code>len(story) >= 3</code>	Pass	0.000s
Mrc no decisions	<code>len(story) >= 3</code>	Pass	0.000s
Mrc no meetings	<code>len(story) >= 2</code>	Pass	0.000s
Mrc open actions	<code>len(story) >= 4</code>	Pass	0.000s
Mrc renders	<code>len(story) > 0</code>	Pass	0.000s
Mrc with decisions	<code>len(story) >= 5</code>	Pass	0.000s
No market state returns message	<code>any("No market hazard term structure" in t for t in texts)</code>	Pass	0.000s
Some tenor slots missing -¿ show 'N/A'.	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
With adjustments returns extra ta- ble	<code>len(tables) >= 2</code>	Pass	0.000s
With hts returns table	<code>len(tables) >= 1</code>	Pass	0.000s
All sections	<code>len(content) > 1000</code>	Pass	0.003s
Buffer not empty	<code>len(content) > 100</code>	Pass	0.003s
Meeting with actions	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with agenda	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with decisions	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with minutes	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with no date/time/loca- tion/chair still works.	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with participants	<code>isinstance(result, io.BytesIO)</code>	Pass	0.003s
Minimal meeting	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Returns bytesio	<code>isinstance(result, io.BytesIO)</code>	Pass	0.003s
Empty dict returns empty	<code>build_mortgage_lookup({}) == {}</code>	Pass	0.000s
Loan from loan details fallback	<code>result["PROP-002"]["OriginalLoan"] == 300_000</code>	Pass	0.000s
Mortgage without property id skipped	<code>build_mortgage_lookup(data) == {}</code>	Pass	0.000s
Multiple mortgages	<code>set(result.keys()) == {"P1", "P2"}</code>	Pass	0.000s
No items key returns empty	<code>build_mortgage_lookup({"other": []}) == {}</code>	Pass	0.000s
None returns empty	<code>build_mortgage_lookup(None) == {}</code>	Pass	0.000s
Single mortgage	<code>"PROP-001" in result; result["PROP-001"]["mortgage_id"] == "MORT-001" (+3 more)</code>	Pass	0.000s
Basic risk info	<code>"M1" in result["by_mortgage_id"]; "P1" in result["by_property_id"] (+3 more)</code>	Pass	0.000s
Missing mortgage or property id skipped	<code>result == {"by_mortgage_id": {}, "by_property_id": {}}</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No property flood info uses unknown	result["by_mortgage_id"]["M2"]["flood_risk_level"] == "Un..."	Pass	0.000s
None mortgage returns empty structure	result == {"by_mortgage_id": {}, "by_property_id": {}}	Pass	0.000s
Value at risk calculation	result["by_mortgage_id"]["M4"]["mortgage_value_at_risk"] ...	Pass	0.001s
60 i= percentile i 80 -i 'Elevated'.	any('Elevated' in t for t in texts)	Pass	0.089s
FloodAlert and FloodWarning in metadata -i no crash.	len(elements) > 0	Pass	0.100s
80 i= percentile i 95 -i 'High'.	any('High' in t for t in texts)	Pass	0.092s
percentile i 40 -i 'Low'.	any('Low' in t for t in texts)	Pass	0.096s
40 i= percentile i 60 -i 'Normal'.	any('Normal' in t for t in texts)	Pass	0.093s
Single same_month_levels entry -i stdev guard -i no crash.	len(elements) > 0	Pass	0.089s
Stats table and distribution statistics header present.	any('Distribution Statistics' in t for t in texts)	Pass	0.092s
percentile i= 95 -i 'Very High'.	any('Very High' in t for t in texts)	Pass	0.092s
Returns position function	'getPositionStyles' in css; 'top-right' in css (+1 more)	Pass	0.000s
All none returns empty	build_property_flood_info(None, None, None) == {}	Pass	0.000s
From property data when not in phc	"PROP-002" in result; result["PROP-002"]["flood_zone"] == "Zone 2" (+1 more)	Pass	0.000s
From property hazard data	"PROP-001" in result; result["PROP-001"]["annual_flood_prob"] == pytest.approx(...) (+2 more)	Pass	0.000s
Phc takes precedence over property data	result["PROP-003"]["annual_flood_prob"] == pytest.approx(...)	Pass	0.000s
Base level when no exceedance	—	Pass	0.000s
Peak near expected hour	abs(peak_hour - expected) <= 2	Pass	0.000s
Peak value	max(arr) == pytest.approx(8.0, abs=0.5)	Pass	0.000s
Raci escalation triggers dict	len(story) >= 5	Pass	0.000s
Raci escalation triggers string	len(story) >= 5	Pass	0.000s
Raci missing backup	len(story) >= 3	Pass	0.000s
Raci no roles	len(story) >= 2	Pass	0.000s
Raci renders	len(story) > 0	Pass	0.000s
Raci with activities	len(story) >= 5	Pass	0.000s
alert i= peak i warning -i 'Alert'.	len(elements) > 1	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
ValueError/TypeError in date parsing (lines 179-180) -i continue.	<code>len(elements) > 0</code>	Pass	0.000s
Days within 3 days grouped; higher level updates peak.	<code>not any('No flood events' in t for t in texts)</code>	Pass	0.000s
Consecutive days -i single event with range format.	<code>len(elements) > 1</code>	Pass	0.000s
No days exceeding alert -i 'No flood events recorded'.	<code>any('No flood events' in t for t in texts)</code>	Pass	0.000s
Peak i= severe.level -i 'Severe' row in table.	<code>len(elements) > 1</code>	Pass	0.000s
Single-day flood: date_str = start.strftime(...) only.	<code>len(elements) > 1</code>	Pass	0.000s
Days i 3 days apart -i two separate flood events.	<code>len(elements) > 1</code>	Pass	0.000s
warning j= peak j severe -i 'Warning'.	<code>len(elements) > 1</code>	Pass	0.000s
Recommendations all clean	<code>len(story) >= 3</code>	Pass	0.000s
Recommendations bcbs at risk	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations overdue remediation	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations peer reviewer gap	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations raci backup gaps	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations renders	<code>len(story) > 0</code>	Pass	0.000s
Recommendations failures	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations validation gap	<code>len(story) >= 4</code>	Pass	0.000s
Remediation all completed	<code>len(story) >= 4</code>	Pass	0.000s
Remediation empty	<code>len(story) >= 2</code>	Pass	0.000s
Remediation overdue highlighted	<code>len(story) >= 4</code>	Pass	0.000s
Remediation priority sorting	<code>len(story) >= 4</code>	Pass	0.000s
Remediation renders	<code>len(story) > 0</code>	Pass	0.000s
Empty schema returns empty dict	<code>make_generator(tmp_path).build_section({}, 0, {}) == {}</code>	Pass	0.000s
Nested dict without type recurses	<code>"SubSection" in result; isinstance(result["SubSection"], dict)</code>	Pass	0.000s
Non dict schema returns empty dict	<code>make_generator(tmp_path).build_section("not a dict", 0, ...)</code>	Pass	0.000s
None schema returns empty dict	<code>make_generator(tmp_path).build_section(None, 0, {}) == {}</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None value from generate field value excluded	"AField" not in result	Pass	0.000s
Reserved key description skipped	"description" not in make_generator(tmp_path)..build.sect...	Pass	0.000s
Reserved key options skipped	"options" not in make_generator(tmp_path)..build.section(...	Pass	0.000s
Reserved key type skipped	"type" not in result	Pass	0.000s
Reserved key values skipped	"values" not in make_generator(tmp_path)..build.section({...	Pass	0.000s
Contains all types	t.key in parsed; 'icon' in parsed[t.key] (+2 more)	Pass	0.000s
Info template values	parsed['info']['color'] == '#2196F3'	Pass	0.000s
Returns valid json	isinstance(parsed, dict)	Pass	0.000s
Testing no junit	len(story) >= 3	Pass	0.000s
Testing no sensitivity generators	len(story) >= 4	Pass	0.000s
Testing per model coverage	len(story) >= 6	Pass	0.000s
Testing renders	len(story) > 0	Pass	0.000s
Testing with coverage	len(story) >= 5	Pass	0.000s
Testing with sensitivity generators	len(story) >= 6	Pass	0.000s
Validation all reviewers assigned	len(story) >= 3	Pass	0.000s
Validation high assumptions	len(story) > 3	Pass	0.000s
Validation no assumptions	len(story) >= 3	Pass	0.000s
Validation no questions	len(story) >= 1	Pass	0.000s
Validation peer reviewer gaps	len(story) >= 4	Pass	0.000s
Validation renders	len(story) > 0	Pass	0.000s
Line 88: exceedance probs between 0 and 0.01 are capped to 0.01.	pt.annual.exceedance_prob >= 0.01 or pt.annual.exceedance...	Pass	0.025s
Line 61: log() does nothing when verbose=False.	"should not appear" not in caplog.text	Pass	0.000s
Line 61: log() calls logger.info when verbose=True.	"test message" in caplog.text	Pass	0.001s
Line 152: progress logged every 10 gauges.	len(curves) == 11; "10/11" in caplog.text or "Processed" in caplog.text	Pass	0.190s
All days before start	d < today	Pass	0.000s
Chronological order	days[i] > days[i - 1]	Pass	0.000s
Ends before start	d < start	Pass	0.000s
Large count	len(days) == 252; d.weekday() < 5	Pass	0.000s
Last element should be the business day immediately before start.	last < start; last.weekday() < 5	Pass	0.000s
No weekends	d.weekday() < 5	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns ascending order	<code>result == sorted(result)</code>	Pass	0.000s
Returns business days only	<code>d.weekday() < 5</code>	Pass	0.000s
Returns correct count	<code>len(days) == 63</code>	Pass	0.000s
Returns correct count	<code>len(result) == 5</code>	Pass	0.000s
Single day	<code>len(days) == 1; days[0].weekday() < 5</code>	Pass	0.000s
Single day	<code>len(result) == 1; result[0].weekday() < 5</code>	Pass	0.000s
Skips weekends	<code>wd not in returned.set</code>	Pass	0.000s
The day before Monday is Sunday — should skip back to Friday.	<code>days[0].weekday() == 4</code>	Pass	0.000s
5 days back from Wednesday should contain no Saturday/Sunday.	<code>len(days) == 5; d.weekday() < 5</code>	Pass	0.000s
Zero days	<code>result == []</code>	Pass	0.000s
The blueprint source should include EAFloodZone in Pricing section.	<code>'"EAFloodZone"' in source</code>	Pass	0.001s
Blueprint source has ea flood zone actual	<code>'"EAFloodZoneActual"' in source</code>	Pass	0.000s
Blueprint source has terrain delta bps	<code>'"TerrainDeltaBps"' in source</code>	Pass	0.000s
Terrain fields should use data.get() with defaults for backward compat.	<code>'data.get("ea_flood_zone", "")' in source;</code> <code>'data.get("ea_flood_zone_actual", "")' in source (+1 more)</code>	Pass	0.000s
Cdm has ea flood zone	<code>zone is not None; zone in EA_FLOOD_ZONE_RATES</code>	Pass	0.003s
Cdm has ground level	<code>ra.get("GroundLevelMeters") is not None</code>	Pass	0.003s
Cdm has location	<code>loc.get("LatitudeDegrees") is not None; loc.get("LongitudeDegrees") is not None</code>	Pass	0.003s
Cdm has properties	<code>len(data.get("properties", [])) > 0</code>	Pass	0.004s
Cdm has reference gauges	<code>len(refs) > 0</code>	Pass	0.003s
Test CORS headers on GET request.	<code>response.status_code == 200</code>	Pass	0.000s
Test OPTIONS requests return 200.	<code>response.status_code == 200</code>	Pass	0.001s
Larger area gives larger energy	<code>sum(large) > sum(small)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default area when missing	<code>result > 0; result > 0</code>	Pass	0.000s
Is float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Larger area tends to give larger emissions	<code>sum(large) > sum(small)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default area when missing	<code>result > 0; result > 0</code>	Pass	0.000s
Correct calculation	<code>abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Is float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses defaults when missing	<code>result >= 0; abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Zero usage returns zero	<code>result == 0.0</code>	Pass	0.000s
Above severe level some positive	<code>np.any(depths > 0)</code>	Pass	0.001s
Below severe level returns zeros	—	Pass	0.001s
Depths capped at 5m	<code>np.all(depths <= 5.0)</code>	Pass	0.000s
Empty gauge data returns zeros	—	Pass	0.000s
No gauge data returns zeros	—	Pass	0.000s
Returns correct length	<code>len(depths) == len(properties)</code>	Pass	0.000s
Lines 50-57: non-None gauge_data calls calculate_synthetic_flood_depths.	<code>len(depths) == 3; isinstance(depths, np.ndarray)</code>	Pass	0.000s
Key remapping: 'flow_cumecs' → 'flow'.	<code>"mean_flow" in result;</code> <code>"mean_flow_cumecs" not in result</code>	Pass	0.000s
Flow stats should include q5_flow and q95_flow.	<code>"q5_flow" in result; "q95_flow" in result</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict);</code> <code>isinstance(result, dict) (+1 more)</code>	Pass	0.000s
Less than remaining energy	<code>result <= 9001</code>	Pass	0.000s
No negative when electricity exceeds total	<code>result == 0</code>	Pass	0.000s
Returns non negative	<code>result >= 0</code>	Pass	0.000s
Uses defaults when missing	<code>result >= 0; abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Fraction of total	<code>all(4500 <= r <= 12001 for r in results)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default energy when missing	<code>result > 0</code>	Pass	0.000s
Key remapping: 'level_meters' → 'level'.	<code>"mean_level" in result;</code> <code>"mean_level_meters" not in result</code>	Pass	0.001s
Has min max	<code>"min_level" in result; "max_level" in result</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Returns dict	<code>isinstance(result, dict);</code>	Pass	0.001s
Buy to let type	<code>isinstance(result, dict) (+1 more)</code> <code>result["mortgage_type"] == "Buy-to-Let"</code>	Pass	0.000s
High flood risk reduces ltv	<code>high_risk["ltv_ratio"] <= normal["ltv_ratio"] + 0.01</code>	Pass	0.000s
Loan amount positive	<code>result["loan_amount"] > 0</code>	Pass	0.000s
Monthly payment positive	<code>result["monthly_payment"] > 0</code>	Pass	0.000s
Required keys present	<code>key in result</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Second home type	<code>result["mortgage_type"] == "Second Home"</code>	Pass	0.000s
Conditional rating middle range	<code>result["calculated_rating"] in ("Conditional", "Unaccepta...</code>	Pass	0.000s
Due soon gives half score	<code>result["component_scores"]["review_currency"] == 0.5</code>	Pass	0.000s
Far review gives full score	<code>result["component_scores"]["review_currency"] == 1.0</code>	Pass	0.000s
High assumptions penalised	<code>result["component_scores"]["assumption_risk"] == 0.0</code>	Pass	0.000s
High coverage acceptable	<code>result["calculated_rating"] == "Acceptable"</code>	Pass	0.000s
High limitations penalised	<code>result["component_scores"]["limitation_risk"] == 0.0</code>	Pass	0.000s
No coverage unacceptable	<code>result["calculated_rating"] == "Unacceptable"</code>	Pass	0.000s
No review date gives zero	<code>result["component_scores"]["review_currency"] == 0.0</code>	Pass	0.000s
Overdue review gives zero score	<code>result["component_scores"]["review_currency"] == 0.0</code>	Pass	0.000s
Returns dict with required keys	<code>"calculated_rating" in result;</code> <code>"calculated_score" in result (+1 more)</code>	Pass	0.000s
Score is float	<code>isinstance(result["calculated_score"], float)</code>	Pass	0.000s
Heat pump returns zero	<code>result == 0</code>	Pass	0.000s
Multiple returns positive	<code>result > 0</code>	Pass	0.000s
No solar returns zero	<code>result == 0</code>	Pass	0.000s
No system returns zero	<code>result == 0</code>	Pass	0.000s
Solar pv returns positive	<code>result > 0</code>	Pass	0.000s
Solar uses default area when missing	<code>result > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Annual maxima present	"annual_maxima" in stats; stats["annual_maxima"]["years_count"] == 2	Pass	0.000s
Basic stats keys	key in stats	Pass	0.000s
Empty returns empty dict	GaugeHistoricalDaily().calculate_statistics() == {}	Pass	0.000s
Extreme events above p99	"extreme_events" in stats; stats["extreme_events"]["count"] >= 1	Pass	0.000s
Mean correct	gen.calculate_statistics(flows)["mean_flow"] == pytest.approx(...)	Pass	0.000s
Min max correct	stats["min_flow"] == pytest.approx(5.0); stats["max_flow"] == pytest.approx(100.0)	Pass	0.000s
Monthly means present	"01" in stats["monthly_means"]; "02" in stats["monthly_means"]	Pass	0.000s
Percentiles present	"percentiles" in stats; p in stats["percentiles"]	Pass	0.000s
Single flow no std dev error	gen.calculate_statistics(flows)["std_dev"] == 0	Pass	0.000s
All percentile keys present	p in stats["percentiles"]	Pass	0.000s
Annual maxima events capped at ten	len(stats["annual_maxima"]["events"]) <= 10	Pass	0.000s
Extreme events top 10 capped	len(stats["extreme_events"]["top_10"]) <= 10	Pass	0.000s
Max flow date correctly identified	stats["max_flow_date"] == "2020-01-02"; stats["max_flow"] == pytest.approx(200.0)	Pass	0.000s
Q5 flow equals p95	stats["q5_flow"] == stats["percentiles"]["p95"]	Pass	0.000s
Q95 flow equals p5	stats["q95_flow"] == stats["percentiles"]["p5"]	Pass	0.000s
Record start and end match data	stats["record_start"] == "2018-05-01"; stats["record_end"] == "2021-08-15"	Pass	0.000s
Single year annual maxima std dev zero	stats["annual_maxima"]["years_count"] == 1; stats["annual_maxima"]["std_dev"] == 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Total years approximate	stats["total.days"] == 20; stats["total.years"] == round(20 / 365.25, 1)	Pass	0.000s
Two flow std dev non zero	gen.calculate_statistics(flows)["std.dev"] > 0	Pass	0.000s
All same values	result["mean.level.meters"] == 3.0; result["std.dev"] == 0.0	Pass	0.000s
Empty returns empty dict	calculate_timeseries_statistics([], "level.meters") == {}	Pass	0.000s
Flood exceedances zero when all be- low	result["flood.exceedances"]["flood.alert"] == 0	Pass	0.000s
Flood stages adds exceedances	"flood.exceedances" in result; result["flood.exceedances"]["severe.warning"]["count"] ≥ 1	Pass	0.001s
Flow cumecs adds q flows	"q95_flow" in result; "q5_flow" in result	Pass	0.000s
Has annual maxima	"annual_maxima" in result; "years_count" in result["annual_maxima"]	Pass	0.001s
Has basic keys	"total.days" in result; "mean.level.meters" in result (+2 more)	Pass	0.001s
Has extreme events	"extreme.events" in result	Pass	0.001s
Has monthly means	"monthly.means" in result	Pass	0.001s
Has percentiles	"percentiles" in result; "p5" in result["percentiles"] (+1 more)	Pass	0.001s
Max date correct	result["max.level.meters.date"] == "2026-01-02"	Pass	0.000s
No flood stages no exceedances key	"flood.exceedances" not in result	Pass	0.001s
Record start end	result["record.start"] == "2020-01-01"; result["record.end"] == "2025-12-31"	Pass	0.000s
Returns dict	isinstance(result, dict); isinstance(result, dict) (+1 more)	Pass	0.001s
Single observation no stdev error	result["std.dev"] == 0	Pass	0.000s
Total days correct	result["total.days"] == 100	Pass	0.000s
Explicit none params	isinstance(level, float)	Pass	0.000s
None params uses defaults	isinstance(level, float); level > 0	Pass	0.000s
Lines 54-56: internal error returns 500 JSON error.	r.status_code in (404, 500); data["status"] == "error"	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 108-113: exception in set_catchment returns 500.	<code>r.status_code in (200, 500)</code>	Pass	0.001s
Uses addEventListener, not inline onclick for sub-tabs.	<code>'addEventListener' in stress_js;</code> <code>'stress-ctab-0' in stress_js</code> (+2 more)	Pass	0.000s
Flood Probability sub-tab present.	<code>'Flood Probability' in stress_js</code>	Pass	0.000s
Stress P&L sub-tab present.	<code>'Stress P' in stress_js</code>	Pass	0.000s
Surface sub-tab present.	<code>'Surface' in stress_js</code>	Pass	0.000s
Consumer has no hash for input	not ok; <code>"no recorded hash" in issues[0].lower()</code>	Pass	0.000s
Consumer never run	not ok; <code>"never run" in issues[0].lower()</code>	Pass	0.000s
Fresh when hashes match	ok; <code>issues == []</code>	Pass	0.000s
No hash recorded for producer output	not ok; <code>"No hash recorded" in issues[0]</code>	Pass	0.000s
Producer never run	not ok; <code>"never run" in issues[0].lower()</code>	Pass	0.000s
Root steps (gauges, counterparties) have no inputs → always fresh.	ok; <code>issues == []</code>	Pass	0.000s
Stale when hashes differ	not ok; <code>"stale" in issues[0].lower()</code>	Pass	0.000s
Unknown step	not ok; <code>"Unknown step" in issues[0]</code>	Pass	0.000s
All outputs present → complete.	<code>result["complete"]; result["missing"] == []</code> (+1 more)	Pass	0.006s
Empty directory is as broken as missing.	not <code>result["complete"]; len(empty) == 1</code> (+2 more)	Pass	0.004s
Missing gauge.json → incomplete.	not <code>result["complete"]; "gauge.json" in missing-outputs</code> (+2 more)	Pass	0.000s
Only root steps present → reports downstream as missing.	not <code>result["complete"]; result["present"] == 3</code> (+3 more)	Pass	0.001s
All pipeline steps missing produces 'missing' statuses.	<code>len(results) == 14; r["status"] == "missing"</code> (+2 more)	Pass	0.000s
A directory step checks most recent file mtime.	<code>ghd_step["status"] == "fresh"</code>	Pass	0.001s
A directory with only old files is stale.	<code>ghd_step["status"] == "stale"</code>	Pass	0.001s
An empty directory counts as missing.	<code>ghd_step["status"] == "missing"</code>	Pass	0.000s
A recently modified file is reported as 'fresh'.	<code>gauge_step["status"] == "fresh"; gauge_step["last_run"] is not None</code> (+1 more)	Pass	0.000s
Dotfiles in directories are ignored.	<code>ghd_step["status"] == "missing"</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
If manifest has last_run AND file exists, manifest last_run is kept.	<code>gauge_step["last_run"] == "2026-01-01T00:00:00"</code>	Pass	0.000s
If lineage manifest has last_run, it is carried through.	<code>gauge_step["last_run"] == "2026-03-01T12:00:00"</code>	Pass	0.000s
A file older than 72 hours is reported as 'stale'.	<code>prop_step["status"] == "stale";</code> <code>len(prop_step["issues"]) == 1</code> (+1 more)	Pass	0.000s
All present	<code>ok; missing == []</code>	Pass	0.000s
Missing upstream	<code>not ok; "gauges" in missing</code>	Pass	0.000s
Nearby ranges round to same cache key.	<code>L1 is L2</code>	Pass	0.000s
Second call at same range returns cached object.	<code>L1 is L2</code>	Pass	0.000s
Cholesky lower triangular	<code>np.allclose(np.triu(L, k=1), 0.0)</code>	Pass	0.000s
<code>L @ L.T == C</code> within numerical tolerance.	<code>np.allclose(L @ L.T, C, atol=1e-10)</code>	Pass	0.002s
Thames cholesky reconstruction	<code>np.allclose(L @ L.T, C, atol=1e-8)</code>	Pass	0.007s
When <code>np.linalg.cholesky</code> raises <code>LinAlgError</code> on first call,	<code>L.shape == (model.n_gauges,</code> <code>model.n_gauges); call_count[0] == 2</code>	Pass	0.000s
Generator error has message	<code>r.get_json().get("message")</code>	Pass	0.003s
Generator error returns 500	<code>r.status_code == 500</code>	Pass	0.005s
Generator error status is error	<code>r.get_json()["status"] == "error"</code>	Pass	0.003s
Claim ref is built from last 8 chars of <code>property_id</code> .	<code>len(result) > 1000</code>	Pass	0.017s
Generate empty sequence lookup	<code>isinstance(result, bytes)</code>	Pass	0.022s
Generate returns bytes	<code>isinstance(result, bytes);</code> <code>len(result) > 0</code>	Pass	0.022s
Generate without mortgage	<code>isinstance(result, bytes); result[:4] == b'%PDF'</code>	Pass	0.016s
Minimal <code>prop_data</code> with a single flood event should not raise.	<code>isinstance(result, bytes)</code>	Pass	0.013s
Output is valid pdf	<code>result[:4] == b'%PDF'</code>	Pass	0.021s
Pdf size reasonable	<code>len(result) > 8.000</code>	Pass	0.022s
Content length header set	<code>r.headers.get("Content-Length") == str(len(fake_pdf))</code>	Pass	0.003s
Filename contains prop id	<code>CLAIM_PROP_ID in cd</code>	Pass	0.003s
Response body is pdf bytes	<code>r.data == fake_pdf</code>	Pass	0.004s
Response has content disposition	<code>"attachment" in cd; CLAIM_PROP_ID in cd</code>	Pass	0.003s
Response is pdf content type	<code>r.content_type == "application/pdf"</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Success returns 200	<code>r.status_code == 200</code>	Pass	0.003s
Corrupt <code>storm_sequences.json</code> triggers the except in <code>load_sequence_lookup</code> (L56-57).	<code>r.status_code == 200; seq_lookup == {}</code>	Pass	0.034s
<code>load_mortgage_record</code> exception (L89-91) returns None; report still generated.	<code>r.status_code == 200; mort_record is None</code>	Pass	0.002s
<code>load_prop_record</code> exception (L71-73) returns {}; report still generated.	<code>r.status_code == 200; prop_record == {}</code>	Pass	0.002s
<code>load_sequence_lookup</code> exception (L56-57) returns empty dict; report still generated.	<code>r.status_code == 200</code>	Pass	0.004s
No dir message mentions <code>propertyts</code>	"propertyts" in msg or "property" in msg or "not found" i...	Pass	0.001s
No dir returns 404	<code>r.status_code == 404</code>	Pass	0.000s
No dir status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.001s
No floods message mentions events	"flood" in msg or "event" in msg	Pass	0.001s
No floods returns 404	<code>r.status_code == 404</code>	Pass	0.002s
No floods status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Unknown property message contains id	"PROP-GHOST" in <code>r.get_json()["message"]</code>	Pass	0.001s
Unknown property returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Unknown property status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Metadata categories contains expected keys	key in cats	Pass	0.000s
Metadata categories station has required subkeys	key in station_keys	Pass	0.000s
Schema version is string	<code>isinstance(GaugeHistoricalDaily.SCHEMA_VERSION, str);</code> <code>len(GaugeHistoricalDaily.SCHEMA_VERSION)</code> <code>> 0</code>	Pass	0.000s
Classifiers that exist should reference current gauge IDs.	<code>len(valid) > 0</code>	Skip	0.003s
<code>training_summary.json</code> must exist alongside classifiers.	—	Skip	0.000s
Job dict says 'failed' = status failed with error message.	<code>resp.status_code == 200;</code> <code>data["status"] == "failed"</code> (+2 more)	Pass	0.001s
Failed job with no 'error' key falls back to 'Unknown error'.	<code>data["status"] == "failed";</code> <code>data["error"] == "Unknown error"</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
If joblib exists on disk, status is 'ready' even if job dict says 'training'.	data["status"] == "ready"	Pass	0.001s
No joblib file and no training job => not_trained.	resp.status_code == 200; data["status"] == "not_trained" (+1 more)	Pass	0.001s
Job dict says 'ready' (joblib might not exist yet) => status ready.	resp.status_code == 200; data["status"] == "ready"	Pass	0.001s
If a .joblib file exists for the gauge, status is 'ready'.	resp.status_code == 200; data["status"] == "ready" (+1 more)	Pass	0.001s
When a training job is in progress, status is 'training' with elapsed.	resp.status_code == 200; data["status"] == "training" (+4 more)	Pass	0.001s
Unknown gauge with no joblib and no job => not_trained.	resp.status_code == 200; data["status"] == "not_trained"	Pass	0.001s
Status endpoint	'/api/v1/trading/stress/classifier-status/' in cl_js	Pass	0.000s
Summary endpoint	'/api/v1/trading/classifiers/summary' in cl_js	Pass	0.000s
Train all endpoint	'/api/v1/trading/classifiers/train-all' in cl_js	Pass	0.000s
Train endpoint	'/api/v1/trading/stress/train/' in cl_js	Pass	0.000s
hidePanel calls clCleanupCharts.	'clCleanupCharts' in full_js	Pass	0.000s
'classifiers' included in switchTab views array.	""classifiers"" in full_js	Pass	0.000s
switchTab calls loadClassifiersData.	'loadClassifiersData()' in full_js	Pass	0.000s
Tab button array includes classifiers.	""classifiers"" in full_js or ""classifiers"" in full_js	Pass	0.000s
createClassifiersView() called in panel setup.	'createClassifiersView()' in full_js	Pass	0.000s
All gauges have .joblib → ready=True.	data["ready"] is True; data["trained"] == data["total"] (+1 more)	Pass	0.008s
Internal error → 500 with error status.	resp.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.013s
No .joblib files → ready=False.	resp.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.002s
Some gauges trained → ready=False, correct counts.	data["ready"] is False; data["trained"] == 2 (+1 more)	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
classifiers.get_js() returns non-empty string.	len(cl_js) > 0	Pass	0.000s
'_clStartBatchTraining' triggers train-all.	'_clStartBatchTraining' in cl_js	Pass	0.000s
'clCleanupCharts' destroys Chart.js instances.	'clCleanupCharts' in cl_js	Pass	0.000s
'createClassifiersView' builds the Tab 9 DOM.	'createClassifiersView' in cl_js	Pass	0.000s
'_clRenderFeatureChart' renders feature importance bar chart.	'_clRenderFeatureChart' in cl_js	Pass	0.000s
'loadClassifiersData' fetches summary on tab open.	'loadClassifiersData' in cl_js	Pass	0.000s
'_clMetricCard' builds metric display cards.	'_clMetricCard' in cl_js	Pass	0.000s
'_clUpdateProgress' updates the batch progress bar.	'_clUpdateProgress' in cl_js	Pass	0.000s
'_clRenderDetail' renders single-gauge detail panel.	'_clRenderDetail' in cl_js	Pass	0.000s
'_clRenderSummaryTable' renders the all-gauge table.	'_clRenderSummaryTable' in cl_js	Pass	0.000s
'_clStartSingleTraining' triggers per-gauge training.	'_clStartSingleTraining' in cl_js	Pass	0.000s
Module-level state variables must be declared.	'clSummary' in cl_js; 'clSelectedGaugeId' in cl_js (+2 more)	Pass	0.000s
Avg auc computed	data["num_trained"] == 1; data["avg_auc_roc"] == 0.95	Pass	0.009s
Gauge fields	"gauge_id" in g; "gauge_name" in g (+4 more)	Pass	0.009s
Gauges sorted by longitude	lons == sorted(lons)	Pass	0.003s
No .joblib files → all gauges show has_model=False.	data["num_trained"] == 0; g["has_model"] is False	Pass	0.003s
Returns all gauges	"gauges" in data; data["num_total"] > 0	Pass	0.003s
Returns success	resp.status_code == 200; data["status"] == "success"	Pass	0.008s
When training_summary.json + .joblib exist, metrics appear.	len(trained) == 1; g["has_model"] is True (+4 more)	Pass	0.010s
Above high threshold is high	_classify_property_risk(0.5) == "High"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
High threshold	<code>_classify_property_risk(0.03) == "High"</code>	Pass	0.000s
Just below medium is low	<code>_classify_property_risk(0.009) == "Low"</code>	Pass	0.000s
Medium threshold	<code>_classify_property_risk(0.01) == "Medium"</code>	Pass	0.000s
Tiny prob is low	<code>_classify_property_risk(0.005) == "Low"</code>	Pass	0.000s
Zero is negligible	<code>_classify_property_risk(0.0) == "Negligible"</code>	Pass	0.000s
No models to clear → removed=0.	<code>resp.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.001s
Internal error → 500.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code>	Pass	0.001s
Clears .joblib files and training_summary.json.	<code>data["status"] == "success";</code> <code>data["removed"] == 3</code> (+3 more)	Pass	0.009s
clear-all still returns success when port_stress import fails.	<code>data["status"] == "success";</code> <code>data["removed"] == 1</code>	Pass	0.001s
Close response includes final P&L.	<code>'final_pnl' in data</code>	Pass	0.022s
After close, trade status is set to Closed in marks file.	<code>marks.file.exists();</code> <code>marks['PRS-TEST-002']['trade_status'] == 'Closed'</code> (+2 more)	Pass	0.028s
Closing non-existent trade returns 404.	<code>resp.status_code == 404</code>	Pass	0.014s
Close-out without close-out-spread_bps returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
Settlement amount reflects the negotiated closeout spread, not fair spread.	<code>data['status'] == 'success';</code> <code>data['close_spread_bps'] == 400.0</code> (+2 more)	Pass	0.022s
Closing a trade at a negotiated spread returns success with close spread.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.028s
Closed trade should not appear in stress results.	<code>resp.status_code == 200;</code> <code>t['swap_id'] != 'PRS-CLOSED-001'</code>	Pass	0.111s
post_damage_ltv is recomputed independently for each storm.	<code>ltvs["STORM-c12"] ></code> <code>ltvs["STORM-c11"]; ltvs["STORM-c12"]</code> <code>> ltvs["STORM-c13"]</code>	Pass	0.005s
Each cluster storm individually queryable	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code>	Pass	0.009s

Test Description	Acceptance Criteria	Result	Time
STORM-cl2 (damage_ratio=0.15) causes more damage than cl1 or cl3.	damages["STORM-cl2"] > damages["STORM-cl1"]; damages["STORM-cl2"] > damages["STORM-cl3"]	Pass	0.011s
Querying a storm_id that didn't breach alert returns 404.	r.status_code == 404	Pass	0.003s
Summary max_depth_m reflects the worst storm in the cluster.	result["summary"]["max_depth_m"] >= 0.0	Pass	0.171s
Cluster produces three flood events	len(data["flood_events"]) == 3	Pass	0.201s
Cluster three distinct storm ids in events	storm_ids == {"STORM-c001a", "STORM-c001b", "STORM-c001c"}	Pass	0.172s
The 'from port.src.book import ...' statement in cmd_port must be	blotter_idx != -1; book_idx != -1 (+1 more)	Pass	0.001s
Importing app.commands.port must not trigger QuantLib.	hasattr(mod, "cmd_port"); hasattr(mod, "register_parser")	Pass	0.001s
chain_result has expected keys.	'is_consistent' in chain; 'stale_steps' in chain (+1 more)	Pass	0.005s
Every step in graph should have a step_details entry.	graph_steps == detail_steps	Pass	0.006s
Pipeline must have at least one step.	data['num_steps'] > 0	Pass	0.005s
collect_all() returns a dict with expected keys.	isinstance(data, dict); 'manifest' in data (+4 more)	Pass	0.009s
step_details is a list of dicts.	isinstance(data['step_details'], list); isinstance(sd, dict) (+5 more)	Pass	0.006s
Blue is hex colour	BLUE == colors.HexColor('#1565C0')	Pass	0.000s
Dark blue	DARK_BLUE == colors.darkblue	Pass	0.000s
Grey	GREY == colors.HexColor('#757575')	Pass	0.000s
Light amber	LIGHT_AMBER == colors.HexColor('#FF8E1')	Pass	0.000s
Light blue	LIGHT_BLUE == colors.HexColor('#E3F2FD')	Pass	0.000s
Light green	LIGHT_GREEN == colors.HexColor('#E8F5E9')	Pass	0.000s
Light red	LIGHT_RED == colors.HexColor('#FFE0E0')	Pass	0.000s
Age 50 to 100	mid_age > young	Pass	0.000s
Age over 100	old > young	Pass	0.000s
Basic returns float	isinstance(score, float); 0 < score <= 10	Pass	0.000s
Construction concrete lower	concrete < brick	Pass	0.000s
Construction steel lowest	steel < concrete	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Construction timber higher	<code>timber > brick</code>	Pass	0.000s
Construction wood equals timber	<code>timber == wood</code>	Pass	0.000s
High ltv multiplier	<code>high > low</code>	Pass	0.000s
Ltv 60 to 80 multiplier	<code>mid > base</code>	Pass	0.000s
Ltv 80 to 95 multiplier	<code>mid > base</code>	Pass	0.000s
None ltv no multiplier	<code>0 < score <= 10</code>	Pass	0.000s
Unknown construction type	<code>0 < score <= 10</code>	Pass	0.000s
Unknown flood level	<code>0 < score <= 10</code>	Pass	0.000s
Very high flood capped	<code>score == 10.0</code>	Pass	0.000s
Very low flood lowest score	<code>v1 < vh</code>	Pass	0.000s
All sections together	<code>isinstance(result, list); len(tables) >= 2</code>	Pass	0.000s
Feeding bad data (non-dict regulatory) exercises the except block.	<code>isinstance(result, list)</code>	Pass	0.000s
mortgage_data without 'Mortgage' key → uses top-level.	<code>isinstance(result, list)</code>	Pass	0.000s
Commit button must call <code>tdCommitMarket()</code> .	<code>'tdCommitMarket()' in js</code> or <code>'tdCommitMarket(' in js</code>	Pass	0.000s
Market tab must contain a visible commit button with correct ID.	<code>'td-commit-btn' in js</code>	Pass	0.000s
Commit button must NOT have <code>display:none</code> in its own style.	<code>'display:none' not in own.style</code>	Pass	0.000s
<code>tdCommitMarket</code> function must be defined.	<code>'tdCommitMarket = function' in js</code> or <code>\{\} 'fu...</code>	Pass	0.000s
Commit function must POST to <code>hazard-term-structure/commit</code> .	<code>'/trading/hazard-term-structure/commit' in js</code>	Pass	0.000s
After commit, must switch to blotter tab (which loads blotter data).	<code>"switchTab('blotter')" in js</code>	Pass	0.000s
Close out path exercised	<code>r.status_code in (200, 400)</code>	Pass	0.036s
Terrain fields should use <code>——</code> fallback for missing values.	<code>"result.selectedZone ''" in js;</code> <code>"result.actualZone ''" in js</code> (+1 more)	Pass	0.000s
Ea flood zone actual in payload	<code>'ea_flood_zone.actual: result.actualZone' in js</code>	Pass	0.000s
Ea flood zone in payload	<code>'ea_flood_zone: result.selectedZone' in js</code>	Pass	0.000s
Terrain delta bps in payload	<code>'terrain_delta.bps: result.terrainDelta' in js</code>	Pass	0.000s
Commit with cashflows — exercises PDF cashflow schedule section.	<code>r.status_code in (200, 400)</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Commit with maturity_date provided explicitly.	<code>r.status_code in (200, 400)</code>	Pass	0.005s
Commit with EA flood zone terrain fields.	<code>r.status_code in (200, 400);</code> <code>r.get_json()["status"] in ("success", "error")</code>	Pass	0.005s
Commit without terrain fields should still work (backward compatibility).	<code>r.status_code in (200, 400)</code>	Pass	0.005s
Empty json returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Commit with enough fields to pass CDM validation.	<code>r.status_code in (200, 400);</code> <code>r.get_json()["status"] in ("success", "error")</code>	Pass	0.005s
No json returns error	<code>r.status_code in (400, 500);</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.003s
Validation fails returns 400	<code>r.status_code == 400; data["status"] == "error" (+1 more)</code>	Pass	0.028s
commit_yield_curve creates yield_curve from default when missing.	<code>updated['yield_curve']['1'] == 0.04;</code> <code>updated['yield_curve']['2'] == 0.045</code>	Pass	0.006s
Advised flag	<code>isinstance(result, list)</code>	Pass	0.000s
Business purpose false	<code>isinstance(result, list)</code>	Pass	0.000s
Business purpose true	<code>isinstance(result, list)</code>	Pass	0.000s
Common section returns elements	<code>isinstance(result, list); len(result) > 2</code>	Pass	0.000s
Fca reference number	<code>len(tables) >= 1</code>	Pass	0.000s
Multiple regulatory flags	<code>isinstance(result, list)</code>	Pass	0.000s
Contains header	<code>"Scenario Comparison" in result</code>	Pass	0.365s
Contains scenario names	<code>name in result</code>	Pass	0.367s
None uses all scenarios	<code>len(result) > 50</code>	Pass	0.366s
Returns string	<code>isinstance(result, str)</code>	Pass	0.374s
Single scenario	<code>first_name in result</code>	Pass	0.075s
Two scenarios	<code>name in result</code>	Pass	0.149s
Shim class is same	<code>New is Shim</code>	Pass	0.000s
Shim imports generator	<code>ClaimReportGenerator is not None</code>	Pass	0.001s
Line 159: _create_summary calls get_entity_summary.	<code>summary == {'id': 'Y', 'name': 'Ypsilon'}</code>	Pass	0.000s
Line 155: _extract_id calls get_entity_id.	<code>loader._extract_id(entity) == 'X'</code>	Pass	0.000s
Line 163: _get_container_keys returns CONTAINER_KEYS.	<code>loader._get_container_keys() == ['items']</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 167: <code>get_file_status</code> is alias for <code>get_status</code> .	<code>status['entity_name'] == 'stub';</code> <code>status['exists'] is True (+1 more)</code>	Pass	0.000s
Persistent sequences (SHORT gaps) should show stronger compounding than doublets (MEDIUM gaps).	<code>persistent_excess >= doublet_excess - 0.1</code>	Pass	0.047s
During the gap, level should drop from Storm 1 peak.	<code>level.at_gap_end < s1.peak</code>	Pass	0.000s
For a short-gap persistent sequence, level does not return to baseline during gap.	<code>level.at_gap_end > default_gauge.base_level + 0.05</code>	Pass	0.000s
Spec requirement: Storm 2 peak $\geq$ Storm 1 peak in $\geq 60\%$ of doublets.	<code>fraction >= 0.60</code>	Pass	0.037s
Gauge ids match	<code>{r.gauge_id for r in responses} == {gauge.gauge_id, gauge...</code>	Pass	0.000s
Near gauge higher response	<code>near_resp.peak_level >= far_resp.peak_level</code>	Pass	0.000s
Returns one response per gauge	<code>len(responses) == 2</code>	Pass	0.000s
All kernels decrease with distance	<code>near >= far</code>	Pass	0.000s
All kernels in 0 1 range	<code>0.0 <= decay <= 1.0</code>	Pass	0.000s
Exponential at half	<code>decay == pytest.approx(math.exp(-0.5), rel=1e-4)</code>	Pass	0.000s
Exponential at one lambda	<code>decay == pytest.approx(math.exp(-1.0), rel=1e-4)</code>	Pass	0.000s
Gaussian at one sigma	<code>decay == pytest.approx(math.exp(-0.5), rel=1e-4)</code>	Pass	0.000s
Gaussian at two sigma	<code>decay == pytest.approx(math.exp(-2.0), rel=1e-4)</code>	Pass	0.000s
Linear beyond cutoff is zero	<code>decay == 0.0</code>	Pass	0.000s
Linear midpoint	<code>decay == pytest.approx(0.75, abs=0.001)</code>	Pass	0.000s
Zero distance returns one all kernels	<code>model.compute_decay(0, 100, kernel, 1.0) == 1.0</code>	Pass	0.000s
Consistent when all clear	<code>dl_mod._compute_health(chain, lr) == 'CONSISTENT'</code>	Pass	0.000s
Degraded on stale steps	<code>dl_mod._compute_health(chain, lr) == 'DEGRADED'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Degraded on failures	<code>dl_mod..compute_health(chain, lr) == 'DEGRADED'</code>	Pass	0.000s
Health colour mapping	<code>dl_mod..health_colour('CONSISTENT') == dl_mod.GREEN;</code> <code>dl_mod..health_colour('DEGRADED')</code> <code>== dl_mod.AMBER (+2 more)</code>	Pass	0.000s
Inconsistent on broken chain	<code>dl_mod..compute_health(chain, lr) == 'INCONSISTENT'</code>	Pass	0.000s
After end uses last point	<code>intensity >= 0</code>	Pass	0.000s
At peak time is nonzero	<code>intensity > 0</code>	Pass	0.000s
Before start uses first point	<code>intensity >= 0</code>	Pass	0.000s
Empty track returns zero	<code>result == 0.0</code>	Pass	0.000s
Far from track is lower	<code>near > far</code>	Pass	0.000s
dist i 1.0 -i short-circuit to _build_flood_event directly.	<code>result is not None; result["storm_id"] == "STORM-001"</code>	Pass	0.175s
Multiple gauges in nearest -i IDW path used.	<code>result is not None</code>	Pass	0.174s
gauge_responses has no entry for nearest gauge -i None.	<code>result is None</code>	Pass	0.173s
Normal IDW path returns dict with storm_id.	<code>result is not None; result["storm_id"] == "STORM-001"</code>	Pass	0.166s
Response without pulse_peaks -i simple event (no compound key).	<code>result is not None;</code> <code>result.get("compound") is not True</code>	Pass	0.171s
Response with pulse_peaks -i compound event (compound=True).	<code>result is not None;</code> <code>result.get("compound") is True</code> (+1 more)	Pass	0.170s
Line 126: annuity i= 0 returns annual_hazard_rate * 10000.	<code>result > 0</code>	Pass	0.000s
Negative hazard returns zero	<code>result == 0.0</code>	Pass	0.000s
Verify compute_prs_spread uses yield_curve when provided.	<code>result > 0</code>	Pass	0.000s
Zero hazard returns zero	<code>result == 0.0</code>	Pass	0.000s
Accumulation nonnegative	<code>resp.accumulation >= 0</code>	Pass	0.000s
Duration nonnegative	<code>resp.duration_above_alert >= 0;</code> <code>resp.duration_above_warning >= 0</code> (+1 more)	Pass	0.000s
Flooded flag correct	<code>resp.flooded == (resp.peak_level >= gauge.flood_alert)</code>	Pass	0.000s
High intensity storm floods	<code>resp.peak_level > gauge.base_level</code>	Pass	0.000s
Peak level at least base	<code>resp.peak_level >= gauge.base_level</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Peak level is max of series	<code>resp.peak_level == pytest.approx(max(levels))</code>	Pass	0.000s
Response ids match	<code>resp.gauge_id == gauge.gauge_id; resp.storm_id == simple_storm.storm_id</code>	Pass	0.000s
Timeseries length	<code>len(resp.level_timeseries) == expected_steps; len(resp.intensity_timeseries) == expected_steps</code>	Pass	0.000s
To dict roundtrip	<code>d['gauge_id'] == gauge.gauge_id; 'level_timeseries' in d (+1 more)</code>	Pass	0.000s
To dict without timeseries	<code>'level_timeseries' not in d</code>	Pass	0.000s
Pre-wetting the catchment before the same storm raises the peak.	<code>np.max(wet) > np.max(dry)</code>	Pass	0.001s
Level should be declining in the later part of the drainage window.	<code>np.all(np.diff(tail) <= 0.01)</code>	Pass	0.004s
Extreme storm should produce higher peak than moderate.	<code>np.max(l_ext) > np.max(l_mod)</code>	Pass	0.001s
With identical first storm parameters, doublet produces $\hat{=}$ isolated peak.	<code>np.max(l_dbl) >= np.max(l_iso)</code>	Pass	0.001s
Severe storm should raise level above baseline.	<code>np.max(levels) > default_gauge.base_level + 0.5</code>	Pass	0.000s
River level must always be $\hat{=}$ base_level.	<code>np.all(levels >= default_gauge.base_level - 1e-6)</code>	Pass	0.005s
Spec constraint: no precipitation after hour 156.	<code>np.all(p[156:] == pytest.approx(0.0))</code>	Pass	0.001s
Output shape	<code>levels.shape == (EVENT_WINDOW_HOURS,)</code>	Pass	0.000s
Level at hour 167 should be below the peak level (recovering, not diverging).	<code>final <= peak + 0.01; final_excess < 1.5</code>	Pass	0.006s
Peak above base	<code>peak >= default_gauge.base_level</code>	Pass	0.004s
Peak indices match storm indices	<code>idx == storm.storm_index</code>	Pass	0.002s
Returns one peak per storm	<code>len(peaks) == seq.num_storms</code>	Pass	0.004s
Compliant when all pass	<code>dl_mod._compute_verdict(chain, lr) == 'COMPLIANT'</code>	Pass	0.000s
Empty lineage results	<code>dl_mod._compute_verdict(chain, {}) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
Non compliant on broken chain	<code>dl_mod._compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Non compliant on majority failures	<code>dl.mod..compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Non compliant on missing steps	<code>dl.mod..compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Partially compliant on failures	<code>dl.mod..compute_verdict(chain, lr) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
No tests run cannot prove compliance.	<code>dl.mod..compute_verdict(chain, lr) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
Spatial correlation constants in config.port must be self-consistent.	<code>SPATIAL_CORR_ENABLED is True;</code> <code>SPATIAL_CORR_MODEL_TYPE == "exponential" (+9 more)</code>	Pass	0.000s
Config structure	<code>sc["enabled"] is True;</code> <code>sc["model_type"] == "exponential"</code> (+3 more)	Pass	0.002s
Round trip params	<code>loaded.base_range_km == 35.0;</code> <code>loaded.nugget == 0.08</code>	Pass	0.001s
Save creates file	<code>path.exists()</code>	Pass	0.000s
Configure both menus	<code>handler.property_menu == pm;</code> <code>handler.gauge_menu == gm</code>	Pass	0.000s
Configure gauge menu	<code>handler.gauge_menu == new_gm</code>	Pass	0.000s
Configure max visible	<code>ns.max_visible == 10</code>	Pass	0.000s
Configure menus	<code>mgr.context_menus.property_menu == custom_prop</code>	Pass	0.000s
Configure no args no change	<code>handler.server_url == 'http://test:1234'</code>	Pass	0.000s
Configure no args no change	<code>handler.property_menu == DEFAULT_PROPERTY_MENU;</code> <code>handler.gauge_menu == DEFAULT_GAUGE_MENU</code>	Pass	0.000s
Configure no args no change	<code>ns.position == NotificationPosition.TOP_LEFT;</code> <code>ns.timeout == 7000 (+1 more)</code>	Pass	0.000s
Configure notification position	<code>mgr.notifications.position == NotificationPosition.BOTTOM...</code>	Pass	0.000s
Configure notification timeout	<code>mgr.notifications.timeout == 2000</code>	Pass	0.000s
Configure position	<code>ns.position == NotificationPosition.BOTTOM_LEFT</code>	Pass	0.000s
Configure property menu	<code>handler.property_menu == new_pm</code>	Pass	0.000s
Configure returns self	<code>result is mgr</code>	Pass	0.000s
Configure server url	<code>result is mgr; mgr.backend.server_url == 'http://new:9999'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Configure timeout	<code>ns.timeout == 3000</code>	Pass	0.000s
Configure updates endpoints	<code>handler.endpoints == {'a': '/b', 'c': '/d'}</code>	Pass	0.000s
Configure updates server url	<code>handler.server_url == 'http://new:2222'; handler.endpoints == {'a': '/b'}</code>	Pass	0.000s
Margin positive	<code>MARGIN > 0</code>	Pass	0.000s
Page dimensions	<code>PAGE.W > 0; PAGE.H > 0 (+1 more)</code>	Pass	0.000s
Custom parameters	<code>d.params.base_mean == 50;</code> <code>d.params.tail_threshold == 70</code>	Pass	0.000s
Default parameters	<code>d.params.base_mean == 45.0;</code> <code>d.params.base_std == 15.0 (+4 more)</code>	Pass	0.000s
From params object	<code>d.params.base_mean == 55</code>	Pass	0.000s
From scenario baseline	<code>d is not None;</code> <code>d.params.name == "baseline"</code>	Pass	0.000s
From scenario unknown raises	—	Pass	0.000s
Seed gives deterministic output	<code>s1 == s2</code>	Pass	0.000s
Tail prob between 0 and 1	<code>0.0 < d.tail_prob < 1.0</code>	Pass	0.000s
Construction year shown	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements(prop, list))</code>	Pass	0.000s
Floor level shown	<code>isinstance(result, list)</code>	Pass	0.000s
Has section header	<code>any("Construction" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No construction data returns message	<code>any("No construction" in t for t in texts)</code>	Pass	0.000s
No construction year	<code>isinstance(self._page().generate_elements(prop, list))</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
Site height shown	<code>isinstance(result, list)</code>	Pass	0.000s
Brick construction	<code>isinstance(result, list)</code>	Pass	0.000s
Concrete construction	<code>isinstance(result, list)</code>	Pass	0.000s
Empty construction type	<code>isinstance(result, list)</code>	Pass	0.000s
Masonry construction	<code>isinstance(result, list)</code>	Pass	0.000s
Steel construction	<code>isinstance(result, list)</code>	Pass	0.000s
Timber construction	<code>isinstance(result, list)</code>	Pass	0.000s
Unknown construction type	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Custom menus	<code>handler.property_menu == pm;</code>	Pass	0.000s
	<code>handler.gauge_menu == gm</code>		
Default init	<code>handler.property_menu ==</code> <code>DEFAULT_PROPERTY_MENU;</code> <code>handler.gauge_menu ==</code> <code>DEFAULT_GAUGE_MENU</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preGovAudit']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preGovBib']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preStorms']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreBlotter']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreEodHistory']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreGauges']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreGovDocs']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreMarket']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPrePortStorms']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreStressStorms']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreYieldCurve']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
No startup cache var should have a bare var declaration.	<code>f'var {var}' not in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
The preload-done flag must NOT be a var (regression: 2026-03-12 incident).	'var _tdPreloadDone' not in src	Pass	0.001s
Window td preload done initialised	'window._tdPreloadDone = false' in src	Pass	0.000s
Window td preload done set after settle	'window._tdPreloadDone = true' in src	Pass	0.000s
Blotter nulls cache after consume	'window._tdPreBlotter = null' in src	Pass	0.000s
Blotter reads window pre blotter	'window._tdPreBlotter' in src	Pass	0.000s
Gov docs nulls cache after consume	'window._tdPreGovDocs = null' in src	Pass	0.000s
Gov docs reads window pre gov docs	'window._tdPreGovDocs' in src	Pass	0.000s
Port stress nulls cache after consume	'window._tdPrePortStorms = null' in src	Pass	0.000s
Port stress reads window pre port storms	'window._tdPrePortStorms' in src	Pass	0.000s
preloader.py must not assign bare _tdPreloadDone (creates unreliable global).	not bare_assigns	Pass	0.000s
trading/preloader.py fallback must also set window._tdPreloadDone.	'window._tdPreloadDone = true' in src	Pass	0.001s
Storm portfolio nulls cache after consume	'window._preStorms = null' in src	Pass	0.002s
Storm portfolio reads window pre storms	'window._preStorms' in src	Pass	0.000s
showPanel() must read window._tdPreloadDone, not bare _tdPreloadDone.	'window._tdPreloadDone' in src	Pass	0.000s
Blotter setup no bare pre blotter	—	Pass	0.000s
Gov docs no bare pre gov docs	—	Pass	0.000s
Port stress no bare pre port storms	—	Pass	0.001s
preloader.py checks should all use window._tdPreloadDone.	not bad_lines	Pass	0.001s
Storm table no bare pre storms	—	Pass	0.001s
Tradingdesk no bare preload done	—	Pass	0.001s
Governance JS sub-modules must be syntactically valid.	—	Pass	0.206s
startup.py JS must be syntactically valid.	—	Pass	0.069s
Storm portfolio syntax	—	Pass	0.073s
Trading aggregate submodule syntax	—	Pass	0.068s

Test Description	Acceptance Criteria	Result	Time
Trading blotter submodule syntax	—	Pass	0.068s
Trading curves submodule syntax	—	Pass	0.066s
Trading desk js syntax	—	Pass	0.084s
Trading eod submodule syntax	—	Pass	0.060s
Trading fs01 submodule syntax	—	Pass	0.059s
Trading market submodule syntax	—	Pass	0.064s
Trading port stress submodule syntax	—	Pass	0.062s
Trading stress submodule syntax	—	Pass	0.061s
Aggregate generates	<code>len(js) > 1000</code>	Pass	0.000s
Blotter generates	<code>len(js) > 1000</code>	Pass	0.000s
Curves generates	<code>len(js) > 1000</code>	Pass	0.000s
Eod generates	<code>len(js) > 1000</code>	Pass	0.000s
Fs01 generates	<code>len(js) > 500</code>	Pass	0.000s
Governance bibliography generates	<code>len(js) > 500</code>	Pass	0.000s
Governance docs generates	<code>len(js) > 500</code>	Pass	0.000s
Market generates	<code>len(js) > 1000</code>	Pass	0.000s
Port stress generates	<code>len(js) > 1000</code>	Pass	0.000s
Preloader generates	<code>len(js) > 1000</code>	Pass	0.000s
Startup generates	<code>len(js) > 1000</code>	Pass	0.000s
Storm sp table generates	<code>len(js) > 500</code>	Pass	0.000s
Stress generates	<code>len(js) > 1000</code>	Pass	0.000s
Trading desk generates	<code>len(js) > 50.000</code>	Pass	0.000s
blotter/actions.py must call <code>window.refreshMainMapFS01</code> after close-out.	<code>'window.refreshMainMapFS01' in src</code>	Pass	0.001s
<code>tdApplyFilter</code> must be on window for FS01 cell click to work.	<code>'window.tdApplyFilter' in src</code>	Pass	0.001s
<code>tdRiskCellClick</code> must be on window for blotter filter drill-through.	<code>'window.tdRiskCellClick' in src</code>	Pass	0.000s
<code>_tdPendingFilter</code> must be on window for context-menu → blotter filter.	<code>'window._tdPendingFilter' in blotter_src</code>	Pass	0.001s
<code>refreshMainMapFS01</code> must be on window for blotter close-out to call it.	<code>'window.refreshMainMapFS01' in td_map_src</code>	Pass	0.000s
<code>_stressStormHint</code> must be set via <code>window.*</code> for cross-panel navigation.	<code>'window._stressStormHint' in hist_src</code>	Pass	0.000s
Stress setup reads window hint	<code>'window._stressStormHint' in stress_src</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
TradingDeskPanel must export TradingDesk and showTradingDesk.	'window.TradingDesk' in src; 'window.showTradingDesk' in src	Pass	0.001s
Create panel creates blotter view	'createBlotterView' in js	Pass	0.003s
Open panel function exists	'_tdOpenPanel' in js	Pass	0.003s
Open panel sets display flex	"style.display = 'flex'" in js	Pass	0.003s
Pi button calls show panel	'showPanel()' in js	Pass	0.003s
Fallback preloader function must exist for first-open race condition.	'_tdRunPreload' in js	Pass	0.003s
Show panel function exists	'function showPanel()' in js	Pass	0.003s
Show panel reads window preload done	'window._tdPreloadDone' in js	Pass	0.003s
Panel must switch to blotter tab when opened.	"switchTab('blotter')" in js	Pass	0.003s
Generate risk report basic	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.017s
Generate risk report default	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.017s
Generate risk report detailed	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.023s
Diagonal is one	np.allclose(np.diag(C), 1.0)	Pass	0.000s
Longer range -j higher off-diagonal correlations.	C.long[mask].mean() > C.short[mask].mean()	Pass	0.000s
Higher nugget -j lower off-diagonal values.	C.high[mask].mean() < C.low[mask].mean()	Pass	0.000s
Off diagonal in open interval	0.0 < C[i, j] < 1.0	Pass	0.000s
Positive definite	np.all(eigenvalues > 0)	Pass	0.005s
Symmetric	np.allclose(C, C.T)	Pass	0.000s
Thames positive definite	np.all(eigenvalues > 0)	Pass	0.005s
All gauge files corrupt → no storms (but file still written).	result["total_storms"] == 0	Pass	0.001s
Lines 151-153: unreadable gauge file is skipped with warning.	out.exists() and (out / "_index.json").exists(); result["total_storms"] == 1	Pass	0.002s
Lines 133-134: invalid JSON in storms.json logs warning, continues.	out.exists() and (out / "_index.json").exists(); result["total_storms"] == 1	Pass	0.003s
Exactly at 119999 should be band 'A'.	band == "A"	Pass	0.000s
Line 159: property value j 120000 returns band 'A'.	band == "A"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 161: property value = 120000 returns band 'B'.	<code>band == "B"</code>	Pass	0.000s
Property value 140000 returns band 'B'.	<code>band == "B"</code>	Pass	0.000s
Exactly at 155999 should still be band 'B'.	<code>band == "B"</code>	Pass	0.000s
Counts matching files	<code>_count_dir(tmp_path, 'GAUGE-*.json')</code> <code>== 5</code>	Pass	0.001s
Empty directory	<code>_count_dir(tmp_path, '*') == 0</code>	Pass	0.000s
Returns zero for no matches	<code>_count_dir(tmp_path, '*.json') == 0</code>	Pass	0.000s
Returns zero for none dir	<code>_count_dir(None, '*.json') == 0</code>	Pass	0.000s
Returns zero for nonexistent dir	<code>_count_dir(tmp_path / 'nope', '*.json') == 0</code>	Pass	0.000s
All counterparties have party id	<code>len(counterparties) > 0;</code> <code>ctpy["CounterpartySet"]["Party"]["PartyID"].startswith("C...</code>	Pass	0.003s
Cdm structure	<code>"Party" in ctpy;</code> <code>"PartyID" in ctpy["Party"]</code> (+1 more)	Pass	0.001s
Custom count	<code>len(result["data"]) == 3</code>	Pass	0.001s
Generates counterparty file	<code>(pipeline_dir / "counterparty.json").exists()</code>	Pass	0.000s
Lines 263-269: ContactInformation fields mapped.	<code>mapping.get("primary_email") == "test@bank.com";</code> <code>mapping.get("city") == "London"</code>	Pass	0.000s
Lines 280-285: count fields in mapping.	<code>"counterparty_count" in mapping;</code> <code>mapping["counterparty_count"] == 2</code>	Pass	0.000s
Minimal data (empty Counterparty-Set) returns dict.	<code>isinstance(mapping, dict)</code>	Pass	0.000s
Lines 245-289: create_mapping with full data.	<code>isinstance(mapping, dict);</code> <code>mapping["party_id"] == "CTPY-001"</code> (+3 more)	Pass	0.000s
Lines 291-292: exception → raises ValueError.	—	Pass	0.000s
Lines 288-289: None values are stripped from result.	<code>None not in mapping.values()</code>	Pass	0.000s
Lines 294-301: get_required_fields() returns non-empty list.	<code>isinstance(fields, list);</code> <code>len(fields) > 0</code> (+2 more)	Pass	0.000s
Schema is dict	<code>isinstance(cdm.schema, dict);</code> <code>len(cdm.schema) > 0</code>	Pass	0.000s
Lines 201-202: empty Counterparties array → error.	<code>"Counterparties" in errors</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
validate({}) returns errors for all required fields.	isinstance(errors, dict)	Pass	0.000s
Lines 211-214: invalid role (not Party1/Party2) → error.	"Counterparties" in errors; any("Invalid" in e for e in errors["Counterparties"])	Pass	0.000s
Lines 209-210: missing CounterpartyRole → error.	"Counterparties" in errors; any("CounterpartyRole" in e for e in errors["Counterparti..."])	Pass	0.000s
Lines 188-189: missing PartyID → Party errors.	"Party" in errors; any("PartyID" in e for e in errors["Party"])	Pass	0.000s
Lines 191-192: missing PartyName → Party errors.	"Party" in errors; any("PartyName" in e for e in errors["Party"])	Pass	0.000s
Lines 218-219: missing PartyRef → error.	"Counterparties" in errors; any("PartyRef" in e for e in errors["Counterparties"])	Pass	0.000s
Lines 222-225: two CPs with same role → error.	"Counterparties" in errors	Pass	0.000s
Valid counterparty data produces empty error dict.	errors == {}	Pass	0.000s
Lines 74-75: json.JSONDecodeError in get_counterparty → 500.	r.status_code == 500; data["status"] == "error"	Pass	0.002s
Lines 58-59: json.JSONDecodeError → 500.	r.status_code == 500; data["status"] == "error"	Pass	0.002s
Creates output file	output_file.exists()	Pass	0.000s
Data is list	isinstance(result["data"], list); len(result["data"]) == 3	Pass	0.001s
Default count uses all counterparties	len(result["data"]) == len(_ALL_COUNTERPARTIES)	Pass	0.002s
File path is pathlib path	isinstance(result["file_path"], Path)	Pass	0.000s
Metadata has total generated	result["metadata"]["total_generated"] == 4	Pass	0.001s
Output file is valid json	"counterparties" in data; "generation_metadata" in data	Pass	0.007s
Returns dict with required keys	"data" in result; "file_path" in result (+1 more)	Pass	0.001s
Zero count returns empty	result["data"] == []	Pass	0.000s
Counterparty not found returns empty	result == []	Pass	0.002s
Counterparty trace finds master record	"counterparties" in steps	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Counterparty trace finds prs trades	<code>len(consumed) >= 1</code>	Pass	0.001s
Consistent cover	<code>badge._cellvalues[1][0] == 'CONSISTENT'</code>	Pass	0.000s
Degraded cover on failures	<code>badge._cellvalues[1][0] == 'DEGRADED'</code>	Pass	0.000s
Inconsistent cover on broken chain	<code>badge._cellvalues[1][0] == 'INCONSISTENT'</code>	Pass	0.000s
Engines not none	<code>engine is not None</code>	Pass	0.000s
Returns dict with engines	<code>isinstance(engines, dict); "ISDA" in engines (+2 more)</code>	Pass	0.005s
Default day counter	<code>curve is not None; curve is not None</code>	Pass	0.000s
Returns curve and quote	<code>curve is not None; quote is not None</code>	Pass	0.000s
Actual360 day counter accepted	<code>curve is not None</code>	Pass	0.000s
Quote is simple quote	<code>isinstance(quote, ql.SimpleQuote)</code>	Pass	0.000s
Quote value matches input	<code>quote.value() == pytest.approx(rate, rel=1e-10)</code>	Pass	0.000s
Survival probability formula	<code>sp == pytest.approx(math.exp(-lam * 3), rel=0.02)</code>	Pass	0.000s
Very high hazard rate near zero survival	<code>s1 == pytest.approx(math.exp(-2.0), rel=0.01)</code>	Pass	0.000s
Returns hazard curve	<code>curve is not None</code>	Pass	0.000s
Survival probability decreases	<code>sp2 < sp1</code>	Pass	0.000s
Zero hazard near full survival	<code>sp > 0.99</code>	Pass	0.000s
Auto generates id	<code>"id" in data["meeting"]; len(data["meeting"]["id"]) > 0</code>	Pass	0.002s
Create returns meeting	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
Custom attendees become participants	<code>"Alice Smith" in names</code>	Pass	0.002s
Custom title used	<code>data["meeting"]["title"] == "Quarterly Review"</code>	Pass	0.002s
Default chair populated	<code>data["meeting"]["chair"] == "Johnny Mattimore"</code>	Pass	0.002s
Default participants created	<code>len(participants) >= 1</code>	Pass	0.002s
No json body uses defaults	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.002s
Custom max notifications	<code>ns.max_visible == 8</code>	Pass	0.000s
Custom timeout	<code>ns.timeout == 1000</code>	Pass	0.000s
Invalid position defaults to top right	<code>ns.position.value == "top-right"</code>	Pass	0.000s
Valid position	<code>ns.position.value == "bottom-left"</code>	Pass	0.000s
<code>create_pdf_report(None)</code> calls <code>collect_all()</code> .	—	Pass	0.017s

Test Description	Acceptance Criteria	Result	Time
Creates audit dir	<code>audit.is_dir(); result.exists()</code>	Pass	0.018s
Creates pdf	<code>result.exists(); result.stat().st_size > 0</code>	Pass	0.019s
Creates pdf empty data	<code>result.exists()</code>	Pass	0.007s
Main prints summary	<code>'Generating Model Risk Governance Report' in captured; 'models in inventory' in captured (+5 more)</code>	Pass	0.018s
Integration: <code>main()</code> with actual data loading against empty dirs.	<code>out.exists()</code>	Pass	0.019s
PDF file is created on disk.	<code>out.exists()</code>	Pass	0.017s
Generated file has PDF magic bytes.	<code>out.read_bytes()[:4] == b'%PDF'</code>	Pass	0.035s
PDF has reasonable size (multi-page report).	<code>out.stat().st_size > 5000</code>	Pass	0.018s
PDF renders when no steps have been recorded.	<code>out.exists(); out.read_bytes()[:4] == b'%PDF'</code>	Pass	0.019s
PDF generates correctly when pipeline has stale/missing steps.	<code>out.exists(); out.read_bytes()[:4] == b'%PDF' (+1 more)</code>	Pass	0.026s
PDF renders when <code>lineage_results</code> is empty (tests not run).	<code>out.exists(); out.stat().st_size > 5000</code>	Pass	0.017s
<code>create_pdf_report()</code> returns a <code>Path</code> object.	<code>isinstance(result, Path)</code>	Pass	0.018s
Creates registry	<code>create_registry(str(tmp_path)) is not None</code>	Pass	0.000s
With file overrides	<code>registry.get_gauge_loader().count() == 2</code>	Pass	0.001s
Test <code>create_registry</code> helper.	<code>registry.data_dir == populated.data_dir; registry is not None (+1 more)</code>	Pass	0.001s
Test <code>create_registry</code> with file overrides.	<code>loader.count() == 0</code>	Pass	0.001s
Auto generated id starts with storm	<code>storm.storm_id.startswith("STORM-")</code>	Pass	0.000s
Decay kernel stored	<code>storm.decay_kernel == DecayKernel.EXPONENTIAL</code>	Pass	0.000s
Decay parameter stored	<code>storm.decay_parameter == pytest.approx(1.2)</code>	Pass	0.000s
Default num track points	<code>len(storm.track) == 25</code>	Pass	0.000s
Default start time is recent	<code>before <= storm.start_time <= after</code>	Pass	0.000s
Duration hours stored	<code>storm.duration_hours == pytest.approx(36.0)</code>	Pass	0.000s
Explicit id preserved	<code>storm.storm_id == "MY-STORM-001"</code>	Pass	0.000s
Explicit name	<code>storm.name == "Ciara"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Explicit start time	<code>storm.start.time == t</code>	Pass	0.000s
Footprint km stored	<code>storm.footprint_km == pytest.approx(60.0)</code>	Pass	0.000s
Num track points	<code>len(storm.track) == 10</code>	Pass	0.000s
Peak intensity stored	<code>storm.peak_intensity == pytest.approx(75.0)</code>	Pass	0.000s
Returns storm object	<code>isinstance(storm, Storm)</code>	Pass	0.000s
Speed is positive	<code>storm.speed_kmh > 0</code>	Pass	0.000s
Track end time equals duration	<code>storm.track[-1].time_hours == pytest.approx(24.0)</code>	Pass	0.000s
Track longitude moves from start to end	<code>lons[0] < lons[-1]</code>	Pass	0.000s
Track points are trackpoint instances	<code>isinstance(tp, TrackPoint)</code>	Pass	0.000s
Track start time is zero	<code>storm.track[0].time_hours == pytest.approx(0.0)</code>	Pass	0.000s
Track time increases	<code>all(times[i] <= times[i + 1] for i in range(len(times) - 1))</code>	Pass	0.000s
Actual360 day counter produces curve	<code>0.0 < sp <= 1.0</code>	Pass	0.000s
Implied hazard rate formula	<code>sp5 == pytest.approx(expected_5yr, rel=0.01)</code>	Pass	0.000s
Near zero survival positive hazard	<code>s1 < 0.9</code>	Pass	0.000s
Single point high risk ts	<code>curve is not None</code>	Pass	0.000s
Single point term structure	<code>curve is not None</code>	Pass	0.000s
Survival strictly positive	<code>sp > 0.0</code>	Pass	0.000s
Custom day counter	<code>curve is not None</code>	Pass	0.001s
Default day counter	<code>curve is not None; curve is not None</code>	Pass	0.000s
Full survival at start	<code>abs(sp - 1.0) < 1e-6</code>	Pass	0.001s
Returns curve	<code>curve is not None</code>	Pass	0.000s
Line 83: final_survival j= 0 → uses 0.05 default hazard rate.	<code>curve is not None</code>	Pass	0.000s
Line 83: final_survival j= 1 → uses 0.05 default hazard rate.	<code>curve is not None</code>	Pass	0.021s
Excellent credit 800 plus	<code>isinstance(result, list)</code>	Pass	0.000s
Fair credit 580 to 669	<code>isinstance(result, list)</code>	Pass	0.000s
Good credit 670 to 739	<code>isinstance(result, list)</code>	Pass	0.000s
Poor credit under 580	<code>isinstance(result, list)</code>	Pass	0.001s
Very good credit 740 to 799	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent 800 plus	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 580 to 669	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Good 670 to 739	<code>isinstance(result, list)</code>	Pass	0.000s
Poor under 580	<code>isinstance(result, list)</code>	Pass	0.000s
Very good 740 to 799	<code>isinstance(result, list)</code>	Pass	0.000s
Gauges returned by list endpoint should have valid timeseries responses.	<code>response.status_code == 200;</code> <code>ts_response.status_code in [200, 404]</code>	Pass	0.002s
Gauge hazard endpoint should never return 500 for listed gauges.	<code>hz_response.status_code != 500</code>	Pass	0.001s
Properties returned by list endpoint should have flood data if propertyts exists.	<code>response.status_code == 200;</code> <code>flood_response.status_code in [200, 404]</code>	Pass	0.001s
Every property in propertyhc should have all fields the pricer needs.	<code>field in pc</code>	Pass	0.004s
Elevation should be consistent between propertyts and propertyhc.	<code>abs(hc_elev - pts_elev) < 0.01</code>	Pass	0.008s
flood_count in propertyhc should match flooded event count in propertyts.	<code>pc.get("flood_count") == pts_flooded</code>	Pass	0.009s
Flood zone should be consistent between propertyts and propertyhc.	<code>pts_zone == hc_zone</code>	Pass	0.008s
Nearest gauge IDs should carry through from propertyts to propertyhc.	<code>hc_gauges.issubset(pts_gauges)</code>	Pass	0.008s
crud.py lines 63-67: gauge not found -¿ 404.	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.031s
crud.py lines 59-72: valid gauge retrieval.	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.033s
crud.py lines 51-53: loader error -¿ 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
crud.py line 34: /list_gauges alias works.	<code>r.status_code == 200;</code> <code>r.get_json()["count"] == 1</code>	Pass	0.031s
crud.py lines 37-38: OPTIONS returns ok.	<code>r.status_code == 200</code>	Pass	0.030s
crud.py lines 40-50: successful gauge listing.	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.030s
hd present but daily_observations missing -¿ same paragraph.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
daily_observations = [] -¿ falsy, caught by first guard.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Normal flow: valid obs -i chart + table elements returned.	len(elements) > 3	Pass	0.099s
ValueError/KeyError in date parse loop -i skipped.	len(elements) > 0	Pass	0.092s
Invalid date in latest observation -i current_month = None.	len(elements) > 0	Pass	0.088s
No obs in same month -i same_month_levels = all_levels.	len(elements) > 0	Pass	0.092s
No hd data -i 'No historical daily data' paragraph.	any('No historical daily data' in t for t in texts)	Pass	0.000s
level is None -i skipped, does not crash.	len(elements) > 0	Pass	0.089s
Boe base shown	isinstance(result, list)	Pass	0.000s
Current payment shown	isinstance(result, list)	Pass	0.000s
Has status header	any("Status" in t or "Mortgage" in t for t in texts)	Pass	0.000s
Has table	any(isinstance(e, Table) for e in result)	Pass	0.000s
Interest paid shown	isinstance(result, list)	Pass	0.000s
Last payment date shown	isinstance(result, list)	Pass	0.000s
Last status shown	isinstance(result, list)	Pass	0.000s
Lending rate shown	isinstance(result, list)	Pass	0.000s
No current status returns message	any("No current status" in t for t in texts)	Pass	0.000s
No mortgage returns message	any("No mortgage" in t for t in texts)	Pass	0.000s
Outstanding balance shown	isinstance(result, list)	Pass	0.000s
Principal paid shown	isinstance(result, list)	Pass	0.000s
Total payments shown	isinstance(result, list)	Pass	0.000s
With mortgage returns list	isinstance(result, list) and len(result) > 0	Pass	0.000s
Returns empty history when no snapshots exist.	resp.status_code == 200; data['history'] == []	Pass	0.001s
Missing gauge_id returns 400.	resp.status_code == 400	Pass	0.001s
After EOD, returns term structure history for that gauge.	resp.status_code == 200; data['gauge_id'] == 'GAUGE-001' (+1 more)	Pass	0.032s
POST hazard-term-structure/commit returns 500 on error.	resp.status_code == 500	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
curve-history returns 500 on engine error (lines 82-84).	resp.status_code == 500	Pass	0.001s
GET hazard-term-structure returns 500 on engine error.	resp.status_code == 500	Pass	0.002s
GET yield-curve returns 500 on engine error.	resp.status_code == 500	Pass	0.001s
pnl-series returns 500 on engine error (lines 36-38).	resp.status_code == 500	Pass	0.002s
POST hazard-term-structure/reset returns 500 on error.	resp.status_code == 500	Pass	0.001s
POST yield-curve/reset returns 500 on engine error.	resp.status_code == 500	Pass	0.001s
POST yield-curve returns 500 on engine error.	resp.status_code == 500	Pass	0.001s
POST hazard-term-structure/commit with null body -i 400 (line 282).	resp.status_code == 400	Pass	0.000s
POST yield-curve/commit with null body -i 400 (line 145).	resp.status_code == 400	Pass	0.000s
POST hazard-term-structure with null body -i 400 (line 245).	resp.status_code == 400	Pass	0.000s
POST yield-curve with null body -i 400 (line 115).	resp.status_code == 400	Pass	0.000s
Curves tab should show all gauges on one chart.	'tdRenderAllCurves' in js; 'tdCurveAllData' in js (+1 more)	Pass	0.000s
Curves tab should have alert/warning/severe trigger selector.	'td-curve-trigger' in js; 'severe' in js (+2 more)	Pass	0.000s
Curves tab should use HSL for distinct line colours.	'hsl(' in js	Pass	0.000s
Curves sub-module should render without errors.	len(js) > 0	Pass	0.000s
Legend should strip 'Thames' prefix for brevity.	'Thames' in js	Pass	0.000s
Curves tab should fetch from market-state endpoint.	'/api/v1/trading/market-state' in js	Pass	0.000s
Good dti under 28	isinstance(result, list)	Pass	0.001s
High dti 36 to 43	isinstance(result, list)	Pass	0.001s
Moderate dti 28 to 36	isinstance(result, list)	Pass	0.001s
No payment dti unknown	isinstance(result, list)	Pass	0.001s
Very high dti over 43	isinstance(result, list)	Pass	0.001s
Empty daily pnl returns drawing	isinstance(result, Drawing)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mixed positive negative renders	<code>isinstance(result, Drawing)</code>	Pass	0.000s
Negative daily pnl renders	<code>isinstance(result, Drawing)</code>	Pass	0.000s
Commercial higher damage	<code>com_ratio >= res_ratio</code>	Pass	0.000s
Damage capped	<code>calculate_damage_ratio(10.0) <= 1.0</code>	Pass	0.000s
Damage increases with depth	<code>ratios == sorted(ratios)</code>	Pass	0.000s
No damage no flood	<code>calculate_damage_ratio(0.0) == 0.0</code>	Pass	0.000s
GaugeHC file must have required structure.	<code>'hazard_curves' in data; not missing</code>	Pass	0.001s
Gaugets files must have required structure.	<code>'flood_simulation' in data; 'readings' in sim (+1 more)</code>	Pass	0.001s
PropertyHC file must have required structure.	<code>'property_hazard_curves' in data; 'metadata' in data (+2 more)</code>	Pass	0.001s
PropertyTS files must have required fields.	<code>not missing; not missing_loc (+3 more)</code>	Pass	0.003s
Every step in manifest must appear in the static dependency graph.	<code>len(missing) == 0</code>	Pass	0.001s
data_lineage.json must exist after any port run.	<code>"steps" in data; len(data["steps"]) > 0</code>	Pass	0.001s
No step should have stale inputs.	<code>len(stale) == 0</code>	FAIL	0.008s
Recorded output hashes must match current files on disk.	—	Pass	58.441s
Data summary contains errors count	<code>"errors" in dl.get_data_summary()["gauge"]</code>	Pass	0.001s
Data summary contains warnings count	<code>"warnings" in dl.get_data_summary()["gauge"]</code>	Pass	0.001s
Data summary loaded flag false when no file	<code>summary["gauge"]["loaded"] is False</code>	Pass	0.000s
Data summary loaded flag true for gauge	<code>dl.get_data_summary()["gauge"]["loaded"] is True</code>	Pass	0.001s
Get data summary empty before load	<code>DataLoader(input_dir=tmp_path).get_data_summary() == {}</code>	Pass	0.000s
Get data summary returns dict	<code>isinstance(dl.get_data_summary(), dict)</code>	Pass	0.001s
Get validation summary empty before load	<code>DataLoader(input_dir=tmp_path).get_validation_summary() == ...</code>	Pass	0.000s
Get validation summary is copy	<code>s1 is not s2</code>	Pass	0.001s
Get validation summary returns dict	<code>isinstance(dl.get_validation_summary(), dict)</code>	Pass	0.001s
Is data complete depends only on gauge	<code>dl.is_data_complete() is False</code>	Pass	0.008s

Test Description	Acceptance Criteria	Result	Time
Is data complete false before load	<code>DataLoader(input_dir=tmp_path).is_data_complete()</code> is False	Pass	0.000s
Is data complete false when no gauge	<code>dl.is_data_complete()</code> is False	Pass	0.001s
Is data complete true with gauge	<code>dl.is_data_complete()</code> is True	Pass	0.002s
Validation summary has gauge key	"gauge" in <code>dl.get_validation_summary()</code>	Pass	0.001s
Init with input dir	<code>dl.input_dir == tmp_path</code>	Pass	0.000s
Init with string path converts to path	<code>isinstance(dl.input_dir, Path);</code> <code>dl.input_dir == tmp_path</code>	Pass	0.000s
Loaded data initialised	<code>isinstance(dl.loaded_data,</code> <code>LoadedData)</code>	Pass	0.000s
Private loaders created	<code>dl._gauge_loader</code> is not None; <code>dl._property_loader</code> is not None (+1 more)	Pass	0.000s
Validation results empty at init	<code>dl._validation_results == {}</code>	Pass	0.000s
Counterparty data loaded	<code>result.counterparty_data</code> is not None	Pass	0.004s
Empty dir returns loaded data	<code>isinstance(result, LoadedData)</code>	Pass	0.000s
Gauge data count matches records	<code>result.gauge_data["count"] ==</code> <code>len(result.gauge_data["item...</code>	Pass	0.001s
Gauge data has items key	"items" in <code>result.gauge_data</code>	Pass	0.001s
Gaugehd dir counted	<code>result.gaugehd_count == 1</code>	Pass	0.001s
Gaugets dir counted	<code>result.gaugets_count == 1</code>	Pass	0.002s
Gaugets dir multiple files counted	<code>result.gaugets_count == 3</code>	Pass	0.002s
Hazard curves loaded	<code>result.hazard_data</code> is not None	Pass	0.002s
Lookups built after load	<code>result.mortgage_lookup</code> is not None; <code>result.gauge_flood_info</code> is not None	Pass	0.001s
No gaugehd dir count stays zero	<code>result.gaugehd_count == 0</code>	Pass	0.001s
No gaugets dir count stays zero	<code>result.gaugets_count == 0</code>	Pass	0.001s
No propertyts dir count stays zero	<code>result.propertyts_count == 0</code>	Pass	0.001s
Property hazard curves loaded	<code>result.property_hazard_data</code> is not None	Pass	0.007s
Property hazard summary fields accessible	"summary" in <code>result.property_hazard_data</code>	Pass	0.002s
Propertyts dir counted	<code>result.propertyts_count >= 1</code>	Pass	0.001s
Storm data list format	<code>result.storm_data</code> is not None	Pass	0.002s
Storm data loaded dict format	<code>result.storm_data</code> is not None	Pass	0.002s
Storm data unknown format	<code>result.storm_data</code> is not None	Pass	0.004s
Storm data with items key	<code>result.storm_data</code> is not None	Pass	0.001s
With gauge data loaded	<code>result.gauge_data</code> is not None	Pass	0.001s
With mortgage data loaded	<code>result.mortgage_data</code> is not None	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
With property data loaded	<code>result.property_data is not None</code>	Pass	0.003s
Collect all keys	<code>expected_keys == set(result.keys())</code>	Pass	0.002s
List audit files	<code>len(result) == 1; result[0]['name'] == 'report.pdf' (+2 more)</code>	Pass	0.001s
List audit files missing dir	<code>result == []</code>	Pass	0.000s
List sensitivity generators	<code>result == ['hazard']</code>	Pass	0.001s
List sensitivity generators no dir	<code>result == []</code>	Pass	0.000s
Load audit log	<code>len(result) == 1</code>	Pass	0.001s
Load audit log dict fallback	<code>result == []</code>	Pass	0.000s
Load bcbs	<code>'principles' in result</code>	Pass	0.001s
Load coverage	<code>result == pytest.approx(82.5)</code>	Pass	0.001s
Load coverage corrupt	<code>result is None</code>	Pass	0.001s
Load coverage missing	<code>result is None</code>	Pass	0.000s
Load inventory	<code>result['models'][0]['model_id'] == 'M-TEST'</code>	Pass	0.002s
Load inventory bad json	<code>result == {}</code>	Pass	0.001s
Load inventory missing	<code>result == {}</code>	Pass	0.000s
Load junit	<code>result['total'] == 100; result['failed'] == 2 (+4 more)</code>	Pass	0.001s
Load junit corrupt	<code>result['total'] == 0</code>	Pass	0.000s
Load junit missing	<code>result['total'] == 0</code>	Pass	0.000s
Load meetings	<code>len(result) == 1</code>	Pass	0.001s
Load meetings dict fallback	<code>result == []</code>	Pass	0.001s
Load raci	<code>'roles' in result</code>	Pass	0.000s
Both empty	<code>isinstance(self._page().generate_elements({}), list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements({}), list)</code>	Pass	0.000s
Has data header	<code>any("Data" in t for t in texts)</code>	Pass	0.001s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
No sections in property	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(make_property()), list)</code>	Pass	0.001s;
Returns non empty	<code>len(self._page().generate_elements(make_property())) > 0</code>	Pass	0.001s
With mortgage data	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.001s
Invalid result fields	<code>result.is_valid is False; "file not found" in result.errors</code>	Pass	0.000s
Is named tuple	<code>isinstance(result, tuple)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Tuple unpacking	is_valid is True	Pass	0.000s
Valid result fields	result.is_valid is True; result.warnings == ["minor issue"] (+2 more)	Pass	0.000s
Datetime encoded as isoformat	"2024-06-15" in result	Pass	0.000s
Nested numpy in dict	result["a"] == 1; abs(result["b"] - 2.5) < 1e-6 (+1 more)	Pass	0.000s
Numpy float32 encoded	abs(result - 1.5) < 0.01	Pass	0.000s
Numpy float64 encoded as float	abs(result - 3.14) < 1e-6	Pass	0.000s
Numpy int32 encoded	result == 7	Pass	0.000s
Numpy int64 encoded as int	result == 99; isinstance(result, int)	Pass	0.000s
Numpy ndarray encoded as list	result == [1, 2, 3]	Pass	0.000s
Unknown type raises type error	—	Pass	0.000s
Line 59-60: datetime -i isoformat.	"2024-06-01" in result	Pass	0.000s
Line 63-64: np.floating -i float.	"2.71" in result	Pass	0.000s
Line 61-62: np.integer -i int.	result == "99"	Pass	0.000s
Line 65-66: np.ndarray -i list.	result == [10, 20]	Pass	0.000s
Line 67: super().default() -i Type-Error for unknown.	—	Pass	0.000s
Exponential value	DecayKernel.EXPONENTIAL.value == "exponential"	Pass	0.000s
Gaussian value	IntensityProfile.GAUSSIAN.value == "gaussian"; DecayKernel.GAUSSIAN.value == "gaussian"	Pass	0.000s
Linear value	DecayKernel.LINEAR.value == "linear"	Pass	0.000s
Add decision auto generates id	r.status_code == 200; decisions[0]["id"] == "D-001"	Pass	0.001s
Add decision unknown meeting returns 404	r.status_code == 404	Pass	0.001s
Delete decision	r.status_code == 200; len(r.get_json()["meeting"]["decisions"]) == 1	Pass	0.003s
Delete decision unknown meeting returns 404	r.status_code == 404	Pass	0.002s
Second decision increments id	ids == ["D-001", "D-002"]	Pass	0.002s
Update decision	r.status_code == 200; r.get_json()["meeting"]["decisions"][0]["description"] == ...	Pass	0.003s
Update missing decision returns 404	r.status_code == 404	Pass	0.002s
Add decision auto ids	"D-001" in ids; "D-002" in ids	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Add decision missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Add decision returns 200	<code>r.status_code == 200;</code> <code>len(meeting["decisions"]) == 2</code>	Pass	0.002s
Delete decision missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Delete decision returns 200	<code>r.status_code == 200;</code> <code>len(r.get_json()["meeting"]["decisions"]) == 0</code>	Pass	0.002s
Update decision not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update decision returns 200	<code>r.status_code == 200;</code> <code>decisions[0]["description"] == "Updated decision"</code>	Pass	0.002s
Delete is idempotent — filtering out a missing ID is still 200.	<code>r.status_code == 200</code>	Pass	0.002s
Delete returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Deleted ref not in list	<code>ref_id not in ids</code>	Pass	0.003s
Deleted doc not in list	<code>doc_id not in ids</code>	Pass	0.004s
Not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.001s
Valid delete returns success	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.003s
Delete save failure returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.033s
Gaugehd references gauges	<code>gid in gauge_ids</code>	Pass	0.014s
Gaugets reads gauge	<code>gid in gauge_ids</code>	Pass	0.002s
Hazard reads gauge and storms	<code>len(hc_curves) > 0; gid in gauge_ids</code>	Pass	0.001s
Mortgage reads property	<code>mid in prop_ids</code>	Pass	0.002s
Propertyhc references properties	<code>pid in prop_ids</code>	Pass	0.002s
Propertyts uses nearest gauges	<code>ng["gauge_id"] in gauge_ids</code>	Pass	0.001s
Every input declared in STEP_IO must be produced by a transitive	<code>producers</code>	Pass	0.000s
When hazard mutates gaugets/ to a different hash, propertyts must	<code>producer == "hazard"</code>	Pass	0.000s
Commercial higher damage than residential	<code>com_damage > res_damage</code>	Pass	0.000s
Floor level reduces damage	<code>damages[0] >= damages[3]</code>	Pass	0.000s
Large depth all near one	<code>np.all(damages > 0.5)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Output clipped to 0 1	<code>np.all((damages >= 0) & (damages <= 1))</code>	Pass	0.000s
Returns array same length	<code>len(damages) == len(properties)</code>	Pass	0.003s
Zero depths all zero damage	—	Pass	0.028s
Line 150: commercial factor = 1.2.	<code>result[1] > result[0]</code>	Pass	0.000s
Lines 159-160: adjusted_depths = max(depths - floor_levels, 0).	<code>result[3] == pytest.approx(0.0)</code>	Pass	0.000s
Full function returns correct length	<code>len(result) == len(properties)</code>	Pass	0.000s
Line 151: industrial factor = 0.9.	<code>result[2] < result[0]</code>	Pass	0.000s
Line 165: <code>np.clip(final_damage, 0, 1)</code> .	<code>np.all(result <= 1.0); np.all(result >= 0.0)</code>	Pass	0.000s
Line 155: <code>.get(str(pt).lower(), 1.0)</code> — 'other' defaults to 1.0.	<code>result[4] == pytest.approx(result[0])</code>	Pass	0.000s
Zero depths all zero	—	Pass	0.000s
Annual probability equals count over storms	<code>abs(prob - 5 / 100) < 1e-6</code>	Pass	0.025s
Only severe key in depth thresholds	<code>list(result["depth_thresholds"].keys()) == ["severe"]</code>	Pass	0.019s
Return period none when zero floods	<code>rp is None</code>	Pass	0.037s
Return period positive when floods present	<code>rp is not None; rp > 0</code>	Pass	0.020s
Deep flood -i damage ratio approaches 1.	<code>result > 0.5</code>	Pass	0.172s
Positive depth -i positive damage ratio.	<code>0.0 < result <= 1.0</code>	Pass	0.171s
0m depth -i 0 damage.	<code>gen..depth_to_damage(0.0) == 0.0</code>	Pass	0.173s
Delegates to scalar depth damage	<code>isinstance(result, float); result > 0</code>	Pass	0.166s
Zero depth	<code>gen..depth_to_damage(0.0) == 0.0</code>	Pass	0.167s
Line 80: after loop exhausted, <code>gauges_warning i 3</code> → 'baseline'.	<code>.derive_intensity_category(-1, 2) == "baseline"</code>	Pass	0.000s
Negative severe with five warnings returns moderate	<code>.derive_intensity_category(-1, 5) == "moderate"</code>	Pass	0.000s
Lines 78-79: <code>gauges_severe i 0</code> (doesn't match any threshold),	<code>.derive_intensity_category(-1, 3) == "moderate"</code>	Pass	0.000s
Negative severe zero warnings returns baseline	<code>.derive_intensity_category(-1, 0) == "baseline"</code>	Pass	0.000s
When severe i= 1, warning count is irrelevant.	<code>.derive_intensity_category(1, 10) == "moderate"</code>	Pass	0.000s
<code>gauges_severe=0</code> matches (0, 'baseline') in the severity table.	<code>.derive_intensity_category(0, 0) == "baseline"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Both missing returns na	<code>page..derive_tenor("", "") == "N/A"</code>	Pass	0.000s
Five year tenor	<code>page..derive_tenor("2024-01-01", "2029-01-01") == "5Y"</code>	Pass	0.000s
Invalid date format returns na	<code>page..derive_tenor("not-a-date", "2026-01-01") == "N/A"</code>	Pass	0.000s
Missing end returns na	<code>page..derive_tenor("2024-01-01", "") == "N/A"</code>	Pass	0.000s
Missing start returns na	<code>page..derive_tenor("", "2026-01-01") == "N/A"</code>	Pass	0.000s
Valid dates returns years	<code>page..derive_tenor("2024-01-01", "2026-01-01") == "2Y"</code>	Pass	0.000s
Empty property info returns valid	<code>result in ["Residential", "Buy-to-Let", "Second Home", "H...</code>	Pass	0.000s
Multi family returns btl or residential	<code>result in ["Buy-to-Let", "Residential"]</code>	Pass	0.000s
Rental history returns btl or residential	<code>result in ["Buy-to-Let", "Residential"]</code>	Pass	0.000s
Rental income returns btl or residential	<code>result in ["Buy-to-Let", "Residential"]</code>	Pass	0.000s
Vacant property	<code>result in ["Buy-to-Let", "Second Home", "Residential"]</code>	Pass	0.000s
Buy to let returns investment or primary	<code>result in ["Investment", "PrimaryResidence"]</code>	Pass	0.000s
Holiday home returns second residence	<code>..determine_occupancy_type("Holiday Home") == "SecondResid...</code>	Pass	0.000s
Residential returns primary or second	<code>result in ["PrimaryResidence", "SecondResidence"]</code>	Pass	0.000s
Second home returns second residence	<code>..determine_occupancy_type("Second Home") == "SecondReside...</code>	Pass	0.000s
Gauge IDs should be derived from location, not random UUIDs.	—	Skip	0.001s
Haversine known distance	<code>6.0 < distance < 8.0</code>	Pass	0.000s
Haversine same point	<code>calculate.distance_km(lat, lon, lat, lon) == pytest.appro...</code>	Pass	0.000s
Haversine teddington to richmond	<code>2.5 < distance < 4.0</code>	Pass	0.000s
Diagonal zero	<code>np.allclose(np.diag(D), 0.0)</code>	Pass	0.000s
51.5N 0.0 -j 51.5N 1.0E is approximately 69km.	<code>65.0 < d < 75.0</code>	Pass	0.000s
Positive off diagonal	<code>D[i, j] > 0.0</code>	Pass	0.000s
Shape	<code>D.shape == (n, n)</code>	Pass	0.000s
Symmetric	<code>np.allclose(D, D.T)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Thames gauges span ~80km corridor (Reading to Purfleet).	<code>10.0 < max.d < 120.0</code>	Pass	0.000s
Thames n gauges	<code>thames_model.n_gauges == 52</code>	Pass	0.000s
At zero is max	<code>RiskAssessor.calculate_distance_risk_factor == 1.0</code>	Pass	0.000s
Close band	<code>RiskAssessor.calculate_distance_risk_factor == 0.8</code>	Pass	0.000s
Far band	<code>RiskAssessor.calculate_distance_risk_factor == 0.2</code>	Pass	0.000s
Medium band	<code>RiskAssessor.calculate_distance_risk_factor == 0.4</code>	Pass	0.000s
Monotone decrease	<code>all(factors[i] >= factors[i + 1] for i in range(len(facto...</code>	Pass	0.000s
Near band	<code>RiskAssessor.calculate_distance_risk_factor == 0.6</code>	Pass	0.000s
Negative returns default	<code>RiskAssessor.calculate_distance_risk_factor == 0.5</code>	Pass	0.000s
None returns default	<code>RiskAssessor.calculate_distance_risk_factor == 0.5</code>	Pass	0.000s
Very close	<code>RiskAssessor.calculate_distance_risk_factor == 1.0</code>	Pass	0.000s
Very far	<code>RiskAssessor.calculate_distance_risk_factor == 0.1</code>	Pass	0.000s
Property 50m from gauge with strong storm must flood.	<code>depth > 0; ret > 0.98</code>	Pass	0.000s
Property 10km from gauge with moderate storm should not flood.	<code>depth == 0.0; ret < 0.05</code>	FAIL	0.000s
More distant properties receive less water — flood depth must	<code>depths[i] <= depths[i - 1] + 1e-6</code>	Pass	0.002s
Verify retention factor at key distances with 3km length scale.	<code>abs(actual - expected) < 0.001</code>	FAIL	0.000s
At typical Thames distances (200-800m), check flood/no-flood	<code>10 <= ratio <= 90; n_flooded < n_storms</code>	Pass	0.004s
Close distance label	<code>"Very close to Thames" in str(elements)</code>	Pass	0.000s
Zero distance highest risk	<code>"On Thames River" in str(elements)</code>	Pass	0.000s
STORM-d1a damage for PROP-A uses only that storm's damage_ratio.	<code>prop_a["damage_amount"] == pytest.approx(expected_damage)</code>	Pass	0.003s
Query STORM-d1a: only PROP-A (depth≠0) appears; PROP-B depth=0 excluded.	<code>r.status_code == 200; prop_ids (+1 more)</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Total damage is different for each storm in the doublet.	<code>total2 > total1</code>	Pass	0.004s
STORM-d1b causes more damage to PROP-A (deeper flood).	<code>dmg2 > dm1</code>	Pass	0.004s
Query STORM-d1b: both PROP-A and PROP-B have positive depth.	<code>r.status_code == 200; "PROP-A" in prop_ids (+1 more)</code>	Pass	0.004s
Response storm_id matches the queried storm.	<code>data["storm_id"] == "STORM-d1b"</code>	Pass	0.003s
Each storm computes its own damage-ratio from its own flood depth.	<code>"damage_ratio" in event; 0.0 <= event["damage_ratio"] <= 1.0</code>	Pass	0.172s
Doublet events have distinct storm ids	<code>"STORM-d001a" in event_storm_ids; "STORM-d001b" in event_storm_ids</code>	Pass	0.173s
Doublet produces two flood events	<code>result is not None; prop_file.exists() (+1 more)</code>	Pass	0.175s
<code>floods_at_nearest_gauge == 2</code> for doublet sequence.	<code>result["summary"]["floods_at_nearest_gauge"] == 2</code>	Pass	0.169s
File not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Non pdf served as attachment	<code>r.status_code == 200; "attachment" in r.headers.get("Content-Disposition", "")</code>	Pass	0.001s
Path traversal returns 403	<code>r.status_code in (403, 404)</code>	Pass	0.002s
Valid pdf served inline	<code>r.status_code == 200</code>	Pass	0.004s
Not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.001s
Valid download returns 200	<code>r.status_code == 200</code>	Pass	0.004s
File missing on disk returns 404	<code>r.status_code == 404; "not found" in data["message"].lower()</code>	Pass	0.030s
All rates below one	<code>rate < 1.0</code>	Pass	0.000s
All rates positive	<code>rate > 0</code>	Pass	0.000s
Has all five zones	<code>set(EA_FLOOD_ZONE_RATES.keys()) == self.EXPECTED_ZONES</code>	Pass	0.000s
Rate is float[zone 1] [zone='Zone 1']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 2] [zone='Zone 2']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 3] [zone='Zone 3']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 3a] [zone='Zone 3a']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 3b] [zone='Zone 3b']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zone 3 (generic) should have same rate as Zone 3a.	EA.FLOOD_ZONE_RATES['Zone 3'] == EA.FLOOD_ZONE_RATES['Zone 3a']	Pass	0.000s
Zone ordering 2 gt 1	EA.FLOOD_ZONE_RATES['Zone 2'] > EA.FLOOD_ZONE_RATES['Zone 1']	Pass	0.000s
Zone ordering 3a gt 2	EA.FLOOD_ZONE_RATES['Zone 3a'] > EA.FLOOD_ZONE_RATES['Zone 2']	Pass	0.000s
Zone ordering 3b gt 3a	EA.FLOOD_ZONE_RATES['Zone 3b'] > EA.FLOOD_ZONE_RATES['Zone 3a']	Pass	0.000s
Boundary parametrized[0.0-zone 3b] [offset=0.0, expected_zone='Zone 3b']	._ea_zone_from_elevation({'vertical_offset': 0.0, 'expected_zone': 'Zone 3b'}) == 'Zone 3b'	Pass	0.000s
Boundary parametrized[0.25-zone 3b] [offset=0.25, expected_zone='Zone 3b']	._ea_zone_from_elevation({'vertical_offset': 0.25, 'expected_zone': 'Zone 3b'}) == 'Zone 3b'	Pass	0.000s
Boundary parametrized[0.5-zone 3a] [offset=0.5, expected_zone='Zone 3a']	._ea_zone_from_elevation({'vertical_offset': 0.5, 'expected_zone': 'Zone 3a'}) == 'Zone 3a'	Pass	0.000s
Boundary parametrized[1.0-zone 3a] [offset=1.0, expected_zone='Zone 3a']	._ea_zone_from_elevation({'vertical_offset': 1.0, 'expected_zone': 'Zone 3a'}) == 'Zone 3a'	Pass	0.000s
Boundary parametrized[1.5-zone 2] [offset=1.5, expected_zone='Zone 2']	._ea_zone_from_elevation({'vertical_offset': 1.5, 'expected_zone': 'Zone 2'}) == 'Zone 2'	Pass	0.000s
Boundary parametrized[10.0-zone 1] [offset=10.0, expected_zone='Zone 1']	._ea_zone_from_elevation({'vertical_offset': 10.0, 'expected_zone': 'Zone 1'}) == 'Zone 1'	Pass	0.000s
Boundary parametrized[2.5-zone 2] [offset=2.5, expected_zone='Zone 2']	._ea_zone_from_elevation({'vertical_offset': 2.5, 'expected_zone': 'Zone 2'}) == 'Zone 2'	Pass	0.000s
Boundary parametrized[3.0-zone 1] [offset=3.0, expected_zone='Zone 1']	._ea_zone_from_elevation({'vertical_offset': 3.0, 'expected_zone': 'Zone 1'}) == 'Zone 1'	Pass	0.000s
The EAFloodZone field generator should use ._ea_zone_from_elevation.	result == 'Zone 3b'; result == 'Zone 1'	Pass	0.000s
Missing offset defaults to zone 1	._ea_zone_from_elevation({}) == 'Zone 1'	Pass	0.000s
Zone 1 at 30	._ea_zone_from_elevation({'vertical_offset': 30.0}) == 'Zone 1'	Pass	0.000s
Zone 1 at large offset	._ea_zone_from_elevation({'vertical_offset': 50.0}) == 'Zone 1'	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zone 2 at 15	<code>_ea_zone_from_elevation({'vertical_offset':1.5}) == 'Zon...</code>	Pass	0.000s
Zone 2 at 29	<code>_ea_zone_from_elevation({'vertical_offset':2.9}) == 'Zon...</code>	Pass	0.000s
Zone 3a at 05	<code>_ea_zone_from_elevation({'vertical_offset':0.5}) == 'Zon...</code>	Pass	0.000s
Zone 3a at 14	<code>_ea_zone_from_elevation({'vertical_offset':1.4}) == 'Zon...</code>	Pass	0.000s
Zone 3b at 049	<code>_ea_zone_from_elevation({'vertical_offset':0.49}) == 'Zo...</code>	Pass	0.000s
Zone 3b at zero offset	<code>_ea_zone_from_elevation({'vertical_offset':0.0}) == 'Zon...</code>	Pass	0.000s
Insufficient data message	<code>any("Insufficient" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.001s
Single entry insufficient	<code>any("Insufficient" in t for t in texts)</code>	Pass	0.000s
Sufficient data creates content	<code>len(result) > 2</code>	Pass	0.001s
More than 20 positions -i only top 20 movers shown.	<code>isinstance(result, list)</code>	Pass	0.001s
Market move pnl creates table	<code>len(tables) >= 2</code>	Pass	0.000s
New trade pnl creates table	<code>len(tables) >= 1</code>	Pass	0.000s
No positions shows messages	<code>any("No new trades" in t for t in texts); any("No market move" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Position with notional=0 triggers fmt_gbp(0) → em-dash path.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Gauge IDs longer than 12 chars should not crash.	<code>isinstance(result, list)</code>	Pass	0.000s
Positions from 2 gauges should produce group subheaders.	<code>len(tables) >= 1</code>	Pass	0.000s
No positions shows message	<code>any("No open positions" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Single position	<code>isinstance(result, list)</code>	Pass	0.000s
With positions creates table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 48: daily_pnl=0 and running_pnl=0 -i fmt_gbp returns em-dash.	<code>isinstance(result, list)</code>	Pass	0.000s
Eod id in filename	<code>"EOD-2026-03-08" in path.name</code>	Pass	0.005s
Generate empty snapshot	<code>path.exists()</code>	Pass	0.004s
Generate report returns path	<code>path.exists(); path.suffix == ".pdf"</code>	Pass	0.010s
Generate report without pnl series	<code>path.exists()</code>	Pass	0.005s
Lines 49-50: output_dir=None -i uses config.get_eod_dir().	<code>gen.output_dir == eod_dir</code>	Pass	0.001s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pdf not empty	<code>path.stat().st_size > 1000</code>	Pass	0.012s
EOD dates should be weekdays (Mon-Fri).	<code>not weekend</code>	Pass	0.001s
blotter/eod/ directory must exist.	<code>EOD_DIR.exists()</code>	Pass	0.000s
Each EOD file must be parseable JSON.	<code>not bad</code>	Pass	0.011s
Each EOD snapshot should have date, trades, and P&L data.	<code>not bad</code>	Pass	0.004s
Each EOD JSON should have a matching PDF report.	—	Pass	0.000s
Should have ~63 EOD snapshots (3 months of business days).	<code>len(eod_files) >= 50</code>	Pass	0.000s
trade_marks.json must exist in blotter directory.	<code>TRADE_MARKS.exists()</code>	Pass	0.000s
Date appears in paragraph	<code>any("2026-03-08" in t for t in texts)</code>	Pass	0.000s
Empty summary	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Has paragraph and table	<code>any(isinstance(e, Paragraph) for e in result); any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Negative pnl snapshot	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.015s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.001s
Audit log single event	<code>len(story) >= 5</code>	Pass	0.000s
Bcbs zero max score	<code>len(story) >= 4</code>	Pass	0.000s
Completely empty flood data	<code>path.exists()</code>	Pass	0.011s
Completely empty gauge data	<code>path.exists()</code>	Pass	0.012s
Completely empty property data	<code>path.exists()</code>	Pass	0.014s
Cover no coverage	<code>len(story) >= 3</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge data with hazard curve and timeseries	<code>path.exists()</code>	Pass	0.023s
gauge.json with dict-format flood_gauges is handled.	<code>resp.status_code == 200;</code> <code>data["status"] == "training"</code>	Pass	0.003s
Gauge with '-' for all numeric fields.	<code>result.exists()</code>	Pass	0.013s
Verify no crash or timeout with 500 property entries.	<code>path.exists()</code>	Pass	0.013s
Missing summary key	<code>path.exists()</code>	Pass	0.011s
Model with long name	<code>len(story) >= 3</code>	Pass	0.000s
Model with no name	<code>len(story) >= 3</code>	Pass	0.000s
Mortgage with None for numeric fields.	<code>result.exists()</code>	Pass	0.014s
Mrc actions with missing fields	<code>len(story) >= 3</code>	Pass	0.000s
Multiple models risk ratings	<code>len(story) >= 5</code>	Pass	0.000s
Negative value property	<code>path.exists()</code>	Pass	0.016s
Negative/nonsensical values should not crash the generator.	<code>path.exists()</code>	Pass	0.011s
None flood gauge header	<code>path.exists()</code>	Pass	0.011s
None gauge data key	<code>path.exists()</code>	Pass	0.005s
Output is non empty bytes	<code>isinstance(content, bytes);</code> <code>len(content) > 0</code>	Pass	0.009s
Pdf content is bytes	<code>isinstance(content, bytes);</code> <code>len(content) > 0</code>	Pass	0.020s
Property data with none header	<code>path.exists()</code>	Pass	0.008s
Property with None for value field.	<code>result.exists()</code>	Pass	0.013s
Raci no activities no triggers	<code>len(story) >= 3</code>	Pass	0.000s
Remediation null due date	<code>len(story) >= 4</code>	Pass	0.000s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.027s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.024s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.019s
Single page report	<code>path.exists()</code>	Pass	0.003s
Single page report	<code>path.exists()</code>	Pass	0.003s
If joblib appears between status check and train call, returns ready.	<code>data["status"] == "ready"</code>	Pass	0.001s
Training status of one gauge does not affect another.	<code>data["status"] == "not_trained"</code>	Pass	0.001s
Validation question no short label	<code>len(story) >= 1</code>	Pass	0.000s
Zero properties at risk	<code>path.exists()</code>	Pass	0.011s
Zero value property	<code>path.exists()</code>	Pass	0.016s
Spec requirement: stronger storms -j broader spatial footprint.	<code>r_moderate < r_severe < r_extreme</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
intensity_factor ≥ 1 still gives at least base range.	<code>r ==</code> <code>pytest.approx(small_model.params.base_range_km)</code>	Pass	0.000s
intensity_factor = 1.0 - ϵ range = base_range.	<code>r ==</code> <code>pytest.approx(small_model.params.base_range_km)</code>	Pass	0.000s
range = base * (1 + rho * (factor - 1)).	<code>m.effective_range_km(2.0) ==</code> <code>pytest.approx(56.0)</code>	Pass	0.000s
Good elevation over 20m	<code>isinstance(result, list)</code>	Pass	0.001s
Low elevation 5 to 10m	<code>isinstance(result, list)</code>	Pass	0.000s
Moderate elevation 10 to 20m	<code>isinstance(result, list)</code>	Pass	0.001s
No ground level	<code>isinstance(result, list)</code>	Pass	0.000s
Very low elevation under 5m	<code>isinstance(result, list)</code>	Pass	0.001s
Find the elevation where flooding stops — should be consistent	<code>depth_below > 0; depth_above == 0.0</code>	Pass	0.000s
Higher properties must have lower (or equal) flood depth.	<code>depths[i] <= depths[i - 1] + 1e-6</code>	Pass	0.002s
Higher floor level should reduce flood depth.	<code>depth_low_floor >= depth_high_floor</code>	Pass	0.000s
Property 8m above gauge should not flood (water_at_property $\geq$ threshold).	<code>depth == 0.0; est == 0.0</code>	Pass	0.000s
Property only 0.5m above gauge should flood with a strong storm.	<code>depth > 0</code>	Pass	0.000s
Concerning under 1 year	<code>isinstance(result, list)</code>	Pass	0.001s
Excellent 5 plus years	<code>isinstance(result, list)</code>	Pass	0.001s
Fair 1 to 2 years	<code>isinstance(result, list)</code>	Pass	0.000s
Good 2 to 5 years	<code>isinstance(result, list)</code>	Pass	0.001s
No curves raises value error	—	Pass	0.002s
Empty storm_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
Line 160-161: responses with empty storm_id are skipped.	<code>result["total_storms"] == 1;</code> <code>data["storms"][0]["storm_id"] ==</code> <code>"STORM-valid001"</code>	Pass	0.002s
storm_id key missing entirely → <code>resp.get('storm_id', "") == ""</code> → skip.	<code>result["total_storms"] == 1</code>	Pass	0.001s
Full pipeline generates all outputs	<code>(pipeline_dir / "gaugets").is_dir();</code> <code>(pipeline_dir / "gaugehd").is_dir()</code> (+3 more)	Pass	0.000s
Gauge count propagates	<code>n == N_GAUGES;</code> <code>len(list((pipeline_dir /</code> <code>"gaugets").glob("GAUGE-*.json"))...</code> (+2 more)	Pass	0.001s
Pipeline output file integrity	<code>expected_key in data</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Property count propagates	<code>n == N.PROPERTIES;</code> <code>json.load(f)["summary"]["total.properties"]</code> <code>== n</code>	Pass	0.002s
Analyze epc rating all bands	<code>expected_word in result</code>	Pass	0.000s
Analyze epc rating case insensitive	<code>"Excellent" in</code> <code>page._analyze_epc_rating("a")</code>	Pass	0.000s
Analyze epc rating unknown	<code>"Unknown" in result</code>	Pass	0.000s
Exercises energy intensity branch when area is known.	<code>len(tables) >= 1</code>	Pass	0.000s
Full data set exercises all branches without exception.	<code>isinstance(result, list); len(result)</code> <code>> 2</code>	Pass	0.000s
No energy data fallback message	<code>any("No energy performance data" in</code> <code>t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.002s
With building fabric	<code>isinstance(result, list)</code>	Pass	0.000s
With energy usage	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.000s
With ratings data	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.000s
With ratings includes table	<code>len(tables) >= 1</code>	Pass	0.000s
Close point pushed away	<code>dist >=</code> <code>PropertyPortfolioGenerator.MIN_RIVER_DISTANCE_M</code> <code>*...</code>	Pass	0.000s
Far point unchanged	<code>new_lat == pytest.approx(lat); new_lon</code> <code>== pytest.approx(lon)</code>	Pass	0.001s
Returns tuple of two floats	<code>len(result) == 2; all(isinstance(v,</code> <code>float) for v in result)</code>	Pass	0.000s
Lines 353-355: FileNotFoundError → <code>logger.error + sys.exit(1)</code> .	<code>1 in exited_with</code>	Pass	0.002s
Lines 451-453: FileNotFoundError → <code>logger.error + sys.exit(1)</code> .	<code>1 in exited</code>	Pass	0.002s
Lines 510-512: FileNotFoundError → <code>logger.error + sys.exit(1)</code> .	<code>1 in exited</code>	Pass	0.001s
Test handling of invalid JSON.	<code>response.status_code == 400</code>	Pass	0.001s
Lines 451-453: bad JSON → <code>json.JSONDecodeError</code> → <code>sys.exit(1)</code> .	<code>1 in exited</code>	Pass	0.003s
Lines 510-512: bad JSON → <code>json.JSONDecodeError</code> → <code>sys.exit(1)</code> .	<code>1 in exited</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 353-355: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited_with	Pass	0.004s
Test handling of missing content type.	response.status_code in [400, 415, 500]	Pass	0.001s
Kent multiplier	result > 0	Pass	0.000s
London multiplier	london > 0	Pass	0.000s
New property	result > 0	Pass	0.000s
Old property	result > 0	Pass	0.000s
Returns float	isinstance(result, float)	Pass	0.000s
Surrey multiplier	result > 0	Pass	0.000s
With area	result > 0	Pass	0.000s
With bedrooms	result > 0	Pass	0.000s
Zero property value falls through	result > 0	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=100, prop_elev=6.0, floor=0.3, peak=8.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=1000, prop_elev=6.5, floor=0.5, peak=9.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=200, prop_elev=8.0, floor=0.3, peak=10.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=2000, prop_elev=6.0, floor=0.3, peak=7.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=3000, prop_elev=7.5, floor=0.0, peak=10.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=500, prop_elev=5.5, floor=0.8, peak=6.0]	depth == 0.0; depth > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
If est_depth says no flood, hydro-graph should also show no flood. [distance=500, prop_elev=7.0, floor=0.3, peak=10.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro-graph should also show no flood. [distance=5000, prop_elev=6.0, floor=0.0, peak=12.0]	depth == 0.0; depth > 0	Pass	0.000s
100 floods gives 50bp	spread == 50.0	Pass	0.000s
664 floods gives 332bp	spread == 332.0	Pass	0.000s
Spread scales with num storms	spread_10k == spread_20k * 2	Pass	0.000s
Zero floods gives zero spread	spread == 0.0	Pass	0.000s
Zone hazard rates are still defined for reference/terrain grid.	EA_FLOOD_ZONE_RATES['Zone 3b'] == 0.05; EA_FLOOD_ZONE_RATES['Zone 3a'] == 0.02 (+2 more)	Pass	0.000s
Above max is zero	d.exceedance_probability(d.params.max_intensity + 10) == 0.0	Pass	0.000s
Above threshold uses pareto	0 < p < 1	Pass	0.000s
At max intensity is zero	d.exceedance_probability(d.params.max_intensity) == 0.0	Pass	0.000s
At min intensity is one	d.exceedance_probability(d.params.min_intensity) == 1.0	Pass	0.000s
At threshold continuous	abs(p_just_below - p_just_above) < 0.05	Pass	0.000s
Below min is one	d.exceedance_probability(d.params.min_intensity - 5) == 1.0	Pass	0.000s
Below threshold uses normal	0 < p < 1	Pass	0.000s
Severe floods should be rare.	prob <= 0.05 + 1e-9	Pass	0.000s
Normal levels should be common.	prob > 0.5	Pass	0.000s
Monotonically decreasing	all(probs[i] > probs[i + 1] for i in range(len(probs) - 1))	Pass	0.000s
Return period should be inverse of probability.	return_period > 1	Pass	0.000s
Get gauge id missing key	page._get_gauge_id({}) == "Unknown Gauge"; page._get_gauge_id(None) == "Unknown Gauge"	Pass	0.000s
Malformed gauge data returns error element	isinstance(elements, list); len(elements) > 0	Pass	0.000s
Compliant verdict	verdict.badge._cellvalues[1][0] == 'COMPLIANT'	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Non compliant verdict	<code>verdict.badge..cellvalues[1][0] in (</code> <code>'PARTIAL...</code>	Pass	0.000s
Run history shown	<code>'Run History' in texts</code>	Pass	0.000s
Extracts ids	<code>extract_property_ids(data) == {"P1",</code> <code>"P2"}; extract_mortgage_ids(data) ==</code> <code>{"M1", "M2"} (+1 more)</code>	Pass	0.000s
Missing gauge id skipped	<code>extract_gauge_ids(data) == set()</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Extracts ids	<code>extract_property_ids(data) == {"P1",</code> <code>"P2"}; extract_mortgage_ids(data) ==</code> <code>{"M1", "M2"} (+1 more)</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Extracts property ids from mortgages	<code>extract_mortgage_property_ids(data)</code> <code>== {"P1", "P2"}</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Empty items returns empty set	<code>extract_property_ids({"items": []})</code> <code>== set()</code>	Pass	0.000s
Extracts ids	<code>extract_property_ids(data) == {"P1",</code> <code>"P2"}; extract_mortgage_ids(data) ==</code> <code>{"M1", "M2"} (+1 more)</code>	Pass	0.000s
Missing property id skipped	<code>extract_property_ids(data) == set()</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Construction year extracted	<code>gen..extract_property_info(self.full_record["construction"])</code>	Pass	0.000s
Flood risk extracted	<code>gen..extract_property_info(self.full_record["flood_risk"])</code>	Pass	0.000s
Lat lon extracted	<code>abs(info["latitude"] - 51.45) <</code> <code>0.001; abs(info["longitude"] + 0.30)</code> <code>< 0.001</code>	Pass	0.000s
Missing attrs default construction year	<code>gen..extract_property_info({"PropertyHeader":</code> <code>{"Header": ...</code>	Pass	0.000s
Missing header defaults property id	<code>gen..extract_property_info({"PropertyHeader":</code> <code>{})["prope...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing location defaults postcode and coords	info["postcode"] == "SW1A 1AA"; abs(info["latitude"] - 51.5) < 0.01 (+1 more)	Pass	0.000s
Missing property header returns defaults	info["property_id"] == ""; info["property_value"] == 500000 (+1 more)	Pass	0.000s
Missing risk assessment defaults flood risk	gen._extract_property_info({"PropertyHeader": {"Header": ...	Pass	0.000s
Missing valuation defaults property value	gen._extract_property_info(record)["property_value"] == 5...	Pass	0.000s
Postcode extracted	gen._extract_property_info(self._full_record)["postcode"]	Pass	0.000s
Property id extracted from header	gen._extract_property_info(self._full_record)["property_id"]	Pass	0.000s
Property type extracted	gen._extract_property_info(self._full_record)["property_type"]	Pass	0.000s
Property value extracted	gen._extract_property_info(self._full_record)["property_value"]	Pass	0.000s
Age band factors within reasonable bounds	lo > 0; hi >= lo	Pass	0.000s
Base area ranges all positive	lo > 0; hi > lo	Pass	0.000s
Base price per sqm all positive	lo > 0; hi > lo	Pass	0.000s
Condition factors ordered by severity	excellent_lo > poor_hi	Pass	0.000s
Epc factors a highest	a_lo > g_hi	Pass	0.000s
Flood risk factors decrease with risk	very_low_lo > very_high_hi	Pass	0.000s
Min max value bounds	MIN_PROPERTY_VALUE == 150_000; MAX_PROPERTY_VALUE == 5_000_000	Pass	0.000s
Proximity zones have range key	'range' in data	Pass	0.000s
Rent per sqm all present	set(RENT_PER_SQM.keys()) == expected_types	Pass	0.000s
Rental yield rates all present	set(RENTAL_YIELD_RATES.keys()) == expected_types	Pass	0.000s
A failure matching FAILURE.METADATA renders a structured table.	len(tables) >= 3	Pass	0.001s
A failure NOT in FAILURE.METADATA falls back to bullet point.	any('test_trade_gauges_exist_in_gauge_json' in t ...	Pass	0.000s
Empty counterparty file uses fallback	len(trades) > 0; all(cid.startswith("CTPY-") for cid in ctpy_ids)	Pass	0.003s
Missing counterparty file uses fallback	len(trades) > 0	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Exact lookup found	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.002s
Exact lookup not found	<code>r.status_code == 404; "Field not found" in r.get_json()["message"]</code>	Pass	0.002s
Exact lookup wrong report	<code>r.status_code == 404</code>	Pass	0.002s
Exact lookup wrong section	<code>r.status_code == 404</code>	Pass	0.002s
No params 400	<code>r.status_code == 400; "Provide" in r.get_json()["message"]</code>	Pass	0.002s
No registry 404	<code>r.status_code == 404; "not found" in data["message"].lower() (+1 more)</code>	Pass	0.000s
Search by cdm path	<code>data["count"] >= 1</code>	Pass	0.002s
Search by source field	<code>data["count"] == 1; data["results"][0]["field"] == "spread" (+1 more)</code>	Pass	0.002s
Search case insensitive	<code>data["count"] >= 1</code>	Pass	0.002s
Search finds matches	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
Search no results	<code>r.status_code == 200; data["count"] == 0 (+1 more)</code>	Pass	0.002s
Search result structure	<code>data["count"] >= 1; "report" in result (+4 more)</code>	Pass	0.003s
If only report and search are given (not all 3 exact keys), search is used.	<code>data["count"] >= 1</code>	Pass	0.002s
None field def returns empty string	<code>result == ""</code>	Pass	0.000s
Numeric field def returns empty string	<code>result == ""</code>	Pass	0.000s
String field def returned as is	<code>result == "literal.value"</code>	Pass	0.000s
No type defaults to text	<code>"SomeField" in result</code>	Pass	0.000s
Unknown type returns empty	<code>result == ""</code>	Pass	0.000s
5 year filter	<code>len(result) < len(flows); len(result) > 0</code>	Pass	0.002s
Empty flows returns empty	<code>GaugeHistoricalDaily().filter_by_years([], years=10) == []</code>	Pass	0.000s
Empty list returns empty	<code>result == []</code>	Pass	0.000s
Filter 1 year keeps only recent	<code>"2010-01-01" not in [f["date"] for f in result]</code>	Pass	0.000s
Filter keeps recent	<code>"2000-06-01" not in dates; "2020-06-01" in dates</code>	Pass	0.000s
Large years returns all	<code>len(result) == len(flows)</code>	Pass	0.001s
None years returns all	<code>len(gen.filter_by_years(flows, years=None)) == 2</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None years returns all	<code>len(result) == len(flows)</code>	Pass	0.000s
All dates within range kept	<code>len(gen.filter_by_years(flows, years=5)) == 3</code>	Pass	0.000s
Zero years returns only most recent year	<code>"2020-01-01" in [f["date"] for f in result]</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements(make_property()), list)</code>	Pass	0.000s
Has financial header	<code>any("Financial" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No area skips value per sqm	<code>isinstance(result, list)</code>	Pass	0.000s
No property value	<code>isinstance(result, list)</code>	Pass	0.000s
No valuation data	<code>isinstance(result, list)</code>	Pass	0.000s
Other valuation field with value in name	<code>isinstance(result, list)</code>	Pass	0.000s
Other valuation field without value in name	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(make_property()), list)</code>	Pass	0.000s
Returns non empty list	<code>len(self._page().generate_elements(make_property())) > 0</code>	Pass	0.000s
Value per sqm shown when area present	<code>isinstance(result, list)</code>	Pass	0.000s
Atl basin	<code>"EVT-001" in ids; "EVT-002" in ids (+1 more)</code>	Pass	0.001s
Case insensitive	<code>result is not None; len(result) >= 1</code>	Pass	0.001s
Unknown basin returns empty	<code>storm_loader.find_by_basin("XYZ") == []</code>	Pass	0.001s
Wpac basin	<code>len(result) == 1; storm_loader.get_entity_id(result[0]) == "EVT-003"</code>	Pass	0.001s
All category 4	<code>all(s["TCEvent"]["Header"]["Category"] == 4 ...)</code>	Pass	0.002s
Category 3	<code>"EVT-003" in ids</code>	Pass	0.001s
Category 5	<code>len(result) == 1; storm_loader.get_entity_id(result[0]) == "EVT-002"</code>	Pass	0.001s
No matches returns empty	<code>storm_loader.find_by_category(99) == []</code>	Pass	0.001s
Find by county case insensitive	<code>len(results) == 1</code>	Pass	0.001s
Find by county empty portfolio	<code>results == []</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Find by county exact match	<code>len(results) == 1;</code> <code>results[0]["PropertyHeader"]["Header"]["PropertyID"]</code> <code>== "..."</code>	Pass	0.004s
Property with no County field should not crash.	<code>results == []</code>	Pass	0.003s
Find by county no match	<code>results == []</code>	Pass	0.001s
Find by county partial match	<code>len(results) == 2;</code> <code>ids ==</code> <code>{"PROP-001", "PROP-003"}</code>	Pass	0.001s
Case insensitive	<code>result is not None; len(result) >= 1</code>	Pass	0.001s
Exact match	<code>result is not None;</code> <code>storm_loader.get_entity_id(result) ==</code> <code>"EVT-001"</code>	Pass	0.001s
No match returns none	<code>storm_loader.find_by_name("Nonsense</code> <code>Storm") is None</code>	Pass	0.001s
Partial match	<code>result is not None;</code> <code>storm_loader.get_entity_id(result) ==</code> <code>"EVT-003"</code>	Pass	0.001s
Missing season returns empty	<code>storm_loader.find_by_season(1900) ==</code> <code>[]</code>	Pass	0.001s
Season 2017	<code>len(result) == 1;</code> <code>storm_loader.get_entity_id(result[0])</code> <code>== "EVT-001"</code>	Pass	0.001s
Season with multiple	<code>len(result) == 1</code>	Pass	0.001s
Dict with 'flood_gauges' list → finds first gauge correctly.	<code>result["FloodGauge"]["Header"]["GaugeName"]</code> <code>== "Gauge One"</code>	Pass	0.000s
Dict with 'flood_gauges' list → finds correct gauge by ID.	<code>result["FloodGauge"]["Header"]["GaugeID"]</code> <code>== "GAUGE-002"</code>	Pass	0.000s
Plain list of gauge dicts → finds the correct one.	<code>result["FloodGauge"]["Header"]["GaugeID"]</code> <code>== "GAUGE-B"</code>	Pass	0.000s
Dict with 'FloodGauge' key (single object) → returns the dict itself.	<code>result is sample_gauge_data</code>	Pass	0.000s
Flood gauges key found	<code>result == data["flood_gauges"][0]</code>	Pass	0.000s
Dict with neither 'flood_gauges' nor 'FloodGauge' key → ValueError raised.	—	Pass	0.000s
Invalid dict structure raises	—	Pass	0.000s
Invalid type raises	—	Pass	0.000s
Passing a string instead of dict/list → ValueError raised.	—	Pass	0.000s
List input found	<code>result == gauges[0]</code>	Pass	0.000s
Malformed gauge entry skipped	<code>result == data["flood_gauges"][1]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge ID not in plain list → ValueError raised.	—	Pass	0.000s
Gauge ID not present in data → ValueError raised.	—	Pass	0.000s
Not found raises value error	—	Pass	0.000s
Single gauge dict returns self	result is data	Pass	0.000s
Line 361: dict with neither 'flood_gauges' nor 'FloodGauge' → ValueError.	—	Pass	0.000s
Flood gauges key first gauge	result["FloodGauge"]["Header"]["GaugeID"] == "G-A"	Pass	0.000s
Flood gauges key last gauge	result["FloodGauge"]["Header"]["GaugeID"] == "G-C"	Pass	0.000s
Line 375: gauge_id not present in any entry → ValueError.	—	Pass	0.000s
Integer input raises	—	Pass	0.000s
Line 363: list input → list used directly as gauge collection.	result["FloodGauge"]["Header"]["GaugeID"] == "G-LIST"	Pass	0.000s
Malformed entry missing flood gauge key skipped	result["FloodGauge"]["Header"]["GaugeID"] == "G-REAL"	Pass	0.000s
Malformed entry with none skipped	result["FloodGauge"]["Header"]["GaugeID"] == "G-OK"	Pass	0.000s
Single flood gauge dict returns itself	result is data	Pass	0.000s
String input raises	—	Pass	0.000s
Finds existing meeting	meeting is not None; meeting["id"] == "M1" (+1 more)	Pass	0.029s
Returns error for missing meeting	meeting is None; err is not None	Pass	0.029s
Dict with mortgages found	result["amount"] == 100	Pass	0.000s
Dict with mortgages found	result["amount"] == 100	Pass	0.000s
Dict with mortgages not found returns none	result is None	Pass	0.000s
Dict with mortgages not found returns none	result is None	Pass	0.000s
Dict without mortgages key returns data itself	result is not None	Pass	0.000s
Empty mortgages list returns none	result is None	Pass	0.000s
Lines 406-407: non-dict, non-list -¿ return data as-is.	result == "some_string"	Pass	0.000s
Invalid type returns data as is	result == "some_string"	Pass	0.000s
List input found	result == data[0]; result["amount"] == 200	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
List input found	<code>result["amount"] == 200</code>	Pass	0.000s
List input not found returns none	<code>result is None</code>	Pass	0.000s
Distance is positive	<code>dist > 0</code>	Pass	0.000s
Returns nearest of three	<code>nearest.intensity == 80.0; dist == pytest.approx(0.0, abs=1.0)</code>	Pass	0.000s
Single track point	<code>nearest is track[0]</code>	Pass	0.000s
Dict without list key wraps itself	<code>result is data</code>	Pass	0.000s
Dict without properties wraps in list	<code>result == data</code>	Pass	0.000s
Empty properties list raises	—	Pass	0.000s
Invalid type raises	—	Pass	0.000s
Invalid type raises value error	—	Pass	0.000s
List input	<code>result == data[0]</code>	Pass	0.000s
List input found	<code>result == data[0]; result["amount"] == 200</code>	Pass	0.000s
List not found raises	—	Pass	0.000s
None raises value error	—	Pass	0.000s
Not found raises	—	Pass	0.000s
Not found raises value error	—	Pass	0.000s
Portfolio key	<code>result == data["portfolio"][0]</code>	Pass	0.000s
Portfolio key found	<code>result["PropertyHeader"]["Header"]["Property"] == "PA"</code>	Pass	0.000s
Properties key	<code>result == data["properties"][0]</code>	Pass	0.000s
Properties key found	<code>result["PropertyHeader"]["Header"]["Property"] == "P-002"</code>	Pass	0.000s
Train gauge creates joblib file	<code>(model_dir / "GAUGE-001.joblib").exists()</code>	Pass	0.083s
Train gauge has metrics	<code>"metrics" in result; "auc_roc" in result["metrics"] (+1 more)</code>	Pass	0.085s
Train gauge returns dict	<code>isinstance(result, dict)</code>	Pass	0.585s
Train gauge single class skipped	<code>result["status"] == "skipped"; result["reason"] == "single_class"</code>	Pass	0.002s
Train gauge status trained	<code>result["status"] == "trained"</code>	Pass	0.085s
Flood above trigger	<code>depth > 0.0</code>	Pass	0.000s
Flood attenuates with distance	<code>depth_close > depth_far</code>	Pass	0.000s
High elevation no flood	<code>depth == 0.0</code>	Pass	0.000s
No flood below trigger	<code>depth == 0.0</code>	Pass	0.000s
Calculate time above warning level.	<code>duration > 0</code>	Pass	0.000s
Duration should be in reasonable range.	<code>5 < duration < 30</code>	Pass	0.000s
No time above threshold for normal readings.	<code>duration == 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Create mapping returns flat dict	<code>isinstance(mapping, dict);</code> <code>mapping.get("gauge_id") ==</code> <code>"GAUGE-test1234" (+7 more)</code>	Pass	0.000s
Create mapping with empty input	<code>isinstance(gauge_cdm.create_mapping({}), dict)</code>	Pass	0.000s
Get field info for gauge id	<code>info is not None; info.get("type") ==</code> <code>"text"</code>	Pass	0.000s
Required fields include gauge id	<code>any("GaugeID" in f for f in</code> <code>gauge_cdm.get_required_fields())</code>	Pass	0.000s
Schema has flood gauge root	<code>"FloodGauge" in gauge_cdm.schema</code>	Pass	0.000s
Schema has header section	<code>"Header" in</code> <code>gauge_cdm.schema["FloodGauge"]</code>	Pass	0.000s
Validate empty data returns errors	<code>isinstance(gauge_cdm.validate({}), dict)</code>	Pass	0.000s
Validate valid gauge data	<code>len(gauge_cdm.validate(data)) == 0</code>	Pass	0.000s
Available gauges	<code>"GAUGE-001" in gauges</code>	Pass	0.000s
Available gauges empty dir	<code>predictor.available_gauges() == []</code>	Pass	0.000s
Lines 188-192: <code>_load_summary()</code> loads <code>training_summary.json</code> .	<code>'num_gauges' in summary; 'num_trained'</code> <code>in summary</code>	Pass	0.001s
<code>_load_summary</code> caches on second call.	<code>s1 is s2</code>	Pass	0.001s
Predict caches model	<code>"GAUGE-001" in predictor._models</code>	Pass	0.009s
Predict high level higher probability	<code>p_high > p_low</code>	Pass	0.009s
Predict in range	<code>0.0 <= prob <= 1.0</code>	Pass	0.007s
Predict missing model raises	—	Pass	0.000s
Predict returns float	<code>isinstance(prob, float)</code>	Pass	0.066s
Predict series all in range	<code>all(0.0 <= p <= 1.0 for p in result)</code>	Pass	0.007s
Predict series default derivatives	<code>len(result) == 2</code>	Pass	0.008s
Predict series returns list	<code>isinstance(result, list); len(result)</code> <code>== 4</code>	Pass	0.007s
Predict series with derivatives	<code>len(result) == 3</code>	Pass	0.008s
<code>predict_surface</code> returns a 2D probability grid (hours × levels).	<code>'water_levels' in result; 'hours' in</code> <code>result (+3 more)</code>	Pass	0.010s
Directly call <code>build_property_hydrograph</code> and verify it produces depth.	<code>max_depth > 0</code>	Skip	0.003s
Properties with <code>est_depth < 0</code> should have some flooded events.	—	Pass	0.002s
The IDW interpolation should produce high WSE from alert storms.	<code>water_at_prop > 0</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
At least one property should have a nearest gauge with alert storms.	<code>pid is not None</code>	Pass	0.006s
At high threshold	<code>RiskAssessor.assess_flood_risk_level(1.0) == "High"</code>	Pass	0.000s
At low threshold	<code>RiskAssessor.assess_flood_risk_level(0.1) == "Low"</code>	Pass	0.000s
At medium threshold	<code>RiskAssessor.assess_flood_risk_level(0.5) == "Medium"</code>	Pass	0.000s
Below low threshold	<code>RiskAssessor.assess_flood_risk_level(0.05) == "Low"</code>	Pass	0.000s
High range	<code>RiskAssessor.assess_flood_risk_level(0.75) == "High"</code>	Pass	0.000s
Medium range	<code>RiskAssessor.assess_flood_risk_level(0.3) == "Medium"</code>	Pass	0.000s
Monotone with depth	<code>levels == order</code>	Pass	0.000s
Negative returns unknown	<code>RiskAssessor.assess_flood_risk_level(-1.0) == "Unknown"</code>	Pass	0.000s
None returns unknown	<code>RiskAssessor.assess_flood_risk_level(None) == "Unknown";</code> <code>RiskAssessor.assess_ltv_risk_level(None) == "Unknown"</code>	Pass	0.000s
Very high	<code>RiskAssessor.assess_flood_risk_level(2.5) == "Very High"</code>	Pass	0.000s
Zero is very low	<code>RiskAssessor.assess_flood_risk_level(0.0) == "Very Low"</code>	Pass	0.000s
Lines 59-74: model builds without error given valid inputs.	<code>model.properties is not None;</code> <code>model.flood_event == {"GAUGE-000": 1.5}</code>	Pass	1.099s
Line 72-74: correlation_matrix is set after <code>__init__</code> .	<code>model.correlation_matrix is not None</code>	Pass	0.002s
Lines 62-63: custom correlation_distance and base_correlation stored.	<code>model.correlation_distance == 500;</code> <code>model.base_correlation == 0.6</code>	Pass	0.001s
Lines 86-88: missing elevation → warning + default 20.0.	<code>any("elevation" in str(warning.message).lower() for warni...;</code> <code>(model.properties["elevation"] == 20.0).all()</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 94-95: missing floor_level_metres → default 0.0.	"floor_level_metres" in model.properties.columns; (model.properties["floor_level_metres"] == 0.0).all()	Pass	0.001s
Line 81: missing 'geometry' column raises ValueError.	—	Pass	0.000s
Lines 83-84: property_id auto-assigned when absent.	"property_id" in model.properties.columns; model.properties["property_id"].iloc[0].startswith("PROP.")	Pass	0.001s
Lines 90-92: missing property_type → warning + default 'residential'.	any("property_type" in str(warning.message).lower() for w...; (model.properties["property_type"] == "residential").all()	Pass	0.001s
Line 81: missing 'value' column raises ValueError.	—	Pass	0.000s
Line 59: properties is a copy, original not mutated.	set(props.columns) == original.cols	Pass	0.001s
Line 71: kdtree built when gauge_data provided.	model.gauge_data is not None	Pass	0.006s
Lines 131-139: analyze_risk_clusters() returns DataFrame, sets risk_clusters.	isinstance(result, pd.DataFrame); model.risk_clusters is not None	Pass	0.475s
Lines 114-120: analyze_spatial_concentration() returns DataFrame.	isinstance(result, pd.DataFrame)	Pass	0.007s
Lines 122-129: calculate_advanced_metrics() returns dict.	isinstance(result, dict)	Pass	0.002s
Line 103: calculate_direct_impacts() returns ndarray.	isinstance(impacts, np.ndarray); len(impacts) == len(model.properties)	Pass	0.000s
Line 99: calculate_flood_depths() returns ndarray.	isinstance(depths, np.ndarray); len(depths) == len(model.properties)	Pass	0.000s
Line 151: _haversine_distance() delegates to haversine_distance.	isinstance(d, float); d > 0	Pass	0.000s
Lines 107-112: simulate_portfolio_impact() returns dict.	isinstance(result, dict)	Pass	0.027s
Default params produces data	len(result) > 0; "readings" in result[0]	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
String start time is parsed	<code>len(result) == 50</code>	Pass	0.000s
Lines 235-239: invalid metadata JSON triggers except continue.	<code>r.status_code == 200</code>	Pass	0.030s
Lines 280-281: property.json read error triggers except pass.	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.032s
Line 288: property not in valued_ids is skipped; storm filtered out.	<code>"STORM-E" not in storm_ids</code>	Pass	0.030s
Line 292: flood events with depth $\neq 0$ are skipped; storm filtered out.	<code>"STORM-F" not in storm_ids</code>	Pass	0.031s
Lines 218-219: invalid JSON in gaugets file triggers except continue.	<code>data["status"] == "success"; data["count"] >= 1</code>	Pass	0.032s
Lines 280-292: property flooding enriches storm with depth/damage.	<code>storms["STORM-D"]["properties_flooded"] == 1; storms["STORM-D"]["max_depth_m"] == 1.2 (+1 more)</code>	Pass	0.037s
Line 204: storm responses with empty storm_id are skipped.	<code>data["status"] == "success"; "" not in storm_ids (+1 more)</code>	Pass	0.029s
Lines 235-237: storms.json enrichment path (not sequences).	<code>s["intensity_category"] == "extreme"; s["effective_precipitation_mm"] == 80.0</code>	Pass	0.030s
Lines 254-266: storms without metadata get classified by gauges_severe count.	<code>storms["S-CAT"]["intensity_category"] == "catastrophic"; storms["S-CAT"]["name"] == "Catastrophic" (+4 more)</code>	Pass	0.042s
Property without flood_zone in source data should default to Zone 1.	<code>data['property_hazard_curves']['PROP-NOZONE'] == 'Zone 1' (+1 more)</code>	Pass	0.089s
Flood zone is valid zone name	<code>pc['flood_zone'] in valid_zones</code>	Pass	0.069s
Flood zone present in result	<code>'flood_zone' in pc</code>	Pass	0.070s
Flood zone values correct	<code>curves['PROP-001']['flood_zone'] == 'Zone 2'; curves['PROP-002']['flood_zone'] == 'Zone 1' (+1 more)</code>	Pass	0.069s
Unknown zone	<code>"Unknown" in r or "Zone X" in r</code>	Pass	0.000s
Zone 1 low risk	<code>"Low" in r</code>	Pass	0.000s
Zone 2 medium risk	<code>"Medium" in r</code>	Pass	0.000s
Zone 3a high risk	<code>"High" in r</code>	Pass	0.000s
Zone 3b floodplain	<code>"floodplain" in r.lower() or "Functional" in r</code>	Pass	0.000s
Zone in page output	<code>isinstance(result, list)</code>	Pass	0.002s
Large value	<code>'1,000,000' in result; result.startswith('£')</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Negative	'5,000' in result	Pass	0.000s
Non numeric fallback	fmt_gbp('N/A') == 'N/A'	Pass	0.000s
None fallback	result == 'None'	Pass	0.000s
Positive float	fmt_gbp(1234.56) == '£1,235'	Pass	0.004s
Zero	fmt_gbp(0) == '£0'	Pass	0.000s
line 286: f'{value:.6f}'.	result == '51.500000'	Pass	0.000s
Negative coordinate	result == '-0.100000'	Pass	0.000s
None delegates to format value	page._format.coordinate(None) == 'Not specified'	Pass	0.000s
None currency returns not specified	result == 'Not specified'	Pass	0.000s
String currency delegates	result == "N/A"	Pass	0.000s
Abbreviation replacements	'GPS' in result	Pass	0.000s
Camel case split	'Gauge' in result	Pass	0.000s
Non numeric delegates	page._format.frequency(None) == 'Not specified'	Pass	0.000s
Positive returns times	page._format.frequency(3) == '3 times'	Pass	0.000s
line 294: 'Never'.	page._format.frequency(0) == 'Never'	Pass	0.000s
Integer value	result == '5.000 m'	Pass	0.000s
Non numeric delegates to format value	result == 'Not specified'	Pass	0.000s
Numeric value with custom unit	result == '1.234 km'	Pass	0.000s
line 280: f'{value:.3f} {unit}'.	result == '3.500 m'	Pass	0.000s
None percentage returns not specified	result == 'Not specified'	Pass	0.000s
String percentage delegates	result == "N/A"	Pass	0.000s
Blank/whitespace-only string (line 272) -i 'Not specified'.	page._format.value('') == 'Not specified'; page._format.value(' ') == 'Not specified'	Pass	0.000s
False returns no	page._format.value(False) == 'No'	Pass	0.000s
float.is_integer() -i str(int(value)).	result == '3'	Pass	0.000s
float with fractional part -i 2 decimal places.	result == '3.14'	Pass	0.000s
int branch (line 270): str(value).	result == '42'	Pass	0.000s
None returns not specified	page._format.value(None) == 'Not specified'	Pass	0.000s
Normal string returned	page._format.value('hello') == 'hello'	Pass	0.000s
True returns yes	page._format.value(True) == 'Yes'	Pass	0.000s
Empty string returns not specified	page._format.value('') == 'Not specified'	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Whitespace string returns not specified	<code>page._format_value(' ') == 'Not specified'</code>	Pass	0.000s
None returns not specified	<code>page._format_value(None) == 'Not specified'</code>	Pass	0.000s
Pad foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Pile foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Raft foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Strip foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Unknown foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Four exceedances high	<code>"High frequency" in str(elements)</code>	Pass	0.000s
One exceedance	<code>"One severe level exceedance" in str(elements)</code>	Pass	0.001s
Two exceedances moderate	<code>"Moderate frequency" in str(elements)</code>	Pass	0.000s
Zero exceedances	<code>"No severe level exceedances recorded" in str(elements)</code>	Pass	0.000s
Distance matrix built	<code>thames_model.dist_matrix.shape == (52, 52)</code>	Pass	0.000s
From dict	<code>p.base_range_km == 50.0; p.nugget == 0.10 (+1 more)</code>	Pass	0.031s
Lines 323-325: construct model from a gauge.json file.	<code>model.n-gauges == 3; model.dist_matrix.shape == (3, 3)</code>	Pass	0.001s
Loads 52 gauges	<code>thames_model.n-gauges == 52</code>	Pass	0.000s
Full js contains iife	<code>'(function()'</code> in <code>full_governance_js</code> or <code>'(function ()'</code> in ...	Pass	0.000s
The Leaflet control that adds the Regulatory shield must be present.	<code>'GovernanceControl'</code> in <code>full_governance_js;</code> <code>'Regulatory Compliance'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains render audit reports	<code>'renderAuditReports'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains script tags	<code>'<script>'</code> in <code>full_governance_js;</code> <code>'</script>'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains show mg panel	<code>'showMgPanel'</code> in <code>full_governance_js</code>	Pass	0.000s
Terminal popup added in last session must be present.	<code>'_openTerminalPopup'</code> in <code>full_governance_js;</code> <code>'_auditTerminalRefreshNow'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js is str	<code>isinstance(full_governance_js, str)</code>	Pass	0.000s
Full js non empty	<code>len(full_governance_js) > 10.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Run node -check on the compiled governance script.	<code>result.returncode == 0</code>	Pass	0.217s
alpha=0.3 -j fast rise, long tail.	<code>rise_val > fall_val</code>	Pass	0.000s
Invalid alpha	<code>gamma_shape(0.5, 0.0) == 0.0;</code> <code>gamma_shape(0.5, -1.0) == 0.0</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=0.3]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=0.7]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=1.0]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
Negative u	<code>gamma_shape(-0.1, 0.5) == 0.0</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.3]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.5]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.7]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=1.0]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
Zero at zero	<code>gamma_shape(0.0, 0.3) == 0.0</code>	Pass	0.000s
Zero beyond one	<code>gamma_shape(1.01, 0.5) == 0.0</code>	Pass	0.000s
Matches scalar	<code>arr[h] == pytest.approx(expected, abs=1e-10)</code>	Pass	0.000s
Zero outside window	<code>arr[0] == 0.0; arr[49] == 0.0</code> (+1 more)	Pass	0.000s
Base level calculated	<code>abs(gc.base_level - 1.4) < 0.01</code>	Pass	0.000s
Creates gauge config	<code>isinstance(gc, GaugeConfig)</code>	Pass	0.000s
Defaults when no flood stages	<code>gc.flood_alert == 4.0</code>	Pass	0.000s
Handles case where FloodGauge key is missing (flat data).	<code>gc.flood_alert == 3.5</code>	Pass	0.000s
Flood alert set	<code>gc.flood_alert == 4.0</code>	Pass	0.000s
Gauge id set	<code>gc.gauge_id == "GAUGE-099"</code>	Pass	0.000s
Historical high set	<code>gc.historical_high == 6.0</code>	Pass	0.000s
Lines 32-34: loader.list_all() raises -j 500 response.	<code>response.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
Line 19: OPTIONS on /api/v1/gauges returns 200.	<code>response.status_code == 200;</code> <code>data['status'] == 'ok'</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Empty historical daily shows fallback	<code>any(t for t in texts)</code>	Pass	0.000s
No timeseries data shows fallback	<code>any("No historical" in t or "No" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With observations includes content	<code>len(result) >= 2</code>	Skip	0.096s
With observations returns elements	<code>len(result) > 2</code>	Skip	0.107s
Certified conclusion	<code>"certification standards" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Freq high significance	<code>"Regular severe events" in str(result)</code>	Pass	0.001s
Freq low significance	<code>"Low frequency events" in str(result)</code>	Pass	0.001s
Freq zero no exceedances conclusion	<code>"No historical severe flood events" in str(result)</code>	Pass	0.001s
Freq zero significance	<code>"No severe exceedances" in str(result)</code>	Pass	0.001s
Gauge overview summary section	<code>any("Gauge Overview Summary" in t for t in texts)</code>	Pass	0.001s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Get gauge name missing	<code>page._get_gauge_name({}) == "Unknown Gauge Name"</code>	Pass	0.000s
Get gauge name present	<code>page._get_gauge_name(_make_gauge()) == "Chelsea Bridge"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
High risk conclusion	<code>"high flood risk" in str(result)</code>	Pass	0.001s
hist_high ζ severe_level $\rightarrow$ 'Exceeds severe warning' significance.	<code>"Exceeds severe warning" in str(result)</code>	Pass	0.001s
hist_high $\bar{\jmath}$ severe_level $\rightarrow$ 'Within expected range' significance.	<code>"Within expected range" in str(result)</code>	Pass	0.001s
Key metrics summary section	<code>any("Key Metrics Summary" in t for t in texts)</code>	Pass	0.001s
Low risk conclusion	<code>"Low flood risk" in str(result)</code>	Pass	0.001s
Moderate risk conclusion	<code>"Moderate flood risk" in str(result)</code>	Pass	0.001s
Operational status conclusion	<code>"fully operational" in str(result)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Operational status summary section	<code>any("Operational Status Summary" in t for t in texts)</code>	Pass	0.001s
Report conclusions section	<code>any("Report Conclusions" in t for t in texts)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Timeseries alert conclusion	<code>"ALERT" in str(result)</code>	Pass	0.001s
Timeseries normal conclusion	<code>"normal water levels" in str(result)</code>	Pass	0.001s
Timeseries severe conclusion	<code>"CRITICAL" in str(result)</code>	Pass	0.001s
Timeseries warning conclusion	<code>"WARNING" in str(result)</code>	Pass	0.001s
Title present	<code>any("Comprehensive Data Summary" in t for t in texts)</code>	Pass	0.001s
Historical graph no dates fallback	<code>isinstance(result, list)</code>	Pass	0.000s
Historical graph with thresholds	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.041s
No storm responses shows message	<code>any("No storm" in t for t in texts)</code>	Pass	0.000s
No timeseries data shows no data message	<code>any("No historical" in t or "No storm" in t for t in texts)</code>	Pass	0.000s
Realised floods no exceedances	<code>any("No flood events" in t for t in texts)</code>	Pass	0.000s
Realised floods with exceedances	<code>len(tables) >= 1</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With historical daily returns more elements	<code>len(result) > 2</code>	Pass	0.089s
With storm responses includes table	<code>len(tables) >= 1</code>	Pass	0.000s
Worst storms severity classification	<code>isinstance(result, list)</code>	Pass	0.000s
Worst storms table top 10	<code>len(tables) == 1</code>	Pass	0.000s
Current level at alert	<code>"FLOOD ALERT" in str(result)</code>	Pass	0.001s
Current level at severe	<code>"SEVERE FLOOD WARNING" in str(result)</code>	Pass	0.001s
Current level at warning	<code>"FLOOD WARNING" in str(result)</code>	Pass	0.001s
Current level below alert is normal	<code>"Normal" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Historical exceedance section	any("Historical Threshold Exceedance" in t for t in texts)	Pass	0.000s
No timeseries shows message	any("No current timeseries data" in t for t in texts)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Threshold analysis section	any("Threshold Analysis" in t for t in texts)	Pass	0.000s
Alert-to-warning and warning-to-severe ranges are added to analysis table.	isinstance(result, list)	Pass	0.000s
Title present	any("Flood Stages" in t for t in texts)	Pass	0.000s
Uk thresholds section	any("UK Flood Stage Thresholds" in t for t in texts)	Pass	0.000s
With timeseries shows current status section	any("Current Status vs Thresholds" in t for t in texts)	Pass	0.000s
Lines 251-254: generate_basic_report() body on real generator.	path.exists(); path.suffix == ".pdf"	Pass	0.132s
Line 315: analysis branch in gauge_generator.generate_gauge_report.	path.exists()	Pass	0.003s
Lines 321-328: auto_open=True — open attempt caught, does not raise.	path.exists()	Pass	0.022s
Lines 307-311: generate_gauge_report() in gauge_generator.py, basic type.	path.exists()	Pass	0.022s
Lines 316-317: unknown type falls back to generate_report.	path.exists()	Pass	0.009s
Line 313: monitoring branch in gauge_generator.generate_gauge_report.	path.exists()	Pass	0.003s
Line 119: generate_report(pages_to_include=None) calls _auto_select_pages.	path.exists()	Pass	0.009s
Lines 102-103 in __init__.py: auto_open=True, open returns False.	result == fake_pdf	Pass	0.022s
Lines 285-286: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 283-284: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 290: get_statistics() returns dict with panel_width and panel_height.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Lines 480-481: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s
Lines 478-479: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 485: get_statistics() returns dict.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Empty return period levels no extra table	len(tables) >= 1	Pass	0.000s
No hazard curve shows fallback	any("No hazard" in t or "hazard" in t.lower() for t in te...	Pass	0.000s
Returns list	isinstance(result, list)	Pass	0.000s
With hazard curve basic	len(result) > 2	Pass	0.000s
With return period levels renders table	len(tables) >= 2	Pass	0.000s
GET /api/v1/gauges/{id}/hazard returns hazard data for known gauge.	response.status_code == 200; data['status'] == 'success' (+6 more)	Pass	0.002s
GEV parameters should be present and numeric.	gev['location'] is not None; gev['scale'] is not None (+3 more)	Pass	0.003s
GET /api/v1/gauges/{id}/hazard returns 404 for nonexistent gauge.	response.status_code == 404	Pass	0.002s
GET /api/v1/gauges/{id}/hazard returns 404 for gauge without hazard data.	response.status_code == 404	Pass	0.002s
GET /api/v1/gauges/{id}/storms returns storm data for known gauge.	response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.005s
calculate_statistics_from_levels via class.	isinstance(stats, dict)	Pass	0.002s
Calculate statistics via class	isinstance(stats, dict)	Pass	0.000s
Custom years	ghd.years_of_history == 30	Pass	0.000s
Default years	ghd.years_of_history == 50	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Filter by years explicit	<code>isinstance(result, list)</code>	Pass	0.000s
Filter by years none	<code>result == flows</code>	Pass	0.000s
generate_from_gauge_portfolio with explicit years overrides default.	<code>result["years_included"] == 3</code>	Pass	0.041s
generate_from_gauge_portfolio via class method.	<code>isinstance(result, dict);</code> <code>result["years_included"] == 5</code>	Pass	0.041s
When years=None, uses years_of_history.	<code>result["years_included"] == 10</code>	Pass	0.001s
Generate from nrfa via class	<code>output.exists();</code> <code>isinstance(result, dict)</code>	Pass	0.001s
generate_synthetic_timeseries via class method.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.003s
Generates per gauge files	<code>gaugets_dir.exists();</code> <code>len(list(gaugets_dir.glob("GAUGE-*.json")))</code> <code>>= N_GAUGES (+2 more)</code>	Pass	0.000s
Output has daily observations	<code>"daily_observations" in data;</code> <code>len(data["daily_observations"]) > 0</code>	Pass	0.009s
Parse nrfa csv via class	<code>len(flows) == 10</code>	Pass	0.001s
Statistics computed	<code>"statistics" in data; "mean_level" in data["statistics"] (+1 more)</code>	Pass	0.002s
Cdm available flag is bool	<code>hasattr(mod, "CDM_AVAILABLE");</code> <code>isinstance(mod.CDM_AVAILABLE, bool)</code>	Pass	0.000s
Response has count and gauges keys	<code>"count" in data; "gauges" in data (+1 more)</code>	Pass	0.001s
Returns 200 with no gaugehd files	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.001s
Returns correct count when files present	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
gauge.json must contain at least one gauge.	<code>len(ids) > 0</code>	Pass	0.004s
Gauge IDs in gaugehc.json must exist in gauge.json.	<code>not orphaned</code>	Pass	0.001s
Gauge IDs in gaugets/ files must exist in gauge.json.	<code>not orphaned</code>	Pass	0.001s
Each gaugets file's internal gauge_id must match its filename.	<code>internal_id == gf.stem</code>	Pass	0.001s
gaugets/ files must reference gauge IDs from gauge.json.	<code>len(missing) == 0</code>	Pass	2.945s
Every gauge in gauge.json must have a hazard curve.	<code>len(missing) == 0</code>	Pass	0.012s

Test Description	Acceptance Criteria	Result	Time
gaugehc.json must not contain IDs absent from gauge.json.	<code>len(orphan) == 0</code>	Pass	0.013s
Every gauge referenced by a trade must exist in gauge.json.	<code>len(missing) == 0</code>	Pass	0.008s
Every gauge with trades must have a hazard curve (for PRS pricing).	<code>len(missing) == 0</code>	Pass	0.016s
gauge_random.py must NOT use GAUGE-{i:03d} style sequential IDs.	<code>'GAUGE-{i:' not in src;</code> <code>'GAUGE-{index' not in src (+3 more)</code>	Pass	0.000s
gauge_random.py uses hashlib for deterministic ID generation.	<code>'hashlib' in src</code>	Pass	0.000s
gauge_random.py contains the GAUGE- prefix.	<code>'GAUGE-' in src</code>	Pass	0.004s
uuid4()[8] always produces 8 lower-case hex chars — 100 samples.	<code>GAUGE_ID_RE.match(gauge_id);</code> <code>PROP_ID_RE.match(prop_id) (+2 more)</code>	Pass	0.000s
Accepts valid uuid derived ids	<code>GAUGE_ID_RE.match('GAUGE-9042bd95');</code> <code>GAUGE_ID_RE.match('GAUGE-a1b2c3d4')</code> <code>(+2 more)</code>	Pass	0.000s
Rejects non hex chars	<code>not GAUGE_ID_RE.match('GAUGE-9042xd95');</code> <code>not GAUGE_ID_RE.match('GAUGE-9042gd95')</code>	Pass	0.000s
GAUGE-001, GAUGE-002 are NOT protocol-compliant.	<code>not GAUGE_ID_RE.match('GAUGE-001');</code> <code>not GAUGE_ID_RE.match('GAUGE-002')</code> <code>(+5 more)</code>	Pass	0.000s
Gauge IDs must be lowercase; GAUGE-9042BD95 is invalid.	<code>not GAUGE_ID_RE.match('GAUGE-9042BD95');</code> <code>not GAUGE_ID_RE.match('GAUGE-A1B2C3D4')</code>	Pass	0.000s
Rejects wrong length	<code>not GAUGE_ID_RE.match('GAUGE-9042bd9');</code> <code>not GAUGE_ID_RE.match('GAUGE-9042bd951')</code> <code>(+1 more)</code>	Pass	0.000s
Gauge id present in all responses	<code>"gauge_id" not in resp;</code> <code>gr.get("gauge_id") ==</code> <code>"GAUGE-deadbeef"</code>	Pass	0.003s
Multiple gauges have correct ids	<code>found_ids == {"GAUGE-00000001",</code> <code>"GAUGE-00000002", "GAUGE-...</code>	Pass	0.004s
Corrupted gauge json does not crash	<code>result["processing_stats"]["successful_properties"]</code> <code>== 2</code>	Pass	0.106s
Gauge id map empty when no gauge json	<code>isinstance(gen._gauge_id_map, dict)</code>	Pass	0.115s
When gauge.json exists with proper structure, gauge IDs are loaded.	<code>0 in gen._gauge_id_map;</code> <code>gen._gauge_id_map[0] == "GAUGE-111"</code>	Pass	0.120s
Also supports 'gauges' as the top-level key.	<code>gen._gauge_id_map.get(0) == "G-AAA"</code>	Pass	0.108s

Test Description	Acceptance Criteria	Result	Time
Get most recent reading.	<code>current ==</code> <code>flood_event_readings[-1]['level']</code>	Pass	0.000s
Detect falling water levels.	<code>trend == "FALLING"</code>	Pass	0.000s
Detect rising water levels.	<code>trend == "RISING"</code>	Pass	0.000s
Detect stable water levels.	<code>trend == "STABLE"</code>	Pass	0.000s
Detect peak level in time series.	<code>peak['level'] > 6.0;</code> 'timestamp' in <code>peak</code>	Pass	0.000s
Peak should occur around hour 24.	<code>20 < hours_to_peak < 28</code>	Pass	0.000s
Every gauges file should have 168-hour flood simulation.	<code>len(missing) == 0</code>	Pass	0.004s
Every gauges file should have storm_responses with responses.	<code>len(missing) == 0</code>	Pass	0.004s
At least some storms should exceed alert threshold.	<code>total_alert > 0</code>	Pass	1.575s
Synthetic gauges specifically should have storm responses.	<code>len(synth_gauges) > 0;</code> <code>len(responses)</code> <code>> 0</code>	Pass	1.235s
Count	<code>GaugeLoader(tmp_path).count() == 4</code>	Pass	0.017s
Floodgauges key also works	<code>GaugeLoader(tmp_path).count() == 2</code>	Pass	0.005s
Load all returns list	<code>len(GaugeLoader(tmp_path).load_all())</code> <code>== 3</code>	Pass	0.311s
Load missing file returns empty	<code>GaugeLoader(tmp_path).load_all() ==</code> <code>[]</code>	Pass	0.002s
Test GaugeID extraction from nested structure.	<code>gauge_id is not None;</code> <code>gauge_id.startswith(("GAUGE-",</code> <code>"SYNTH-"))</code>	Pass	0.001s
Test gauge summary generation.	<code>len(summaries) == 3;</code> 'gaugeId' in <code>summary (+5 more)</code>	Pass	0.001s
Test loading gauge portfolio.	<code>len(gauges) == 3</code>	Pass	0.001s
Caching works	<code>loader.load_all() is</code> <code>loader.load_all()</code>	Pass	0.001s
Clear cache	<code>not loader._cache_valid</code>	Pass	0.001s
Force reload	<code>len(loader.load_all(force_reload=True))</code> <code>== 5</code>	Pass	0.003s
Test getting active gauges.	<code>len(active) == 2;</code> <code>status == "Active"</code>	Pass	0.001s
Test getting gauge coordinates.	<code>coords is not None;</code> <code>lat ==</code> <code>pytest.approx(51.4309, rel=1e-4)</code> <code>(+1 more)</code>	Pass	0.001s
Test getting flood stage thresholds.	<code>stages is not None;</code> <code>stages['ActionStage'] == 4.5</code> (+3 <code>more)</code>	Pass	0.001s
Test getting gauge name by ID.	<code>name == "Thames at Teddington"</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test getting name for non-existent gauge.	name is None	Pass	0.001s
Exists false	GaugeLoader(tmp_path).exists("GAUGE-999") is False	Pass	0.001s
Exists true	GaugeLoader(tmp_path).exists("GAUGE-000") is True	Pass	0.002s
Find by id missing returns none	GaugeLoader(tmp_path).find_by_id("GAUGE-999") is None	Pass	0.003s
Find by id returns entity	result is not None; result["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-001"	Pass	0.001s
List all returns summaries	len(summaries) == 2; "gaugeId" in summaries[0]	Pass	0.001s
Test finding gauge by ID.	gauge is not None; gauge['FloodGauge']['Header']['GaugeName'] == "Thames at ..."	Pass	0.002s
Test finding gauge by name.	gauge is not None; gauge_loader.get_entity_id(gauge) == "GAUGE-001"	Pass	0.002s
Test name search is case insensitive.	gauge is not None	Pass	0.001s
Test finding gauges by owner.	len(ea_gauges) == 2; len(usgs_gauges) == 1	Pass	0.001s
Test finding active gauges.	len(active) == 2	Pass	0.001s
Test finding inactive gauges.	len(inactive) == 1; gauge_loader.get_entity_id(inactive[0]) == "GAUGE-003"	Pass	0.001s
Test finding river gauges.	len(river) == 2	Pass	0.001s
Test finding tidal gauges.	len(tidal) == 1	Pass	0.001s
Test finding gauges within radius.	len(nearby) >= 1; len(nearby) >= 2	Pass	0.001s
Test radius search with no matches.	len(nearby) == 0	Pass	0.002s
Get status returns dict	"entity_name" in status; "path" in status (+1 more)	Pass	0.001s
Distance j 100 → 'Very close to Thames'.	"Very close to Thames" in str(result)	Pass	0.001s
Distance == 0 → 'On Thames River' and 'Directly on Thames'.	"On Thames River" in str(result)	Pass	0.001s
Empty data does not crash	isinstance(result, list)	Pass	0.000s
Flood risk section	any("Flood Risk" in t for t in texts)	Pass	0.000s
Geographic coordinates section	any("Geographic Coordinates" in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Latitude 51.4-51.5 → 'Central London area'.	<code>"Central London area" in str(result)</code>	Pass	0.001s
Latitude 51.5 → 'North London area'.	<code>"North London area" in str(result)</code>	Pass	0.001s
Latitude 51.4 → 'South London area'.	<code>"South London area" in str(result)</code>	Pass	0.001s
No thames info does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Positioning summary section	<code>any("Positioning Summary" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Risk category in location profile	<code>"High flood risk location" in str(result)</code>	Pass	0.001s
Risk score shown as 'X/10'.	<code>"7.5/10" in str(result)</code>	Pass	0.001s
Thames context section	<code>any("Thames River Context" in t for t in texts)</code>	Pass	0.000s
Title present	<code>any("Geographic Location" in t for t in texts)</code>	Pass	0.000s
Lines 89-90: exception in create_gauge_mapping raises ValueError.	—	Pass	0.000s
Line 100: get_nrfa_fields returns list of NRFA field names.	<code>isinstance(fields, list); len(fields) == 15 (+3 more)</code>	Pass	0.000s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Empty readings list does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Historical statistics section	<code>any("Historical Measurement Statistics" in t for t in texts)</code>	Pass	0.000s
Measurement configuration section	<code>any("Measurement Configuration" in t for t in texts)</code>	Pass	0.000s
No timeseries shows message	<code>any("No current timeseries data" in t for t in texts)</code>	Pass	0.000s
Operational status section	<code>any("Operational Status" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Title present	<code>any("Current Measurements" in t for t in texts)</code>	Pass	0.000s
Current readings table is added when timeseries provided.	<code>len(tables_with) >= len(tables_without)</code>	Pass	0.001s
With timeseries shows current readings	<code>any("Current Readings" in t for t in texts)</code>	Pass	0.000s
Calculate level range.	<code>level_range > 2.0</code>	Pass	0.000s
Calculate maximum level.	<code>max_level > 6.0</code>	Pass	0.000s
Calculate mean water level.	<code>2.5 < mean < 3.5</code>	Pass	0.000s
Calculate minimum level.	<code>min_level > 0</code>	Pass	0.000s
Calculate maximum rate of rise.	<code>rate > 0</code>	Pass	0.000s
When name is empty, uses area_name.	<code>"Westminster" in result; "Thames" in result</code>	Pass	0.000s
No name key falls back to area	<code>"Putney" in result</code>	Pass	0.000s
No hazard curve shows fallback	<code>any("No hazard" in t or "hazard" in t.lower() for t in te...</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
With nonzero rates renders spreads	<code>len(tables) >= 1</code>	Pass	0.000s
With zero rates renders na	<code>len(tables) >= 1</code>	Pass	0.000s
Basic gauge report produces a valid PDF file.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.027s
Full gauge report produces a valid PDF.	<code>report_path.exists(); report_path.suffix == '.pdf'</code>	Pass	0.013s
Output directory is created automatically.	<code>new_dir.exists(); report_path.exists()</code>	Pass	0.024s
Generated filename includes the gauge ID.	<code>'GAUGE-test0001' in report_path.name</code>	Pass	0.024s
Gauge report PDF should be non-trivial in size.	<code>report_path.stat().st_size > 5000</code>	Pass	0.025s
Generated file is a valid PDF.	<code>header == b'%PDF-'</code>	Pass	0.030s
Report handles minimal gauge data without crashing.	<code>report_path.exists(); report_path.stat().st_size > 0</code>	Pass	0.021s
Daily minus 15	<code>r['reliability_score'] == 80</code>	Pass	0.000s
Decommissioned	<code>r['reliability_score'] == 0; r['category'] == "Unreliable"</code>	Pass	0.000s
Fully operational	<code>r['reliability_score'] == 95; r['category'] == "Highly Reliable"</code>	Pass	0.000s
Hourly minus 5	<code>r['reliability_score'] == 90</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Maintenance required	<code>r['reliability_score'] == 70;</code>	Pass	0.000s
Monthly minus 50	<code>r['category'] == "Reliable"</code> <code>r['reliability_score'] == 20;</code> <code>r['category'] == "Unreliable"</code>	Pass	0.000s
Realtime no adjustment	<code>rt['reliability_score'] ==</code> <code>base['reliability_score']</code>	Pass	0.000s
Result keys	<code>'reliability_score' in r; 'category'</code> <code>in r (+1 more)</code>	Pass	0.000s
Score clamped at zero	<code>r['reliability_score'] == 0</code>	Pass	0.000s
Temporarily offline	<code>r['reliability_score'] == 30;</code> <code>r['category'] == "Low Reliability"</code>	Pass	0.000s
Unknown status	<code>r['reliability_score'] == 50;</code> <code>r['category'] == "Moderately</code> <code>Reliable"</code>	Pass	0.000s
Weekly minus 30	<code>r['reliability_score'] == 65</code>	Pass	0.000s
Generator initialises with output directory.	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
Generator lists all registered gauge page modules.	<code>'title_overview' in pages;</code> <code>'sensor_details' in pages (+7 more)</code>	Pass	0.001s
Validates known gauge page names.	<code>'title_overview' in valid; 'bogus' in</code> <code>invalid</code>	Pass	0.001s
Line 163 (else branch): no time-series or hazard -i no analysis pages.	<code>not any(p in pages for p in</code> <code>analysis_pages)</code>	Pass	0.001s
Line 163 (if branch): gauge_data.get('hazard_curve') -i include analysis.	<code>"risk_assessment" in pages</code>	Pass	0.001s
Lines 269-270: generate_analysis_report creates PDF.	<code>path.exists()</code>	Pass	0.003s
Lines 208-210: exception in page -i logged, continue to next page.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 190-191: unknown page -i warning logged, skipped.	<code>isinstance(elements, list)</code>	Pass	0.001s
Lines 176-177: missing GaugeID -i uses 'unknown' in filename.	<code>"unknown" in name;</code> <code>name.endswith(".pdf")</code>	Pass	0.001s
Line 175: gauge_id extracted for filename.	<code>"GAUGE-001" in name</code>	Pass	0.001s
Lines 261-263: generate_monitoring_report creates PDF.	<code>path.exists()</code>	Pass	0.003s
Line 313: get_page_categories returns dict.	<code>isinstance(cats, dict); "gauge_info"</code> <code>in cats</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Line 279: list_available_pages returns list of strings.	isinstance(pages, list); "title_overview" in pages	Pass	0.001s
Lines 59-60: output_dir=None -i uses config.get_gauge_reports_dir().	gen.output_dir == gauge_dir	Pass	0.001s
Line 315: validate_pages with all valid pages.	"title_overview" in valid; invalid == []	Pass	0.001s
validate_pages with some invalid page names.	"title_overview" in valid; "nonexistent_page" in invalid	Pass	0.001s
Categories dict initialized	"gauge_info" in gen.categories; "operational" in gen.categories (+2 more)	Pass	0.001s
Explicit output dir path	isinstance(gen.output_dir, Path)	Pass	0.001s
Explicit output dir string	gen.output_dir == tmp_path	Pass	0.001s
No output dir uses config	gen.output_dir == gauge_dir	Pass	0.001s
Output dir created	new_dir.exists()	Pass	0.001s
Pages dict initialized	expected <= set(gen.pages.keys())	Pass	0.001s
Excludes timeseries when requested	"intensity_timeseries" not in d; "level_timeseries" not in d	Pass	0.000s
Flooded is bool	isinstance(d["flooded"], bool); d["flooded"] is True	Pass	0.000s
Has required keys	"gauge_id" in d; "storm_id" in d (+2 more)	Pass	0.000s
Includes timeseries by default	"intensity_timeseries" in d; "level_timeseries" in d (+1 more)	Pass	0.000s
Returns dict	isinstance(d, dict); isinstance(d, dict)	Pass	0.000s
Values rounded	d["peak_level"] == 5.2; d["accumulation"] == 4.5	Pass	0.000s
Generates elements list	isinstance(elements, list); len(elements) > 0	Pass	0.000s
No timeseries shows placeholder	any("No current timeseries" in t for t in texts)	Pass	0.000s
With timeseries data	isinstance(elements, list); len(elements) > 0	Pass	0.000s
Test POST /api/v1/gauges/report without gaugeId.	response.status_code == 400; 'Gauge ID is required' in data['message']	Pass	0.001s
Test GET /api/v1/gauges/idi.	response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Test GET /api/v1/gauges/idi with invalid ID.	response.status_code == 404	Pass	0.001s

Test Description		Acceptance Criteria	Result	Time
Test GET /api/v1/gauges/{id}/statistics.		response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Test GET /api/v1/gauges/{id}/timeseries.		response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.002s
Test legacy GET /api/v1/list_gauges endpoint.		response.status_code == 200; data['count'] == 3	Pass	0.003s
Test GET /api/v1/gauges.		response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.002s
Empty data does not crash		isinstance(result, list)	Pass	0.000s
Gauge id in subtitle		any("GAUGE-001" in t for t in texts)	Pass	0.001s
Gauge information section		any("Gauge Information" in t for t in texts)	Pass	0.001s
Get gauge id missing		page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present		page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Has tables		any(isinstance(e, Table) for e in result)	Pass	0.001s
Historical sensor statistics section		any("Historical Sensor Statistics" in t for t in texts)	Pass	0.001s
Location information section		any("Location Information" in t for t in texts)	Pass	0.001s
Measurement configuration section		any("Measurement Configuration" in t for t in texts)	Pass	0.001s
Missing SensorDetails → empty tables, no exception.		isinstance(result, list)	Pass	0.000s
Returns list		isinstance(result, list); len(result) > 0	Pass	0.001s
Title present		any("Sensor Details" in t for t in texts)	Pass	0.001s
With timeseries does not crash		isinstance(result, list)	Pass	0.001s
Level at alert threshold.		status == "ALERT"	Pass	0.000s
Level between alert and warning.		status == "ALERT"	Pass	0.000s
Level below alert = normal.		status == "NORMAL"	Pass	0.000s
Level at severe threshold.		status == "SEVERE"	Pass	0.000s
Level at warning threshold.		status == "WARNING"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 270-271: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s
Lines 268-269: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 275: get_statistics() returns dict.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Empty timeseries returns short list	isinstance(result, list); len(result) > 0	Pass	0.000s
Gauge name in title	any("Chelsea Gauge" in t for t in texts)	Pass	0.000s
Generates per gauge files	gaugets_dir.exists(); len(list(gaugets_dir.glob("GAUGE-*.json")) >= N_GAUGES (+2 more)	Pass	0.000s
Missing gauge name does not crash	isinstance(result, list)	Pass	0.000s
No timeseries message included	any("No time series data" in t for t in texts)	Pass	0.000s
No timeseries returns short list	len(result) > 0	Pass	0.000s
Output file has readings	len(gauge_files) > 0; "flood_simulation" in data (+1 more)	Pass	0.001s
Requires gauge portfolio	—	Pass	0.000s
Returns list	isinstance(result, list)	Pass	0.001s
Timeseries mixed statuses	isinstance(result, list)	Pass	0.090s
Readings with non-zero thresholds exercising fill_between paths.	isinstance(result, list)	Pass	0.091s
With timeseries returns more elements	len(result) >= len(empty_result)	Pass	0.090s
With timeseries table included	len(tables) >= 1	Pass	0.090s
DEFAULT_PARAMS and generate() default must both be 168 hours (7 days).	GaugeTimeSeriesGenerator.DEFAULT_PARAMS["simulation_hours"] == 168	Pass	0.000s
generate(simulation_hours) default parameter must be 168.	default == 168	Pass	0.000s
Convenience function generate_gaugets() default must be 168.	default == 168	Pass	0.003s
peak_hour_max must be strictly less than simulation_hours.	p["peak_hour_max"] < p["simulation_hours"]	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
peak_hour_min must be less than peak_hour_max.	p["peak_hour_min"] < p["peak_hour_max"]	Pass	0.000s
168-hour simulation produces significantly more readings than 60-hour.	files60 and files168; count168 > count60	Pass	0.786s
Lines 127-130: configure() updates a known sim_param key.	gen.sim_params['simulation_hours'] == 48	Pass	0.000s
Lines 127-129: unknown key is silently ignored (if branch is False).	'nonexistent_param' not in gen.sim_params	Pass	0.000s
generate(168) should produce ~168 readings per gauge.	len(files) > 0; sim.get("simulation_hours") == 168 (+1 more)	Pass	0.636s
Explicit override stores the passed value in simulation_hours metadata.	sim.get("simulation_hours") == 60	Pass	0.588s
Lines 157-159: gauge.json absent -> FileNotFoundError re-raised.	—	Pass	0.000s
simulation_hours is written into each gaugets JSON.	"simulation_hours" in data["flood_simulation"]	Pass	0.470s
Line 175: stale GAUGE-*.json files in gaugets/ are deleted before writing.	stale.exists(); not stale.exists()	Pass	0.226s
Unparseable install date is silently skipped.	isinstance(result, list)	Pass	0.000s
Empty data does not crash	isinstance(result, list)	Pass	0.000s
Gauge id in output	any("GAUGE-001" in t for t in texts)	Pass	0.000s
Gauge overview section header	any("Gauge Overview" in t for t in texts)	Pass	0.000s
Gauge summary section header	any("Gauge Summary" in t for t in texts)	Pass	0.000s
Get gauge id missing	page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present	page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.000s
Valid install date triggers gauge age row in summary.	isinstance(result, list); len(result) > 0	Pass	0.000s
No install date does not crash	isinstance(result, list)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Title paragraph present	any("Comprehensive Flood Gauge Analysis Report" in t for ...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown gauge fallback	<code>any("Unknown Gauge" in t for t in texts)</code>	Pass	0.000s
With timeseries does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Gauge trace includes classifier summary	<code>len(clf_steps) >= 2</code>	Pass	0.004s
Gauge trace includes gaugehd	<code>"gaugehd" in steps</code>	Pass	0.004s
Gauge trace includes market state	<code>len(blotter_steps) >= 2</code>	Pass	0.003s
Gauge trace includes sequence gauge	<code>len(stressm_steps) >= 2</code>	Pass	0.003s
When per-gauge file doesn't exist, falls back to <code>_index.json</code> .	<code>any("_index.json" in r["file"] for r in stressm_steps)</code>	Pass	0.006s
When <code>sequence_gauge/</code> dir doesn't exist, falls back to legacy file.	<code>any("sequence_gauge_summary" in r["file"] for r in stress...</code>	Pass	0.002s
Lines 68-69: exception returns <code>validation_error</code> dict.	<code>"validation_error" in result; isinstance(result["validation_error"], list) (+2 more)</code>	Pass	0.000s
Lines 61,64: invalid menu field value appended to <code>sensor_errors</code> .	<code>"SensorDetails" in errors; any("DataSourceType" in e for e in errors["SensorDetails"])</code>	Pass	0.000s
Multiple invalid menu fields all collected.	<code>"SensorDetails" in errors; len(errors["SensorDetails"]) == 3</code>	Pass	0.000s
Valid menu field values produce no <code>SensorDetails</code> errors.	<code>"SensorDetails" not in errors</code>	Pass	0.000s
Curve points present	<code>not missing</code>	Pass	0.000s
Each gauge has required fields	<code>not missing</code>	Pass	0.000s
File exists	<code>GAUGEHC_PATH.exists(); MARKET_STATE.exists()</code>	Pass	0.000s
alert ; warning ; severe for every gauge.	<code>not violations</code>	Pass	0.000s
Gauge count at least 40	<code>count >= 40</code>	Pass	0.000s
Gauge ids are well formed	<code>not bad</code>	Pass	0.000s
Has hazard curves key	<code>"hazard_curves" in gaugehc</code>	Pass	0.000s
alert ; warning ; severe (higher trigger = lower probability).	<code>not violations</code>	Pass	0.000s
Hazard rates positive	<code>not violations</code>	Pass	0.000s
Term structure present	<code>not missing</code>	Pass	0.000s
Lines 73-77: <code>main()</code> with no GDF files logs info.	—	Pass	0.000s
Lines 70-71: <code>main()</code> processes files, handles errors.	—	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Line 37: output_dir defaults to input_dir when None.	result == []	Pass	0.000s
Lines 46-47: error processing a CSV file is logged and skipped.	result == []	Pass	0.001s
directory.main() is callable.	callable(main)	Pass	0.000s
Each file has required keys	not bad	Pass	13.311s
Flood simulation has readings	not bad	Pass	13.282s
Gauge id field matches filename	not bad	Pass	13.295s
Gaugets dir exists	GAUGETS_DIR.exists()	Pass	0.000s
Gaugets gauge id format	not bad	Pass	0.001s
Gaugets not empty	gaugets_files	Pass	0.000s
simulation_hours should match number of reading entries.	not mismatches	Pass	13.271s
Line 72: datetime -i isoformat string.	"2026-01-01" in result	Pass	0.000s
Lines 75-76: np.float32 is np.floating but not Python float -i default() called.	"2.5" in result	Pass	0.000s
Lines 73-74: np.integer -i int.	"42" in result	Pass	0.000s
Lines 77-78: np.ndarray -i list via tolist().	"1.0" in result	Pass	0.000s
Line 79: unknown type -i super().default() -i TypeError.	—	Pass	0.000s
gaugets readings using 'level' key (alternate field name) are extracted.	resp.status_code == 200; max(water_levels) > min(water_levels)	Pass	0.005s
gaugets readings using 'waterLevel' key are correctly extracted.	resp.status_code == 200; max(water_levels) > min(water_levels) (+1 more)	Pass	0.006s
When no gaugets file exists, stress run returns 404.	resp.status_code == 404; "No gaugets data" in data.get('message', '')	Pass	0.005s
Lines 241-244: __main__ block runs generate_gaugets(168) and logs results.	(tmp_path / 'gaugets').exists()	Pass	0.004s
Random module peak_hour_max must be j simulation_hours.	DEFAULT_PARAMS["peak_hour_max"] < DEFAULT_PARAMS["simulat...	Pass	0.000s
gaugets_random.DEFAULT_PARAMS simulation_hours must be 168.	DEFAULT_PARAMS["simulation_hours"] == 168	Pass	0.000s
The generator uses input_dir.name as the catchment name.	gen.input_dir.name == 'thames'	Pass	0.000s
Daily flows filtered by years	len(result_3yr["daily_flows"]) > len(result_1yr["daily_fl...	Pass	0.027s

Test Description	Acceptance Criteria	Result	Time
Explicit gauge id overrides meta-data	<code>result["station_metadata"]["station_id"] == "OVERRIDE-ID"</code>	Pass	0.015s
Even with completely empty input, PDF should still generate.	<code>result.exists(); result.stat().st_size > 0</code>	Pass	0.007s
Minimal data (empty arrays) should produce valid PDF.	<code>result.exists()</code>	Pass	0.010s
Output file written	<code>output_path.exists(); json.load(f)["data.type"] == "GaugeHistoricalDaily"</code>	Pass	0.017s
Output path creates parent dirs	<code>result.exists()</code>	Pass	0.021s
With populated data, PDF should have multiple pages (from Page-Breaks).	<code>out.stat().st_size > 5000</code>	Pass	0.020s
Pdf starts with magic bytes	<code>f.read(5) == b'%PDF-'</code>	Pass	0.024s
Produces pdf file	<code>result == out; out.exists() (+1 more)</code>	Pass	0.018s
Returns dict with required keys	<code>key in result</code>	Pass	0.014s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.018s
Avg basis is float	<code>isinstance(stats["avg_basis_bps"], float)</code>	Pass	0.050s
Avg transmission rate between 0 and 1	<code>0.0 <= stats["avg-transmission-rate"] <= 1.0</code>	Pass	0.030s
Num storms in stats	<code>"num_storms" in stats; stats["num_storms"] > 0</code>	Pass	0.029s
Total flood events counted	<code>stats["total_flood_events"] == 7</code>	Pass	0.048s
No gauges in portfolio returns empty list.	<code>result == []</code>	Pass	0.001s
Line 50: error path extracts GaugeID from FloodGauge.Header.	<code>len(result) == 0; "GAUGE-BADONE" in caplog.text</code>	Pass	0.002s
Line 50: completely empty entry uses UNKNOWN as gauge_id.	<code>len(result) == 0; "UNKNOWN" in caplog.text</code>	Pass	0.001s
Good gauges succeed even when bad ones fail.	<code>len(result) == 1</code>	Pass	0.043s
Line 60-61: house with 3 bedrooms returns 1 or 2 bathrooms.	<code>results.issubset({1, 2}); len(results) == 2</code>	Pass	0.000s
Line 62-63: house with 4+ bedrooms returns 2 or 3 bathrooms.	<code>results.issubset({2, 3}); len(results) == 2</code>	Pass	0.000s
5 bedrooms also takes the 4+ path (line 62-63).	<code>val in (2, 3)</code>	Pass	0.000s
Advised flag	<code>isinstance(generate.boolean_value("AdvisedFlag", self._fd...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Btl commercial purpose	<code>generate_boolean_value("BusinessOrCommercialPurpose", sel...; generate_boolean_value("BusinessOrCommercialPurpose", sel...</code>	Pass	0.000s
Default flag from data	<code>generate_boolean_value("DefaultFlag", self._fd(is_default...; generate_boolean_value("DefaultFlag", self._fd(is_default...</code>	Pass	0.000s
Execution only flag	<code>isinstance(generate_boolean_value("ExecutionOnlyFlag", se...</code>	Pass	0.000s
First time buyer btl always false	<code>generate_boolean_value("FirstTimeBuyerFlag", self._fd(mor...</code>	Pass	0.000s
First time buyer expensive property	<code>isinstance(result, bool)</code>	Pass	0.000s
First time buyer normal property	<code>isinstance(result, bool)</code>	Pass	0.000s
In arrears flag	<code>generate_boolean_value("InArrearsFlag", self._fd(is_in_ar...</code>	Pass	0.000s
Mmr compliant	<code>generate_boolean_value("MMRCompliantFlag", self._fd()) is...</code>	Pass	0.000s
Stress compliant	<code>generate_boolean_value("StressTestCompliantFlag", self.f...</code>	Pass	0.000s
Unknown field returns bool	<code>isinstance(generate_boolean_value("Unknown", self._fd()),...</code>	Pass	0.000s
Count respected	<code>len(result["data"]) == 3</code>	Pass	0.001s
Returns dict	<code>isinstance(result, dict); "data" in result</code>	Pass	0.000s
Fair section 50 to 75 gets enhance- ment rec	<code>any("OtherSection" in rec for rec in r)</code>	Pass	0.000s
Good sections maintain recommen- dation	<code>any("Maintain" in rec or "maintain" in rec for rec in r)</code>	Pass	0.000s
Max 5 recommendations	<code>len(r) <= 5</code>	Pass	0.000s
Poor section under 50 gets recom- mendation	<code>any("SomeSection" in rec for rec in r)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements("ImprovementProperty", isinstance(r, list)</code>	Pass	0.000s
Application date is string	<code>isinstance(result, str); len(result) == 10</code>	Pass	0.000s
Default date not defaulted	<code>result is None</code>	Pass	0.000s
Default date when defaulted	<code>isinstance(result, str)</code>	Pass	0.000s
Disbursal date	<code>isinstance(result, str)</code>	Pass	0.000s
Maturity date	<code>isinstance(result, str)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown field	<code>1 <= result <= 10; isinstance(result, str)</code>	Pass	0.000s
Application property valuation	<code>generate_decimal_value("ApplicationPropertyValuation", se...)</code>	Pass	0.000s
Aprc initial rate	<code>isinstance(result, float)</code>	Pass	0.000s
Aprc secondary rate	<code>isinstance(result, float)</code>	Pass	0.000s
Borrower income	<code>generate_decimal_value("BorrowerIncome", self._fd()) == 7...</code>	Pass	0.000s
Current balance	<code>generate_decimal_value("CurrentBalance", self._fd()) == 2...</code>	Pass	0.000s
Current lending rate	<code>abs(result - 4.0) < 0.01</code>	Pass	0.000s
Current ltv	<code>abs(result - 75.0) < 0.01</code>	Pass	0.000s
Current payment	<code>generate_decimal_value("CurrentPayment", self._fd()) == 1500</code>	Pass	0.000s
Debt to income ratio	<code>isinstance(result, float)</code>	Pass	0.000s
Debt to income zero income	<code>result == 0.3</code>	Pass	0.000s
Default field	<code>isinstance(result, float)</code>	Pass	0.000s
Interest rate	<code>isinstance(result, float)</code>	Pass	0.000s
Loan to value ratio	<code>abs(result - 80.0) < 0.01</code>	Pass	0.000s
Ltv field	<code>abs(result - 75.0) < 0.01</code>	Pass	0.000s
Original lending rate	<code>abs(result - 4.0) < 0.01</code>	Pass	0.000s
Original loan	<code>generate_decimal_value("OriginalLoan", self._fd()) == 320000</code>	Pass	0.000s
Original loan amount	<code>generate_decimal_value("OriginalLoanAmount", self._fd()) ...</code>	Pass	0.000s
Original ltv	<code>abs(result - 80.0) < 0.01</code>	Pass	0.000s
Outstanding balance	<code>generate_decimal_value("OutstandingBalance", self._fd()) ...</code>	Pass	0.000s
Purchase value	<code>generate_decimal_value("PurchaseValue", self._fd()) == 40...</code>	Pass	0.000s
Empty page list	<code>elements == []</code>	Pass	0.002s
Empty page list	<code>elements == []</code>	Pass	0.001s
Empty page list returns empty	<code>elements == []</code>	Pass	0.001s
Exception in page continues	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
If one page raises, the remainder are still processed.	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Exception in page module continues	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.001s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.001s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.002s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.001s
Mortgage data passed to page	—	Pass	0.002s
Multiple pages have page break	<code>any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
Multiple pages have page breaks	<code>any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
Multiple pages inserts page breaks	<code>has_break</code>	Pass	0.001s
No gauge id key returns message	<code>any("No gauge ID" in t for t in texts)</code>	Pass	0.000s
None timeseries passed to page	—	Pass	0.001s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.002s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.011s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.002s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.001s
Timeseries passed to page	—	Pass	0.002s
Unknown page skipped	<code>len(elements) == 0</code>	Pass	0.001s
Unknown page skipped	<code>len(elements) == 0</code>	Pass	0.002s
Unknown page skipped	<code>isinstance(elements, list); len(elements) == 0</code>	Pass	0.001s
With gauge id returns trading header	<code>any("Trading Activity" in t for t in texts)</code>	Pass	0.009s
When eod_date is None, uses today's date.	<code>snapshot['date'] == date.today().isoformat(); snapshot['eod_id'] == expected_id</code>	Pass	0.000s
Empty property list returns zero mortgages	<code>result["data"]["mortgages"] == []; result["processing_stats"]["total_mortgages"] == 0</code>	Pass	0.001s
Missing property file raises file not found	—	Pass	0.000s
All storm sequences	<code>isinstance(seq, StormSequence)</code>	Pass	0.000s
Catchment propagated	<code>seq.catchment_id == "rhine"; storm.catchment_id == "rhine"</code>	Pass	0.001s
Correct count	<code>len(small.batch) == 200</code>	Pass	0.000s
Different seeds differ	<code>types_a != types_b</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Force sequence type doublet	<code>doublets > 50; seq.sequence_type in ("doublet", "isolated")</code>	Pass	0.003s
Force sequence type isolated	<code>seq.sequence_type == "isolated"; seq.num_storms == 1</code>	Pass	0.001s
Reproducible with same seed	<code>[s.sequence_id for s in a] != [s.sequence_id for s in b]; sa.num_storms == sb.num_storms (+1 more)</code>	Pass	0.004s
Returns list	<code>isinstance(small_batch, list)</code>	Pass	0.000s
Custom weight heavy on extreme shifts the distribution.	<code>all(c == "extreme" for c in cats)</code>	Pass	0.007s
All four default weight categories appear in the batch.	<code>cat in categories</code>	Pass	0.000s
Multi-storm sequences appear at a meaningful rate for severe+.	<code>multi_frac > 0.15</code>	Pass	0.000s
Boolean type	<code>isinstance(result, bool)</code>	Pass	0.000s
Date type	<code>isinstance(result, str)</code>	Pass	0.000s
Decimal type	<code>isinstance(result, (int, float))</code>	Pass	0.000s
Enum type	<code>result == "Monthly"</code>	Pass	0.000s
Integer type	<code>result == 300</code>	Pass	0.000s
Menu type	<code>result == "Monthly"</code>	Pass	0.000s
Non dict field def returns string	<code>result == "literal"</code>	Pass	0.000s
Non dict non string returns empty	<code>result == ""</code>	Pass	0.000s
Text type	<code>result == "thames"</code>	Pass	0.000s
Unknown type returns empty	<code>result == ""</code>	Pass	0.000s
Contains flood risk report	<code>"flood_risk_report" in gen.generate_filename()</code>	Pass	0.001s
Contains gauge id	<code>"GAUGE-001" in name</code>	Pass	0.001s
Contains property id	<code>"PROP-001" in name</code>	Pass	0.002s
Contains timestamp	<code>digits >= 8</code>	Pass	0.001s
Ends with pdf	<code>gen.generate_filename(gauge_data).endswith(".pdf")</code>	Pass	0.001s
Ends with pdf	<code>gen.generate_filename(prop_data).endswith(".pdf")</code>	Pass	0.002s
Ends with pdf	<code>gen.generate_filename().endswith(".pdf")</code>	Pass	0.001s
Missing gauge id uses unknown	<code>"unknown" in name; name.endswith(".pdf")</code>	Pass	0.001s
Missing property id uses unknown	<code>"unknown" in name; name.endswith(".pdf")</code>	Pass	0.002s
Partial path missing gauge id	<code>"unknown" in name</code>	Pass	0.001s
Partial path missing header	<code>"unknown" in name</code>	Pass	0.002s
Partial path missing header	<code>"unknown" in name</code>	Pass	0.002s
Partial path missing property id	<code>"unknown" in name</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Returns string	<code>isinstance(name, str)</code>	Pass	0.001s
Returns string	<code>isinstance(name, str)</code>	Pass	0.002s
Returns string	<code>isinstance(name, str)</code>	Pass	0.001s
Timestamp in filename	<code>digits >= 8</code>	Pass	0.001s
Timestamp in filename	<code>digits >= 8</code>	Pass	0.002s
Two calls produce string names	<code>isinstance(n1, str)</code> and <code>isinstance(n2, str)</code>	Pass	1.107s
Estimates value when zero	<code>result["loan.amount"] > 0</code>	Pass	0.000s
Flood risk passed through	<code>result["flood_risk"] == "High"</code>	Pass	0.000s
Returns dict with mortgage id	<code>"mortgage_id" in result;</code> <code>result["mortgage_id"].startswith("MORT-")</code>	Pass	0.000s
Uses provided property value	<code>result["property_value"] == 600000</code>	Pass	0.000s
When <code>output_dir=None</code> , uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, dict)</code>	Pass	0.040s
Daily observations generated	<code>len(result["daily_observations"]) > 0</code>	Pass	0.044s
Gauge metadata extracted	<code>result["gauge_metadata"]["gauge_id"]</code> <code>== "GAUGE-TEST01"</code>	Pass	0.045s
Gauge data without FloodGauge wrapper.	<code>result["gauge_metadata"]["gauge_id"]</code> <code>== "GAUGE-FLAT"</code>	Pass	0.041s
Output file created	<code>(tmp_path /</code> <code>"gauge_GAUGE-TEST01_hd.json").exists()</code>	Pass	0.043s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.046s
Schema version	<code>result["schema_version"] == "1.0"</code>	Pass	0.045s
When <code>output_path=None</code> , uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, dict);</code> <code>(tmp_path / "gaugehd" /</code> <code>"gauge_AUTO-01_hd.json").exists()</code>	Pass	0.001s
Creates json file	<code>output.exists()</code>	Pass	0.002s
Gauge id override	<code>result["station_metadata"]["station_id"]</code> <code>== "GAUGE-CUSTOM"</code>	Pass	0.002s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.002s
Schema version in output	<code>result["schema_version"] ==</code> <code>"1.0"; result["data_type"] ==</code> <code>"GaugeHistoricalDaily"</code>	Pass	0.002s
Station metadata extracted	<code>result["station_metadata"]["station_name"]</code> <code>== "Thames at ..."</code>	Pass	0.002s
Current balance does not exceed original loan	<code>loan["CurrentBalance"] <=</code> <code>loan["OriginalLoanAmount"]</code>	Pass	0.002s
Loan details values are positive	<code>loan["OriginalLoanAmount"] > 0;</code> <code>loan["CurrentBalance"] > 0 (+3 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Ltv within valid range	10 <= m["Mortgage"]["LoanDetails"]["LTV"] <= 100	Pass	0.002s
Mortgage data key is list	isinstance(result["data"]["mortgages"], list)	Pass	0.002s
Mortgage data structure has mortgage key	"Mortgage" in m	Pass	0.002s
Mortgage header has required fields	"MortgageID" in header; "PropertyID" in header (+1 more)	Pass	0.001s
Mortgage ids key is list	isinstance(result["data"]["mortgage_ids"], list)	Pass	0.002s
Output file is valid json	isinstance(json.load(f), dict)	Pass	0.003s
Output json contains generation metadata	"generated_at" in meta; "catchment" in meta (+1 more)	Pass	0.003s
Output json contains mortgages key	"mortgages" in json.load(f)	Pass	0.003s
Processing stats contain timing	stats["start_time"] is not None; stats["end_time"] is not None	Pass	0.002s
Gauge reading returns all fields	"gaugeId" in reading; "waterLevel" in reading (+1 more)	Pass	0.000s
Gauge reading with string timestamp	reading["timestamp"] == "2024-01-01T00:00:00"	Pass	0.000s
report_type='analysis' calls generate_analysis_report.	—	Pass	0.001s
auto_open=True with open_pdf_file raising -i logs warning, does not raise.	result is not None	Pass	0.001s
auto_open=True tries to open the PDF (lines 95-106).	mock_open.call_count >= 0	Pass	0.001s
report_type='basic' calls generate_basic_report.	—	Pass	0.001s
Gauge not found returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.002s
The /generate_gauge_report alias also works.	r.status_code == 200	Pass	0.027s
Missing gauge id returns 400	r.status_code == 400; data["status"] == "error"	Pass	0.001s
report_type='monitoring' with timeseries calls generate_monitoring_report.	—	Pass	0.001s
No json returns 400	r.status_code in (400, 415, 500)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Sending JSON null body makes get_json() return None → line 29.	<code>r.status_code == 400</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.001s
Response has file path	<code>"file_path" in data;</code> <code>data["file_path"].endswith(".pdf")</code>	Pass	0.031s
Response has pdf base64	<code>"pdf_base64" in data;</code> <code>len(data["pdf_base64"]) > 0</code>	Pass	0.030s
Return value is the PDF path.	<code>result == tmp_path /</code> <code>"gauge_report.pdf"</code>	Pass	0.001s
Unknown report_type calls generate_report.	—	Pass	0.001s
Valid gauge generates report	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success"</code>	Pass	0.028s
gaugehd file exists → exercises lines 62-69.	<code>r.status_code == 200</code>	Pass	0.118s
gaugehc.json exists → exercises lines 76-82.	<code>r.status_code == 200</code>	Pass	0.065s
Analysis type calls generate analysis	—	Pass	0.001s
Auto open false returns path	<code>result == fake_pdf</code>	Pass	0.001s
Auto open true handles exception	<code>result is not None</code>	Pass	0.001s
Lines 343-344: auto_open=True + open_pdf_file succeeds → both lines covered.	<code>result == fake_pdf</code>	Pass	0.001s
Basic type calls generate basic	—	Pass	0.001s
Monitoring type with timeseries calls monitoring	—	Pass	0.001s
Monitoring without timeseries falls back	—	Pass	0.001s
Returns path	<code>result == fake_pdf</code>	Pass	0.001s
Unknown type calls generate report	—	Pass	0.001s
Lines 236-237: generate_gauges() instantiates generator and calls generate().	<code>result['data']['num_gauges'] == 5</code>	Pass	0.000s
Creates output file	<code>output.exists()</code>	Pass	0.003s
History entries have date	<code>'date' in entry</code>	Pass	0.002s
Metadata lists gauges	<code>'GAUGE-005' in</code> <code>data['metadata']['gauges']</code>	Pass	0.002s
Multiple gauges	<code>'GAUGE-001' in data['history'];</code> <code>'GAUGE-002' in data['history']</code>	Pass	0.002s
No eod files returns early	<code>not output.exists()</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Output has history	'history' in data;	Pass	0.002s
Output has metadata	'metadata' in data;	Pass	0.002s
Tenors sorted numerically	data['history'] data['metadata']['num_snapshots'] == 2	Pass	0.002s
Two eod files two history entries	len(entries) == 1; tenor_keys ==	Pass	0.003s
Empty dir produces no file	sorted(tenor_keys, key=int)	Pass	0.000s
History entries have date	len(entries) == 2	Pass	0.004s
History entries have tenors	not output.exists()	Pass	0.002s
History keyed by gauge	entry["date"] == "2026-01-02"	Pass	0.004s
History keyed by trigger	"1" in entry and "2" in entry and "3" in entry	Pass	0.002s
Metadata has generated at	"GAUGE-042" in data["history"]	Pass	0.003s
Metadata num snapshots	"alert" in gauge_hist; "warning" in gauge_hist	Pass	0.006s
Multiple gauges in metadata	"generated_at" in data["metadata"] data["metadata"]["num_snapshots"] == 3	Pass	0.003s
Multiple snapshots produce multi- ple entries	set(data["metadata"]["gauges"]) == { "GAUGE-001", "GAUGE-0...	Pass	0.005s
Output has metadata and history	len(alert_entries) == 3	Pass	0.002s
Single snapshot creates file	"metadata" in data; "history" in data	Pass	0.006s
Standalone check: _business_days always returns Mon-Fri dates.	output.exists()	Pass	0.000s
Pre-existing EOD-*.json files are deleted before simulation.	len(result) == 63; d.weekday() < 5	Pass	0.003s
Creates eod dir	not stale.exists()	Pass	0.001s
Empty trades returns zero	(trading_dir / 'eod').exists()	Pass	0.002s
A trade that fails enrich_trade is skipped gracefully (except branch).	count == 0	Pass	0.015s
More trades should generally yield more (or equal) snapshots.	count == 0	Pass	0.105s
Returns integer	count > 0	Pass	0.001s
Same seed should produce same ran- dom walk (deterministic).	isinstance(result, int)	Pass	0.003s
With a real trade + real engine, we expect 40 snapshots.	count1 == count2	Pass	0.089s
EOD snapshot JSON files are cre- ated in eod/ directory.	count > 0	Pass	0.092s

Test Description	Acceptance Criteria	Result	Time
hazard_curve_history.json and trade_pnl_history.json are created.	(trading_dir / 'hazard_curve_history.json').exists(); (trading_dir / 'trade_pnl_history.json').exists()	Pass	0.096s
Arrears months current	generate_integer_value("ArrearsMonths", self._fd()) == 0	Pass	0.000s
Arrears months in arrears	1 <= result <= 6	Pass	0.000s
Behavioral score	30 <= result <= 100	Pass	0.000s
Borrower age btl	35 <= result <= 65	Pass	0.000s
Borrower age expensive	35 <= result <= 65	Pass	0.000s
Borrower age normal	25 <= result <= 60	Pass	0.000s
Credit score expensive property	700 <= result <= 800	Pass	0.000s
Credit score low rate	750 <= result <= 850	Pass	0.000s
Credit score normal	650 <= result <= 750	Pass	0.000s
Days in arrears current	generate_integer_value("DaysInArrears", self._fd()) == 0	Pass	0.000s
Days in arrears defaulted	90 <= result <= 365	Pass	0.000s
Days in arrears in arrears	1 <= result <= 89	Pass	0.000s
Family members	result in [1, 2, 3, 4]	Pass	0.000s
Loan term	generate_integer_value("LoanTerm", self._fd()) == 300	Pass	0.000s
Number of borrowers	result in [1, 2]	Pass	0.000s
Original term	generate_integer_value("OriginalTerm", self._fd()) == 300	Pass	0.000s
Prepayment risk high rate	7 <= result <= 10	Pass	0.000s
Prepayment risk low rate	1 <= result <= 5	Pass	0.000s
Remaining term	result == 240	Pass	0.000s
Total payments	result == 60	Pass	0.000s
Unknown field	1 <= result <= 10; isinstance(result, str)	Pass	0.000s
Each location has required keys	"lat" in loc; "lon" in loc (+4 more)	Pass	0.000s
Elevation is non negative	loc["elevation"] >= 0	Pass	0.000s
With j 3 gauge points, fallback generator is called.	len(locs) == 3	Pass	0.000s
Fallback used when no gauge points	len(locs) == 3	Pass	0.000s
When primary_idx == 0, triangle is gauges 0, 1, 2 -i sorted [0,1,2].	set(ref) == {0, 1, 2}	Pass	0.000s
Reference gauge indices sorted	idxs == sorted(idxs)	Pass	0.000s
Reference gauge indices three elements	len(loc["reference_gauge_indices"]) == 3	Pass	0.001s
Returns correct count	len(locs) == 10	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
When params has no get_elevation, elevation is sampled from	<code>len(locs) == 5; 0 <= loc["elevation"] <= 40</code>	Pass	0.000s
Application channel	<code>result in ["Retail", "Broker", "Correspondent"]</code>	Pass	0.000s
Loan purpose btl	<code>result in ["Purchase", "Refinancing"]</code>	Pass	0.000s
Loan purpose residential	<code>result in ["Purchase", "Refinancing", "Home Improvement"]</code>	Pass	0.000s
Mortgage type	<code>result == "Buy-to-Let"</code>	Pass	0.000s
Occupancy type	<code>result == "Investment"</code>	Pass	0.000s
Original rate type	<code>isinstance(result, str) and len(result) > 0</code>	Pass	0.000s
Payment frequency	<code>generate_menu_value("PaymentFrequency", {}, 0, self._fd()...</code>	Pass	0.000s
Repayment type btl	<code>result in ["Interest only", "Repayment", "Part and part"]</code>	Pass	0.000s
Repayment type residential	<code>result in ["Repayment", "Interest only", "Part and part"]</code>	Pass	0.000s
Unknown field no options	<code>result == ""</code>	Pass	0.000s
Unknown field with options	<code>result in ["X", "Y"]</code>	Pass	0.000s
Convenience function creates pdf	<code>output.exists()</code>	Pass	0.011s
Convenience function returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Lines 203-208: exception -i 500.	<code>r.status_code in (200, 500)</code>	Pass	0.001s
Lines 174-193: full success path with mocked mortgage report generator.	<code>r.status_code in (200, 500)</code>	Pass	0.002s
Missing property id returns 400	<code>r.status_code == 400; "Property ID" in r.get_json()["message"]</code>	Pass	0.001s
Mortgage not found returns 404	<code>r.status_code == 404; "mortgage" in r.get_json()["message"].lower()</code>	Pass	0.001s
Line 149: get_json() returns None -i 400.	<code>r.status_code in (400, 415, 500)</code>	Pass	0.000s
No json returns error	<code>r.status_code in (400, 415)</code>	Pass	0.001s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.000s
Property not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Mortgage import error returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.002s
Raises without property file	—	Pass	0.001s
Returns dict when property file exists	<code>isinstance(result, dict); "data" in result (+1 more)</code>	Pass	0.022s

Test Description	Acceptance Criteria	Result	Time
Lines 332-334: open_pdf_file raises -i warning logged, no raise.	result is not None	Pass	0.001s
Lines 335-336: auto_open=False -i skips opening.	—	Pass	0.001s
Lines 327-334: auto_open=True -i calls open_pdf_file.	mock_open.called	Pass	0.001s
Lines 128-133: exception in report generation -i 500.	r.status_code in (500, 404, 400)	Pass	0.002s
Lines 94-119: full success path with mocked report generator.	r.status_code in (200, 500); data["status"] == "success" (+1 more)	Pass	0.002s
Missing property id returns 400	r.status_code == 400; "Property ID" in r.get_json()["message"]	Pass	0.000s
Lines 319-320: 'mortgage-focused' with mortgage_data.	—	Pass	0.001s
Line 74: get_json() returns None -i 400.	r.status_code in (400, 415, 500)	Pass	0.001s
No json returns error	r.status_code in (400, 415)	Pass	0.001s
Options returns ok	r.status_code == 200; r.get_json()["status"] == "ok"	Pass	0.000s
Property not found returns 404	r.status_code == 404	Pass	0.001s
Line 317-318: 'property-only' -i generate_property_only_report.	—	Pass	0.001s
Lines 321-322: 'risk-focused'.	—	Pass	0.001s
Lines 323-324: unknown type -i generate_report.	—	Pass	0.001s
Auto open exception does not raise	result is not None	Pass	0.001s
Auto open false skips open	—	Pass	0.001s
Auto open true calls open	—	Pass	0.001s
Full type falls back to generate report	—	Pass	0.001s
Mortgage focused type with mortgage	—	Pass	0.001s
Mortgage focused without mortgage falls back	—	Pass	0.001s
Property only type	—	Pass	0.001s
Returns path	result == fake_pdf	Pass	0.001s
Risk focused type	—	Pass	0.001s
Unknown type falls back to generate report	—	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Line 167: log milestone every 50 properties.	<code>any("50" in m for m in log.messages)</code>	Pass	0.182s
Line 171: ratio branch when total_storms_at_gauge $\neq$ 0.	<code>"gauge_to_property_ratio" in result;</code> <code>result["gauge_to_property_ratio"] >= 0.0</code>	Pass	0.214s
Line 176: ratio=0 branch when total_storms_at_gauge == 0.	<code>result["gauge_to_property_ratio"] == 0.0</code>	Pass	0.169s
All items are strings	<code>all(isinstance(r, str) for r in recs)</code>	Pass	0.000s
Deep flood extra items	<code>len(deep) > len(shallow)</code>	Pass	0.000s
High risk four or more	<code>len(recs) >= 4</code>	Pass	0.000s
High risk mentions flood insurance	<code>any("flood insurance" in r.lower() for r in recs)</code>	Pass	0.000s
Low risk	<code>len(recs) >= 2</code>	Pass	0.000s
Medium risk	<code>len(recs) >= 3</code>	Pass	0.000s
Very low risk	<code>len(recs) >= 1</code>	Pass	0.000s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.002s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.002s
Auto select called when pages none	—	Pass	0.011s
Auto select called when pages none	—	Pass	0.015s
Auto select not called when pages provided	—	Pass	0.003s
Auto select not called when pages provided	—	Pass	0.003s
Auto select pages when none	—	Pass	0.013s
Auto select skipped when provided	—	Pass	0.003s
Custom output filename	<code>path.name == "my_gauge.pdf";</code> <code>path.exists()</code>	Pass	0.011s
Custom output filename	<code>path.name == "my_prop.pdf";</code> <code>path.exists()</code>	Pass	0.018s
Custom output filename	<code>path.name == "my_report.pdf";</code> <code>path.exists()</code>	Pass	0.012s
Custom pages to include	<code>path.exists()</code>	Pass	0.005s
Custom pages to include	<code>path.exists()</code>	Pass	0.005s
Custom pages to include	<code>path.exists()</code>	Pass	0.007s
Empty flood data	<code>path.exists()</code>	Pass	0.012s
Empty gauge data	<code>path.exists()</code>	Pass	0.009s
Empty property data	<code>path.exists()</code>	Pass	0.014s
Full data report	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.021s
Full data report	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.018s
Pdf exists	<code>gen.generate_report(gauge_data).exists()</code>	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Pdf exists	<code>gen.generate_report(prop_data).exists()</code>	Pass	0.015s
Pdf exists	<code>path.exists()</code>	Pass	0.013s
Pdf is bytes	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.007s
Pdf non empty	<code>path.stat().st_size > 0</code>	Pass	0.011s
Pdf non empty	<code>path.stat().st_size > 0</code>	Pass	0.015s
Pdf non empty	<code>path.stat().st_size > 0</code>	Pass	0.012s
Pdf suffix	<code>gen.generate_report(gauge_data).suffix == ".pdf"</code>	Pass	0.011s
Pdf suffix	<code>gen.generate_report(prop_data).suffix == ".pdf"</code>	Pass	0.015s
Pdf suffix	<code>path.suffix == ".pdf"</code>	Pass	0.013s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.015s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.013s
With mortgage data	<code>path.exists()</code>	Pass	0.132s
With timeseries data	<code>path.exists()</code>	Pass	0.024s
gauge_integrator should handle flood_gauges key too.	<code>result is not None</code>	Pass	0.001s
Found gauge returns path	<code>result is not None; isinstance(result, Path)</code>	Pass	0.001s
Gauge not found returns none	<code>result is None</code>	Pass	0.001s
Missing file returns none	<code>result is None</code>	Pass	0.000s
Output contains gauge id	<code>"GAUGE-001" in content</code>	Pass	0.002s
Output dir created	<code>output_dir.exists()</code>	Pass	0.002s
Output file created	<code>result.exists()</code>	Pass	0.002s
Corrupt json returns none	<code>result is None</code>	Pass	0.007s
Non json file returns none	<code>result is None</code>	Pass	0.001s
Found property returns path	<code>result is not None; isinstance(result, Path)</code>	Pass	0.003s
Missing property file returns none	<code>result is None</code>	Pass	0.001s
No mortgage file still generates	<code>result is not None</code>	Pass	0.001s
Output contains property id	<code>"PROP-001" in content</code>	Pass	0.003s
Output dir created	<code>output_dir.exists()</code>	Pass	0.001s
Output file created	<code>result.exists()</code>	Pass	0.002s
Property not found returns none	<code>result is None</code>	Pass	0.002s
A file with invalid JSON triggers an exception -i return None.	<code>result is None</code>	Pass	0.001s
Simulated write permission error re- turns None.	<code>result is None</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Import error returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.002s
Has report generated timestamp	<code>"Report Generated" in r</code>	Pass	0.000s
Last updated extracted	<code>r["Data Last Updated"] == "2025-01-01"</code>	Pass	0.000s
Mortgage id extracted	<code>r.get("Mortgage ID") == "MORT-001"</code>	Pass	0.000s
Property id extracted	<code>r["Property ID"] == "PROP-999"</code>	Pass	0.000s
Returns dict	<code>isinstance(r, dict); isinstance(r, dict)</code>	Pass	0.000s
Scope combined with mortgage	<code>"Mortgage" in r["Analysis Scope"]</code>	Pass	0.000s
Scope property only	<code>"Property-Only" in r["Analysis Scope"]</code>	Pass	0.000s
Unknown property id when missing	<code>r["Property ID"] == "Unknown"</code>	Pass	0.000s
Uprn extracted	<code>r["UPRN"] == "123456789"</code>	Pass	0.000s
Lines 263-264: 'analysis' type.	<code>path.exists()</code>	Pass	0.016s
Line 257-258: 'basic' type.	<code>path.exists()</code>	Pass	0.017s
Lines 259-260: 'detailed' type.	<code>path.exists()</code>	Pass	0.022s
Lines 261-262: 'summary' type.	<code>path.exists()</code>	Pass	0.010s
Lines 265-266: unknown type → generate_report.	<code>path.exists()</code>	Pass	0.022s
Analysis type returns path	<code>path.exists()</code>	Pass	0.011s
Basic type returns path	<code>isinstance(path, Path); path.exists()</code>	Pass	0.011s
Omitting report_type should default to 'basic'.	—	Pass	0.012s
Detailed type returns path	<code>path.exists()</code>	Pass	0.013s
Output dir as string	<code>path.exists()</code>	Pass	0.011s
Pdf is non empty bytes on disk	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.015s
Summary type returns path	<code>path.exists()</code>	Pass	0.008s
Unknown type falls back to generate report	<code>path.exists()</code>	Pass	0.013s
Empty gaugets directory must raise FileNotFoundError.	—	Pass	0.001s
Each index entry must have gauge_ids_alert for directory-based filtering.	<code>"gauge_ids_alert" in entry; "GAUGE-00000001" in entry["gauge_ids_alert"]</code>	Pass	0.003s
Index has required top level keys	<code>key in data</code>	Pass	0.002s
Individual storm files must contain the full gauge_responses array.	<code>"gauge_responses" in storm; len(storm["gauge_responses"]) == 1</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Storm id prefix uses config constant	<code>data["storm_id_prefix"] == STORM_ID.PREFIX</code>	Pass	0.002s
Storms where no gauge exceeded alert must NOT appear in output.	<code>result["total_storms"] == 0</code>	Pass	0.001s
Total storms matches list length	<code>data["total_storms"] == len(data["storms"])</code>	Pass	0.004s
Output directory must contain _index.json and per-storm files.	<code>(out_dir / "_index.json").exists(); (out_dir / f"{sid}.json").exists()</code>	Pass	0.002s
Account status defaulted	<code>result == "Default"</code>	Pass	0.000s
Account status normal	<code>result in ["Current", "Arrears", "Closed"]</code>	Pass	0.000s
Borrower employment btl	<code>isinstance(result, str)</code>	Pass	0.000s
Catchment id	<code>generate_text_value("CatchmentID", 0, self._fd()) == "tha..."</code>	Pass	0.000s
Currency	<code>generate_text_value("currency", 0, self._fd()) == "GBP"</code>	Pass	0.000s
Employment type residential	<code>isinstance(result, str)</code>	Pass	0.000s
Flood risk category	<code>result == "Medium"</code>	Pass	0.000s
Lastatus defaulted	<code>result == "Defaulted"</code>	Pass	0.000s
Lastatus normal	<code>result in ["Current", "Completed", "Redeemed"]</code>	Pass	0.000s
Marital status older	<code>isinstance(result, str)</code>	Pass	0.000s
Marital status young	<code>result in ["Single", "Married", "Civil Partnership"]</code>	Pass	0.000s
Member id	<code>result.startswith("MEMBER-")</code>	Pass	0.000s
Mortgage id	<code>generate_text_value("MortgageID", 0, self._fd()) == "MORT..."</code>	Pass	0.000s
Mortgage provider	<code>isinstance(result, str)</code>	Pass	0.000s
Property id	<code>generate_text_value("PropertyID", 0, self._fd()) == "PROP..."</code>	Pass	0.000s
Unknown field	<code>"Text-5-" in result</code>	Pass	0.000s
Upnr no existing	<code>result.startswith("UPRN-") or isinstance(result, str)</code>	Pass	0.000s
Upnr with existing	<code>result == "UPRN-12345"</code>	Pass	0.000s
Alias returns same structure	<code>len(result) == 50; "readings" in result[0]</code>	Pass	0.000s
CloseOutDate with Payable SettlementDirection.	<code>pdf_path.exists()</code>	Pass	0.003s
_generate_trade_pdf creates a PDF without cashflows.	<code>pdf_path.exists(); pdf_path.stat().st_size > 1000</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
_generate_trade_pdf with cashflows exercises CF schedule section.	pdf_path.exists()	Pass	0.002s
_generate_trade_pdf with CloseOutOf exercises close-out section.	pdf_path.exists()	Pass	0.003s
_generate_trade_pdf with CloseOut-Date (original trade that was closed).	pdf_path.exists()	Pass	0.003s
Pdf failure returns empty list	pdfs == []	Pass	0.000s
Pdf partial failure returns successful only	len(pdfs) == 1	Pass	0.000s
Creates output file	output.exists()	Pass	0.001s
History entry has required keys	'date' in entry; 'mark' in entry (+2 more)	Pass	0.001s
Multiple eods accumulate	len(trade['history']) == 3	Pass	0.003s
Multiple trades in same eod	'PRS-A' in data['trades']; 'PRS-B' in data['trades'] (+1 more)	Pass	0.002s
No eod files returns early	not output.exists()	Pass	0.000s
Num snapshots in metadata	data['metadata']['num_snapshots'] == 2	Pass	0.002s
Output has metadata	'metadata' in data; 'num_trades' in data['metadata']	Pass	0.001s
Output has trades	'trades' in data; 'PRS-001' in data['trades']	Pass	0.003s
Position without swap id skipped	data['trades'] == {}; data['metadata']['num_trades'] == 0	Pass	0.001s
Trade has history	'history' in trade; len(trade['history']) == 1	Pass	0.001s
Trade metadata preserved	trade['gauge_id'] == 'GAUGE-001'; trade['trigger'] == 'severe' (+3 more)	Pass	0.002s
Empty dir produces no file	not output.exists()	Pass	0.000s
History entry structure	entry["date"] == "2026-01-02"; entry["mark"] == 215.0 (+2 more)	Pass	0.003s
Metadata has generated at	"generated_at" in data["metadata"]	Pass	0.002s
Metadata num snapshots	data["metadata"]["num_snapshots"] == 3	Pass	0.006s
Multiple days builds history vector	len(data["trades"]["PRS-001"]["history"]) == 3	Pass	0.010s
Multiple trades in snapshot	data["metadata"]["num_trades"] == 3	Pass	0.004s
Output has metadata and trades	"metadata" in data; "trades" in data	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Position missing swap id is skipped	"PRS-001" in data["trades"]; len(data["trades"]) == 1	Pass	0.005s
Single snapshot creates file	output.exists()	Pass	0.005s
Trade keyed by swap id	"PRS-001" in data["trades"]	Pass	0.001s
Trade metadata fields	"gauge_id" in t; "trigger" in t (+3 more)	Pass	0.002s
Explicit years overrides instance default	result["years_included"] == 1	Pass	0.016s
Instance years used when no years arg	result["years_included"] == 2	Pass	0.015s
If all sequence storms are sub-alert, portfolio flood count is 0.	result["total_storms_at_gauge"] == 0; result["properties_with_floods"] == 0	Pass	0.182s
Portfolio summary total_storms_at_gauge counts all alert storms.	result["total_storms_at_gauge"] == 2	Pass	0.171s
portfolio_flood_summary.json is written with per-property data.	summary_path.exists(); summary["summary"]["total_gauges"] == 1 (+1 more)	Pass	0.276s
Generate output path none uses config input dir	isinstance(result, dict); (tmp_path / "gaugehd.39001.json").exists()	Pass	0.015s
Banks always have CSAAgreement = True.	platform["CSAAgreement"] is True	Pass	0.001s
Counterparties list has two parties	len(counterparties) == 2	Pass	0.003s
Counterparty has counterparty set	"CounterpartySet" in ctpy	Pass	0.000s
Isda master agreement is true	platform["ISDAMasterAgreement"] is True	Pass	0.000s
Party has accounts	"Accounts" in party; len(party["Accounts"]) >= 1	Pass	0.000s
Party has contact info	"ContactInformation" in party; "PrimaryEmail" in party["ContactInformation"]	Pass	0.000s
Party has id	"PartyID" in party; party["PartyID"].startswith("CTPY-")	Pass	0.000s
Party has name	"PartyName" in party; isinstance(party["PartyName"], str)	Pass	0.000s
Party has natural person	"NaturalPersons" in party; len(party["NaturalPersons"]) == 1	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Platform has credit rating	"CreditRating" in platform; platform["CreditRating"] in ["AAA", "AA+..."	Pass	0.000s
Unique party ids	len(set(ids)) == 5	Pass	0.001s
Generator exception falls through to type	isinstance(result, float); 0 <= result <= 1000	Pass	0.000s
Gauge importable without quantlib	hasattr(mod, "GaugePortfolioGenerator")	Pass	0.004s
models.hazard.builder must not drag in QuantLib pricing at import.	mod is not None	Pass	0.003s
Mortgage importable without quantlib	hasattr(mod, "MortgagePortfolioGenerator")	Pass	0.002s
Importing port.src (package __init__) must not require QuantLib.	hasattr(mod, "GaugePortfolioGenerator")	Pass	0.003s
Storm multi importable without quantlib	mod is not None	Pass	0.009s
Depth damage importable without geopandas	hasattr(mod, 'scalar_depth_damage')	Pass	0.001s
__init__.py must not have an executable FloodRiskModel import statement.	'FloodRiskModel' not in executable	Pass	0.001s
propertyts imports scalar_depth_damage — must work without geopandas.	hasattr(mod, 'PropertyTimeSeriesGenerator')	Pass	0.001s
Scalar depth damage works without geopandas	0.0 < result <= 1.0	Pass	0.001s
Spatial importable without geopandas	hasattr(mod, 'haversine_distance')	Pass	0.001s
100 years is heritage	get_age.band(1925, current_year=2025) == 'heritage'	Pass	0.000s
10 years is modern	get_age.band(2015, current_year=2025) == 'modern'	Pass	0.000s
25 years is established	get_age.band(2000, current_year=2025) == 'established'	Pass	0.000s
50 years is period	get_age.band(1975, current_year=2025) == 'period'	Pass	0.000s
Default current year	result in AGE_BAND_FACTORS	Pass	0.000s
Established	get_age.band(1985, current_year=2025) == 'established'	Pass	0.000s
Exactly 24 years is modern	get_age.band(2001, current_year=2025) == 'modern'	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exactly 49 years is established	<code>get_age.band(1976, current_year=2025)</code> <code>== 'established'</code>	Pass	0.000s
Exactly 99 years is period	<code>get_age.band(1926, current_year=2025)</code> <code>== 'period'</code>	Pass	0.000s
Exactly 9 years is new build	<code>get_age.band(2016, current_year=2025)</code> <code>== 'new_build'</code>	Pass	0.000s
Heritage old	<code>get_age.band(1800, current_year=2025)</code> <code>== 'heritage'</code>	Pass	0.000s
Modern	<code>get_age.band(2005, current_year=2025)</code> <code>== 'modern'</code>	Pass	0.000s
New build	<code>get_age.band(2020, current_year=2025)</code> <code>== 'new_build'</code>	Pass	0.000s
Period	<code>get_age.band(1950, current_year=2025)</code> <code>== 'period'</code>	Pass	0.000s
After log entry appears	<code>data["total_entries"] == 1;</code> <code>len(data["entries"]) == 1</code>	Pass	0.004s
Empty trail returns 200	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.001s
Filter by event type	<code>all(e["event_type"] == "calibration"</code> <code>for e in entries)</code>	Pass	0.003s
Filter by model id	<code>r.get_json()["total_entries"] == 1</code>	Pass	0.003s
Filter by model id no match	<code>r.get_json()["total_entries"] == 0</code>	Pass	0.003s
Has returned field	<code>"returned" in r.get_json()</code>	Pass	0.001s
Limit parameter	<code>r.get_json()["returned"] == 2</code>	Pass	0.006s
Missing file returns empty list	<code>result == []</code>	Pass	0.000s
File with two gauges should return both IDs.	<code>set(result) == {"GAUGE-A",</code> <code>"GAUGE-B"}</code>	Pass	0.001s
Returns correct id	<code>"GAUGE-001" in result</code>	Pass	0.001s
Returns list	<code>isinstance(result, list)</code>	Pass	0.001s
Binary file returns empty	<code>result == []</code>	Pass	0.001s
Corrupt json returns empty	<code>result == []</code>	Pass	0.001s
No data returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Principles count	<code>len(r.get_json()["assessment"]["principles"])</code> <code>== 2</code>	Pass	0.002s
Response has assessment	<code>"assessment" in data;</code> <code>"principles" in</code> <code>data["assessment"]</code>	Pass	0.002s
With data returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Returns 200 if PDF exists, 404 if not yet generated.	<code>r.status_code in (200, 404)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Empty references	<code>r.get_json()["references"] == []</code>	Pass	0.001s
Has categories key	<code>"categories" in r.get_json()</code>	Pass	0.001s
Returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Returns success status	<code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Returns empty trades list when no PRS files exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.003s
Payer (long protection) trade should have positive gauge_fs01.	<code>len(payer.trades) > 0; t['gauge_fs01'] >= 0</code>	Pass	0.020s
Receiver (short protection) trade should have negative gauge_fs01.	<code>len(rcv.trades) > 0; t['gauge_fs01'] <= 0</code>	Pass	0.017s
Trades should have gauge_name from gauge locations.	<code>'Thames at Westminster' in names</code>	Pass	0.021s
Each trade must have P&L decomposition fields.	<code>'daily_pnl' in trade; 'market_pnl' in trade</code> (+2 more)	Pass	0.019s
Each trade must have prev_fair_spread_bps for curve-move indication.	<code>'prev_fair_spread_bps' in trade</code>	Pass	0.023s
Each trade must have core identification and pricing fields.	<code>'swap_id' in trade; 'gauge_id' in trade</code> (+5 more)	Pass	0.018s
Summary must have all required aggregate fields.	<code>'num_trades' in summary;</code> <code>'total_notional' in summary</code> (+4 more)	Pass	0.026s
Blotter returns enriched trades with status success.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.017s
Found returns 200	<code>r.status_code == 200; data["status"] == "success"</code> (+1 more)	Pass	0.002s
Found second counterparty	<code>r.status_code == 200</code>	Pass	0.001s
Not found returns 404	<code>r.status_code == 404; data["status"] == "error"</code>	Pass	0.003s
Format	<code>rid.startswith("run-"); len(rid) == 19</code>	Pass	0.002s
All pipeline outputs exist and are fresh.	<code>data["status"] == "success";</code> <code>data["summary"]["fresh"] == 14</code> (+4 more)	Pass	0.006s
All present but some stale = degraded.	<code>data["summary"]["missing"] == 0;</code> <code>data["summary"]["stale"] == 1</code> (+1 more)	Pass	0.004s
Response includes as_of timestamp.	<code>"as_of" in data</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Mix of fresh, stale, and missing.	<code>data["summary"]["fresh"] == 1;</code> <code>data["summary"]["stale"] == 1</code> (+2 more)	Pass	0.002s
When lineage file does not exist, manifest is None but route succeeds.	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+3 more)	Pass	0.001s
Empty list returns success	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.001s
Has fields	<code>"owner" in fields;</code> <code>"rag_rating" in fields</code>	Pass	0.000s
Returns 200	<code>r.status_code == 200;</code> <code>r.status_code == 200</code>	Pass	0.001s
Returns success status	<code>r.get_json()["status"] == "success";</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.000s
Empty entity returns none	<code>storm_loader.get_entity_id({}) is None</code>	Pass	0.000s
Extracts event id	<code>storm_loader.get_entity_id(storms[0]) == "EVT-001"</code>	Pass	0.001s
Missing id returns none	<code>storm_loader.get_entity_id(entity) is None</code>	Pass	0.000s
Missing fields return none	<code>summary["eventId"] is None;</code> <code>summary["name"] is None</code>	Pass	0.000s
Returns summary dict	<code>summary["eventId"] == "EVT-001";</code> <code>summary["name"] == "Harvey"</code> (+3 more)	Pass	0.001s
get_eod_snapshot returns snapshot data for existing date.	<code>result is not None;</code> <code>result['date'] == '2026-03-15'</code>	Pass	0.001s
get_eod_snapshot returns None when no snapshot exists for the date.	<code>result is None</code>	Pass	0.000s
Filter by report	<code>r.status_code == 200;</code> <code>data["total_reports"] == 1</code> (+3 more)	Pass	0.002s
Filter unknown report 404	<code>r.status_code == 404;</code> <code>"available_reports" in data</code>	Pass	0.002s
Full registry	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+4 more)	Pass	0.002s
No field lineage file returns 404.	<code>r.status_code == 404;</code> <code>"not found" in data["message"].lower()</code> (+1 more)	Pass	0.001s
Summary contents	<code>fr_summary["label"] == "Flood Risk Report";</code> <code>fr_summary["section_count"] == 2</code> (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Producer step exists in STEP_IO but not in manifest.	result["produced.by"] == "synthetic-gauges"; result["producer_run_id"] is None	Pass	0.000s
Known file	result["produced.by"] == "synthetic-gauges"; result["producer_run_id"] == "r2" (+1 more)	Pass	0.000s
Unknown file	result["produced.by"] is None; result["producer_run_id"] is None (+1 more)	Pass	0.000s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.002s
No curve for gauge returns 404	r.status_code == 404	Pass	0.002s
No hazard file returns 404	r.status_code == 404; "not available" in r.get_json()["message"].lower() (+1 more)	Pass	0.002s
Response has annual flood probs	"alert" in probs; "warning" in probs (+1 more)	Pass	0.002s
Response has curve points	len(r.get_json()["curve_points"]) == 3	Pass	0.002s
Response has flood stages	"FloodAlert" in stages; "FloodWarning" in stages (+1 more)	Pass	0.002s
Response has gauge id	r.get_json()["gauge_id"] == GAUGE_ID	Pass	0.002s
Response has gev parameters	"location" in gev; "scale" in gev (+1 more)	Pass	0.002s
Response has term structures	"alert" in ts; "warning" in ts (+1 more)	Pass	0.002s
Valid hazard returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.002s
Days larger than available returns all	len(data["daily_observations"]) == 12	Pass	0.001s
Days param limits observations	len(data["daily_observations"]) == 5	Pass	0.002s
Days param zero returns all	len(data["daily_observations"]) == 12	Pass	0.002s
No history file returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.001s
Response has daily observations	"daily_observations" in data; len(data["daily_observations"]) == 12	Pass	0.002s
Response has flood stages	"flood_stages" in data	Pass	0.002s
Response has gauge metadata	"gauge_metadata" in data	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Response has statistics	"statistics" in data; data["statistics"]["mean_level"] == 2.5	Pass	0.002s
Valid history returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.001s
Ignores other keys	gen._get_gauge_severe_count(gauge_hc) == 3	Pass	0.000s
Large count returned	gen._get_gauge_severe_count(gauge_hc) == 150	Pass	0.000s
Missing key defaults to zero	gen._get_gauge_severe_count(gauge_hc) == 0	Pass	0.000s
Returns severe event count	gen._get_gauge_severe_count(gauge_hc) == 7	Pass	0.000s
Zero count returns zero	gen._get_gauge_severe_count(gauge_hc) == 0	Pass	0.000s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.002s
Valid gauge returns success	r.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.003s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.002s
Response has flood simulation	"flood_simulation" in data; "num_timesteps" in data["flood_simulation"]	Pass	0.004s
Response has flood stages	"flood_stages" in r.get_json()	Pass	0.004s
Response has gauge id	r.get_json()["gauge_id"] == GAUGE_ID	Pass	0.005s
Response has storm responses	"storm_responses" in data; "num_storms" in data["storm_responses"]	Pass	0.004s
Storm responses enriched with metadata from storm_sequences.json.	"name" in responses[0] or responses[0].get("name") == ""	Pass	0.003s
Valid gauge returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s
When exceeded_severe=True, severe count computed from gaugets dir.	r.status_code == 200	Pass	0.002s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Response has count and readings	"count" in data; "readings" in data (+1 more)	Pass	0.002s
Valid gauge returns success	r.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.002s
When term structure doesn't have the requested tenor, falls back	rate == base_rate	Pass	0.001s
Unknown gauge with no term struc- ture returns 0.0 from flat rate fall- back.	rate == 0.0	Pass	0.001s
Missing id returns none	storm_loader.get_track("EVT-NONEXISTENT") is None; storm_loader.get_impact("EVT-NONEXISTENT") is None	Pass	0.001s
Returns impact dict	isinstance(impact, dict); "TotalDamage" in impact	Pass	0.002s
Contains timeout	'30000' in js	Pass	0.000s
Returns script tag	'<script>' in js; '</script>' in js (+2 more)	Pass	0.001s
All modules non empty	len(js) > 50	Pass	0.000s
All modules return str	isinstance(js, str)	Pass	0.000s
Excludes category 1 and 2	"EVT-004" not in ids	Pass	0.001s
Includes cat 3 4 5	"EVT-001" in ids; "EVT-002" in ids (+1 more)	Pass	0.001s
Returns category 3 plus	all(c >= 3 for c in categories)	Pass	0.001s
Get created meeting	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.003s
Unknown id returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.001s
Meeting not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.002s
Valid meeting content type pdf	"application/pdf" in r.content_type	Pass	0.004s
Valid meeting returns bytes	len(r.data) > 100	Pass	0.004s
Valid meeting returns pdf	r.status_code == 200	Pass	0.004s
Model has validation questions	"validation.questions" in model; len(model["validation.questions"]) == 9	Pass	0.002s
Model not found returns 404	r.status_code == 404; r.status_code == 404 (+1 more)	Pass	0.002s
Response has audit entries	"audit_entries" in r.get_json()	Pass	0.002s
Valid model returns success	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+3 more)	Pass	0.001s
Category distribution	<code>"category_distribution" in data</code>	Pass	0.002s
Model has review status	<code>"review_status" in model;</code> <code>model["review_status"] in ("On</code> <code>Track", "Upcoming", "Due S...</code>	Pass	0.002s
Model has risk rating	<code>"risk_rating" in model</code>	Pass	0.002s
Model has validation coverage	<code>"validation_coverage" in model</code>	Pass	0.002s
Response has metadata	<code>"metadata" in data</code>	Pass	0.004s
Returns 200	<code>r.status_code == 200; r.status_code ==</code> <code>200</code>	Pass	0.002s
Returns models list	<code>"models" in data; data["total_models"]</code> <code>>= 1</code>	Pass	0.002s
Returns success status	<code>r.get_json()["status"] == "success";</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Tier distribution	<code>"tier_distribution" in data</code>	Pass	0.002s
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+3 more)	Pass	0.001s
Not scheduled review status	<code>r.status_code == 200;</code> <code>model["review_status"] == "Not</code> <code>Scheduled"</code>	Pass	0.002s
Overdue review status	<code>r.status_code == 200;</code> <code>model["review_status"] == "Overdue"</code>	Pass	0.002s
Returns expected keys	<code>result["NRFAStationID"] ==</code> <code>"39001"; result["MeanFlow"] ==</code> <code>pytest.approx(55.0) (+2 more)</code>	Pass	0.000s
Truncates data quality notes	<code>len(result["DataQualityNotes"]) <=</code> <code>500</code>	Pass	0.000s
All expected keys present	<code>key in result</code>	Pass	0.000s
Catchment area always none	<code>result["CatchmentArea"] is None</code>	Pass	0.000s
Custom flow units	<code>gen.get_nrfa_metadata_for_cdm({},</code> <code>{"units": "ft3/s"}, "f...</code>	Pass	0.000s
Database source from station meta- data	<code>result["DatabaseSource"] == "TestDB"</code>	Pass	0.000s
Default flow units m3 per s	<code>gen.get_nrfa_metadata_for_cdm({}, {},</code> <code>"f.json")["FlowUnit...</code>	Pass	0.000s
Empty data quality notes when no description	<code>gen.get_nrfa_metadata_for_cdm({}, {},</code> <code>"f.json")["DataQual...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing database source returns none	<code>gen.get_nrfametadata_for_cdm({}, {}, "f.json")["Database...]</code>	Pass	0.000s
Missing stats keys return none	<code>result[key] is None</code>	Pass	0.000s
Response has 'storms' list with count ≥ 0 .	<code>'storms' in data; data['count'] > 0</code>	Pass	0.001s
Returns 200 with status=success.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.001s
Each storm has storm_id, name, intensity_category, gauges_severe,	<code>'storm_id' in s; 'name' in s (+5 more)</code>	Pass	0.002s
Returns 404 when stress_storms not found.	<code>resp.status_code == 404</code>	Pass	0.000s
When gauges_severe is equal, storms sorted by gauges_warning desc.	<code>s1['gauges_warning'] >=</code> <code>s2['gauges_warning']</code>	Pass	0.003s
Storms sorted by gauges_severe desc — STORM_PORT_SEVERE must come first.	<code>len(storms) >= 2;</code> <code>storms[0]['storm_id'] ==</code> <code>STORM_PORT_SEVERE (+1 more)</code>	Pass	0.001s
Get preloader js matches get js	<code>_get_preloader_js() == get_js()</code>	Pass	0.000s
Get preloader js returns string	<code>isinstance(result, str);</code> <code>'DOMContentLoaded' in result</code>	Pass	0.000s
Found returns property	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.001s
Not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Close high risk high	<code>get_proximity_zone(50, 'High') ==</code> <code>'close_high_risk'</code>	Pass	0.000s
Close high risk medium	<code>get_proximity_zone(100, 'Medium') ==</code> <code>'close_high_risk'</code>	Pass	0.000s
Close high risk very high	<code>get_proximity_zone(10, 'Very High')</code> <code>== 'close_high_risk'</code>	Pass	0.000s
Close low risk low	<code>get_proximity_zone(150, 'Low') ==</code> <code>'close_low_risk'</code>	Pass	0.000s
Close low risk very low	<code>get_proximity_zone(100, 'Very Low')</code> <code>== 'close_low_risk'</code>	Pass	0.000s
Exactly 200m is medium zone	<code>get_proximity_zone(200, 'Low') ==</code> <code>'medium'</code>	Pass	0.000s
Exactly 500m is far	<code>get_proximity_zone(500, 'Low') ==</code> <code>'far'</code>	Pass	0.000s
Far zone	<code>get_proximity_zone(600, 'Medium') ==</code> <code>'far'</code>	Pass	0.000s
Medium zone	<code>get_proximity_zone(300, 'Very Low')</code> <code>== 'medium'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Medium zone upper bound	<code>get_proximity_zone(499, 'Very High')</code> <code>== 'medium'</code>	Pass	0.000s
Returns none when quantlib unavailable	<code>result is None</code>	Pass	0.001s
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.002s
Response has risk rating	<code>"risk_rating" in data;</code> <code>"calculated_rating" in rr (+1 more)</code>	Pass	0.002s
Risk rating has component scores	<code>"component_scores" in rr</code>	Pass	0.002s
Valid model returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
Gauges affects many	<code>"properties" in downstream; "gaugehd" in downstream (+1 more)</code>	Pass	0.000s
Leaf has no downstream	<code>downstream == []</code>	Pass	0.000s
Mid chain	<code>"hazard" in downstream; "propertyts" in downstream</code>	Pass	0.000s
Custom statistics	<code>stats['property_menu_items'] == 2;</code> <code>stats['gauge_menu_items'] == 1 (+1 more)</code>	Pass	0.000s
Default statistics	<code>stats['property_menu_items'] == len(DEFAULT_PROPERTY_MENU);</code> <code>stats['gauge_menu_items'] == len(DEFAULT_GAUGE_MENU) (+1 more)</code>	Pass	0.000s
Get statistics keys	<code>stats['server_url'] == 'http://test:1234';</code> <code>stats['total_endpoints'] == 2 (+1 more)</code>	Pass	0.000s
Get statistics single endpoint	<code>stats['total_endpoints'] == 1;</code> <code>stats['endpoints'] == ['only']</code>	Pass	0.000s
Returns dict with expected keys	<code>'notifications' in stats;</code> <code>'backend_handler' in stats (+1 more)</code>	Pass	0.000s
Returns expected keys	<code>'default_position' in stats;</code> <code>'auto.dismiss_timeout' in stats (+3 more)</code>	Pass	0.000s
Statistics are dicts	<code>isinstance(stats['notifications'], dict);</code> <code>isinstance(stats['backend_handler'], dict) (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Statistics reflect config	stats['default_position'] == 'bottom-center'; stats['auto_dismiss_timeout'] == 9000 (+1 more)	Pass	0.000s
Mid step	"gauges" in result["upstream"]; "mortgages" in result["downstream"] (+1 more)	Pass	0.000s
Root step	result["upstream"] == []; "properties" in result["downstream"] (+3 more)	Pass	0.000s
Step not in manifest	result["last_run"] is None; result["last_timestamp"] is None	Pass	0.000s
Cluster returns 3 or 4	count in (3, 4)	Pass	0.000s
Doublet returns 2	get_storm_count(SequenceType.DOUBLET, rng) == 2	Pass	0.000s
Isolated returns 1	get_storm_count(SequenceType.ISOLATED, rng) == 1	Pass	0.000s
Persistent returns 4 or 5	count in (4, 5)	Pass	0.000s
Each storm has peak_level_m.	'peak_level_m' in s; s['peak_level_m'] > 0	Pass	0.003s
Storms have required identification fields.	'storm_id' in s; 'name' in s (+3 more)	Pass	0.005s
Returns 404 when stress_storms not found.	resp.status_code == 404	Pass	0.001s
Missing gauge_id returns total count (used by startup preloader).	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.002s
Returns empty list for gauge with no storms.	resp.status_code == 200; data['storms'] == []	Pass	0.002s
Returns storm list for specified gauge.	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.003s
Storms sorted by peak level descending (worst first).	peaks == sorted(peaks, reverse=True)	Pass	0.005s
Each storm returned at most once	len(result) == 1	Pass	0.002s
Empty for remote location	result == []	Pass	0.001s
Finds nearby storm	"EVT-001" in ids	Pass	0.005s
Large radius finds more	len(large) >= len(small)	Pass	0.001s
Each gauge has gauge_id, gauge_name, lon, lat, trade_count.	'gauge_id' in g; 'gauge_name' in g (+3 more)	Pass	0.018s

Test Description	Acceptance Criteria	Result	Time
Gauges with trades show non-zero trade_count.	<code>sum(counts) > 0</code>	Pass	0.014s
Returns gauge list with trade counts.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.019s
Gauges sorted west to east (ascending longitude).	<code>lons == sorted(lons)</code>	Pass	0.022s
Missing id returns none	<code>storm_loader.get_track("EVT-NONEXISTENT")</code> <code>is None;</code> <code>storm_loader.get_impact("EVT-NONEXISTENT")</code> <code>is None</code>	Pass	0.001s
Returns track for existing storm	<code>track is not None;</code> <code>isinstance(track, list)</code> (+1 more)	Pass	0.001s
Track has lat lon	<code>"Latitude" in track[0];</code> <code>"Longitude" in track[0]</code>	Pass	0.001s
get_trade_mark returns mark data for an existing trade.	<code>mark['fair_spread_bps'] == 250.0</code>	Pass	0.003s
get_trade_mark returns empty dict for unknown trade.	<code>mark == {}</code>	Pass	0.000s
get_trade_mark returns merged data after multiple updates.	<code>mark['fair_spread_bps'] == 200.0;</code> <code>mark['mtm'] == 5000.0</code>	Pass	0.004s
If the PDF exists, it should be served with 200.	<code>r.status_code == 200;</code> <code>r.content_type == "application/pdf"</code>	Pass	0.030s
Missing pdf returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
When yield_curve is empty dict, falls back to risk_free_rate.	<code>rate == 0.042</code>	Pass	0.000s
When yield_curve key is missing, falls back to risk_free_rate.	<code>rate == 0.05</code>	Pass	0.000s
When tenor falls exactly between integer keys but loop exits, returns fallback.	<code>0.035 <= rate <= 0.045</code>	Pass	0.000s
Apply documents function exists	<code>'_applyDocuments' in src</code>	Pass	0.000s
Checks gov docs cache	<code>'window._tdPreGovDocs' in src</code>	Pass	0.000s
Clears cache after use	<code>'window._preStorms = null' in src;</code> <code>'window._tdPreGovDocs = null' in src</code>	Pass	0.000s
For each zone and elevation, spread should decrease as distance increases.	<code>g[di][ei] >= g[di + 1][ei]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
For each zone and distance, spread should decrease as elevation increases.	<code>g[di][ei] >= g[di][ei + 1]</code>	Pass	0.000s
Zone2 gt zone1 everywhere	<code>g2[di][ei] >= g1[di][ei]</code>	Pass	0.000s
Zone3a gt zone2 everywhere	<code>g3a[di][ei] >= g2[di][ei]</code>	Pass	0.000s
Zone3b gt zone3a everywhere	<code>g3b[di][ei] >= g3a[di][ei]</code>	Pass	0.000s
Zone1 origin	<code>grid['zones']['Zone 1']['grid'][0][0] == expected</code>	Pass	0.000s
Zone2 mid grid	<code>grid['zones']['Zone 2']['grid'][10][5] == expected</code>	Pass	0.000s
Zone3a far high	<code>grid['zones']['Zone 3a']['grid'][20][10] == expected</code>	Pass	0.000s
Zone3b origin	<code>grid['zones']['Zone 3b']['grid'][0][0] == expected</code>	Pass	0.000s
Distance count	<code>len(grid['distances']) == 21</code>	Pass	0.000s
Elevation count	<code>len(grid['elevations']) == 11</code>	Pass	0.000s
Grid dimensions per zone	<code>len(zone_data['grid']) == 21; len(row) == 11</code>	Pass	0.000s
Has all zones	<code>set(grid['zones'].keys()) == set(EA_FLOOD_ZONE_RATES.keys())</code>	Pass	0.000s
Has distances	<code>grid['distances'] == GRID_DISTANCES_M</code>	Pass	0.000s
Has elevations	<code>grid['elevations'] == GRID_ELEVATIONS_M</code>	Pass	0.000s
Params present	<code>p['elev_scale_m'] == ELEV_SCALE_M; p['tenor'] == GRID_TENOR (+2 more)</code>	Pass	0.000s
Zone rates match config	<code>zone_data['rate'] == EA_FLOOD_ZONE_RATES[zone.name]</code>	Pass	0.000s
Hash directory	<code>result["type"] == "directory"; result["hash"] is not None (+1 more)</code>	Pass	0.001s
Hash file	<code>result["type"] == "file"; result["hash"] is not None</code>	Pass	0.001s
Hash missing	<code>result == {"hash": None, "type": "missing"}</code>	Pass	0.000s
Hash empty directory	<code>count == 0; len(digest) == 64</code>	Pass	0.000s
Hash multiple files deterministic	<code>d1 == d2; c1 == c2 == 2</code>	Pass	0.002s
Hash respects pattern	<code>count_json == 1; count_csv == 1</code>	Pass	0.002s
Hash single file	<code>count == 1; len(digest) == 64</code>	Pass	0.001s
Hash binary file	<code>result == expected</code>	Pass	0.009s
Hash empty file	<code>result == expected</code>	Pass	0.000s
Hash known content	<code>result == expected</code>	Pass	0.004s
Approximate one degree lat	<code>110.000 < d < 112.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Approximate one degree lon at equator	<code>110.000 < d < 112.000</code>	Pass	0.000s
Equatorial degree approx 111km	<code>110 < d < 113</code>	Pass	0.000s
London to paris approx 340km	<code>320 < d < 360</code>	Pass	0.000s
Same point is zero	<code>model.haversine_km(0.0, 0.0, 0.0, 0.0) == pytest.approx(0...</code>	Pass	0.000s
Same point returns zero	<code>d == pytest.approx(0.0, abs=1e-6)</code>	Pass	0.000s
Symmetric	<code>d1 == pytest.approx(d2, rel=1e-6)</code>	Pass	0.000s
Symmetry	<code>d1 == pytest.approx(d2, rel=1e-9)</code>	Pass	0.000s
GET /api/v1/trading/hazard-term-structure must return HTS data.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.053s
API response must match the market_state.json file.	<code>set(api_hts.keys()) == set(file_hts.keys())</code>	Pass	0.056s
gaugehc.json must exist and contain hazard curves.	<code>path.exists(); len(curves) > 0</code>	Pass	0.013s
Each gauge curve must have annual_hazard_rate for all triggers.	<code>key in gc; gc[key] > 0</code>	Pass	0.011s
market_state.json must exist with hazard_term_structure.	<code>path.exists(); len(hts) > 0</code>	Pass	0.004s
Every real gauge in gaugehc should have a market state entry.	<code>not missing</code>	Pass	0.015s
Each gauge's HTS must have rates for tenors 1-5.	<code>tenor in rates; rates[tenor] > 0</code>	Pass	0.004s
num_sequences used by property pricer must match storm_sequences.json.	<code>expected != num_storms or expected == num_storms; expected > 0</code> (+1 more)	Pass	0.181s
hazard.py lines 100-102: exception reading hazard file -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.032s
Custom day count	<code>curve is not None</code>	Pass	0.000s
High hazard gives low survival	<code>sp < 0.1</code>	Pass	0.000s
Returns credit curve	<code>curve is not None</code>	Pass	0.006s
Survival prob decreases	<code>sp2 < sp1</code>	Pass	0.000s
Zero hazard gives survival near one	<code>sp >= 0.999</code>	Pass	0.000s
Commit returns affected_trades for the target gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.020s
Missing gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
Missing rates returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
Committing GAUGE-001 only affects its trades (2 trades).	<code>data['affected_trades'] == 2</code>	Pass	0.021s

Test Description	Acceptance Criteria	Result	Time
Reset all gauges.	<code>resp.status_code == 200;</code> <code>'all' in</code> <code>data['message']</code>	Pass	0.004s
Reset one gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.003s
GET returns per-gauge per-trigger structure.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.003s
Tenor outside 1-10 returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
Missing gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
POST updates one gauge/trig- ger/tenor point.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.005s
Header footer callable	—	Pass	0.003s
Header footer callable	—	Pass	0.007s
Header footer callable	—	Pass	0.002s
Header footer draws confidential	<code>mock_canvas.drawCentredString.called</code>	Pass	0.003s
Header footer draws confidential footer	<code>mock_canvas.drawCentredString.called</code>	Pass	0.003s
Header footer draws header strings	<code>mock_canvas.drawString.call_count</code> <code>>= 1;</code> <code>mock_canvas.drawRightString.call_count</code> <code>>= 2</code>	Pass	0.002s
Header footer draws strings	<code>mock_canvas.drawString.call_count</code> <code>>= 1;</code> <code>mock_canvas.drawRightString.call_count</code> <code>>= 2</code>	Pass	0.002s
Health 200 at api v1	<code>r.status_code == 200</code>	Pass	0.001s
Health 200 at root	<code>r.status_code == 200</code>	Pass	0.000s
A single function must handle both route decorators.	<code>api_idx != -1 and plain_idx != -1 and</code> <code>fn_idx != -1; api_idx < fn_idx</code> (+1 more)	Pass	0.000s
health.py must declare /api/v1/health as a route alias.	<code>'/api/v1/health' in src</code>	Pass	0.000s
Backward-compat: /health must still exist.	<code>"/health" in src</code>	Pass	0.000s
Health returns ok status	<code>data['status'] == 'ok'</code>	Pass	0.000s
Test GET /health/detailed returns detailed status.	<code>response.status_code in [200, 503];</code> <code>data['status'] in ['healthy',</code> <code>'degraded']</code> (+2 more)	Pass	0.001s
Test GET /health returns health status.	<code>response.status_code == 200;</code> <code>data['status'] == 'ok'</code> (+1 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test GET / redirects to catchment selector.	<code>response.status_code == 302</code>	Pass	0.000s
Medium height 10 to 15m	<code>isinstance(result, list)</code>	Pass	0.000s
No height skips classification	<code>isinstance(result, list)</code>	Pass	0.000s
Standard height under 10m	<code>isinstance(result, list)</code>	Pass	0.000s
Tall structure over 15m	<code>isinstance(result, list)</code>	Pass	0.000s
Generate monitoring high score	<code>"Weekly" in r.values()</code>	Pass	0.000s
Generate monitoring low score	<code>"Annually" in r.values()</code>	Pass	0.000s
Generate monitoring medium score	<code>"Monthly" in r.values()</code>	Pass	0.000s
Generate recommendations high score	<code>any("URGENT" in rec for rec in r)</code>	Pass	0.000s
Generate recommendations low score	<code>any("LOW" in rec for rec in r)</code>	Pass	0.000s
Generate recommendations medium score	<code>any("HIGH PRIORITY" in rec or "MODERATE" in rec for rec i...</code>	Pass	0.000s
Identify key factors high risk	<code>any("High Risk Factor" in k for k in r.keys())</code>	Pass	0.000s
Identify key factors medium risk	<code>any("Medium Risk Factor" in k for k in r.keys())</code>	Pass	0.000s
Status colour fresh	<code>col == dl.mod.GREEN</code>	Pass	0.000s
Status colour missing	<code>col == dl.mod.RED</code>	Pass	0.000s
Status colour stale	<code>col == dl.mod.AMBER</code>	Pass	0.000s
Status colour unknown	<code>col == dl.mod.STEEL</code>	Pass	0.000s
Status label unknown uppercased	<code>dl.mod._status_label('degraded') == 'DEGRADED'</code>	Pass	0.000s
Status label values	<code>dl.mod._status_label('fresh') == 'FRESH'; dl.mod._status_label('stale') == 'STALE' (+1 more)</code>	Pass	0.000s
Alert colour amber	<code>'#FFC107' in hist_js</code>	Pass	0.000s
Daily observations field	<code>'daily_observations' in hist_js</code>	Pass	0.000s
Renders historical chart	<code>'hist-timeseries-chart' in hist_js</code>	Pass	0.000s
Severe colour red	<code>'#F44336' in hist_js</code>	Pass	0.000s
Shows flood alert threshold	<code>'FloodAlert' in hist_js</code>	Pass	0.000s
Shows flood warning threshold	<code>'FloodWarning' in hist_js</code>	Pass	0.000s
Shows severe flood threshold	<code>'SevereFloodWarning' in hist_js</code>	Pass	0.000s
Subsamples observations	<code>'7' in hist_js; 'sampleObs' in hist_js</code>	Pass	0.000s
Warning colour orange	<code>'#FF9800' in hist_js</code>	Pass	0.000s
Cache keyed by gauge id	<code>'_gaugeId' in hist_js</code>	Pass	0.000s
Caches history data	<code>'_histData' in hist_js</code>	Pass	0.000s
Uses cached data on revisit	<code>'_histData._gaugeId' in hist_js or \{\} '_his...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exceeded severe label	"Exceeded severe warning level" in str(elements)	Pass	0.000s
Within severe level	"4.000m" in str(elements)	Pass	0.000s
Cleanup function	'cleanupHistCharts' in hist_js	Pass	0.000s
Stats bar flood exceedances	'flood.exceedances' in hist_js	Pass	0.000s
Stats bar mean level	'mean.level' in hist_js or 'Mean' in hist_js	Pass	0.000s
Stats bar record years	'record.years' in hist_js or 'Record' in hist_js	Pass	0.000s
Should fetch from /api/v1/gauges/{gauge_id}/history.	'/api/v1/gauges/' in js; '/history' in js	Pass	0.000s
Should fetch from /api/v1/trading/stress/storms.	'/api/v1/trading/stress/storms' in js	Pass	0.000s
Right panel should show storm scenarios list.	'hist-storms-panel' in js; 'hist-storms-list' in js (+1 more)	Pass	0.000s
Should render a time series chart.	'hist-timeseries-chart' in js; 'renderHistorical' in js	Pass	0.000s
Historical tab JS should render without errors.	len(js) > 0	Pass	0.000s
Should have function to render storm list.	'renderStormList' in js; 'hist-storm-row' in js	Pass	0.000s
Chart should show flood stage threshold lines.	'FloodAlert' in js; 'FloodWarning' in js (+1 more)	Pass	0.000s
Storm rows should show trigger-colored dots.	'#FFC107' in js; '#FF9800' in js (+1 more)	Pass	0.000s
Storm row click should navigate to Stress Test tab.	'navigateToStress' in js; 'stressStormHint' in js (+1 more)	Pass	0.000s
Should use addEventListener (not inline onclick) for storms.	'addEventListener' in js	Pass	0.000s
ghc_historical.get_js() returns substantial JS output.	len(hist_js) > 1000	Pass	0.000s
Output long enough to contain real function definitions.	len(hist_js) > 3000	Pass	0.000s
Historical tab fetches from /gauges/{gauge_id}/history.	'/api/v1/gauges/' in hist_js; '/history' in hist_js	Pass	0.000s
Fetch URL is built using gaugeId variable.	'gaugeId' in hist_js	Pass	0.000s
history.py lines 88-90: corrupted gaugehd file -i 500.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.030s
history.py lines 144-146: statistics loader exception -i 500.	r.status_code == 500	Pass	0.030s

Test Description	Acceptance Criteria	Result	Time
history.py lines 119-121: timeseries loader exception -i 500.	<code>r.status_code == 500</code>	Pass	0.028s
Assess historical risks active subsidence	"Ground Stability Risk" in result; "High" in result["Ground Stability Risk"]	Pass	0.000s
Assess historical risks high env	"Environmental Risk" in result; "High" in result["Environmental Risk"]	Pass	0.000s
Assess historical risks low env	"Low" in result["Environmental Risk"]	Pass	0.000s
Assess historical risks minor subsidence	"Medium" in result["Ground Stability Risk"]	Pass	0.000s
Assess historical risks moderate env	"Medium" in result["Environmental Risk"]	Pass	0.000s
Assess historical risks moderate flood	"Medium" in result["Historical Flood Risk"]	Pass	0.000s
Assess historical risks no flood damage	"Low" in result["Historical Flood Risk"]	Pass	0.000s
Assess historical risks severe flood	"Historical Flood Risk" in result; "High" in result["Historical Flood Risk"]	Pass	0.000s
Assess historical risks stable ground	"Low" in result["Ground Stability Risk"]	Pass	0.000s
Build flood history bad json	<code>any("Error" in t or "error" in t.lower() for t in texts)</code>	Pass	0.001s
Build flood history no flood days	<code>any("No flood events" in t for t in texts)</code>	Pass	0.001s
Build flood history no hd file	<code>any("No historical" in t or "historical" in t.lower() for...</code>	Pass	0.000s
Build flood history no reference gauges	<code>any("No reference gauges" in t for t in texts)</code>	Pass	0.000s
Build flood history with flood data	<code>isinstance(result, list); len(tables) >= 1</code>	Pass	0.001s
Empty flood events	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Has history header	<code>any("History" in t or "Flood" in t for t in texts)</code>	Pass	0.000s
No flood history	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
With environmental issues	<code>isinstance(result, list); len(tables) >= 1</code>	Pass	0.000s
With fire incidents	<code>isinstance(result, list)</code>	Pass	0.000s
With ground conditions	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage data	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda minimal fields	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda rate spread formatted	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda section creates table	<code>len(tables) >= 1</code>	Pass	0.000s
When gaugets file has invalid JSON, exception is caught	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.053s
When gaugets file has <code>!= STORM_HOURS</code> readings, hydrograph is truncated.	<code>resp.status_code == 200</code>	Pass	0.061s
When gaugets JSON is corrupt, route returns 404.	<code>resp.status_code == 404;</code> <code>data['status'] == 'error' (+1 more)</code>	Pass	0.019s
When gaugets has fewer than <code>STORM_HOURS</code> readings, pads with last value.	<code>resp.status_code == 200;</code> <code>len(data['hourly']) == 168</code>	Pass	0.023s
Remaining exactly zero	<code>len(levels) == 5; abs(levels[0] - 3.0) < 0.01</code>	Pass	0.000s
run_series result matches manual step-by-step.	<code>qf == pytest.approx(qf_series[h], rel=1e-6)</code>	Pass	0.000s
Wet initial state produces higher early quickflow.	<code>qf_wet[:6].mean() > qf_dry[:6].mean()</code>	Pass	0.000s
No rain no quickflow	<code>np.all(qf == pytest.approx(0.0))</code>	Pass	0.000s
Quickflow positive	<code>np.all(qf >= 0.0)</code>	Pass	0.000s
Shape	<code>qf.shape == (168,); len(states) == 168</code>	Pass	0.000s
Soil moisture drains to near zero after long dry period.	<code>states[-1].soil_moisture < 1.0</code>	Pass	0.000s
Dry start no precip no quickflow	<code>qf == pytest.approx(0.0);</code> <code>new_state.soil_moisture ==</code> <code>pytest.approx(0.0) (+1 more)</code>	Pass	0.000s
Groundwater accumulates from soil	<code>new_state.groundwater > 0.0</code>	Pass	0.000s
Negative precip treated as zero	<code>qf >= 0.0; new_state.soil_moisture >= 0.0</code>	Pass	0.000s
Precip increases soil moisture	<code>new_state.soil_moisture > 0.0</code>	Pass	0.000s
Precip produces quickflow	<code>qf > 0.0</code>	Pass	0.000s
Soil moisture drains without rain	<code>new_state.soil_moisture < 50.0</code>	Pass	0.000s
Elevated antecedent state produces more quickflow per mm.	<code>qf_wet > qf_dry</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Idw gauge spreads computed with two gauges	"severe" in idw; len(idw["severe"]) == len(TENORS)	Pass	0.021s
With empty nearest_gauges, idw_gauge_spreads is still a dict.	isinstance(result.get("idw_gauge_spreads"), dict)	Pass	0.022s
Fair income 30k to 50k	isinstance(result, list)	Pass	0.000s
Good income 50k to 100k	isinstance(result, list)	Pass	0.000s
High income over 100k	isinstance(result, list)	Pass	0.000s
Limited income under 30k	isinstance(result, list)	Pass	0.001s
Total income with secondary	isinstance(result, list)	Pass	0.001s
f_imperv=1 -i Y_max=0 -i no infiltration -i depth unchanged.	—	Pass	0.000s
Reduces depth	np.all(result <= raw + 1e-10); result[50] < raw[50]	Pass	0.000s
After Y_max is consumed, depth passes through unchanged.	result[0] < raw[0]; result[1] == pytest.approx(raw[1])	Pass	0.000s
Zero depth	—	Pass	0.000s
Input dir accepts string	isinstance(gen.input_dir, Path)	Pass	0.000s
Input dir set	gen.input_dir == tmp_path	Pass	0.000s
Output path explicit	gen.output_path == out	Pass	0.000s
Styles initialised	gen.title_style is not None; gen.body_style is not None (+1 more)	Pass	0.000s
Known inputs	"properties" in m["gauge.json"]; "gaugehd" in m["gauge.json"]	Pass	0.000s
Area = float('inf') skips all threshold checks, hits fallback.	isinstance(result, tuple); len(result) == 2	Pass	0.000s
Base rates by level	result == pytest.approx(rate)	Pass	0.000s
Capped at 10 pct	result == pytest.approx(0.10)	Pass	0.000s
Depth increases premium	with_depth > no_depth	Pass	0.000s
Depth multiplier formula	rate == pytest.approx(expected)	Pass	0.000s
Unknown level uses default	result == pytest.approx(0.005)	Pass	0.000s
Zero depth no effect	base == zero	Pass	0.000s
Unknown integer field returns int	isinstance(result, int); 1 <= result <= 10	Pass	0.000s
Integer type returns int	isinstance(result, int); 0 <= result <= 100	Pass	0.000s
Baseline alert only	self._run(tmp_path, n_severe=0, n_warning=0) == "baseline"	Pass	0.002s
Catastrophic 10 severe	self._run(tmp_path, n_severe=10) == "catastrophic"	Pass	0.007s

Test Description	Acceptance Criteria	Result	Time
Extreme 6 severe	<code>self.run(tmp_path, n_severe=6) == "extreme"</code>	Pass	0.005s
Moderate 1 severe	<code>self.run(tmp_path, n_severe=1) == "moderate"</code>	Pass	0.002s
Severe 3 severe	<code>self.run(tmp_path, n_severe=3) == "severe"</code>	Pass	0.004s
Running 'python -m models.intensity' executes <code>cli.main()</code> .	<code>result.returncode == 0; "Storm Intensity" in result.stdout or "usage" in result.s...</code>	Pass	1.090s
Beta value	<code>IntensityProfile.BETA.value == "beta"</code>	Pass	0.000s
Gaussian value	<code>IntensityProfile.GAUSSIAN.value == "gaussian"; DecayKernel.GAUSSIAN.value == "gaussian"</code>	Pass	0.000s
Triangular value	<code>IntensityProfile.TRIANGULAR.value == "triangular"</code>	Pass	0.000s
All profiles produce valid storm	<code>isinstance(storm, Storm); len(storm.track) > 0</code>	Pass	0.000s
Beta profile creates storm	<code>storm is not None; len(storm.track) > 0</code>	Pass	0.000s
Gaussian profile peak near midpoint	<code>8 <= peak_idx <= 16</code>	Pass	0.000s
Triangular max equals peak intensity	<code>max(tp.intensity for tp in storm.track) == pytest.approx(...</code>	Pass	0.000s
Triangular profile peak near midpoint	<code>8 <= peak_idx <= 16</code>	Pass	0.000s
Unknown sequence type falls back to 1 storm.	<code>count == 1</code>	Pass	0.001s
Monotone increasing	<code>all(levels[i] < levels[i + 1] for i in range(len(levels) ...</code>	Pass	0.000s
Negative intensity returns zero	<code>model.intensity_to_level(-10.0, gauge) == 0.0</code>	Pass	0.000s
Positive intensity positive level	<code>model.intensity_to_level(50.0, gauge) > 0.0</code>	Pass	0.000s
Sensitivity scales output	<code>model.intensity_to_level(50, g2) == pytest.approx(...</code>	Pass	0.000s
Uses historical high when set	<code>lv_with != lv_without</code>	Pass	0.000s
Zero intensity returns zero	<code>model.intensity_to_level(0.0, gauge) == 0.0</code>	Pass	0.000s
ContextMenuHandler JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
GaugeHazardCurve JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
GaugePDFPanel JS renders without f-string errors.	<code>len(js) > 0; 'GaugePDFPanel' in js</code>	Pass	0.000s
GaugeStormAnalysis JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
NotificationSystem JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.001s
PropertyHazardCurvePanel JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
PropertyPDFPanel JS renders without f-string errors.	<code>len(js) > 0; 'PropertyPDFPanel' in js</code>	Pass	0.000s
PropertyStormAnalysis JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js (+1 more)</code>	Pass	0.000s
PropertyStormAnalysis JS must guard against empty flood_events array.	<code>'flood_events.length === 0' in js</code>	Pass	0.000s
TradingDeskPanel should be in __all__.	<code>'TradingDeskPanel' in __all__</code>	Pass	0.000s
InteractivityManager should have trading_desk attribute.	<code>hasattr(mgr, 'trading_desk')</code>	Pass	0.000s
Setup map adds preloader before notifications	<code>preloader_idx != -1; notifications_idx != -1 (+1 more)</code>	Pass	0.000s
Startup preloader imported in init	<code>'from .startup import StartupPreloader' in src</code>	Pass	0.001s
Startup preloader instantiated in init	<code>'self.startup_preloader = StartupPreloader()' in src</code>	Pass	0.000s
Elevated rate 5 to 7	<code>isinstance(result, list)</code>	Pass	0.001s
High rate over 7	<code>isinstance(result, list)</code>	Pass	0.001s
Low rate under 3	<code>isinstance(result, list)</code>	Pass	0.000s
Moderate rate 3 to 5	<code>isinstance(result, list)</code>	Pass	0.000s
No rate unknown	<code>isinstance(result, list)</code>	Pass	0.001s
Line 64: empty yield_curve returns default fallback 0.04.	<code>result == 0.04</code>	Pass	0.000s
Line 64: empty yield_curve returns fallback.	<code>result == 0.05</code>	Pass	0.000s
Line 77: fallthrough at end of for loop returns last key rate.	<code>interpolate_yield_rate(curve, 4.0) == 0.04; result == pytest.approx(0.035)</code>	Pass	0.000s
Line 71: <code>t != keys[-1]</code> returns the last key's rate.	<code>result == 0.045</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 71: <code>t == keys[-1]</code> returns the last key's rate.	<code>result == 0.045</code>	Pass	0.000s
Interpolation at a grid point should return the exact grid value.	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
At origin	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
Distance $\geq$ 5000m should clamp to 5000m.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Elevation $\geq$ 5.0m should clamp to 5.0m.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Negative distance should clamp to 0.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Negative elevation should clamp to 0.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Moving to a higher-risk zone should increase spread.	<code>s_high > s_low</code>	Pass	0.000s
Terrain delta between same zone should be exactly zero.	<code>abs(s1 - s2) < 1e-12</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 1']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 2']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 3']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 3a']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 3b']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
Interpolation at midpoint should be between bracketing values.	<code>lo <= val <= hi</code>	Pass	0.000s
File exists	<code>INVENTORY_PATH.exists()</code>	Pass	0.000s
File is valid json	<code>isinstance(data, dict)</code>	Pass	0.001s
Has at least one model	<code>len(models) > 0</code>	Pass	0.000s
Has metadata	<code>"metadata" in inventory; "framework" in inventory["metadata"]</code>	Pass	0.000s
Has model chain	<code>"model_chain" in inventory</code>	Pass	0.000s
Has models key	<code>"models" in inventory</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get models includes risk fields	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+4 more)	Pass	0.002s
One prob returns min	<code>d.inverse.exceedance(1) ==</code> <code>d.params.min.intensity</code>	Pass	0.000s
Result in bounds	<code>d.params.min.intensity <= v <=</code> <code>d.params.max.intensity</code>	Pass	0.000s
Roundtrip above threshold	<code>abs(recovered - target) < 3.0</code>	Pass	0.000s
Roundtrip below threshold	<code>abs(recovered - target) < 2.0</code>	Pass	0.000s
Zero prob returns max	<code>d.inverse.exceedance(0) ==</code> <code>d.params.max.intensity</code>	Pass	0.000s
Line 125: <code>_inverse_normal(1.5)</code> re- turns <code>+inf</code> .	<code>result == float('inf')</code>	Pass	0.000s
Line 123: <code>_inverse_normal(-0.5)</code> re- turns <code>-inf</code> .	<code>result == float('-inf')</code>	Pass	0.000s
Line 125: <code>_inverse_normal(1.0)</code> re- turns <code>+inf</code> .	<code>result == float('inf')</code>	Pass	0.000s
Line 123: <code>_inverse_normal(0)</code> re- turns <code>-inf</code> .	<code>result == float('-inf')</code>	Pass	0.000s
Lines 170-171: <code>p < p_high (0.97575)</code> uses the upper tail formula.	<code>result == pytest.approx(2.326,</code> <code>abs=0.02)</code>	Pass	0.000s
Lines 170-171: <code>p=0.98</code> also triggers high-p branch.	<code>result == pytest.approx(2.054,</code> <code>abs=0.02)</code>	Pass	0.000s
Lines 170-171: high-p branch re- turns positive value.	<code>result > 0</code>	Pass	0.000s
Lines 170-171: verify roundtrip CDF(<code>inverse.CDF(p)</code>) <code>p</code> for high <code>p</code> .	<code>recovered == pytest.approx(p,</code> <code>abs=0.001)</code>	Pass	0.000s
Below average 2 to 4pct	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent over 8pct	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 4 to 6pct	<code>isinstance(result, list)</code>	Pass	0.000s
Good 6 to 8pct	<code>isinstance(result, list)</code>	Pass	0.000s
Poor under 2pct	<code>isinstance(result, list)</code>	Pass	0.000s
Get raises on unknown key	—	Pass	0.000s
<code>JSONFileConfig.get('hazard_curves')</code> returns the hazard curves filename.	<code>result ==</code> <code>JSONFileConfig.HAZARD_CURVES</code>	Pass	0.000s
Datetime encoded as isoformat	<code>"2024-01-15" in result</code>	Pass	0.000s
Numpy float32 encoded	<code>abs(result - 1.5) < 0.01</code>	Pass	0.000s
Numpy float encoded	<code>abs(result - 3.14) < 1e-6</code>	Pass	0.000s
Numpy int32 encoded	<code>result == 7</code>	Pass	0.000s
Numpy int encoded	<code>result == 42; isinstance(result, int)</code>	Pass	0.000s
Numpy ndarray encoded as list	<code>result == [1, 2, 3]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown type raises type error	—	Pass	0.000s
Charts reference first_trigger_hour for KO line.	'first_trigger_hour' in stress_js	Pass	0.000s
Charts have KO annotation line.	'koLine' in stress_js	Pass	0.000s
Shows KO H{n} label for triggered trades.	'KO H' in stress_js	Pass	0.000s
References triggered_hour for KO status.	'triggered_hour' in stress_js	Pass	0.000s
Custom label width	t._colWidths[0] == pytest.approx(1w); t._colWidths[1] == pytest.approx(AVAIL.WIDTH - 1w)	Pass	0.000s
Default label width	t._colWidths[0] == pytest.approx(2.8 * inch)	Pass	0.000s
Multiple pairs	len(t._cellvalues) == 3	Pass	0.000s
Returns table	isinstance(t, Table); isinstance(t, Table)	Pass	0.000s
Numeric values are str()-ified in Paragraph.	isinstance(t, Table)	Pass	0.000s
LTV ≥ 1 (e.g. 75 instead of 0.75) should still work.	isinstance(result, list)	Pass	0.000s
Ltv over 60 low medium	isinstance(result, list)	Pass	0.000s
Ltv over 70 medium	isinstance(result, list)	Pass	0.000s
Ltv over 80 medium high	isinstance(result, list)	Pass	0.000s
Ltv over 90 high risk	isinstance(result, list)	Pass	0.000s
Ltv under 60 low risk	isinstance(result, list)	Pass	0.001s
High ltv 90 to 95	isinstance(result, list)	Pass	0.001s
Low ltv under 70	isinstance(result, list)	Pass	0.000s
Low medium ltv 70 to 80	isinstance(result, list)	Pass	0.001s
Medium ltv 80 to 90	isinstance(result, list)	Pass	0.001s
Very high ltv over 95	isinstance(result, list)	Pass	0.001s
At high boundary	RiskAssessor.assess_ltv_risk_level(0.95) == "High"	Pass	0.000s
At low boundary	RiskAssessor.assess_ltv_risk_level(0.6) == "Low"	Pass	0.000s
At moderate boundary	RiskAssessor.assess_ltv_risk_level(0.8) == "Moderate"	Pass	0.000s
Critical ltv	RiskAssessor.assess_ltv_risk_level(0.98) == "Critical"	Pass	0.000s
High ltv	RiskAssessor.assess_ltv_risk_level(0.88) == "High"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Low ltv	<code>RiskAssessor.assess_ltv_risk_level(0.5)</code> == "Low"	Pass	0.000s
Moderate ltv	<code>RiskAssessor.assess_ltv_risk_level(0.7)</code> == "Moderate"	Pass	0.000s
None returns unknown	<code>RiskAssessor.assess_flood_risk_level(None)</code> == "Unknown"; <code>RiskAssessor.assess_ltv_risk_level(None)</code> == "Unknown"	Pass	0.000s
Normalises 95 pct	<code>RiskAssessor.assess_ltv_risk_level(95)</code> == "High"	Pass	0.000s
Normalises percentage input	<code>RiskAssessor.assess_ltv_risk_level(70)</code> == "Moderate"	Pass	0.000s
Bad date string gracefully skipped	<code>isinstance(elements, list)</code>	Pass	0.000s
Moderate recent activity	"Moderate recent activity" in <code>str(elements)</code>	Pass	0.000s
No recent activity	"No recent severe activity" in <code>str(elements)</code>	Pass	0.000s
Recent activity within 1 year	"Recent severe level activity" in <code>str(elements)</code>	Pass	0.000s
Body style alignment	<code>s.alignment == TA_CENTER</code>	Pass	0.000s
Body style bold	<code>s.fontName == 'Helvetica-Bold'</code>	Pass	0.000s
Body style default	<code>isinstance(s, ParagraphStyle);</code> <code>s.fontName == 'Helvetica'</code>	Pass	0.000s
Build header footer callable	<code>callable(cb)</code>	Pass	0.000s
White hdr style returns paragraph style	<code>isinstance(s, ParagraphStyle);</code> <code>s.fontName == 'Helvetica-Bold'</code>	Pass	0.000s
Legacy file uses mtime cache — second call returns cached.	<code>r1["storms"][0]["storm_id"] ==</code> "LEGACY-002"; <code>r2</code> is <code>r1</code>	Pass	0.009s
Falls back to stress_storms.json when _index.json absent.	<code>result</code> is not <code>None</code> ; <code>result["storms"][0]["storm_id"]</code> == "LEGACY-001"	Pass	0.004s
OSError on legacy file stat returns existing cache.	<code>result == {"storms": [{"storm_id":</code> "cached-legacy"}]}	Pass	0.002s
Coverage available false when no index	<code>r.get_json()["coverage_available"]</code> is <code>False</code>	Pass	0.001s
Coverage available true when index present	<code>r.get_json()["coverage_available"]</code> is <code>True</code>	Pass	0.001s
Empty dir returns empty list	<code>data["reports"] == []</code>	Pass	0.001s
File has size and modified	<code>reports[0]["size"] > 0</code> ; "modified" in <code>reports[0]</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
File type label json	<code>r.get_json()["reports"][0]["type"] == "JSON"</code>	Pass	0.001s
File type label pdf	<code>r.get_json()["reports"][0]["type"] == "PDF"</code>	Pass	0.001s
File type label unknown	<code>r.get_json()["reports"][0]["type"] == "XYZ"</code>	Pass	0.001s
No dir returns empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.000s
Pdf file listed	<code>len(data["reports"]) == 1; data["reports"][0]["filename"] == "report.pdf"</code>	Pass	0.001s
Subdirectories not listed	<code>r.get_json()["reports"] == []</code>	Pass	0.001s
sys.exit(0) fires before the gauge file is opened.	—	Pass	0.002s
sys.exit(0) fires before the property file is opened.	—	Pass	0.002s
Lines 324-327: all category/page pairs are logged.	—	Pass	0.001s
Lines 412-419: <code>-list-categories</code> iterates category dict, sys.exit(0).	—	Pass	0.002s
Lines 469-476: <code>-list-categories</code> iterates category dict, sys.exit(0).	—	Pass	0.002s
Lines 321-328: <code>-list-categories</code> → <code>get_page_categories()</code> iterated, sys.exit(0).	—	Pass	0.001s
No file returns empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
Summary fields	<code>first["counterparty_id"] == "CTPY-001"; first["name"] == "Test Bank PLC" (+2 more)</code>	Pass	0.002s
With data returns summary	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.003s
No storms file returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.001s
Storm has expected fields	<code>len(storms) >= 1; "storm_id" in s (+3 more)</code>	Pass	0.006s
Storm name is capitalised intensity_category, not empty.	<code>s["name"] == s["intensity_category"].capitalize()</code>	Pass	0.005s
Storms list count	<code>data["count"] >= 1</code>	Pass	0.006s
Storms sorted by gauges_severe descending (most severe first).	<code>counts == sorted(counts, reverse=True)</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
With data returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.004s
Created meeting appears in list	<code>len(data["meetings"]) == 1; data["meetings"][0]["title"] == "Board Meeting"</code>	Pass	0.002s
Empty list returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.001s
List summary has required keys	<code>key in m</code>	Pass	0.003s
Sorted by date desc	<code>dates == sorted(dates, reverse=True)</code>	Pass	0.004s
List mortgages empty	<code>r.status_code == 200; r.get_json()["count"] == 0</code>	Pass	0.001s
List mortgages exception returns 500	<code>r.status_code == 500; r.get_json()["status"] == "error"</code>	Pass	0.001s
List mortgages success	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
<code>sys.exit(0)</code> fires before the flood file is opened.	—	Pass	0.001s
<code>sys.exit(0)</code> fires before the gauge file is opened.	—	Pass	0.002s
<code>sys.exit(0)</code> fires before the property file is opened.	—	Pass	0.005s
Lines 405-410: <code>-list-pages</code> iterates available pages, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 462-467: <code>-list-pages</code> iterates available pages, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 314-319: <code>-list-pages</code> → <code>list_available_pages()</code> iterated, <code>sys.exit(0)</code> .	—	Pass	0.002s
Loader exception returns 500	<code>r.status_code == 500; r.get_json()["status"] == "error"</code>	Pass	0.001s
Success empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
Success with properties	<code>r.status_code == 200; r.get_json()["count"] == 2</code>	Pass	0.001s
Empty dir returns zero count	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
Returns trades list key	<code>"trades" in r.get_json()</code>	Pass	0.001s
Corrupt trade file returns 500	<code>r.status_code == 500; r.get_json()["status"] == "error"</code>	Pass	0.029s
<code>list_prs_trades</code> reads PRS-*.json files and returns them.	<code>r.status_code == 200; data["count"] == 1 (+1 more)</code>	Pass	0.031s

Test Description	Acceptance Criteria	Result	Time
Loads list json	<code>result == [1, 2, 3]</code>	Pass	0.001s
Loads nested json	<code>_load(p) == data</code>	Pass	0.001s
Loads valid json	<code>_load(p) == {'key': 'value'}</code>	Pass	0.001s
Returns empty dict for directory	<code>_load(tmp_path) == {}</code>	Pass	0.000s
Returns empty dict for invalid json	<code>_load(p) == {}</code>	Pass	0.001s
Returns empty dict for missing file	<code>_load(tmp_path / 'nonexistent.json')</code> <code>== {}</code>	Pass	0.000s
Classifier count	<code>data['classifier_count'] == 2</code>	Pass	0.010s
Eod count defaults zero on import error	<code>isinstance(data['eod_count'], int)</code>	Pass	0.005s
Gaugehd baselines loaded	<code>len(data['gaugehd_baselines']) == 2</code>	Pass	0.011s
Gaugehd count	<code>data['gaugehd_count'] == 2</code>	Pass	0.011s
Gaugets count	<code>data['gaugets_count'] == 2</code>	Pass	0.007s
Loads counterparties	<code>len(data['counterparties']) == 1</code>	Pass	0.006s
Loads gaugehc	<code>'GAUGE-0001' in</code> <code>data['gaugehc']['hazard_curves']</code>	Pass	0.006s
Loads gauges	<code>len(data['gauges']) == 2</code>	Pass	0.008s
Loads mortgages	<code>len(data['mortgages']) == 1</code>	Pass	0.005s
Loads properties	<code>len(data['properties']) == 1</code>	Pass	0.005s
Loads propertyhc	<code>'PROP-0001' in</code> <code>data['propertyhc']['property_hazard_curves']</code>	Pass	0.007s
Loads seq summary	<code>data['seq_summary']['num_sequences']</code> <code>== 10000</code>	Pass	0.008s
Loads stress storms index	<code>len(data['stress_storms']['storms'])</code> <code>== 1</code>	Pass	0.013s
Falls back to stress_storms.json when _index.json is absent.	<code>len(data['stress_storms']['storms'])</code> <code>== 2</code>	Pass	0.007s
When input dir is empty, everything defaults safely.	<code>data['gauges'] == [];</code> <code>data['properties'] == [] (+10 more)</code>	Pass	0.001s
Propertyts count	<code>data['propertyts_count'] == 1</code>	Pass	0.010s
Stress storms empty when neither exists	<code>data['stress_storms'] == {}</code>	Pass	0.006s
config import may fail in test env — defaults to 0.	<code>isinstance(data['trade_count'], int)</code>	Pass	0.009s
Training summary	<code>data['training_summary']['avg_auc_roc']</code> <code>== pytest.approx(...</code>	Pass	0.008s
Loads entries	<code>result[0]['event'] == "test"</code>	Pass	0.001s
Returns empty list on bad json	<code>_load_audit_log() == []</code>	Pass	0.001s
Returns empty list when missing	<code>_load_audit_log() == [];</code> <code>_load_meetings() == []</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Loads valid data	"principles" in result; "roles" in result	Pass	0.002s
Returns none when missing	_load_bcbs239() is None; _load_raci() is None	Pass	0.000s
Loads bibliography	result["references"][0]["id"] == "R1"	Pass	0.001s
Returns default when missing	result == {"references": [], "categories": []}	Pass	0.000s
Line 208: file exists with empty counterparties → fallback list.	len(result) == 21; result[0]["id"] == "CTPY-001" (+1 more)	Pass	0.001s
Line 207-209: file doesn't exist → fallback list.	len(result) == 21	Pass	0.000s
When file has entries, those are returned (not fallback).	len(result) == 1; result[0]["id"] == "CTPY-REAL" (+1 more)	Pass	0.002s
Corrupt counterparty file leaves data none	dl.loaded_data.counterparty_data is None	Pass	0.001s
Missing counterparty file leaves data none	dl.loaded_data.counterparty_data is None	Pass	0.000s
Valid counterparty file loads	dl.loaded_data.counterparty_data is not None; "counterparties" in dl.loaded_data.counterparty_data	Pass	0.001s
Missing gaugehc returns empty and default storms	curves == {}; n_storms == 1000	Pass	0.000s
Present gaugehc returns curves	"GAUGE-001" in curves; n_storms == 500	Pass	0.001s
Present gaugehc returns num storms	n_storms == 250	Pass	0.001s
Lines 59-64: get_reports_dir raises -i fallback to get_output_path.	result == []	Pass	0.000s
Line 67: prs_dir doesn't exist -i return empty list.	result == []	Pass	0.000s
Lines 75-76: trade with matching gauge_id -i appended to list.	len(result) == 1	Pass	0.001s
Trade for different gauge not appended.	result == []	Pass	0.001s
Computes summer mean	bl['summer'] == pytest.approx(1.0667, abs=0.001)	Pass	0.002s
Computes winter mean	bl['winter'] == pytest.approx(1.8)	Pass	0.001s
Handles missing monthly means	len(baselines) == 1; baselines[0]['winter'] is None (+1 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Loads baselines	<code>len(baselines) == 2; bl['gauge_id'] in ('GAUGE-0001', 'GAUGE-0002') (+1 more)</code>	Pass	0.003s
Returns empty for nonexistent dir	<code>loader._load_gaugehd.baselines(tmp_path / 'nope') == []</code>	Pass	0.000s
Skips files without mean level	<code>loader._load_gaugehd.baselines(ghd) == []</code>	Pass	0.001s
Skips invalid files	<code>loader._load_gaugehd.baselines(ghd) == []</code>	Pass	0.001s
Empty gauge list raises	—	Pass	0.001s
File not found raises	—	Pass	0.000s
Gauge has id	<code>result[0]["gauge_id"] == "GAUGE-999"</code>	Pass	0.001s
Gauge that maps to no gauge_id raises ValueError.	—	Pass	0.001s
Loads gauges	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.001s
Empty portfolio returns empty list	<code>result == []</code>	Pass	0.001s
Loads gauge from portfolio	<code>len(result) == 1; isinstance(result[0], GaugeConfig) (+1 more)</code>	Pass	0.005s
Loads documents	<code>_load_gov_documents()[0]["doc_id"] == "D1"</code>	Pass	0.001s
Returns empty list when missing	<code>_load_gov_documents() == []</code>	Pass	0.000s
Corrupt hazard file leaves hazard data none	<code>dl.loaded_data.hazard_data is None</code>	Pass	0.001s
Corrupt property hazard file leaves phc none	<code>dl.loaded_data.property_hazard_data is None</code>	Pass	0.001s
Loaded data has gauge	<code>"TEST-G001" in result["hazard_curves"]</code>	Pass	0.001s
Loads from file	<code>"hazard_curves" in result</code>	Pass	0.006s
Missing hazard file leaves hazard data none	<code>dl.loaded_data.hazard_data is None</code>	Pass	0.000s
Missing property hazard file leaves phc none	<code>dl.loaded_data.property_hazard_data is None</code>	Pass	0.000s
Valid hazard file populates hazard data	<code>dl.loaded_data.hazard_data is not None; "hazard_curves" in dl.loaded_data.hazard_data</code>	Pass	0.001s
Empty json object returns empty dict	<code>result == {}</code>	Pass	0.001s
Invalid json raises json decode error	—	Pass	0.010s
Missing file raises file not found	—	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns full structure	<code>result["meta"]["version"] == 2;</code>	Pass	0.024s
Loads valid file	<code>"G-001" in result["hazard_curves"]</code> <code>result["models"][0]["model_id"] == "M1"</code>	Pass	0.001s
Returns none on bad json	<code>_load_inventory() is None</code>	Pass	0.001s
Returns none when missing	<code>_load_inventory() is None</code>	Pass	0.000s
Loads existing results	<code>result['total'] == 15;</code> <code>result['failed'] == 1</code>	Pass	0.002s
Returns dict when missing	<code>isinstance(result, dict); len(result) == 0</code>	Pass	0.000s
Returns empty skeleton for corrupt JSON.	<code>result == {"runs": {}, "steps": {}}</code>	Pass	0.001s
Load corrupt json returns skeleton	<code>result == {"runs": {}, "steps": {}}</code>	Pass	0.004s
Load missing returns skeleton	<code>result == {"runs": {}, "steps": {}}</code>	Pass	0.001s
Load valid manifest	<code>result == data</code>	Pass	0.006s
Reads and parses an existing manifest.	<code>'gauges' in result['steps']</code>	Pass	0.002s
Returns empty skeleton when file doesn't exist.	<code>isinstance(result, dict); 'runs' in result (+1 more)</code>	Pass	0.000s
Lines 89-91: exception -i returns {}.	<code>result == {}</code>	Pass	0.000s
Loads list	<code>_load_meetings()[0]["id"] == "M1"</code>	Pass	0.001s
Returns empty list when missing	<code>_load_audit_log() == [];</code> <code>_load_meetings() == []</code>	Pass	0.000s
When mortgage.json has invalid JSON, the exception is caught	<code>r.status_code == 200; len(props) == 1 (+1 more)</code>	Pass	0.033s
Missing property json returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Missing property json sequence returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Loads valid data	<code>"principles" in result; "roles" in result</code>	Pass	0.001s
Returns none when missing	<code>_load_bcbs239() is None; _load_raci() is None</code>	Pass	0.000s
Adding a gauge to gaugehc.json causes reconciliation on next load.	<code>"GAUGE-A" in state["base_rates"];</code> <code>"GAUGE-B" not in state["base_rates"] (+2 more)</code>	Pass	0.003s
Loading with same gauges doesn't trigger reconciliation.	<code>mtime1 == mtime2</code>	Pass	0.054s
Reconciled gauge has all triggers with 5 tenors each.	<code>trigger in ts; len(ts[trigger]) == 5 (+1 more)</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Reconciled state is persisted so second load doesn't re-reconcile.	"GAUGE-B" in disk.state["base_rates"]; "GAUGE-B" in disk.state["hazard_term_structure"]	Pass	0.002s
Corrupt storm file leaves storm data none	dl.loaded_data.storm_data is None	Pass	0.002s
Missing storm file leaves storm data none	dl.loaded_data.storm_data is None	Pass	0.000s
Storms dict with storms key	dl.loaded_data.storm_data is not None	Pass	0.001s
Storms list format	dl.loaded_data.storm_data is not None	Pass	0.001s
Storms other type	dl.loaded_data.storm_data is not None	Pass	0.001s
File not found raises	—	Pass	0.000s
Loads list	isinstance(result, list); len(result) == 5	Pass	0.001s
Storm has id	result[0]["storm_id"] == "STORM-0000"	Pass	0.001s
Storm loaded by searching legacy storms list.	result is not None; result["storm_id"] == "LEGACY-STORM-001" (+1 more)	Pass	0.000s
When path.stat() raises OSError, return existing cache.	result == {"storms": [{"storm_id": "cached"}]}	Pass	0.000s
When path.stat() raises OSError and no cache, returns None.	result is None	Pass	0.000s
Empty data list records invalid result	dl._validation_results["empty_type"].is_valid is False; "No data loaded" in dl._validation_results["empty_type"]...	Pass	0.000s
Empty data list returns none	dl._load_with_validation(mock_loader, "empty_type") is None	Pass	0.000s
Exception in loader returns none	dl._load_with_validation(mock_loader, "error_type") is None	Pass	0.001s
Exception records error in validation	dl._validation_results["error_type"].is_valid is False; "disk error" in dl._validation_results["error_type"].erro...	Pass	0.000s
None return from loader returns none	dl._load_with_validation(mock_loader, "none_type") is None	Pass	0.000s
Successful load records valid result	"gauge_test" in dl._validation_results; dl._validation_results["gauge_test"].is_valid is True	Pass	0.001s
Successful load returns data dict	result is not None; result["count"] == 2 (+1 more)	Pass	0.000s
Validation summary count matches items	dl._validation_results["three_items"].summary_count == 3	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Validation summary has type field	<code>dl._validation_results["xtype"].summary["type"] == "xtype"</code>	Pass	0.000s
Can set gauge data	<code>d.gauge_data is not None</code>	Pass	0.000s
Can set multiple fields	<code>d.gaugets.count == 3; d.gaugehd.count == 5</code>	Pass	0.000s
Counts default to zero	<code>d.gaugets.count == 0; d.gaugehd.count == 0 (+1 more)</code>	Pass	0.000s
Defaults are none	<code>getattr(d, field) is None</code>	Pass	0.000s
Is dataclass	<code>dataclasses.is_dataclass(LoadedData)</code>	Pass	0.000s
Lookup defaults are none	<code>getattr(d, field) is None</code>	Pass	0.000s
Test creating a registry.	<code>registry.data_dir == populated.data_dir; registry is not None (+1 more)</code>	Pass	0.000s
Test getting list of available loader types.	<code>'property' in loaders; 'mortgage' in loaders (+3 more)</code>	Pass	0.000s
Clear all caches	<code>not loader._cache_valid</code>	Pass	0.003s
Get all status	<code>"gauge" in status; "entity_name" in status["gauge"]</code>	Pass	0.002s
Invalidate all caches	—	Pass	0.000s
Test clearing all loader caches.	<code>prop_loader._cache is None; gauge_loader._cache is None</code>	Pass	0.002s
Test that different loader types are separate.	<code>prop_loader is not gauge_loader</code>	Pass	0.000s
Test that loader instances are cached.	<code>loader1 is loader2</code>	Pass	0.000s
Check data files all missing	<code>all(v is False for v in result.values())</code>	Pass	0.000s
Check data files present	<code>result["property"] is True; result["gauge"] is False</code>	Pass	0.000s
File overrides	<code>registry.get_gauge_loader().count() == 3</code>	Pass	0.001s
Get data dir	<code>LoaderRegistry(data_dir=tmp_path).get_data_dir() == tmp_path</code>	Pass	0.000s
Test providing custom filenames.	<code>len(props) == 1; loader.get_entity_id(props[0]) == "CUSTOM-001"</code>	Pass	0.001s
Test getting loader by name string.	<code>loader is not None; loader.count() == 3</code>	Pass	0.001s
Test getting unknown loader type.	<code>loader is None</code>	Pass	0.000s
Get available loaders	<code>"property" in available; "gauge" in available (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get gauge loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("gauge"), GaugeLoader)</code>	Pass	0.000s
Get loader by name	<code>LoaderRegistry(data_dir=tmp_path).get_loader("gauge") is ...</code>	Pass	0.000s
Get loader unknown name returns none	<code>LoaderRegistry(data_dir=tmp_path).get_loader("nonexistent")</code>	Pass	0.000s
Get mortgage loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("mortgage"), MortgageLoader)</code>	Pass	0.000s
Get property loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("property"), PropertyLoader)</code>	Pass	0.001s
Get storm loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("storm"), StormLoader)</code>	Pass	0.000s
Get timeseries loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("timeseries"), TimeseriesLoader)</code>	Pass	0.000s
Loader cached on repeated access	<code>registry.get_property_loader() is registry.get_property_loader()</code>	Pass	0.000s
Test checking data file existence.	<code>status['property'] is True;</code> <code>status['mortgage'] is True</code> (+3 more)	Pass	0.000s
Test getting status for all loaders.	<code>'property' in status;</code> <code>'gauge' in status</code> (+1 more)	Skip	0.000s
Test getting GaugeLoader.	<code>isinstance(loader, GaugeLoader);</code> <code>loader.count() == 3</code>	Pass	0.001s
Test getting MortgageLoader.	<code>isinstance(loader, MortgageLoader);</code> <code>loader.count() == 3</code>	Pass	0.001s
Test getting PropertyLoader.	<code>isinstance(loader, PropertyLoader);</code> <code>loader.count() == 3</code>	Pass	0.001s
Test getting StormLoader.	<code>isinstance(loader, StormLoader)</code>	Pass	0.000s
Test getting TimeseriesLoader.	<code>isinstance(loader, TimeseriesLoader)</code>	Pass	0.000s
Address subsection header	<code>any("Primary Address" in t for t in texts)</code>	Pass	0.000s
Administrative subsection header	<code>any("Administrative Areas" in t for t in texts)</code>	Pass	0.000s
Area classification subsection header	<code>any("Area Classification" in t for t in texts)</code>	Pass	0.000s
Density high	<code>isinstance(result, list)</code>	Pass	0.000s
Density low	<code>isinstance(result, list)</code>	Pass	0.000s
Density low medium	<code>isinstance(result, list)</code>	Pass	0.000s
Density medium	<code>isinstance(result, list)</code>	Pass	0.000s
Density very high	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Geographic subsection header	<code>any("Geographic Information" in t for t in texts)</code>	Pass	0.000s
Has section header	<code>any("Location Details" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Missing lat/lon means coordinates rows are omitted — no crash.	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Generated locations must include vertical_offset.	<code>'vertical_offset' in loc; loc['vertical_offset'] >= 0.0</code>	Pass	0.000s
Debug does not raise	—	Pass	0.000s
Debug level does not raise	—	Pass	0.000s
Error does not raise	—	Pass	0.000s
Error level does not raise	—	Pass	0.000s
Info does not raise	—	Pass	0.000s
Info level does not raise	—	Pass	0.000s
Log does not raise	—	Pass	0.000s
Log with empty string	—	Pass	0.000s
Success falls back gracefully	—	Pass	0.000s
Success level falls back gracefully	—	Pass	0.000s
Unknown level falls back to info	—	Pass	0.000s
Warning does not raise	—	Pass	0.000s
Warning level does not raise	—	Pass	0.000s
Appends entry	<code>len(entries) == 1;</code> <code>entries[0]["action"] == "test_action"</code> (+1 more)	Pass	0.003s
Failures in audit logging must not propagate.	—	Pass	0.000s
Corrupted audit log → start fresh, don't raise.	<code>len(entries) == 1</code>	Pass	0.002s
Creates audit file	<code>os.path.exists(audit_path)</code>	Pass	1.565s
Defaults applied when no json	<code>r.status_code == 200;</code> <code>entry["event_type"] == "usage"</code> (+1 more)	Pass	0.003s
Entry has expected fields	<code>entry["model_id"] == "MKM-TEST-001";</code> <code>entry["event_type"] == "calibration"</code> (+2 more)	Pass	0.138s
Entry has required keys	<code>"timestamp" in entry;</code> <code>"model_id" in entry</code> (+3 more)	Pass	0.002s
Existing file appended	<code>len(entries) == 2;</code> <code>"existing" in entries[0]</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Model not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.002s
Multiple calls accumulate	<code>len(entries) == 2</code>	Pass	0.004s
Parameters stored	<code>r.get_json()["entry"]["parameters"]</code> <code>== {"key": "value"}</code>	Pass	0.003s
Valid model returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
ltv_ratio $\div$ 1 is interpreted as a percentage and divided by 100.	<code>score > 0</code>	Pass	0.000s
Compare mode	"Scenario Comparison" in <code>captured.out</code>	Pass	0.368s
Custom notional and spread	<code>rc == 0</code>	Pass	0.002s
Default describe mode	<code>len(captured.out) > 0</code>	Pass	0.074s
Default gauge selection returns zero	<code>rc == 0</code>	Pass	0.001s
Exceedance json mode	"exceedance_probability" in data	Pass	0.000s
Exceedance mode	"70" in <code>captured.out</code>	Pass	0.000s
Explicit gauge returns zero	<code>rc == 0</code>	Pass	0.001s
Flat flag dispatches flat mode	<code>rc == 0</code>	Pass	0.002s
Json default mode	"summary_statistics" in data	Pass	0.283s
List flag logs gauge names	"THAMES-TEST-99" in combined	Pass	0.001s
List flag returns zero	<code>rc == 0</code>	Pass	0.005s
main() creates audit directory if it doesn't exist.	<code>audit.exists(); out.exists()</code>	Pass	0.033s
Lines 120-122: default (no <code>-nrfa-dir</code>) calls generate_all_gauge_histories.	—	Pass	0.163s
main() exits cleanly if jscpd fails.	—	Pass	0.000s
Lines 107-108: without <code>-catchment</code> , <code>config.CATCHMENT</code> is untouched.	<code>config.CATCHMENT == original</code>	Pass	0.178s
main() prints file/clone/pct stats to stdout.	'Clones' in out; 'PDF saved' in out	Pass	0.234s
main() prints step count and consistency status.	'pipeline steps' in output; 'Consistency' in output (+1 more)	Pass	0.035s
main() writes data_lineage_report.pdf to audit dir.	<code>out.exists(); out.stat().st_size > 5000</code>	Pass	0.033s
main() writes code_duplication_report.pdf to audit dir.	<code>(tmp_path /</code> 'code_duplication_report.pdf').exists(); <code>(tmp_path /</code> 'code_duplication_report.pdf').stat().st_size...	Pass	0.227s

Test Description	Acceptance Criteria	Result	Time
Line 102: -c short flag for catchment.	—	Pass	0.202s
Line 101: -y short flag for years.	—	Pass	0.038s
main() logs errors for unreadable files and continues.	—	Pass	0.002s
Lines 107-108: -catchment sets config.CATCHMENT.	config.CATCHMENT == "severn"	Pass	0.165s
main() processes any *_gdf.csv files found in config.input_dir.	—	Pass	0.029s
main() handles an empty directory gracefully.	—	Pass	0.000s
Lines 117-119: -nrfa-dir calls process_nrfa_directory.	list(gaugehd.dir.glob("gauge.*_hd.json"))	Pass	0.003s
Line 101: -years flag is passed through.	—	Pass	0.074s
Missing gauge logs available gauges	"THAMES-G042" in combined	Pass	0.003s
Missing gauge logs error	any("GHOST-GAUGE" in r.message for r in caplog.records)	Pass	0.002s
Missing gauge returns one	rc == 1	Pass	0.001s
Return period json mode	"return_period_years" in data;	Pass	0.000s
	"intensity" in data		
Return period mode	"100" in captured.out	Pass	0.000s
Samples json mode	"samples" in data;	Pass	0.000s
	len(data["samples"]) == 3		
Samples mode	"5 samples" in captured.out	Pass	0.000s
Scenario mode	len(captured.out) > 0	Pass	0.074s
Seed reproducible	out1 == out2	Pass	0.001s
Trigger alert explicit	rc == 0	Pass	0.001s
Trigger severe explicit	rc == 0	Pass	0.002s
Trigger warning explicit	rc == 0	Pass	0.002s
Add to map calls add child	—	Pass	0.001s
Get js returns script	"<script>" in js;	Pass	0.000s
	"refreshMainMapFS01" in js		
Get statistics returns dict	isinstance(result, dict);	Pass	0.000s
	result["component"] ==		
	"main_map_fs01"		
Report with 2% duplication should render without error.	analysis['total']['percentage'] < 3;	Pass	0.236s
	len(pdf) > 0		
Report with 8% duplication renders correctly.	pdf[:4] == b'%PDF'	Pass	0.236s
Pdf header	pdf[:4] == b'%PDF'	Pass	0.231s

Test Description	Acceptance Criteria	Result	Time
Pdf nonempty	<code>len(pdf) > 2000</code>	Pass	0.237s
Returns bytes	<code>isinstance(result, bytes)</code>	Pass	1.964s
Peak precipitation is in the storm's active window.	<code>peak_in_storm >= peak_outside</code>	Pass	0.000s
Drainage window (hours 156-167) must be precipitation-free.	<code>np.all(p[156:] == pytest.approx(0.0))</code>	Pass	0.001s
Non negative	<code>np.all(p >= 0.0)</code>	Pass	0.000s
Output shape	<code>p.shape == (EVENT_WINDOW_HOURS,)</code>	Pass	0.000s
Sum of hourly series == sum of storm precipitation_mm values.	<code>p.sum() == pytest.approx(expected, rel=1e-4)</code>	Pass	0.001s
Col widths propagated	<code>t._colWidths == cw</code>	Pass	0.000s
Custom alt color	<code>isinstance(t, Table)</code>	Pass	0.000s
When no alt_color passed, ALT_ROWS_BLUE is applied.	<code>isinstance(t, Table)</code>	Pass	0.000s
Empty rows	<code>isinstance(t, Table); len(t._cellvalues) == 1</code>	Pass	0.000s
Repeat rows set	<code>t.repeatRows == 1</code>	Pass	0.000s
Returns table	<code>isinstance(t, Table); isinstance(t, Table)</code>	Pass	0.000s
Table has correct row count	<code>len(t._cellvalues) == 4</code>	Pass	0.000s
Add action with malformed existing id	<code>r.status_code == 200; "A-002" in ids</code>	Pass	0.002s
Add decision with malformed existing id	<code>r.status_code == 200; "D-002" in ids</code>	Pass	0.002s
Add participant with malformed existing id	<code>r.status_code == 200; "P-002" in ids</code>	Pass	0.002s
Click-through should hide trading desk before opening gauge.	<code>'TradingDesk.hide' in js</code>	Pass	0.000s
Map should have New Trade link.	<code>'window.tdNewTrade' in js; 'New Trade' in js</code>	Pass	0.000s
Map should have tdViewHazardCurve navigating to gauge panel.	<code>'window.tdViewHazardCurve' in js; 'GaugeHazardCurve' in js</code>	Pass	0.000s
P&L bar must show 'From Market' metric.	<code>'From Market' in js; 'fromMarket' in js</code>	Pass	0.000s
Blotter must have a Mkt P&L column.	<code>"'market.pnl'" in js or '"market.pnl"' in js; 'Mkt P' in js</code>	Pass	0.000s
Market tab commit notification must show P&L impact.	<code>'total.pnl.impact' in js; 'gross.pnl.impact' in js</code>	Pass	0.000s
Hazard column must show up/down arrows when fair != prev_fair.	<code>'prev_fair_spread.bps' in js; '\\{\\{u25b2' in js (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Entry level under 250k	<code>isinstance(result, list)</code>	Pass	0.000s
Middle 250k to 500k	<code>isinstance(result, list)</code>	Pass	0.000s
Premium over 1m	<code>isinstance(result, list)</code>	Pass	0.000s
Upper middle 500k to 1m	<code>isinstance(result, list)</code>	Pass	0.000s
Base rates not empty	<code>br</code>	Pass	0.000s
File exists	<code>GAUGEHC_PATH.exists();</code> <code>MARKET_STATE.exists()</code>	Pass	0.000s
Has required keys	<code>not missing</code>	Pass	0.000s
Hazard term structure has triggers	<code>"alert" in triggers</code>	Pass	0.000s
Hazard term structure not empty	<code>hts</code>	Pass	0.000s
Last updated present	<code>"last.updated" in ms</code>	Pass	0.000s
Yield curve has all tenors	<code>not missing</code>	Pass	0.000s
Yield curve rates in range	<code>not bad</code>	Pass	0.000s
computeMaturityDate function exists.	<code>'computeMaturityDate' in prs_js</code>	Pass	0.000s
currentRollDate function exists.	<code>'currentRollDate' in prs_js</code>	Pass	0.000s
lastFridayOfMonth function exists.	<code>'lastFridayOfMonth' in prs_js</code>	Pass	0.000s
showMaturityPopup function exists.	<code>'showMaturityPopup' in prs_js</code>	Pass	0.000s
Mcob advice rejection reason	<code>isinstance(result, list)</code>	Pass	0.000s
Mcob all fields returns list	<code>isinstance(result, list); len(result)</code> <code>> 5</code>	Pass	0.000s
Mcob section creates tables	<code>len(tables) >= 2</code>	Pass	0.001s
Mcob with minimal fields	<code>isinstance(result, list)</code>	Pass	0.000s
Serve missing document returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Upload empty filename returns 400	<code>r.status_code == 400</code>	Pass	0.003s
Upload no file returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Upload not found meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Unknown menu no options returns empty	<code>result == ""</code>	Pass	0.000s
Unknown menu with options cycles	<code>result == "OptionB"</code>	Pass	0.000s
Unknown menu with options wraps	<code>result == "X"</code>	Pass	0.000s
Duration from storms json	<code>storm["duration_hours"] ==</code> <code>72;</code> <code>storm["peak_position"] ==</code> <code>pytest.approx(0.3) (+1 more)</code>	Pass	0.003s
Fallback to config defaults	<code>storm["duration_hours"] ==</code> <code>STRESS_STORM_DEFAULT_DURATION....;</code> <code>storm["peak_position"] ==</code> <code>pytest.approx(STRESS_STORM_DEFA...</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Passing a non-existent storms-json_path must not crash.	<code>out.exists()</code> and <code>(out / "_index.json").exists()</code>	Pass	0.001s
Distant point returns larger distance	<code>d_far > d_near</code>	Pass	0.000s
Point on gauge returns small distance	<code>d < 10.000</code>	Pass	0.000s
Returns float	<code>isinstance(d, float); d >= 0</code>	Pass	0.000s
Add minute item	<code>r.status_code == 200;</code> <code>isinstance(minutes, list) (+1 more)</code>	Pass	0.002s
Delete minute item legacy format returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Update minute item legacy format returns 400	<code>r.status_code == 400</code>	Pass	0.003s
Update minute item not found returns 404	<code>r.status_code == 404</code>	Pass	0.003s
Update minutes text	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["minutes"] ==</code> <code>"# Minutes\{\}n\{\}nAll a..."</code>	Pass	0.001s
Update minutes unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Add minute item returns 200	<code>r.status_code == 200;</code> <code>isinstance(meeting["minutes"], list) (+1 more)</code>	Pass	0.002s
When minutes is a string, deleting returns 400.	<code>r.status_code == 400</code>	Pass	0.004s
Delete minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete minute item returns 200	<code>r.status_code == 200;</code> <code>len(meeting["minutes"]) == 1 (+1 more)</code>	Pass	0.004s
When minutes is a string (legacy), updating an item returns 400.	<code>r.status_code == 400</code>	Pass	0.004s
Update minute item not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minute item returns 200	<code>r.status_code == 200; item["text"] ==</code> <code>"Updated text."</code>	Pass	0.002s
Add minute item when minutes is string	<code>r.status_code == 200;</code> <code>isinstance(meeting["minutes"], list) (+2 more)</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Update minutes missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update minutes returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["minutes"] == "New minutes text"</code>	Pass	0.002s
Property hazard returns 404 when propertyhc.json missing.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
PropertyHC summary returns 404 with helpful message when file missing.	<code>response.status_code == 404;</code> <code>data['status'] == 'error' (+1 more)</code>	Pass	0.000s
PropertyTS summary returns 404 when directory missing.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
Only alert storms create flood events	<code>result["summary"]["floods_at_nearest_gauge"] == 2</code>	Pass	0.173s
Sub alert storms not in flood events	<code>"STORM-m001b" not in event_storm_ids;</code> <code>"STORM-m001d" not in event_storm_ids</code> (+2 more)	Pass	0.173s
Has kv table	<code>callable(gen._kv_table)</code>	Pass	0.000s
Has load all	<code>callable(gen._load_all)</code>	Pass	0.000s
Has make table	<code>callable(gen._make_table)</code>	Pass	0.000s
Has section methods	<code>hasattr(gen, name)</code>	Pass	0.000s
_load_all() output can be consumed by all section methods.	—	Pass	0.009s
model_auc should be None since predictor is removed.	<code>resp.status_code == 200;</code> <code>data['model_auc'] is None</code>	Pass	0.023s
All models have model id	<code>"model_id" in m;</code> <code>isinstance(m["model_id"], str)</code> (+1 more)	Pass	0.000s
Model ids are unique	<code>len(ids) == len(set(ids))</code>	Pass	0.000s
Model ids follow naming convention	<code>mid.startswith("MKM-")</code>	Pass	0.000s
Create mapping returns flat dict	<code>isinstance(mapping, dict);</code> <code>mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)</code>	Pass	0.000s
Required fields include mortgage id	<code>any("MortgageID" in f for f in mortgage_cdm.get_required_...)</code>	Pass	0.000s
Schema has mortgage root	<code>len(list(mortgage_cdm.schema.keys())) > 0</code>	Pass	0.000s
Validate valid mortgage	<code>isinstance(mortgage_cdm.validate(data), dict)</code>	Pass	0.000s
Lines 362-363: exception in create_mapping raises ValueError.	—	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 280: valid data returns empty dict.	<code>mortgage.cdm.validate(data) == {}</code>	Pass	0.000s
Lines 282-283: exception in validate returns <code>validation_error</code> .	<code>"validation_error" in result;</code> <code>isinstance(result["validation_error"], list) (+1 more)</code>	Pass	0.000s
Line 268: <code>header_errors</code> list appended to <code>errors</code> dict when non-empty.	<code>"Header" in errors;</code> <code>len(errors["Header"]) >= 2</code>	Pass	0.000s
Line 262: Missing <code>CatchmentID</code> produces header error.	<code>"Header" in errors; any("CatchmentID" in e for e in errors["Header"]) (+2 more)</code>	Pass	0.000s
Line 259: Missing <code>MortgageID</code> produces header error.	<code>"Header" in errors; any("MortgageID" in e for e in errors["Header"])</code>	Pass	0.000s
Line 275: Missing <code>OriginalLoan</code> produces <code>FinancialTerms</code> error.	<code>"FinancialTerms" in errors;</code> <code>any("OriginalLoan" in e for e in errors["FinancialTerms"])</code>	Pass	0.000s
Line 265: Missing <code>PropertyID</code> produces header error.	<code>"Header" in errors; any("PropertyID" in e for e in errors["Header"])</code>	Pass	0.000s
Line 278: <code>terms_errors</code> appended when non-empty.	<code>"FinancialTerms" in errors</code>	Pass	0.000s
Cost analysis subsection	<code>any("Cost Analysis" in t for t in texts)</code>	Pass	0.000s
Net upfront $\geq 5\%$ of loan $\rightarrow$ High assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront $\geq 0.5\%$ $\rightarrow$ Low assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront $0.5\text{--}1.5\%$ $\rightarrow$ Low-Medium assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront $1.5\text{--}3\%$ $\rightarrow$ Medium assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront $3\text{--}5\%$ $\rightarrow$ Medium-High assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Discount points + original rate triggers estimated points/rate reduction rows.	<code>isinstance(result, list)</code>	Pass	0.000s
Empty mortgage dict does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Lender credits reduces net cost	<code>isinstance(result, list)</code>	Pass	0.000s
No financial terms returns message	<code>any("No cost information available" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No mortgage data returns message	any("No mortgage data available" in t for t in texts)	Pass	0.000s
Origination setup subsection	any("Origination" in t for t in texts)	Pass	0.000s
Penalties subsection	any("Penalties" in t for t in texts)	Pass	0.000s
Returns list with data	isinstance(result, list); len(result) > 0	Pass	0.000s
Section header present	any("Mortgage Costs" in t for t in texts)	Pass	0.000s
TotalLoanCosts + OriginalLoan triggers percentage row.	isinstance(result, list)	Pass	0.000s
Total costs overview subsection	any("Total Loan Costs" in t for t in texts)	Pass	0.000s
LoanToValueRatio shown when different from OriginalLTV.	isinstance(result, list)	Pass	0.001s
Core loan terms subsection	any("Core Loan Terms" in t for t in texts)	Pass	0.000s
Dti high risk	isinstance(result, list)	Pass	0.001s
Dti low risk	isinstance(result, list)	Pass	0.001s
Dti medium high risk	isinstance(result, list)	Pass	0.000s
Dti medium risk	isinstance(result, list)	Pass	0.000s
Dti subsection	any("Debt-to-Income" in t for t in texts)	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.000s
Interest rates subsection	any("Interest Rates" in t for t in texts)	Pass	0.000s
Loan as % of purchase value row is computed when both fields present.	isinstance(result, list)	Pass	0.001s
Ltv high risk	isinstance(result, list)	Pass	0.000s
Ltv low medium risk	isinstance(result, list)	Pass	0.000s
Ltv low risk	isinstance(result, list)	Pass	0.001s
Ltv medium risk	isinstance(result, list)	Pass	0.000s
Ltv subsection	any("Loan-to-Value" in t for t in texts)	Pass	0.000s
Ltv very high risk	isinstance(result, list)	Pass	0.000s
No financial terms returns message	any("No detailed financial terms available" in t for t in...	Pass	0.000s
No mortgage data returns message	any("No mortgage data available" in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Section header present	<code>any("Detailed Mortgage Financial Terms" in t for t in texts)</code>	Pass	0.001s
Init no output dir uses config	<code>gen.output_dir == reports_dir; reports_dir.exists()</code>	Pass	0.001s
Generate filename non dict raises attribute error	<code>"unknown" in fname</code>	Pass	0.001s
Generate filename none mortgage data	<code>"unknown" in fname; fname.endswith(".pdf")</code>	Pass	0.001s
Page exception is caught	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Unknown page in order is skipped	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Generator does not use sequential format	<code>'GAUGE-{i:}' not in src; 'GAUGE-{index}' not in src (+3 more)</code>	Pass	0.000s
Generator source uses mort prefix	<code>'MORT-' in src</code>	Pass	0.003s
Generator source uses uuid	<code>'uuid' in src; 'uuid' in src</code>	Pass	0.000s
Uuid4 produces protocol matching ids	<code>GAUGE_ID_RE.match(gauge_id); PROP_ID_RE.match(prop_id) (+2 more)</code>	Pass	0.000s
Accepts valid	<code>PROP_ID_RE.match('PROP-a3f7bc12'); PROP_ID_RE.match('PROP-00000000') (+6 more)</code>	Pass	0.000s
Rejects sequential	<code>not PROP_ID_RE.match('PROP-001'); not PROP_ID_RE.match('PROP-1234') (+3 more)</code>	Pass	0.000s
Test getting delinquent mortgages.	<code>len(delinquent) == 1; delinquent[0]['MortgageID'] == "MORT-003"</code>	Pass	0.001s
Test exposure aggregation by lender.	<code>"First National Bank" in exposure; "Regional Credit Union" in exposure (+2 more)</code>	Pass	0.001s
Test getting property IDs that have mortgages.	<code>len(prop_ids) == 3; "PROP-001" in prop_ids (+2 more)</code>	Pass	0.002s
Test total loan exposure calculation.	<code>total == 1640000</code>	Pass	0.001s
List all returns summaries	<code>len(MortgageLoader(tmp_path).list_all()) == 2</code>	Pass	0.004s
Load all returns list	<code>len(MortgageLoader(tmp_path).load_all()) == 3</code>	Pass	0.038s
Test MortgageID extraction.	<code>mort_id is not None; mort_id.startswith("MORT-")</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test mortgage summary generation.	<code>len(summaries) == 3; 'mortgageId' in summary (+3 more)</code>	Pass	0.001s
Test loading mortgage portfolio.	<code>len(mortgages) == 3</code>	Pass	0.001s
Find by id	<code>MortgageLoader(tmp_path).find_by_id("MORT-001") is not None</code>	Pass	0.002s
Mortgage without top-level PropertyID falls back to nested Mortgage.Header.PropertyID.	<code>MortgageLoader(tmp_path).find_by_property_id("PROP-NESTED")</code>	Pass	0.006s
Missing returns none	<code>MortgageLoader(tmp_path).find_by_id("MORT-999") is None</code>	Pass	0.001s
Test finding mortgage by ID.	<code>mort is not None; mort['PropertyID'] == "PROP-001" (+1 more)</code>	Pass	0.001s
Test finding mortgages by lender.	<code>len(morts) == 2</code>	Pass	0.001s
Test lender search is case insensitive.	<code>len(morts) == 2</code>	Pass	0.001s
Test finding mortgage by property ID.	<code>mort is not None; mort['MortgageID'] == "MORT-001"</code>	Pass	0.001s
Test finding mortgage for property without mortgage.	<code>mort is None</code>	Pass	0.001s
Test finding active mortgages.	<code>len(morts) == 2</code>	Pass	0.001s
Test finding delinquent mortgages.	<code>len(morts) == 1; morts[0]['MortgageID'] == "MORT-003"</code>	Pass	0.001s
Application subsection	<code>any("Application Information" in t for t in texts)</code>	Pass	0.000s
Denial reason hidden when default	<code>isinstance(result, list)</code>	Pass	0.001s
Denial reason shown when not default	<code>isinstance(result, list)</code>	Pass	0.001s
Empty mortgage dict does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
mortgage_data without outer 'Mortgage' key is handled via fallback.	<code>isinstance(result, list)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
Key financial terms subsection	<code>any("Key Financial Terms" in t for t in texts)</code>	Pass	0.000s
LTV row is computed when both PurchaseValue and OriginalLoan are present.	<code>isinstance(result, list)</code>	Pass	0.000s
Mortgage features subsection	<code>any("Mortgage Features" in t for t in texts)</code>	Pass	0.000s
Mortgage identification subsection	<code>any("Mortgage Identification" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
None mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Section header present	<code>any("Mortgage Overview" in t for t in texts)</code>	Pass	0.001s
Test that mortgage PropertyID links to valid property.	<code>prop is not None</code>	Pass	0.001s
Test finding mortgage for each property.	<code>prop is not None; mort is not None</code>	Pass	0.002s
Generate elements returns list	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Generate filename fallback	<code>fname.endswith(".pdf"); "unknown" in fname</code>	Pass	0.001s
Generate filename with id	<code>"MORT-test0001" in fname; fname.endswith(".pdf")</code>	Pass	0.001s
Generate report creates pdf	<code>output.exists(); output.suffix == ".pdf"</code>	Pass	0.011s
Generate report returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Init creates output dir	<code>output_dir.exists()</code>	Pass	0.001s
Page order set	<code>"title" in gen.page_order; gen.page_order[0] == "title"</code>	Pass	0.001s
Pages initialised	<code>"title" in gen.pages; "mortgage-overview" in gen.pages</code>	Pass	0.001s
Elevated ltv medium flood	<code>"Moderate Risk" in r</code>	Pass	0.000s
High flood overrides	<code>"High Risk" in r and "flood" in r.lower()</code>	Pass	0.000s
High ltv medium flood	<code>"High Risk" in r</code>	Pass	0.000s
Low flood risk	<code>"Low Risk" in r</code>	Pass	0.000s
Medium flood default	<code>"Moderate Risk" in r</code>	Pass	0.000s
Minimal risk	<code>"Minimal" in r</code>	Pass	0.000s
Negative value critical	<code>"Critical Risk" in r</code>	Pass	0.000s
Negative value high	<code>"High Risk" in r</code>	Pass	0.000s
Negative value moderate	<code>"Moderate Risk" in r</code>	Pass	0.000s
None ltv no crash	<code>isinstance(r, str)</code>	Pass	0.000s
Very high flood overrides	<code>"High Risk" in r</code>	Pass	0.000s
Elements non empty	<code>len(elements) > 0</code>	Pass	0.001s
Empty property data does not crash	<code>isinstance(elements, list)</code>	Pass	0.000s
Extracts mortgage id	<code>"MORT-test0001" in full_text</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No mortgage data returns elements	<code>isinstance(elements, list);</code> <code>len(elements) > 0</code>	Pass	0.000s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.011s
Table elements included	<code>len(tables) >= 1</code>	Pass	0.000s
Line 108: <code>_save_meetings</code> fails → 500.	<code>r.status_code == 500;</code> "Failed" in <code>r.get_json()["message"]</code>	Pass	0.001s
Line 195: document file not found → 404.	<code>r.status_code == 404</code>	Pass	0.002s
Line 196: serve an uploaded document.	<code>r.status_code == 200</code>	Pass	0.004s
Line 162: file with empty filename → 400.	<code>r.status_code == 400</code>	Pass	0.003s
Line 155: meeting not found → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 158: no file in request → 400.	<code>r.status_code == 400</code>	Pass	0.003s
Line 184: save failure after upload → 500.	<code>r.status_code == 500</code>	Pass	0.004s
Lines 164-186: upload a file to a meeting.	<code>r.status_code == 200; doc["filename"]</code> <code>== "report.pdf"</code>	Pass	0.004s
Line 179: meeting without 'documents' key gets it created.	<code>r.status_code == 200</code>	Pass	0.005s
Line 144: <code>_save_meetings</code> fails on update → 500.	<code>r.status_code == 500</code>	Pass	0.002s
Count gauges exceeding warning level.	<code>count >= 0;</code> <code>count <=</code> <code>len(sample-gauges_df)</code>	Pass	0.002s
Find gauge with highest current level.	<code>highest is not None;</code> 'gauge_id' in <code>highest (+1 more)</code>	Pass	0.003s
First storm gets greek name	<code>name; name[0].isupper()</code>	Pass	0.003s
Name from storms json takes priority	<code>data["storms"][0]["name"] ==</code> <code>"CustomStormName"</code>	Pass	0.003s
Gauge nav menu must use the same actions as the right-click menu.	<code>item['action'] in js</code>	Pass	0.000s
Menu items must be serialized from Python lists, not hardcoded in JS.	<code>gauge_json in js; prop_json in js</code>	Pass	0.000s
Property nav menu must use the same actions as the right-click menu.	<code>item['action'] in js</code>	Pass	0.000s
Loader should return both real and synthetic gauges.	<code>len(synth) > 0; len(real) > 0</code>	Pass	0.002s
GaugeLoader.get_entity_summary must produce 'gaugeId' key.	<code>len(summaries) > 0;</code> 'gaugeId' in <code>sample (+1 more)</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Nav menu JS must use 'gaugeId' (API contract), not 'gauge_id'.	'g.gaugeId' in js or "g['gaugeId']" in js or 'gaugeId' in js; 'g.gauge_id' not in js	Pass	0.000s
Nav menu JS must use 'name' for gauge display name.	'name' in js or "['name']" in js	Pass	0.000s
Nav JS must access _prePropertyTS.data.properties for property list.	'_prePropertyTS' in js; '.properties' in js	Pass	0.000s
Nav menu JS must use 'property_id' for property IDs.	'property_id' in js	Pass	0.000s
Portfolio flood summary properties must have 'property_id'.	len(properties) > 0; 'property_id' in properties[0]	Pass	0.002s
Filter must check for 'SYNTH' prefix on gaugeId.	'SYNTH' in js	Pass	0.000s
Nav menus included in get js	'nav-menu-container' in js	Pass	0.000s
Nav menus js contains gauge select	'nav-menu-container' in js; 'nav-gauge-select' in js (+1 more)	Pass	0.000s
Nav menus js contains property select	'nav-prop-select' in js; '_prePropertyTS' in js	Pass	0.000s
Nav menus js filters synthetic gauges	'SYNTH' in js	Pass	0.000s
Nav menus js has action bar	'nav-action-bar' in js	Pass	0.000s
Nav menus js includes menu actions	item['action'] in js; item['action'] in js	Pass	0.000s
When segment is a point (seg2 ; 1e-18), returns start point distance.	abs(nx - 51.5) < 1e-9; abs(ny + 0.1) < 1e-9 (+1 more)	Pass	0.000s
Distance is non negative	d >= 0	Pass	0.000s
Midpoint projects to midpoint	abs(nx - 51.5) < 0.01; abs(ny - 0.0) < 0.01 (+1 more)	Pass	0.000s
Point before start clamps to start	abs(nx - 51.0) < 0.01; abs(ny - 0.0) < 0.01	Pass	0.000s
Point past end clamps to end	abs(nx - 52.0) < 0.01; abs(ny - 0.0) < 0.01	Pass	0.000s
Damage amount computed correctly	prop["damage.amount"] == pytest.approx(expected)	Pass	0.003s
Negative equity flag set on property	data["properties"][0]["negative_equity"] is True	Pass	0.004s
LTV ; 100% when outstanding ; post-damage value.	prop["post_damage_ltv"] > 100.0	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Severe storm triggers negative equity	<code>r.status_code == 200;</code> <code>data["portfolio"]["mortgages_in_negative_equity"]</code> <code>== 1</code>	Pass	0.007s
Same for mortgage-report: null JSON body -i line 168 -i 400.	<code>r.status_code in (400, 500)</code>	Pass	0.000s
Sending content-type application/json with null body -i get_json() = None -i 400.	<code>r.status_code in (400, 500)</code>	Pass	0.001s
All modules no newline in js strings	<code>failures == {}</code>	Pass	0.004s
Audit reports no newline in js strings	<code>offenders == []</code>	Pass	0.001s
Full compiled js no newline in js strings	<code>offenders == []</code>	Pass	0.004s
No mortgage message	<code>any("No mortgage data" in t for t in texts)</code>	Pass	0.000s
No mortgage returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Gauge that exists in storm data but has no trades returns 404.	<code>resp.status_code == 404;</code> 'No open trades' in <code>data.get('message', '')</code>	Pass	0.022s
Empty regulatory returns message	<code>any("No regulatory information" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
Line 95: <code>_normal_pdf(0)</code> should return $1/\sqrt{2\pi}$.	<code>result == pytest.approx(expected, rel=1e-10)</code>	Pass	0.000s
Line 95: PDF decreases as $-x$ increases.	<code>d._normal_pdf(0) > d._normal_pdf(1) > d._normal_pdf(2)</code>	Pass	0.000s
Line 95: <code>_normal_pdf</code> at positive value.	<code>result == pytest.approx(expected, rel=1e-10)</code>	Pass	0.000s
Line 95: <code>_normal_pdf</code> is symmetric.	<code>d._normal_pdf(2.0) == pytest.approx(d._normal_pdf(-2.0))</code>	Pass	0.000s
Normalize float returns empty	<code>loader._normalize_to_list(3.14) == []</code>	Pass	0.000s
Normalize integer returns empty	<code>result == []</code>	Pass	0.001s
Normalize string returns empty	<code>result == []</code>	Pass	0.000s
Normalize true returns empty	<code>loader._normalize_to_list(True) == []</code>	Pass	0.000s
<code>-stressm</code> alone must always run stressm regardless of <code>-nostress</code> .	—	Pass	0.125s
<code>-nostress</code> must be a registered argument on the port subparser.	<code>args.nostress is True</code>	Pass	0.004s
With <code>-all -nostress</code> , <code>generate_stressm</code> must not be called.	—	Pass	0.091s

Test Description	Acceptance Criteria	Result	Time
Number type returns float	<code>isinstance(result, float);</code> <code>result <= 1000</code>	Pass	0.000s
CalledProcessError → returns False.	<code>result is False</code>	Pass	0.000s
macOS: subprocess.run(['open', ...]) is called.	<code>result is True;</code> <code>mock_run.call_args[0][0][0] == "open"</code>	Pass	0.001s
Darwin success	<code>result is True;</code> <code>mock_run.call_args[0][0][0] == "open"</code>	Pass	0.000s
Darwin success	<code>result is True</code>	Pass	0.000s
Generic exception returns false	<code>result is False</code>	Pass	0.000s
Generic exception returns false	<code>result is False</code>	Pass	0.000s
Any other exception → returns False.	<code>result is False</code>	Pass	0.001s
Linux: subprocess.run(['xdg-open', ...]) is called.	<code>result is True;</code> <code>mock_run.call_args[0][0][0] == "xdg-open"</code>	Pass	0.001s
Linux success	<code>result is True; "xdg-open" in args</code>	Pass	0.000s
Linux success	<code>result is True</code>	Pass	0.000s
Subprocess called process error returns false	<code>result is False</code>	Pass	0.000s
Subprocess failure returns false	<code>result is False</code>	Pass	0.001s
Unknown platform uses webbrowser	<code>result is True</code>	Pass	0.000s
Unknown platform uses webbrowser	<code>result is True</code>	Pass	0.001s
Unknown platform: falls back to webbrowser.open().	<code>result is True</code>	Pass	0.000s
Windows: subprocess.run(['cmd', '/c', 'start', ...]) is called.	<code>result is True;</code> <code>mock_run.call_args[0][0][:3] == ["cmd", "/c", "start"]</code>	Pass	0.000s
Windows case insensitive	<code>isinstance(result, bool)</code>	Pass	0.001s
Windows success	<code>result is True</code>	Pass	0.000s
Windows success	<code>result is True</code>	Pass	0.000s
Lines 432-433: <code>-gauge-id</code> → <code>_find_gauge_by_id</code> called.	—	Pass	0.021s
Lines 484-486: <code>-mortgage-file</code> → mortgage JSON is opened and parsed.	—	Pass	0.006s
Lines 489-490: <code>-property-id</code> with no mortgage file → <code>_find_property_by_id</code> called.	—	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Lines 491-492: both <code>-property-id</code> and <code>-mortgage-file</code> → both finders called.	—	Pass	0.006s
Lines 427-429: <code>-timeseries-file</code> → <code>timeseries</code> JSON opened and parsed.	—	Pass	0.006s
Known outputs	<code>m["gauge.json"] == "synthetic-gauges"; m["property.json"] == "properties" (+1 more)</code>	Pass	0.000s
Dir output empty	<code>not _outputs_exist("stressm", tmp_path)</code>	Pass	0.001s
Dir output missing	<code>not _outputs_exist("stressm", tmp_path)</code>	Pass	0.000s
Dir output present non empty	<code>_outputs_exist("stressm", tmp_path)</code>	Pass	0.001s
File output missing	<code>not _outputs_exist("gauges", tmp_path)</code>	Pass	0.000s
File output present	<code>_outputs_exist("gauges", tmp_path)</code>	Pass	0.000s
Partial outputs missing	<code>not _outputs_exist("stressm", tmp_path)</code>	Pass	0.001s
Unknown step	<code>not _outputs_exist("nonexistent", tmp_path)</code>	Pass	0.000s
Very high flood risk + arrears + very high LTV + poor credit -¿ CRITICAL.	<code>isinstance(result, list)</code>	Pass	0.001s
Very low flood risk + good payment + low LTV + excellent credit -¿ LOW.	<code>isinstance(result, list)</code>	Pass	0.000s
Property only high flood risk	<code>isinstance(result, list)</code>	Pass	0.000s
Property only very low flood risk	<code>isinstance(result, list)</code>	Pass	0.000s
Effective rating is valid	<code>rating in valid_ratings</code>	Pass	0.000s
Overall risk rating has component scores	<code>isinstance(cs, dict)</code>	Pass	0.000s
Overall risk rating has required keys	<code>key in orr</code>	Pass	0.000s
Clear override with null	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.005s
Invalid rating returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.002s
No reason field returns 400	<code>r.status_code == 400</code>	Pass	0.002s
No reason returns 400	<code>r.status_code == 400</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Override stored in model	<code>rr["mrc_override"] == "Conditional";</code> <code>rr["effective_rating"] ==</code> <code>"Conditional"</code>	Pass	0.004s
Response has audit entry	<code>"audit_entry" in data;</code> <code>data["audit_entry"]["event_type"]</code> <code>== "risk_rating_override"</code>	Pass	0.003s
Valid override returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.004s
Line 301: audit overflow during override.	<code>r.status_code == 200</code>	Pass	0.033s
Line 248: inventory not found → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 282: save failure → 500.	<code>r.status_code == 500</code>	Pass	0.003s
All hourly P(flood) values should be in [0, 1] (None after knock-out).	<code>resp.status_code == 200;</code> <code>0.0 <=</code> <code>h['p_flood'] <= 1.0</code>	Pass	0.024s
Once water exceeds severe, P(flood) = 1.0 until knock-out blanks it.	<code>resp.status_code == 200; found_one (+1</code> <code>more)</code>	Pass	0.023s
P(flood) for non-severe gauges should be w/s ratio.	<code>resp.status_code == 200;</code> <code>0.0 <=</code> <code>g['p_flood'] <= 1.0</code>	Pass	0.023s
Custom gauge basket size	<code>cdm.gauge.basket_size == 10</code>	Pass	0.000s
Default gauge basket size	<code>cdm.gauge.basket_size == 20</code>	Pass	0.000s
Lines 333-334: exception in create_mapping raises ValueError.	—	Pass	0.000s
Verify all sections of create_mapping produce correct keys.	<code>mapping["swap_id"] == "PRS-1";</code> <code>mapping["notional"] == 1000000</code> <code>(+3</code> <code>more)</code>	Pass	0.000s
validate({}) returns errors.	<code>isinstance(errors, dict)</code>	Pass	0.000s
Lines 255-256: Empty GaugeBasket.	<code>"GaugeSet" in errors;</code> <code>any("GaugeBasket" in e for e in</code> <code>errors["GaugeSet"])</code>	Pass	0.000s
Lines 263-264: exception returns validation_error.	<code>"validation_error" in result;</code> <code>isinstance(result["validation_error"],</code> <code>list)</code> <code>(+1 more)</code>	Pass	0.000s
Lines 258-259: gauge errors collected.	<code>"GaugeSet" in errors</code>	Pass	0.000s
Lines 244-245: header errors collected.	<code>"Header" in errors;</code> <code>len(errors["Header"]) >= 2</code>	Pass	0.000s
Line 241-242: Missing CatchmentID.	<code>"Header" in errors; any("CatchmentID"</code> <code>in e for e in errors["Header"])</code> <code>(+2</code> <code>more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 251-252: Missing GaugeSetID.	"GaugeSet" in errors; any("GaugeSetID" in e for e in errors["GaugeSet"])	Pass	0.000s
Line 238-239: Missing SwapID.	"Header" in errors; any("SwapID" in e for e in errors["Header"])	Pass	0.000s
Line 261: valid data returns empty dict.	prs_cdm.validate(data) == {}	Pass	0.000s
buildPRSControls function exists.	'buildPRSControls' in prs_js	Pass	0.000s
Counterparty selector present.	'prs-counterparty' in prs_js	Pass	0.000s
Payer/Receiver direction selector present.	'payer' in prs_js.lower(); 'receiver' in prs_js.lower() (+1 more)	Pass	0.000s
Maturity/tenor selector present.	'prs-maturity' in prs_js	Pass	0.000s
Notional input field present.	'prs-notional' in prs_js	Pass	0.000s
Trigger level selector present.	'prs-trigger' in prs_js	Pass	0.000s
ghc-prs.get_js() returns valid JS.	len(prs_js) > 1000	Pass	0.000s
Fetches yield curve from /api/v1/trading/yield-curve.	'/api/v1/trading/yield-curve' in prs_js	Pass	0.000s
Each trade has physical swap root	not bad	Pass	0.010s
Each trade has swap id	not bad	Pass	0.004s
Prs directory exists	PRS_DIR.exists()	Pass	0.000s
Swap id matches filename	not bad	Pass	0.004s
Thames Central book has 16 trades.	len(prs_files) >= 16	Pass	0.000s
Trade statuses are valid	not bad	Pass	0.005s
Trades are present	len(prs_files) >= 1	Pass	0.000s
Trades have gauge set	not bad	Pass	0.004s
Book thames uses prs prefix	'PRS-' in src	Pass	0.003s
Book thames uses uuid	'uuid' in src	Pass	0.000s
uuid4().hex[:8].upper() — the book generator pattern — always matches.	PRS_ID_RE.match(swap_id)	Pass	0.000s
Some paths may produce lowercase — also accepted.	PRS_ID_RE.match('PRS-a8b3c4d5'); PRS_ID_RE.match('PRS-ffffffff')	Pass	0.000s
book.py uses	PRS_ID_RE.match('PRS-A8B3C4D5');	Pass	0.000s
uuid4().hex[:8].upper() → up- percase hex.	PRS_ID_RE.match('PRS-FFFFFFFF') (+1 more)	Pass	0.000s
PRS-TEST-001 style IDs used in test fixtures are NOT production format.	not PRS_ID_RE.match('PRS-TEST-001'); not PRS_ID_RE.match('PRS-VAUXHALL')	Pass	0.000s
Port src all does not include book symbols	not overlap	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
The package <code>__init__.py</code> must not contain 'from .book import'.	"from .book import" not in src	Pass	0.000s
Package <code>__init__.py</code> must not expose <code>generate_thames_central_book</code> .	not hasattr(_pkg, "generate_thames_central_book")	Pass	0.000s
Contains claim ref paragraph	len(tables) > 0	Pass	0.001s
No flood events still renders	len(result) > 0	Pass	0.001s
Coordinates that are not floats should not raise.	isinstance(result, list)	Pass	0.001s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s
Stats reflect events	any(isinstance(e, Paragraph) for e in result)	Pass	0.001s
Without mortgage	isinstance(result, list); len(result) > 0	Pass	0.001s
Events with no sequence_id (None) should render without error.	isinstance(result, list)	Pass	0.001s
No flood events	isinstance(result, list); len(result) > 0 (+2 more)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s
Stats bar present	len(paragraphs) > 0	Pass	0.001s
Table included	any(isinstance(e, Table) for e in result)	Pass	0.001s
Events with sequence_id not in lookup default to 'isolated'.	isinstance(result, list)	Pass	0.001s
Contains tables	len(tables) >= 2	Pass	0.001s
Events with damage ratio $\geq$ 5% trigger red background rows.	isinstance(result, list)	Pass	0.001s
Multiple sequences grouped	len(tables) >= 3	Pass	0.001s
No flood events	isinstance(result, list); len(result) > 0 (+2 more)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s
Zero property value should not raise a ZeroDivisionError.	isinstance(result, list)	Pass	0.001s
Contains tables	any(isinstance(e, Table) for e in result)	Pass	0.001s
High damage + large mortgage triggers negative equity highlighting.	isinstance(result, list); any(isinstance(e, Table) for e in result)	Pass	0.001s
No flood events with mortgage	isinstance(result, list)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
With mortgage	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Without mortgage	<code>isinstance(result, list); any('No mortgage' in t for t in texts) (+2 more)</code>	Pass	0.000s
Contains reference table	<code>len(tables) >= 2</code>	Pass	0.001s
Assessed damage = prop_value * max damage_ratio per sequence.	<code>isinstance(result, list)</code>	Pass	0.001s
When damage exceeds property value, LTV is very high.	<code>isinstance(result, list)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Signature block present	<code>len(paragraphs) > 3</code>	Pass	0.001s
Without mortgage	<code>isinstance(result, list); any('No mortgage' in t for t in texts) (+2 more)</code>	Pass	0.001s
sp-panel-title element ID must be referenced in the JS.	<code>'sp-panel-title' in table_js</code>	Pass	0.000s
Title must start with 'Portfolio Storm Impact'.	<code>'Portfolio Storm Impact' in table_js</code>	Pass	0.000s
Panel title must use options[selectedIndex].textContent.	<code>'selectedIndex' in table_js; 'textContent' in table_js</code>	Pass	0.000s
Title assignment must NOT directly concatenate bare stormId.	<code>"Portfolio Storm Impact \{\}\u2014 + stormId" not in table_js</code>	Pass	0.000s
Fat tail higher exceedance	<code>p_fat > p_thin</code>	Pass	0.000s
Pareto above threshold between 0 and 1	<code>0 < p < 1</code>	Pass	0.000s
Pareto at threshold is one	<code>d._pareto_exceedance(d.params.tail_threshold) == 1.0</code>	Pass	0.000s
Pareto below threshold is one	<code>d._pareto_exceedance(d.params.tail_threshold - 5) == 1.0</code>	Pass	0.000s
Empty file	<code>metadata == {}; flows == []</code>	Pass	0.000s
Flow values are floats	<code>isinstance(f["flow_cumeecs"], float)</code>	Pass	0.006s
Flows have date and flow	<code>len(flows) == 5; "date" in f (+1 more)</code>	Pass	0.001s
Flows have date and flow cumeecs	<code>len(flows) > 0; "date" in flows[0] (+1 more)</code>	Pass	0.006s
Invalid rows skipped	<code>len(flows) == 2</code>	Pass	0.023s
Metadata contains station id	<code>"station_id" in metadata; metadata["station_id"] == "39001"</code>	Pass	0.001s
Metadata contains station name	<code>metadata.get("station_name") == "My Test Gauge"</code>	Pass	0.007s

Test Description	Acceptance Criteria	Result	Time
Metadata contains station name	<code>metadata.get("station_name") == "Test River"</code>	Pass	0.001s
Metadata station id	<code>metadata.get("station_id") == "40007"</code>	Pass	0.028s
Returns metadata and flows	<code>isinstance(metadata, dict); isinstance(flows, list)</code>	Pass	0.006s
Returns tuple	<code>isinstance(metadata, dict); isinstance(flows, list)</code>	Pass	0.001s
Short row skipped	<code>len(flows) == 2</code>	Pass	0.025s
Lines with fewer than 2 columns are skipped.	<code>len(flows) == 1</code>	Pass	0.001s
All metadata categories parsed	<code>metadata.get("file_timestamp") == "2024-01-01"; metadata.get("database_id") == "7" (+4 more)</code>	Pass	0.021s
Flow row with non numeric value skipped	<code>len(flows) == 2</code>	Pass	0.001s
Metadata row with no value uses empty string	<code>metadata.get("station_name") == ""; metadata.get("station_id") == "39001" (+1 more)</code>	Pass	0.001s
Metadata row with three columns stores value	<code>metadata.get("data_type_units") == "m3/s"</code>	Pass	0.029s
Add participant auto generates id	<code>r.status_code == 200; new_p["id"].startswith("P-")</code>	Pass	0.001s
Add participant unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Delete participant	<code>r.status_code == 200; pid not in remaining</code>	Pass	0.002s
Delete participant unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update missing participant returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update participant	<code>r.status_code == 200; updated["status"] == "Attended"</code>	Pass	0.002s
Add participant auto id	<code>"P-001" in ids; "P-002" in ids</code>	Pass	0.002s
Add participant missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Add participant returns 200	<code>r.status_code == 200; len(meeting["participants"]) == 2</code>	Pass	0.002s
Delete participant missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Delete participant returns 200	<code>r.status_code == 200;</code> <code>len(r.get_json()["meeting"]["participants"])</code> <code>== 0</code>	Pass	0.002s
Update participant not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update participant returns 200	<code>r.status_code == 200;</code> <code>p["role"] ==</code> <code>"CFO"</code>	Pass	0.002s
All holiday fields shown	<code>isinstance(result, list)</code>	Pass	0.000s
Holidays taken shown	<code>isinstance(result, list)</code>	Pass	0.000s
Last holiday date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Without holiday fields, section should not appear.	<code>not any("Holiday" in t for t in</code> <code>texts)</code>	Pass	0.000s
Total holidays shown	<code>isinstance(result, list)</code>	Pass	0.000s
Arrears balance shown	<code>isinstance(result, list)</code>	Pass	0.000s
Five missed payments poor	<code>isinstance(result, list)</code>	Pass	0.000s
Four missed payments concerning	<code>isinstance(result, list)</code>	Pass	0.000s
Highest arrears shown	<code>isinstance(result, list)</code>	Pass	0.000s
In arrears flag true	<code>isinstance(result, list)</code>	Pass	0.000s
In arrears score 5	<code>isinstance(result, list)</code>	Pass	0.000s
Many missed payments over 3	<code>isinstance(result, list)</code>	Pass	0.001s
No missed payments good	<code>isinstance(result, list)</code>	Pass	0.000s
One missed payment good	<code>isinstance(result, list)</code>	Pass	0.000s
Some missed payments 1 to 3	<code>isinstance(result, list)</code>	Pass	0.000s
Three missed payments concerning	<code>isinstance(result, list)</code>	Pass	0.000s
Two missed payments good	<code>isinstance(result, list)</code>	Pass	0.000s
Zero missed payments excellent	<code>isinstance(result, list)</code>	Pass	0.000s
Documentation pdf known model no file 404	<code>r.status_code == 404</code>	Pass	0.000s
Documentation pdf unknown model 404	<code>r.status_code == 404</code>	Pass	0.000s
Mrc tor pdf responds	<code>r.status_code in (200, 404)</code>	Pass	0.001s
Parameter inventory pdf responds	<code>r.status_code in (200, 404)</code>	Pass	0.000s
Results pdf known model no file 404	<code>r.status_code == 404</code>	Pass	0.000s
Results pdf unknown model 404	<code>r.status_code == 404</code>	Pass	0.000s
Line 323: valid model dir but PDF file missing → 404.	<code>r.status_code == 404;</code> <code>"not found" in</code> <code>r.get_json()["message"].lower()</code>	Pass	0.001s
Line 325: model documentation PDF served when file exists.	<code>r.status_code == 200</code>	Pass	0.002s
Line 357: MRC ToR PDF missing → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 359: MRC ToR PDF served.	<code>r.status_code == 200</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Line 337: valid model dir but test_results.pdf missing → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 339: test results PDF served when file exists.	<code>r.status_code == 200</code>	Pass	0.002s
STORM-SEVERE-001 (peak 6.5m) should come before STORM-MODERATE-002 (4.8m).	<code>severe_idx < moderate_idx</code>	Pass	0.003s
GET /trading/stress/storms returns storms sorted by peak_level_m DESC.	<code>len(storms) >= 2;</code> <code>sorted(peaks, reverse=True)</code>	Pass	0.004s
storms[0] must have the highest peak_level_m.	<code>storms[0]['peak_level_m'] >=</code> <code>storms[-1]['peak_level_m']</code>	Pass	0.004s
When seg_start == seg_end, norm ~ 0 -¿ degenerate fallback path.	<code>abs(lon - (-0.30)) < 1e-9</code>	Pass	0.000s
Offset moves point	<code>dist >=</code> <code>PropertyPortfolioGenerator.MIN_OFFSET_M</code> <code>* 0.5</code>	Pass	0.000s
Returns two floats	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
Persistent all events have readings	<code>"flood.depth_m" in event;</code> <code>"damage_ratio" in event (+2 more)</code>	Pass	0.171s
Persistent four events recorded	<code>result["summary"]["floods_at_nearest_gauge"]</code> <code>== 4</code>	Pass	0.169s
Create mapping returns flat dict	<code>isinstance(stormts_cdm.create_mapping(data), dict);</code> <code>isinstance(prs_cdm.create_mapping(data), dict)</code>	Pass	0.000s
List all fields has gauge set	<code>any("GaugeSet" in f for f in</code> <code>prs_cdm.list_all_fields())</code>	Pass	0.000s
Required fields include swap id	<code>any("SwapID" in f for f in</code> <code>prs_cdm.get_required_fields())</code>	Pass	0.000s
Schema has root	<code>isinstance(stormts_cdm.schema, dict);</code> <code>len(stormts_cdm.schema) > 0 (+2 more)</code>	Pass	0.000s
FAIL if any output from STEP_IO is missing or empty on disk.	—	Pass	0.930s
At least one trained classifier must be documented in training_summary.	<code>stress_storms_dir.exists();</code> <code>summary_path.exists() (+1 more)</code>	Skip	0.001s
Directories that exist but are empty are just as broken as missing.	<code>not empty</code>	Pass	0.071s

Test Description	Acceptance Criteria	Result	Time
Line 48: <code>fmt_gbp(0)</code> returns em-dash.	<code>isinstance(result, list)</code>	Pass	0.000s
After an EOD snap, series has one entry.	<code>len(data['series']) == 1; 'date' in entry (+4 more)</code>	Pass	0.041s
Returns empty series when no EOD snapshots exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.001s
Missing positions key returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
Negative gauge P&L -i bar drawn to the left.	<code>isinstance(result, Drawing)</code>	Pass	0.000s
No positions returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
Positions exist but all running_pnl = 0 -i gauge_pnl has values.	<code>isinstance(result, Drawing)</code>	Pass	0.000s
In -all mode, <code>resolve_prerequisites</code> should not be called.	<code>run_all is True</code>	Pass	0.000s
Running -propertyts with stale pre-reqs should enable their flags.	<code>args.gauges is True; args.properties is True (+3 more)</code>	Pass	0.000s
In -strict mode, <code>resolve_prerequisites</code> should not be called.	<code>not run_all; args.strict is True</code>	Pass	0.000s
JS must POST to <code>/api/v1/trading/stress/portfolio-run</code> .	<code>'/api/v1/trading/stress/portfolio-run' in ps_js</code>	Pass	0.000s
JS must fetch from <code>/api/v1/trading/stress/portfolio-storms</code> .	<code>'/api/v1/trading/stress/portfolio-storms' in ps_js</code>	Pass	0.000s
<code>portfolio-run</code> endpoint must use POST method.	<code>'POST' in ps_js</code>	Pass	0.000s
Full Detail button must navigate to Tab 7 via <code>switchTab('stress')</code> .	<code>"switchTab('stress')" in ps_js</code>	Pass	0.000s
'Full Detail' link button must be present — navigates to Tab 7 gauge view.	<code>'Full Detail' in ps_js</code>	Pass	0.000s
<code>_psRenderGaugeTable</code> must be defined — renders per-gauge trade rows.	<code>'_psRenderGaugeTable' in ps_js</code>	Pass	0.000s
<code>_psRenderGaugePnlTab</code> must be defined.	<code>'_psRenderGaugePnlTab' in ps_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
tdStressGaugeHint must be set — passes selected gauge to Tab 7 pre-selection.	'tdStressGaugeHint' in ps_js	Pass	0.000s
_stressStormHint must be set — passes selected storm to Tab 7 auto-selection.	'_stressStormHint' in ps_js	Pass	0.000s
ps- IDs must not collide with Tab 7's td-stress-gauge ID.	'td-stress-gauge' not in ps_js	Pass	0.000s
Content area uses ps-content ID.	'ps-content' in ps_js	Pass	0.000s
Storm selector uses ps- prefix (not td-stress-*).	'ps-storm-sel' in ps_js	Pass	0.000s
Sub-tab button IDs are built using ps-tab- prefix.	"ps-tab-" in ps_js or "'ps-tab-' +" in ps_js or 'ps-tab-...; "'pflood'" in ps_js (+3 more)	Pass	0.000s
Rendered full JS must be of substantial length — sanity check that loadPortStressData() must be called in the portstress switchTab branch.	len(full_js) > 200000 'loadPortStressData' in full_js	Pass Pass	0.000s 0.000s
psResult must survive f-string rendering — absent if brace escaping broke.	'psResult' in full_js	Pass	0.000s
'Port Stress' tab label must appear in the rendered trading desk.	'Port Stress' in full_js	Pass	0.000s
portStressView variable must appear — panel appends it to DOM.	'portStressView' in full_js	Pass	0.000s
createPortStressView() call must appear in panel construction.	'createPortStressView' in full_js	Pass	0.000s
switchTab must handle tab === 'portstress' branch.	"tab === 'portstress'" in full_js	Pass	0.000s
tabs array must include the portstress entry.	"id: 'portstress'" in full_js	Pass	0.000s
switchTab views array must include 'portstress'.	"'portstress'" in full_js	Pass	0.000s
hidePanel must call psCleanupCharts() to destroy chart instances.	'psCleanupCharts' in full_js	Pass	0.000s
psResult state variable must appear inside the IIFE, not after it.	idx > 0; idx < iife_close	Pass	0.000s
P(flood) tab contains the heatmap canvas and chart area container.	'ps-heatmap-canvas' in ps_js; 'ps-pflood-chart-area' in ps_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
_psRenderPFloodTab must be defined.	'_psRenderPFloodTab' in ps_js	Pass	0.000s
Threshold bar colours must be present: severe red, warning orange, alert amber.	'#c62828' in ps_js; '#e65100' in ps_js (+1 more)	Pass	0.000s
P(flood) tab creates a Chart.js instance.	'Chart(' in ps_js	Pass	0.000s
Canvas element uses ps-portpnl-canvas ID.	'ps-portpnl-canvas' in ps_js	Pass	0.000s
Portfolio P&L tab uses the shared fmtGBP formatter.	'fmtGBP' in ps_js	Pass	0.000s
_psRenderPortPnlTab must be defined.	'_psRenderPortPnlTab' in ps_js	Pass	0.000s
Horizontal bar chart needs indexAxis: 'y' in Chart.js options.	'indexAxis' in ps_js	Pass	0.000s
Severity rows must navigate to Gauge P&L sub-tab via psSwitchSubTab.	'psSwitchSubTab' in ps_js	Pass	0.000s
All four severity group labels must be present in the JS output.	'SEVERE' in ps_js; 'WARNING' in ps_js (+2 more)	Pass	0.000s
_psRenderSeverityTab must be defined.	'_psRenderSeverityTab' in ps_js	Pass	0.000s
Severity row click must set psSelectedGaugeId before switching sub-tab.	'psSelectedGaugeId' in ps_js	Pass	0.000s
Severe group must use the #ffebee background colour.	ps_js.lower().find('#ffebee') >= 0	Pass	0.000s
All four sub-tab render functions must be present.	'_psRenderPFloodTab' in ps_js; '_psRenderPortPnlTab' in ps_js (+2 more)	Pass	0.000s
'psCleanupCharts' must be defined — destroys Chart.js instances.	'psCleanupCharts' in ps_js	Pass	0.000s
'createPortStressView' must be defined — builds the Tab 8 DOM.	'createPortStressView' in ps_js	Pass	0.000s
'loadPortStressData' must be defined — fetches storm list on tab open.	'loadPortStressData' in ps_js	Pass	0.000s
'psStormChanged' must be defined — handles storm dropdown selection.	'psStormChanged' in ps_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'psSwitchSubTab' must be defined — controls the 4 sub-tabs.	'psSwitchSubTab' in ps_js	Pass	0.000s
port_stress.get_js() returns non-empty string without errors.	len(ps_js) > 0	Pass	0.000s
Module-level state variables must be declared.	'psResult' in ps_js; 'psActiveSubTab' in ps_js (+1 more)	Pass	0.000s
Return value still has the correct structure after classifier training.	result["num_sequences"] == 20; "type_counts" in result	Pass	18.722s
train_classifier=True without gauge_id covers lines 364-384.	result["num_gauges"] == 3; stressm_dir.exists() (+1 more)	Pass	19.004s
Print summary stats for the flood portfolio.	—	Pass	0.116s
Verify properties receive the expected number of storm events.	—	Pass	0.088s
Known storm returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s
Mortgaged property has ltv fields	len(mortgaged) >= 1; "outstanding_balance" in p (+3 more)	Pass	0.003s
No pts dir returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.000s
Options returns ok	r.status_code == 200; r.status_code == 200	Pass	0.000s
Portfolio damage pct non negative	pct >= 0	Pass	0.005s
Portfolio totals count	port["properties_affected"] == len(r.get_json()["proporti...	Pass	0.003s
Properties sorted by damage descending	amounts == sorted(amounts, reverse=True); amounts == sorted(amounts, reverse=True)	Pass	0.004s
Property entry has financial fields	"property_id" in prop; "property_value" in prop (+9 more)	Pass	0.005s
Response has portfolio	"portfolio" in data; "total_properties" in port (+4 more)	Pass	0.003s
Response has properties list	"properties" in data; len(data["properties"]) >= 1 (+2 more)	Pass	0.003s
Response has storm id	r.get_json()["storm_id"] == sid	Pass	0.004s
Unknown storm returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
No pts dir returns 404	<code>r.status_code == 404; data["status"] == "error"</code>	Pass	0.001s
Options returns 200	<code>r.status_code == 200</code>	Pass	0.000s
Unknown storm returns 404	<code>r.status_code == 404; data["status"] == "error"</code>	Pass	0.003s
Mortgage enrichment present	<code>entry["has_mortgage"] is True; entry["outstanding_balance"] == pytest.approx(280.000) (+2 more)</code>	Pass	0.003s
Property entry has damage fields	<code>entry["property_id"] == "PROP-001"; entry["flood_depth_m"] == pytest.approx(0.5) (+2 more)</code>	Pass	0.003s
Response has portfolio key	<code>"portfolio" in data; key in portfolio</code>	Pass	0.003s
Response has properties list	<code>"properties" in data; len(props) >= 1</code>	Pass	0.004s
Storm id in response	<code>data["storm_id"] == "STORM-001"</code>	Pass	0.003s
Valid storm returns 200	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.003s
API must not return name == storm_id (produces 'ID (ID)' in UI).	<code>s['name']</code>	Pass	0.002s
At least one storm must have a human-readable name (not a raw STORM-xxx id).	<code>named</code>	Pass	0.004s
In gauge_results, severe gauges appear before warning gauges.	<code>levels == sorted(levels)</code>	Pass	0.026s
Warning gauges appear before alert gauges in results.	<code>levels[i] <= levels[i + 1]</code>	Pass	0.029s
Gauges with num_trades > 0 have non-empty trades list.	<code>len(g['trades']) > 0</code>	Pass	0.023s
Each trade has swap_id, trigger, notional, mtm, cash_price, stress_pnl,	<code>found_trade; 'swap_id' in t (+8 more)</code>	Pass	0.017s
Exception in load_stress_storms causes 500.	<code>resp.status_code == 500</code>	Pass	0.010s
When two storms have equal gauges_severe, the one with	<code>storms[0]['intensity_category'] == 'catastrophic'</code>	Pass	0.000s
patch _get_engines to raise RuntimeError -i 500.	<code>resp.status_code == 500</code>	Pass	0.004s
No stress_storms/ + cache cleared -i portfolio-run returns 404.	<code>resp.status_code == 404</code>	Pass	0.000s
POST with no body returns 400 or 500.	<code>resp.status_code in (400, 500)</code>	Pass	0.001s
Payer (is_payer=True) has positive notional in trade details.	<code>t['notional'] > 0</code>	Pass	0.019s

Test Description	Acceptance Criteria	Result	Time
portfolio_stress_pnl == sum(g['stress_pnl'] for g in gauges).	abs(data['portfolio_stress_pnl'] - expected_total) < 0.01	Pass	0.023s
Receiver (is_payer=False) has negative notional in trade details.	t['notional'] < 0	Pass	0.022s
When peak_level_m_i= severe_level, p_flood should be 1.0.	gauge_001 is not None; gauge_001['p_flood'] == 1.0	Pass	0.022s
stress_pnl = cash_price - mtm; cash_price = signed_notional * p_flood.	data['status'] == 'success'; abs(t['stress_pnl'] - (t['cash_price'] - t['mtm'])) < 0.01	Pass	0.022s
Gauge not in storm's gauge_responses has p_flood=0.0 and impacted=False.	lambeth['p_flood'] == 0.0; lambeth['impacted'] is False	Pass	0.029s
Missing sequences message mentions doublet	"storm_sequences" in msg or "not found" in msg	Pass	0.032s
Missing sequences returns 404	r.status_code == 404	Pass	0.029s
No pts dir returns 404	r.status_code == 404	Pass	0.001s
No pts dir status error	pts_client_no_data.get(URL).get_json()["status"] == "error"	Pass	0.001s
Options returns ok	r.status_code == 200	Pass	0.001s
Missing mortgage json returns 200	client.get(URL).status_code == 200	Pass	0.050s
Missing mortgage json zero portfolio mortgages	client.get(URL).get_json()["total_portfolio_mortgages"] == ...	Pass	0.053s
Missing property json returns 200	client.get(URL).status_code == 200	Pass	0.050s
Missing property json status success	client.get(URL).get_json()["status"] == "success"	Pass	0.051s
Missing property json zero portfolio value	client.get(URL).get_json()["total_portfolio_value"] == 0.0	Pass	0.050s
Mortgage impairment max is positive	mi["max"] > 0	Pass	0.023s
Mortgage impairment value	mi["max"] == pytest.approx(140000.0, rel=1e-3)	Pass	0.023s
Tail storm has mortgage impairment	len(tail) >= 1; tail[0]["mortgage_impairment"] > 0	Pass	0.023s
Prob loss pct is 50	client_two_storms.get(URL).get_json()["prob_loss_pct"] == ...	Pass	0.023s
Storm count is two	client_two_storms.get(URL).get_json()["storm_count"] == 2	Pass	0.023s
Storms with damage is one	client_two_storms.get(URL).get_json()["storms_with_damage"]	Pass	0.023s
Storms zero damage is one	client_two_storms.get(URL).get_json()["storms_zero_damage"]	Pass	0.023s

Test Description	Acceptance Criteria	Result	Time
Tail storms contains the damaged storm	"STORM-0001" in storm_ids	Pass	0.023s
Tail storms limited to 50	len(client_two_storms.get(URL).get_json()["tail_storms"]) < 50	Pass	0.022s
No mortgage impairment when above water	mi["max"] == 0.0	Pass	0.024s
Prob loss pct is 100	pts_env["client"].get(URL).get_json()["prob_loss_pct"] == ...	Pass	0.024s
Property damage cond mean positive	pts_env["client"].get(URL).get_json()["property_damage"]	Pass	0.024s
Property damage max is positive	pts_env["client"].get(URL).get_json()["property_damage"]	Pass	0.023s
Storm count is one	pts_env["client"].get(URL).get_json()["storm_count"] == 1	Pass	0.025s
Storms with damage is one	pts_env["client"].get(URL).get_json()["storms_with_damage"]	Pass	0.024s
Storms zero plus with damage equals total	data["storms_with_damage"] + data["storms_zero_damage"] == ...	Pass	0.023s
Total portfolio mortgages	pts_env["client"].get(URL).get_json()["total_portfolio"]	Pass	0.024s
Total portfolio value	pts_env["client"].get(URL).get_json()["total_portfolio"]	Pass	0.024s
Histogram bin has lo hi count	"lo" in bin0 and "hi" in bin0 and "count" in bin0	Pass	0.026s
Mort histogram has 50 bins	len(pts_env["client"].get(URL).get_json()["mort_histogram"])	Pass	0.027s
Mortgage impairment sub keys	key in mi	Pass	0.025s
Prop histogram has 50 bins	len(pts_env["client"].get(URL).get_json()["prop_histogram"])	Pass	0.027s
Property damage sub keys	key in pd	Pass	0.025s
Returns 200	pts_env["client"].get(URL).status_code == 200	Pass	0.025s
Status success	pts_env["client"].get(URL).get_json()["status"] == "success"	Pass	0.023s
Tail storm has required fields	len(storms) >= 1; f in s	Pass	0.025s
Tail storms is list	isinstance(pts_env["client"].get(URL).get_json()["tail_storms"], list)	Pass	0.024s
Tail storms sorted descending	damages == sorted(damages, reverse=True)	Pass	0.025s
Top level keys present	key in data	Pass	0.024s
Portfolio value from known property	client_unknown_prop.get(URL).get_json()["total_portfolio"]	Pass	0.023s
Unknown prop id is skipped	data["storms_with_damage"] == 0	Pass	0.023s
Zero depth cond mean is zero	client_zero_depth.get(URL).get_json()["property_damage"]	Pass	0.023s
Zero depth prob loss is zero	client_zero_depth.get(URL).get_json()["prob_loss_pct"] == ...	Pass	0.022s
Zero depth property damage max is zero	client_zero_depth.get(URL).get_json()["property_damage"]	Pass	0.023s
Zero depth storms with damage is zero	client_zero_depth.get(URL).get_json()["storms_with_damage"]	Pass	0.022s

Test Description	Acceptance Criteria	Result	Time
trading/preloader.py must set window._tdPreloadDone (not bare assignment).	'window._tdPreloadDone = true' in src	Pass	0.000s
startup.py must initialise via window._tdPreloadDone (not bare var).	'window._tdPreloadDone = false' in src; 'var _tdPreloadDone = false' not in src	Pass	0.000s
startup.py must set window._tdPreloadDone = true after all fetches settle.	'window._tdPreloadDone = true' in src	Pass	0.000s
tradingdesk.py showPanel() must read window._tdPreloadDone, not bare _tdPreloadDone.	'window._tdPreloadDone' in js	Pass	0.000s
All three tabs must fetch from /trading/stress/storms.	'/trading/stress/storms' in js	Pass	0.000s
Gauge Stress tab auto-selects storms[0] (worst case).	'storms[0]' in ghc_stress_js or 'storms.length > 0' in gh...	Pass	0.000s
Gauge Stress tab storm dropdown uses all required storm fields.	field in ghc_stress_js	Pass	0.000s
Historical tab storm list uses all required storm fields.	field in hist_js	Pass	0.000s
Trading Desk storm dropdown includes peak_level_m in the label.	'peak_level_m' in td_stress_js	Pass	0.000s
Trading Desk Stress tab also auto-selects worst case storm.	'withTrades' in td_stress_js or \{\} 'storms....	Pass	0.000s
Trading Desk Stress tab storm dropdown uses all required storm fields.	field in td_stress_js	Pass	0.000s
Alert trigger	result["trigger_level"] == "alert"; result["trigger_threshold_m"] == 4.0	Pass	0.000s
Custom notional	result["notional"] == 5.000.000	Pass	0.000s
Flat hazard curve	"fair_spread_bps" in result; result["use_term_structure"] is False	Pass	0.000s
Gauge not in hazard returns 404	r.status_code == 404	Pass	0.001s
Invalid trigger level returns 400	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.000s
Missing gauge id returns 400	r.status_code == 400	Pass	0.000s
No hazard file returns 404	r.status_code == 404; "not available" in r.get_json()["message"].lower() (+1 more)	Pass	0.000s
No json returns 400	r.status_code in (400, 500)	Pass	0.000s
Options returns ok	r.status_code == 200	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Result has fair spread bps	"fair_spread.bps" in result; result["fair_spread.bps"] > 0	Pass	0.000s
Result has npv	"npv" in result; isinstance(result["npv"], float)	Pass	0.000s
Result has survival probabilities	len(sp) == 3; "1yr" in sp	Pass	0.000s
Returns dict	isinstance(result, dict)	Pass	0.035s
Severe trigger	result["trigger_level"] == "severe"; result["trigger_threshold_m"] == 5.0	Pass	0.000s
Term structure true	result["use_term_structure"] is True	Pass	0.000s
Annual hazard rate matches input	r["annual_hazard_rate"] == gauge["annual_hazard_rate_warn...	Pass	0.000s
Gauge id in result	r["gauge_id"] == gauge["gauge_id"]	Pass	0.000s
Gauge name in result	r["gauge_name"] == gauge["gauge_name"]	Pass	0.000s
Severe annual hazard rate matches input	r["annual_hazard_rate"] == gauge["annual_hazard_rate_seve...	Pass	0.000s
hazard.py lines 174-176: exception during pricing -i 500.	r.status_code == 500	Pass	0.032s
hazard.py lines 146-147: gauge not in hazard data -i 404.	r.status_code == 404	Pass	0.029s
hazard.py lines 139-140: no gaugehc.json -i 404.	r.status_code == 404	Pass	0.028s
hazard.py line 123: no JSON body -i 400.	r.status_code in (400, 500)	Pass	0.028s
hazard.py lines 121-123: JSON null body -i 400.	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.027s
All trigger levels work: alert, warning, severe.	r.status_code == 200	Pass	0.052s
hazard.py lines 133-172: successful PRS pricing.	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.057s
hazard.py: PRS pricing with default params.	r.status_code == 200	Pass	0.052s
Npv is sum of legs	r["npv"] == pytest.approx(r["protection_leg...	Pass	0.000s
Premium leg negative	r["premium_leg_npv"] < 0	Pass	0.000s
Protection leg positive	r["protection_leg_npv"] > 0	Pass	0.000s
Nonzero recovery rate stored	r["recovery_rate"] == pytest.approx(0.4)	Pass	0.000s
Recovery rate affects fair spread	r0["fair_spread.bps"] > r40["fair_spread.bps"]	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Higher risk free rate changes npv	<code>r_low["npv"] != pytest.approx(r_high["npv"], rel=1e-4)</code>	Pass	0.000s
Risk free rate not in output	<code>"risk_free_rate" not in r</code>	Pass	0.000s
Fair spread is float	<code>isinstance(r["fair_spread"], float)</code>	Pass	0.000s
Fair upfront is float	<code>isinstance(r["fair_upfront"], float)</code>	Pass	0.000s
Npv is float	<code>isinstance(r["npv"], float)</code>	Pass	0.000s
Running spread bps identity	<code>r["running_spread_bps"] == pytest.approx(r["running_sprea...</code>	Pass	0.000s
Survival probs all in zero one	<code>0.0 < val <= 1.0</code>	Pass	0.000s
Tenor 1yr gives one survival entry	<code>len(r["survival_probabilities"]) == 1; "1yr" in r["survival_probabilities"]</code>	Pass	0.000s
Use term structure stored false	<code>r["use_term_structure"] is False</code>	Pass	0.000s
Use term structure stored true	<code>r["use_term_structure"] is True</code>	Pass	0.000s
Not trained no metrics printed	<code>"AUC" not in out</code>	Pass	0.000s
Not trained status	<code>"insufficient_data" in out; "GAUGE-bad" in out (+1 more)</code>	Pass	0.000s
Trained shows feature importance	<code>"log_h_s" in out; "log_t_end" in out</code>	Pass	0.000s
Trained shows label info	<code>"severe_warning" in out; "5.50" in out</code>	Pass	0.000s
Trained status prints metrics	<code>"trained" in out; "0.9200" in out (+1 more)</code>	Pass	0.000s
Percentile between alert and warn- ing -i '← ALERT' marker (line 480).	<code>"ALERT" in out</code>	Pass	0.000s
All sequence types reported	<code>"isolated" in out; "doublet" in out (+1 more)</code>	Pass	0.000s
Categories with zero peaks are skipped via 'continue' (line 493).	<code>"moderate" in out; "catastrophic" not in out</code>	Pass	0.000s
Output contains gauge id	<code>"GAUGE-test-pgp" in out</code>	Pass	0.000s
Percentile i= severe -i '← SE- VERE' marker.	<code>"SEVERE" in out</code>	Pass	0.000s
Percentile between warning and se- vere -i '← WARNING' marker.	<code>"WARNING" in out</code>	Pass	0.000s
Summary with full data does not crash	—	Pass	0.005s
Summary with no data does not crash	—	Pass	0.000s
Summary with partial data does not crash	—	Pass	0.000s
Logs gauge name	<code>isinstance(result["gauge_name"], str)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Logs without error	<code>len(caplog.records) >= 0</code>	Pass	0.001s
Alert trigger in log	<code>"ALERT" in combined</code>	Pass	0.000s
All survival years in log	<code>key in combined</code>	Pass	0.000s
Contract terms header in log	<code>"Contract Terms" in combined</code>	Pass	0.000s
Fair spread in log	<code>"Fair Spread" in combined</code>	Pass	0.000s
Gauge id in log	<code>result["gauge_id"] in combined</code>	Pass	0.000s
Gauge name in log	<code>result["gauge_name"] in combined</code>	Pass	0.000s
Npv value in log	<code>"NPV" in combined</code>	Pass	0.000s
Premium leg in log	<code>"Premium Leg" in combined</code>	Pass	0.000s
Protection leg in log	<code>"Protection Leg" in combined</code>	Pass	0.000s
Recovery rate in log	<code>"Recovery Rate" in combined</code>	Pass	0.000s
Severe trigger in log	<code>"SEVERE" in combined</code>	Pass	0.000s
Survival curve label in log	<code>"Survival Curve" in combined</code>	Pass	0.000s
Trigger level in log	<code>"WARNING" in combined</code>	Pass	0.000s
Empty directory returns empty list	<code>result == []</code>	Pass	0.000s
Non matching files skipped	<code>result == []</code>	Pass	0.000s
Output dir none uses input dir	<code>isinstance(result, list); any("gaugehd.39999" in r for r in result)</code>	Pass	0.016s
Output files created	<code>all(Path(p).exists() for p in result)</code>	Pass	0.017s
Process directory error continues	<code>isinstance(result, list)</code>	Pass	0.015s
Processes matching files	<code>len(result) == 2</code>	Pass	0.035s
Line 61/80: custom glob pattern selects different files.	<code>len(result) == 1</code>	Pass	0.003s
Line 87-88: error on one file doesn't stop processing others.	<code>len(result) >= 1</code>	Pass	0.003s
Multiple CSV files in directory are all processed.	<code>len(result) == 2</code>	Pass	0.003s
Line 81: station_id extracted by stripping _gdf from stem.	<code>len(result) == 1; result[0]</code>	Pass	0.002s
Line 288: empty gauge_lookup -i no nearest -i None.	<code>result is None</code>	Pass	0.170s
Line 283: empty prop_id -i None.	<code>result is None</code>	Pass	0.171s
Line 283: prop_lat == 0 -i None.	<code>result is None</code>	Pass	0.167s
Few events still uses event count	<code>result["has_gev"] is False; result["pricing_method"] == "event_count"</code>	Pass	0.020s
Many events uses event count	<code>result["flood_count"] == 10; result["pricing_method"] == "event_count" (+1 more)</code>	Pass	0.019s

Test Description	Acceptance Criteria	Result	Time
Spread equals flood count over storms	result["flood_count"] == 5; result["term_structure"]["severe"]["prs_spread_bps"][0] =...	Pass	0.020s
Non flooded events excluded from depth count	result["flood_count"] == 4	Pass	0.019s
Zero flooded events uses event count pricing	result["has_gev"] is False; result["pricing_method"] == "event_count" (+1 more)	Pass	0.019s
Max depth positive for flooded property	result["summary"]["max_depth_m"] > 0; result["summary"]["mean_depth_m"] > 0	Pass	0.020s
With zero flood events, gauge_flood_count=0 so transmission_rate=0.	result["nearest_gauges"][0]["flood_transmission_rate"] ==...	Pass	0.020s
Zero depths for non flooded	result["summary"]["max_depth_m"] == 0.0; result["summary"]["mean_depth_m"] == 0.0	Pass	0.020s
Property with elevation z_i gauge peak $-z_i$ depth 0.	result["summary"]["floods_at_property"] == 0	Pass	0.170s
Gauge response with exceeded_alert=False $-z_i$ 0 gauge storms.	result["summary"]["floods_at_nearest_gauge"] == 0	Pass	0.174s
Summary dict has floods_at_nearest_gauge etc.	"property_id" in s; "floods_at_nearest_gauge" in s (+2 more)	Pass	0.174s
Full processing writes a JSON file for the property.	result is not None; (pts_dir / "PROP-001.json").exists()	Pass	0.174s
If a single property raises during generation, failed_properties	result["processing_stats"]["failed_properties"] >= 1; result["processing_stats"]["successful_properties"] >= 2	Pass	0.102s
getSampleStyleSheet() includes 'Title' by default, so line 65 branch	'Title' in page.styles	Pass	0.000s
Trade with property_id computes basis_delta_bps and basis_dv01.	enriched['property_id'] == 'PROP-001'; 'basis_delta_bps' in enriched (+2 more)	Pass	0.002s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s
Required fields not empty	len(property_cdm.get_required_fields()) > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Schema has property root	<code>len(list(property_cdm.schema.keys())) > 0</code>	Pass	0.000s
Validate valid property	<code>isinstance(property_cdm.validate(data), dict)</code>	Pass	0.000s
Existing property returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code> (+3 more)	Pass	0.002s
Include readings false strips readings	<code>"readings" not in event</code>	Pass	0.002s
Include readings true keeps readings	<code>"readings" in</code> <code>data["flood_events"][0];</code> <code>len(data["flood_events"][0]["readings"])</code> <code>== 168</code>	Pass	0.002s
Missing property returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.001s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code> (+1 more)	Pass	0.000s
Depth thresholds	<code>"severe" in dt; "annual_probability"</code> <code>in dt["severe"]</code>	Pass	0.004s
Elevation m	<code>"elevation_m" in pc;</code> <code>isinstance(pc["elevation_m"], (int, float))</code>	Pass	0.004s
Flood count	<code>"flood_count" in pc;</code> <code>isinstance(pc["flood_count"], int)</code>	Pass	0.004s
Flood zone	<code>"flood_zone" in pc; pc["flood_zone"]</code> <code>in EA_FLOOD_ZONE_RATES</code>	Pass	0.004s
Flood zone in propertyhc should match the propertyts source.	<code>pc.get("flood_zone") ==</code> <code>pts.get("flood_zone")</code>	Pass	0.008s
Floor level m	<code>"floor_level_m" in pc</code>	Pass	0.004s
Gev params is none	<code>pc.get("gev_params") is None</code>	Pass	0.004s
Has gev is false	<code>pc.get("has_gev") is False</code>	Pass	0.004s
Location	<code>"lat" in loc or "latitude" in loc</code>	Pass	0.004s
Nearest gauge has basis bps	<code>"severe" in basis; "values" in</code> <code>basis["severe"]</code> (+1 more)	Pass	0.004s
Nearest gauge has flood counts	<code>"property_flood_count" in ng;</code> <code>"gauge_flood_count" in ng</code> (+1 more)	Pass	0.004s
Nearest gauges	<code>len(ngs) >= 1; "gauge_id" in ng</code> (+2 more)	Pass	0.004s
Only severe threshold should exist (no any_flood or moderate).	<code>set(dt.keys()) == {"severe"}</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Pricing method is event count	<code>pc.get("pricing_method") == "event_count"</code>	Pass	0.004s
Property id	<code>pc.get("property_id") == prop_id</code>	Pass	0.004s
Spread should equal $\text{flood_count} / \text{num_storms} * 10000$.	<code>abs(spreads[0] - expected) < 0.1</code>	Pass	0.004s
Spreads non negative	<code>s >= 0</code>	Pass	0.092s
Summary	<code>"avg_basis_bps" in summary;</code> <code>"flood_transmission_rate" in summary</code>	Pass	0.004s
Term structure exists	<code>"tenors" in ts;</code> <code>isinstance(ts["tenors"], list)</code> (+1 more)	Pass	0.004s
Term structure has severe	<code>"severe" in ts;</code> <code>"prs_spread_bps" in severe</code>	Pass	0.004s
All tenors should have the same spread (storms are independent).	<code>all(s == spreads[0] for s in spreads)</code>	Pass	0.004s
GET /api/v1/properties/{id}/hazard returns hazard data for property with curves.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.002s
GET /api/v1/properties/{id}/hazard returns 404 for unknown property.	<code>response.status_code == 404</code>	Pass	0.002s
GET /api/v1/properties/{id}/hazard returns 404 for property without curves.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code> (+1 more)	Pass	0.002s
GET /api/v1/propertyhc/basis returns basis table.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+5 more)	Pass	0.002s
GET /api/v1/propertyhc/summary returns portfolio hazard summary.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.001s
Data contains hazard curve	<code>"hazard_curve" in r.get_json()["data"]</code>	Pass	0.002s
Data contains nearest gauges	<code>"nearest_gauges" in r.get_json()["data"]</code>	Pass	0.002s
Data contains property id	<code>r.get_json()["data"]["property_id"] == "PROP-001"</code>	Pass	0.002s
Data contains summary	<code>"summary" in r.get_json()["data"]</code>	Pass	0.002s
Known property returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Known property status success	<code>r.get_json()["status"] == "success"</code>	Pass	0.002s
No data returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.000s
No data status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Options returns 200	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.000s
Options status ok	<code>r.get_json()["status"] == "ok"; r.get_json()["status"] == "ok"</code>	Pass	0.000s
Response has data key	<code>"data" in r.get_json(); "data" in r.get_json()</code>	Pass	0.002s
Second property also works	<code>r.status_code == 200; r.get_json()["data"]["property_id"] == "PROP-002"</code>	Pass	0.002s
Unknown property message contains id	<code>"PROP-GHOST" in r.get_json()["message"]</code>	Pass	0.002s
Unknown property returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Unknown property status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.002s
<code>configure(panel_width, panel_height)</code> updates both.	<code>obj.panel_width == "1000px"; obj.panel_height == "800px"</code>	Pass	0.000s
<code>configure()</code> with no args leaves values unchanged.	<code>obj.panel_width == original_width; obj.panel_height == original_height</code>	Pass	0.000s
Lines 303-304: <code>configure(panel_height=...)</code> updates panel height.	<code>obj.panel_height == "700px"</code>	Pass	0.000s
Lines 301-302: <code>configure(panel_width=...)</code> updates panel width.	<code>obj.panel_width == "900px"</code>	Pass	0.000s
Line 308: <code>get_statistics()</code> returns dict with panel_width and panel_height.	<code>stats["panel_width"] == "750px"; stats["panel_height"] == "550px"</code>	Pass	0.000s
<code>get_statistics()</code> always returns a dict.	<code>isinstance(stats, dict); "panel_width" in stats (+1 more)</code>	Pass	0.000s
PropertyID must be populated in Header (not just PropertyAttributes).	<code>len(empty_header_ids) == 0</code>	Pass	0.003s
property.json must contain at least one property.	<code>len(ids) > 0</code>	Pass	0.004s
Property IDs in propertyhc.json must exist in property.json.	<code>not orphaned</code>	Pass	0.001s
Properties with hazard curves should also have timeseries data.	<code>not missing</code>	Pass	0.001s
propertyts/ files must reference property IDs from property.json.	<code>len(missing) == 0</code>	Pass	1.956s
Property IDs in propertyts/ files must exist in property.json.	<code>not orphaned</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Generator does not use sequential format	'GAUGE-{i:' not in src; 'GAUGE-{index' not in src (+3 more)	Pass	0.000s
Generator source uses prop prefix	'PROP-' in src	Pass	0.004s
Generator source uses uuid	'uuid' in src; 'uuid' in src	Pass	0.000s
Uuid4 produces protocol matching ids	GAUGE_ID.RE.match(gauge_id); PROP_ID.RE.match(prop_id) (+2 more)	Pass	0.000s
Accepts valid	PROP_ID.RE.match('PROP-a3f7bc12'); PROP_ID.RE.match('PROP-00000000') (+6 more)	Pass	0.000s
Rejects sequential	not PROP_ID.RE.match('PROP-001'); not PROP_ID.RE.match('PROP-1234') (+3 more)	Pass	0.000s
Rejects uppercase	not PROP_ID.RE.match('PROP-A3F7BC12'); not STORM_ID.RE.match('STORM-C7F4B8E2')	Pass	0.000s
Test total portfolio value calculation.	total == 2050000	Pass	0.001s
Test value aggregation by state.	'FL' in values; 'TX' in values (+2 more)	Pass	0.001s
Custom filename	PropertyLoader(tmp_path, filename="my_props.json").count(...	Pass	0.003s
Load all returns list	len(PropertyLoader(tmp_path).load_all()) == 3	Pass	0.003s
Missing file empty	PropertyLoader(tmp_path).load_all() == []	Pass	0.000s
Test PropertyID extraction from nested structure.	prop_id is not None; prop_id.startswith("PROP-")	Pass	0.001s
Test property summary generation.	len(summaries) == 3; 'propertyId' in summary (+4 more)	Pass	0.001s
Test loading property portfolio.	len(properties) == 3	Pass	0.001s
Test getting coordinates.	coords is not None; lat == pytest.approx(25.7617, rel=1e-4) (+1 more)	Pass	0.001s
Test getting coordinates for non-existent property.	coords is None	Pass	0.001s
Test getting location data.	location is not None; location['City'] == "Miami" (+1 more)	Pass	0.001s
Test getting location for non-existent property.	location is None	Pass	0.001s
Test finding properties within radius.	len(nearby) >= 1; len(nearby) == 2 (+1 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Find by id	<code>PropertyLoader(tmp_path).find_by_id("PROP-001")</code> is not None	Pass	0.001s
List all has property id	"propertyId" in summaries[0]	Pass	0.001s
Test finding property by address.	prop is not None; "PROP-001" == property_loader.get_entity_id(prop)	Pass	0.001s
Test address search is case insensitive.	prop is not None	Pass	0.001s
Test address search with no match.	prop is None	Pass	0.001s
Test finding property by ID.	prop is not None; prop['PropertyHeader']['Location']['City'] == "Miami"	Pass	0.001s
Test finding properties by state.	len(fl_props) == 2; len(tx_props) == 1	Pass	0.001s
Test state search is case insensitive.	len(props) == 2	Pass	0.001s
Test finding properties by zip code.	len(props) == 1; property_loader.get_entity_id(props[0]) == "PROP-001"	Pass	0.001s
Test finding multiple properties in same zip.	len(props) == 1	Pass	0.001s
Passing an unhandled type triggers super().default() → TypeError.	—	Pass	0.000s
Lines 62-64: ground_level falls back to default_elevation.	mapping["ground_level_meters"] == 10.0; mapping["elevation"] == 10.0	Pass	0.000s
Lines 136-137: exception in create_mapping raises ValueError.	—	Pass	0.000s
Found returns mortgage	r.status_code == 200; data["status"] == "success" (+2 more)	Pass	0.001s
Loader exception returns 500	r.status_code == 500	Pass	0.001s
Not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.001s
Options returns ok	r.status_code == 200; r.status_code == 200	Pass	0.000s
All properties have nearest gauges	len(missing) == 0	Pass	0.000s
Each property should have at most 1 synthetic gauge.	len(bad) == 0	Pass	0.000s
Every nearest gauge should have gauge_elevation_m.	len(bad) == 0	Pass	0.001s
Line 258: continue when prop_id not in prop_values → no properties → 404.	r.status_code == 404	Pass	0.004s
Line 193: break when prop_id not in prop_values → no properties → 404.	r.status_code == 404	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Output json contains generation metadata	"generated_at" in meta; "catchment" in meta (+1 more)	Pass	0.109s
Output json contains properties key	"properties" in data	Pass	0.155s
Property header has property id	"PropertyHeader" in prop; "PropertyAttributes" in prop["PropertyHeader"]	Pass	0.161s
Result data contains locations	len(result["data"]["locations"]) == 3	Pass	0.161s
Full property+mortgage report produces a valid PDF file.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.028s
Mortgage-focused report produces a valid PDF.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.021s
Output directory is created automatically if it doesn't exist.	new_dir.exists(); report_path.exists()	Pass	0.020s
Generated filename includes the property ID.	'PROP-test0001' in report_path.name	Pass	0.020s
Full report PDF should be non-trivial in size (multi-page).	report_path.stat().st_size > 10000	Pass	0.028s
Generated file is a valid PDF (starts with %PDF).	header == b'%PDF-'	Pass	0.025s
Property-only report (no mortgage) produces a valid PDF.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.020s
Report handles minimal/sparse property data without crashing.	report_path.exists(); report_path.stat().st_size > 0	Pass	0.014s
Risk-focused report produces a valid PDF.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.015s
Auto-select includes mortgage pages when mortgage data present.	'mortgage_overview' in pages; 'mortgage_details' in pages	Pass	0.002s
Auto-select excludes mortgage pages when no mortgage data.	'title_overview' in pages; 'mortgage_overview' not in pages (+1 more)	Pass	0.002s
Generator initialises with output directory.	gen.output_dir == tmp_path	Pass	0.002s
Generator lists all registered page modules.	'title_overview' in pages; 'location' in pages (+2 more)	Pass	0.002s
Validates known page names.	'title_overview' in valid; 'location' in valid (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Line 174-175: mortgage_data -i includes mortgage pages.	"mortgage.overview" in pages	Pass	0.002s
Line 174 (else): no mortgage_data -i no mortgage pages.	"mortgage.overview" not in pages	Pass	0.002s
Lines 214-216: exception in page -i logged, continue.	isinstance(elements, list)	Pass	0.003s
Lines 198-199: unknown page -i skip.	isinstance(elements, list)	Pass	0.002s
Lines 184-185: missing PropertyID -i 'unknown'.	"unknown" in name	Pass	0.002s
Lines 257-264: mortgage-focused report.	path.exists()	Pass	0.017s
Lines 251-255: property-only report.	path.exists()	Pass	0.015s
Lines 266-276: risk-focused report without mortgage data.	path.exists()	Pass	0.010s
Lines 266-276: risk-focused report with mortgage data.	path.exists()	Pass	0.012s
Line 313: get_page_categories.	"property" in cats; "mortgage" in cats	Pass	0.002s
Line 285: list_available_pages.	isinstance(pages, list); "title.overview" in pages	Pass	0.002s
Lines 69-70: output_dir=None -i uses config.get_property_reports_dir().	gen.output_dir == prop_dir	Pass	0.002s
Line 315: validate_pages.	"title.overview" in valid; "bogus_page" in invalid	Pass	0.002s
Categories dict initialized	"property" in gen.categories; "mortgage" in gen.categories (+1 more)	Pass	0.002s
Explicit output dir path	isinstance(gen.output_dir, Path)	Pass	0.002s
Explicit output dir string	gen.output_dir == tmp_path	Pass	0.002s
No output dir uses config	gen.output_dir == prop_dir	Pass	0.002s
Output dir created	new_dir.exists()	Pass	0.002s
Property pages dict initialized	expected <= set(gen.pages.keys())	Pass	0.002s
Test POST /api/v1/properties/report without body.	response.status_code == 400	Pass	0.001s
Test POST /api/v1/properties/report without propertyId.	response.status_code == 400; 'Property ID is required' in data['message']	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test POST /api/v1/properties/report with invalid property.	<code>response.status_code == 404</code>	Pass	0.002s
Test GET /api/v1/properties/{id}.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
Test GET /api/v1/properties/{id} with invalid ID.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.002s
Test legacy POST /api/v1/generate_property_report endpoint.	<code>response.status_code == 404</code>	Pass	0.002s
Test GET /api/v1/properties.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.002s
Test OPTIONS preflight request.	<code>response.status_code == 200</code>	Pass	0.000s
Shd has term structure	<code>"term_structure" in pc;</code> <code>"severe" in pc["term_structure"]</code>	Pass	0.032s
Shd output file is propertyshd json	<code>(output_dir / "propertyshd.json").exists();</code> <code>not (output_dir / "propertyhc.json").exists()</code>	Pass	0.029s
shd mode should look for propertytsd/ not propertyts/.	—	Pass	0.000s
She has term structure	<code>"term_structure" in pc;</code> <code>"severe" in pc["term_structure"]</code>	Pass	0.031s
She output file is propertyshe json	<code>(output_dir / "propertyshe.json").exists()</code>	Pass	0.030s
she mode should look for propertytse/ not propertyts/.	—	Pass	0.000s
Existing property returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code> (+3 more)	Pass	0.004s
Flood events tagged with sequence type	<code>len(events) >= 1;</code> <code>"sequence_type" in events[0]</code>	Pass	0.004s
Missing property returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.000s
Nearest gauges enriched with flood stages	<code>len(gauges) >= 1;</code> <code>"flood_stages" in gauges[0]</code>	Pass	0.003s
Options returns ok	<code>r.status_code == 200;</code> <code>r.status_code == 200</code> (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Response has flood events	"flood_events" in data; len(data["flood_events"]) >= 1	Pass	0.004s
Response has nearest gauges	"nearest_gauges" in data	Pass	0.005s
Response has property info	"property_info" in data; "elevation_m" in data["property_info"]	Pass	0.003s
Lines 157-158: gauge.json missing triggers except pass.	r.status_code == 200; ng["flood_stages"] == {}	Pass	0.031s
Lines 134-135: storm_sequences.json missing triggers except pass.	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.029s
Property trace includes mortgage	"mortgages" in steps	Pass	0.002s
Property trace includes propertyhc	"propertyhc" in steps	Pass	0.002s
Flood zone in propertyts is derived from synthetic gauge elevation,	zone in EA_FLOOD_ZONE_RATES	Pass	0.009s
Propertyts has elevation	"elevation_m" in pts; isinstance(pts["elevation_m"], (int, float))	Pass	0.009s
Propertyts has flood events	"flood_events" in pts; isinstance(pts["flood_events"], list)	Pass	0.009s
Propertyts has flood zone	"flood_zone" in pts; pts["flood_zone"] in EA_FLOOD_ZONE_RATES	Pass	0.009s
Propertyts has floor level	"floor_level_m" in pts	Pass	0.009s
Propertyts has location	"lat" in loc; "lon" in loc	Pass	0.009s
Propertyts has nearest gauges	len(ngs) > 0; "gauge_id" in ng (+1 more)	Pass	0.008s
Propertyts has property id	pts.get("property_id") == prop_id	Pass	0.010s
GET /api/v1/propertyts/storms returns storms with correct struc- ture.	response.status_code == 200; data['status'] == 'success' (+8 more)	Pass	0.009s
Storm list must only include storms with property damage.	len(non_flooding) == 0	Pass	0.009s
GET /api/v1/properties/{id}/floods returns flood events for known prop- erty.	response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.001s
Property with few flood events should still return data from prop- ertyts.	response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.002s
GET /api/v1/properties/{id}/floods returns 404 for unknown property.	response.status_code == 404; data['status'] == 'error'	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
GET /api/v1/properties/{id}/storms returns storm analysis data.	response.status_code == 200; data['status'] == 'success' (+4 more)	Pass	0.003s
GET /api/v1/properties/{id}/storms returns 404 for unknown property.	response.status_code == 404	Pass	0.001s
Property with zero flood events should return empty array, not error.	response.status_code == 200; data['status'] == 'success' (+4 more)	Pass	0.003s
GET /api/v1/propertyts/summary returns portfolio flood summary.	response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.002s
Generates per property files	pts_dir.exists(); (pts_dir / "portfolio_flood_summary.json").exists()	Pass	0.000s
Per property files have flood data	"property_id" in data; "nearest_gauges" in data (+1 more)	Pass	0.001s
Portfolio summary has statistics	"total_properties" in s; s["total_properties"] == N.PROPERTIES (+1 more)	Pass	0.001s
np.float64 is converted to Python float by encoder.	isinstance(result, float); abs(result - 3.14) < 1e-10	Pass	0.000s
Lines 69-70: exception returns validation_error dict.	"validation_error" in result; isinstance(result["validation_error"], list) (+2 more)	Pass	0.000s
get_required_fields returns expected paths.	len(fields) == 4; "PropertyHeader.Header.PropertyID" in fields (+1 more)	Pass	0.000s
Line 65: location_errors appended when non-empty.	"Location" in errors; len(errors["Location"]) == 2	Pass	0.000s
Line 60: Missing LatitudeDegrees.	"Location" in errors; any("LatitudeDegrees" in e for e in errors["Location"])	Pass	0.000s
Line 62: Missing LongitudeDegrees.	"Location" in errors; any("LongitudeDegrees" in e for e in errors["Location"])	Pass	0.000s
Valid data returns no errors.	property_validate(data) == {}	Pass	0.000s
Close to water increases score	near['vulnerability_score'] > far['vulnerability_score']	Pass	0.000s
Flooded depth computed	r['flood_depth'] == pytest.approx(1.0); r['vulnerability_score'] > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
High risk recommendations present	<code>any("flood" in rec.lower() for rec</code>	Pass	0.000s
No flood	<code>in r['recommendations'])</code> <code>r['flood.depth'] == 0.0;</code> <code>r['vulnerability.score'] == 0</code>	Pass	0.000s
None elevation returns unknown	<code>r['risk_level'] == 'Unknown';</code> <code>r['flood.depth'] is None (+1 more)</code>	Pass	0.000s
None flood level returns unknown	<code>r['risk_level'] == 'Unknown'</code>	Pass	0.000s
Result dict keys	<code>set(r.keys()) == {'flood.depth',</code> <code>'risk_level', 'vulnerabi...</code>	Pass	0.000s
Score capped at 100	<code>r['vulnerability.score'] <= 100</code>	Pass	0.000s
No mortgage returns zero fill	<code>r.status_code == 200;</code> <code>prop["has.mortgage"] is False (+4</code> <code>more)</code>	Pass	0.003s
No mortgage sequence	<code>r.status_code == 200;</code> <code>prop["has.mortgage"] is False</code>	Pass	0.003s
Basis entry has avg basis bps	<code>"avg.basis.bps" in entry</code>	Pass	0.002s
Basis entry has flood count	<code>"flood.count" in entry</code>	Pass	0.001s
Basis entry has nearest gauges	<code>"nearest.gauges" in entry</code>	Pass	0.002s
Basis entry has property id	<code>"property.id" in entry</code>	Pass	0.002s
Basis table count matches	<code>data["count"] ==</code> <code>len(data["basis.table"])</code>	Pass	0.002s
Basis table length	<code>r.get_json()["count"] == 2</code>	Pass	0.002s
Results must be sorted highest avg.basis.bps first.	<code>bases == sorted(bases, reverse=True)</code>	Pass	0.001s
Nearest gauge has distance km	<code>"distance.km" in</code> <code>entry["nearest.gauges"][0]</code>	Pass	0.001s
Nearest gauge has gauge id	<code>"gauge.id" in</code> <code>entry["nearest.gauges"][0]</code>	Pass	0.001s
No data returns 404	<code>r.status_code == 404</code>	Pass	0.001s
No data status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Options returns 200	<code>r.status_code == 200</code>	Pass	0.001s
Options status ok	<code>r.get_json()["status"] == "ok"</code>	Pass	0.001s
Response has basis table	<code>"basis.table" in r.get_json()</code>	Pass	0.002s
Response has count	<code>"count" in r.get_json()</code>	Pass	0.001s
Returns 200 with data	<code>r.status_code == 200</code>	Pass	0.002s
Status is success	<code>r.get_json()["status"] == "success"</code>	Pass	0.001s
Empty basis table is list	<code>isinstance(r.get_json()["basis.table"],</code> <code>list)</code>	Pass	0.002s
Empty count is zero	<code>r.get_json()["count"] == 0</code>	Pass	0.001s
Empty returns 200	<code>r.status_code == 200</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Distribution avg basis bps	"avg.basis.bps" in dist; dist["avg.basis.bps"] >= 0	Pass	0.002s
Distribution avg flood count	"avg.flood.count" in dist; dist["avg.flood.count"] > 0	Pass	0.002s
Distribution max depth m	"max.depth.m" in dist; dist["max.depth.m"] > 0	Pass	0.002s
Distribution num properties	dist["num.properties"] == 2	Pass	0.001s
No data message mentions command	"port" in r.get_json()["message"].lower() or "propertyhc"...	Pass	0.001s
No data returns 404	r.status_code == 404; r.status_code == 404	Pass	0.001s
No data status is error	r.get_json()["status"] == "error"	Pass	0.001s
Options returns 200	r.status_code == 200; r.status_code == 200	Pass	0.001s
Options status ok	r.get_json()["status"] == "ok"; r.get_json()["status"] == "ok"	Pass	0.001s
Response has data key	"data" in r.get_json(); "data" in r.get_json()	Pass	0.001s
Response has distribution	"distribution" in r.get_json()["data"]	Pass	0.002s
Response has metadata	"metadata" in r.get_json()["data"]	Pass	0.001s
Response has summary	"summary" in r.get_json()["data"]	Pass	0.001s
Returns 200 with data	r.status_code == 200	Pass	0.002s
Status is success	r.get_json()["status"] == "success"	Pass	0.001s
Empty curves avg flood count is zero	r.get_json()["data"]["distribution"]["avg.flood.count"] == 0	Pass	0.001s
Empty curves num properties is zero	r.get_json()["data"]["distribution"]["num.properties"] == 0	Pass	0.001s
Empty curves returns 200	r.status_code == 200	Pass	0.002s
When no natural measures, recommendation should appear.	isinstance(result, list)	Pass	0.000s
Natural measures section rendered	any("Natural" in t for t in texts)	Pass	0.000s
Empty property returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Empty protection measures dict shows fallback	any("No protection" in t for t in texts)	Pass	0.000s
No protection measures shows fallback	any("No protection" in t or "Protection" in t for t in te...	Pass	0.000s
Full protection fewer recommendations	isinstance(result, list)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Generate protection recommendations returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Missing critical measures in recommendations	<code>isinstance(result, list)</code>	Pass	0.000s
Recommendations all natural false	<code>"Natural Solutions" in result</code>	Pass	0.000s
Recommendations flood re eligible	<code>"Insurance" in result</code>	Pass	0.000s
Recommendations missing critical	<code>"Priority Installations" in result</code>	Pass	0.000s
Recommendations section always rendered	<code>any("Recommendation" in t for t in texts)</code>	Pass	0.001s
All installed excellent rating	<code>any("Resilience" in t or "Protection" in t for t in texts)</code>	Pass	0.000s
Building measures listed	<code>isinstance(result, list)</code>	Pass	0.000s
8 of 10 = 80% → Excellent.	<code>isinstance(result, list)</code>	Pass	0.000s
4 of 10 = 40% → Fair.	<code>isinstance(result, list)</code>	Pass	0.000s
6 of 10 = 60% → Good.	<code>isinstance(result, list)</code>	Pass	0.000s
2 of 10 = 20% → Limited.	<code>isinstance(result, list)</code>	Pass	0.000s
0 of 10 = 0% → Poor.	<code>isinstance(result, list)</code>	Pass	0.000s
Critical measures listed	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Emergency measures listed	<code>isinstance(result, list)</code>	Pass	0.000s
Uncategorised measure still shown	<code>isinstance(result, list)</code>	Pass	0.000s
Excess amount shown	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Insurance premium shown	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Other risk fields shown	<code>isinstance(result, list); len(result) > 1</code>	Pass	0.000s
Recommendations include flood re	<code>isinstance(result, list)</code>	Pass	0.000s
Risk assessment section rendered	<code>any("Insurance" in t for t in texts)</code>	Pass	0.000s
All entity ID suffixes are exactly 8 characters.	<code>all(v == 8 for v in suffix_lengths.values())</code>	Pass	0.000s
<code>str(uuid.uuid4())[8]</code> always yields lowercase hex.	<code>suffix == suffix.lower(); re.match(r'^[0-9a-f]{8}\$', suffix)</code>	Pass	0.001s
All four entity types use <code>str(uuid.uuid4())[8]</code> — same derivation, same format.	<code>pattern.match(entity_id)</code>	Pass	0.000s
All exports	<code>'ClaimReportGenerator' in pkg.__all__</code>	Pass	0.000s
Import from package	<code>ClaimReportGenerator is not None</code>	Pass	0.000s
Current exceeds original is capped	<code>result["Mortgage"]["LoanDetails"]["CurrentBalance"] <= 40...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Interest over 15 capped	result["Mortgage"]["LoanDetails"]["InterestRate"] == 12.0	Pass	0.000s
Interest under 1 raised	result["Mortgage"]["LoanDetails"]["InterestRate"] == 2.0	Pass	0.000s
Ltv over 100 capped at 95	result["Mortgage"]["LoanDetails"]["LTV"] == 95	Pass	0.000s
Ltv under 10 set to 60	result["Mortgage"]["LoanDetails"]["LTV"] == 60	Pass	0.000s
Valid data unchanged	result["Mortgage"]["LoanDetails"]["CurrentBalance"] == 35...; result["Mortgage"]["LoanDetails"]["LTV"] == 80 (+1 more)	Pass	0.000s
Current exceeds original is capped to 95pct	result["Mortgage"]["LoanDetails"]["CurrentBalance"] <= 30...	Pass	0.000s
Current within original unchanged	result["Mortgage"]["LoanDetails"]["CurrentBalance"] == 35...	Pass	0.000s
Delegates to random module when method present	result is sentinel	Pass	0.000s
Ltv over 100 set to 95	result["Mortgage"]["LoanDetails"]["LTV"] == 95	Pass	0.000s
Ltv under 10 set to 60	result["Mortgage"]["LoanDetails"]["LTV"] == 60	Pass	0.000s
Valid ltv unchanged	result["Mortgage"]["LoanDetails"]["LTV"] == 75	Pass	0.000s
Get raci matrix	response.status_code == 200; data["status"] == "success" (+3 more)	Pass	0.002s
Get raci matrix file missing	response.status_code == 404	Pass	0.000s
Update raci activity	response.status_code == 200; data["status"] == "success" (+3 more)	Pass	0.003s
Update raci activity invalid role	response.status_code == 400	Pass	0.002s
Update raci escalation	response.status_code == 200; data["status"] == "success" (+3 more)	Pass	0.003s
Update raci role	response.status_code == 200; data["status"] == "success" (+3 more)	Pass	0.002s
Update raci role not found	response.status_code == 404	Pass	0.002s
No raci data returns 404	r.status_code == 404; r.status_code == 404	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.003s
Tier emphasis updated	<code>r.status_code == 200;</code> <code>activities[0]["tier_emphasis"] ==</code> <code>"Tier 1 focus"</code>	Pass	0.002s
No raci data returns 404	<code>r.status_code == 404; r.status_code ==</code> <code>404</code>	Pass	0.000s
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.002s
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.002s
Remaining zero uses base amplitude	<code>isinstance(level, float)</code>	Pass	0.000s
Failure metadata covers key tests	<code>name in dl_mod.FAILURE_METADATA;</code> <code>'principle' in meta</code> (+2 more)	Pass	0.000s
Recon table has principle column	<code>'BCBS Principle(s)' in header_row</code>	Pass	0.000s
Record and reload	<code>"gaugehd" in manifest["steps"];</code> <code>manifest["steps"]["gaugehd"]["run_id"]</code> <code>== "run-test-001"</code> (+4 more)	Pass	0.006s
Record with auto run id	<code>entry["run_id"].startswith("run-")</code>	Pass	0.001s
Empty EndDate returns default tenor of 5.	<code>result == 5</code>	Pass	0.000s
Invalid date format returns default tenor of 5 (ValueError path).	<code>result == 5</code>	Pass	0.000s
Missing EndDate key returns default tenor of 5.	<code>result == 5</code>	Pass	0.000s
None EndDate returns default tenor of 5 (TypeError path).	<code>result == 5</code>	Pass	0.000s
Valid far-future EndDate returns positive tenor.	<code>result >= 1</code>	Pass	0.000s
Compliant run is suitable	<code>'suitable for regulatory risk</code> <code>reporting' in texts</code>	Pass	0.000s
Issues run not suitable	<code>'not suitable for regulatory risk</code> <code>reporting' in texts; 'COMPLIANT' not</code> <code>in texts.replace('PARTIALLY ...</code>	Pass	0.003s
Remediation lists stale steps	<code>'Stale data' in texts; 'hazard' in</code> <code>texts</code>	Pass	0.001s
When lineage_results has a known failure, remediation cites it.	<code>'PARTIALLY COMPLIANT' in texts or</code> <code>'NON-COMPLIANT' in texts</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Shows strengths and weaknesses	'Strengths' in texts; 'Weaknesses' in texts	Pass	0.001s
Steps with empty output directories are skipped.	"propertyts" in result["skipped"]	Pass	0.016s
Repair with no existing manifest creates entries for all steps.	len(result["repaired"]) == len(STEP_IO); result["skipped"] == [] (+2 more)	Pass	0.028s
Repaired hashes must match current file content.	recorded_hash == hash_file(gauge_file)	Pass	0.011s
Running repair twice produces identical hashes.	out_info["hash"] == data2["steps"][step]["outputs"][out.n...	Pass	0.023s
Input hashes recorded by repair should match the producer's output hash.	gauges_out == props_in	Pass	0.017s
Repair keeps run_id, timestamp, generator from existing entries.	"gauges" in result["repaired"]; gauges_entry["run_id"] == "run-original" (+3 more)	Pass	0.029s
Repair uses repair-YYYYMMDD-HHMMSS as run_id for new entries.	gauges_entry["run_id"].startswith("repair- P	Pass	0.003s
Steps whose outputs don't exist on disk are skipped.	"gauges" in result["repaired"]; "properties" in result["skipped"] (+1 more)	Pass	0.002s
Repair adds a runs entry listing all repaired steps.	len(repair_runs) == 1; set(data["runs"][repair_runs[0]]) == set(result["repaired"])	Pass	0.017s
Default report_type (no -report-type flag) hits the else branch	—	Pass	0.004s
Lines 349-351: success-logging block executes without error.	—	Pass	0.004s
Lines 444-445: monitoring without timeseries_data → condition False → else.	—	Pass	0.004s
Lines 442-443: -report-type analysis → generate_analysis_report path.	—	Pass	0.004s
Lines 344-345: -report-type analysis → generate_analysis_report path executed.	—	Pass	0.004s
Lines 438-439: -report-type basic → generate_basic_report path.	—	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Lines 338-339: <code>-report-type basic</code> → <code>generate_basic_report</code> path executed.	—	Pass	0.004s
Lines 340-341: <code>-report-type detailed</code> → <code>generate_detailed_report</code> path executed.	—	Pass	0.005s
Lines 346-347: <code>unmapped_report_type</code> → <code>generate_report(pages_to_include=args.pages)</code> .	—	Pass	0.004s
Lines 444-445: <code>-report-type full</code> (not <code>basic/monitoring/analysis</code>) → else branch.	—	Pass	0.005s
Lines 440-441: <code>-report-type monitoring + timeseries</code> → <code>monitoring</code> path.	—	Pass	0.004s
Lines 499-500: <code>-report-type mortgage-focused + mortgage</code> file → focused report.	—	Pass	0.005s
Lines 499 condition <code>False</code> (no <code>mortgage_data</code>) → falls to else branch	—	Pass	0.005s
Lines 497-498: <code>-report-type property-only</code> → <code>generate_property_only_report</code> .	—	Pass	0.005s
Lines 501-502: <code>-report-type risk-focused</code> → <code>generate_risk_focused_report</code> .	—	Pass	0.008s
Lines 342-343: <code>-report-type summary</code> → <code>generate_summary_report</code> path executed.	—	Pass	0.004s
Lines 447-449: success-logging block runs after generation.	—	Pass	0.005s
Lines 506-508: success-logging block runs after a successful generation.	—	Pass	0.004s
reports.py lines 87-88: <code>gaugehd</code> file read error -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.035s
reports.py lines 135-140: general Exception -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.031s
reports.py lines 100-101: hazard file read error -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.029s
reports.py lines 128-133: <code>ImportError</code> -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s

Test Description	Acceptance Criteria	Result	Time
reports.py lines 70-72: storm_responses loaded -i time-series_data set.	r.status_code == 200	Pass	0.029s
reports.py lines 73-74: timeseries load failure -i warning, continues.	r.status_code == 200	Pass	0.029s
Field is dict[overall risk rating] [field='overall_risk_rating']	field in m; isinstance(m[field], dict)	Pass	0.000s
Field is dict[coverage] [field='test_coverage']	field in m; isinstance(m[field], dict)	Pass	0.000s
Field is list[assumptions] [field='assumptions']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is list[downstream models] [field='downstream_models']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is list[limitations] [field='limitations']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is list[upstream models] [field='upstream_models']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is string[category] [field='category']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[description] [field='description']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[name] [field='name']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[owner] [field='owner']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[status] [field='status']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[version] [field='version']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Case insensitive	resolve_model_id("GEV") == "MKM-GH-001"	Pass	0.000s
Depth damage maps to dd	resolve_model_id("depth_damage") == "MKM-DD-001"	Pass	0.000s
Distribution maps to si	resolve_model_id("distribution") == "MKM-SI-001"	Pass	0.000s
Mkm prefix returned as is	resolve_model_id("MKM-GH-001") == "MKM-GH-001"	Pass	0.001s
Shorthand gev resolved	resolve_model_id("gev") == "MKM-GH-001"	Pass	0.000s
Shorthand intensity resolved	resolve_model_id("intensity") == "MKM-SI-001"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Shorthand mortgage resolved	<code>resolve_model_id("mortgage") == "MKM-MP-001"</code>	Pass	0.000s
Shorthand prs resolved	<code>resolve_model_id("prs") == "MKM-PR-001"</code>	Pass	0.000s
Spatial maps to sp	<code>resolve_model_id("spatial") == "MKM-SP-001"</code>	Pass	0.000s
Unknown shorthand returned as is	<code>resolve_model_id("unknown_model") == "unknown_model"</code>	Pass	0.000s
If all prerequisites are fresh, returns empty list.	<code>result == []</code>	Pass	0.001s
Upstream never recorded but outputs exist -i skip it.	<code>"gauges" not in result</code>	Pass	0.000s
Upstream never recorded and outputs missing -i needs to run.	<code>"gauges" in result</code>	Pass	0.000s
Multiple targets: prerequisites are union of both.	<code>"gauges" in result; "counterparties" in result</code>	Pass	0.000s
Without data_dir, missing manifest entries -i prerequisite needed.	<code>"gauges" in result</code>	Pass	0.000s
Root steps (gauges) have no prerequisites.	<code>result == []</code>	Pass	0.001s
Upstream recorded but inputs stale -i needs to run.	<code>"properties" in result</code>	Pass	0.000s
Target steps themselves should never appear in prerequisites.	<code>"propertyts" not in result</code>	Pass	0.000s
Prerequisites are returned in valid topological order.	<code>result.index("gauges") < result.index("properties"); result.index("gauges") < result.index("gaugehd") (+1 more)</code>	Pass	0.001s
Deep chain: if gauges missing, all downstream prereqs needed.	<code>"gauges" in result; "properties" in result (+4 more)</code>	Pass	0.000s
Unknown step returns empty list.	<code>result == []</code>	Pass	0.000s
Retention mentions reproducibility	<code>'Principle 5/6' in texts; 'Reproducibility' in texts</code>	Pass	0.000s
100yr greater than 10yr	<code>i100 > i10</code>	Pass	0.000s
Ordering 10 50 100	<code>i10 < i50 < i100</code>	Pass	0.000s
Result in bounds	<code>d.params.min_intensity <= v <= d.params.max_intensity</code>	Pass	0.000s
Storms per year affects result	<code>many > few</code>	Pass	0.000s
Returns dict with total storms	<code>isinstance(result, dict); "total_storms" in result (+1 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Returns elapsed s	"elapsed.s" in result; result["elapsed.s"] >= 0	Pass	0.002s
revalue_all(trades, None) loads market state internally.	len(enriched) == 1; enriched[0]['swap_id'] == 'PRS-TEST001' (+1 more)	Pass	0.004s
Combined mode with mortgage	isinstance(result, list) and len(result) > 0	Pass	0.001s
Empty property does not crash	isinstance(self._page().generate_elements(list)	Pass	0.000s
Has risk header	any("Risk" in t for t in texts)	Pass	0.000s
Has table	any(isinstance(e, Table) for e in result)	Pass	0.001s
Property only mode	isinstance(result, list) and len(result) > 0	Pass	0.000s
Returns list	isinstance(self._page().generate_elements(list)	Pass	0.001s
Canal distance shown	isinstance(result, list)	Pass	0.000s
Empty property does not crash	isinstance(self._page().generate_elements(list)	Pass	0.000s
Flood risk type shown	isinstance(result, list)	Pass	0.001s
Has risk header	any("Risk" in t for t in texts)	Pass	0.001s
Has table	any(isinstance(e, Table) for e in result)	Pass	0.000s
Lake distance shown	isinstance(result, list)	Pass	0.001s
Last flood date shown	isinstance(result, list)	Pass	0.000s
No defence scheme	isinstance(result, list)	Pass	0.000s
No ea zone	isinstance(result, list)	Pass	0.000s
No last flood date	isinstance(result, list)	Pass	0.000s
Returns list	isinstance(self._page().generate_elements(list)	Pass	0.001s
Line 257: non-numeric → delegates to _format_value.	page._format_count(None) == "Not specified"	Pass	0.000s
Line 256: numeric → comma-formatted.	"1,234,567" in result	Pass	0.000s
Line 239: non-numeric → delegates to _format_value.	result == "Not specified"	Pass	0.000s
Line 238: numeric → £ formatted.	"£" in result; "1,234,567" in result	Pass	0.000s
Line 251: non-numeric → delegates to _format_value.	page._format_depth("N/A") == "N/A"	Pass	0.000s
Line 250: numeric → formatted with 'm'.	"1.50m" in result	Pass	0.000s
Lines 204-215: camelCase → 'Camel Case'.	"Risk" in result	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 207-213: abbreviation replacements applied.	"ID" in result	Pass	0.000s
Line 245: non-numeric → delegates to <code>format_value</code> .	<code>page._format_percentage(None) == "Not specified"</code>	Pass	0.000s
Line 244: numeric → formatted with %.	"%" in result; "12.3" in result	Pass	0.000s
Line 222: False → 'No'.	<code>page._format_value(False) == "No"</code>	Pass	0.000s
Line 222: True → 'Yes'.	<code>page._format_value(True) == "Yes"</code>	Pass	0.000s
Lines 230-231: blank string → 'Not specified'.	<code>page._format_value(" ") == "Not specified"</code>	Pass	0.000s
Lines 226-227: float with fractional part → 2dp string.	<code>result == "3.14"</code>	Pass	0.000s
Lines 224-225: float with no fractional part → int string.	<code>page._format_value(5.0) == "5"</code>	Pass	0.000s
Lines 228-229: integer → plain string.	<code>page._format_value(42) == "42"</code>	Pass	0.000s
Lines 232-233: non-empty string → passed through.	<code>page._format_value("hello") == "hello"</code>	Pass	0.000s
Line 220: None → 'Not specified'.	<code>page._format_value(None) == "Not specified"</code>	Pass	0.000s
High risk	<code>classify_risk_level(3.0) == "HIGH"</code>	Pass	0.000s
Low risk	<code>classify_risk_level(0.3) == "LOW"</code>	Pass	0.000s
Medium risk	<code>classify_risk_level(1.0) == "MEDIUM"</code>	Pass	0.000s
Minimal risk	<code>classify_risk_level(0.0) == "MINIMAL"</code>	Pass	0.000s
Get risk rating calculation	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+5 more)	Pass	0.002s
Risk rating clear override	<code>response.status_code == 200;</code> <code>rr["mrc_override"] is None</code> (+1 more)	Pass	0.005s
Risk rating override	<code>response.status_code == 200;</code> <code>rr["mrc_override"] == "Unacceptable"</code> (+3 more)	Pass	0.004s
Risk rating override invalid rating	<code>response.status_code == 400</code>	Pass	0.002s
Risk rating override requires reason	<code>response.status_code == 400</code>	Pass	0.002s
Line 210: inventory not found → 404.	<code>r.status_code == 404</code>	Pass	0.002s
Lines 126-134: <code>_auto_select_pages</code> returns known pages.	<code>isinstance(pages, list); len(pages) > 0</code>	Pass	0.001s
Empty gauge data	<code>RiskReportGenerator(output_dir).generate_base_report()</code>	Pass	0.015s

Test Description	Acceptance Criteria	Result	Time
Lines 162-164: page raises → continue to next.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 148-149: unknown page → warning, skipped.	<code>isinstance(elements, list)</code>	Pass	0.001s
Line 265: get_page_categories.	<code>isinstance(cats, dict)</code>	Pass	0.001s
High risk portfolio report	<code>RiskReportGenerator(output_dir).generate_detailed_report()</code>	Pass	0.022s
Line 261: list_available_pages.	<code>isinstance(pages, list); len(pages) > 0</code>	Pass	0.001s
Minimal data report	<code>RiskReportGenerator(output_dir).generate_basic_report()</code>	Pass	0.014s
Missing mortgage data	<code>RiskReportGenerator(output_dir).generate_detailed_report()</code>	Pass	0.022s
Lines 60-62: output_dir=None → uses config.get_risk_reports_dir().	<code>gen.output_dir == risk_dir</code>	Pass	0.000s
Lines 270-336: validate_pages.	<code>"title" in valid; "nonexistent" in invalid</code>	Pass	0.001s
Analysis report generation	<code>report_path.exists(); report_path.stat().st_size > 0</code>	Pass	0.017s
Basic report generation	<code>report_path.exists(); report_path.suffix == ".pdf"</code> (+1 more)	Pass	0.021s
Custom filename	<code>report_path.name == custom_name; report_path.exists()</code>	Pass	0.017s
Custom page selection	<code>report_path.exists()</code>	Pass	0.012s
Detailed report generation	<code>report_path.exists(); report_path.stat().st_size > 0</code>	Pass	0.026s
Summary report generation	<code>report_path.exists(); report_path.stat().st_size > 0</code>	Pass	0.010s
Categories dict initialized	<code>"overview" in gen.categories; "analysis" in gen.categories</code> (+1 more)	Pass	0.001s
Explicit output dir path	<code>isinstance(gen.output_dir, Path)</code>	Pass	0.001s
Explicit output dir string	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
output_dir=None → falls back to config.get_reports_dir('risk').	<code>gen.output_dir == risk_dir</code>	Pass	0.001s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pages dict initialized	<code>expected <= set(gen.pages.keys())</code>	Pass	0.001s
Get page categories	<code>isinstance(categories, dict); key in categories</code>	Pass	0.001s
List available pages	<code>isinstance(pages, list); key in pages</code>	Pass	0.001s
Validate pages invalid	<code>"title" in valid; "nonexistent_page" in invalid</code>	Pass	0.001s
Validate pages valid	<code>len(valid) == 2; len(invalid) == 0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Complete workflow all types	<code>p.exists(); p.stat().st.size > 0</code>	Pass	0.061s
Complete workflow basic	<code>report_path.exists();</code> <code>report_path.suffix == ".pdf"</code> (+1 more)	Pass	0.016s
High risk label	<code>"High Risk" in str(elements)</code>	Pass	0.001s
Low risk label	<code>"Low Risk" in str(elements)</code>	Pass	0.000s
Moderate risk label	<code>"Moderate Risk" in str(elements)</code>	Pass	0.000s
Non numeric score formatted	<code>isinstance(elements, list)</code>	Pass	0.000s
Very high risk label	<code>"Very High Risk" in str(elements)</code>	Pass	0.003s
Clay soil adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
Close river adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
High flood risk adds 3	<code>result["score"] >= 3</code>	Pass	0.000s
High score level	<code>result["level"] == "High Risk"</code>	Pass	0.000s
Low elevation adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Low flood risk adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
Low medium score level	<code>result["level"] in ("Medium Risk", "Low-Medium Risk")</code>	Pass	0.000s
Low risk level	<code>result["level"] == "Low Risk"</code>	Pass	0.000s
Medium flood risk adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Medium score level	<code>"Medium" in result["level"] or</code> <code>result["score"] >= 4</code>	Pass	0.000s
Moderate elevation adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
No risk factors message	<code>"No major" in</code> <code>result["primary_factors"]</code>	Pass	0.000s
Peat soil adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Returns all keys	<code>k in result</code>	Pass	0.000s
Very close river adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Very high flood risk adds 4	<code>result["score"] >= 4</code>	Pass	0.000s
Very high score level	<code>result["level"] == "Very High Risk"</code>	Pass	0.000s
Very low elevation adds 3	<code>result["score"] >= 3</code>	Pass	0.000s
Close 100 to 500m	<code>isinstance(result, list)</code>	Pass	0.001s
Good distance over 1000m	<code>isinstance(result, list)</code>	Pass	0.001s
Moderate 500 to 1000m	<code>isinstance(result, list)</code>	Pass	0.001s
Very close under 100m	<code>isinstance(result, list)</code>	Pass	0.001s
GET <code>/governance/data-lineage</code> gracefully handles <code>_check_staleness</code> error.	<code>resp.status_code == 200;</code> <code>data["pipeline_steps"] == []</code>	Pass	0.001s
GET <code>/governance/data-lineage/staleness</code> returns 500 on error.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
GET /governance/data-lineage/trace returns 500 on _trace_data error.	resp.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.000s
Appends started header	any("=" * 10 in ln for ln in lines); any("Audit run complete" in ln for ln in lines)	Pass	0.001s
Error line appended on exception	any("ERROR" in ln for ln in lines)	Pass	0.001s
Handles exception gracefully	tr_mod._running is False	Pass	0.001s
Sets running false on completion	tr_mod._running is False	Pass	0.002s
Setting _batch_job to None mid-run stops processing.	call_count == 1; cl_mod._batch_job is None	Pass	0.000s
Failed gauge training is recorded as 'failed' in results.	cl_mod._batch_job["status"] == "complete"; results[0]["status"] == "trained" (+2 more)	Pass	0.001s
Batch trains gauges and records timings.	cl_mod._batch_job["status"] == "complete"; cl_mod._batch_job["completed"] == 2 (+5 more)	Pass	0.008s
Each gauge has gauge_id, gauge_name, p_flood, p_flood_pct, threshold,	'gauge_id' in g; 'gauge_name' in g (+8 more)	Pass	0.023s
Response has gauges_severe as list of gauge_ids; for STORM_PORT_SEVERE	'gauges_severe' in data; isinstance(data['gauges_severe'], list) (+2 more)	Pass	0.028s
gauges_warning list includes GAUGE-002.	'gauges_warning' in data; isinstance(data['gauges_warning'], list) (+2 more)	Pass	0.029s
Response has 'gauges' list.	'gauges' in data; isinstance(data['gauges'], list)	Pass	0.019s
Response has portfolio_stress_pnl, portfolio_mtm, num_gauges.	'portfolio_stress_pnl' in data; 'portfolio_mtm' in data (+1 more)	Pass	0.017s
POST with non-existent storm_id returns 404.	resp.status_code == 404	Pass	0.004s
POST with no body or empty storm_id returns 400.	resp.status_code == 400	Pass	0.000s
POST STORM-PORT-001 returns 200 with status=success.	resp.status_code == 200; data['status'] == 'success'	Pass	0.024s
Each hour has water_level, p_flood, portfolio fields.	'hour' in h; 'water_level' in h (+4 more)	Pass	0.023s
Non-existent storm returns 404.	resp.status_code == 404	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Severe storm triggers knock-out (P(flood)=100%).	<code>data['hourly'][first_breach]['p_flood'] == 1.0; h['p_flood'] is None</code>	Pass	0.029s
Missing gauge_id or storm_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
No JSON body returns error.	<code>resp.status_code in (400, 500)</code>	Pass	0.001s
Response includes portfolio-level stress summary.	<code>'num_trades' in summary;</code> <code>'total_notional' in summary</code> (+5 more)	Pass	0.028s
Response includes probability surface grid.	<code>'probability_surface' in data;</code> <code>'water_levels' in surface</code> (+7 more)	Pass	0.031s
POST returns 168-hour forecast array.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.028s
Response includes per-trade summary.	<code>'trades' in data; len(data['trades']) == 2</code> (+4 more)	Pass	0.022s
Surface water levels cap at severe – no rows above severe.	<code>max(surface['water_levels']) <= severe</code>	Pass	0.024s
Surface must cover full 168h storm horizon regardless of KO.	<code>max(surface['hours']) >= 164</code>	Pass	0.025s
Empty gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
No open trades at gauge returns 404.	<code>resp.status_code == 404</code>	Pass	0.003s
Null JSON body returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
Gaugets file present uses hydrograph built from real readings.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.028s
Already running message	<code>data["status"] == "running";</code> <code>"message" in data</code> (+1 more)	Pass	0.001s
Already running returns 202	<code>resp.status_code == 202</code>	Pass	0.001s
Response has started status	<code>data["status"] == "started"</code>	Pass	0.001s
Starts run returns 202	<code>resp.status_code == 202</code>	Pass	0.001s
Empty running pnl returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
All positive	<code>np.all(M > 0.0)</code>	Pass	0.000s
Empirical pairwise correlation approximately matches model correlation for large samples.	<code>abs(emp_corr[i, j] - model_corr[i, j]) < 0.15</code>	Pass	0.006s
Higher intensity -i longer range -i more spatially coherent (lower variance).	<code>np.mean(vars_extreme) < np.mean(vars_moderate)</code>	Pass	0.009s
Normalisation ensures catchment mean is preserved.	<code>M.mean() == pytest.approx(1.0, abs=1e-10)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Pre-normalisation, $E[M] = \frac{\exp(\sigma^2/2)}{\exp(\sigma^2/2)} = 1$ theoretically.	<code>np.mean(pre_norms) == pytest.approx(1.0, abs=0.05)</code>	Pass	0.003s
Reproducible with seed	<code>np.allclose(M1, M2)</code>	Pass	0.000s
Shape	<code>M.shape == (small_model.n_gauges,)</code>	Pass	0.000s
When rng is None, falls back to <code>np.random.randn</code> (line 251).	<code>M.shape == (model.n_gauges,); M.mean() == pytest.approx(1.0, abs=1e-10) (+1 more)</code>	Pass	0.000s
Catastrophic weights: 15% doublet, 45% cluster, 40% persistent.	<code>doublets < 150</code>	Pass	0.003s
Defined categories[catastrophic] [cat='catastrophic']	<code>result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Defined categories[extreme] [cat='extreme']	<code>result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Defined categories[moderate] [cat='moderate']	<code>result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Defined categories[severe] [cat='severe']	<code>result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Returns sequence type	<code>isinstance(result, SequenceType); result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Unknown category uses DE-FAULT_TYPE_WEIGHTS.	<code>isinstance(result, SequenceType)</code>	Pass	0.000s
Lines 122-123: 30% chance subsequent storm goes down.	<code>below_base > 10</code>	Pass	0.001s
Storm index 0 has downward variation (up to -20%).	<code>all(r <= base + 0.001 for r in results)</code>	Pass	0.001s
First storm returns positive	<code>result > 0</code>	Pass	0.000s
Result should be within +/-20% of base for first storm.	<code>all(r >= lower - 0.001 for r in results); all(r <= upper + 0.001 for r in results)</code>	Pass	0.001s
70% chance of maintaining/increasing subsequent storm intensity.	<code>above_base > 100</code>	Pass	0.000s
Subsequent storm positive	<code>result > 0</code>	Pass	0.000s
<code>max(0.1, ...)</code> prevents zero or negative intensity.	<code>result >= 0.1</code>	Pass	0.000s
Different seeds different output	<code>d1.sample(10) != d2.sample(10)</code>	Pass	0.000s
Sample n returns correct length	<code>len(samples) == 100</code>	Pass	0.000s
Sample single	<code>d.params.min_intensity <= v <= d.params.max_intensity</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Samples within bounds	<code>all(d.params.min.intensity <= s <= d.params.max.intensity...</code>	Pass	0.001s
Seeded reproducibility	<code>s1 == s2</code>	Pass	0.000s
Bool passed through	<code>result["flag"] is True</code>	Pass	0.000s
Empty params	<code>result == {}</code>	Pass	0.000s
Float passed through	<code>result["rate"] == 0.05</code>	Pass	0.000s
Int passed through	<code>result["n"] == 42</code>	Pass	0.000s
Long list summarised	<code>isinstance(result["items"], str); "15 items" in result["items"]</code>	Pass	0.000s
None passed through	<code>result["x"] is None</code>	Pass	0.000s
Object converted to string	<code>result["obj"] == "my_object"</code>	Pass	0.000s
Short list converted to str	<code>isinstance(result["items"], list); len(result["items"]) == 3</code>	Pass	0.000s
String passed through	<code>result["name"] == "test"</code>	Pass	0.000s
Tuple treated like list	<code>isinstance(result["t"], list)</code>	Pass	0.000s
Identity no antecedent	<code>compute_saturation_factor(0.0) == 1.0</code>	Pass	0.000s
Known value	<code>compute_saturation_factor(100.0) == pytest.approx(expected)</code>	Pass	0.000s
Monotonic	<code>1.0 < s1 < s2 < s3</code>	Pass	0.000s
Negative precip	<code>compute_saturation_factor(-10.0) == 1.0</code>	Pass	0.000s
Saves and returns response	<code>resp is not None</code>	Pass	0.031s
Returns false on oerror	<code>result is False; _save_audit_log([]) is False (+1 more)</code>	Pass	0.000s
Saves entries	<code>result is True; json.loads(p.read_text())[0]["event"] == "created"</code>	Pass	0.001s
Returns false on oerror	<code>_save_bcbs239({}) is False; _save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves data	<code>_save_bcbs239({"principles": []}) is True; _save_raci({"roles": []}) is True</code>	Pass	0.000s
Returns false on oerror	<code>_save_bcbs239({}) is False; _save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves bibliography	<code>_save_bibliography({"references": [], "categories": []}) ...</code>	Pass	0.000s
Save error is reraised	—	Pass	0.001s
Creates gauge file	<code>(tmp_path / "gaugets" / "GAUGE-001.json").exists()</code>	Pass	0.000s
If gauge file already exists, merge storm_responses into it.	<code>"flood.simulation" in data; "storm_responses" in data</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Multiple gauges	(gaugets_dir / "GAUGE-001.json").exists(); (gaugets_dir / "GAUGE-002.json").exists()	Pass	0.000s
Saved file has responses	"storm_responses" in data; len(data["storm_responses"]["responses"]) == 3	Pass	0.001s
Returns false on oserror	_save_bcbs239({}) is False; _save_raci({}) is False (+2 more)	Pass	0.000s
Saves documents	_save_gov_documents([{"doc_id": "D1"}]) is True	Pass	0.000s
Creates file	output_path.exists(); result == output_path	Pass	0.000s
Creates parent dirs	output_path.exists()	Pass	0.000s
File has hazard curves	"GAUGE-001" in data["hazard_curves"]	Pass	0.001s
File has metadata	"metadata" in data; data["metadata"]["catchment_id"] == "thames"	Pass	0.001s
Metadata merged	data["metadata"]["num_storms"] == 100	Pass	0.001s
Returns false on oserror	result is False; _save_audit_log([]) is False (+1 more)	Pass	0.000s
Saves data	result is True; json.loads(p.read_text())["models"] == []	Pass	0.001s
Creates parent dirs	out.exists()	Pass	0.009s
Load missing file raises	—	Pass	0.000s
Load returns correct count	len(loaded) == len(small_batch)	Pass	0.019s
Load wrong schema raises	—	Pass	0.001s
Loaded sequences still valid	result["invalid"] == 0	Pass	0.018s
Round trip num storms	orig.num_storms == back.num_storms	Pass	0.016s
Round trip precipitation	abs(orig.total_precipitation_mm - back.total_precipitatio...	Pass	0.018s
Round trip sequence type	orig.sequence_type == back.sequence_type	Pass	0.018s
Round trip storm fields	os_.storm_index == bs_.storm_index; abs(os_.duration_hours - bs_.duration_hours) < 0.01 (+1 more)	Pass	0.016s
Round trip total duration	abs(orig.total_duration_hours - back.total_duration_hours...	Pass	0.018s
Save creates file	out.exists()	Pass	0.008s

Test Description	Acceptance Criteria	Result	Time
Schema version in file	<code>raw["schema_version"] == SCHEMA.VERSION</code>	Pass	0.017s
Save cleans up on failure	<code>len(list(tmp_path.glob("*.tmp"))) == 0</code>	Pass	0.001s
Save creates file	<code>result == data</code>	Pass	0.004s
Save overwrites existing	<code>result == new_data</code>	Pass	0.004s
Returns false on oserror	<code>result is False; _save_audit_log([]) is False (+1 more)</code>	Pass	0.000s
Saves meetings	<code>result is True; json.loads(p.read_text())[0]["id"] == "M1"</code>	Pass	0.002s
Returns false on oserror	<code>_save_bcbs239({}) is False; _save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves data	<code>_save_bcbs239({"principles": []}) is True; _save_raci({"roles": []}) is True</code>	Pass	0.000s
Creates file	<code>out.exists()</code>	Pass	0.001s
Duration stats present	<code>d["min"] > 0; d["max"] <= 156 (+1 more)</code>	Pass	0.001s
Num sequences matches	<code>data["num_sequences"] == len(small.batch)</code>	Pass	0.001s
Precipitation stats present	<code>p["min"] > 0; p["max"] >= p["min"] (+1 more)</code>	Pass	0.002s
Schema version	<code>data["schema_version"] == SCHEMA.VERSION</code>	Pass	0.003s
Type counts sum to total	<code>sum(data["sequence_type_counts"].values()) == len(small.b...</code>	Pass	0.001s
Type fractions sum to one	<code>abs(total_frac - 1.0) < 0.001</code>	Pass	0.004s
Above max depth returns one	<code>scalar_depth_damage(100.0) == pytest.approx(1.0)</code>	Pass	0.000s
Between control points interpolated	<code>0.25 < d < 0.40</code>	Pass	0.000s
Damage between 0 and 1	<code>0 <= scalar_depth_damage(depth) <= 1.0</code>	Pass	0.000s
Half meter damage	<code>d == pytest.approx(DAMAGE.POINTS[2], abs=1e-6)</code>	Pass	0.000s
Max depth returns one	<code>scalar_depth_damage(DEPTH.POINTS[-1]) == pytest.approx(1.0)</code>	Pass	0.000s
Monotonically increasing	<code>all(damages[i] <= damages[i + 1] for i in range(len(damag...</code>	Pass	0.000s
Negative depth returns zero	<code>scalar_depth_damage(-1.0) == 0.0; scalar_depth_damage(-100.0) == 0.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
One meter damage	<code>d == pytest.approx(DAMAGE_POINTS[3], abs=1e-6)</code>	Pass	0.000s
Returns float	<code>isinstance(scalar_depth_damage(0.75), float)</code>	Pass	0.000s
Small depth returns small damage	<code>d == pytest.approx(DAMAGE_POINTS[1], abs=1e-9)</code>	Pass	0.000s
Zero depth returns zero	<code>scalar_depth_damage(0.0) == 0.0</code>	Pass	0.000s
Every control point must return a value in [0, 1].	<code>0.0 <= val <= 1.0</code>	Pass	0.000s
Very small positive depth (between 0 and first control point).	<code>0.0 < d < 0.05</code>	Pass	0.000s
'base.level_m' field — used in Stress tab storm info bar.	<code>'base.level_m' in s</code>	Pass	0.004s
'duration_hours' field — used in Stress tab storm info bar.	<code>'duration_hours' in s</code>	Pass	0.003s
'effective_precipitation_mm' field — shown in storm row.	<code>'effective_precipitation_mm' in s</code>	Pass	0.003s
'gauges_severe' field — severity indicator in storm row.	<code>'gauges_severe' in s</code>	Pass	0.003s
'intensity_category' field — colour-coded in storm row.	<code>'intensity_category' in s</code>	Pass	0.003s
'level_change_m' field — used in Stress tab storm info bar.	<code>'level_change_m' in s</code>	Pass	0.003s
'max_trigger' field — used for trigger colour coding in Historical list.	<code>'max_trigger' in s</code>	Pass	0.004s
'name' field — shown in storm row title.	<code>'name' in s</code>	Pass	0.003s
'peak_level_m' field — primary sort key and shown in Trading Desk label.	<code>'peak_level_m' in s</code>	Pass	0.004s
'peak_position' field — used in hydrograph synthesis.	<code>'peak_position' in s</code>	Pass	0.003s
Hour label element must be present to display current hour.	<code>'sp-sim-hour-label' in sim_js</code>	Pass	0.000s
Scrubber element must have the expected DOM ID.	<code>'sp-sim-scrubber' in sim_js</code>	Pass	0.000s
scrubber.max must equal STORM_SIMULATION_HOURS - 1 (0-indexed).	<code>f"scrubber.max = '{expected}'" in sim_js</code>	Pass	0.000s
Regression guard: the old wrong value '59' must not be present.	<code>"scrubber.max = '59'" not in sim_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
scrubber.min must be '0' so the timeline starts at hour 0.	"scrubber.min = '0'" in sim_js	Pass	0.000s
Scrubber element must be an input[type=range].	"scrubber.type = 'range'" in sim_js	Pass	0.000s
Heading	.has_paragraph_containing(els, '7. Property Flood Time Se...; .has_paragraph_containing(els, '9. Counterparties') (+2 more)	Pass	0.000s
Kv table	.has_table(els)	Pass	0.000s
Returns list	isinstance(els, list); isinstance(els, list) (+2 more)	Pass	0.000s
Cover healthy	len(story) > 0	Pass	0.000s
Cover issues	len(story) > 0	Pass	0.000s
Exec summary healthy	len(story) > 0	Pass	0.000s
Exec summary issues	len(story) > 0	Pass	0.000s
Quality metrics healthy	len(story) > 0	Pass	0.000s
Quality metrics with stale details	len(story) > 0	Pass	0.001s
Reconciliation no results	len(story) > 0	Pass	0.000s
Reconciliation with failures	len(story) > 0	Pass	0.001s
Reconciliation with results	len(story) > 0	Pass	0.000s
Remediation compliant	len(story) > 0	Pass	0.000s
Remediation with issues	len(story) > 2	Pass	0.001s
Retention policy	len(story) > 0	Pass	0.000s
Source documentation	len(story) > 0	Pass	0.001s
Step with no parameters should still render.	len(story) > 0	Pass	0.000s
Topology	len(story) > 0	Pass	0.000s
Handles Counterparty key instead of CounterpartySet.	.has_table(els)	Pass	0.000s
Empty message	.has_paragraph_containing(els, 'No counterparties generat...	Pass	0.000s
Heading	.has_paragraph_containing(els, '7. Property Flood Time Se...; .has_paragraph_containing(els, '9. Counterparties') (+2 more)	Pass	0.000s
Returns list	isinstance(els, list); isinstance(els, list) (+2 more)	Pass	0.000s
Table present	.has_table(els)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Heading	<code>.has_paragraph_containing(els, '3. Mortgages');</code> <code>.has_paragraph_containing(els, '4. Historical Gauge Data')</code> (+2 more)	Pass	0.000s
No baselines message	<code>.has_paragraph_containing(els, '5 gaugehd files')</code>	Pass	0.000s
Range computed	<code>.has_paragraph_containing(els, 'Seasonal range')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list)</code> (+4 more)	Pass	0.000s
Seasonal averages	<code>.has_paragraph_containing(els, 'Avg winter baseline')</code>	Pass	0.000s
Table when baselines	<code>.has_table(els)</code>	Pass	0.000s
Empty gauges message	<code>.has_paragraph_containing(els, 'No gauges generated');</code> not <code>.has_table(els)</code>	Pass	0.000s
Multiple gauges	<code>.has_paragraph_containing(els, '2 gauges')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list)</code> (+4 more)	Pass	0.000s
Section heading	<code>.has_paragraph_containing(els, '1. Gauge Network')</code>	Pass	0.000s
Summary line counts	<code>.has_paragraph_containing(els, '5 time series');</code> <code>.has_paragraph_containing(els, '3 historical daily')</code>	Pass	0.000s
Table present	<code>.has_table(els); .has_table(els)</code>	Pass	0.000s
Handles exceedance_probabilities + return_levels format.	<code>.has_table(els)</code>	Pass	0.000s
Non-dict gauge curve entry should produce dashes, not crash.	<code>.has_table(els)</code>	Pass	0.000s
Heading	<code>.has_paragraph_containing(els, '3. Mortgages');</code> <code>.has_paragraph_containing(els, '4. Historical Gauge Data')</code> (+2 more)	Pass	0.000s
No curves message	<code>.has_paragraph_containing(els, 'No hazard curves available')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list)</code> (+4 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Table with curves	<code>.has_table(els);</code> <code>.has_paragraph.containing(els, '1 property hazard curves')</code>	Pass	0.000s
Count in summary	<code>.has_paragraph.containing(els, '2 mortgages linked')</code>	Pass	0.000s
Empty mortgages message	<code>.has_paragraph.containing(els, 'No mortgages generated')</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages');</code> <code>.has_paragraph.containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table present	<code>.has_table(els); .has_table(els)</code>	Pass	0.000s
Empty properties message	<code>.has_paragraph.containing(els, 'No properties generated')</code>	Pass	0.000s
Heading present	<code>.has_paragraph.containing(els, '2. Properties')</code>	Pass	0.000s
Property count in summary	<code>.has_paragraph.containing(els, '2 properties')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table with properties	<code>.has_table(els)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '7. Property Flood Time Se...;</code> <code>.has_paragraph.containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.000s
No phc section when empty	<code>not .has_paragraph.containing(els, '8. Property Hazard')</code>	Pass	0.000s
Phc section added	<code>.has_paragraph.containing(els, '8. Property Hazard Curves');</code> <code>.has_paragraph.containing(els, '2 property hazard curves')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+2 more)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages');</code> <code>.has_paragraph.containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
Kv table present	<code>.has_table(els)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
With full summary	<code>.has_table(els)</code>	Pass	0.000s
If input_dir is a real path, data size is appended.	<code>.has_table(els)</code>	Pass	0.001s
Heading	<code>.has_paragraph_containing(els, '7. Property Flood Time Se...;</code> <code>.has_paragraph_containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.001s
Kv table present	<code>.has_table(els)</code>	Pass	0.001s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+2 more)</code>	Pass	0.001s
All builders exported	<code>hasattr(sections_mod, name);</code> <code>callable(getattr(sections_mod, name))</code>	Pass	0.000s
All list	<code>len(sections_mod.__all__) == 12</code>	Pass	0.000s
Case insensitive	<code>seq_type_color('DOUBLET') == colors.lightyellow</code>	Pass	0.000s
Cluster	<code>seq_type_color('cluster') == colors.lightsalmon</code>	Pass	0.000s
Doublet	<code>seq_type_color('doublet') == colors.lightyellow</code>	Pass	0.000s
Isolated	<code>seq_type_color('isolated') == colors.lightblue</code>	Pass	0.000s
None returns white	<code>seq_type_color(None) == colors.white</code>	Pass	0.000s
Persistent	<code>seq_type_color('persistent') == colors.mistyrose</code>	Pass	0.000s
Unknown returns white	<code>seq_type_color('unknown') == colors.white</code>	Pass	0.000s
Response declares the max_depth damage model.	<code>data["damage_model"] == "max_depth"</code>	Pass	0.005s
Each property entry includes num_sequence_floods.	<code>prop.a["num_sequence_floods"] >= 1</code>	Pass	0.003s
Response includes num_storms_in_sequence.	<code>"num_storms_in_sequence" in data;</code> <code>data["num_storms_in_sequence"] >= 1</code>	Pass	0.005s
Damage is max depth, not 0.10 + 0.18 = 0.28.	<code>prop.a["damage_ratio"] < 0.20</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
PROP-A: second storm (0.65m) is worst — sequence damage uses 0.18 ratio.	<code>prop.a["damage_ratio"] == pytest.approx(0.18); prop.a["damage_amount"] == pytest.approx(350_000 * 0.18)</code> (+1 more)	Pass	0.004s
PROP-B: first storm depth=0 so excluded, second storm 0.55m -i included.	<code>"PROP-B" in prop_ids</code>	Pass	0.004s
PROP-C is flooded by STORM-other, not STORM-test1 — must not appear.	<code>"PROP-C" not in prop_ids</code>	Pass	0.003s
Sequence total damage i sum of individual storm damages (not additive).	<code>seq.damage < dmg.d1a + dmg.d1b</code>	Pass	0.005s
Sequence endpoint options	<code>r.status_code == 200</code>	Pass	0.000s
Sequence endpoint returns 200	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.003s
Sequence id in response	<code>data["sequence_id"] == "STORM-test1"</code>	Pass	0.005s
Unknown sequence returns 404	<code>r.status_code == 404</code>	Pass	0.005s
Worst storm (17% damage on 300k -i 249k i 280k outstanding -i negative equity.	<code>data["portfolio"]["mortgages_in_negative_equity"] == 1; prop["negative_equity"] is True</code>	Pass	0.003s
Sequence num floods is four	<code>data["properties"][0]["num.sequence_floods"] == 4</code>	Pass	0.004s
Sequence damage uses storm p3 (1.8m, ratio=0.17), not p1 or p2.	<code>prop["worst_storm_id"] == "STORM-p3"; prop["damage_ratio"] == pytest.approx(0.17)</code>	Pass	0.004s
Querying seqA1 does not return seqB damage.	<code>dmg.a != dmg.b; dmg_a != dmg_a + dmg.b</code>	Pass	0.004s
Seqa first storm returns only its damage	<code>prop["damage_amount"] == pytest.approx(400_000 * 0.12)</code>	Pass	0.004s
Seqb storm returns only seqb damage	<code>prop["damage_amount"] == pytest.approx(400_000 * 0.06)</code>	Pass	0.003s
Known sequence returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.004s
No pts dir returns 404	<code>r.status_code == 404; r.get_json()["status"] == "error"</code> (+2 more)	Pass	0.001s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Properties sorted by damage descending	<code>amounts == sorted(amounts, reverse=True);</code> <code>amounts == sorted(amounts, reverse=True)</code>	Pass	0.003s
Property entry has financial fields	<code>"property_id" in prop;</code> <code>"property_value" in prop (+9 more)</code>	Pass	0.003s
Property entry has num sequence floods	<code>"num_sequence_floods" in prop;</code> <code>prop["num_sequence_floods"] >= 1</code>	Pass	0.003s
Property entry has worst storm id	<code>"worst_storm_id" in prop</code>	Pass	0.003s
Response has damage model	<code>r.get_json()["damage_model"] == "max_depth"</code>	Pass	0.003s
Response has num storms	<code>"num_storms_in_sequence" in r.get_json();</code> <code>r.get_json()["num_storms_in_sequence"] >= 1</code>	Pass	0.004s
Response has portfolio	<code>"portfolio" in data;</code> <code>"total_properties" in port (+4 more)</code>	Pass	0.003s
Response has properties list	<code>"properties" in data;</code> <code>len(data["properties"]) >= 1 (+2 more)</code>	Pass	0.003s
Response has sequence id	<code>r.get_json()["sequence_id"] == seq_id</code>	Pass	0.004s
Unknown sequence returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.003s
Describe returns string	<code>isinstance(desc, str); "base_mean" in desc.lower() or "Base mean" in desc</code>	Pass	0.074s
Params roundtrip	<code>recovered.base_mean == 52;</code> <code>recovered.name == "custom"</code>	Pass	0.000s
Tail probability matches internal	<code>d.to_dict()['tail_probability'] == pytest.approx(d._tail...</code>	Pass	0.000s
To dict keys	<code>'parameters' in result;</code> <code>'tail_probability' in result</code>	Pass	0.000s
Returns 404 when file missing	<code>r.status_code in (200, 404, 500)</code>	Pass	0.001s
Lines 33-35: send_file when HTML file actually exists.	<code>r.status_code in (200, 404, 500)</code>	Pass	0.032s
Returns json error or html	<code>r.status_code in (200, 404, 500)</code>	Pass	0.001s
No coverage dir returns 404	<code>r.status_code == 404</code>	Pass	0.001s
With coverage index returns 200	<code>r.status_code == 200</code>	Pass	0.002s
The response body is valid JSON with an error status.	<code>r.status_code in (500, 503); data is not None (+1 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Without gauge.json, visualization fails with 500.	<code>r.status_code in (500, 503)</code>	Pass	0.001s
No gauge data returns error status	<code>data["status"] == "error"</code>	Pass	0.001s
Lines 97-99: exception in <code>serve_visualization_for_catchment</code> → 500.	<code>r.status_code in (302, 500)</code>	Pass	0.031s
Matching is case-insensitive.	<code>r.status_code == 302</code>	Pass	0.001s
'thames' catchment redirects to main visualization route.	<code>r.status_code == 302</code>	Pass	0.001s
Unknown catchment returns 400	<code>r.status_code == 400; data["status"] == "error" (+1 more)</code>	Pass	0.001s
Unsupported catchment message	<code>r.status_code == 400; "thames" in r.get_json()["message"].lower()</code>	Pass	0.001s
Lines 59-65: <code>ImportError</code> → 503.	<code>r.status_code in (500, 503)</code>	Pass	0.029s
Lines 50-57: mock <code>TCEventVisualization</code> to return existing file.	<code>r.status_code in (200, 500)</code>	Pass	0.030s
<code>main()</code> calls <code>app.run()</code> with configured host/port/debug.	<code>len(run_calls) == 1; run_calls[0]["host"] == config.SERVER_HOST (+1 more)</code>	Pass	0.028s
<code>server.main()</code> is callable (test by importing, not running).	<code>callable(main)</code>	Pass	0.000s
Simulate what <code>routes/-gauges.py:generate_report()</code> does.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.025s
Test with actual Thames gauge data if available.	<code>report_path.exists(); report_path.stat().st_size > 5000</code>	Pass	0.029s
Simulate what <code>routes/properties.py:generate_report()</code> does.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.029s
Test with actual Thames portfolio data if available.	<code>report_path.exists(); report_path.stat().st_size > 10000</code>	Pass	0.048s
Case insensitive thames	<code>r.status_code == 200</code>	Pass	0.000s
Missing catchment id returns 400	<code>r.status_code == 400</code>	Pass	0.001s
No json returns 400	<code>r.status_code in (400, 415, 500)</code>	Pass	0.000s
Line 64: non-empty body but null/empty catchment → 400.	<code>r.status_code == 400; "Catchment ID is required" in data["message"]</code>	Pass	0.000s
Options returns 200	<code>r.status_code == 200</code>	Pass	0.001s
Unknown catchment returns 400	<code>r.status_code == 400; data["status"] == "error"</code>	Pass	0.001s
Valid thames returns success	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Existing mortgage dict updated	data["Mortgage"]["Header"]["ExistingField"] == "keep"; data["Mortgage"]["Header"]["MortgageID"] == "MORT-new"	Pass	0.000s
Initialises header key when absent	"Header" in data["Mortgage"]	Pass	0.000s
Initialises mortgage key when absent	"Mortgage" in data	Pass	0.000s
Missing property id key defaults empty string	data["Mortgage"]["Header"]["PropertyID"] == ""	Pass	0.000s
Sets catchment id	data["Mortgage"]["Header"]["CatchmentID"] == "thames"	Pass	0.000s
Sets loan details fields	loan["OriginalLoanAmount"] == fd["loan.amount"]; loan["CurrentBalance"] == fd["current.balance"] (+3 more)	Pass	0.000s
Sets mortgage id	data["Mortgage"]["Header"]["MortgageID"] == "MORT-abc12"	Pass	0.000s
Sets property id in header	data["Mortgage"]["Header"]["PropertyID"] == "PROP-xyz"	Pass	0.000s
Catchment id set in attrs	data["PropertyHeader"]["PropertyAttributes"] ["CatchmentID"] == "thames"	Pass	0.000s
Elevation sets ground level	loc["RiskAssessment"]["GroundLevelMeters"] == pytest.approx(51.45)	Pass	0.000s
Empty reference gauge indices no ref key	"ReferenceGauges" not in data.get("PropertyHeader", {})	Pass	0.000s
Lat lon set in location	loc["LatitudeDegrees"] == pytest.approx(51.45); loc["LongitudeDegrees"] == pytest.approx(-0.31)	Pass	0.000s
No elevation in location does not set ground level	"RiskAssessment" not in loc	Pass	0.000s
No reference gauge indices no ref key	"ReferenceGauges" not in data.get("PropertyHeader", {})	Pass	0.000s
Property id set in attrs	data["PropertyHeader"]["PropertyAttributes"] ["PropertyID"] == "PROP-xyz"	Pass	0.000s
Reference gauges fallback when not in map	ref == ["GAUGE-001", "GAUGE-002", "GAUGE-003"]	Pass	0.000s
Reference gauges set from gauge id map	ref == ["GAUGE-abc", "GAUGE-def", "GAUGE-ghi"]	Pass	0.000s
Adds all components	mock.html.add_child.call_count > 0	Pass	0.076s
Copyright element added	len(calls) > 0	Pass	0.075s
Returns self	result is mgr	Pass	0.075s
Body style font size	styled.body_style.fontSize == 9	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Kv style font size	<code>styled.kv_style.fontSize == 9</code>	Pass	0.000s
Kv style left indent	<code>styled.kv_style.leftIndent == 12</code>	Pass	0.000s
Required keys	<code>key in styles</code>	Pass	0.000s
Returns stylesheet	<code>isinstance(styles, StyleSheet1)</code>	Pass	0.000s
Section style font size	<code>styled.section_style.fontSize == 13</code>	Pass	0.000s
Section style text color	<code>styled.section_style.textColor ==</code> <code>DARK.BLUE</code>	Pass	0.000s
Styles are paragraph styles	<code>isinstance(styles[key],</code> <code>ParagraphStyle)</code>	Pass	0.000s
Subsection style font size	<code>styled.subsection_style.fontSize ==</code> <code>10</code>	Pass	0.000s
Subsection style text color	<code>styled.subsection_style.textColor ==</code> <code>BLUE</code>	Pass	0.000s
Subtitle style font size	<code>styled.subtitle_style.fontSize == 10</code>	Pass	0.000s
Subtitle style text color	<code>styled.subtitle_style.textColor ==</code> <code>GREY</code>	Pass	0.000s
Title style font name	<code>styled.title_style.fontName ==</code> <code>'Helvetica-Bold'</code>	Pass	0.000s
Title style font size	<code>styled.title_style.fontSize == 18</code>	Pass	0.000s
Title style text color	<code>styled.title_style.textColor ==</code> <code>DARK.BLUE</code>	Pass	0.000s
In shd mode the property elevation should match the gauge,	<code>result is not None;</code> <code>data["elevation_m"] <= 4.0</code>	Pass	0.173s
In she mode all gauge distances should be 0.	<code>result is not None; ng["distance_m"]</code> <code>== 0.0</code>	Pass	0.170s
Mode shd should write PROP-*.json into propertytsd/ not propertyts/.	<code>gen.MODE_DIRS["shd"] ==</code> <code>"propertytsd"</code>	Pass	0.000s
She writes to propertytse dir	<code>gen.MODE_DIRS["she"] ==</code> <code>"propertytse"</code>	Pass	0.170s
All defined categories	<code>isinstance(result, bool)</code>	Pass	0.000s
Catastrophic has 85% chance — over many trials, majority should be True.	<code>sum(results) > 140</code>	Pass	0.000s
Minimal has 5% chance — most should be False.	<code>sum(results) < 30</code>	Pass	0.000s
Returns bool	<code>isinstance(result, bool)</code>	Pass	0.000s
Unknown category uses default 0.15 probability.	<code>50 < sum(results) < 350</code>	Pass	0.001s
<code>sp_sim.get_js()</code> must return a non-empty string.	<code>len(sim_js) > 100</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
spSeekTo() must be defined — called by scrubber oninput.	'spSeekTo' in sim.js	Pass	0.000s
spSetSpeed() must be defined — called by speed buttons.	'spSetSpeed' in sim.js	Pass	0.000s
spStopAnim() must be defined — cleans up animation interval.	'spStopAnim' in sim.js	Pass	0.000s
Business days is three months	60 <= NUM.BUSINESS.DAYS <= 66	Pass	0.000s
Daily vol is small	0.0001 <= DAILY.HAZARD.VOL <= 0.001	Pass	0.000s
Random walk floors at 0.0001 — vol must not exceed that floor.	DAILY.HAZARD.VOL > 0; MAX.TOTAL.MOVE > 0	Pass	0.000s
Cumulative cap should allow meaningful drift.	MAX.TOTAL.MOVE >= 5 * DAILY.HAZARD.VOL	Pass	0.000s
Max move bounds vol	MAX.TOTAL.MOVE > DAILY.HAZARD.VOL; MAX.TOTAL.MOVE <= 0.01	Pass	0.000s
Test complete gauge analysis workflow.	results['success'] is True; results['gauge']['gauge_id'] == "THAMES.TEDDINGTON" (+2 more)	Pass	0.002s
Handle non-existent gauge gracefully.	results['success'] is False; len(results['errors']) > 0	Pass	0.001s
Analysis should include flood status.	'status' in results['flood.analysis']; results['flood.analysis']['status'] in ["NORMAL", "ALERT"]...	Pass	0.002s
Test loading gauge metadata from JSON.	gauges is not None; len(gauges) == 4 (+2 more)	Pass	0.001s
Test loading gauge time series.	readings is not None; "THAMES.TEDDINGTON" in readings (+1 more)	Pass	0.002s
All mortgages fail returns empty list	result["processing_stats"]["failed_mortgages"] == 2; result["data"]["mortgages"] == []	Pass	0.002s
When _generate_single_mortgage raises, the generator continues and	result["processing_stats"]["failed_mortgages"] == 1; result["processing_stats"]["successful_mortgages"] == 2 (+1 more)	Pass	0.002s
Find nearest gauge	gauge_id == "THAMES.TEDDINGTON"; distance < 1.0	Pass	0.000s
Full analysis high risk property	results["success"] is True; results["property"]["property_id"] == "THAMES.TEST.002" (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Full analysis low risk property	results["success"] is True; results["property"]["property_id"] == "THAMES_TEST_003" (+2 more)	Pass	0.003s
Load gauge data	gauge_meta is not None; len(gauge_meta) == 3 (+2 more)	Pass	0.002s
Load property data	properties is not None; len(properties) == 3 (+3 more)	Pass	0.002s
Clay medium high	"Medium" in r or "high" in r.lower()	Pass	0.000s
Peat high risk	"High" in r	Pass	0.000s
Rock keyword	"Low" in r	Pass	0.000s
Rock low risk	"Low" in r	Pass	0.000s
Sand medium risk	"Medium" in r	Pass	0.000s
Unknown soil	"Assessment" in r or "chalk" in r	Pass	0.000s
STORM-cccccccc (alert-only, no warning/severe) must be last.	sorted_storms[-1]["storm_id"] == "STORM-cccccccc"	Pass	0.000s
STORM-bbbbbbbb (2 severe) must rank before all others.	sorted_storms[0]["storm_id"] == "STORM-bbbbbbbb"	Pass	0.000s
gauges_severe must be non- increasing.	severe_counts == sorted(severe_counts, reverse=True)	Pass	0.000s
Defaults	p.base_range_km == 40.0; p.nugget == 0.05 (+2 more)	Pass	0.000s
From dict	p.base_range_km == 50.0; p.nugget == 0.10 (+1 more)	Pass	0.000s
Load from file	p.base_range_km == 40.0; p.nugget == 0.05	Pass	0.001s
Detailed report uses more pages than basic, so should produce larger file.	detailed.stat().st_size >= basic.stat().st_size	Pass	0.031s
Generate analysis report custom filename	path.name == "analysis.pdf"	Pass	0.004s
Generate analysis report custom filename	path.name == "analysis.pdf"	Pass	0.010s
Generate analysis report exists	gen.generate_analysis_report(gauge_data).exists()	Pass	0.003s
Generate analysis report exists	gen.generate_analysis_report(minimal_flood_data).exists()	Pass	0.011s
Generate analysis report with time- series	path.exists()	Pass	0.003s
Generate basic report custom file- name	path.name == "basic.pdf"	Pass	0.023s
Generate basic report exists	gen.generate_basic_report(gauge_data).exists()	Pass	0.025s
Generate basic report exists	gen.generate_basic_report(minimal_flood_data).exists()	Pass	0.032s
Generate basic report non empty	path.stat().st_size > 0	Pass	0.025s

Test Description	Acceptance Criteria	Result	Time
Generate basic report non empty	<code>path.stat().st_size > 0</code>	Pass	0.020s
Generate basic with timeseries	<code>path.exists()</code>	Pass	0.025s
Generate detailed report exists	<code>gen.generate_detailed_report(minimal_flood_data).exists()</code>	Pass	0.015s
Detailed report includes mortgage analysis — verify call reaches that page.	—	Pass	0.020s
Generate monitoring report custom filename	<code>path.name == "mon.pdf"</code>	Pass	0.003s
Generate monitoring report exists	<code>gen.generate_monitoring_report(gauge_data, ts_data).exists()</code>	Pass	0.003s
Generate monitoring report no timeseries	<code>path.exists()</code>	Pass	0.003s
Generate mortgage focused report custom filename	<code>path.name == "mort_focused.pdf"</code>	Pass	0.016s
Generate mortgage focused report exists	<code>gen.generate_mortgage_focused_report(prop_data, mort_data...)</code>	Pass	0.017s
Generate property only report custom filename	<code>path.name == "prop_only.pdf"</code>	Pass	0.016s
Generate property only report exists	<code>gen.generate_property_only_report(prop_data).exists()</code>	Pass	0.016s
Generate risk focused report custom filename	<code>path.name == "risk_only.pdf"</code>	Pass	0.009s
Generate risk focused report with mortgage	<code>path.exists()</code>	Pass	0.011s
Generate risk focused report without mortgage	<code>path.exists()</code>	Pass	0.010s
Generate summary report custom filename	<code>path.name == "summary.pdf"</code>	Pass	0.008s
Generate summary report exists	<code>gen.generate_summary_report(minimal_flood_data).exists()</code>	Pass	0.008s
Mortgage focused includes mortgage context pages	—	Pass	0.017s
Risk focused with mortgage includes current status	—	Pass	0.012s
Risk focused without mortgage excludes current status	—	Pass	0.010s
Distance first path	<code>"distance.effect_bps" in df;</code> <code>"elevation.effect_bps" in df</code>	Pass	0.004s
Distance first sums to basis	<code>abs(total - prop) < 0.5</code>	Pass	0.004s
Elevation first path	<code>"elevation.effect_bps" in ef;</code> <code>"distance.effect_bps" in ef</code>	Pass	0.004s
Elevation first sums to basis	<code>abs(total - prop) < 0.5</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Gauge spread present	"gauge_spread_bps" in sd; isinstance(sd["gauge_spread_bps"], (int, float))	Pass	0.004s
property_spread_bps should equal the 5yr severe spread from term_structure.	abs(sd["property_spread_bps"] - ts_spreads[4]) < 0.1	Pass	0.004s
Property spread present	"property_spread_bps" in sd	Pass	0.004s
propertyshd.json and proper- tyshe.json must exist for decomp- osition.	shd.exists(); she.exists()	Pass	0.000s
Shd spread present	"shd_spread_bps" in sd	Pass	0.004s
She spread present	"she_spread_bps" in sd	Pass	0.004s
Only gauge_GAUGE-*_hd.json files are removed, not other files.	other.exists()	Pass	0.050s
Multiple stale files are all removed.	not s.exists()	Pass	0.046s
Lines 37-39: old gauge_GAUGE- *_hd.json files are removed.	stale.exists(); not stale.exists()	Pass	0.049s
After clear-all, every gauge should show null metrics.	resp.get_json()["status"] == "success"; g["has_model"] is False (+2 more)	Pass	0.009s
Gauge with both .joblib AND sum- mary entry should show metrics.	gauge["has_model"] is True; gauge["status"] == "trained" (+2 more)	Pass	0.019s
Gauge with summary entry but NO .joblib should show null metrics.	gauge["has_model"] is False; gauge["status"] == "not_trained" (+4 more)	Pass	0.011s
All fresh full health	data["health_pct"] == 100.0	Pass	0.004s
All missing zero health	r.status_code == 200; data["status"] == "success" (+2 more)	Pass	0.001s
Has as of	"as_of" in data	Pass	0.001s
Partial health	data["health_pct"] == pytest.approx(7.1, abs=0.1)	Pass	0.001s
Stale does not count as fresh	data["health_pct"] == 0.0	Pass	0.001s
Every dataset key must appear in _startupDetail – no silent blanks.	f"key == '{k}'" in src	Pass	0.000s
Blotter stat uses trades length	"key == '_tdPreBlotter'" in src; "data.trades.length + ' trades'" in src	Pass	0.000s
Eod history stat uses history length	"key == '_tdPreEodHistory'" in src; "data.history.length + ' snapshots'" in src	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge hist stat uses count	"key === '_preGaugeHist'" in src; 'data.count' in src	Pass	0.000s
Gauges stat uses gauges length	"key === '_tdPreGauges'" in src; "data.gauges.length + ' gauges'" in src	Pass	0.000s
Gov audit stat uses events length	"key === '_preGovAudit'" in src; "data.total_entries + ' events'" in src	Pass	0.000s
Gov bib stat uses references length	"key === '_preGovBib'" in src; "data.references.length + ' refs'" in src	Pass	0.000s
Gov docs stat uses documents length	"key === '_tdPreGovDocs'" in src; "data.documents.length + ' docs'" in src	Pass	0.000s
Market stat uses object keys gauges	"key === '_tdPreMarket'" in src; "Object.keys(data.gauges).length" in src (+1 more)	Pass	0.001s
Mortgages stat uses mortgages length	"key === '_preMortgages'" in src; "data.mortgages" in src	Pass	0.000s
Port storms stat uses storms length	"key === '_tdPrePortStorms'" in src; "data.storms.length + ' storms'" in src	Pass	0.000s
Pre storms stat uses storms length	"key === '_preStorms'" in src; "data.storms.length + ' storms'" in src	Pass	0.000s
Property ts stat uses total proper- ties	"key === '_prePropertyTS'" in src; 'data.data.summary.properties.with_floods' in src (+1 more)	Pass	0.000s
Stress storms stat uses storms length	"key === '_tdPreStressStorms'" in src; "data.storms.length + ' scenarios'" in src	Pass	0.000s
Yield curve stat uses object keys	"key === '_tdPreYieldCurve'" in src; "Object.keys(data.yield_curve).length" in src (+1 more)	Pass	0.000s
Add to map calls add child	—	Pass	0.001s
Add to map output contains script	'<script>' in rendered; 'window._tdPreloadDone' in rendered	Pass	0.001s
Add to map method defined	'def add.to.map' in src	Pass	0.000s
All fourteen endpoints present	ep in js	Pass	0.000s
Must NOT defer to a button click – runs on DOMContentLoaded.	'DOMContentLoaded' in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'Market state' was renamed to 'Hazard curves'.	'Hazard curves' in js; '"Market state'" not in js and '"Market state"' not in js	Pass	0.000s
Sets window._tdPreloadDone so any IIFE can read it via global scope.	'window._tdPreloadDone = true' in	Pass	0.000s
Shows progress popup	_src('src/visual/intera... 'startup-preloader-popup' in js; 'startup-pre-bar' in js	Pass	0.000s
Startup preloader class defined	'class StartupPreloader' in src	Pass	0.000s
Declares pre gauge hist	'window._preGaugeHist' in _src('src/visual/interactivity/...	Pass	0.000s
Declares pre gov audit	'window._preGovAudit' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares pre gov bib	'window._preGovBib' in _src('src/visual/interactivity/sta...	Pass	0.000s
Declares pre property ts	'window._prePropertyTS' in _src('src/visual/interactivity...	Pass	0.000s
Declares pre storms	'window._preStorms' in _src('src/visual/interactivity/sta...	Pass	0.000s
Declares td pre blotter	'window._tdPreBlotter' in _src('src/visual/interactivity/...	Pass	0.000s
Declares td pre eod history	'window._tdPreEodHistory' in _src('src/visual/interactivi...	Pass	0.000s
Declares td pre gauges	'window._tdPreGauges' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares td pre gov docs	'window._tdPreGovDocs' in _src('src/visual/interactivity/...	Pass	0.000s
Declares td pre market	'window._tdPreMarket' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares td pre port storms	'window._tdPrePortStorms' in _src('src/visual/interactivi...	Pass	0.000s
Declares td pre stress storms	'window._tdPreStressStorms' in _src('src/visual/interacti...	Pass	0.000s
Declares td pre yield curve	'window._tdPreYieldCurve' in _src('src/visual/interactivi...	Pass	0.000s
Line 46: GET /apple-touch-icon.png returns the PNG.	r.status_code == 200; "image/png" in r.content_type	Pass	0.002s
Line 51: GET /apple-touch-icon-precomposed.png returns the PNG.	r.status_code == 200; "image/png" in r.content_type	Pass	0.001s
Line 41: GET /favicon.ico returns the icon file.	r.status_code == 200; r.content_type in ("image/x-icon", "image/vnd.microsoft.i...	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Stats bar spread should use adjustedPropSpread.	<code>idx_spread > idx_bar</code>	Pass	0.000s
Zone tag only shown when selected zone differs from actual.	<code>'selectedZone !== actualZone' in js</code>	Pass	0.000s
Zone tag present	<code>'zoneTag' in js</code>	Pass	0.000s
Zone tag should show 'vs' the actual zone.	<code>'(vs ' in js</code>	Pass	0.000s
avg_auc/avg_accuracy are None when results have no metrics.	<code>data["avg_auc"] is None;</code> <code>data["avg_accuracy"] is None</code>	Pass	0.001s
Status computes avg auc and accuracy	<code>data["avg_auc"] == 0.85;</code> <code>data["avg_accuracy"] == 0.9</code>	Pass	0.001s
Click handler defined	<code>'navigateToStress' in hist_js</code>	Pass	0.000s
Click handler iife safe	<code>'addEventListener' in hist_js;</code> <code>'hist-storm-row' in hist_js</code>	Pass	0.000s
Navigates to tab 5	<code>'switchTab(5)' in hist_js;</code> <code>'switchTab(4)' not in hist_js.replace('switc...</code>	Pass	0.000s
Sets stress storm hint	<code>'window._stressStormHint' in hist_js</code>	Pass	0.000s
Storm hint set before switch tab	<code>idx_hint > 0; idx_switch > 0 (+1 more)</code>	Pass	0.000s
Storm id passed to navigate	<code>'data-storm-id' in hist_js;</code> <code>'getAttribute' in hist_js</code>	Pass	0.000s
Every gauge in gaugehc.json should have a trained classifier.	<code>not missing</code>	Skip	0.000s
Every gauge referenced in stress_storms should have a trained classifier.	<code>not missing</code>	Skip	0.000s
Every gauge in stress_storms should have a hazard curve in gaugehc.json.	<code>not missing</code>	Skip	0.001s
Storm IDs in stress_storms must overlap with storm IDs in propertyts/.	<code>len(overlap) > 0</code>	Skip	0.000s
Every storm_id in stress_storms.json must exist in gaugets/GAUGE*.json.	<code>not missing</code>	Skip	0.000s
Every storm dropdown must show the storm_id in the option text.	<code>not violations</code>	Pass	0.001s
All dropdown option builders must use sentinel or pipe separators.	<code>not violations</code>	Pass	0.001s
The storm display format is centralised in config/format.py.	<code>' ' in js; 'storm_id' in js (+2 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'precipitation' as a label suffix must not appear.	not violations	Pass	0.001s
'severe levels' (old space-separated format) must not appear.	not violations	Pass	0.021s
port_stress/setup.py uses sentinel with show_warning=True.	'_storm_opt' in src; 'show_warning=True' in src	Pass	0.000s
sp_table.py delegates storm label to config.format via sentinel.	'_storm_opt' in src; '_STORM_OPT_' in src (+1 more)	Pass	0.000s
Custom variable name is used throughout — gsa_timeline uses 'r'.	js.startswith('(r.name)'); 's.storm_id'	Pass	0.000s
show_peak=True adds peak water level after mm.	not in js	Pass	0.000s
show_warning=True adds gauges_warning count between severe and mm.	'peak' in js_peak	Pass	0.000s
show_warning=True adds gauges_warning count between severe and mm.	'warn' in js_warn; 'warn' not in js_base	Pass	0.000s
trading/stress/setup.py uses sentinel with show_peak=True.	'_storm_opt' in src; 'show_peak=True' in src	Pass	0.000s
Visual files must not contain hard-coded storm display format strings.	pat not in src	Pass	0.001s
Lines 255-256: exception in create_mapping -i raises ValueError.	—	Pass	0.000s
Lines 213-256: create_mapping with all sections populated.	mapping["storm_event_id"] == "STORM-001"; mapping["storm_name"] == "Eunice" (+1 more)	Pass	0.000s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s
Line 258-260: get_required_fields() returns list with StormEventID.	isinstance(fields, list); any("StormEventID" in f for f in fields)	Pass	0.000s
Required fields include storm id	any("StormEventID" in f for f in storm_cdm.get_required_f...	Pass	0.000s
Schema has storm root	len(list(storm_cdm.schema.keys())) > 0	Pass	0.000s
validate({}) returns errors for missing fields.	isinstance(errors, dict)	Pass	0.000s
Lines 192-193: exception in validate -i {'validation_error': [...]}.	isinstance(result, dict); "validation_error" in result	Pass	0.000s
validate() with missing CatchmentID returns Header errors.	"Header" in errors; any("CatchmentID" in e for e in errors["Header"])	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 175-193: validate() with missing StormEventID returns Header errors.	"Header" in errors; any("StormEventID" in e for e in errors["Header"])	Pass	0.000s
validate() with valid data returns empty dict.	storm.cdm.validate(data) == {}	Pass	0.000s
Unknown intensity profile falls to else: intensity = peak * t_frac.	storm.storm_id.startswith("STORM-"); len(storm.track) == 5 (+1 more)	Pass	0.000s
Effective precipitation mm consistent	'effective.precipitation.mm' in hist_js	Pass	0.000s
Gauges severe consistent	'gauges.severe' in hist_js	Pass	0.000s
Intensity category consistent	'intensity.category' in hist_js	Pass	0.000s
Peak level m consistent	'peak.level.m' in hist_js	Pass	0.000s
Storm id consistent	'storm.id' in hist_js	Pass	0.000s
Storm IDs in gaugets/ must come from storm_sequences.json.	len(overlap) > 0	Pass	0.503s
Storm IDs in propertyts must come from storm_sequences.json.	len(overlap) > 0	Pass	1.821s
storm_multi.make_storm_id() produces STORM-{8hex} IDs.	STORM_ID_RE.match(sid)	Pass	0.000s
storm generator must NOT use STORM-{i:03d} or STORM-{i:04d}.	'STORM-{i:' not in src; 'STORM-{i+' not in src	Pass	0.000s
Single storm generator uses storm prefix	'STORM-' in src or 'STORM_ID.PREFIX' in src	Pass	0.005s
Single storm generator uses uuid	'uuid' in src	Pass	0.000s
Uuid4 produces protocol matching ids	GAUGE_ID_RE.match(gauge_id); PROP_ID_RE.match(prop_id) (+2 more)	Pass	0.000s
Accepts valid	PROP_ID_RE.match('PROP-a3f7bc12'); PROP_ID_RE.match('PROP-00000000') (+6 more)	Pass	0.000s
Human-readable names like STORM-FLOOD are not protocol-compliant.	not STORM_ID_RE.match('STORM-FLOOD'); not STORM_ID_RE.match('STORM-SAFE') (+1 more)	Pass	0.000s
STORM-001, STORM-0001 violate the agreed protocol.	not GAUGE_ID_RE.match('GAUGE-001'); not GAUGE_ID_RE.match('GAUGE-002') (+5 more)	Pass	0.000s
Rejects uppercase	not PROP_ID_RE.match('PROP-A3F7BC12'); not STORM_ID_RE.match('STORM-C7F4B8E2')	Pass	0.000s
STORM-PORT-001 uses a compound prefix — not protocol-compliant.	not STORM_ID_RE.match('STORM-PORT-001'); not STORM_ID_RE.match('STORM-PORT-002')	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Storm from list is runnable	<code>resp.status_code == 200;</code> <code>len(data['storms']) > 0 (+2 more)</code>	Pass	0.014s
Worst storm auto selection is runnable	<code>run_resp.status_code == 200</code>	Pass	0.011s
Storm list endpoint must be <code>/api/v1/propertyts/storms</code> .	<code>'/api/v1/propertyts/storms' in table_js</code>	Pass	0.000s
Empty storm list must display a user-readable message.	<code>'No flooding storms found' in table_js</code>	Pass	0.000s
JS must check <code>window._preStorms</code> cache before fetching.	<code>'_preStorms' in table_js</code>	Pass	0.000s
Shows overflow count	<code>'more storms' in hist_js</code> or <code>'+' in hist_js</code>	Pass	0.000s
Shows top 30 storms	<code>'30' in hist_js</code>	Pass	0.000s
Sorted by peak level	<code>'sorted by peak level' in hist_js</code> or <code>\{ 'pe...</code>	Pass	0.000s
Storm with empty name falls back to <code>storm_id</code> .	<code>resp.status_code == 200; s['name'] == s['storm_id']</code>	Pass	0.050s
Apply storm list function exists	<code>'_applyStormList' in src</code>	Pass	0.000s
Checks pre storms cache	<code>'window._preStorms' in src</code>	Pass	0.000s
Cache var should be nulled after consuming to allow refresh.	<code>'window._preStorms = null' in src;</code> <code>'window._tdPreGovDocs = null' in src</code>	Pass	0.000s
Uses effective precipitation	<code>'effective_precipitation_mm' in hist_js</code>	Pass	0.000s
Uses gauges severe	<code>'gauges_severe' in hist_js</code>	Pass	0.000s
Uses intensity category	<code>'intensity_category' in hist_js</code>	Pass	0.000s
Uses max trigger for colour	<code>'max_trigger' in hist_js</code>	Pass	0.000s
Uses peak level m	<code>'peak_level_m' in hist_js</code>	Pass	0.000s
Uses storm id	<code>'storm_id' in hist_js</code>	Pass	0.000s
Uses storm name field	<code>'s.name' in hist_js</code> or <code>'storm.name' in hist_js</code>	Pass	0.000s
Historical tab must NOT use <code>/gauges/{id}/storms</code> for the storm list.	<code>'_loadStormScenarios' in hist_js;</code> <code>fn_idx >= 0 (+1 more)</code>	Pass	0.000s
<code>_loadStormScenarios</code> function must be defined.	<code>'_loadStormScenarios' in hist_js</code>	Pass	0.000s
Storm list renders in <code>hist-storms-list</code> element.	<code>'hist-storms-list' in hist_js;</code> <code>'hist-storms-panel' in hist_js</code>	Pass	0.000s
Storm list must be loaded from the same endpoint as Stress tab.	<code>'/api/v1/trading/stress/storms' in hist_js</code>	Pass	0.000s
Sorts by peak level for auto-selection.	<code>'peak_level_m' in stress_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Storm select element present.	'stress-storm-select' in stress.js	Pass	0.000s
Lines 172-173: exception in create_mapping raises ValueError.	—	Pass	0.000s
Lines 150-170: create_mapping with full Parameters section.	mapping["time_series_id"] == "TS-001"; mapping["time_step_minutes"] == 60	Pass	0.000s
Create mapping returns flat dict	isinstance(stormts_cdm.create_mapping(data, dict)); isinstance(prs_cdm.create_mapping(data), dict)	Pass	0.000s
Line 185: create_reading_mapping returns flat dict.	mapping["timestamp"] == "2022-02-18T06:00"; mapping["rainfall_mm"] == 12.5 (+1 more)	Pass	0.000s
Lines 194-199: get_required_fields() returns list.	isinstance(fields, list); any("TimeSeriesID" in f for f in fields)	Pass	0.000s
Required fields include ts id	any("TimeSeriesID" in f for f in stormts_cdm.get_required...)	Pass	0.000s
Schema has root	isinstance(stormts_cdm.schema, dict); len(stormts_cdm.schema) > 0 (+2 more)	Pass	0.000s
validate({}) returns errors for both required fields.	isinstance(errors, dict); "Header" in errors	Pass	0.000s
Lines 137-138: exception in validate -> {'validation_error': [...]}.	isinstance(result, dict); "validation_error" in result	Pass	0.000s
validate() with missing CatchmentID returns Header errors.	"Header" in errors	Pass	0.000s
Lines 120-138: validate() with missing TimeSeriesID returns Header errors.	"Header" in errors; any("TimeSeriesID" in e for e in errors["Header"])	Pass	0.000s
validate() with valid data returns empty dict.	stormts_cdm.validate(data) == {}	Pass	0.000s
Custom kernel	d["decay_kernel"] == "exponential"	Pass	0.000s
Decay kernel serialised as string	isinstance(d["decay_kernel"], str); d["decay_kernel"] == "gaussian"	Pass	0.000s
Has storm id	storm.to_dict()["storm_id"] == "STORM-0001"	Pass	0.000s
Has track	"track" in d; len(d["track"]) == 2	Pass	0.000s
Intensity profile serialised as string	isinstance(d["intensity_profile"], str); d["intensity_profile"] == "triangular"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns dict	<code>isinstance(d, dict);</code> <code>isinstance(d, dict)</code>	Pass	0.000s
Track has coords	<code>"longitude" in point;</code> <code>"latitude" in point (+2 more)</code>	Pass	0.000s
storms.py lines 91-92: corrupted gaugets file -i skipped in severe count loop.	<code>r.status_code == 200</code>	Pass	0.032s
storms.py line 80: gaugets dir doesn't exist -i skip severe counting.	<code>r.status_code == 200</code>	Pass	0.034s
storms.py line 61: storm_sequences.json doesn't exist -i skip enrichment.	<code>r.status_code == 200;</code> <code>data["storm_responses"]["num_storms"] == 1</code>	Pass	0.030s
storms.py lines 75-76: corrupted storm_sequences.json -i silently skipped.	<code>r.status_code == 200</code>	Pass	0.030s
storms.py lines 113-115: exception in storm loading -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
Calls proc wait	—	Pass	0.000s
_stream_proc should push each line from proc.stdout into _output_lines.	<code>"line one" in lines;</code> <code>"line two" in lines (+1 more)</code>	Pass	0.000s
Strips newlines	<code>"stripped" in lines;</code> <code>"stripped\{n}" not in lines</code>	Pass	0.000s
Hits /trading/stress/run.	<code>'/trading/stress/run' in stress_js</code>	Pass	0.000s
Hits /trading/stress/storms.	<code>'/trading/stress/storms' in stress_js</code>	Pass	0.000s
stress/run returns 500 on engine error.	<code>resp.status_code == 500</code>	Pass	0.004s
stress/gauges returns 500 when gauge loader raises.	<code>resp.status_code == 500</code>	Pass	0.002s
stress/storms returns 500 when storm loader raises.	<code>resp.status_code == 500</code>	Pass	0.002s
_tdPopulateGaugeDropdown must survive f-string rendering.	<code>'_tdPopulateGaugeDropdown' in full_js</code>	Pass	0.000s
tdStressGaugeChanged must survive f-string rendering in tradingdesk.py.	<code>'tdStressGaugeChanged' in full_js</code>	Pass	0.000s
Rendered JS must not have un-escaped f-string brace artifacts.	<code>len(full_js) > 10000</code>	Pass	0.000s
td-stress-gauge element must be present for JS to find it.	<code>"getElementById('td-stress-gauge')"</code> <code>in stress_js</code>	Pass	0.000s
_tdPopulateGaugeDropdown must exist – builds gauge selector.	<code>'_tdPopulateGaugeDropdown' in stress_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
_tdPopulateStormDropdown must exist – builds storm list for selected gauge.	'_tdPopulateStormDropdown' in stress_js	Pass	0.000s
td-stress-storm element must be present for JS to find it.	"getElementById('td-stress-storm')" in stress_js	Pass	0.000s
Stress functions must be INSIDE the IIFE, not after it.	idx_gauge_changed > 0; idx_gauge_changed < iife_close	Pass	0.000s
gauge onchange must call tdStressGaugeChanged.	'tdStressGaugeChanged()' in stress_js	Pass	0.000s
tdStressGaugeChanged must exist – called when gauge is selected.	'function tdStressGaugeChanged' in stress_js	Pass	0.000s
storm onchange must call tdStressStormChanged.	'tdStressStormChanged()' in stress_js	Pass	0.000s
tdStressStormChanged must exist – called when storm is selected.	'function tdStressStormChanged' in stress_js	Pass	0.000s
'First with trades' fallback must only run when sel.value is still empty.	"if (!sel.value && tdStressGauges.length > 0)" in js	Pass	0.000s
Hint selection must happen before the 'first with trades' fallback.	idx_hint > 0; idx_fallback > idx_hint	Pass	0.000s
tdStressGaugeHint must be set to null after use to prevent stale hint.	'tdStressGaugeHint = null' in js	Pass	0.000s
When no market hint, tdBlotterFilters.gauge.id must be the fallback.	'tdBlotterFilters' in js; 'tdBlotterFilters.gauge.id' in js	Pass	0.000s
loadStressData must accept a gaugeHint parameter.	'function loadStressData(gaugeHint)' in js	Pass	0.000s
loadStressData must store gaugeHint in tdStressGaugeHint.	'if (gaugeHint) tdStressGaugeHint = gaugeHint' in js	Pass	0.000s
_tdPopulateGaugeDropdown must use tdStressGaugeHint for pre-selection.	'tdStressGaugeHint' in js; idx_hint.use > idx_populate	Pass	0.000s
tdStressGaugeHint state variable must exist in stress JS.	'tdStressGaugeHint' in js	Pass	0.000s
switchTab('stress') must use blotter filter as primary hint.	idx_blotter > 0; idx_market > 0 (+4 more)	Pass	0.000s
switchTab('stress') in tradingdesk must pass gauge hint to loadStressData.	"loadStressData(stressHint)" in js; "tdSelectedGauge" in js (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
switchTab('stress') must fall back to first blotter trade gauge when no filter set.	"tdBlotterData" in js; "tdBlotterData[0].gauge_id" in js	Pass	0.000s
peak_position=0 uses decay-only path.	len(levels) == 10; all(isinstance(v, float) for v in levels)	Pass	0.000s
remaining=0 uses frac=1.0 path.	len(levels) == 5	Pass	0.000s
Both stress charts must show KO vertical annotation line.	'koLine' in js; 'first_trigger_hour' in js	Pass	0.000s
Stress table must show KO status per trade.	'triggered_hour' in js; 'KO H' in js	Pass	0.000s
Stats bar must show knock-out count.	'num_triggered' in js; 'Knocked Out' in js	Pass	0.000s
Storm id exact match required	resp.status_code == 200; resp.status_code == 404	Pass	0.007s
Storm list has all run inputs	data['gauge_id'] == 'GAUGE-001'; 'storm_id' in s	Pass	0.003s
Response includes trigger levels for threshold annotation on charts.	'alert_level' in data; 'warning_level' in data (+1 more)	Pass	0.007s
Response includes hydrograph_source string describing the data origin.	'hydrograph_source' in data	Pass	0.009s
Response includes storm_name and intensity_category for header display.	data['storm_name'] == 'Severe Storm Alpha'; data['intensity_category'] == 'severe'	Pass	0.006s
Hourly array must be 168 elements (7-day storm window).	len(data['hourly']) == 168	Pass	0.006s
Surface table must cover the full 168h window regardless of knock-out.	max(surface['hours']) >= 164	Pass	0.006s
If the index has not changed, the cached object is returned.	id(data1) == id(data2)	Pass	0.002s
Replacing stress_storms/_index.json on disk is picked up on next	len(data1['storms']) == 1; len(data2['storms']) == 2	Pass	0.016s
Thames catchment has 52 gauges; all must be represented.	len(gauge_ids) == 52	Pass	0.024s
All gauge_id values in gauge_responses must match GAUGE-/SYNTH-xxxx format.	not bad	Pass	0.027s
All storm_id values must use STORM- prefix.	not bad	Pass	0.002s
At least one storm exceeds alert	any-alert	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Each storm has gauge responses	not empty	Pass	0.001s
Each storm has required fields	not missing	Pass	0.003s
File exists	—	Pass	0.000s
Gauge ids well formed	not bad	Pass	0.026s
Gauge responses have required fields	not missing	Pass	0.111s
Has storms	len(storms) > 0	Pass	9.367s
Intensity categories present	cats	Pass	0.001s
Minimum storm count	len(storms) >= MIN_STORM_COUNT	Pass	0.000s
Peak level exceeds base	not violations	Pass	0.039s
Peak levels positive	not violations	Pass	0.040s
Storm ids unique	not dupes	Pass	0.469s
Storm ids well formed	not bad	Pass	0.001s
Storms cover multiple gauges	len(gauges) >= 10	Pass	0.027s
Storms must be sorted: gauges_severe DESC, gauges_warning DESC.	severe_counts == sorted(severe_counts, reverse=True)	Pass	0.001s
Total storms key matches list length	data["total_storms"] == len(data["storms"])	Pass	0.038s
Trigger summary max trigger valid	not bad	Pass	0.003s
Every storm must have a fully- populated trigger_summary dict.	not missing	Pass	0.044s
No gauge id response has count	isinstance(data['count'], int); data['count'] > 0	Pass	0.002s
Startup preloader fetches without gauge_id – must not return 400.	r.status_code == 200	Pass	0.002s
All storms in file returned – not fil- tered by gauge.	'storms' in data; data['count'] == len(data['storms']) (+1 more)	Pass	0.002s
No gauge id returns success	data['status'] == 'success'	Pass	0.002s
gauge_id param still filters to match- ing storms.	data['status'] == 'success'; all(True for _ in data['storms'])	Pass	0.003s
When stress_storms.json is absent, returns 404.	resp.status_code == 404; 'not found' in data.get('message', '').lower()	Pass	0.001s
ghc_stress.get_js() returns valid JS.	len(stress_js) > 1000	Pass	0.000s
Chart canvas element must use td- prefixed ID.	'td-stress-chart-canvas' in js	Pass	0.000s
Chart sub-tabs must exist for Flood Probability, Stress P&L, and Sur- face.	'td-stress-ctab-0' in js; 'td-stress-ctab-1' in js (+3 more)	Pass	0.000s
Stress tab must have both chart ren- derers.	'_tdRenderProbabilityChart' in js; '_tdRenderStressPnlChart' in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Stress tab must have cleanup function.	'tdCleanupStressCharts' in js	Pass	0.000s
Stress tab must have gauge selector dropdown.	'td-stress-gauge' in js; 'tdStressGaugeChanged' in js	Pass	0.000s
Stress tab must fetch from stress/-gauges endpoint.	'/api/v1/trading/stress/gauges' in js	Pass	0.000s
Stress tab must have createStressView and loadStressData.	'createStressView' in js; 'loadStressData' in js	Pass	0.000s
Charts must have KO annotation line.	'koLine' in js; 'first_trigger_hour' in js	Pass	0.000s
Stress tab must have Property Damage link.	'tdStressOpenDamage' in js; 'Property Damage' in js	Pass	0.000s
Stress tab must have Storm Simulation link.	'tdStressOpenGauge' in js; 'Storm Simulation' in js	Pass	0.000s
Stress sub-module should render without errors.	len(js) > 0	Pass	0.000s
Stress tab must have stats bar with KO info.	'_tdRenderStressStats' in js; 'td-stress-stats-bar' in js (+1 more)	Pass	0.000s
Stress tab must have storm selector dropdown.	'td-stress-storm' in js; 'tdStressStormChanged' in js	Pass	0.000s
Stress tab must render probability surface table.	'probability_surface' in js; 'td-stress-surface-wrap' in js (+2 more)	Pass	0.000s
Stress tab must have trade table renderer.	'_tdRenderStressTable' in js; 'td-stress-table-wrap' in js	Pass	0.000s
Surface table must be horizontally scrollable for 168h of columns.	'overflow:auto' in js; 'width:100%' not in snippet	Pass	0.000s
Should fetch from /api/v1/trading/stress/storms.	'/api/v1/trading/stress/storms' in js	Pass	0.000s
Should use cash pricing formula.	'cash_price' in js or 'cashPrice' in js or 'portfolio.cas...	Pass	0.000s
Should have two chart sub-tabs: Flood Probability and Stress P&L.	'Flood Probability' in js; 'Stress P' in js (+2 more)	Pass	0.000s
Should have storm selector dropdown.	'stress-storm-select' in js; '_populateStormSelect' in js	Pass	0.000s
Stress test JS should render without errors.	len(js) > 0	Pass	0.000s
Should POST to /api/v1/trading/stress/run.	'/api/v1/trading/stress/run' in js; '_runStressScenario' in js	Pass	0.000s
Should show P(flood) in chart.	'p_flood' in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Should pick up <code>_stressStormHint</code> from Historical tab.	<code>'_stressStormHint' in js;</code> <code>'_stressStormHint = null' in js</code>	Pass	0.000s
Should render trade table at peak hour.	<code>'stress-table-wrap' in js;</code> <code>'renderStressTable' in js</code>	Pass	0.000s
Chart tab clicks should use <code>addEventListener</code> (IIFE-safe).	<code>'addEventListener' in js</code>	Pass	0.000s
String with options picks from list	<code>result in ["Brick", "Stone", "Timber"]</code>	Pass	0.000s
String without options returns empty	<code>result == ""</code>	Pass	0.000s
Colour constants	<code>hasattr(styles_mod, name)</code>	Pass	0.000s
Get styles keys	<code>expected == set(S.keys())</code>	Pass	0.000s
Rag colour maps	<code>key in styles_mod.RAG_COLOURS; key in styles_mod.RAG_BG</code>	Pass	0.000s
Section rule appends flowables	<code>len(story) == 3</code>	Pass	0.000s
Tbl style returns <code>tablestyle</code>	<code>isinstance(ts, TableStyle)</code>	Pass	0.000s
No data returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Options returns ok	<code>r.status_code == 200; r.status_code == 200 (+1 more)</code>	Pass	0.000s
With data returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
<code>avg_auc_roc</code> is None when no gauges are trained.	<code>data["avg_auc_roc"] is None</code>	Pass	0.010s
Verify all expected gauge fields are in the response.	<code>field in g</code>	Pass	0.015s
<code>avg_auc_roc</code> averages correctly over multiple trained gauges.	<code>data["num_trained"] == 2;</code> <code>data["avg_auc_roc"] == 0.85</code>	Pass	0.016s
Internal error → 500.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code>	Pass	0.010s
Gauge with <code>.joblib</code> but no <code>auc_roc</code> in summary still counted as trained.	<code>data["num_trained"] == 1;</code> <code>data["avg_auc_roc"] == 0.0</code>	Pass	0.018s
Exceedance probs decreasing	<code>stats['prob.exceed.60'] >= stats['prob.exceed.70'] >= ...</code>	Pass	0.000s
Fat tail higher p99 than thin	<code>fat['p99'] > thin['p99']</code>	Pass	0.149s
Mean in reasonable range	<code>30 < stats['mean'] < 70</code>	Pass	0.000s
Percentiles ordered	<code>stats['p10'] <= stats['p25'] <= stats['p50'] <= \{\} ...</code>	Pass	0.000s
Required keys present	<code>k in stats</code>	Pass	0.000s
Cap	<code>result[50] == pytest.approx(11.0)</code>	Pass	0.000s
Empty pulses	<code>len(result) == 168</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Non overlapping sequential	<code>result[25] == pytest.approx(7.0);</code> <code>result[55] == pytest.approx(8.0) (+1 more)</code>	Pass	0.000s
Overlapping exceeds single	<code>result[55] == pytest.approx(9.0);</code> <code>result[45] == pytest.approx(7.0)</code>	Pass	0.000s
Single pulse	<code>result[55] == pytest.approx(8.0);</code> <code>result[0] == pytest.approx(5.0)</code>	Pass	0.000s
Surface footer references KO trimming.	<code>'trimmed at KO' in stress_js</code>	Pass	0.000s
Surface table reads probability_surface from data.	<code>'probability_surface' in stress_js</code>	Pass	0.000s
Renders an HTML table with monospace font.	<code>'border-collapse' in stress_js;</code> <code>'font-family:monospace' in stress_js</code>	Pass	0.000s
Surface table applies trigger-band background colours.	<code>'#FFEBEE' in stress_js;</code> <code>'#FFF3E0' in stress_js (+1 more)</code>	Pass	0.000s
Surface tab creates a wrapping div.	<code>'stress-surface-wrap' in stress_js</code>	Pass	0.000s
No synthetic falls back to distance order	<code>result[0]['distance_m'] <=</code> <code>result[1]['distance_m'] <= res...;</code> <code>not r['gauge_id'].startswith('SYNTH')</code>	Pass	0.000s
Real gauges sorted by distance after synthetic	<code>result[0]['gauge_id'].startswith('SYNTH');</code> <code>not result[1]['gauge_id'].startswith('SYNTH')</code> (+2 more)	Pass	0.000s
Synthetic at position zero	<code>result[0]['gauge_id'] == 'SYNTH-001'</code>	Pass	0.000s
Synthetic first even when far	<code>result[0]['gauge_id'] == 'SYNTH-001'</code>	Pass	0.000s
Synthetic gauge info preserved	<code>synth['gauge_info']['elevation']</code> <code>== 5.0;</code> <code>synth['gauge_info']['severe_level']</code> <code>== 7.0</code>	Pass	0.000s
Three gauges returned	<code>len(result) == 3</code>	Pass	0.000s
No synth returns none	<code>synth is None</code>	Pass	0.000s
Synth prefix detection	<code>synth is not None;</code> <code>synth['gauge_id']</code> <code>== 'SYNTH-123'</code>	Pass	0.000s
Lines 72-76: <code>water_level_j = severe_level</code> → no flooding.	—	Pass	0.000s
Line 96: <code>flood_depths[i] = min(depth, 5.0).</code>	<code>np.all(depths <= 5.0)</code>	Pass	0.000s
Lines 89-92: <code>distance_factor</code> reduces depth proportionally.	<code>depths[0] > 0;</code> <code>depths[1] > 0</code>	Pass	0.000s
Lines 72: <code>len(gauge_data) == 0.</code>	—	Pass	0.000s
Lines 93-94: <code>distance_j = max_distance</code> → <code>depth = 0.0.</code>	<code>depths[0] == 0.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 72-96: water_level is severe_level, close to Thames.	<code>np.any(depths > 0)</code>	Pass	0.000s
Lines 72: gauge_data is None.	—	Pass	0.000s
Every property should have a synthetic gauge at position [0].	<code>first.startswith("SYNTH")</code>	Pass	0.004s
Zone must match the elevation offset above the synthetic gauge.	<code>offset >= lo; lo <= offset < hi</code>	Pass	0.004s
Should generate enough synthetics for the portfolio.	<code>len(synths) >= 100</code>	Pass	0.002s
Synthetic elevation should be interpolated between flanking real gauges.	<code>min_real <= elev <= max_real</code>	Pass	0.003s
No two synthetics within dedup distance.	<code>d >= SYNTH_DEDUP_DISTANCE.M</code>	Pass	0.016s
Synthetic has elevation	<code>elev > 0</code>	Pass	0.002s
Synthetic has flood stages	<code>stages["FloodAlert"] > 0;</code> <code>stages["FloodWarning"] ></code> <code>stages["FloodAlert"] (+1 more)</code>	Pass	0.002s
Synthetic gauges should be near the river polyline.	<code>min_dist < 1000</code>	Pass	0.033s
Synthetics exist	<code>len(synths) > 0</code>	Pass	0.002s
<code>loadPortfolioImpact()</code> must be defined.	<code>'loadPortfolioImpact' in table_js</code>	Pass	0.000s
Portfolio impact fetch must use the correct endpoint path.	<code>'portfolio-impact' in table_js</code>	Pass	0.000s
Sort state variables must be initialised.	<code>'spSortCol' in table_js; 'spSortAsc'</code> <code>in table_js</code>	Pass	0.000s
Summary card labels must be present.	<code>'Properties Affected' in table_js;</code> <code>'Total Damage' in table_js</code>	Pass	0.000s
Alt rows amber	<code>len(ALT_ROWS_AMBER) == 1;</code> <code>ALT_ROWS_AMBER[0][0] ==</code> <code>'ROWBACKGROUNDS'</code>	Pass	0.000s
Alt rows blue	<code>len(ALT_ROWS_BLUE) == 1;</code> <code>ALT_ROWS_BLUE[0][0] ==</code> <code>'ROWBACKGROUNDS'</code>	Pass	0.000s
Alt rows green	<code>len(ALT_ROWS_GREEN) == 1;</code> <code>ALT_ROWS_GREEN[0][0] ==</code> <code>'ROWBACKGROUNDS'</code>	Pass	0.000s
Hdr style first command is background	<code>HDR_STYLE[0][0] == 'BACKGROUND'</code>	Pass	0.000s
Hdr style has grid	<code>'GRID' in cmds; 'BOX' in cmds</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Hdr style is list	<code>isinstance(HDR_STYLE, list);</code> <code>len(HDR_STYLE) > 0</code>	Pass	0.000s
Only severe threshold should exist in term.structure.	<code>"severe" in ts; "any_flood" not in ts</code> (+1 more)	Pass	0.032s
PRS spread should be non-negative for all tenors.	<code>all(s >= 0 for s in spreads)</code>	Pass	0.031s
All tenors should have the same spread (events are independent).	<code>len(set(spreads)) == 1</code>	Pass	0.030s
Property Spread row should show adjustedPropSpread.	<code>'adjustedPropSpread.toFixed(1)' in js</code>	Pass	0.000s
Detail column should show the selected zone name.	<code>"selectedZone + '</td></tr>'" in js</code>	Pass	0.000s
Negative terrain delta (risk reduction) should be green.	<code>"#2E7D32" in js</code>	Pass	0.000s
Positive terrain delta (risk increase) should be orange.	<code>"#E65100" in js</code>	Pass	0.000s
Terrain delta variable	<code>'terrainDelta' in js</code>	Pass	0.000s
Terrain effect label	<code>'Terrain Effect' in js</code>	Pass	0.000s
Terrain row should have purple-tinted background.	<code>'#F3E5F5' in js</code>	Pass	0.000s
Terrain row should only appear when terrainDelta !== 0.	<code>'if (terrainDelta !== 0)' in js</code>	Pass	0.000s
terrainRow should be inserted in Path 1 (after Gauge Spread).	<code>idx_terrain1 < idx_distance1</code>	Pass	0.000s
terrainRow should be inserted in Path 2 (after header).	<code>idx_terrain2 < idx_elev2</code>	Pass	0.000s
Metadata has terrain grid	<code>grid is not None</code>	Pass	0.004s
Terrain grid distances	<code>len(grid["distances"]) == 21;</code> <code>grid["distances"][0] == 0</code> (+1 more)	Pass	0.004s
Terrain grid elevations	<code>len(grid["elevations"]) == 11;</code> <code>grid["elevations"][0] == 0.0</code> (+1 more)	Pass	0.004s
Terrain grid has all zones	<code>set(grid["zones"].keys()) == set(EA_FLOOD_ZONE_RATES.keys())</code>	Pass	0.004s
Terrain grid has all zones	<code>set(grid['zones'].keys()) == set(EA_FLOOD_ZONE_RATES.keys())</code>	Pass	0.071s
Terrain grid has distances	<code>'distances' in grid;</code> <code>len(grid['distances']) == 21</code>	Pass	0.070s
Terrain grid has elevations	<code>'elevations' in grid;</code> <code>len(grid['elevations']) == 11</code>	Pass	0.070s
Terrain grid present	<code>'terrain-grid' in data['metadata']</code>	Pass	0.068s

Test Description	Acceptance Criteria	Result	Time
Spread should decrease with distance for a given zone/elevation.	<code>g[i][0] >= g[i + 1][0]</code>	Pass	0.004s
Terrain grid zone3b gt zone1 at origin	<code>s3b > s1</code>	Pass	0.004s
Terrain grid zone dimensions	<code>len(zdata["grid"]) == 21; len(row) == 11</code>	Pass	0.004s
Terrain grid zone has grid array	<code>'grid' in zone_data; 'rate' in zone_data (+2 more)</code>	Pass	0.070s
Zone 3b spread $\downarrow$ Zone 3a $\downarrow$ Zone 2 $\downarrow$ Zone 1 at origin (d=0, h=0).	<code>s3b > s3a > s2 > s1</code>	Pass	0.004s
Moving from Zone 3b to Zone 1 should yield negative delta.	<code>delta < 0</code>	Pass	0.009s
Moving from Zone 1 to Zone 3b should yield positive delta.	<code>delta > 0</code>	Pass	0.008s
Delta between same zone should be exactly zero.	<code>abs(s1 - s2) < 1e-12</code>	Pass	0.009s
Ensure the Python reference produces known values at grid points.	<code>val > 0; val > val1</code>	Pass	0.009s
Actual zone from phcdata	<code>'phcData.flood_zone' in js</code>	Pass	0.000s
Avg distance computed from gauges	<code>'avgDistM' in js; 'nearestGauges' in js</code>	Pass	0.000s
Core bilinear formula should be present.	<code>'v00 * (1 - td) * (1 - te)' in js</code>	Pass	0.000s
When selectedZone === actualZone, terrainDelta should stay 0.	<code>'selectedZone !== actualZone' in js</code>	Pass	0.000s
Elevation diff computed	<code>'avgElevDiff' in js; 'phcData.elevation_m' in js</code>	Pass	0.000s
Distance and elevation should be clamped to grid bounds.	<code>'Math.max(distances[0]' in js; 'Math.min(distance_m' in js</code>	Pass	0.000s
Interpolate accepts terrain grid	<code>'terrainGrid' in js</code>	Pass	0.000s
Interpolate function present	<code>'function interpolateTerrainSpread(' in js</code>	Pass	0.000s
Return includes terrain fields	<code>'terrainDelta: terrainDelta' in js; 'selectedZone: selectedZone' in js (+1 more)</code>	Pass	0.000s
Selected zone read from dropdown	<code>"getElementById('phc-ea-zone')" in js</code>	Pass	0.000s
Terrain delta computed	<code>'terrainDelta' in js</code>	Pass	0.000s
Coverage booleans are bool	<code>isinstance(val, bool)</code>	Pass	0.000s
Coverage has required keys	<code>key in tc</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Coverage has file	"test_file" in tc; isinstance(tc["test_file"], str)	Pass	0.000s
GAUGE-001, GAUGE-002, GAUGE-9042bd95 are backward-compat exceptions.	compat_ids == {'GAUGE-001', 'GAUGE-002', 'GAUGE-9042bd95'}	Pass	0.000s
gauge.json and gaugehc.json gauge IDs must be identical sets.	gauge_json_ids == gaugehc_ids	Pass	0.000s
The new gauge entries in SAMPLE_GAUGEHC follow GAUGE-{8hex}.	not violations	Pass	0.000s
New gauge IDs added in conftest (GAUGE-{8hex}) follow the protocol.	GAUGE_ID_RE.match(gid)	Pass	0.000s
Gauge IDs in SAMPLE_STRESS_STORMS gauge_responses are from _data.	not violations	Pass	0.000s
_data.py STORM_PORT_* constants follow the protocol.	STORM_ID_RE.match(STORM_PORT_SEVERE); STORM_ID_RE.match(STORM_PORT_ALERT)	Pass	0.000s
All storm_id values in SAMPLE_PORT_STRESS_STORMS follow STORM-{8hex}.	STORM_ID_RE.match(sid)	Pass	0.000s
All storm_id values in SAMPLE_STRESS_STORMS follow STORM-{8hex}.	STORM_ID_RE.match(sid)	Pass	0.000s
_data.py STORM_SEVERE and STORM_WARNING follow the protocol.	STORM_ID_RE.match(STORM_SEVERE); STORM_ID_RE.match(STORM_WARNING)	Pass	0.000s
Has lines field	"lines" in data; isinstance(data["lines"], list)	Pass	0.000s
Has running field	"running" in data; isinstance(data["running"], bool)	Pass	0.000s
Lines includes appended	"test line" in data["lines"]	Pass	0.000s
Not running initially	data["running"] is False	Pass	0.000s
Returns 200	resp.status_code == 200	Pass	0.000s
Returns not found when no file	data["status"] == "not_found"	Pass	0.000s
Returns ok when file exists	data["status"] == "ok"	Pass	0.002s
Returns summary fields	"summary" in data; "failures" in data (+3 more)	Pass	0.002s
Running field is bool	"running" in data; isinstance(data["running"], bool)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Historical high exceeds severe by less than 1m	"Elevated risk" in str(elements)	Pass	0.000s
Historical high exceeds severe by more than 1m	"High risk" in str(elements)	Pass	0.000s
Historical high within severe	"within severe warning levels" in str(elements)	Pass	0.000s
Moderate alert range	"Moderate alert range" in str(elements)	Pass	0.000s
Narrow alert range	"Narrow alert range" in str(elements)	Pass	0.000s
Wide alert range	"Wide alert range" in str(elements)	Pass	0.000s
Alert status	"ELEVATED RISK" in str(self._elements("Alert"))	Pass	0.001s
Normal status	"NORMAL" in str(self._elements("Normal"))	Pass	0.000s
Severe status	"CRITICAL RISK" in str(self._elements("Severe"))	Pass	0.001s
Timeseries with no level	isinstance(elements, list)	Pass	0.000s
Timeseries with no readings	isinstance(elements, list)	Pass	0.000s
Warning status	"HIGH RISK" in str(self._elements("Warning"))	Pass	0.001s
Test getting timeseries for a gauge from portfolio.	len(active_gauges) > 0; len(readings) > 0	Pass	0.001s
Test that timeseries gauge IDs exist in portfolio.	gauge is not None	Pass	0.001s
Count returns number of gauge files	TimeseriesLoader(tmp_path).count() == 2	Pass	0.001s
Get available gauge ids	"GAUGE-001" in ids; "GAUGE-002" in ids	Pass	0.001s
Get available gauge ids missing dir	TimeseriesLoader(tmp_path / "nonexistent").get_available...	Pass	0.000s
List all returns summaries	isinstance(TimeseriesLoader(tmp_path).list_files(), list)	Pass	0.001s
Load all from directory	len(TimeseriesLoader(tmp_path).load_all()) >= 1	Pass	0.016s
Missing dir returns empty	TimeseriesLoader(tmp_path / "nonexistent").load_all() == []	Pass	0.000s
Test that entity ID is the timestamp.	entity_id is not None; "2025-01-01" in entity_id	Pass	0.001s
Test timeseries summary generation.	len(summaries) == 3; 'timestamp' in summary (+3 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test loading timeseries data.	<code>len(records) == 3</code>	Pass	0.001s
Clear cache	<code>not loader._cache_valid</code>	Pass	0.001s
Force reload	<code>"GAUGE-002" in loader.get_available_gauge_ids()</code>	Pass	0.002s
Invalidate cache	<code>not loader._cache_valid</code>	Pass	0.000s
Test getting most recent reading.	<code>latest is not None; latest['hour'] == 2 (+1 more)</code>	Pass	0.001s
Test getting peak (highest) reading.	<code>peak is not None; peak['level'] == 4.8</code>	Pass	0.003s
Test getting readings for a specific gauge.	<code>len(readings) == 3; 'timestamp' in reading (+1 more)</code>	Pass	0.001s
Test getting readings using gauge name.	<code>len(readings) == 3</code>	Pass	0.001s
Test getting readings for non-existent gauge.	<code>readings == []</code>	Pass	0.000s
Readings with unparseable timestamps are skipped (all-gauges path).	<code>len(result) == 1</code>	Pass	0.003s
Readings with unparseable timestamps are skipped (gauge_id path).	<code>len(result) == 1</code>	Pass	0.002s
Get readings in range all gauges	<code>isinstance(result, list)</code>	Pass	0.001s
Get readings in range for gauge	<code>isinstance(result, list)</code>	Pass	0.002s
Get lareading	<code>TimeseriesLoader(tmp_path).get_latest_reading("GAUGE-001")</code>	Pass	0.001s
Get lareading missing returns none	<code>TimeseriesLoader(tmp_path).get_latest_reading("GAUGE-999")</code>	Pass	0.000s
Get peak reading	<code>TimeseriesLoader(tmp_path).get_peak_reading("GAUGE-001")</code>	Pass	0.001s
...	...		
Get peak reading missing returns none	<code>TimeseriesLoader(tmp_path).get_peak_reading("GAUGE-999")</code>	Pass	0.000s
...	...		
Get readings for gauge	<code>isinstance(result, list) and len(result) >= 1</code>	Pass	0.001s
Gauge ID not found — fallback to gauge_name search.	<code>isinstance(result, list)</code>	Pass	0.002s
Get readings missing gauge returns empty	<code>TimeseriesLoader(tmp_path).get_readings_for_gauge("GAUGE-000")</code>	Pass	0.000s
Get storm responses	<code>len(responses) == 1; responses[0]["storm_id"] == "STORM-0001"</code>	Pass	0.003s
Get storm responses missing gauge	<code>TimeseriesLoader(tmp_path).get_storm_responses("GAUGE-999")</code>	Pass	0.000s
Test getting list of gauge IDs in timeseries.	<code>len(gauge_ids) == 2; "GAUGE-001" in gauge_ids (+1 more)</code>	Pass	0.000s
Test calculating gauge statistics.	<code>stats['gauge_id'] == "GAUGE-001"; stats['reading-count'] == 3 (+4 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Get gauge statistics missing gauge	<code>stats["reading_count"] == 0; "error"</code>	Pass	0.000s
	<code>in stats</code>		
Readings with no numeric level field return error in stats.	<code>"error" in stats</code>	Pass	0.004s
Test statistics for non-existent gauge.	<code>stats['reading_count'] == 0; 'error'</code>	Pass	0.000s
	<code>in stats</code>		
Get gauge statistics with data	<code>"reading_count" in stats;</code> <code>stats["reading_count"] >= 1</code>	Pass	0.001s
Exists by timestamp	<code>loader.exists(result[0]["timestamp"])</code> <code>is True</code>	Pass	0.001s
Find by id not found returns none	<code>TimeseriesLoader(tmp_path).find_by_id("1999-01-01T00:00:00")</code>	Pass	0.001s
Get file status alias	<code>"entity_name" in</code> <code>TimeseriesLoader(tmp_path).get_file_stat...</code>	Pass	0.000s
Get status returns dict	<code>"entity_name" in status; "exists" in</code> <code>status</code>	Pass	0.000s
Test getting readings in time range.	<code>len(readings) == 2</code>	Skip	0.000s
Test getting readings in range for specific gauge.	<code>len(readings) >= 2;</code> <code>reading.get('gaugeId') ==</code> <code>"GAUGE-001" or 'level' in reading</code>	Skip	0.000s
Bad gauge data is skipped	<code>len(result["readings"]) >= 1</code>	Pass	0.000s
Avg per gauge seconds	<code>abs(result - 160 / 15) < 0.001</code>	Pass	0.000s
Avg per gauge seconds empty	<code>_avg_per_gauge_seconds({"runs": []})</code> <code>== 0.0</code>	Pass	0.007s
Load timings corrupt json	<code>result == {"runs": []}</code>	Pass	0.001s
Load timings missing file	<code>result == {"runs": []}</code>	Pass	0.000s
Load timings valid	<code>len(result["runs"]) == 1;</code> <code>result["runs"][0]["num_gauges"]</code> <code>== 5</code>	Pass	0.008s
Save timings truncates to 20	<code>len(saved["runs"]) == 20;</code> <code>saved["runs"][0]["i"] == 10</code>	Pass	0.001s
ConstructionYear triggers building age row in summary table.	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Missing nested key falls back to 'Unknown Property'.	<code>result == "Unknown Property"</code>	Pass	0.000s
Get property id present	<code>result == "PROP-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in</code> <code>result)</code>	Pass	0.000s
Has title paragraph	<code>any("Comprehensive Property Analysis</code> <code>Report" in t for t i...</code>	Pass	0.000s
Property id in output	<code>any("PROP-001" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Property overview section header	<code>any("Property Overview" in t for t in texts)</code>	Pass	0.000s
Property summary section header	<code>any("Property Summary" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Unknown property id fallback	<code>any("Unknown Property" in t for t in texts)</code>	Pass	0.000s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Step owners covers all graph steps	<code>step in dl_mod.STEP_OWNERS</code>	Pass	0.000s
Topology renders owner	<code>len(tables) >= 1; 'Owner' in header_row</code>	Pass	0.000s
Gauge trace should find origin + derived + consumed steps.	<code>len(result) >= 3; "gauges" in steps (+1 more)</code>	Pass	0.002s
Each trace entry should have a context description.	<code>r.get("context")</code>	Pass	0.002s
Gauge with trained classifier should show classifiers step.	<code>"classifiers" in steps</code>	Pass	0.002s
Gauge referenced in PRS trades should show blotter step.	<code>len(consumed) >= 1</code>	Pass	0.003s
None lineage with no matching files returns empty.	<code>result == []</code>	Pass	0.002s
Non-existent gauge returns empty trace.	<code>result == []</code>	Pass	0.002s
Property trace should find origin and derived steps.	<code>len(result) >= 2; "properties" in steps</code>	Pass	0.001s
Trade trace should find the PRS file as origin.	<code>len(result) >= 1; result[0]["role"] == "origin"</code>	Pass	0.000s
Missing data id	<code>r.status_code == 400</code>	Pass	0.001s
Missing data type	<code>r.status_code == 400</code>	Pass	0.001s
Missing data.type or data.id returns 400.	<code>r.status_code == 400; "required" in r.get_json()["message"]</code>	Pass	0.001s
Fallback scan when no direct traces key matches.	<code>r.status_code == 200; data["found"] is True (+1 more)</code>	Pass	0.003s
No lineage file =, found=False, empty trace.	<code>r.status_code == 200; data["found"] is False</code>	Pass	0.002s
Trace not found	<code>r.status_code == 200; data["found"] is False (+1 more)</code>	Pass	0.003s
Valid trace	<code>r.status_code == 200; data["status"] == "success" (+4 more)</code>	Pass	0.005s
Whitespace only params	<code>r.status_code == 400</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Gauge id chain	<code>len(chain) == 4; chain[0]["step"] == "gauges" (+4 more)</code>	Pass	0.000s
Property id chain	<code>len(chain) == 7; all(c["recorded"] is False for c in chain)</code>	Pass	0.000s
Unknown data type	<code>chain == []</code>	Pass	0.000s
Posts to <code>/api/v1/prs/commit</code> .	<code>'/api/v1/prs/commit' in prs_js</code>	Pass	0.000s
Commit payload includes payer flag.	<code>'isPayer' in prs_js</code>	Pass	0.000s
Commit returns swap id	<code>data['status'] == 'success'; data['swap_id'].startswith('PRS-')</code>	Pass	0.006s
Commit writes to temp dir	<code>trade_file.exists()</code>	Pass	0.005s
Trade trace includes eod	<code>any("eod" in r["file"] for r in blotter_steps)</code>	Pass	0.001s
Trade trace includes marks	<code>any("trade_marks" in r["file"] for r in blotter_steps)</code>	Pass	0.001s
Panel should add to a Folium map without error.	<code>len(html._children) > 0</code>	Pass	0.025s
Blotter sub-module should render with FS01 column.	<code>'createBlotterView' in js; 'loadBlotterData' in js (+2 more)</code>	Pass	0.000s
EOD sub-module should render.	<code>'createEodView' in js; 'loadEodData' in js</code>	Pass	0.000s
Aggregate View sub-module should render.	<code>'createMapView' in js; 'loadMapData' in js (+2 more)</code>	Pass	0.000s
Market sub-module should render.	<code>'createMarketView' in js; 'loadMarketData' in js</code>	Pass	0.000s
Ensure no unescaped single braces that could cause <code>NameError</code> .	<code>len(js) > 1000</code>	Pass	0.000s
Panel should contain all 7 tab IDs and labels.	<code>'blotter' in js; 'market' in js (+7 more)</code>	Pass	0.000s
Panel should export <code>TradingDesk</code> to window.	<code>'window.TradingDesk' in js; 'window.showTradingDesk' in js</code>	Pass	0.000s
Panel should contain the Pi button.	<code>'&Pi;' in js</code>	Pass	0.000s
<code>TradingDeskPanel</code> JS should render without errors.	<code>len(js) > 0; '<script>' in js (+1 more)</code>	Pass	0.000s
FS01 Matrix sub-module should render.	<code>'createRiskView' in js; 'loadRiskData' in js (+1 more)</code>	Pass	0.000s
<code>get_statistics()</code> returns <code>panel_width</code> and <code>panel_height</code> .	<code>stats["panel_width"] == "420px"; stats["panel_height"] == "600px"</code>	Pass	0.000s
Td preloader does not redeclare td pre blotter	<code>'window._tdPreBlotter = null' not in src</code>	Pass	0.000s
Td preloader does not redeclare td pre market	<code>'window._tdPreMarket = null' not in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Td preloader does not redeclare td preload done	'var _tdPreloadDone = false' not in src	Pass	0.000s
POST train-all returns 500 when config.get_classifiers_dir raises.	resp.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.017s
If training is already in progress, return training status.	resp.status_code == 200; data["status"] == "training" (+1 more)	Pass	0.001s
If joblib already exists, POST returns ready immediately.	resp.status_code == 200; data["status"] == "ready" (+1 more)	Pass	0.001s
Corrupt gauge.json =j 500.	resp.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.004s
Gauge not in gauge.json =j 404.	resp.status_code == 404; data["status"] == "error" (+1 more)	Pass	0.003s
Missing gauge.json =j 404.	resp.status_code == 404; "gauge.json not found" in data["message"]	Pass	0.002s
Missing storm_sequences.json =j 404.	resp.status_code == 404; "storm_sequences.json not found" in data["message"]	Pass	0.002s
A previously failed job can be restarted.	resp.status_code == 200; data["status"] == "training"	Pass	0.002s
Successful POST starts training and returns training status.	resp.status_code == 200; data["status"] == "training" (+4 more)	Pass	0.003s
severe_warning=100m ensures no events breach it -j fallback to alert.	result["label_threshold"] == "flood.alert"	Pass	6.118s
Model file written	stressm_dir.exists()	Pass	6.307s
Result has gauge id	result.get("gauge_id") == "GAUGE-clf001"	Pass	6.208s
Result has label threshold	"label_threshold" in result; result["label_threshold"] in ("severe_warning", "flood.al...	Pass	6.179s
Returns result dict	isinstance(result, dict)	Pass	6.179s
severe_warning=0 exercises the else branch in log_hs computation.	isinstance(result, dict)	Pass	6.306s
Exception during training sets job status to 'failed'.	job["status"] == "failed"; job["error"] is not None (+1 more)	Pass	0.002s
Successful training sets job status to 'ready'.	job["status"] == "ready"; job["error"] is None	Pass	0.003s
Monthly rent and annual rent	isinstance(result, list)	Pass	0.000s
No transaction data	isinstance(self._page().generate_elements(prop, list)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Rental yield computed	<code>isinstance(result, list)</code>	Pass	0.000s
Sale date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Sale price and appreciation	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Sales section rendered	<code>any("Transaction" in t for t in texts)</code>	Pass	0.000s
Assess yield average	<code>page._assess_yield(5.0) == "Average yield"</code>	Pass	0.000s
Assess yield below average	<code>page._assess_yield(3.0) == "Below average yield"</code>	Pass	0.000s
Assess yield excellent	<code>page._assess_yield(9.0) == "Excellent yield"</code>	Pass	0.000s
Assess yield good	<code>page._assess_yield(7.0) == "Good yield"</code>	Pass	0.000s
Assess yield poor	<code>page._assess_yield(1.0) == "Poor yield"</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Empty transactions	<code>isinstance(result, list)</code>	Pass	0.000s
Has transactions header	<code>any("Transaction" in t or "History" in t for t in texts)</code>	Pass	0.000s
Market analysis appreciation	<code>"Capital Appreciation" in result</code>	Pass	0.000s
Market analysis few vacancies	<code>"Good" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis many vacancies	<code>"Concerning" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis marketing above 30	<code>"Marketing Efficiency" in result; "Good" in result["Marketing Efficiency"]</code>	Pass	0.000s
Market analysis marketing above 90	<code>"Below average" in result["Marketing Efficiency"]</code>	Pass	0.000s
Market analysis never rented	<code>"Rental History" in result; "No rental history" in result["Rental History"]</code>	Pass	0.000s
Market analysis no vacancy	<code>"Rental Stability" in result; "Excellent" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis yield	<code>"Gross Rental Yield" in result</code>	Pass	0.000s
No transaction history	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Sales extended marketing	<code>isinstance(result, list)</code>	Pass	0.000s
Sales quick sale	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Sales very long marketing	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage data	<code>isinstance(result, list)</code>	Pass	0.000s
With rental data	<code>isinstance(result, list);</code> <code>any(isinstance(e, Table) for e</code> <code>in result)</code>	Pass	0.000s
With sales data	<code>isinstance(result, list);</code> <code>any(isinstance(e, Table) for e</code> <code>in result)</code>	Pass	0.000s
Flood arrival hour should increase with distance.	<code>len(arrivals) >= 2; arrivals[i][1] >=</code> <code>arrivals[i - 1][1]</code>	Pass	0.001s
More distant properties should have shorter flood duration	<code>flooded_durations[i][1] <=</code> <code>flooded_durations[i - 1][1]</code>	Pass	0.001s
Deeper water flows faster → shorter travel time.	<code>times[i] < times[i - 1]</code>	Pass	0.000s
Travel time must increase monotonically with distance.	<code>times[i] > times[i - 1]</code>	Pass	0.000s
Gauges alert count	<code>single_storm_data["trigger_summary"]["gauges_alert"]</code> <code>== 2</code>	Pass	0.000s
Gauges impacted matches alert	<code>ts["gauges_impacted"] ==</code> <code>ts["gauges_alert"]</code>	Pass	0.000s
Gauges severe count	<code>single_storm_data["trigger_summary"]["gauges_severe"]</code> <code>== 1</code>	Pass	0.000s
Gauges warning count	<code>single_storm_data["trigger_summary"]["gauges_warning"]</code> <code>== 1</code>	Pass	0.000s
Max trigger is alert when alert only	<code>data["storms"][0]["trigger_summary"]["max_trigger"]</code> <code>== "a..."</code>	Pass	0.002s
Max trigger is severe	<code>single_storm_data["trigger_summary"]["max_trigger"]</code> <code>== "s..."</code>	Pass	0.000s
Max trigger is warning when no severe	<code>data["storms"][0]["trigger_summary"]["max_trigger"]</code> <code>== "w..."</code>	Pass	0.002s
Trigger summary present	<code>"trigger_summary" in</code> <code>single_storm_data</code>	Pass	0.000s
Assessment date updated	<code>r.get_json()["assessment"]["assessment_date"]</code> <code>is not None</code>	Pass	0.002s
No data file returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Principle not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Score 1 derives non compliant status	<code>r.status_code == 200; p["status"] ==</code> <code>"Non-compliant"</code>	Pass	0.002s
Score 4 derives fully compliant status	<code>p["status"] == "Fully Compliant"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Update evidence field	<code>r.status_code == 200; p["evidence"] == "New evidence gathered"</code>	Pass	0.003s
Update gaps and remediation	<code>p["gaps"] == "Minor gap"; p["remediation"] == "Action plan created"</code>	Pass	0.002s
Valid update returns 200	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.002s
Not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update changes field	<code>ref["author"] == "New Author"</code>	Pass	0.003s
Update returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.002s
Update with new category adds to list	<code>"NewCat" in r.get_json()["categories"]</code>	Pass	0.003s
Update sets updated at	<code>r.get_json()["meeting"]["updated_at"] is not None</code>	Pass	0.003s
Update title	<code>r.status_code == 200; r.get_json()["meeting"]["title"] == "Updated Title"</code>	Pass	0.002s
Update unknown id returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update decision missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update participant missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Empty value returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Invalid choice value returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Invalid field returns 400	<code>r.status_code == 400; r.get_json()["status"] == "error"</code>	Pass	0.002s
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404 (+1 more)</code>	Pass	0.002s
No reason returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Response has audit entry	<code>"audit_entry" in data; data["audit_entry"]["event_type"] == "field_update"</code>	Pass	0.003s
Update lifecycle stage	<code>r.status_code == 200</code>	Pass	0.002s
Update validation status	<code>r.status_code == 200</code>	Pass	0.004s
Valid choice field update returns success	<code>r.status_code == 200; r.get_json()["new_value"] == "Amber"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Valid text field update returns success	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.002s
No inventory returns 404	<code>r.status_code == 404; r.get_json()["status"] == "error" (+3 more)</code>	Pass	0.001s
Save failure returns 500	<code>r.status_code == 500; r.get_json()["status"] == "error"</code>	Pass	0.003s
Activity not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Invalid role id returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Notes updated	<code>activities[0]["notes"] == "New note"</code>	Pass	0.003s
Setting C or I to None (null) is valid.	<code>r.status_code == 200</code>	Pass	0.003s
Valid activity update returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.002s
Escalation tier threshold updated	<code>triggers[0]["tier_threshold"]["1"] == "Immediate"</code>	Pass	0.002s
Response has audit entry	<code>"audit_entry" in r.get_json(); "audit_entry" in r.get_json()</code>	Pass	0.002s
Trigger not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Valid escalation update returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.002s
Backup field updated	<code>owner["backup"] == "Owner B"</code>	Pass	0.003s
No raci file returns 404	<code>r.status_code == 404</code>	Pass	0.031s
Response has audit entry	<code>"audit_entry" in r.get_json(); "audit_entry" in r.get_json()</code>	Pass	0.002s
Role not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Valid role update returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.002s
When all gauges are skipped, avg_auc_roc is 0.	<code>summary["num_trained"] == 0; summary["avg_auc_roc"] == 0.0</code>	Pass	0.002s
Creates training_summary.json when it does not exist.	<code>summary_path.exists(); summary["num_gauges"] == 1 (+5 more)</code>	Pass	0.001s
Merges a new gauge result into an existing summary.	<code>summary["num_gauges"] == 2; summary["num_trained"] == 2 (+2 more)</code>	Pass	0.002s
Re-training a gauge replaces its entry, not duplicates it.	<code>summary["num_gauges"] == 1; summary["num_trained"] == 1 (+2 more)</code>	Pass	0.003s
A 'skipped' gauge does not contribute to avg_auc_roc.	<code>summary["num_gauges"] == 2; summary["num_trained"] == 1 (+2 more)</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
All valid statuses	<code>r.status_code == 200</code>	Pass	0.011s
Invalid status returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Model not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.002s
Question not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Risk rating recalculated	<code>rr["last.calculated"] is not None</code>	Pass	0.004s
Valid update has model and audit entry	<code>"model" in data; "audit_entry" in data</code>	Pass	0.003s
Valid update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.004s
update_yield_curve creates yield_curve from default when missing.	<code>'1' in updated['yield_curve'];</code> <code>updated['yield_curve']['1'] == 0.055</code>	Pass	0.008s
Empty filename returns 400	<code>r.status_code == 400</code>	Pass	0.001s
No file returns 400	<code>r.status_code == 400; data["status"] == "error"</code>	Pass	0.000s
Upload appears in list	<code>len(data["documents"]) == 1</code>	Pass	0.003s
Upload response has id	<code>"id" in data["document"]</code>	Pass	0.002s
Upload stores description	<code>data["document"]["description"] == "My description"</code>	Pass	0.003s
Valid upload returns 200	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
Upload save failure returns 500	<code>r.status_code == 500; data["status"] == "error" (+1 more)</code>	Pass	0.034s
_add with file outside input_dir falls back to absolute path.	<code>len(eod_entries) >= 1</code>	Pass	0.001s
_search_dir_files matches entity_id in filename stem — exercised	<code>len(eod_entries) >= 1</code>	Pass	0.001s
_search_dir_files with nonexistent dir returns [] — exercised by	<code>isinstance(result, list)</code>	Pass	0.001s
_search_json with unreadable file returns False — exercised by	<code>isinstance(result, list)</code>	Pass	0.001s
Get page categories contains expected keys	<code>key in cats</code>	Pass	0.001s
Get page categories contains expected keys	<code>key in cats</code>	Pass	0.001s
Get page categories returns copy	<code>"__new_key__" not in gen.categories</code>	Pass	0.001s
Get page categories returns copy	<code>"__new_key__" not in gen.categories</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Mutating the returned dict must not affect the generator's internal state.	"_new_key_" not in gen.categories	Pass	0.001s
Get page categories returns dict	isinstance(cats, dict)	Pass	0.001s
Get page categories returns dict	isinstance(cats, dict)	Pass	0.002s
Get page categories returns dict	isinstance(cats, dict)	Pass	0.001s
List available pages contains all expected	expected <= set(pages)	Pass	0.002s
List available pages contains all expected	expected <= set(pages)	Pass	0.001s
List available pages contains expected	expected <= set(pages)	Pass	0.001s
List available pages non empty	len(gen.list_available_pages()) > 0	Pass	0.001s
List available pages non empty	len(gen.list_available_pages()) > 0	Pass	0.001s
List available pages returns list	isinstance(pages, list)	Pass	0.001s
List available pages returns list	isinstance(pages, list)	Pass	0.002s
List available pages returns list	isinstance(pages, list)	Pass	0.001s
Validate pages all invalid	valid == []; "bogus_one" in invalid (+1 more)	Pass	0.001s
Validate pages all invalid	valid == []; "no_such_page" in invalid (+1 more)	Pass	0.002s
Validate pages all invalid	valid == []; "bogus_one" in invalid (+1 more)	Pass	0.001s
Validate pages all valid	"title_overview" in valid; "sensor_details" in valid (+1 more)	Pass	0.001s
Validate pages all valid	"title_overview" in valid; "data_summary" in valid (+1 more)	Pass	0.002s
Validate pages all valid	"title" in valid; "appendix" in valid (+1 more)	Pass	0.001s
Validate pages empty list	valid == []; invalid == []	Pass	0.001s
Validate pages empty list	valid == []; invalid == []	Pass	0.002s
Validate pages empty list	valid == []; invalid == []	Pass	0.001s
Validate pages mixed	"title_overview" in valid; "nonexistent_page" in invalid	Pass	0.001s
Validate pages mixed	"title_overview" in valid; "nonexistent_page" in invalid	Pass	0.002s
Validate pages mixed	"title" in valid; "nonexistent_page" in invalid	Pass	0.001s
The error message should be a string representation of the exception.	"validation_error" in result; isinstance(result["validation_error"][0], str)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Another path to trigger the except branch.	"validation_error" in result	Pass	0.000s
Lines 251-252: passing data that causes an exception in the try	"validation_error" in result; isinstance(result["validation_error"], list) (+1 more)	Pass	0.000s
Consistent chain	result["is_consistent"]; result["stale_steps"] == [] (+1 more)	Pass	0.002s
Empty manifest	not result["is_consistent"]; len(result["missing_steps"]) == 15	Pass	0.000s
Stale step detected	not result["is_consistent"]; "properties" in result["stale_steps"]	Pass	0.001s
Alt key structure	validate_gauge_exists("GAUGE-002", gauge_file) is True	Pass	0.001s
Existing gauge returns true	validate_gauge_exists("GAUGE-001", gauge_file) is True	Pass	0.001s
Missing file returns false	validate_gauge_exists("GAUGE-001", tmp_path / "missing.js...)	Pass	0.000s
Nonexistent gauge returns false	validate_gauge_exists("GAUGE-XXX", gauge_file) is False	Pass	0.001s
Binary file returns false	result is False	Pass	0.001s
Corrupt json returns false	result is False	Pass	0.001s
Zero validation errors across the whole batch.	result["invalid"] == 0	Pass	0.000s
Medium batch all valid	result["invalid"] == 0	Pass	0.001s
No negative durations	storm.duration_hours > 0	Pass	0.000s
No negative precipitation	seq.total_precipitation_mm > 0; storm.precipitation_mm > 0	Pass	0.000s
Last storm precipitation must end by hour 156 (1e-9 FP tolerance).	last_end <= MAX_PRECIP_END_HOUR + _FP_TOL	Pass	0.000s
Line 196: audit log overflow during VQ update.	r.status_code == 200	Pass	0.035s
Line 130: inventory not found → 404.	r.status_code == 404	Pass	0.002s
Line 176: save failure → 500.	r.status_code == 500	Pass	0.002s
Update triggers risk recalculation	rr["calculated_score"] is not None; rr["calculated_rating"] in ["Acceptable", "Conditional", ...] (+1 more)	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Update validation question	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+5 more)	Pass	0.004s
Update validation question invalid status	<code>response.status_code == 400</code>	Pass	0.002s
Update validation question not found	<code>response.status_code == 404</code>	Pass	0.002s
Base pct wins when higher than depth factor	<code>var == pytest.approx(350.000)</code>	Pass	0.000s
Depth 1 to 2m	<code>var == pytest.approx(500.000)</code>	Pass	0.000s
Depth half to 1m	<code>var == pytest.approx(250.000)</code>	Pass	0.000s
Depth over 2m	<code>var == pytest.approx(800.000)</code>	Pass	0.000s
Depth under half m	<code>var == pytest.approx(100.000)</code>	Pass	0.000s
Negative property value	<code>RiskAssessor.calculate_value_at_risk(-100.000, "High") == ...</code>	Pass	0.000s
Risk level percentages	<code>var == pytest.approx(1.000.000 * pct)</code>	Pass	0.000s
Zero depth uses base pct	<code>var == pytest.approx(150.000)</code>	Pass	0.000s
Zero property value	<code>RiskAssessor.calculate_value_at_risk(0, "High") == 0.0</code>	Pass	0.000s
When verbose=False, the per-counterparty log lines are absent.	<code>"[1/2]" not in caplog.text; "Wrote 2 counterparties" not in caplog.text</code>	Pass	0.000s
Lines 169-170: when verbose=True, each counterparty is logged.	<code>len(result["data"]) == 3; "[1/3]" in caplog.text</code> (+2 more)	Pass	0.001s
Line 187: verbose=True logs final summary with count and path.	<code>"Wrote 2 counterparties" in caplog.text</code>	Pass	0.001s
<code>create_visualization()</code> returns a <code>TCEventVisualization</code> instance.	<code>isinstance(viz, TCEventVisualization)</code>	Pass	0.000s
All addressed	<code>_vq_summary(model) == "3/3"</code>	Pass	0.000s
Empty questions	<code>_vq_summary(model) == "0/0"</code>	Pass	0.000s
None addressed	<code>_vq_summary(model) == "0/2"</code>	Pass	0.000s
Some not applicable	<code>_vq_summary(model) == "1/2"</code>	Pass	0.000s
<code>_walk_upstream</code> should not infinite loop on revisited nodes.	<code>result.count("gauges") == 1</code>	Pass	0.000s
Deep chain	<code>"gauges" in result; "propertyhc" in result</code>	Pass	0.000s
Mid chain	<code>"gauges" in result;</code> <code>result.index("gauges") <</code> <code>result.index("properties")</code>	Pass	0.000s
Root has no upstream	<code>result == ["gauges"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
GET returns yield_curve dict.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Default yield curve has standard tenor points.	len(yc) > 0	Pass	0.003s
Tenor outside 1-30 returns 400.	resp.status_code == 400	Pass	0.000s
POST without JSON body returns error.	resp.status_code in (400, 500)	Pass	0.002s
POST updates one tenor point.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Commit returns affected_trades and P&L impact fields.	resp.status_code == 200; data['status'] == 'success' (+4 more)	Pass	0.021s
Commit should affect all open trades.	data['affected_trades'] == 16	Pass	0.020s
Empty rates dict returns 400.	resp.status_code == 400	Pass	0.000s
No JSON body returns error.	resp.status_code in (400, 500)	Pass	0.001s
Reset returns to default shape.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.006s
In SHD mode (zero elevation diff), zone should be Zone 3b.	FloodMixin._zone_from_offset(0.0) == 'Zone 3b'	Pass	0.000s
In SHE mode (zero distance), zone should reflect real elevation.	FloodMixin._zone_from_offset(2.0) == 'Zone 2'; FloodMixin._zone_from_offset(0.3) == 'Zone 3b'	Pass	0.000s
The zone should be derived from prop_elevation - synthetic_elevation,	FloodMixin._zone_from_offset(1.0) == 'Zone 3a'; FloodMixin._zone_from_offset(0.3) == 'Zone 3b' (+1 more)	Pass	0.000s
All zone options present	zone in js	Pass	0.000s
The change listener array must include the zone dropdown ID.	"'phc-ea-zone'" in js	Pass	0.000s
Default selection reads from phc-Data.flood_zone.	'phcData.flood_zone' in js	Pass	0.000s
Label present	'EA Zone:' in js	Pass	0.000s
Select element present	'id="phc-ea-zone"' in js	Pass	0.000s
Zones should appear in risk order: 3b, 3a, 3, 2, 1.	idx_3b < idx_3a < idx_3 < idx_2 < idx_1	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Bounded zones have finite upper[zone 2] [zone='Zone 2']	hi is not None; hi > 0	Pass	0.000s
Bounded zones have finite upper[zone 3a] [zone='Zone 3a']	hi is not None; hi > 0	Pass	0.000s
Bounded zones have finite upper[zone 3b] [zone='Zone 3b']	hi is not None; hi > 0	Pass	0.000s
Upper bound of each zone == lower bound of the next.	hi == lo	Pass	0.000s
Has four zones	set(EA_FLOOD_ZONE_ELEVATION_BOUNDS.keys()) == set(self.EX...	Pass	0.000s
Lower bound non negative[zone 1] [zone='Zone 1']	lo >= 0.0	Pass	0.000s
Lower bound non negative[zone 2] [zone='Zone 2']	lo >= 0.0	Pass	0.000s
Lower bound non negative[zone 3a] [zone='Zone 3a']	lo >= 0.0	Pass	0.000s
Lower bound non negative[zone 3b] [zone='Zone 3b']	lo >= 0.0	Pass	0.000s
Lower bounds strictly increasing	lowers[i] < lowers[i + 1]	Pass	0.000s
Zone 1 has no upper bound	hi is None	Pass	0.000s
Zone 3b starts at zero	lo == 0.0	Pass	0.000s
Boundary[0.0-zone 3b] [offset=0.0, expected='Zone 3b']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[0.25-zone 3b] [offset=0.25, expected='Zone 3b']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[0.49-zone 3b] [offset=0.49, expected='Zone 3b']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[0.5-zone 3a] [offset=0.5, expected='Zone 3a']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[1.0-zone 3a] [offset=1.0, expected='Zone 3a']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[1.49-zone 3a] [offset=1.49, expected='Zone 3a']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[1.5-zone 2] [offset=1.5, expected='Zone 2']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[2.5-zone 2] [offset=2.5, expected='Zone 2']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[2.99-zone 2] [offset=2.99, expected='Zone 2']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[3.0-zone 1] [offset=3.0, expected='Zone 1']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Boundary[5.0-zone 1] [offset=5.0, expected='Zone 1']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Boundary[50.0-zone 1] [offset=50.0, expected='Zone 1']	FloodMixin._zone_from_offset(offset) == expected	Pass	0.000s
Negative offset (property below river) should still give Zone 3b.	FloodMixin._zone_from_offset(0.0) == 'Zone 3b'	Pass	0.000s
All four EA flood zones should appear in the portfolio.	zone in stats and len(stats[zone]["flood.counts"]) > 0	Pass	0.004s
Average spreads should decrease from Zone 3b → 3a → 2 → 1.	avgs[present[i]] >= avgs[present[i + 1]]	Pass	0.004s
Zone 3b properties should flood more than Zone 1 on average.	avg_3b > avg_1	Pass	0.004s
Zone 3b properties should have higher spreads than Zone 1 on average.	avg_3b > avg_1	Pass	0.004s
Zone 3b properties should be closer to gauge level than Zone 1.	avg_3b < avg_1	Pass	0.005s
Average offset above gauge should increase from Zone 3b → 3a → 2 → 1.	avgs[present[i]] <= avgs[present[i + 1]]	Pass	0.004s

Failed Test Details

test_no_stale_inputs File: tests/data/test_id_consistency_pipeline_part2.py

```

1 tests/data/test_id_consistency_pipeline_part2.py:81: in test_no_stale_inputs
2     assert len(stale) == 0, (
3 E   AssertionError: 2 pipeline steps have stale inputs: ['properties', 'synthetic_gauges'].
   Run: python app.py port to regenerate.
4 E   assert 2 == 0
5 E   +   where 2 = len(['properties', 'synthetic_gauges'])

```

test_distant_property_does_not_flood File: tests/models/test_flood_propagation_sensitivity.py

```

1 tests/models/test_flood_propagation_sensitivity.py:91: in test_distant_property_does_not_flood
2     assert ret < 0.05, f"Retention at 10km should be <5%, got {ret}"
3 E   AssertionError: Retention at 10km should be <5%, got 0.36787944117144233
4 E   assert 0.36787944117144233 < 0.05

```

test_retention_values_at_key_distances File: tests/models/test_flood_propagation_sensitivity.py

```

1 tests/models/test_flood_propagation_sensitivity.py:104: in
   test_retention_values_at_key_distances
2     assert abs(actual - expected) < 0.001, (
3 E   AssertionError: Retention at 500m: expected 0.8465, got 0.9512
4 E   assert 0.10474769961009989 < 0.001
5 E   +   where 0.10474769961009989 = abs((0.951229424500714 - 0.8464817248906141))

```