



Model Test Results Report

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 02-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

Contents

1	Executive Summary	3
1.1	Test Environment	3
1.2	Results by Model	3
2	Test Traceability Matrix	4
3	Flood Risk (Depth-Damage) (MKM-DD-001)	165
4	Flood Polynomial Model (MKM-FPO-001)	168
5	GEV Hazard Model (MKM-GH-001)	170
6	GaugeHD Synthetic (MKM-GHD-001)	172
7	Insurance Premium (MKM-IP-001)	176
8	Mortgage Pricer (MKM-MP-001)	178
9	PRS Pricing Model (MKM-PR-001)	182
10	Property Valuation (MKM-PV-001)	186
11	Storm-Gauge Response Model (MKM-SG-001)	189
12	Storm Intensity Distribution (MKM-SI-001)	192
13	Spatial Interpolation (MKM-SP-001)	196
14	Storm Sequence Generator (MKM-SS-001)	198
15	Stress Test Pipeline (MKM-ST-001)	200
16	Trading Desk (MKM-TD-001)	206
17	CDM Schema Validation (CDM-ALL)	217
18	End-to-End Browser Tests (E2E-ALL)	220
A	Platform Infrastructure Tests	271

1 Executive Summary

This report documents the results of automated model tests run on **02 April 2026 at 18:34:14**.

Table 1: Overall Test Results

Total Tests	7040
Passed	6696
Failed	328
Skipped	16
Pass Rate	95.1%
Total Duration	344.43s

1.1 Test Environment

Platform	macOS-26.3.1-arm64-arm-64bit-Mach-O
Python	3.13.1
pytest	8.3.4
Coverage	98.7%
Git Commit	02f93672957e

1.2 Results by Model

Table 2: Test Results by Model

Model ID	Model Name	Total	Pass	Fail	Skip	Time (s)
MKM-DD-001	Flood Risk (Depth-Damage)	32	32	0	0	0.00
MKM-FPO-001	Flood Polynomial Model	33	33	0	0	0.00
MKM-GH-001	GEV Hazard Model	16	16	0	0	0.26
MKM-GHD-001	GaugeHD Synthetic	62	62	0	0	8.02
MKM-IP-001	Insurance Premium	36	36	0	0	0.00
MKM-MP-001	Mortgage Pricer	67	67	0	0	0.05
MKM-PR-001	PRS Pricing Model	57	57	0	0	12.18
MKM-PV-001	Property Valuation	55	55	0	0	16.93
MKM-SG-001	Storm-Gauge Response Model	41	41	0	0	0.03
MKM-SI-001	Storm Intensity Distribution	63	63	0	0	0.02
MKM-SP-001	Spatial Interpolation	41	41	0	0	0.01
MKM-SS-001	Storm Sequence Generator	17	17	0	0	0.00
MKM-ST-001	Stress Test Pipeline	107	107	0	0	19.37
MKM-TD-001	Trading Desk	212	212	0	0	1.33
CDM-ALL	CDM Schema Validation	33	33	0	0	0.00
E2E-ALL	End-to-End Browser Tests	313	0	313	0	15.60
PLATFORM	Platform Infrastructure	5855	5824	15	16	191.81

2 Test Traceability Matrix

The following table maps every executed test to its assigned model component, providing evidence of coverage required under SR 11-7 §4.2 and SS1/23.

Model	Module	Test Name	Status
MKM-DD-001	velocity.py::TestBuildPropertyHydrograph	test_peak_hours_present	Pass
	velocity.py::TestBuildPropertyHydrograph	test_depth_never_negative	Pass
	velocity.py::TestBuildPropertyHydrograph	test_each_entry_has_required_keys	Pass
	velocity.py::TestBuildPropertyHydrograph	test_empty_readings	Pass
	velocity.py::TestBuildPropertyHydrograph	test_high_floor_prevents_flooding	Pass
	velocity.py::TestBuildPropertyHydrograph	test_no_flooding_before_arrival	Pass
	velocity.py::TestBuildPropertyHydrograph	test_output_length_matches_input	Pass
	velocity.py::TestBuildPropertyHydrograph	test_peak_produces_flooding	Pass
	velocity.py::TestComputeSlope	test_basic_slope	Pass
	velocity.py::TestComputeSlope	test_min_slope_clamp	Pass
	velocity.py::TestComputeSlope	test_slope_is_absolute	Pass
	velocity.py::TestComputeSlope	test_zero_distance	Pass
	velocity.py::TestManningVelocity	test_deeper_water_faster	Pass
	velocity.py::TestManningVelocity	test_negative_depth_returns_zero	Pass
	velocity.py::TestManningVelocity	test_negative_slope_uses_abs	Pass
	velocity.py::TestManningVelocity	test_positive_depth_and_slope	Pass
	velocity.py::TestManningVelocity	test_slope_clamped_to_min	Pass
	velocity.py::TestManningVelocity	test_steeper_slope_faster	Pass
	velocity.py::TestManningVelocity	test_zero_depth_returns_zero	Pass
	velocity.py::TestManningVelocity	test_zero_roughness_returns_zero	Pass
	velocity.py::TestRetention	test_at_length_scale	Pass
	velocity.py::TestRetention	test_backwards_compat_alias	Pass
	velocity.py::TestRetention	test_far_distance_near_zero	Pass
	velocity.py::TestRetention	test_near_river_high_retention	Pass
	velocity.py::TestRetention	test_negative_distance	Pass
	velocity.py::TestRetention	test_one_km_retention	Pass
	velocity.py::TestRetention	test_zero_distance_full_strength	Pass
	velocity.py::TestRetention	test_zero_length	Pass
	velocity.py::TestTravelTime	test_basic_travel_time	Pass
	velocity.py::TestTravelTime	test_farther_takes_longer	Pass
	velocity.py::TestTravelTime	test_zero_depth_infinite	Pass
	velocity.py::TestTravelTime	test_zero_distance	Pass
MKM-FPO-001	flood_poly.py::TestConfigIntegration	test_coefficients_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_fit_metadata_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_log_eps_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_storm_hours_from_config	Pass
	flood_poly.py::TestModelCard	test_coefficients_count	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	flood_poly.py::TestModelCard	test_fit_quality_has_metrics	Pass
	flood_poly.py::TestModelCard	test_has_required_fields	Pass
	flood_poly.py::TestModelCard	test_model_id_matches_config	Pass
	flood_poly.py::TestModelCard	test_returns_dict	Pass
	flood_poly.py::TestPFloodPoly	test_extreme_water_near_one	Pass
	flood_poly.py::TestPFloodPoly	test_high_water_high_probability	Pass
	flood_poly.py::TestPFloodPoly	test_hour_boundary_167	Pass
	flood_poly.py::TestPFloodPoly	test_hour_boundary_zero	Pass
	flood_poly.py::TestPFloodPoly	test_hour_zero_lower_than_mid_storm	Pass
	flood_poly.py::TestPFloodPoly	test_in_range	Pass
	flood_poly.py::TestPFloodPoly	test_low_water_low_probability	Pass
	flood_poly.py::TestPFloodPoly	test_monotonic_in_water_level	Pass
	flood_poly.py::TestPFloodPoly	test_negative_severe_returns_zero	Pass
	flood_poly.py::TestPFloodPoly	test_returns_float	Pass
	flood_poly.py::TestPFloodPoly	test_very_low_water_near_zero	Pass
	flood_poly.py::TestPFloodPoly	test_zero_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSeries	test_all_in_range	Pass
	flood_poly.py::TestPFloodSeries	test_correct_length	Pass
	flood_poly.py::TestPFloodSeries	test_empty_list	Pass
	flood_poly.py::TestPFloodSeries	test_returns_list	Pass
	flood_poly.py::TestPFloodSimple	test_above_severe_capped_at_one	Pass
	flood_poly.py::TestPFloodSimple	test_at_severe_equals_one	Pass
	flood_poly.py::TestPFloodSimple	test_in_range	Pass
	flood_poly.py::TestPFloodSimple	test_negative_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSimple	test_ratio_calculation	Pass
	flood_poly.py::TestPFloodSimple	test_returns_float	Pass
	flood_poly.py::TestPFloodSimple	test_zero_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSimple	test_zero_water	Pass
MKM-GH-001	hazard_builder.py::TestGEVFit	test_exceedance_probability_in_range	Pass
	hazard_builder.py::TestGEVFit	test_fit_returns_three_floats	Pass
	hazard_builder.py::TestGEVFit	test_force_gumbel_sets_shape_zero	Pass
	hazard_builder.py::TestGEVFit	test_higher_threshold_lower_probability	Pass
	hazard_builder.py::TestGEVFit	test_return_level_increases_with_period	Pass
	hazard_builder.py::TestGaugeResponseModel	test_all_responses_returns_dict	Pass
	hazard_builder.py::TestGaugeResponseModel	test_single_response_returns_gauge_response	Pass
	hazard_builder.py::TestGaugeResponseModel	test_response_threshold_flags	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_all_flood_probabilities_in_range	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_build_returns_dict_of_curves	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_build_curve_is_gauge_hazard_curve	Pass
	hazard_builder.py::TestTermStructure	test_cumulative_prob_increasing	Pass
	hazard_builder.py::TestTermStructure	test_probabilities_sum_to_one	Pass
	hazard_builder.py::TestTermStructure	test_returns_correct_length	Pass
	hazard_builder.py::TestTermStructure	test_returns_term_structure_points	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
MKM-GHD-001	hazard_builder.py::TestTermStructure	test_resurvival_prob_decreasing	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	test_historical_high_injected_post_loop	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	test_historical_high_injected_not_in_range_skipped	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	test_historical_high_injected_high_date	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_levels_positive	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_correct_length_approximately	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_are_sequential	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_different_seeds_different_output	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_has_date_and_level	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_tidal_gauge_data_uses_defaults	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_date_in_range	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_date_invalid_format	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_date_out_of_range	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_historical_high_injected_when_not_in_range	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_missing_flood_stages_uses_defaults	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_tidal_gauge_produces_output	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_returns_list	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_reproducible	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_tidal_gauge_produces_output	Pass
	synthetic.py::TestGenerateSyntheticFiles	test_files_tidal_gauge_neap_modulation	Pass
	test_gaugehd_module.py::TestGenerateGaugeHistories	test_generate_gauge_histories	Pass
	test_gaugehd_module.py::TestGenerateGaugeHistories	test_generate_gauge_histories_error	Continues
	test_gaugehd_module.py::TestLoadGaugePortfolio	test_load_gauge_portfolio_file_not_found	Pass
	test_gaugehd_module.py::TestLoadGaugePortfolio	test_load_gauge_portfolio_success	Pass
	test_gaugehd_module.py::TestProcessDir	test_process_dir_directory_bad_csv_content	Times
	test_gaugehd_module.py::TestProcessDir	test_process_dir_directory_basic	Pass
	test_gaugehd_module.py::TestProcessDir	test_process_dir_directory_default_output	Pass
	test_gaugehd_module.py::TestProcessDir	test_process_dir_directory_empty_dir	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_json	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_synthetic_gauges	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_beyond_polyline	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_elevation	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_flood_stages	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_returns_zero	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_returns_zero	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_has_cdm_structure	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	test_synthetic_gauge_generator_on_river_centreline	Pass
	test_synthetic_gauge_coverage.py::TestDegenerateRiverSegment	test_degenerate_river_segment	Pass
	test_synthetic_gauge_coverage.py::TestFlankingChannelMiss	test_flanking_channel_miss_gauge_returns_none	Pass
	test_synthetic_gauge_coverage.py::TestEmptyGaugePoint	test_empty_gauge_point_returns_zero	Pass
	test_synthetic_gauge_coverage.py::TestEmptyGaugePoint	test_empty_gauge_point_returns_zero	Pass
	test_synthetic_gauge_coverage.py::TestNoRiverPolyline	test_no_river_polyline_returns_none_when_no_cache	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_fourth_band	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_second_band	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_tuple	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_first_band	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_premium_factors_all_positive	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_area_bands_are_sorted	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_rate_range	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_construction_type_factors_present	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_flood_risk_factors_increase_with_rate	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_flood_risk_factors_present	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_max_premium_bounds	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_property_type_factors_present	Pass
MKM-MP-001	credit.py::TestCreditSpread	test_custom_tax_rate	Pass
	credit.py::TestCreditSpread	test_floor_at_10bps	Pass
	credit.py::TestCreditSpread	test_higher_affordability_higher_spread	Pass
	credit.py::TestCreditSpread	test_negative_income_fallback	Pass
	credit.py::TestCreditSpread	test_spread_bounded_by_schedule	Pass
	credit.py::TestCreditSpread	test_zero_income_fallback	Pass
	credit.py::TestFloodRiskFactor	test_batch_passes_flood_risk	Pass
	credit.py::TestFloodRiskFactor	test_case_insensitive	Pass
	credit.py::TestFloodRiskFactor	test_flood_factor_in_result	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_increases_spread	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[High-1.4]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Low-1.05]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Medium-1.2]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Very High-1.75]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Very Low-1.0]	Pass
	credit.py::TestFloodRiskFactor	test_no_flood_risk_defaults_to_unity	Pass
	credit.py::TestFloodRiskFactor	test_none_returns_unity	Pass
	credit.py::TestFloodRiskFactor	test_unknown_category_returns_unity	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.5-1.0]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.8-1.0]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.85-1.1]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.9-1.1]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.91-1.3]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.95-1.3]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.96-1.5]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[1.0-1.5]	Pass
	credit.py::TestLTVRiskFactor	test_zero_property_value	Pass
	payment.py::TestMonthlyPayment	test_higher_rate_higher_payment	Pass
	payment.py::TestMonthlyPayment	test_shorter_term_higher_payment	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	payment.py::TestMonthlyPayment	test_standard_mortgage	Pass
	payment.py::TestMonthlyPayment	test_zero_rate	Pass
	payment.py::TestTotalCost	test_positive_rate_exceeds_principal	Pass
	payment.py::TestTotalCost	test_zero_rate_equals_principal	Pass
	pricing.py::TestBatchPricing	test_default_ids_assigned	Pass
	pricing.py::TestBatchPricing	test_error_isolation	Pass
	pricing.py::TestBatchPricing	test_prices_multiple_mortgages	Pass
	pricing.py::TestConstructor	test_custom_tax_rate	Pass
	pricing.py::TestConstructor	test_default_tax_rate	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_also_in_credit_spread	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_true_does_not_crash	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_with_zero_income	Pass
	pricing.py::TestDebugAndEdgeCases	test_flood_risk_none_with_debug	Pass
	pricing.py::TestDebugAndEdgeCases	test_zero_interest_rate	Pass
	pricing.py::TestPortfolioMetrics	test_all_errors_returns_error	Pass
	pricing.py::TestPortfolioMetrics	test_high_risk_count	Pass
	pricing.py::TestPortfolioMetrics	test_mixed_results_exclude_errors	Pass
	pricing.py::TestPortfolioMetrics	test_valid_results	Pass
	pricing.py::TestPriceMortgage	test_balance_converges_to_zero	Pass
	pricing.py::TestPriceMortgage	test_expected_losses_non_negative	Pass
	pricing.py::TestPriceMortgage	test_fair_value_less_than_par	Pass
	pricing.py::TestPriceMortgage	test_hazard_rates_positive	Pass
	pricing.py::TestPriceMortgage	test_high_ltv_increases_spread	Pass
	pricing.py::TestPriceMortgage	test_higher_haircut_more_loss	Pass
	pricing.py::TestPriceMortgage	test_input_validation_clamps	Pass
	pricing.py::TestPriceMortgage	test_ltv_factor_in_result	Pass
	pricing.py::TestPriceMortgage	test_raises_on_invalid_types	Pass
	pricing.py::TestPriceMortgage	test_recovery_haircut_zero_low_ltv	Pass
	pricing.py::TestPriceMortgage	test_survival_first_period_less_than_one	Pass
	pricing.py::TestPriceMortgage	test_survival_monotonically_decreasing	Pass
	mortgage_generator.py::TestMortgageGeneratorHasIdProperty	test_each_mortgage_has_id_property	Pass
	mortgage_generator.py::TestMortgageGeneratorDataQuality	test_processing_data_quality	Pass
	mortgage_generator.py::TestMortgageGeneratorFileExists	test_output_file_exists	Pass
	mortgage_generator.py::TestMortgageGeneratorFileValidJson	test_output_file_is_valid_json	Pass
	mortgage_generator.py::TestMortgageGeneratorReturnsExpectedKeys	test_generator_returns_expected_keys	Pass
	mortgage_generator.py::TestMortgageGeneratorOutputMatchesProperties	test_mortgage_output_matches_properties	Pass
	mortgage_generator.py::TestMortgageGeneratorIdFormat	test_mortgage_id_format	Pass
	mortgage_generator.py::TestMortgageGeneratorIdUnique	test_mortgage_ids_unique	Pass
MKM-PR-001	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_jan_2027	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_sep_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_sep_2026	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	maturity.py::TestComputeMaturityDates	test_maturity_is_friday	Pass
	maturity.py::TestComputeMaturityDates	test_roll_jump_at_august	Pass
	maturity.py::TestCurrentRollDate	test_aug_period	Pass
	maturity.py::TestCurrentRollDate	test_dec_uses_aug	Pass
	maturity.py::TestCurrentRollDate	test_feb_period	Pass
	maturity.py::TestCurrentRollDate	test_jan_uses_prev_aug	Pass
	maturity.py::TestCurrentRollDate	test_jul_still_feb_roll	Pass
	maturity.py::TestCurrentRollDate	test_mar_still_feb_roll	Pass
	maturity.py::TestDefaultDates	test_compute_maturity_default	Pass
	maturity.py::TestDefaultDates	test_current_roll_date_default	Pass
	maturity.py::TestDefaultDates	test_maturity_table_default	Pass
	maturity.py::TestLastFridayOfMonth	test_aug_2026	Pass
	maturity.py::TestLastFridayOfMonth	test_feb_2026	Pass
	maturity.py::TestLastFridayOfMonth	test_may_2029	Pass
	maturity.py::TestLastFridayOfMonth	test_nov_2029	Pass
	maturity.py::TestLastFridayOfMonth	test_result_is_friday	Pass
	maturity.py::TestMaturityTable	test_actual_years_increasing	Pass
	maturity.py::TestMaturityTable	test_all_may_for_feb_roll	Pass
	maturity.py::TestMaturityTable	test_all_nov_for_aug_roll	Pass
	maturity.py::TestMaturityTable	test_maturity_str_format	Pass
	maturity.py::TestMaturityTable	test_table_has_5_entries	Pass
	maturity.py::TestMaturityTable	test_tenors_sequential	Pass
	maturity.py::TestTenorFromMaturity	test_all_tenors_round_trip	Pass
	maturity.py::TestTenorFromMaturity	test_closest_match_fallback	Pass
	maturity.py::TestTenorFromMaturity	test_exact_match	Pass
	basis.py::TestEdgeCases	test_empty_propertyts_dir	Pass
	basis.py::TestEdgeCases	test_no_gauge_hazard_curves	Pass
	basis.py::TestEdgeCases	test_no_propertyts_dir	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_attached_after_post_processing	Processing
	basis.py::TestSpreadDecomposition	test_decomposition_effects_not_all_zero	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_paths_sum_correctly	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_values_nonzero_with_synthetic_files	Synthetic files
	basis.py::TestSpreadDecomposition	test_decomposition_without_synthetic_files	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_spread_returns_correct_value	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_spread_returns_zero_for_empty	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_spread_with_threshold	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_basis_calculation	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_depth_thresholds	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_generator_produces_output	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_generator_parameters_structure	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_generator_mission_rate	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_generator_structure	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_operations_with_gev	Pass
	generator.py::TestPropertyHazardCurveGeneration	test_survival_decreases_with_tenor	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	generator.py::TestPropertyHazard	test_curve_structure	Pass
	pricing.py::TestPRSSpreadComp	test_positive_spread	Pass
	pricing.py::TestPRSSpreadComp	test_spread_increases_with_hazard	Pass
	pricing.py::TestPRSSpreadComp	test_spread_values_at_different_tenors	Pass
	pricing.py::TestPRSSpreadComp	test_zero_hazard_rate	Pass
	pricing.py::TestRecoveryRates	test_recovery_rates_by_trigger	Pass
	pricing.py::TestRecoveryRates	test_recovery_reduces_spread	Pass
MKM-PV-001	property_generator.py::TestBuild	test_non_dict_schema_returns_empty	Pass
	property_generator.py::TestBuild	test_skips_type_field	Pass
	property_generator.py::TestDate	test_date_to_isoformat	Pass
	property_generator.py::TestDate	test_float_to_isoformat	Pass
	property_generator.py::TestDate	test_float_to_integer	Pass
	property_generator.py::TestDate	test_float_to_array	Pass
	property_generator.py::TestDate	test_unknown_type_raises	Pass
	property_generator.py::TestGenerate	test_failback_has_required_key	Pass
	property_generator.py::TestGenerate	test_failback_returns_correct_count	Pass
	property_generator.py::TestGenerate	test_failback_target_elevation	Pass
	property_generator.py::TestGenerate	test_properties_basic	Pass
	property_generator.py::TestGenerate	test_properties_output_file_created	Pass
	property_generator.py::TestProperties	test_general_data_quality_range	Pass
	property_generator.py::TestProperties	test_general_data_quality	Pass
	property_generator.py::TestProperties	test_output_file_exists	Pass
	property_generator.py::TestProperties	test_output_file_is_valid_json	Pass
	property_generator.py::TestProperties	test_generate_output_count	Pass
	property_generator.py::TestProperties	test_generate_output_returns_expected_keys	Pass
	property_generator.py::TestProperties	test_generate_output_format	Pass
	property_generator.py::TestProperties	test_generate_output_unique	Pass
	property_generator.py::TestProperties	test_generate_grid_reference_format	Pass
	property_generator.py::TestProperties	test_generate_owner_name_two_words	Pass
	property_generator.py::TestProperties	test_generate_past_date_format	Pass
	property_generator.py::TestProperties	test_generate_past_date_range	Pass
	rand_property_mortgage.py::TestCalculate	test_date_insurance_premium_flood_high	Pass
	rand_property_mortgage.py::TestCalculate	test_date_insurance_premium_no_area	Pass
	rand_property_mortgage.py::TestCalculate	test_date_insurance_premium_no_val	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_all_types	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_no_area	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_no_value	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_positive	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_area_all_types	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_invalid_date	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_no_current_val	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_positive	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_with_sale_date_1st_to_2_years	Pass
	rand_property_mortgage.py::TestCalculate	test_date_mortgage_payment_with_sale_date_over_2_years	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	rand_property_mortgage.py::TestCalculateMortgageAdaptation	TestCalculateMortgageAdaptation with sale date	Pass
	rand_property_mortgage.py::TestCalculateMortgageFinancialsReturnDict	TestCalculateMortgageFinancialsReturnDict	Pass
	rand_property_mortgage.py::TestGenerateFinancialDataKeys	TestGenerateFinancialDataKeys	Pass
	rand_property_mortgage.py::TestGenerateFinancialRange	TestGenerateFinancialRange	Pass
	rand_property_mortgage.py::TestGenerateFinancialLessThanValue	TestGenerateFinancialLessThanValue	Pass
	rand_property_mortgage.py::TestGenerateFinancialFormat	TestGenerateFinancialFormat	Pass
	rand_property_mortgage.py::TestGenerateFinancialConsistencyCheck	TestGenerateFinancialConsistencyCheck	Pass
	rand_property_mortgage.py::TestGenerateFinancialInsurancePremiumPositive	TestGenerateFinancialInsurancePremiumPositive	Pass
	rand_property_mortgage.py::TestGenerateFinancialPropertyAreaPositive	TestGenerateFinancialPropertyAreaPositive	Pass
	rand_property_mortgage.py::TestGenerateFinancialPropertyValueInRange	TestGenerateFinancialPropertyValueInRange	Pass
	rand_property_mortgage.py::TestGenerateBedroomsDetached	TestGenerateBedroomsDetached	Pass
	rand_property_mortgage.py::TestGenerateBedroomsFlat	TestGenerateBedroomsFlat	Pass
	rand_property_mortgage.py::TestGenerateBedroomsCodeFormat	TestGenerateBedroomsCodeFormat	Pass
	rand_property_mortgage.py::TestGenerateFieldValueDecimal	TestGenerateFieldValueDecimal	Pass
	rand_property_mortgage.py::TestGenerateFieldValueText	TestGenerateFieldValueText	Pass
	rand_property_mortgage.py::TestGenerateConstructionYearInRange	TestGenerateConstructionYearInRange	Pass
	rand_property_mortgage.py::TestGeneratePropertyIdFormat	TestGeneratePropertyIdFormat	Pass
	rand_property_mortgage.py::TestGenerateMnsDictWithRequiredKeys	TestGenerateMnsDictWithRequiredKeys	Pass
MKM-SG-001	gauge_generator.py::TestDateTimeEncoderDatetime	TestDateTimeEncoderDatetime	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyFloat32	TestDateTimeEncoderNumpyFloat32	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyFloating	TestDateTimeEncoderNumpyFloating	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyInteger	TestDateTimeEncoderNumpyInteger	Pass
	gauge_generator.py::TestDateTimeEncoderNumpyNdarray	TestDateTimeEncoderNumpyNdarray	Pass
	gauge_generator.py::TestDateTimeEncoderFallbackRaisesForUnknown	TestDateTimeEncoderFallbackRaisesForUnknown	Pass
	gauge_generator.py::TestGaugeGeneratorDataOrdering	TestGaugeGeneratorDataOrdering	Pass
	gauge_generator.py::TestGaugeGeneratorDataStats	TestGaugeGeneratorDataStats	Pass
	gauge_generator.py::TestGaugeGeneratorDataCaptionPropagates	TestGaugeGeneratorDataCaptionPropagates	Pass
	gauge_generator.py::TestGaugeGeneratorDataHitsEndTimeBranch	TestGaugeGeneratorDataHitsEndTimeBranch	Pass
	gauge_generator.py::TestGaugeGeneratorDataNonDictSchemaReturnEmpty	TestGaugeGeneratorDataNonDictSchemaReturnEmpty	Pass
	gauge_generator.py::TestGaugeGeneratorDataSkipsMetadataKeys	TestGaugeGeneratorDataSkipsMetadataKeys	Pass
	gauge_generator.py::TestGaugeGeneratorDataAvailablePointsCapped	TestGaugeGeneratorDataAvailablePointsCapped	Pass
	gauge_generator.py::TestGaugeGeneratorDataRaisesValueError	TestGaugeGeneratorDataRaisesValueError	Pass
	gauge_generator.py::TestGaugeGeneratorDataConvenienceFunction	TestGaugeGeneratorDataConvenienceFunction	Pass
	gauge_generator.py::TestGaugeGeneratorDataSingleGaugeFailureCount	TestGaugeGeneratorDataSingleGaugeFailureCount	Pass
	gauge_generator.py::TestGaugeGeneratorDataLogEndOfWorks	TestGaugeGeneratorDataLogEndOfWorks	Pass
	gauge_generator.py::TestGaugeGeneratorDataSizeOfValuesCreatesMissingSections	TestGaugeGeneratorDataSizeOfValuesCreatesMissingSections	Pass
	gauge_generator.py::TestGaugeGeneratorDataFalseSetsWarningLevel	TestGaugeGeneratorDataFalseSetsWarningLevel	Pass
	gauge_generator.py::TestGaugeGeneratorDataOutputFileExists	TestGaugeGeneratorDataOutputFileExists	Pass
	gauge_generator.py::TestGaugeGeneratorDataOutputFileIsValidJson	TestGaugeGeneratorDataOutputFileIsValidJson	Pass
	gauge_generator.py::TestGaugeGeneratorDataOutputJsonHasCorrectCount	TestGaugeGeneratorDataOutputJsonHasCorrectCount	Pass
	gauge_generator.py::TestGaugeGeneratorDataMainBlock	TestGaugeGeneratorDataMainBlock	Pass
	gauge_generator.py::TestGaugeGeneratorDataGetIdFormat	TestGaugeGeneratorDataGetIdFormat	Pass
	gauge_generator.py::TestGaugeGeneratorDataGetIdsUnique	TestGaugeGeneratorDataGetIdsUnique	Pass
	gauge_generator.py::TestGaugeGeneratorDataGetOutputCorrectCount	TestGaugeGeneratorDataGetOutputCorrectCount	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge_generator.py::TestGaugeGenerator	test_generate_returns_expected_keys	Pass
	gauge_generator.py::TestGaugeGenerator	test_locations_have_coordinates	Pass
	rand_gauge.py::TestFloodRiskAssessment	test_choose_to_thames_high_risk	Pass
	rand_gauge.py::TestFloodRiskAssessment	test_choose_from_thames_lower_risk	Pass
	rand_gauge.py::TestGenerateFieldValues	test_date_field_returns_date_string	Pass
	rand_gauge.py::TestGenerateFieldValues	test_decimal_field_returns_float	Pass
	rand_gauge.py::TestGenerateFieldValues	test_gauge_name_includes_area	Pass
	rand_gauge.py::TestGenerateFieldValues	test_menu_field_returns_valid_option	Pass
	rand_gauge.py::TestGenerateFieldValues	test_text_field_returns_string	Pass
	rand_gauge.py::TestGenerateGauges	test_attachment_name_stored	Pass
	rand_gauge.py::TestGenerateGauges	test_flow_ordering	Pass
	rand_gauge.py::TestGenerateGauges	test_gauge_id_format	Pass
	rand_gauge.py::TestGenerateGauges	test_historical_high_level_range	Pass
	rand_gauge.py::TestGenerateGauges	test_initial_date_format	Pass
	rand_gauge.py::TestGenerateGauges	test_metadata_dict_with_required_keys	Pass
MKM-SI-001	storm_duration.py::TestDurationFeatures	test_all_categories_defined	Pass
	storm_duration.py::TestDurationFeatures	test_catastrophic_extended	Pass
	storm_duration.py::TestDurationFeatures	test_each_tier_doubles_approx	Pass
	storm_duration.py::TestDurationFeatures	test_extreme_extended	Pass
	storm_duration.py::TestDurationFeatures	test_moderate_extended	Pass
	storm_duration.py::TestDurationFeatures	test_severe_extended	Pass
	storm_duration.py::TestHelpers	test_get_duration_range	Pass
	storm_duration.py::TestHelpers	test_get_max_duration	Pass
	storm_duration.py::TestSampleDuration	test_invalid_category	Pass
	storm_duration.py::TestSampleDuration	test_mode_is_most_common	Pass
	storm_duration.py::TestSampleDuration	test_rng_uses_default	Pass
	storm_duration.py::TestSampleDuration	test_reproducibility	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[baseline]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[catastrophic]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[extreme]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[minimal]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[moderate]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[severe]	Pass
	storm_gap.py::TestFitsInWindow	test_constants	Pass
	storm_gap.py::TestFitsInWindow	test_exact_boundary	Pass
	storm_gap.py::TestFitsInWindow	test_exceeds_window	Pass
	storm_gap.py::TestFitsInWindow	test_simple_doublet_fits	Pass
	storm_gap.py::TestFitsInWindow	test_single_storm	Pass
	storm_gap.py::TestGapParams	test_long_gaps	Pass
	storm_gap.py::TestGapParams	test_medium_gaps	Pass
	storm_gap.py::TestGapParams	test_short_gaps	Pass
	storm_gap.py::TestGetGapRange	test_doublet_medium	Pass
	storm_gap.py::TestGetGapRange	test_isolated_zero	Pass
	storm_gap.py::TestSampleGap	test_doublet_uses_medium	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm_gap.py::TestSampleGap	test_isolated_returns_zero	Pass
	storm_gap.py::TestSampleGap	test_no_rng_uses_default	Pass
	storm_gap.py::TestSampleGap	test_persistent_uses_short	Pass
	storm_gap.py::TestSampleGap	test_reproducibility	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.CLUSTER]	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.DOUBLET]	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.PERSISTENT]	Pass
	storm_gap.py::TestValidation	test_duration_mismatch	Pass
	storm_gap.py::TestValidation	test_exceeds_precip_window	Pass
	storm_gap.py::TestValidation	test_invalid_intensity_category	Pass
	storm_gap.py::TestValidation	test_invalid_sequence_type	Pass
	storm_gap.py::TestValidation	test_overlapping_storms	Pass
	storm_gap.py::TestValidation	test_storm_count_mismatch	Pass
	storm_gap.py::TestValidation	test_too_many_storms	Pass
	storm_gap.py::TestValidation	test_valid_doublet	Pass
	storm_sequence.py::TestEnums	test_gap_types	Pass
	storm_sequence.py::TestEnums	test_sequence_gap_mapping	Pass
	storm_sequence.py::TestEnums	test_sequence_types	Pass
	storm_sequence.py::TestEnums	test_storm_count_ranges	Pass
	storm_sequence.py::TestIDGenerators	test_ids_unique	Pass
	storm_sequence.py::TestIDGenerators	test_sequence_id_format	Pass
	storm_sequence.py::TestIDGenerators	test_sequence_ids_unique	Pass
	storm_sequence.py::TestIDGenerators	test_storm_id_format	Pass
	storm_sequence.py::TestSequenceStructs	test_create_basic	Pass
	storm_sequence.py::TestSequenceStructs	test_from_dict_round_trip	Pass
	storm_sequence.py::TestSequenceStructs	test_precipitation_rounding	Pass
	storm_sequence.py::TestSequenceStructs	test_to_dict	Pass
	storm_sequence.py::TestStormSequenceStructs	test_create_antecedent_defaults	Pass
	storm_sequence.py::TestStormSequenceStructs	test_create_doublet	Pass
	storm_sequence.py::TestStormSequenceStructs	test_from_dict_round_trip	Pass
	storm_sequence.py::TestStormSequenceStructs	test_isolated_no_gaps	Pass
	storm_sequence.py::TestStormSequenceStructs	test_spatial_correlation_defaults	Pass
	storm_sequence.py::TestStormSequenceStructs	test_spatial_correlation_enabled	Pass
	storm_sequence.py::TestStormSequenceStructs	test_to_dict	Pass
MKM-SP-001	spatial.py::TestBuildCorrelationMatrix	test_diagonal_is_one	Pass
	spatial.py::TestBuildCorrelationMatrix	test_off_diagonal_between_zero_and_one	Pass
	spatial.py::TestBuildCorrelationMatrix	test_shape_is_n_by_n	Pass
	spatial.py::TestBuildCorrelationMatrix	test_is_symmetric	Pass
	spatial.py::TestBuildSpatialIndex	test_empty_dataframe_returns_none	Pass
	spatial.py::TestBuildSpatialIndex	test_none_gauge_data_returns_none	Pass
	spatial.py::TestBuildSpatialIndex	test_with_gauges_returns_kdtree	Pass
	spatial.py::TestHaversineDistance	test_equatorial_degree_approx_111km	Pass
	spatial.py::TestHaversineDistance	test_london_paris_approx_340km	Pass
	spatial.py::TestHaversineDistance	test_north_south_degree_approx_111km	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	spatial.py::TestHaversineDistance	test_returns_float	Pass
	spatial.py::TestHaversineDistance	test_same_point_is_zero	Pass
	spatial.py::TestHaversineDistance	test_symmetry	Pass
	spatial.py::TestIDWInterpolate	test_all_zero_weights_returns_zero	Pass
	spatial.py::TestIDWInterpolate	test_closer_gauge_has_higher_weight	Pass
	spatial.py::TestIDWInterpolate	test_empty_list_returns_zero	Pass
	spatial.py::TestIDWInterpolate	test_equal_distance_gauges_averages_wse	Pass
	spatial.py::TestIDWInterpolate	test_near_gauge_returns_wse_directly	Pass
	spatial.py::TestIDWInterpolate	test_power_one_changes_result	Pass
	spatial.py::TestIDWInterpolate	test_single_far_gauge	Pass
	spatial.py::TestSpatialInterpolateWSE	test_far_gauge_location_returns_wse_directly	Pass
	spatial.py::TestSpatialInterpolateWSE	test_empty_gauge_data_returns_zero	Pass
	spatial.py::TestSpatialInterpolateWSE	test_idw_returns_weighted_value	Pass
	spatial.py::TestSpatialInterpolateWSE	test_single_gauge	Pass
	test_spatial_coverage.py::TestBuild6x6CorrelationMatrixCoverage	test_build_6x6_correlation_matrix_coverage	Pass
	test_spatial_coverage.py::TestBuild6x6CorrelationMatrixCoverage	test_build_6x6_correlation_matrix_coverage_increases_off_diagonal	Pass
	test_spatial_coverage.py::TestBuild6x6CorrelationMatrixCoverage	test_build_6x6_correlation_matrix_coverage_increases_correlation	Pass
	test_spatial_coverage.py::TestBuild6x6CorrelationMatrixCoverage	test_build_6x6_correlation_matrix_coverage_returns_square_matrix	Pass
	test_spatial_coverage.py::TestBuild6x6CorrelationMatrixCoverage	test_build_6x6_correlation_matrix_coverage_returns_symmetric_matrix	Pass
	test_spatial_coverage.py::TestBuildSpatialIndexCoverage	test_build_spatial_index_coverage_radians	Pass
	test_spatial_coverage.py::TestBuildSpatialIndexCoverage	test_build_spatial_index_coverage_builds_tree	Pass
	test_spatial_coverage.py::TestBuildSpatialIndexCoverage	test_build_spatial_index_coverage_frame_returns_kdtree	Pass
	test_spatial_coverage.py::TestIDWInterpolateWSE	test_interpolate_wse_returns_correct_results	Pass
	test_spatial_coverage.py::TestIDWInterpolateWSE	test_interpolate_wse_returns_zero	Pass
	test_spatial_coverage.py::TestIDWInterpolateWSE	test_interpolate_wse_returns_exact_min_distance	Pass
	test_spatial_coverage.py::TestIDWInterpolateWSE	test_interpolate_wse_returns_weighted	Pass
	test_spatial_coverage.py::TestIDWInterpolateWSE	test_interpolate_wse_returns_directly	Pass
	test_spatial_coverage.py::TestSpatialInterpolateWSE	test_spatial_interpolate_wse_returns_wse	Pass
	test_spatial_coverage.py::TestSpatialInterpolateWSE	test_spatial_interpolate_wse_returns_zero	Pass
	test_spatial_coverage.py::TestSpatialInterpolateWSE	test_spatial_interpolate_wse_returns_higher_coverage	Pass
MKM-SS-001	sequence_gen.py::TestBuildIsolated	test_isolated_duration_clamped	Pass
	sequence_gen.py::TestBuildIsolated	test_isolated_has_one_storm	Pass
	sequence_gen.py::TestSequenceGenerator	test_aggregate_stats	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_id_in_storms	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_sequence	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_force	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_force	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_category_ofen_isolated	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_calls	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_sequence	Pass
	sequence_gen.py::TestSequenceGenerator	test_can_generate_storm_sequence	Pass
	sequence_gen.py::TestSequenceGenerator	test_sequence_fits_in_window	Pass
	sequence_gen.py::TestSequenceGenerator	test_storms_have_correct_fields	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	sequence_gen.py::TestSequenceGenerator	testCatchment	Pass
	sequence_gen.py::TestSequenceGenerator	testDefaultCatchment	Pass
	sequence_gen.py::TestSequenceGenerator	testAddedReproducibility	Pass
	sequence_gen.py::TestSequenceGenerator	testUnknownCatchmentDefaultsTo35	Pass
MKM-ST-001	test_batch_train.py::TestBatchTraining	testClassifierReadyTrained	Pass
	test_batch_train.py::TestBatchTraining	testClassifierPrintedAfterFirstGauge	Pass
	test_batch_train.py::TestBatchTraining	testMissingGaugeJSON	Pass
	test_batch_train.py::TestBatchTraining	testMissingSequences	Pass
	test_batch_train.py::TestBatchTraining	testInvalidGauges	Pass
	test_batch_train.py::TestBatchTraining	testClassifierTraining	Pass
	test_batch_train.py::TestBatchTraining	testClassifierSuccessfulTraining	Pass
	test_batch_train.py::TestBatchTraining	testClassifierFailureIsCaught	Pass
	test_batch_train.py::TestUpdateTestingStatus	testNewSummary	Pass
	test_batch_train.py::TestUpdateTestingStatus	testExistingSummary	Pass
	test_batch_train.py::TestUpdateTestingStatus	testExistingGauge	Pass
	test_batch_train.py::TestUpdateTestingStatus	testSpuriousGaugeNotCountedAsTrained	Pass
	test_gauge_parser.py::TestLoadGauges	testBaselineFileSkipped	Pass
	test_gauge_parser.py::TestLoadGauges	testEmptyDirectory	Pass
	test_gauge_parser.py::TestLoadGauges	testInvalidDirectory	Pass
	test_gauge_parser.py::TestLoadGauges	testBaselineMeanLevelSkipped	Pass
	test_gauge_parser.py::TestLoadGauges	testBaselineGauges	Pass
	test_gauge_parser.py::TestLoadGauges	testBaselineGaugeHdFiles	Pass
	test_gauge_parser.py::TestParseGauges	testWithoutBaseline	Pass
	test_gauge_parser.py::TestParseGauges	testWithBaseline	Pass
	test_gauge_parser.py::TestParseGauges	testWithoutBaselineUsesHeuristic	Pass
	test_gauge_parser.py::TestSeasonalBaseline	testEmptyMonthlyMeans	Pass
	test_gauge_parser.py::TestSeasonalBaseline	testLesserMonthFallsBack	Pass
	test_gauge_parser.py::TestSeasonalBaseline	testBaselineMonthlyMeans	Pass
	test_gauge_parser.py::TestSeasonalBaseline	testWithMonthlyMeans	Pass
	test_generate.py::TestGenerateSummary	testGaugeSummaryDirWritten	Pass
	test_generate.py::TestGenerateSummary	testGaugeSummaryGaugeIDs	Pass
	test_generate.py::TestGenerateSummary	testGaugeSummaryNumGauges	Pass
	test_generate.py::TestGenerateSummary	testGaugeSummarySchemaVersion	Pass
	test_generate.py::TestGenerateSummary	testGaugeSummarySequenceCount	Pass
	test_generate.py::TestGenerateSummary	testSequencesFileLoadable	Pass
	test_generate.py::TestGenerateSummary	testSequencesJSONWritten	Pass
	test_generate.py::TestGenerateSummary	testSummaryJSONWritten	Pass
	test_generate.py::TestGenerateSummary	testSummaryCountNonNegative	Pass
	test_generate.py::TestGenerateSummary	testShapeIsPositive	Pass
	test_generate.py::TestGenerateSummary	testNumGauges	Pass
	test_generate.py::TestGenerateSummary	testNumSequences	Pass
	test_generate.py::TestGenerateSummary	testSummaryDict	Pass
	test_generate.py::TestGenerateSummary	testSevereAlertWarning	Pass
	test_generate.py::TestGenerateSummary	testSummaryPresent	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generate.py::TestGenerateStormWarning	test_generate.py::TestGenerateStormWarning	Pass
	test_generate.py::TestMissingGaugesIsNoCrashWhenGaugeJsonAbsent	test_generate.py::TestMissingGaugesIsNoCrashWhenGaugeJsonAbsent	Pass
	test_generate.py::TestMissingGaugesIsNoCrashWhenGaugesZeroWithoutGaugeJson	test_generate.py::TestMissingGaugesIsNoCrashWhenGaugesZeroWithoutGaugeJson	Pass
	test_generate.py::TestMissingGaugesIsNoCrashWhenSequencesStillWrittenWithoutGaugesJson	test_generate.py::TestMissingGaugesIsNoCrashWhenSequencesStillWrittenWithoutGaugesJson	Pass
	test_generate.py::TestNoValidGaugesReturnsGracefullyWhenAllGaugesInvalid	test_generate.py::TestNoValidGaugesReturnsGracefullyWhenAllGaugesInvalid	Pass
	test_generate.py::TestNoValidGaugesSequencesStillWrittenWhenAllGaugesInvalid	test_generate.py::TestNoValidGaugesSequencesStillWrittenWhenAllGaugesInvalid	Pass
	test_generate.py::TestVerboseProgressLoggingFalseNoMidLoopOutputAtSmallCount	test_generate.py::TestVerboseProgressLoggingFalseNoMidLoopOutputAtSmallCount	Pass
	test_generate.py::TestVerboseProgressLoggingRunCompletes	test_generate.py::TestVerboseProgressLoggingRunCompletes	Pass
	test_helpers.py::TestBuildSummaryTestCountsDefaultToZero	test_helpers.py::TestBuildSummaryTestCountsDefaultToZero	Pass
	test_helpers.py::TestBuildSummaryTestNumGauges	test_helpers.py::TestBuildSummaryTestNumGauges	Pass
	test_helpers.py::TestBuildSummaryTestNumSequences	test_helpers.py::TestBuildSummaryTestNumSequences	Pass
	test_helpers.py::TestBuildSummaryTestReturnsRequiredKeys	test_helpers.py::TestBuildSummaryTestReturnsRequiredKeys	Pass
	test_helpers.py::TestExtractGaugesTestDictFormat	test_helpers.py::TestExtractGaugesTestDictFormat	Pass
	test_helpers.py::TestExtractGaugesTestEmptyList	test_helpers.py::TestExtractGaugesTestEmptyList	Pass
	test_helpers.py::TestExtractGaugesTestListFormat	test_helpers.py::TestExtractGaugesTestListFormat	Pass
	test_helpers.py::TestExtractGaugesTestMissingKeyReturnsEmpty	test_helpers.py::TestExtractGaugesTestMissingKeyReturnsEmpty	Pass
	test_helpers.py::TestParseGaugeTestBaseLevelDerivedFromAlert	test_helpers.py::TestParseGaugeTestBaseLevelDerivedFromAlert	Pass
	test_helpers.py::TestParseGaugeTestFloodAlert	test_helpers.py::TestParseGaugeTestFloodAlert	Pass
	test_helpers.py::TestParseGaugeTestFloodWarning	test_helpers.py::TestParseGaugeTestFloodWarning	Pass
	test_helpers.py::TestParseGaugeTestGaugeId	test_helpers.py::TestParseGaugeTestGaugeId	Pass
	test_helpers.py::TestParseGaugeTestLatLon	test_helpers.py::TestParseGaugeTestLatLon	Pass
	test_helpers.py::TestParseGaugeTestMissingAlertReturnsNone	test_helpers.py::TestParseGaugeTestMissingAlertReturnsNone	Pass
	test_helpers.py::TestParseGaugeTestMissingGaugeIdReturnsNone	test_helpers.py::TestParseGaugeTestMissingGaugeIdReturnsNone	Pass
	test_helpers.py::TestParseGaugeTestMissingLatReturnsNone	test_helpers.py::TestParseGaugeTestMissingLatReturnsNone	Pass
	test_helpers.py::TestParseGaugeTestSevereWarning	test_helpers.py::TestParseGaugeTestSevereWarning	Pass
	test_helpers.py::TestParseGaugeTestValidRecordReturnsDict	test_helpers.py::TestParseGaugeTestValidRecordReturnsDict	Pass
	test_helpers.py::TestParseGaugeTestWarningDefaultsWhenAbsent	test_helpers.py::TestParseGaugeTestWarningDefaultsWhenAbsent	Pass
	test_helpers.py::TestStormResponseFileHasBaseLevelMatchesGaugeParams	test_helpers.py::TestStormResponseFileHasBaseLevelMatchesGaugeParams	Pass
	test_helpers.py::TestStormResponseFileHasLargeAValues	test_helpers.py::TestStormResponseFileHasLargeAValues	Pass
	test_helpers.py::TestStormResponseFileHasLargeBValues	test_helpers.py::TestStormResponseFileHasLargeBValues	Pass
	test_helpers.py::TestStormResponseFileHasLevelChangeIsPeakMinusBase	test_helpers.py::TestStormResponseFileHasLevelChangeIsPeakMinusBase	Pass
	test_helpers.py::TestStormResponseFileHasResponseHasBaseLevelM	test_helpers.py::TestStormResponseFileHasResponseHasBaseLevelM	Pass
	test_helpers.py::TestStormResponseFileHasResponseHasLevelChangeM	test_helpers.py::TestStormResponseFileHasResponseHasLevelChangeM	Pass
	test_pipeline.coverage.py::TestClassicPassivePortfinderModelDoesNotCrashPipeline	test_pipeline.coverage.py::TestClassicPassivePortfinderModelDoesNotCrashPipeline	Pass
	test_pipeline.coverage.py::TestGaugeBaselineProceddFromGaugeHd	test_pipeline.coverage.py::TestGaugeBaselineProceddFromGaugeHd	Pass
	test_pipeline.coverage.py::TestLegacyHighGaussSummaryFileRemoved	test_pipeline.coverage.py::TestLegacyHighGaussSummaryFileRemoved	Pass
	test_pipeline.coverage.py::TestMultimedSequencesStartDefaultsToMonth	test_pipeline.coverage.py::TestMultimedSequencesStartDefaultsToMonth	Pass
	test_pipeline.coverage.py::TestMultimedSequencesStartHandled	test_pipeline.coverage.py::TestMultimedSequencesStartHandled	Pass
	test_pipeline.coverage.py::TestNonVerbosePerbasseEtaLineAt2000	test_pipeline.coverage.py::TestNonVerbosePerbasseEtaLineAt2000	Pass
	test_records.py::TestIntensityCategoryPatchGeneratorPopulatesCategory	test_records.py::TestIntensityCategoryPatchGeneratorPopulatesCategory	Pass
	test_records.py::TestIntensityCategoryFromDictMissingCategoryDefaultEmpty	test_records.py::TestIntensityCategoryFromDictMissingCategoryDefaultEmpty	Pass
	test_records.py::TestIntensityCategoryFromDictGroundTrip	test_records.py::TestIntensityCategoryFromDictGroundTrip	Pass
	test_records.py::TestIntensityCategoryFromDictTriedSequencesHaveCategory	test_records.py::TestIntensityCategoryFromDictTriedSequencesHaveCategory	Pass
	test_records.py::TestIntensityCategoryFromDictIncludesIntensityCategory	test_records.py::TestIntensityCategoryFromDictIncludesIntensityCategory	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_records.py::TestSequenceRecords	testSalikHaveIntensityCategory	Pass
	test_records.py::TestSequenceRecords	testSalikHaveSequenceId	Pass
	test_records.py::TestSequenceRecords	testSalikHaveSequenceType	Pass
	test_records.py::TestSequenceRecords	testSalikHaveTotalPrecip	Pass
	test_records.py::TestSequenceRecords	testSgaugeFileCountMatchesNumGauges	Pass
	test_records.py::TestSequenceRecords	testSpeakHoursInValidRange	Pass
	test_records.py::TestSequenceRecords	testSpeaksPositive	Pass
	test_records.py::TestSequenceRecords	testSperGaugeRecordsHaveAlertFlags	Pass
	test_records.py::TestSequenceRecords	testSperGaugeRecordsHavePeak	Pass
	test_records.py::TestSequenceRecords	testSperGaugeRecordsHavePeakHour	Pass
	test_records.py::TestSequenceRecords	testSperGaugeSequenceCount	Pass
	test_records.py::TestSequenceRecords	testSevereImpliesWarning	Pass
	test_records.py::TestSequenceRecords	testStartingImpliesAlert	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorMessageListsAvailableIds	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testInvalidGaugeIdRaises	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFileGaugeIds	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFilePeaksLengthOne	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFileSchemaVersion	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorFileSequenceCount	Pass
	test_single_gauge.py::TestSingleGaugeMinor	testMinorOutputFileWritten	Pass
	test_single_gauge.py::TestSingleGaugeSummary	testSummaryNumGaugesIsOne	Pass
	test_single_gauge.py::TestSingleGaugeWithClassifier	testWithClassifierClassifierResultDict	Pass
	test_single_gauge.py::TestSingleGaugeWithClassifier	testWithClassifierTrainClassifier	Pass
MKM-TD-001	leg_pvs.py::TestComputeLegPVs	test_higher_spread_means_higher_premium	Pass
	leg_pvs.py::TestComputeLegPVs	test_positive_hazard_rate	Pass
	leg_pvs.py::TestComputeLegPVs	test_zero_hazard_rate	Pass
	market_making.py::TestGenerateBook	test_balanced_book	Pass
	market_making.py::TestGenerateBook	test_balanced_notional	Pass
	market_making.py::TestGenerateBook	test_counterparties_distributed	Pass
	market_making.py::TestGenerateBook	test_files_saved	Pass
	market_making.py::TestGenerateBook	test_payer_trades_below_fair	Pass
	market_making.py::TestGenerateBook	test_receiver_trades_above_fair	Pass
	market_making.py::TestGenerateBook	test_reproducible_with_seed	Pass
	market_making.py::TestGenerateBook	test_small_mtm	Pass
	market_making.py::TestGenerateBook	test_valid_cdm_structure	Pass
	market_making.py::TestPrintBookSummary	test_summary_runs	Pass
	market_making.py::TestTradeSpreadBookmaking	test_bookmaking_spreads_are_integers	Pass
	market_making.py::TestTradeSpreadBookmaking	test_bookmaking_central_spreads_are_integers	Pass
	thames_central.py::TestThamesCentralBook	test_book_saved	Pass
	thames_central.py::TestThamesCentralBook	test_book_calendar_spreads	Pass
	thames_central.py::TestThamesCentralBook	test_book_reproducible_with_seed	Pass
	thames_central.py::TestThamesCentralBook	test_book_count	Pass
	thames_central.py::TestThamesCentralBook	test_book_central_gauges	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	thames_central.py::TestThamesCentral	test_avbid_cdm_structure	Pass
	thames_central.py::TestThamesCentral	test_avbook_inster_is_net_short	Pass
	engine.py::TestDeltaEngine	test.build_risk_grid	Pass
	engine.py::TestDeltaEngine	test.enrich_receiver_trade_negative_dv01	Pass
	engine.py::TestDeltaEngine	test.enrich_trade	Pass
	engine.py::TestDeltaEngine	test.payer_receiver_dv01_opposite	Pass
	engine.py::TestHazardCurveRevaluation	test.curve_change_moves_fair_spread	Pass
	engine.py::TestHazardCurveRevaluation	test.curve_change_moves_mtm	Pass
	engine.py::TestHazardCurveRevaluation	test.curve_change_pnl_consistent_with_fair	Fail
	engine.py::TestHazardCurveRevaluation	test.curve_change_produces_daily_pnl	Pass
	formulas.py::TestBasisDelta	test.basis_delta_positive	Pass
	formulas.py::TestBasisDelta	test.basis_delta_similar_to_gauge_delta	Pass
	formulas.py::TestGaugeDelta	test.delta_spread_approximately_one	Pass
	formulas.py::TestGaugeDelta	test.higher_notional_means_higher_dv01	Pass
	formulas.py::TestGaugeDelta	test.positive_dv01_for_long_position	Pass
	formulas.py::TestGaugeDelta	test.zero_hazard_rate_gives_zero_delta	Pass
	formulas.py::TestMarkToMarket	test.mtm_calculation_correct	Pass
	formulas.py::TestMarkToMarket	test.mtm_negative_when_spread_widens_for_seller	Pass
	formulas.py::TestMarkToMarket	test.mtm_positive_when_spread_widens_for_buyer	Pass
	formulas.py::TestMarkToMarket	test.mtm_zero_when_spreads_equal	Pass
	formulas.py::TestRiskyAnnuity	test.longer_tenor_means_higher_annuity	Pass
	formulas.py::TestRiskyAnnuity	test.positive_hazard_rate_reduces_annuity	Pass
	formulas.py::TestRiskyAnnuity	test.reasonable_range	Pass
	formulas.py::TestRiskyAnnuity	test.zero_hazard_rate	Pass
	market_state.py::TestEffectiveRates	test.effective_rates_include_all_gauges	Pass
	market_state.py::TestEffectiveRates	test.effective_rates_mark_adjusted	Pass
	market_state.py::TestEffectiveRates	test.effective_rates_merge_correctly	Pass
	market_state.py::TestMarketState	test.initial_base_rates_match_gaugehc	Pass
	market_state.py::TestMarketState	test.initial_load_creates_state	Pass
	market_state.py::TestMarketState	test.initial_load_persists	Pass
	market_state.py::TestMarketState	test.reset_all	Pass
	market_state.py::TestMarketState	test.reset_single_gauge	Pass
	market_state.py::TestMarketState	test.update_effective_rate_with_adjustment	Pass
	market_state.py::TestMarketState	test.updated_adjusted_gauge_returns_base	Pass
	market_state.py::TestMarketState	test.update_gauge_rate	Pass
	market_state.py::TestMissingCoverage	test.get_commit_yield_curve	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_above_max_tenor	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_below_min_tenor	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_exact_tenor	Pass
	market_state.py::TestMissingCoverage	test.get_yield_rate_interpolated	Pass
	market_state.py::TestMissingCoverage	test.load_base_curves_gauge_with_no_id_saved	Skipped
	market_state.py::TestMissingCoverage	test.load_base_curves_gauges_key	Pass
	market_state.py::TestMissingCoverage	test.load_base_curves_no_file	Pass
	market_state.py::TestMissingCoverage	test.load_base_curves_unknown_format	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market_state.py::TestMissingCoverage	test_reset_yield_curve	Pass
	market_state.py::TestMissingCoverage	test_update_gauge_rate_with_notes	Pass
	daily_pnl.py::TestDailyPnL	test_closed_trades_excluded	Pass
	daily_pnl.py::TestDailyPnL	test_daily_pnl_without_previous_eod	Pass
	daily_pnl.py::TestDailyPnL	test_pnl_decomposition_sums	Pass
	daily_pnl.py::TestDailyPnL	test_running_pnl_calculation	Pass
	daily_pnl.py::TestPhantomPnL	test_market_pnl_nonzero_with_eod_mark	Pass
	daily_pnl.py::TestPhantomPnL	test_market_pnl_zero_for_missing_eod_trades	Pass
	daily_pnl.py::TestPhantomPnL	test_new_trade_has_inception_pnl	Pass
	daily_pnl.py::TestPhantomPnL	test_pnl_decomposition_with_prev_eod	Pass
	eod.py::TestEodSnapshot	test_eod_history	Pass
	eod.py::TestEodSnapshot	test_generate_snapshot	Pass
	eod.py::TestEodSnapshot	test_idempotent_snapshot	Pass
	eod.py::TestEodSnapshot	test_pnl_series	Pass
	eod.py::TestEodSnapshot	test_snapshot_persists	Pass
	marks.py::TestTradeMarks	test_close_trade	Pass
	marks.py::TestTradeMarks	test_load_empty_marks	Pass
	marks.py::TestTradeMarks	test_update_and_load_mark	Pass
	stress.hydrograph.py::TestStressKestrelCashLogic	test_kc_cash_stays_at_notional_after_kc	Pass
	stress.hydrograph.py::TestStressKestrelOffTrigger	test_kc_off_trigger_triggers_ko_independently	Pass
	stress.hydrograph.py::TestStressKestrelOnLogic	test_kc_on_when_below_trigger	Pass
	stress.hydrograph.py::TestStressKestrelOnLogic	test_kc_on_when_ko_cash_is_negative	Pass
	stress.hydrograph.py::TestStressKestrelOnLogic	test_kc_on_when_ko_clocks_out_at_trigger	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_base	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_1m_hours	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_rise	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_peak_level	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_after_peak	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_168_hours	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_storm	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_base_level	Pass
	stress.hydrograph.py::TestSynthesisHydrograph	test_synthesis_hydrograph_fall	Pass
	eod_routes.py::TestEODErrorHandling	test_eod_history_engine_error_returns_500	Pass
	eod_routes.py::TestEODErrorHandling	test_get_eod_pdf_error_returns_500	Pass
	eod_routes.py::TestEODErrorHandling	test_submit_eod_engine_error_returns_500	Pass
	eod_routes.py::TestEODHistory	test_eod_history_after_snap	Pass
	eod_routes.py::TestEODHistory	test_eod_history_empty	Pass
	eod_routes.py::TestEODHistory	test_multiple_eod_snaps	Pass
	eod_routes.py::TestEODNoDateBody	test_submit_eod_no_json_uses_today	Pass
	eod_routes.py::TestEODPdf	test_eod_pdf_found_serves_file	Pass
	eod_routes.py::TestEODPdf	test_eod_pdf_not_found	Pass
	eod_routes.py::TestEODPdfGeneration	test_submit_eod_import_error_still_succeeds	Pass
	eod_routes.py::TestEODPdfGeneration	test_submit_eod_pdf_exception_still_succeeds	Pass
	eod_routes.py::TestPnLResetAfterEOD	test_eod_pnl_uses_eod_as_baseline	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	blotter_detail.py::TestHazardRate	test_arrow	Pass
	blotter_detail.py::TestMarketPnL	test_market_pnl_column	Pass
	blotter_detail.py::TestMarketPnL	test_market_pnl_label	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_daily	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_from_market	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_net_notional	Pass
	blotter_detail.py::TestPnLBar	test_pnl_bar_running	Pass
	blotter_detail.py::TestSignedNotional	test_signed_payer_referenced	Pass
	blotter_detail.py::TestSignedNotional	test_signed_notional_direction	Pass
	blotter_detail.py::TestSortAndNavigation	test_sort_toggle	Pass
	blotter_detail.py::TestSortAndNavigation	test_make_view_click	Pass
	blotter_detail.py::TestTableStructure	test_gauge_fs01_column	Pass
	blotter_detail.py::TestTableStructure	test_maturity_formatting	Pass
	eod_detail.py::TestEODEndpoint	test_eod_blotter_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_history_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_pnl_series_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_submit_endpoint	Pass
	eod_detail.py::TestEODFunction	test_attribution_section	Pass
	eod_detail.py::TestEODFunction	test_chart_rendering	Pass
	eod_detail.py::TestEODFunction	test_cleanup_function	Pass
	eod_detail.py::TestEODFunction	test_download_pdf_function	Pass
	eod_detail.py::TestEODFunction	test_submit_function	Pass
	eod_detail.py::TestEODUIStructure	test_attribution_wrap	Pass
	eod_detail.py::TestEODUIStructure	test_cards_container	Pass
	eod_detail.py::TestEODUIStructure	test_date_input	Pass
	eod_detail.py::TestEODUIStructure	test_history_wrap	Pass
	eod_detail.py::TestEODUIStructure	test_submit_button	Pass
	market_detail.py::TestActionButton	test_button_font_matches_tabs	Pass
	market_detail.py::TestActionButton	test_button_padding_matches_tabs	Pass
	market_detail.py::TestActionButton	test_buttons_in_shared_container	Pass
	market_detail.py::TestActionButton	test_commit_button_blue	Pass
	market_detail.py::TestActionButton	test_history_button_grey_not_blue	Pass
	market_detail.py::TestActionButton	test_individual_border_radius_on_buttons	Pass
	market_detail.py::TestActionButton	test_privat_button_grey_not_blue	Pass
	market_detail.py::TestActionButton	test_reset_button_grey	Pass
	market_detail.py::TestCommitButton	test_commit_button_calls_function	Pass
	market_detail.py::TestCommitButton	test_commit_button_id_present	Pass
	market_detail.py::TestCommitButton	test_commit_button_not_hidden	Pass
	market_detail.py::TestCommitButton	test_commit_function_defined	Pass
	market_detail.py::TestCommitEndpoint	test_commit_posts_hazard_ts	Pass
	market_detail.py::TestCommitEndpoint	test_commit_posts_yield_curve	Pass
	market_detail.py::TestCommitEndpoint	test_commit_shows_pnl_impact	Pass
	market_detail.py::TestCommitEndpoint	test_commit_switches_to_blotter	Pass
	market_detail.py::TestDirtyState	test_hazard_dirty_keys	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market_detail.py::TestDirtyState	test_kingommitted_label	Pass
	market_detail.py::TestDirtyState	test_kingld_dirty_flag	Pass
	market_detail.py::TestMarketUI	test_cleanup_function	Pass
	market_detail.py::TestMarketUI	test_gauge_list_function	Pass
	market_detail.py::TestMarketUI	test_market_canvas	Pass
	market_detail.py::TestMarketUI	test_mode_selector	Pass
	market_detail.py::TestNewTrade	test_new_trade_button_grey	Pass
	market_detail.py::TestNewTrade	test_new_trade_button_label	Pass
	market_detail.py::TestNewTrade	test_new_trade_button_present	Pass
	market_detail.py::TestNewTrade	test_new_trade_calls_function	Pass
	market_detail.py::TestNewTrade	test_new_trade_function_opens_prs	Pass
	market_detail.py::TestNewTrade	test_new_trade_left_of_history	Pass
	market_detail.py::TestNewTrade	test_new_trade_border_radius_on_new_trade_btn	Pass
	market_detail.py::TestResetEndpoint	test_reset_function_exists	Pass
	market_detail.py::TestResetEndpoint	test_reset_hazard_ts_endpoint	Pass
	market_detail.py::TestResetEndpoint	test_reset_yield_curve_endpoint	Pass
CDM-ALL	gauge_mapping.py	test_all_cdm_fields_present	Pass
	gauge_mapping.py	test_all_types_valid	Pass
	gauge_mapping.py	test_all_values_valid	Pass
	mortgage_mapping.py	test_all_cdm_fields_present	Pass
	mortgage_mapping.py	test_all_types_valid	Pass
	mortgage_mapping.py	test_all_values_valid	Pass
	property_mapping.py	test_all_cdm_fields_present	Pass
	property_mapping.py	test_all_types_valid	Pass
	property_mapping.py	test_all_values_valid	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[prs_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[prs_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[prs_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_repr_returns_string[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[gauge_cdm]	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[mortgage_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[property_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[prs_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[storm_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_schema_returns_non_empty_dict[stress_cdm]	Pass
E2E-ALL	TestContextMenuNavigation.py	test_hazard_curve_item_opens_gauge_panel[chromium]	FAIL
	TestGaugeContextMenu.py	test_click_away_closes_menu[chromium]	FAIL
	TestGaugeContextMenu.py	test_context_menu_has_header[chromium]	FAIL
	TestGaugeContextMenu.py	test_context_menu_has_items[chromium]	FAIL
	TestGaugeContextMenu.py	test_right_click_gauge_shows_menu[chromium]	FAIL
	TestCounterpartyAPI.py	test_counterparty_summary_fields[chromium]	FAIL
	TestCounterpartyAPI.py	test_counterparty_types_diverse[chromium]	FAIL
	TestCounterpartyAPI.py	test_get_counterparty_detail[chromium]	FAIL
	TestCounterpartyAPI.py	test_list_counterparties_returns_data[chromium]	FAIL
	TestCounterpartyAPI.py	test_nonexistent_counterparty_returns_404[chromium]	FAIL
	TestCounterpartyInPRS.py	test_counterparty_dropdown_has_options[chromium]	FAIL
	TestCounterpartyInPRS.py	test_counterparty_options_show_rating[chromium]	FAIL
	TestCounterpartyInPRS.py	test_prs_has_counterparty_dropdown[chromium]	FAIL
	TestCounterpartyInPRS.py	test_selecting_counterparty_updates_price[chromium]	FAIL
	TestFS01ToBlotter.py	test_fs01_cell_click_filters_blotter[chromium]	FAIL
	TestFS01ToBlotter.py	test_fs01_tab_shows_risk_grid[chromium]	FAIL
	TestGaugeBlotterFlow.py	test_gauge_panel_blotter_link_opens_trading_desk[chromium]	FAIL
	TestGaugeBlotterFlow.py	test_trading_desk_blotter_visible_after_gauge_link[chromium]	FAIL
	TestContextMenuToTradingDesk.py	test_gauge_blotter_menu_item_opens_trading_desk[chromium]	FAIL
	TestContextMenuToTradingDesk.py	test_right_click_gauge_shows_context_menu[chromium]	FAIL
	TestHistoricalToStress.py	test_historical_tab_has_content[chromium]	FAIL
	TestHistoricalToStress.py	test_storm_scenario_click_activates_stress_tab[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_gauge_panel_loads_data_not_error[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_hazard_api_returns_success[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_hazard_curve_tab_has_real_data[chromium]	FAIL
	TestNoErrorNotifications.py	test_no_error_notifications_after_clearing[chromium]	FAIL
	TestStressStormDataLoads.py	test_portfolio_storms_api_returns_data[chromium]	FAIL
	TestStressStormDataLoads.py	test_stress_storms_api_returns_data[chromium]	FAIL
	TestPropertyDataLoads.py	test_property_panel_loads_without_errors[chromium]	FAIL
	TestPropertyDataLoads.py	test_property_storm_api_returns_data[chromium]	FAIL
	TestPropertyDataLoads.py	test_propertyts_summary_api_returns_data[chromium]	FAIL
	TestTradingDataLoads.py	test_blotter_api_returns_trades[chromium]	FAIL
	TestTradingDataLoads.py	test_market_state_api_returns_data[chromium]	FAIL
	TestTradingDataLoads.py	test_risk_grid_api_returns_data[chromium]	FAIL
	TestInvalidGaugeId.py	test_nonexistent_gauge_does_not_crash_page[chromium]	FAIL
	TestInvalidGaugeId.py	test_nonexistent_gauge_shows_error[chromium]	FAIL
	TestInvalidPropertyId.py	test_nonexistent_property_does_not_crash_page[chromium]	FAIL
	TestInvalidPropertyId.py	test_nonexistent_property_shows_error[chromium]	FAIL
	TestEscapeKeyClosesPanels.py	test_escape_closes_gauge_panel[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestEscapeKeyClosesPanels.py	test_escape_closes_governance_panel[chromium]	FAIL
	TestEscapeKeyClosesPanels.py	test_escape_closes_trading_desk[chromium]	FAIL
	TestMapLayerControls.py	test_layer_control_exists[chromium]	FAIL
	TestMapLayerControls.py	test_layer_toggle_changes_markers[chromium]	FAIL
	TestFloodProbabilityTab.py	test_chart_rendered[chromium]	FAIL
	TestFloodProbabilityTab.py	test_content_shows_probability_data[chromium]	FAIL
	TestHazardCurveTab.py	test_chart_canvas_rendered[chromium]	FAIL
	TestHazardCurveTab.py	test_stats_bar_shows_data[chromium]	FAIL
	TestHazardCurveTab.py	test_tab_title_updates[chromium]	FAIL
	TestReturnPeriodTab.py	test_chart_rendered[chromium]	FAIL
	TestReturnPeriodTab.py	test_content_shows_return_period_data[chromium]	FAIL
	TestHistoricalTab.py	test_content_loads_with_timeseries_data[chromium]	FAIL
	TestHistoricalTab.py	test_content_mentions_historical_context[chromium]	FAIL
	TestHistoricalTab.py	test_storm_scenarios_list_exists[chromium]	FAIL
	TestStressTestTab.py	test_auto_selects_worst_case_storm[chromium]	FAIL
	TestStressTestTab.py	test_charts_render[chromium]	FAIL
	TestStressTestTab.py	test_content_mentions_stress_concepts[chromium]	FAIL
	TestStressTestTab.py	test_storm_dropdown_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_chart_canvas_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_commit_button_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_controls_exist[chromium]	FAIL
	TestPRSPricingTab.py	test_direction_dropdown_options[chromium]	FAIL
	TestPRSPricingTab.py	test_trigger_change_updates_display[chromium]	FAIL
	TestPRSPricingTab.py	test_trigger_dropdown_options[chromium]	FAIL
	TestGaugePanelBlotterLink.py	test_blotter_link_exists[chromium]	FAIL
	TestGaugePanelBlotterLink.py	test_blotter_link_opens_trading_desk[chromium]	FAIL
	TestGaugePanelOpens.py	test_open_gauge_panel_via_js[chromium]	FAIL
	TestGaugePanelOpens.py	test_panel_has_tab_bar[chromium]	FAIL
	TestGaugePanelOpens.py	test_panel_title_shows_gauge_name[chromium]	FAIL
	TestGaugePanelTabs.py	test_hazard_curve_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_historical_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_prs_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_stress_tab_renders[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_edit_buttons_on_principles[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_edit_opens_modal[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_modal_has_confirm_cancel[chromium]	FAIL
	TestBibliographyExport.py	test_bibtex_export_button[chromium]	FAIL
	TestBibliographyExport.py	test_reference_table_sortable[chromium]	FAIL
	TestDocumentUploadDownload.py	test_document_list_renders[chromium]	FAIL
	TestDocumentUploadDownload.py	test_download_buttons_clickable[chromium]	FAIL
	TestDocumentUploadDownload.py	test_upload_area_exists[chromium]	FAIL
	TestDataLineageAPI.py	test_lineage_api_returns_data[chromium]	FAIL
	TestDataLineageAPI.py	test_staleness_api_returns_data[chromium]	FAIL
	TestDataLineageTab.py	test_content_mentions_lineage_keywords[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestDataLineageTab.py	test_has_pipeline_steps[chromium]	FAIL
	TestDataLineageTab.py	test_has_staleness_info[chromium]	FAIL
	TestDataLineageTab.py	test_tab_content_loads[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_gauge_returns_steps[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_missing_params_returns_400[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_nonexistent_returns_empty[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_property_returns_steps[chromium]	FAIL
	TestAuditReportsAPI.py	test_audit_reports_api_returns_files[chromium]	FAIL
	TestAuditReportsAPI.py	test_test_summary_api[chromium]	FAIL
	TestAuditReportsTab.py	test_content_mentions_audit_keywords[chromium]	FAIL
	TestAuditReportsTab.py	test_has_artefact_files[chromium]	FAIL
	TestAuditReportsTab.py	test_has_test_summary_or_file_cards[chromium]	FAIL
	TestAuditReportsTab.py	test_tab_content_loads[chromium]	FAIL
	TestFieldLineageAPI.py	test_field_lineage_api_returns_data[chromium]	FAIL
	TestFieldLineageAPI.py	test_field_search_api[chromium]	FAIL
	TestFieldLineageTab.py	test_content_mentions_field_keywords[chromium]	FAIL
	TestFieldLineageTab.py	test_has_report_cards_or_search[chromium]	FAIL
	TestFieldLineageTab.py	test_shows_field_counts[chromium]	FAIL
	TestFieldLineageTab.py	test_tab_content_loads[chromium]	FAIL
	TestModelWorkstreamDetail.py	test_back_button_returns_to_list[chromium]	FAIL
	TestModelWorkstreamDetail.py	test_model_row_opens_detail[chromium]	FAIL
	TestMRCAgendaCRUD.py	test_add_agenda_item[chromium]	FAIL
	TestMRCAgendaCRUD.py	test_delete_agenda_item[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_list_meetings_returns_data[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_meeting_detail_returns_full_object[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_meeting_summary_has_fields[chromium]	FAIL
	TestMRCActionsCRUD.py	test_add_action[chromium]	FAIL
	TestMRCActionsCRUD.py	test_delete_action[chromium]	FAIL
	TestMRCDecisionsCRUD.py	test_add_decision[chromium]	FAIL
	TestMRCDecisionsCRUD.py	test_delete_decision[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_detail_has_tabs[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_detail_shows_metadata[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_list_has_rows[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_row_clickable[chromium]	FAIL
	TestMRCParticipantsCRUD.py	test_add_participant[chromium]	FAIL
	TestMRCParticipantsCRUD.py	test_delete_participant[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_add_button_opens_form[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_add_meeting_button_exists[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_meeting_list_renders[chromium]	FAIL
	TestRACIMatrixInteraction.py	test_cells_interactive[chromium]	FAIL
	TestRACIMatrixInteraction.py	test_matrix_grid_renders[chromium]	FAIL
	TestAuditTab.py	test_content_mentions_audit[chromium]	FAIL
	TestAuditTab.py	test_tab_content_loads[chromium]	FAIL
	TestBCBS239Tab.py	test_content_mentions_bcbs[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestBCBS239Tab.py	test_tab_content_loads[chromium]	FAIL
	TestBibliographyTab.py	test_content_mentions_bibliography[chromium]	FAIL
	TestBibliographyTab.py	test_tab_content_loads[chromium]	FAIL
	TestDocumentsTab.py	test_content_area_exists[chromium]	FAIL
	TestDocumentsTab.py	test_tab_content_loads[chromium]	FAIL
	TestGovernancePanelOpens.py	test_has_content_area[chromium]	FAIL
	TestGovernancePanelOpens.py	test_has_tab_buttons[chromium]	FAIL
	TestGovernancePanelOpens.py	test_panel_is_visible[chromium]	FAIL
	TestMRCTab.py	test_content_mentions_mrc[chromium]	FAIL
	TestMRCTab.py	test_tab_content_loads[chromium]	FAIL
	TestModelInventoryTab.py	test_content_mentions_model[chromium]	FAIL
	TestModelInventoryTab.py	test_tab_content_loads[chromium]	FAIL
	TestRACITab.py	test_content_mentions_raci[chromium]	FAIL
	TestRACITab.py	test_tab_content_loads[chromium]	FAIL
	TestCloseOutTradePL.py	test_01_open_blotter_and_count_trades[chromium]	FAIL
	TestCloseOutTradePL.py	test_02_click_close_button_opens_modal[chromium]	FAIL
	TestCloseOutTradePL.py	test_03_enter_closeout_spread_and_confirm[chromium]	FAIL
	TestCloseOutTradePL.py	test_04_verify_closed_trade_in_blotter[chromium]	FAIL
	TestEODSnapAndHistory.py	test_01_open_eod_tab_count_history[chromium]	FAIL
	TestEODSnapAndHistory.py	test_02_submit_eod[chromium]	FAIL
	TestEODSnapAndHistory.py	test_03_verify_new_snapshot_in_history[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_01_open_prs_and_verify_controls[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_02_select_counterparty[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_03_set_trade_parameters[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_04_commit_trade[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_05_new_trade_appears_in_blotter[chromium]	FAIL
	TestMarketUpdatePL.py	test_01_open_market_tab_record_yield[chromium]	FAIL
	TestMarketUpdatePL.py	test_02_change_yield_curve_value[chromium]	FAIL
	TestMarketUpdatePL.py	test_03_commit_market_changes[chromium]	FAIL
	TestMarketUpdatePL.py	test_04_verify_pnl_after_curve_change[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_01_open_property_prs_and_verify_controls[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_02_set_property_trade_parameters[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_03_commit_property_trade[chromium]	FAIL
	TestCoreControls.py	test_governance_button_exists[chromium]	FAIL
	TestCoreControls.py	test_pi_button_exists[chromium]	FAIL
	TestCoreControls.py	test_startup_preloader_completed[chromium]	FAIL
	TestMapLoads.py	test_leaflet_container_exists[chromium]	FAIL
	TestMapLoads.py	test_map_tiles_loaded[chromium]	FAIL
	TestMapLoads.py	test_zoom_controls_present[chromium]	FAIL
	TestMarkers.py	test_marker_count_reasonable[chromium]	FAIL
	TestMarkers.py	test_markers_present[chromium]	FAIL
	TestDocsTabStructure.py	test_core_docs_section_visible_by_default[chromium]	FAIL
	TestDocsTabStructure.py	test_docs_tab_exists[chromium]	FAIL
	TestDocsTabStructure.py	test_docs_tab_has_three_sections[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestDocsTabStructure.py	test_switching_to_analysis[chromium]	FAIL
	TestDocsTabStructure.py	test_switching_to_test_results[chromium]	FAIL
	TestDocsTabStructure.py	test_test_results_section_hidden_by_def[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_models_have_doc_directory[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_analysis_pdf_endpoint_exists[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_documentation_pdf_endpoint_exists[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_test_results_pdf_endpoint_exists[chromium]	FAIL
	TestPropertyContextMenu.py	test_menu_has_property_items[chromium]	FAIL
	TestPropertyContextMenu.py	test_menu_header_shows_property_info[chromium]	FAIL
	TestPropertyContextMenu.py	test_right_click_property_shows_menu[chromium]	FAIL
	TestPropertyContextMenu.py	test_storm_scenarios_opens_panel[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_has_chart[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_has_stats[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_renders[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_table_has_rows[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_claim_report_api_returns_pdf[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_insurance_tab_exists[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_tab_mentions_insurance[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_has_chart[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_has_stats[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_renders[chromium]	FAIL
	TestMortgageDetail.py	test_mortgage_content_shows_data[chromium]	FAIL
	TestMortgageDetail.py	test_mortgage_panel_opens[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_chart_exists[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_has_selector[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_has_stats[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_renders[chromium]	FAIL
	TestPropertyHazardPanel.py	test_basis_analysis_tab_shows_content[chromium]	FAIL
	TestPropertyHazardPanel.py	test_hazard_curve_chart_renders[chromium]	FAIL
	TestPropertyHazardPanel.py	test_panel_has_four_tabs[chromium]	FAIL
	TestPropertyHazardPanel.py	test_panel_opens_with_title[chromium]	FAIL
	TestPropertyHazardPanel.py	test_prs_pricing_tab_has_controls[chromium]	FAIL
	TestPropertyStormPanel.py	test_distribution_tab_has_content[chromium]	FAIL
	TestPropertyStormPanel.py	test_panel_has_tab_buttons[chromium]	FAIL
	TestPropertyStormPanel.py	test_panel_opens_with_title[chromium]	FAIL
	TestPropertyStormPanel.py	test_status_bar_shows_flood_counts[chromium]	FAIL
	TestPropertyStormPanel.py	test_worst_storms_tab_shows_data[chromium]	FAIL
	TestSPSimTab.py	test_has_leaflet_or_canvas[chromium]	FAIL
	TestSPSimTab.py	test_has_map_container[chromium]	FAIL
	TestSPSimTab.py	test_has_play_button[chromium]	FAIL
	TestSPSimTab.py	test_sim_view_visible[chromium]	FAIL
	TestSPTableTab.py	test_content_has_keywords[chromium]	FAIL
	TestSPTableTab.py	test_has_property_table[chromium]	FAIL
	TestSPTableTab.py	test_has_summary_cards[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestSPTableTab.py	test_table_view_visible[chromium]	FAIL
	TestSPVisualTab.py	test_filter_has_controls[chromium]	FAIL
	TestSPVisualTab.py	test_has_chart_canvas[chromium]	FAIL
	TestSPVisualTab.py	test_has_filter_row[chromium]	FAIL
	TestSPVisualTab.py	test_vis_view_visible[chromium]	FAIL
	TestStormPortfolioOpens.py	test_has_four_tab_buttons[chromium]	FAIL
	TestStormPortfolioOpens.py	test_has_storm_selector[chromium]	FAIL
	TestStormPortfolioOpens.py	test_panel_opens[chromium]	FAIL
	TestStormPortfolioOpens.py	test_stats_bar_present[chromium]	FAIL
	TestSPVaRTab.py	test_has_histogram_canvas[chromium]	FAIL
	TestSPVaRTab.py	test_has_metrics[chromium]	FAIL
	TestSPVaRTab.py	test_has_toggle_buttons[chromium]	FAIL
	TestSPVaRTab.py	test_metrics_keywords[chromium]	FAIL
	TestSPVaRTab.py	test_var_view_visible[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_animate_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_portfolio_impact_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_portfolio_var_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test_storms_api_returns_data[chromium]	FAIL
	TestBlotterTab.py	test_blotter_filter_dropdowns_exist[chromium]	FAIL
	TestBlotterTab.py	test_blotter_has_trade_rows[chromium]	FAIL
	TestBlotterTab.py	test_blotter_shows_net_notional[chromium]	FAIL
	TestBlotterTab.py	test_blotter_view_visible[chromium]	FAIL
	TestBlotterTradeInteraction.py	test_trade_row_click_highlights[chromium]	FAIL
	TestTradingDeskOpens.py	test_click_pi_opens_panel[chromium]	FAIL
	TestTradingDeskOpens.py	test_close_button_hides_panel[chromium]	FAIL
	TestTradingDeskOpens.py	test_panel_has_tab_bar[chromium]	FAIL
	TestClassifierAvailability.py	test_classifier_summary_api_returns_data[chromium]	FAIL
	TestClassifierAvailability.py	test_trained_classifiers_loadable_in_stress_tab[chromium]	FAIL
	TestClassifiersTab.py	test_classifiers_view_visible[chromium]	FAIL
	TestClassifiersTab.py	test_has_detail_pane[chromium]	FAIL
	TestClassifiersTab.py	test_has_summary_stats[chromium]	FAIL
	TestClassifiersTab.py	test_has_table_pane[chromium]	FAIL
	TestClassifiersTab.py	test_has_train_all_button[chromium]	FAIL
	TestClassifiersTab.py	test_progress_bar_hidden_initially[chromium]	FAIL
	TestClassifiersTab.py	test_row_click_populates_detail[chromium]	FAIL
	TestClassifiersTab.py	test_summary_table_has_rows[chromium]	FAIL
	TestClassifiersTab.py	test_table_has_action_buttons[chromium]	FAIL
	TestPortStressPFlood.py	test_pfflood_has_chart_or_data[chromium]	FAIL
	TestPortStressPFlood.py	test_pfflood_has_content[chromium]	FAIL
	TestPortStressTab.py	test_has_content_area[chromium]	FAIL
	TestPortStressTab.py	test_has_stats_bar[chromium]	FAIL
	TestPortStressTab.py	test_has_storm_selector[chromium]	FAIL
	TestPortStressTab.py	test_has_sub_tab_buttons[chromium]	FAIL
	TestPortStressTab.py	test_portstress_view_visible[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestPortStressTab.py	test_storm_selector_has_options[chromium]	FAIL
	TestPortStressDataLoads.py	test_classifier_readiness_api[chromium]	FAIL
	TestPortStressDataLoads.py	test_portfolio_run_api[chromium]	FAIL
	TestPortStressDataLoads.py	test_portfolio_storms_api[chromium]	FAIL
	TestPortStressGaugePnL.py	test_gaugepnl_has_content[chromium]	FAIL
	TestPortStressGaugePnL.py	test_gaugepnl_has_gauge_selector_or_tab[chromium]	FAIL
	TestPortStressPortPnL.py	test_portpnl_has_content[chromium]	FAIL
	TestPortStressPortPnL.py	test_portpnl_mentions_pnl_keywords[chromium]	FAIL
	TestPortStressSeverity.py	test_severity_has_content[chromium]	FAIL
	TestPortStressSeverity.py	test_severity_mentions_threshold_keywords[chromium]	FAIL
	TestAggregateTab.py	test_has_leaflet_or_svg[chromium]	FAIL
	TestAggregateTab.py	test_map_view_visible[chromium]	FAIL
	TestFS01Tab.py	test_content_mentions_risk_keywords[chromium]	FAIL
	TestFS01Tab.py	test_has_risk_grid[chromium]	FAIL
	TestFS01Tab.py	test_risk_view_visible[chromium]	FAIL
	TestMarketTab.py	test_has_charts_or_inputs[chromium]	FAIL
	TestMarketTab.py	test_has_hazard_term_structure[chromium]	FAIL
	TestMarketTab.py	test_has_yield_curve_content[chromium]	FAIL
	TestMarketTab.py	test_market_view_visible[chromium]	FAIL
	TestCurvesTab.py	test_curves_view_visible[chromium]	FAIL
	TestCurvesTab.py	test_has_chart_or_curve_content[chromium]	FAIL
	TestEODTab.py	test_content_mentions_eod_keywords[chromium]	FAIL
	TestEODTab.py	test_eod_view_visible[chromium]	FAIL
	TestEODTab.py	test_has_history_list_or_table[chromium]	FAIL
	TestStressTab.py	test_has_gauge_dropdown[chromium]	FAIL
	TestStressTab.py	test_has_storm_dropdown[chromium]	FAIL
	TestStressTab.py	test_stress_view_visible[chromium]	FAIL
	TestCloseoutFormValidation.py	test_close_button_opens_modal[chromium]	FAIL
	TestCloseoutFormValidation.py	test_negative_closeout_spread_handling[chromium]	FAIL
	TestMarketFormValidation.py	test_negative_rate_handling[chromium]	FAIL
	TestMarketFormValidation.py	test_non_numeric_tenor_input[chromium]	FAIL
	TestPRSFormValidation.py	test_empty_counterparty_disables_commit[chromium]	FAIL
	TestPRSFormValidation.py	test_negative_spread_handling[chromium]	FAIL
	TestPRSFormValidation.py	test_zero_notional_disables_commit[chromium]	FAIL
	TestTradeCloseOut.py	test_blotter_has_close_button[chromium]	FAIL
	TestTradeCloseOut.py	test_close_button_opens_dialog[chromium]	FAIL
	TestTradeCloseOut.py	test_confirm_closeout_posts[chromium]	FAIL
	TestTradeCloseOut.py	test_spread_input_updates_settlement[chromium]	FAIL
	TestEODSubmit.py	test_eod_history_has_pdf_link[chromium]	FAIL
	TestEODSubmit.py	test_eod_submit_button_exists[chromium]	FAIL
	TestEODSubmit.py	test_eod_submit_creates_snapshot[chromium]	FAIL
	TestGaugePRSCCommit.py	test_commit_triggers_response[chromium]	FAIL
	TestGaugePRSCCommit.py	test_counterparty_dropdown_has_options[chromium]	FAIL
	TestGaugePRSCCommit.py	test_fill_notional_and_spread[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestGaugePRSCommit.py	test_selecting_counterparty_enables_commit[chromium]	FAIL
	TestMarketStateCommit.py	test_dirty_state_indicator[chromium]	FAIL
	TestMarketStateCommit.py	test_save_button_commits_changes[chromium]	FAIL
	TestMarketStateCommit.py	test_tenor_inputs_accept_values[chromium]	FAIL
	TestMarketStateCommit.py	test_yield_curve_inputs_exist[chromium]	FAIL
	TestMarketStateReset.py	test_reset_button_exists[chromium]	FAIL
	TestMarketStateReset.py	test_reset_restores_defaults[chromium]	FAIL
	TestPropertyPRSCommit.py	test_commit_button_state[chromium]	FAIL
	TestPropertyPRSCommit.py	test_fill_prs_values[chromium]	FAIL
	TestPropertyPRSCommit.py	test_prs_controls_exist[chromium]	FAIL
PLATFORM	catchment_integration.py	test_config	Pass
	catchment_integration.py	test_config_endpoints_include_health_check	Pass
	catchment_integration.py	test_html_file	Pass
	catchment_integration.py	test_routes	Pass
	test_data_lineage_report_collect.py	testTestGatherResultsStructure	Pass
	test_data_lineage_report_collect.py	testTestGatherAllthesStepDetails	Pass
	test_data_lineage_report_collect.py	testTestGatherAllpositive	Pass
	test_data_lineage_report_collect.py	testTestGatherAllct	Pass
	test_data_lineage_report_collect.py	testTestGatherAllsList	Pass
	test_data_lineage_report_collect.py	testTestGatherAllReport	Pass
	test_data_lineage_report_collect.py	testTestGatherAllReport	Pass
	test_data_lineage_report_collect.py	testTestGatherAllReport	Pass
	test_data_lineage_report_collect.py	testTestGatherAllStepDetails	Pass
	test_data_lineage_report_collect.py	testTestGatherAllReport	Pass
	test_data_lineage_report_collect.py	testTestGatherAllLineageResults	Pass
	test_data_lineage_report_collect.py	testTestGatherAllReport	Pass
	test_dl.report.builders.py::TestHealthStatus	testHealthStatus.colour.fresh	Pass
	test_dl.report.builders.py::TestHealthStatus	testHealthStatus.colour.missing	Pass
	test_dl.report.builders.py::TestHealthStatus	testHealthStatus.colour.stale	Pass
	test_dl.report.builders.py::TestHealthStatus	testHealthStatus.colour.unknown	Pass
	test_dl.report.builders.py::TestHealthStatus	testHealthStatus.label.unknown.uppercased	Pass
	test_dl.report.builders.py::TestHealthStatus	testHealthStatus.label.values	Pass
	test_dl.report.builders.py::TestSecondaryHealthy	testSecondaryHealthy	Pass
	test_dl.report.builders.py::TestSecondaryIssues	testSecondaryIssues	Pass
	test_dl.report.builders.py::TestSecondarySummaryHealthy	testSecondarySummaryHealthy	Pass
	test_dl.report.builders.py::TestSecondarySummaryIssues	testSecondarySummaryIssues	Pass
	test_dl.report.builders.py::TestSecondaryMetricsHealthy	testSecondaryMetricsHealthy	Pass
	test_dl.report.builders.py::TestSecondaryMetricsWithStaleDetails	testSecondaryMetricsWithStaleDetails	Pass
	test_dl.report.builders.py::TestSecondaryComplianceNoResults	testSecondaryComplianceNoResults	Pass
	test_dl.report.builders.py::TestSecondaryComplianceWithFailures	testSecondaryComplianceWithFailures	Pass
	test_dl.report.builders.py::TestSecondaryComplianceWithResults	testSecondaryComplianceWithResults	Pass
	test_dl.report.builders.py::TestSecondaryComplianceCompliant	testSecondaryComplianceCompliant	Pass
	test_dl.report.builders.py::TestSecondaryComplianceWithIssues	testSecondaryComplianceWithIssues	Pass
	test_dl.report.builders.py::TestSecondaryCompliancePolicy	testSecondaryCompliancePolicy	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_duplication_report.py::TestAnalysis	test_analysis_largest_line_numbers_not_question_mark	Fail
	test_duplication_report.py::TestAnalysis	test_analysis_largest_sorted_descending	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_sum_clones_correct	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_returns_dict	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_total_present	Pass
	test_duplication_report.py::TestAnalysis	test_analysis_worst_populated	Pass
	test_duplication_report.py::TestMain	test_main_handles_jscpd_error	Pass
	test_duplication_report.py::TestMain	test_main_prints_stats	Pass
	test_duplication_report.py::TestMain	test_main_produces_pdf	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdfod_rating_for_low_pct	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdfhigh_rating_report	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_header	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_nonempty	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_returns_bytes	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_basic	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_bcbs	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_tests	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_with_bcbs	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_with_tests	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_pass	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_failures	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_coverage	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_tests	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_renders	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_empty	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_no_risk_ratings	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventoryrag_colours	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventoryrenders	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventoryrisk_ratings	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validationall_reviewers_assigned	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validationhigh_assumptions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validationno_assumptions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validationno_questions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validationpeer_reviewer_gaps	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validationrenders	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_range	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_empty	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_timestamps	Pass
	test_model_risk_report_evidence.py::TestBuildAuditTable	test_build_audit_table_renders	Pass
	test_model_risk_report_evidence.py::TestBuildDescendants	test_build_descendants_empty	Pass
	test_model_risk_report_evidence.py::TestBuildDescendants	test_build_descendants_inherit	Pass
	test_model_risk_report_evidence.py::TestBuildDescendants	test_build_descendants_renders	Pass
	test_model_risk_report_evidence.py::TestBuildRecommendations	test_build_recommendations_all_on_ban	Pass
	test_model_risk_report_evidence.py::TestBuildRecommendations	test_build_recommendations_no_risk	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Test Model Risk Report Evidence	test_model_risk_report_evidence.py	TestEvidenceBuilderOverdueRemediation	Pass
		TestEvidenceBuilderDecisionReviewerGap	Pass
		TestEvidenceBuilderDataBackupGaps	Pass
		TestEvidenceBuilderDeciders	Pass
		TestEvidenceBuilderDetectionFailures	Pass
		TestEvidenceBuilderValidationGap	Pass
		TestEvidenceBuilderEvidence	Pass
		TestEvidenceBuilderSensitivityGenerators	Pass
		TestEvidenceBuilderModelCoverage	Pass
		TestEvidenceBuilderEvidence	Pass
		TestEvidenceBuilderEvidence	Pass
		TestEvidenceBuilderEvidence	Pass
		TestEvidenceBuilderEvidence	Pass
		TestEvidenceBuilderEvidence	Pass
		TestEvidenceBuilderEvidence	Pass
	test_model_risk_report_mrc.py	TestBuilder39.compliant	Pass
		TestBuilder39.risk	Pass
		TestBuilder39.principles	Pass
		TestBuilder39.orders	Pass
		TestBuilder39.completed_actions_excluded	Pass
		TestBuilder39.decisions	Pass
		TestBuilder39.meetings	Pass
		TestBuilder39.open_actions	Pass
		TestBuilder39.orders	Pass
		TestBuilder39.ch_decisions	Pass
	test_model_risk_report_pdf.py	TestHandler39EscalationTriggersDict	Pass
		TestHandler39EscalationTriggersString	Pass
		TestHandler39MissingBackup	Pass
		TestHandler39Roles	Pass
		TestHandler39Orders	Pass
		TestHandler39Activities	Pass
		TestHandler39RemediationAllCompleted	Pass
		TestHandler39RemediationEmpty	Pass
		TestHandler39RemediationOverdueHighlighted	Pass
		TestHandler39RemediationPrioritySorting	Pass
TestHandler39RemediationOrders	Pass		
TestHandler39ReportFallback	Pass		
TestHandler39ReportDir	Pass		
TestHandler39ReportPdf	Pass		
TestHandler39ReportPdfEmptyData	Pass		
TestHandler39ReportSummary	Pass		
TestHandler39ReportCollect	Pass		
TestHandler39LogSingleEvent	Pass		
TestHandler39ScoreMaxScore	Pass		
TestHandler39ScoreNoCoverage	Pass		
TestHandler39ScoreWithLongName	Pass		
TestHandler39ScoreWithNoName	Pass		

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.actions_with_missing_fields	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.single_models_risk_ratings	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.no_activities_no_triggers	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.ref_classification_null_due_date	Pass
	test_model_risk_report_pdf.py::TestFilterCases	TestFilterCases.classification_question_no_short_label	Pass
	test_model_risk_report_pdf.py::TestSectionBuilders	TestSectionBuilders.exported	Pass
	test_model_risk_report_pdf.py::TestSectionList	TestSectionList	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.keys	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.files	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.files_missing_dir	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.sensitivity_generators	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.sensitivity_generators_no_dir	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.log	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.log_dict_fallback	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.bobs	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.coverage	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.coverage_corrupt	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.coverage_missing	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.inventory	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.inventory_bad_json	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.inventory_missing	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.gadgets	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.gadgets_corrupt	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.gadgets_missing	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.nettings	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.nettings_dict_fallback	Pass
	test_model_risk_report_styles.py::TestDataLoader	TestDataLoader.raders	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyle.constants	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyle.styles_keys	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyle.colour_maps	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyle.selection_rule_appends_flowables	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyle.style_returns_tablestyle	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.points_present	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.gauge_has_required_fields	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.exists	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.trigger_ordering	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.account_at_least_40	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.aids_are_well_formed	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.hazard_curves_key	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.rate_ordering	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.rates_positive	Pass
	test_blotter_data_part1.py::TestGaugeData	TestGaugeData.structure_present	Pass
	test_blotter_data_part1.py::TestMarketBaseData	TestMarketBaseData.not_empty	Pass
	test_blotter_data_part1.py::TestMarketBaseData	TestMarketBaseData	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.required_keys	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.term_structure_has_triggers	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.term_structure_not_empty	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.updated_present	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.have_has_all_tenors	Pass
	test_blotter_data_part1.py::TestMasterSnapshot	MasterSnapshot.have_rates_in_range	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.business_days	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.directory_exists	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.valid_json	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.required_keys	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.match_json	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.pilot_count	Pass
	test_blotter_data_part2.py::TestBOESnapshots	BOESnapshots.links_file_exists	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_has_physical_swap_root	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_has_swap_id	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_directory_exists	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_matches_filename	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_count_thames_central	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_statuses_are_valid	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_are_present	Pass
	test_blotter_data_part2.py::TestPRSTLeads	PRSTLeads.trade_have_gauge_set	Pass
	test_id_consistency_gauges.py::TestClassifications	Classifications.gauge_ids_match	Pass
	test_id_consistency_gauges.py::TestClassifications	Classifications.summary_exists	Skip
	test_id_consistency_gauges.py::TestGauges	Gauges.json_has_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.HC_match_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.HC_consistent_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.HC_consistent_subset_of_gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.trade_gauges_exist_in_gauge_json	Pass
	test_id_consistency_gauges.py::TestGauges	Gauges.trade_gauges_have_hazard_curves	Pass
	test_id_consistency_gauges.py::TestProperties	Properties.json_header	Pass
	test_id_consistency_gauges.py::TestProperties	Properties.json_has_properties	Pass
	test_id_consistency_gauges.py::TestProperties	Properties.json_files_match_properties	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.completes_exist	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.completes_data	Skip
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.completes_directories	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.HC_consistent_sequences	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.HC_consistent_sequences	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.dependency_graph_complete	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.test_exists	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.test_inputs	FAIL
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.test_has_current	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	Pipeline.test_is_deterministic	Skip
	test_lineage_manifest.py::TestGetCtrlFromId	GetCtrlFromId	Pass
	test_lineage_manifest.py::TestHasArtifact	HasArtifact_directory	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_gauge_loader.py::TestGaugeLoaderBase	test_all_returns_list	Pass
	test_gauge_loader.py::TestGaugeLoaderBase	test_missing_file_returns_empty	Pass
	test_gauge_loader.py::TestGaugeLoaderCache	test_cache_works	Pass
	test_gauge_loader.py::TestGaugeLoaderCache	test_cache_cache	Pass
	test_gauge_loader.py::TestGaugeLoaderCache	test_force_reload	Pass
	test_gauge_loader.py::TestGaugeLoaderLists	test_lists_false	Pass
	test_gauge_loader.py::TestGaugeLoaderLists	test_lists_true	Pass
	test_gauge_loader.py::TestGaugeLoaderLookup	test_hypid_missing_returns_none	Pass
	test_gauge_loader.py::TestGaugeLoaderLookup	test_hypid_returns_entity	Pass
	test_gauge_loader.py::TestGaugeLoaderListall	test_all_returns_summaries	Pass
	test_gauge_loader.py::TestGaugeLoaderStatus	test_status_returns_dict	Pass
	test_mortgage_loader.py::TestMortgageLoaderBase	test_all_returns_summaries	Pass
	test_mortgage_loader.py::TestMortgageLoaderBase	test_all_returns_list	Pass
	test_mortgage_loader.py::TestMortgageLoaderLookup	test_lookup	Pass
	test_mortgage_loader.py::TestMortgageLoaderLookup	test_property_nested_structure	Pass
	test_mortgage_loader.py::TestMortgageLoaderLookup	test_lookup_returns_none	Pass
	test_property_county.py::TestFindByCountyCaseInsensitive	test_by_county_case_insensitive	Pass
	test_property_county.py::TestFindByCountyEmptyPortfolio	test_by_county_empty_portfolio	Pass
	test_property_county.py::TestFindByCountyExactMatch	test_by_county_exact_match	Pass
	test_property_county.py::TestFindByCountyMissingCountyField	test_by_county_missing_county_field	Pass
	test_property_county.py::TestFindByCountyNoMatch	test_by_county_no_match	Pass
	test_property_county.py::TestFindByCountyPartialMatch	test_by_county_partial_match	Pass
	test_property_loader.py::TestPropertyLoaderBaseFilename	test_base_filename	Pass
	test_property_loader.py::TestPropertyLoaderBase	test_all_returns_list	Pass
	test_property_loader.py::TestPropertyLoaderBase	test_base_filename_file_empty	Pass
	test_property_loader.py::TestPropertyLoaderLookup	test_lookup	Pass
	test_property_loader.py::TestPropertyLoaderLookup	test_lookup_by_property_id	Pass
	test_registry.py::TestCreateRegistry	test_creates_registry	Pass
	test_registry.py::TestCreateRegistry	test_with_file_overrides	Pass
	test_registry.py::TestLoaderRegistryClear	test_clear_all_caches	Pass
	test_registry.py::TestLoaderRegistryCache	test_cache_all_status	Pass
	test_registry.py::TestLoaderRegistryCache	test_cache_validate_all_caches	Pass
	test_registry.py::TestLoaderRegistryDataFiles	test_data_files_all_missing	Pass
	test_registry.py::TestLoaderRegistryDataFiles	test_data_files_present	Pass
	test_registry.py::TestLoaderRegistryDataFileOverrides	test_data_file_overrides	Pass
	test_registry.py::TestLoaderRegistryDataDir	test_data_dir	Pass
	test_registry.py::TestLoaderRegistryGetAvailableLoaders	test_get_available_loaders	Pass
	test_registry.py::TestLoaderRegistryGetGaugeLoader	test_get_gauge_loader	Pass
	test_registry.py::TestLoaderRegistryGetLoaderByName	test_get_loader_by_name	Pass
	test_registry.py::TestLoaderRegistryGetLoaderUnknownNameReturnsNone	test_get_loader_unknown_name_returns_none	Pass
	test_registry.py::TestLoaderRegistryGetMortgageLoader	test_get_mortgage_loader	Pass
	test_registry.py::TestLoaderRegistryGetPropertyLoader	test_get_property_loader	Pass
	test_registry.py::TestLoaderRegistryGetStormLoader	test_get_storm_loader	Pass
	test_registry.py::TestLoaderRegistryGetTimeseriesLoader	test_get_timeseries_loader	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_registry.py::TestLoaderRegistry	test_loader_cached_on_repeated_access	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin insensitive	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin known_basin_returns_empty	Pass
	storm_loader_part1.py::TestFindBasin	test_find_basin pac_basin	Pass
	storm_loader_part1.py::TestFindCategory	test_find_category_4	Pass
	storm_loader_part1.py::TestFindCategory	test_find_category_3	Pass
	storm_loader_part1.py::TestFindCategory	test_find_category_5	Pass
	storm_loader_part1.py::TestFindCategory	test_find_category matches_returns_empty	Pass
	storm_loader_part1.py::TestFindName	test_find_name insensitive	Pass
	storm_loader_part1.py::TestFindName	test_find_name match	Pass
	storm_loader_part1.py::TestFindName	test_find_name no match_returns_none	Pass
	storm_loader_part1.py::TestFindName	test_find_name partial match	Pass
	storm_loader_part1.py::TestFindSeason	test_find_season missing_season_returns_empty	Pass
	storm_loader_part1.py::TestFindSeason	test_find_season 2017	Pass
	storm_loader_part1.py::TestFindSeason	test_find_season with multiple	Pass
	storm_loader_part1.py::TestGetEntity	test_get_entity_empty_entity_returns_none	Pass
	storm_loader_part1.py::TestGetEntity	test_get_entity extracts_event_id	Pass
	storm_loader_part1.py::TestGetEntity	test_get_entity missing_id_returns_none	Pass
	storm_loader_part1.py::TestGetEntity	test_get_entity missing_fields_return_none	Pass
	storm_loader_part1.py::TestGetEntity	test_get_entity returns_summary_dict	Pass
	storm_loader_part2.py::TestGetImpact	test_get_impact missing_id_returns_none	Pass
	storm_loader_part2.py::TestGetImpact	test_get_impact returns_impact_dict	Pass
	storm_loader_part2.py::TestGetMajorIncludes	test_get_major_includes category_1_and_2	Pass
	storm_loader_part2.py::TestGetMajorIncludes	test_get_major_includes cat_3_4_5	Pass
	storm_loader_part2.py::TestGetMajorIncludes	test_get_major_includes category_3_plus	Pass
	storm_loader_part2.py::TestGetStorm	test_get_storm affecting_location returned_at_most_once	Pass
	storm_loader_part2.py::TestGetStorm	test_get_storm affecting_location location	Pass
	storm_loader_part2.py::TestGetStorm	test_get_storm finding_location storm	Pass
	storm_loader_part2.py::TestGetStorm	test_get_storm affecting_location finds_more	Pass
	storm_loader_part2.py::TestGetTrack	test_get_track missing_id_returns_none	Pass
	storm_loader_part2.py::TestGetTrack	test_get_track returns_track_for_existing_storm	Pass
	storm_loader_part2.py::TestGetTrack	test_get_track has_lat_lon	Pass
	test_base_loader_coverage.py::TestGetEntity	test_get_entity_id_called	Pass
	test_base_loader_coverage.py::TestGetEntity	test_get_entity_summary_called	Pass
	test_base_loader_coverage.py::TestGetEntity	test_get_entity_summary delegates_to_get_entity_summary	Pass
	test_base_loader_coverage.py::TestGetEntity	test_get_entity_id delegates_to_get_entity_id	Pass
	test_base_loader_coverage.py::TestGetEntity	test_get_entity_id aliases_returns_class_attrs	Pass
	test_base_loader_coverage.py::TestGetEntity	test_get_entity_id aliases_delegates_to_get_status	Pass
	test_base_loader_coverage.py::TestNormalizeList	test_normalize_list_empty_returns_empty	Pass
	test_base_loader_coverage.py::TestNormalizeList	test_normalize_list_non_empty_returns_empty	Pass
	test_base_loader_coverage.py::TestNormalizeList	test_normalize_list_non_empty_returns_empty	Pass
	test_base_loader_coverage.py::TestNormalizeList	test_normalize_list_non_empty_returns_empty	Pass
	test_lookups_gauge_property.py::TestDoubleGauge	test_double_gauge_returns_empty	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lookups_gauge_property.py::	TestBuildGaugeDataFallbackWhenMissingFile	Pass
	test_lookups_gauge_property.py::	TestBuildGaugeDataFallbackIfSkipped	Pass
	test_lookups_gauge_property.py::	TestBuildGaugeDataFallbackOnly	Pass
	test_lookups_gauge_property.py::	TestBuildGaugeDataFallbackPrecedence	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesFromEmpty	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesFromLocalData	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesPrecedenceOverPropertyData	Pass
	test_lookups_gauge_property.py::	TestClassifyHighlyRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyHighRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyBlowawayRiskIsLow	Pass
	test_lookups_gauge_property.py::	TestClassifyLowestRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyPropertyRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyEmptyRisk	Pass
	test_lookups_ids.py::	TestAnalyzeRelationshipsReturnsZeros	Pass
	test_lookups_ids.py::	TestRelationshipMatchData	Pass
	test_lookups_ids.py::	TestRelationshipPortgagesCounted	Pass
	test_lookups_ids.py::	TestRelationshipPropertiesOverlap	Pass
	test_lookups_ids.py::	TestRelationshipsRequiredKeys	Pass
	test_lookups_ids.py::	TestExtractGaugeExtractsIds	Pass
	test_lookups_ids.py::	TestExtractGaugeMissingGaugeIdSkipped	Pass
	test_lookups_ids.py::	TestExtractGaugeNoneReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractMortgageExtractsIds	Pass
	test_lookups_ids.py::	TestExtractMortgageNoneReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractMortgagePropertyIdPropertyIdsFromMortgage	Pass
	test_lookups_ids.py::	TestExtractMortgagePropertyIdEmptySet	Pass
	test_lookups_ids.py::	TestExtractPeopleEmptyItemsReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractPeopleExtractsIds	Pass
	test_lookups_ids.py::	TestExtractPeopleMissingPropertyIdSkipped	Pass
	test_lookups_ids.py::	TestExtractPeopleNoneReturnsEmptySet	Pass
	test_lookups_mortgage.py::	TestBuildAllLookupsReturnsEmptyDicts	Pass
	test_lookups_mortgage.py::	TestBuildAllLookupsReturnsFourKeys	Pass
	test_lookups_mortgage.py::	TestBuildAllLookupsPopulatesLookups	Pass
	test_lookups_mortgage.py::	TestBuildEmptyLookupReturnsEmpty	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupDetailsFallback	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupOutPropertyIdSkipped	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupPortgages	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupReturnsEmpty	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupEmpty	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookup	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfo	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfoOrPropertyIdSkipped	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfoUsesUnknown	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfoReturnsEmptyStruct	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	audit.py::TestResolveModelId	test_shorthand_prs_resolved	Pass
	audit.py::TestResolveModelId	test_spatial_maps_to_sp	Pass
	audit.py::TestResolveModelId	test_unknown_shorthand_returned_as_is	Pass
	audit.py::TestSanitiseParams	test_bool_passed_through	Pass
	audit.py::TestSanitiseParams	test_empty_params	Pass
	audit.py::TestSanitiseParams	test_float_passed_through	Pass
	audit.py::TestSanitiseParams	test_int_passed_through	Pass
	audit.py::TestSanitiseParams	test_long_list_summarised	Pass
	audit.py::TestSanitiseParams	test_none_passed_through	Pass
	audit.py::TestSanitiseParams	test_object_converted_to_string	Pass
	audit.py::TestSanitiseParams	test_short_list_converted_to_str	Pass
	audit.py::TestSanitiseParams	test_string_passed_through	Pass
	audit.py::TestSanitiseParams	test_tuple_treated_like_list	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_severe_level_some_positive	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_severe_level_returns_zeros	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_capped_at_5m	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_gauge_data_returns_zeros	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_gauge_data_returns_zeros	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_correct_length	Pass
	depth_damage.py::TestDepthDamage	test_damage_higher_damage_than_residential	Pass
	depth_damage.py::TestDepthDamage	test_damage_level_reduces_damage	Pass
	depth_damage.py::TestDepthDamage	test_damage_depth_all_near_one	Pass
	depth_damage.py::TestDepthDamage	test_damage_clipped_to_0_1	Pass
	depth_damage.py::TestDepthDamage	test_damage_returns_array_same_length	Pass
	depth_damage.py::TestDepthDamage	test_damage_all_zero_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_max_depth_returns_one	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_between_control_points_interpolated	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_between_0_and_1	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_meter_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_depth_returns_one	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_monotonically_increasing	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_negative_depth_returns_zero	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_meter_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_returns_float	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_depth_returns_small_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_depth_returns_zero	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_init	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_correlation_matrix_built	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_correlation_params	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_high_elevation_warns_and_defaults	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_floor_level_defaults_to_zero	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_geometry_raises	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_property_id_auto_assigned	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_property_type_warns_and_defaults	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 3]	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 3a]	Pass
	test_terrain_grid.py::TestInterpolation	test_interpolation_matches_analytical_at_grid_corners[Zone 3b]	Pass
	test_terrain_grid.py::TestInterpolation	test_midpoint_between_grid_values	Pass
	cli.py::TestCompareScenarios	test_contains_header	Pass
	cli.py::TestCompareScenarios	test_contains_scenario_names	Pass
	cli.py::TestCompareScenarios	test_none_uses_all_scenarios	Pass
	cli.py::TestCompareScenarios	test_returns_string	Pass
	cli.py::TestCompareScenarios	test_single_scenario	Pass
	cli.py::TestCompareScenarios	test_two_scenarios	Pass
	cli.py::TestMain	test_compare_mode	Pass
	cli.py::TestMain	test_default_describe_mode	Pass
	cli.py::TestMain	test_exceedance_json_mode	Pass
	cli.py::TestMain	test_exceedance_mode	Pass
	cli.py::TestMain	test_json_default_mode	Pass
	cli.py::TestMain	test_return_period_json_mode	Pass
	cli.py::TestMain	test_return_period_mode	Pass
	cli.py::TestMain	test_samples_json_mode	Pass
	cli.py::TestMain	test_samples_mode	Pass
	cli.py::TestMain	test_scenario_mode	Pass
	cli.py::TestMain	test_seed_reproducible	Pass
	distribution_part1.py::TestConstruct	test_custom_parameters	Pass
	distribution_part1.py::TestConstruct	test_default_parameters	Pass
	distribution_part1.py::TestConstruct	test_from_params_object	Pass
	distribution_part1.py::TestConstruct	test_from_scenario_baseline	Pass
	distribution_part1.py::TestConstruct	test_from_scenario_unknown_raises	Pass
	distribution_part1.py::TestConstruct	test_seed_gives_deterministic_output	Pass
	distribution_part1.py::TestConstruct	test_tail_prob_between_0_and_1	Pass
	distribution_part1.py::TestExceed	test_probability_is_zero	Pass
	distribution_part1.py::TestExceed	test_probability_threshold_uses_pareto	Pass
	distribution_part1.py::TestExceed	test_probability_density_is_zero	Pass
	distribution_part1.py::TestExceed	test_probability_density_is_one	Pass
	distribution_part1.py::TestExceed	test_probability_threshold_continuous	Pass
	distribution_part1.py::TestExceed	test_probability_is_one	Pass
	distribution_part1.py::TestExceed	test_probability_threshold_uses_normal	Pass
	distribution_part1.py::TestExceed	test_probotionically_decreasing	Pass
	distribution_part1.py::TestInverse	test_cumprob_returns_min	Pass
	distribution_part1.py::TestInverse	test_result_in_bounds	Pass
	distribution_part1.py::TestInverse	test_return_trip_above_threshold	Pass
	distribution_part1.py::TestInverse	test_return_trip_below_threshold	Pass
	distribution_part1.py::TestInverse	test_cumprob_returns_max	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	distribution_part1.py::TestPareto	test_flat_tail_higher_exceedance	Pass
	distribution_part1.py::TestPareto	test_pareto_above_threshold_between_0_and_1	Pass
	distribution_part1.py::TestPareto	test_pareto_at_threshold_is_one	Pass
	distribution_part1.py::TestPareto	test_pareto_below_threshold_is_one	Pass
	distribution_part1.py::TestSample	test_different_seeds_different_output	Pass
	distribution_part1.py::TestSample	test_sample_n_returns_correct_length	Pass
	distribution_part1.py::TestSample	test_sample_single	Pass
	distribution_part1.py::TestSample	test_samples_within_bounds	Pass
	distribution_part1.py::TestSample	test_seeded_reproducibility	Pass
	distribution_part2.py::TestReturn	test_100yr_greater_than_10yr	Pass
	distribution_part2.py::TestReturn	test_ordering_10_50_100	Pass
	distribution_part2.py::TestReturn	test_result_in_bounds	Pass
	distribution_part2.py::TestReturn	test_returns_per_year_affects_result	Pass
	distribution_part2.py::TestSerial	test_describe_returns_string	Pass
	distribution_part2.py::TestSerial	test_params_roundtrip	Pass
	distribution_part2.py::TestSerial	test_tail_probability_matches_internal	Pass
	distribution_part2.py::TestSerial	test_to_dict_keys	Pass
	distribution_part2.py::TestSummary	test_extreme_probs_decreasing	Pass
	distribution_part2.py::TestSummary	test_statistics_tail_higher_p99_than_thin	Pass
	distribution_part2.py::TestSummary	test_statistics_in_reasonable_range	Pass
	distribution_part2.py::TestSummary	test_statistics_ordered	Pass
	distribution_part2.py::TestSummary	test_statistics_keys_present	Pass
	prs_hazard_curve.py::TestCreate	test_default_tday_counter	Pass
	prs_hazard_curve.py::TestCreate	test_instant_curve_and_quote	Pass
	prs_hazard_curve.py::TestCreate	test_custom_tday_hazard	Pass
	prs_hazard_curve.py::TestCreate	test_default_tday_hazard	Pass
	prs_hazard_curve.py::TestCreate	test_full_curve_from_hazard_start	Pass
	prs_hazard_curve.py::TestCreate	test_full_curve_from_hazard	Pass
	prs_hazard_curve.py::TestCreate	test_survival_freq_hazard_uses_fallback_hazard_rate	Pass
	prs_hazard_curve.py::TestCreate	test_survival_freq_hazard_uses_fallback_hazard_rate	Pass
	prs_hazard_curve.py::TestLoad	test_codes_data_has_gauge	Pass
	prs_hazard_curve.py::TestLoad	test_codes_from_file	Pass
	prs_hazard_curve.py::TestPrice	test_alert_trigger	Pass
	prs_hazard_curve.py::TestPrice	test_custom_notional	Pass
	prs_hazard_curve.py::TestPrice	test_flat_hazard_curve	Pass
	prs_hazard_curve.py::TestPrice	test_result_has_fair_spread_bps	Pass
	prs_hazard_curve.py::TestPrice	test_result_has_npv	Pass
	prs_hazard_curve.py::TestPrice	test_result_has_survival_probabilities	Pass
	prs_hazard_curve.py::TestPrice	test_returns_dict	Pass
	prs_hazard_curve.py::TestPrice	test_severe_trigger	Pass
	prs_hazard_curve.py::TestPrice	test_term_structure_true	Pass
	prs_hazard_curve.py::TestPrint	test_regal_gauge_name	Pass
	prs_hazard_curve.py::TestPrint	test_regal_without_error	Pass
	test_load_and_curves.py::TestCreate	test_flat_hazard_360_day_arbitrage	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_load_and_curves.py::TestCreateFlatHazardSimpleAdditional	testFlatHazardSimpleAdditional	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurveArithmeticInput	testFlatHazardCurveArithmeticInput	Pass
	test_load_and_curves.py::TestCreateFlatHazardProbabilityFormula	testFlatHazardProbabilityFormula	Pass
	test_load_and_curves.py::TestCreateFlatHighHazardRateNearZeroSurvival	testFlatHighHazardRateNearZeroSurvival	Pass
	test_load_and_curves.py::TestCreateSurvival360DayCounterProducesCurves	testSurvival360DayCounterProducesCurves	Pass
	test_load_and_curves.py::TestCreateSimpleGompertzAdditionalFormula	testSimpleGompertzAdditionalFormula	Pass
	test_load_and_curves.py::TestCreateSimpleKnownAdditivePositiveHazard	testSimpleKnownAdditivePositiveHazard	Pass
	test_load_and_curves.py::TestCreateSurvivalGompertzHighRiskTs	testSurvivalGompertzHighRiskTs	Pass
	test_load_and_curves.py::TestCreateSurvivalGompertzAdditionalStructure	testSurvivalGompertzAdditionalStructure	Pass
	test_load_and_curves.py::TestCreateSurvivalGompertzAdditionalPositive	testSurvivalGompertzAdditionalPositive	Pass
	test_load_and_curves.py::TestLoadHazardGompertzFromObjectReturnsEmptyDict	testLoadHazardGompertzFromObjectReturnsEmptyDict	Pass
	test_load_and_curves.py::TestLoadHazardGompertzFromRaisesJsonDecoderError	testLoadHazardGompertzFromRaisesJsonDecoderError	Pass
	test_load_and_curves.py::TestLoadHazardGompertzFromRaisesFileNotFound	testLoadHazardGompertzFromRaisesFileNotFound	Pass
	test_load_and_curves.py::TestLoadHazardGompertzFromRaisesStructureError	testLoadHazardGompertzFromRaisesStructureError	Pass
	test_price_prs.py::TestPricePrsGaugePassThroughHazardRateMatchesInput	testPricePrsGaugePassThroughHazardRateMatchesInput	Pass
	test_price_prs.py::TestPricePrsGaugePassThroughInResult	testPricePrsGaugePassThroughInResult	Pass
	test_price_prs.py::TestPricePrsGaugePassThroughInResult	testPricePrsGaugePassThroughInResult	Pass
	test_price_prs.py::TestPricePrsGaugePassThroughAnnualHazardRateMatchesInput	testPricePrsGaugePassThroughAnnualHazardRateMatchesInput	Pass
	test_price_prs.py::TestPricePrsLegSignNpvIsSumOfLegs	testPricePrsLegSignNpvIsSumOfLegs	Pass
	test_price_prs.py::TestPricePrsLegSignPremiumLegNegative	testPricePrsLegSignPremiumLegNegative	Pass
	test_price_prs.py::TestPricePrsLegSignProtectionLegPositive	testPricePrsLegSignProtectionLegPositive	Pass
	test_price_prs.py::TestPricePrsRecoveryRateStored	testPricePrsRecoveryRateStored	Pass
	test_price_prs.py::TestPricePrsRecoveryRateAffectsFairSpread	testPricePrsRecoveryRateAffectsFairSpread	Pass
	test_price_prs.py::TestPricePrsRiskFreeHigherRiskFreeRateChangesNpv	testPricePrsRiskFreeHigherRiskFreeRateChangesNpv	Pass
	test_price_prs.py::TestPricePrsRiskFreeRiskFreeRateNotInOutput	testPricePrsRiskFreeRiskFreeRateNotInOutput	Pass
	test_price_prs.py::TestPricePrsTypeTestFairSpreadIsFloat	testPricePrsTypeTestFairSpreadIsFloat	Pass
	test_price_prs.py::TestPricePrsTypeTestFairUpfrontIsFloat	testPricePrsTypeTestFairUpfrontIsFloat	Pass
	test_price_prs.py::TestPricePrsTypeTestNpvIsFloat	testPricePrsTypeTestNpvIsFloat	Pass
	test_price_prs.py::TestPricePrsTypeTestRunningSpreadBpsIdentity	testPricePrsTypeTestRunningSpreadBpsIdentity	Pass
	test_price_prs.py::TestPricePrsTypeTestSurvivalProbsAllInZeroOne	testPricePrsTypeTestSurvivalProbsAllInZeroOne	Pass
	test_price_prs.py::TestPricePrsTypeTestTenor1YrGivesOneSurvivalEntry	testPricePrsTypeTestTenor1YrGivesOneSurvivalEntry	Pass
	test_price_prs.py::TestPricePrsTypeTestUseTermStructureStoredFalse	testPricePrsTypeTestUseTermStructureStoredFalse	Pass
	test_price_prs.py::TestPricePrsTypeTestUseTermStructureStoredTrue	testPricePrsTypeTestUseTermStructureStoredTrue	Pass
	test_print_and_cli.py::TestMain test_custom_notional_and_spread	test_custom_notional_and_spread	Pass
	test_print_and_cli.py::TestMain test_default_gauge_selection_returns_zero	test_default_gauge_selection_returns_zero	Pass
	test_print_and_cli.py::TestMain test_explicit_gauge_returns_zero	test_explicit_gauge_returns_zero	Pass
	test_print_and_cli.py::TestMain test_flat_flag_dispatches_flat_mode	test_flat_flag_dispatches_flat_mode	Pass
	test_print_and_cli.py::TestMain test_list_flag_logs_gauge_names	test_list_flag_logs_gauge_names	Pass
	test_print_and_cli.py::TestMain test_list_flag_returns_zero	test_list_flag_returns_zero	Pass
	test_print_and_cli.py::TestMain test_missing_gauge_logs_available_gauge	test_missing_gauge_logs_available_gauge	Pass
	test_print_and_cli.py::TestMain test_missing_gauge_logs_error	test_missing_gauge_logs_error	Pass
	test_print_and_cli.py::TestMain test_missing_gauge_returns_one	test_missing_gauge_returns_one	Pass
	test_print_and_cli.py::TestMain test_trigger_alert_explicit	test_trigger_alert_explicit	Pass
	test_print_and_cli.py::TestMain test_trigger_severe_explicit	test_trigger_severe_explicit	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_risk_assessor_core.py::TestLT	testRiskHighLtv	Pass
	test_risk_assessor_core.py::TestLT	testRiskLowLtv	Pass
	test_risk_assessor_core.py::TestLT	testRiskModerateLtv	Pass
	test_risk_assessor_core.py::TestLT	testRiskMoreReturnsUnknown	Pass
	test_risk_assessor_core.py::TestLT	testRiskNormalises_95_pct	Pass
	test_risk_assessor_core.py::TestLT	testRiskNormalises_percentage_input	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_medium_flood	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_flood_overrides	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_medium_flood	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_flood_risk	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_flood_default	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_risk	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_value_critical	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_value_high	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_value_moderate	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_no_crash	Pass
	test_risk_assessor_core.py::TestM	testStageRiskLtv_high_flood_overrides	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_increases_score	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_computed	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_recommendations_present	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_returns_unknown	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_level_returns_unknown	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_keys	Pass
	test_risk_assessor_core.py::TestP	testTryModelReliability_at_100	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor_max	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor_increase	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor_returns_default	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor_default	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::Test	testDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_15	Pass
	test_risk_assessor_factors.py::Test	testStageReliability	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_operational	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_minus_5	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_required	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_minus_50	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_no_adjustment	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_keys	Pass
	test_risk_assessor_factors.py::Test	testStageReliability_at_zero	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	statistics.py::TestCalculateTimeseriesStatistics	test_statistics_dict	Pass
	statistics.py::TestCalculateTimeseriesStatistics	test_statistics_observation_no_stdev_error	Pass
	statistics.py::TestCalculateTimeseriesStatistics	test_statistics_days_correct	Pass
	data_structures.py::TestDecayKernel	test_exponential_value	Pass
	data_structures.py::TestDecayKernel	test_gaussian_value	Pass
	data_structures.py::TestDecayKernel	test_linear_value	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_calculated	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_config	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_no_flood_stages	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_data	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_set	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_dict	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_high_set	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_timeseries_when_requested	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_is_bool	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_required_keys	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_timeseries_by_default	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_dict	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_coefficients_rounded	Pass
	data_structures.py::TestIntensityProfile	test_beta_value	Pass
	data_structures.py::TestIntensityProfile	test_gaussian_value	Pass
	data_structures.py::TestIntensityProfile	test_triangular_value	Pass
	data_structures.py::TestStormToDict	test_custom_kernel	Pass
	data_structures.py::TestStormToDict	test_decay_kernel_serialised_as_string	Pass
	data_structures.py::TestStormToDict	test_has_storm_id	Pass
	data_structures.py::TestStormToDict	test_has_track	Pass
	data_structures.py::TestStormToDict	test_intensity_profile_serialised_as_string	Pass
	data_structures.py::TestStormToDict	test_returns_dict	Pass
	data_structures.py::TestStormToDict	test_track_has_coords	Pass
	forward_model.part1.py::TestConcentration	test_concentration_kernels_decrease_with_distance	Pass
	forward_model.part1.py::TestConcentration	test_concentration_kernels_in_0.1_range	Pass
	forward_model.part1.py::TestConcentration	test_exponential_at_half	Pass
	forward_model.part1.py::TestConcentration	test_exponential_at_one_lambda	Pass
	forward_model.part1.py::TestConcentration	test_gaussian_at_one_sigma	Pass
	forward_model.part1.py::TestConcentration	test_gaussian_at_two_sigma	Pass
	forward_model.part1.py::TestConcentration	test_linear_beyond_cutoff_is_zero	Pass
	forward_model.part1.py::TestConcentration	test_linear_midpoint	Pass
	forward_model.part1.py::TestConcentration	test_zero_distance_returns_one_all_kernels	Pass
	forward_model.part1.py::TestFindNearestTrackPoint	test_nearest_track_point_positive	Pass
	forward_model.part1.py::TestFindNearestTrackPoint	test_nearest_track_point_test_of_three	Pass
	forward_model.part1.py::TestFindNearestTrackPoint	test_nearest_track_point_point	Pass
	forward_model.part1.py::TestHaversine	test_equatorial_degree_approx_111km	Pass
	forward_model.part1.py::TestHaversine	test_london_to_paris_approx_340km	Pass
	forward_model.part1.py::TestHaversine	test_same_point_is_zero	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	forward_model.part1.py::TestHate	test_is_symmetric	Pass
	forward_model.part2.py::TestCompare	test_all_responses_match	Pass
	forward_model.part2.py::TestCompare	test_min_AHR_gauges_higher_response	Pass
	forward_model.part2.py::TestCompare	test_min_AHR_responses_response_per_gauge	Pass
	forward_model.part2.py::TestCompare	test_min_intensity_AHR_gauges_last_point	Pass
	forward_model.part2.py::TestCompare	test_min_peak_intensity_gauges_monzero	Pass
	forward_model.part2.py::TestCompare	test_defense_is_AHR_gauges_first_point	Pass
	forward_model.part2.py::TestCompare	test_min_intensity_AHR_returns_zero	Pass
	forward_model.part2.py::TestCompare	test_min_intensity_AHR_gauges_lower	Pass
	forward_model.part2.py::TestCompare	test_recursion_nonnegative	Pass
	forward_model.part2.py::TestCompare	test_recursion_nonnegative	Pass
	forward_model.part2.py::TestCompare	test_flooded_flag_correct	Pass
	forward_model.part2.py::TestCompare	test_high_intensity_storm_floods	Pass
	forward_model.part2.py::TestCompare	test_peak_level_at_least_base	Pass
	forward_model.part2.py::TestCompare	test_peak_level_is_max_of_series	Pass
	forward_model.part2.py::TestCompare	test_response_ids_match	Pass
	forward_model.part2.py::TestCompare	test_responses_length	Pass
	forward_model.part2.py::TestCompare	test_response_roundtrip	Pass
	forward_model.part2.py::TestCompare	test_response_without_timeseries	Pass
	forward_model.part2.py::TestIntensity	test_intensity_increasing	Pass
	forward_model.part2.py::TestIntensity	test_negative_intensity_returns_zero	Pass
	forward_model.part2.py::TestIntensity	test_positive_intensity_positive_level	Pass
	forward_model.part2.py::TestIntensity	test_intensity_scales_output	Pass
	forward_model.part2.py::TestIntensity	test_intensity_historical_high_when_set	Pass
	forward_model.part2.py::TestIntensity	test_zero_intensity_returns_zero	Pass
	storm_factory.py::TestCreateStorm	test_auto_generated_id_starts_with_storm	Pass
	storm_factory.py::TestCreateStorm	test_decay_kernel_stored	Pass
	storm_factory.py::TestCreateStorm	test_decay_parameter_stored	Pass
	storm_factory.py::TestCreateStorm	test_default_num_track_points	Pass
	storm_factory.py::TestCreateStorm	test_default_start_time_is_recent	Pass
	storm_factory.py::TestCreateStorm	test_duration_hours_stored	Pass
	storm_factory.py::TestCreateStorm	test_explicit_id_preserved	Pass
	storm_factory.py::TestCreateStorm	test_explicit_name	Pass
	storm_factory.py::TestCreateStorm	test_explicit_start_time	Pass
	storm_factory.py::TestCreateStorm	test_footprint_km_stored	Pass
	storm_factory.py::TestCreateStorm	test_num_track_points	Pass
	storm_factory.py::TestCreateStorm	test_peak_intensity_stored	Pass
	storm_factory.py::TestCreateStorm	test_returns_storm_object	Pass
	storm_factory.py::TestCreateStorm	test_speed_is_positive	Pass
	storm_factory.py::TestCreateStorm	test_track_end_time_equals_duration	Pass
	storm_factory.py::TestCreateStorm	test_track_longitude_moves_from_start_to_end	Pass
	storm_factory.py::TestCreateStorm	test_track_points_are_trackpoint_instances	Pass
	storm_factory.py::TestCreateStorm	test_track_start_time_is_zero	Pass
	storm_factory.py::TestCreateStorm	test_track_time_increases	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm_factory.py::TestIntensityProfile	test_all_profiles_produce_valid_storm	Pass
	storm_factory.py::TestIntensityProfile	test_beta_profile_creates_storm	Pass
	storm_factory.py::TestIntensityProfile	test_gaussian_profile_peak_near_midpoint	Pass
	storm_factory.py::TestIntensityProfile	test_triangular_max_equals_peak_intensity	Pass
	storm_factory.py::TestIntensityProfile	test_triangular_profile_peak_near_midpoint	Pass
	storm_factory.py::TestLoadGaugeEstimator	test_portfolio_returns_empty_list	Pass
	storm_factory.py::TestLoadGaugeEstimator	test_load_gauge_from_portfolio	Pass
	flood_classifier.py::TestFloodClassifierTrain	test_gauge_creates_joblib_file	Pass
	flood_classifier.py::TestFloodClassifierTrain	test_gauge_has_metrics	Pass
	flood_classifier.py::TestFloodClassifierTrain	test_gauge_returns_dict	Pass
	flood_classifier.py::TestFloodClassifierTrain	test_gauge_single_class_skipped	Pass
	flood_classifier.py::TestFloodClassifierTrain	test_gauge_status_trained	Pass
	flood_classifier.py::TestFloodPredictor	test_available_gauges	Pass
	flood_classifier.py::TestFloodPredictor	test_available_gauges_empty_dir	Pass
	flood_classifier.py::TestFloodPredictor	test_load_summary	Pass
	flood_classifier.py::TestFloodPredictor	test_load_summary_cached	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_caches_model	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_high_level_higher_probability	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_in_range	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_missing_model_raises	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_returns_float	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_all_in_range	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_default_derivatives	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_returns_list	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_with_derivatives	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_surface_returns_grid	Pass
	test_flood_propagation_sensitivity	test_distance_proximity_floods	Pass
	test_flood_propagation_sensitivity	test_distance_proximity_does_not_flood	Pass
	test_flood_propagation_sensitivity	test_distance_proximity_increases_with_distance	Pass
	test_flood_propagation_sensitivity	test_distance_sensitivity_key_distances	Pass
	test_flood_propagation_sensitivity	test_distance_sensitivity_realistic	Pass
	test_flood_propagation_sensitivity	test_elevation_threshold_boundary	Pass
	test_flood_propagation_sensitivity	test_elevation_threshold_increases_with_elevation	Pass
	test_flood_propagation_sensitivity	test_elevation_threshold	Pass
	test_flood_propagation_sensitivity	test_elevation_sometimes_not_flood	Pass
	test_flood_propagation_sensitivity	test_elevation_sometimes_floods	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[100-6.0-0.3-8.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[1000-6.5-0.5-9.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[200-8.0-0.3-10.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[2000-6.0-0.3-7.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[3000-7.5-0.0-10.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[500-5.5-0.8-6.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[5000-7.0-0.3-10.0]	Pass
	test_flood_propagation_travel_time	test_estimation_agrees_with_hydrograph[5000-6.0-0.0-12.0]	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_flood_propagation_travel_time.py::TestApplyValue	test_flood_propagation_travel_time.py::TestApplyValueDelayedByDistance	Pass
	test_flood_propagation_travel_time.py::TestFloodDirection	test_flood_propagation_travel_time.py::TestFloodDirectionScatteries_with_distance	Pass
	test_flood_propagation_travel_time.py::TestFloodDirection	test_flood_propagation_travel_time.py::TestFloodDirectionScatteries_with_depth	Pass
	test_flood_propagation_travel_time.py::TestFloodDirection	test_flood_propagation_travel_time.py::TestFloodDirectionScatteries_with_distance	Pass
	test_hazard_pricing.py::TestCreateEngines	test_hazard_pricing.py::TestCreateEnginesEngines	Pass
	test_hazard_pricing.py::TestCreateEngines	test_hazard_pricing.py::TestCreateEnginesEngineswith_engines	Pass
	test_hazard_pricing.py::TestCreateHazard	test_hazard_pricing.py::TestCreateHazardHazardApproach	Pass
	test_hazard_pricing.py::TestCreateHazard	test_hazard_pricing.py::TestCreateHazardHazardApproachdecreases	Pass
	test_hazard_pricing.py::TestCreateHazard	test_hazard_pricing.py::TestCreateHazardHazardApproachsurvival	Pass
	test_hazard_pricing.py::TestHazardPointsToChart	test_hazard_pricing.py::TestHazardPointsToChartCount	Pass
	test_hazard_pricing.py::TestHazardPointsToChart	test_hazard_pricing.py::TestHazardPointsToChartGives_low_survival	Pass
	test_hazard_pricing.py::TestHazardPointsToChart	test_hazard_pricing.py::TestHazardPointsToChartGives_curve	Pass
	test_hazard_pricing.py::TestHazardPointsToChart	test_hazard_pricing.py::TestHazardPointsToChartGives_decreases	Pass
	test_hazard_pricing.py::TestHazardPointsToChart	test_hazard_pricing.py::TestHazardPointsToChartGives_survival_near_one	Pass
	test_engine_coverage.py::TestPropertyBasis	test_engine_coverage.py::TestPropertyBasisPropertytrade_has_basis_info	Pass
	test_engine_coverage.py::TestRemoveEngine	test_engine_coverage.py::TestRemoveEngineEndOfDate_returns_5	Pass
	test_engine_coverage.py::TestRemoveEngine	test_engine_coverage.py::TestRemoveEngineEndOfDate_format_returns_5	Pass
	test_engine_coverage.py::TestRemoveEngine	test_engine_coverage.py::TestRemoveEngineEndOfDate_returns_5	Pass
	test_engine_coverage.py::TestRemoveEngine	test_engine_coverage.py::TestRemoveEngineEndOfDate_returns_5	Pass
	test_engine_coverage.py::TestRemoveEngine	test_engine_coverage.py::TestRemoveEngineEndOfDate_returns_years	Pass
	test_engine_coverage.py::TestReverseMarket	test_engine_coverage.py::TestReverseMarketMarketState	Pass
	test_pnl_coverage.py::TestGenerateSnapshots	test_pnl_coverage.py::TestGenerateSnapshotsDefaultDate	Pass
	test_pnl_coverage.py::TestGetEndSnapshot	test_pnl_coverage.py::TestGetEndSnapshotReturns_data	Pass
	test_pnl_coverage.py::TestGetEndSnapshot	test_pnl_coverage.py::TestGetEndSnapshotReturns_none	Pass
	test_pnl_coverage.py::TestGetTradeMark	test_pnl_coverage.py::TestGetTradeMark_existing_trade_mark	Pass
	test_pnl_coverage.py::TestGetTradeMark	test_pnl_coverage.py::TestGetTradeMark_nonexistent_trade_mark	Pass
	test_pnl_coverage.py::TestGetTradeMark	test_pnl_coverage.py::TestGetTradeMark_trade_mark_after_multiple_updates	Pass
	test_market_state_coverage.py::TestEconomicYieldCurve	test_market_state_coverage.py::TestEconomicYieldCurveYieldCurve_if_miss	Pass
	test_market_state_coverage.py::TestGetHazardRate	test_market_state_coverage.py::TestGetHazardRateHazardRate_flat_rate	Pass
	test_market_state_coverage.py::TestGetHazardRate	test_market_state_coverage.py::TestGetHazardRateHazardRate_to_zero	Pass
	test_market_state_coverage.py::TestGetEmptyCurve	test_market_state_coverage.py::TestGetEmptyCurveEmptyCurve_risk_free_rate	Pass
	test_market_state_coverage.py::TestGetYieldCurveKey	test_market_state_coverage.py::TestGetYieldCurveKeyYieldCurve_returns_risk_free_rate	Pass
	test_market_state_coverage.py::TestGetYieldCurveKey	test_market_state_coverage.py::TestGetYieldCurveKeyYieldCurve_returns_risk_free_rate	Pass
	test_market_state_coverage.py::TestUpdateYieldCurve	test_market_state_coverage.py::TestUpdateYieldCurveYieldCurve_if_miss	Pass
	test_market_state_reconciliation.py::TestLogGauges	test_market_state_reconciliation.py::TestLogGaugesLogGauges_on_load	Pass
	test_market_state_reconciliation.py::TestLogGauges	test_market_state_reconciliation.py::TestLogGaugesLogGauges_when_no_new_gauges	Pass
	test_market_state_reconciliation.py::TestLogGauges	test_market_state_reconciliation.py::TestLogGaugesLogGauges_has_term_structure	Pass
	test_market_state_reconciliation.py::TestLogGauges	test_market_state_reconciliation.py::TestLogGaugesLogGauges_has_term_structure	Pass
	property_value.py::TestApplyValue	property_value.py::TestApplyValueFactors_applied	Pass
	property_value.py::TestApplyValue	property_value.py::TestApplyValueFactors_calculation	Pass
	property_value.py::TestApplyValue	property_value.py::TestApplyValueFactors_to_max	Pass
	property_value.py::TestApplyValue	property_value.py::TestApplyValueFactors_to_min	Pass
	property_value.py::TestApplyValue	property_value.py::TestApplyValueFactors_risk_discount_reduces_value	Pass
	property_value.py::TestApplyValue	property_value.py::TestApplyValueFactors_factor_applied	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	property_value.py::TestApplyValueToFactors	test_returns_float	Pass
	property_value.py::TestFactorTable	test_age_band_factors_within_reasonable_bounds	Pass
	property_value.py::TestFactorTable	test_base_area_ranges_all_positive	Pass
	property_value.py::TestFactorTable	test_base_price_per_sqm_all_positive	Pass
	property_value.py::TestFactorTable	test_condition_factors_ordered_by_severity	Pass
	property_value.py::TestFactorTable	test_epc_factors_a_highest	Pass
	property_value.py::TestFactorTable	test_flood_risk_factors_decrease_with_risk	Pass
	property_value.py::TestFactorTable	test_min_max_value_bounds	Pass
	property_value.py::TestFactorTable	test_proximity_zones_have_range_key	Pass
	property_value.py::TestFactorTable	test_rent_per_sqm_all_present	Pass
	property_value.py::TestFactorTable	test_rental_yield_rates_all_present	Pass
	property_value.py::TestGetAgeBand	test_100_years_is_heritage	Pass
	property_value.py::TestGetAgeBand	test_10_years_is_modern	Pass
	property_value.py::TestGetAgeBand	test_25_years_is_established	Pass
	property_value.py::TestGetAgeBand	test_50_years_is_period	Pass
	property_value.py::TestGetAgeBand	test_default_current_year	Pass
	property_value.py::TestGetAgeBand	test_established	Pass
	property_value.py::TestGetAgeBand	test_exactly_24_years_is_modern	Pass
	property_value.py::TestGetAgeBand	test_exactly_49_years_is_established	Pass
	property_value.py::TestGetAgeBand	test_exactly_99_years_is_period	Pass
	property_value.py::TestGetAgeBand	test_exactly_9_years_is_new_build	Pass
	property_value.py::TestGetAgeBand	test_heritage_old	Pass
	property_value.py::TestGetAgeBand	test_modern	Pass
	property_value.py::TestGetAgeBand	test_new_build	Pass
	property_value.py::TestGetAgeBand	test_period	Pass
	property_value.py::TestGetProximityZone	test_close_high_risk_high	Pass
	property_value.py::TestGetProximityZone	test_close_high_risk_medium	Pass
	property_value.py::TestGetProximityZone	test_close_high_risk_very_high	Pass
	property_value.py::TestGetProximityZone	test_close_low_risk_low	Pass
	property_value.py::TestGetProximityZone	test_close_low_risk_very_low	Pass
	property_value.py::TestGetProximityZone	test_exactly_200m_is_medium_zone	Pass
	property_value.py::TestGetProximityZone	test_exactly_500m_is_far	Pass
	property_value.py::TestGetProximityZone	test_far_zone	Pass
	property_value.py::TestGetProximityZone	test_medium_zone	Pass
	property_value.py::TestGetProximityZone	test_medium_zone_upper_bound	Pass
display.py::TestBlotterTradeExistence	test_blotter_glob_pattern_matches_prsid_protocol		Pass
display.py::TestBlotterTradeExistence	test_blotter_returns_trades_with_fixture		Pass
display.py::TestStormDisplayFormat	test_all_files_include_storm_id_in_label		Pass
display.py::TestStormDisplayFormat	test_all_files_use_sentinel_or_pipe_separator		Pass
display.py::TestStormDisplayFormat	test_canonical_format_defined_in_config		Pass
display.py::TestStormDisplayFormat	test_no_file_uses_old_precipitation_label		Pass
display.py::TestStormDisplayFormat	test_no_file_uses_old_severe_levels_format		Pass
display.py::TestStormDisplayFormat	test_port_stress_uses_sentinel_with_warning		Pass
display.py::TestStormDisplayFormat	test_sp_table_uses_sentinel_pattern		Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	display.py::TestStormDisplayForm	test_storm_option_js_custom_var	Pass
	display.py::TestStormDisplayForm	test_storm_option_js_peak_variant	Pass
	display.py::TestStormDisplayForm	test_storm_option_js_warning_variant	Pass
	display.py::TestStormDisplayForm	test_trading_stress_uses_sentinel_with_peak	Pass
	display.py::TestStormDisplayForm	test_visual_files_use_sentinel_not_hardcoded_format	Pass
	fixtures.py::TestProtocolUniformities	test_all_entity_suffixes_have_same_length	Pass
	fixtures.py::TestProtocolUniformities	test_all_uuid4_suffixes_produce_lowercased_hex	Pass
	fixtures.py::TestProtocolUniformities	test_gauge_prop_mort_storm_share_same_suffix_derivation	Pass
	fixtures.py::TestTestFixtureGauges	test_backward_compat_gauge_ids_are_documented	Pass
	fixtures.py::TestTestFixtureGauges	test_gauge_json_and_gaugehc_ids_are_consistent	Pass
	fixtures.py::TestTestFixtureGauges	test_gaugehc_new_entries_follow_protocol	Pass
	fixtures.py::TestTestFixtureGauges	test_new_conf_test_gauge_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureGauges	test_stress_storm_gauge_ids_are_in_known_set	Pass
	fixtures.py::TestTestFixtureStorms	test_port_stress_routes_storm_constants_match_protocol	Pass
	fixtures.py::TestTestFixtureStorms	test_sample_port_stress_storms_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureStorms	test_sample_stress_storms_storm_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureStorms	test_stress_routes_storm_constants_match_protocol	Pass
	generators.py::TestGaugeIDGenerators	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestGaugeIDGenerators	test_generator_source_uses_gauge_prefix	Pass
	generators.py::TestGaugeIDGenerators	test_generator_source_uses_uuid	FAIL
	generators.py::TestGaugeIDGenerators	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestMortgageIDGenerators	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestMortgageIDGenerators	test_generator_source_uses_mort_prefix	Pass
	generators.py::TestMortgageIDGenerators	test_generator_source_uses_uuid	Pass
	generators.py::TestMortgageIDGenerators	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestPRSTradeIDGenerators	test_thames_uses_prs_prefix	Pass
	generators.py::TestPRSTradeIDGenerators	test_thames_uses_uuid	Pass
	generators.py::TestPRSTradeIDGenerators	test_uuid4_hex_upper_produces_protocol_matching_ids	Pass
	generators.py::TestPropertyIDGenerators	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestPropertyIDGenerators	test_generator_source_uses_prop_prefix	Pass
	generators.py::TestPropertyIDGenerators	test_generator_source_uses_uuid	Pass
	generators.py::TestPropertyIDGenerators	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestStormIDGenerators	test_multi_storm_make_storm_id_follows_protocol	Pass
	generators.py::TestStormIDGenerators	test_single_storm_generator_does_not_use_sequential_format	Pass
	generators.py::TestStormIDGenerators	test_single_storm_generator_uses_storm_prefix	Pass
	generators.py::TestStormIDGenerators	test_single_storm_generator_uses_uuid	Pass
	generators.py::TestStormIDGenerators	test_uuid4_produces_protocol_matching_ids	Pass
	patterns.py::TestGaugeIDPatterns	test_accepts_valid_uuid_derived_ids	Pass
	patterns.py::TestGaugeIDPatterns	test_rejects_non_hex_chars	Pass
	patterns.py::TestGaugeIDPatterns	test_rejects_sequential_integers	Pass
	patterns.py::TestGaugeIDPatterns	test_rejects_uppercase_hex	Pass
	patterns.py::TestGaugeIDPatterns	test_rejects_wrong_length	Pass
	patterns.py::TestMortgageIDPatterns	test_accepts_valid	Pass
	patterns.py::TestMortgageIDPatterns	test_rejects_sequential	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	patterns.py::TestPRSTradeIDPattern	test_accepts_lowercase	Pass
	patterns.py::TestPRSTradeIDPattern	test_accepts_uppercase	Pass
	patterns.py::TestPRSTradeIDPattern	test_rejects_non_hex_suffix	Pass
	patterns.py::TestPropertyIDPattern	test_accepts_valid	Pass
	patterns.py::TestPropertyIDPattern	test_rejects_sequential	Pass
	patterns.py::TestPropertyIDPattern	test_rejects_uppercase	Pass
	patterns.py::TestStormIDPattern	test_accepts_valid	Pass
	patterns.py::TestStormIDPattern	test_rejects_descriptive_labels	Pass
	patterns.py::TestStormIDPattern	test_rejects_sequential_integers	Pass
	patterns.py::TestStormIDPattern	test_rejects_uppercase	Pass
	patterns.py::TestStormIDPattern	test_rejects_wrong_prefix_format	Pass
	test_book_common_coverage_b6.py::TestBorrowGoodLoanValidlyLogged	test_valid	Pass
	test_book_common_coverage_b6.py::TestEmptyCounterpartyFileRaisesFallback	test_fallback	Pass
	test_book_common_coverage_b6.py::TestEmptyCounterpartyFileRaisesFallback	test_fallback	Pass
	test_book_common_coverage_b6.py::TestEmptyCounterpartyFileRaisesFallback	test_fallback	Pass
	test_book_common_coverage_b6.py::TestEmptyCounterpartyFileRaisesFallback	test_fallback	Pass
	test_book_coverage.py::TestEmptyCounterpartyFileRaisesValueError	test_value_error	Pass
	test_book_coverage.py::TestFallbackEmptyCounterpartyFileUsesFallback	test_fallback	Pass
	test_book_coverage.py::TestFallbackMissingCounterpartyFileUsesFallback	test_fallback	Pass
	test_book_coverage.py::TestGeneratePartyFailureReturnsEmptyList	test_empty_list	Pass
	test_book_coverage.py::TestGeneratePartyFailureReturnsSuccessOnly	test_success_only	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingFieldsExtracted	test_fields_extracted	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingSent	test_sent	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingDict	test_dict	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingFlatDict	test_flat_dict	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingRaisesValueError	test_value_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingExcluded	test_excluded	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingRequiredFieldsReturnsList	test_required_fields	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateMappingSchemaDict	test_schema_dict	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartiesAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartiesReturnsErrors	test_returns_errors	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyRoleAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyRoleAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyIdAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyNameAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyRefAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartySameRoleAddsError	test_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyNoErrors	test_no_errors	Pass
	class_attrs.py::TestClassAttributeMetadataCategoriesContainsExpectedKeys	test_expected_keys	Pass
	class_attrs.py::TestClassAttributeMetadataCategoriesStationHasRequiredSubkeys	test_required_subkeys	Pass
	class_attrs.py::TestClassAttributeMetadataSchemaVersionIsString	test_string	Pass
	class_attrs.py::TestGaugeHistoricalDataInAvailableFlagIsBool	test_bool	Pass
	directory_main.py::TestMain	test_main_skips_bad_file_without_raising	Pass
	directory_main.py::TestMain	test_main_with_csv_files_runs_without_error	Pass
	directory_main.py::TestMain	test_main_with_no_csv_files_runs_without_error	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	filter.py::TestFilterByYears	test_empty_flows_returns_empty	Pass
	filter.py::TestFilterByYears	test_filter_1_year_keeps_only_recent	Pass
	filter.py::TestFilterByYears	test_filter_keeps_recent	Pass
	filter.py::TestFilterByYears	test_none_years_returns_all	Pass
	filter.py::TestFilterByYearsBoundaries	test_all_dates_within_range_kept	Pass
	filter.py::TestFilterByYearsBoundaries	test_zero_years_returns_only_most_recent_year	Pass
	generate.py::TestGenerate	test_daily_flows_filtered_by_years	Pass
	generate.py::TestGenerate	test_explicit_gauge_id_overrides_metadata	Pass
	generate.py::TestGenerate	test_output_file_written	Pass
	generate.py::TestGenerate	test_returns_dict_with_required_keys	Pass
	generate.py::TestGenerateUsesInstanceDefault	test_instance_default_years_overrides_instance_default	Pass
	generate.py::TestGenerateUsesInstanceDefault	test_instance_default_years_used_when_no_years_provided	Pass
	generate.py::TestGenerateWithNoOutputDir	test_with_no_output_dir_the_output_path_none_uses_config_input_dir	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_expected_keys	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_data_quality_notes	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_expected_keys_present	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_missing_keys_always_none	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_missing_keys	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_keys_from_station_metadata	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_missing_keys_m3_per_s	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_missing_keys_description	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_missing_keys_source_returns_none	Pass
	metadata.py::TestGetNrfaMetadataForCume	test_for_cume_returns_missing_keys_return_none	Pass
	parse_csv.py::TestParseNrfaCsv	test_flow_values_are_floats	Pass
	parse_csv.py::TestParseNrfaCsv	test_flows_have_date_and_flow_cumeecs	Pass
	parse_csv.py::TestParseNrfaCsv	test_invalid_rows_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_contains_station_name	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_station_id	Pass
	parse_csv.py::TestParseNrfaCsv	test_returns_metadata_and_flows	Pass
	parse_csv.py::TestParseNrfaCsv	test_short_row_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	process_directory.py::TestProcessDirectory	test_empty_directory_returns_empty_list	Pass
	process_directory.py::TestProcessDirectory	test_no_matching_files_skipped	Pass
	process_directory.py::TestProcessDirectory	test_output_dir_none_uses_input_dir	Pass
	process_directory.py::TestProcessDirectory	test_output_files_created	Pass
	process_directory.py::TestProcessDirectory	test_process_directory_error_continues	Pass
	process_directory.py::TestProcessDirectory	test_processes_matching_files	Pass
	statistics.py::TestCalculateStatistics	test_annual_maxima_present	Pass
	statistics.py::TestCalculateStatistics	test_basic_stats_keys	Pass
	statistics.py::TestCalculateStatistics	test_empty_returns_empty_dict	Pass
	statistics.py::TestCalculateStatistics	test_extreme_events_above_p99	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	statistics.py::TestCalculateStatistics	test_mean_correct	Pass
	statistics.py::TestCalculateStatistics	test_min_max_correct	Pass
	statistics.py::TestCalculateStatistics	test_monthly_means_present	Pass
	statistics.py::TestCalculateStatistics	test_percentiles_present	Pass
	statistics.py::TestCalculateStatistics	test_single_flow_no_std_dev_error	Pass
	statistics.py::TestCalculateStatistics	test_top_percentile_keys_present	Pass
	statistics.py::TestCalculateStatistics	test_top_maxima_events_capped_at_ten	Pass
	statistics.py::TestCalculateStatistics	test_top_events_top_10_capped	Pass
	statistics.py::TestCalculateStatistics	test_top_flow_date_correctly_identified	Pass
	statistics.py::TestCalculateStatistics	test_top_flow_equals_p95	Pass
	statistics.py::TestCalculateStatistics	test_top_flow_equals_p5	Pass
	statistics.py::TestCalculateStatistics	test_top_flow_start_and_end_match_data	Pass
	statistics.py::TestCalculateStatistics	test_top_flow_year_annual_maxima_std_dev_zero	Zero
	statistics.py::TestCalculateStatistics	test_top_flow_years_approximate	Pass
	statistics.py::TestCalculateStatistics	test_top_flow_std_dev_non_zero	Pass
	schemas_part1.py::TestFloodGaugesCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestFloodGaugesCDM	create_mapping_with_empty_input	Pass
	schemas_part1.py::TestFloodGaugesCDM	get_field_info_for_gauge_id	Pass
	schemas_part1.py::TestFloodGaugesCDM	required_fields_include_gauge_id	Pass
	schemas_part1.py::TestFloodGaugesCDM	schema_has_flood_gauge_root	Pass
	schemas_part1.py::TestFloodGaugesCDM	schema_has_header_section	Pass
	schemas_part1.py::TestFloodGaugesCDM	validate_empty_data_returns_errors	Pass
	schemas_part1.py::TestFloodGaugesCDM	validate_valid_gauge_data	Pass
	schemas_part1.py::TestMortgagesCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestMortgagesCDM	required_fields_include_mortgage_id	Pass
	schemas_part1.py::TestMortgagesCDM	schema_has_mortgage_root	Pass
	schemas_part1.py::TestMortgagesCDM	validate_valid_mortgage	Pass
	schemas_part1.py::TestPropertiesCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestPropertiesCDM	required_fields_not_empty	Pass
	schemas_part1.py::TestPropertiesCDM	schema_has_property_root	Pass
	schemas_part1.py::TestPropertiesCDM	validate_valid_property	Pass
	schemas_part1.py::TestStormEventsCDM	create_mapping_exception_raises	Pass
	schemas_part1.py::TestStormEventsCDM	create_mapping_full_data	Pass
	schemas_part1.py::TestStormEventsCDM	create_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestStormEventsCDM	get_required_fields_returns_list	Pass
	schemas_part1.py::TestStormEventsCDM	required_fields_include_storm_id	Pass
	schemas_part1.py::TestStormEventsCDM	schema_has_storm_root	Pass
	schemas_part1.py::TestStormEventsCDM	validate_empty_data	Pass
	schemas_part1.py::TestStormEventsCDM	validate_exception_returns_error_dict	Pass
	schemas_part1.py::TestStormEventsCDM	validate_missing_catchment_id	Pass
	schemas_part1.py::TestStormEventsCDM	validate_missing_storm_id	Pass
	schemas_part1.py::TestStormEventsCDM	validate_valid_storm	Pass
	schemas_part2.py::TestPhysicalRisksCDM	create_mapping_returns_flat_dict	Pass
	schemas_part2.py::TestPhysicalRisksCDM	validate_fields_has_gauge_set	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	schemas_part2.py::TestPhysicalRiskSwapsGDM	fields_include_swap_id	Pass
	schemas_part2.py::TestPhysicalRiskSwapsGDM	has_root	Pass
	schemas_part2.py::TestStormTintSwapsGDM	mapping_exception_raises_validation_error	Pass
	schemas_part2.py::TestStormTintSwapsGDM	mapping_full_data	Pass
	schemas_part2.py::TestStormTintSwapsGDM	mapping_returns_flat_dict	Pass
	schemas_part2.py::TestStormTintSwapsGDM	reading_mapping	Pass
	schemas_part2.py::TestStormTintSwapsGDM	required_fields_returns_list	Pass
	schemas_part2.py::TestStormTintSwapsGDM	fields_include_ts_id	Pass
	schemas_part2.py::TestStormTintSwapsGDM	has_root	Pass
	schemas_part2.py::TestStormTintSwapsGDM	date_empty_data	Pass
	schemas_part2.py::TestStormTintSwapsGDM	date_exception_returns_error_dict	Pass
	schemas_part2.py::TestStormTintSwapsGDM	date_missing_catchment_id	Pass
	schemas_part2.py::TestStormTintSwapsGDM	date_missing_ts_id	Pass
	schemas_part2.py::TestStormTintSwapsGDM	date_valid_data	Pass
	test_block1.coverage_base.py::TestBaseGDM	get_required_fields_default	Pass
	test_block1.coverage_base.py::TestBaseGDM	include_info_leaf_returns_dict	Pass
	test_block1.coverage_base.py::TestBaseGDM	include_info_not_found_returns_none	Pass
	test_block1.coverage_base.py::TestBaseGDM	include_info_partial_path_returns_none	Pass
	test_block1.coverage_base.py::TestBaseGDM	include_info_returns_none_for_non_dict_leaf	Pass
	test_block1.coverage_base.py::TestBaseGDM	fields_nested_metadata_key	Pass
	test_block1.coverage_base.py::TestBaseGDM	fields_prs	Pass
	test_block1.coverage_base.py::TestBaseGDM	fields_returns_nested_path	Pass
	test_block1.coverage_base.py::TestBaseGDM	fields_skips_metadata_keys	Pass
	test_block1.coverage_base.py::TestBaseGDM	Coverage	Pass
	test_block1.coverage_base.py::TestBaseGDM	exception_returns_validation_error	Pass
	test_block1.coverage_base.py::TestBaseGDM	invalid_menu_value_produces_sensor_error	Pass
	test_block1.coverage_base.py::TestBaseGDM	multiple_invalid_menu_values	Pass
	test_block1.coverage_base.py::TestBaseGDM	multiple_invalid_menu_values_no_sensor_errors	Pass
	test_block1.coverage_base.py::TestBaseGDM	init_gauge_basket_size	Pass
	test_block1.coverage_base.py::TestBaseGDM	init_gauge_basket_size	Pass
	test_block1.coverage_base.py::TestBaseGDM	property_validation_returns_validation_error	Pass
	test_block1.coverage_base.py::TestBaseGDM	property_validation_fields	Pass
	test_block1.coverage_base.py::TestBaseGDM	property_validation_errors_collected	Pass
	test_block1.coverage_base.py::TestBaseGDM	property_validation_latitude	Pass
	test_block1.coverage_base.py::TestBaseGDM	property_validation_longitude	Pass
	test_block1.coverage_base.py::TestBaseGDM	property_validation_returns_empty	Pass
	test_block1.coverage_validation.py::TestBaseGDM	mapping_exception_raises_validation_error	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_returns_empty	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_returns_error_dict	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_collected	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_catchment_id	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_gauge_id	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_loan	Pass
	test_block1.coverage_validation.py::TestBaseGDM	validation_property_id	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_block1_coverage_validation.py::TestValidatingCDMValidation	collected	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	exception raises_value_error	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	data	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation		Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	gauge_basket	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	returns_error_d	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	errors_appended	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	errors_appended	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	attachment_id	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	gauge_set_id	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	swap_id	Pass
	test_block1_coverage_validation.py::TestValidatingCDMValidation	returns_empty	Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage	exception raised_value_error	Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage	returns_expected_list	Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage		Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage		Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage	default_output	Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage	file_error_logged	Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage	mapping_default_element	Pass
	test_block2_cdm_coverage.py::TestStagingMappingCoverage	exception raised_value_error	Pass
	test_ctpy_coverage_b6.py::TestValidatingCDMValidation	message_is_string	Pass
	test_ctpy_coverage_b6.py::TestValidatingCDMValidation	with_integer_returns_validation_error	Pass
	test_ctpy_coverage_b6.py::TestValidatingCDMValidation	with_non_dict_returns_validation_error	Pass
	counterparty_generator.py::TestCounterpartyGenerator	output_file	Pass
	counterparty_generator.py::TestCounterpartyGenerator		Pass
	counterparty_generator.py::TestCounterpartyGenerator	uses_all_counterparties	Pass
	counterparty_generator.py::TestCounterpartyGenerator	pathlib_path	Pass
	counterparty_generator.py::TestCounterpartyGenerator	total_generated	Pass
	counterparty_generator.py::TestCounterpartyGenerator	is_valid_json	Pass
	counterparty_generator.py::TestCounterpartyGenerator	dict with required keys	Pass
	counterparty_generator.py::TestCounterpartyGenerator	returns_empty	Pass
	counterparty_generator.py::TestCounterpartyGenerator	Function	Pass
	counterparty_generator.py::TestCounterpartyGenerator	Function	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_csa	Pass
	counterparty_generator.py::TestCounterpartyGenerator	list has two parties	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_counterparty_set	Pass
	counterparty_generator.py::TestCounterpartyGenerator	is_master_agreement_is_true	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_accounts	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_contact_info	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_id	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_name	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_natural_person	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_credit_rating	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_party_ids	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_counterparty_coverage_b6.py::TestVerboseLogging	test_verbose_logging_no_per_counterparty_logs	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	test_verbose_logging_per_counterparty_logs	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	test_verbose_logging_summary	Pass
	business_days.py::TestBusinessDays	test_chronological_order	Pass
	business_days.py::TestBusinessDays	test_ends_before_start	Pass
	business_days.py::TestBusinessDays	test_large_count	Pass
	business_days.py::TestBusinessDays	test_last_day_is_day_before_start	Pass
	business_days.py::TestBusinessDays	test_no_weekends	Pass
	business_days.py::TestBusinessDays	test_returns_correct_count	Pass
	business_days.py::TestBusinessDays	test_single_day	Pass
	business_days.py::TestBusinessDays	test_start_on_monday_skips_weekend	Pass
	business_days.py::TestBusinessDays	test_start_on_wednesday	Pass
	business_days.py::TestSimulation	test_business_days_is_three_months	Pass
	business_days.py::TestSimulation	test_daily_vol_is_small	Pass
	business_days.py::TestSimulation	test_filters_is_positive	Pass
	business_days.py::TestSimulation	test_moves_at_least_ten_daily_vols	Pass
	business_days.py::TestSimulation	test_moves_bounds_vol	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_no_file	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_date	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_tenors	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_by_gauge	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_by_trigger	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_generated_at	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_snapshots	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_metadata	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_produce_multiple_entries	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_and_history	Pass
	history_files_part1.py::TestGenerateHistoryFile	test_generate_history_file_creates_file	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_no_file	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_structure	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_generated_at	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_snapshots	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_builds_history_vector	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_in_snapshot	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_metadata_and_trades	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_swap_id_is_skipped	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_creates_file	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_swap_id	Pass
	history_files_part2.py::TestGenerateHistoryFile	test_generate_history_file_fields	Pass
	gaugets_part1.py::TestGaugeTimeStrippedDefaults	test_simulation_hours_is_168	Pass
	gaugets_part1.py::TestGaugeTimeStrippedDefaults	test_default_argument_is_168	Pass
	gaugets_part1.py::TestGaugeTimeStrippedDefaults	test_gaugets_function_default_is_168	Pass
	gaugets_part1.py::TestGaugeTimeStrippedDefaults	test_max_within_simulation_window	Pass
	gaugets_part1.py::TestGaugeTimeStrippedDefaults	test_min_less_than_max	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 produces more readings than 60	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 known_param	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 unknown_param ignored	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 168 hours produces 168 readings	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 60 hours stores 60 in metadata	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 gauge file raises	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 on hours stored in output	Pass
	gaugets_part1.py::TestGaugeTimeSeriesGenerator	testStrid63 gauge files removed	Pass
	gaugets_part1.py::TestGaugetsRandomDefault	testStrid63 default peak hour max within 24 hours	Pass
	gaugets_part1.py::TestGaugetsRandomDefault	testStrid63 default simulation hours is 168	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	testStrid63 datetime	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	testStrid63 numpy_float32	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	testStrid63 numpy_integer	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	testStrid63 numpy_ndarray	Pass
	gaugets_part2.py::TestGaugetsDataEncoder	testStrid63 raises for unknown	Pass
	gaugets_part2.py::TestGaugetsMain	testStrid63 main block	Pass
	gaugets_part2.py::TestGenerateGauges	testStrid63 generate_gauges calls generator	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty string	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty string	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returned as is	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gauge_random_coverage.py::testFieldValueNonDef	testStrid63 returns empty	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 returns empty	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 gauge id from nested header	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 header uses unknown	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 bad gauges	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 remove non matching files	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 multiple stale files	Pass
	test_gaugehd_runner_part1.py::TestGenerateAllErrors	testStrid63 stale gauge files	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 default synthetic	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 no_catchment leaves config unchanged	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 short_catchment flag	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 short_years flag	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 with_catchment	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 with_nrfa_dir	Pass
	test_gaugehd_runner_part2.py::TestMain	testStrid63 with_years	Pass
	test_gaugehd_runner_part2.py::TestProcessNrfDirectoryRunner	testStrid63	Pass
	test_gaugehd_runner_part2.py::TestProcessNrfDirectoryRunner	testStrid63	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_stress_storms_triggers.py::TestTriggerSummary	test_trigger_summary_is_warning_when_no_severity	Pass
	test_stress_storms_triggers.py::TestTriggerSummary	test_trigger_summary_present	Pass
	hazard.io_part1.py::TestLoadGauges	test_empty_gauge_list_raises	Pass
	hazard.io_part1.py::TestLoadGauges	test_file_not_found_raises	Pass
	hazard.io_part1.py::TestLoadGauges	test_gauge_has_id	Pass
	hazard.io_part1.py::TestLoadGauges	test_gauge_without_gauge_id_raises	Pass
	hazard.io_part1.py::TestLoadGauges	test_loads_gauges	Pass
	hazard.io_part1.py::TestLoadStorms	test_file_not_found_raises	Pass
	hazard.io_part1.py::TestLoadStorms	test_loads_list	Pass
	hazard.io_part1.py::TestLoadStorms	test_storm_has_id	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_gauge_file	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_with_existing_file	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_all_responses	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_file_has_responses	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_create_file	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_create_parent_dirs	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_curve_has_hazard_curves	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_curve_has_metadata	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_metadata_merged	Pass
	business.days.py::TestBusinessDays	test_all_days_before_start	Pass
	business.days.py::TestBusinessDays	test_returns_ascending_order	Pass
	business.days.py::TestBusinessDays	test_returns_business_days_only	Pass
	business.days.py::TestBusinessDays	test_returns_correct_count	Pass
	business.days.py::TestBusinessDays	test_single_day	Pass
	business.days.py::TestBusinessDays	test_skips_weekends	Pass
	business.days.py::TestBusinessDays	test_zero_days	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_days_are_weekdays	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_existing_eod_files	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_eod_dir	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_trades_returns_zero	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_int_failure_is_skipped	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_trades_adds_more_snapshots	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_integer	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_reproducible	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_trade_generates_snapshots	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_trade_writes_eod_files	Pass
	eod_series.py::TestGenerateHistory	test_BOESeries_trade_writes_history_files	Pass
	hazard_history.py::TestGenerateHistory	test_create_history_output_file	Pass
	hazard_history.py::TestGenerateHistory	test_history_files_have_date	Pass
	hazard_history.py::TestGenerateHistory	test_metadata_lists_gauges	Pass
	hazard_history.py::TestGenerateHistory	test_metadata_lists_gauges	Pass
	hazard_history.py::TestGenerateHistory	test_metadata_returns_early	Pass
	hazard_history.py::TestGenerateHistory	test_compute_history	Pass
	hazard_history.py::TestGenerateHistory	test_compute_history_metadata	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	hazard.history.py::TestGenerateHazardHistory	hazard.history.py::TestGenerateHazardHistory: generated numerically	Pass
	hazard.history.py::TestGenerateHazardHistory	hazard.history.py::TestGenerateHazardHistory: two history_entries	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: output_file	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: entry has required keys	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: multiple eods accumulate	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: multiple trades in same eod	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: history files returns early	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: snapshots in metadata	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: history has metadata	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: history has trades	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: position without swap_id skipped	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: history has history	Pass
	pnl.history.py::TestGenerateTradePnlHistory	pnl.history.py::TestGenerateTradePnlHistory: metadata preserved	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: returns empty dict	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: dict without type recurses	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: dict schema returns empty dict	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: schema returns empty dict	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: value from generate.field.val is excluded	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: reserved key description skipped	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: reserved key options skipped	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: reserved key type skipped	Pass
	test_mortgage.builder.py::TestBuildEmptySchema	test_mortgage.builder.py::TestBuildEmptySchema: reserved key values skipped	Pass
	test_mortgage.builder.py::TestQualityConsistencyCheck	test_mortgage.builder.py::TestQualityConsistencyCheck: full initial is capped 95pct	Pass
	test_mortgage.builder.py::TestQualityConsistencyCheck	test_mortgage.builder.py::TestQualityConsistencyCheck: full initial unchanged	Pass
	test_mortgage.builder.py::TestQualityConsistencyCheck	test_mortgage.builder.py::TestQualityConsistencyCheck: full initial module when method present	Pass
	test_mortgage.builder.py::TestQualityConsistencyCheck	test_mortgage.builder.py::TestQualityConsistencyCheck: full initial 95k	Pass
	test_mortgage.builder.py::TestQualityConsistencyCheck	test_mortgage.builder.py::TestQualityConsistencyCheck: full initial 60k	Pass
	test_mortgage.builder.py::TestQualityConsistencyCheck	test_mortgage.builder.py::TestQualityConsistencyCheck: full initial changed back	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage dict updated	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: header key when absent	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage key when absent	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage id key defaults empty string	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage values	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage fields	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage valid	Pass
	test_mortgage.builder.py::TestSetSpecificMortgageValues	test_mortgage.builder.py::TestSetSpecificMortgageValues: mortgage property valid in header	Pass
	test_mortgage.coverage.py::TestEstimateCoverage	test_mortgage.coverage.py::TestEstimateCoverage: error is reraised	Pass
	test_mortgage.coverage.py::TestSingleMortgagePages	test_mortgage.coverage.py::TestSingleMortgagePages: fail returns empty list	Pass
	test_mortgage.coverage.py::TestSingleMortgagePages	test_mortgage.coverage.py::TestSingleMortgagePages: mortgage is counted and skipped	Pass
	test_mortgage.encoder_extractor.py::TestDateTimeEncoder	test_mortgage.encoder_extractor.py::TestDateTimeEncoder: isoformat	Pass
	test_mortgage.encoder_extractor.py::TestDateTimeEncoder	test_mortgage.encoder_extractor.py::TestDateTimeEncoder: from dict	Pass
	test_mortgage.encoder_extractor.py::TestDateTimeEncoder	test_mortgage.encoder_extractor.py::TestDateTimeEncoder: float to float	Pass
	test_mortgage.encoder_extractor.py::TestDateTimeEncoder	test_mortgage.encoder_extractor.py::TestDateTimeEncoder: float to float	Pass
	test_mortgage.encoder_extractor.py::TestDateTimeEncoder	test_mortgage.encoder_extractor.py::TestDateTimeEncoder: float to float	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_mortgage_random_values.py	TestFirstStateBedBuyValueExpensive_property	Pass
	test_mortgage_random_values.py	TestFirstStateBedBuyValueNormal_property	Pass
	test_mortgage_random_values.py	TestGuaranteeBorrowingValue	Pass
	test_mortgage_random_values.py	TestGuaranteedBorrowerValue	Pass
	test_mortgage_random_values.py	TestGrossStateBottleCompliant	Pass
	test_mortgage_random_values.py	TestKnownFieldArithmetic_bool	Pass
	test_mortgage_random_values.py	TestApplicationDociproperty_valuation	Pass
	test_mortgage_random_values.py	TestApprovedDailyRateValue	Pass
	test_mortgage_random_values.py	TestApprovedSecondaryValue	Pass
	test_mortgage_random_values.py	TestConvertedDinomialValue	Pass
	test_mortgage_random_values.py	TestCurrentBalanceValue	Pass
	test_mortgage_random_values.py	TestCurrentDenudingVrate	Pass
	test_mortgage_random_values.py	TestCurrentDecimalValue	Pass
	test_mortgage_random_values.py	TestCurrentPaymentValue	Pass
	test_mortgage_random_values.py	TestDefaultIncomeRatio	Pass
	test_mortgage_random_values.py	TestDefaultIncomeZeroincome	Pass
	test_mortgage_random_values.py	TestDefaultFieldalValue	Pass
	test_mortgage_random_values.py	TestInterestRatealValue	Pass
	test_mortgage_random_values.py	TestLoanToValueRatio	Pass
	test_mortgage_random_values.py	TestLimitedDecimalValue	Pass
	test_mortgage_random_values.py	TestOriginalDenialYahate	Pass
	test_mortgage_random_values.py	TestOriginalDoinalValue	Pass
	test_mortgage_random_values.py	TestOriginalDoinalMount	Pass
	test_mortgage_random_values.py	TestOriginalDrcinalValue	Pass
	test_mortgage_random_values.py	TestOutstandingInitialValue	Pass
	test_mortgage_random_values.py	TestPurchaseDealmlValue	Pass
	test_mortgage_random_values.py	TestApplicationChurnValue	Pass
	test_mortgage_random_values.py	TestLoanpurposeValue	Pass
	test_mortgage_random_values.py	TestLoanpurposeResidential	Pass
	test_mortgage_random_values.py	TestMortgageTypeValue	Pass
	test_mortgage_random_values.py	TestCompanyMtypéValue	Pass
	test_mortgage_random_values.py	TestOriginalRateValue	Pass
	test_mortgage_random_values.py	TestPaymentsFrequency	Pass
	test_mortgage_random_values.py	TestRepaymentTypeAbtl	Pass
	test_mortgage_random_values.py	TestRepaymentTypeResidential	Pass
	test_mortgage_random_values.py	TestUnknownFieldNboptions	Pass
	test_mortgage_random_values.py	TestUnknownFieldWith_options	Pass
	generators.py::TestCounterparty	test_all_counterparties_have_party_id	Pass
	generators.py::TestCounterparty	test_cdm_structure	Pass
	generators.py::TestCounterparty	test_custom_count	Pass
	generators.py::TestCounterparty	test_generates_counterparty_file	Pass
	generators.py::TestGaugeHistoricalData	generates_per_gauge_files	Pass
	generators.py::TestGaugeHistoricalData	dailytput_has_daily_observations	Pass
	generators.py::TestGaugeHistoricalData	dailystatistics_computed	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Generators	generators.py::TestGaugeTimeSeries	test_generates_per_gauge_files	Pass
	generators.py::TestGaugeTimeSeries	test_output_file_has_readings	Pass
	generators.py::TestGaugeTimeSeries	test_requires_gauge_portfolio	Pass
Nostress	generators.py::TestNostressFlag	test_explicit_stressm_flag_runs_despite_nostress	Pass
	generators.py::TestNostressFlag	test_nostress_flag_exists_in_parser	Pass
	generators.py::TestNostressFlag	test_nostress_skips_stressm_when_all	Pass
Properties	generators.py::TestPropertyTimeSeries	test_generates_per_property_files	Pass
	generators.py::TestPropertyTimeSeries	test_per_property_files_have_flood_data	Pass
	generators.py::TestPropertyTimeSeries	test_portfolio_summary_has_statistics	Pass
Integration	integration.py::TestDependencyChain	test_gaugehd_references_gauges	Pass
	integration.py::TestDependencyChain	test_gaugets_reads_gauge	Pass
	integration.py::TestDependencyChain	test_hazard_reads_gauge_and_storms	Pass
	integration.py::TestDependencyChain	test_mortgage_reads_property	Pass
	integration.py::TestDependencyChain	test_propertyhc_references_properties	Pass
	integration.py::TestDependencyChain	test_propertyts_uses_nearest_gauges	Pass
	integration.py::TestEndToEndPipeline	test_full_pipeline_generates_all_output	Pass
Integration	integration.py::TestEndToEndPipeline	test_gauge_count_propagates	Pass
	integration.py::TestEndToEndPipeline	test_pipeline_output_file_integrity	Pass
	integration.py::TestEndToEndPipeline	test_property_count_propagates	Pass
Property Energy	property_energy.py::TestCalculateAnnualEnergy	test_annual_energy_gives_larger_energy	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_annual_energy_positive_value	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_uses_default_area_when_missing	Pass
	property_energy.py::TestCalculateElectricityFlows	test_electricity_flows	Pass
	property_energy.py::TestCalculateElectricityFlows	test_electricity_area_tends_to_give_larger_energy	Pass
	property_energy.py::TestCalculateElectricityFlows	test_electricity_area_positive_value	Pass
	property_energy.py::TestCalculateElectricityFlows	test_uses_default_area_when_missing	Pass
	property_energy.py::TestCalculateEnergyBills	test_energy_bill_calculation	Pass
	property_energy.py::TestCalculateEnergyBills	test_energy_bill	Pass
	property_energy.py::TestCalculateEnergyBills	test_energy_bill_positive_value	Pass
	property_energy.py::TestCalculateEnergyBills	test_energy_bill_defaults_when_missing	Pass
	property_energy.py::TestCalculateEnergyBills	test_energy_bill_usage_returns_zero	Pass
	property_energy.py::TestCalculateEnergyBills	test_usage_less_than_remaining_energy	Pass
	property_energy.py::TestCalculateEnergyBills	test_usage_negative_when_electricity_exceeds_total	Pass
	property_energy.py::TestCalculateEnergyBills	test_usage_returns_non_negative	Pass
	property_energy.py::TestCalculateEnergyBills	test_usage_defaults_when_missing	Pass
	property_energy.py::TestCalculateElectricityFraction	test_electricity_fraction_of_total	Pass
	property_energy.py::TestCalculateElectricityFraction	test_electricity_fraction_positive_value	Pass
	property_energy.py::TestCalculateElectricityFraction	test_electricity_fraction_default_energy_when_missing	Pass
	property_energy.py::TestCalculateSolarGeneration	test_solar_generation_returns_zero	Pass
property_energy.py::TestCalculateSolarGeneration	test_solar_generation_returns_positive	Pass	
property_energy.py::TestCalculateSolarGeneration	test_solar_generation_returns_zero	Pass	
property_energy.py::TestCalculateSolarGeneration	test_solar_generation_returns_zero	Pass	
property_energy.py::TestCalculateSolarGeneration	test_solar_generation_returns_positive	Pass	
property_energy.py::TestCalculateSolarGeneration	test_solar_generation_default_area_when_missing	Pass	

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_geometry.py::TestEnsureOffset	test_close_point_pushed_away	Pass
	test_geometry.py::TestEnsureOffset	test_far_point_unchanged	Pass
	test_geometry.py::TestEnsureOffset	test_returns_tuple_of_two_floats	Pass
	test_geometry.py::TestHaversine	test_approximate_one_degree_lat	Pass
	test_geometry.py::TestHaversine	test_approximate_one_degree_lon_at_equator	Pass
	test_geometry.py::TestHaversine	test_same_point_returns_zero	Pass
	test_geometry.py::TestHaversine	test_symmetry	Pass
	test_geometry.py::TestMinRiverDistance	test_distant_point_returns_larger_distance	Pass
	test_geometry.py::TestMinRiverDistance	test_point_on_gauge_returns_small_distance	Pass
	test_geometry.py::TestMinRiverDistance	test_returns_float	Pass
	test_geometry.py::TestNearestOnSegment	test_generate_segment_returns_start	Pass
	test_geometry.py::TestNearestOnSegment	test_distance_is_non_negative	Pass
	test_geometry.py::TestNearestOnSegment	test_midpoint_projects_to_midpoint	Pass
	test_geometry.py::TestNearestOnSegment	test_point_before_start_clamps_to_start	Pass
	test_geometry.py::TestNearestOnSegment	test_point_past_end_clamps_to_end	Pass
	test_geometry.py::TestPerpendicularOffset	test_generate_segment_falls_back_to_parallel_offset	Pass
	test_geometry.py::TestPerpendicularOffset	test_offset_moves_point	Pass
	test_geometry.py::TestPerpendicularOffset	test_returns_two_floats	Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValue		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetHouseBedroomsHousePaths_1_or_2		Pass
	test_location_coverage_b6.py::TestGetHouseBedroomsHousePaths_2_or_3		Pass
	test_location_coverage_b6.py::TestGetHouseBedroomsHousePaths_2_or_3		Pass
	test_locations.py::TestGenerateLocations	test_each_location_has_required_keys	Pass
	test_locations.py::TestGenerateLocations	test_elevation_is_non_negative	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_fewer_than_3_gauge_points	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_no_gauge_points	Pass
	test_locations.py::TestGenerateLocations	test_primary_idx_zero_uses_gauges_012	Pass
	test_locations.py::TestGenerateLocations	test_reference_gauge_indices_sorted	Pass
	test_locations.py::TestGenerateLocations	test_reference_gauge_indices_three_elements	Pass
	test_locations.py::TestGenerateLocations	test_returns_correct_count	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_no_flood_gauges_elevation_used	Pass
	test_multi_storm_cluster.py::TestClusterStorms	test_max_depth_is_from_highest_storm	Pass
	test_multi_storm_cluster.py::TestClusterStorms	test_produces_three_flood_events	Pass
	test_multi_storm_cluster.py::TestClusterStorms	test_three_distinct_storm_ids_in_events	Pass
	test_multi_storm_cluster.py::TestMergeQuarantinedStorms	test_create_flood_event	Pass
	test_multi_storm_cluster.py::TestMergeQuarantinedStorms	test_storms_not_in_flood_event	Pass
	test_multi_storm_cluster.py::TestPersistSeparate	test_all_events_have_reading	Pass
	test_multi_storm_cluster.py::TestPersistSeparate	test_four_events_recorded	Pass
	test_multi_storm_doublet.py::TestDoubletSet	test_each_event_has_independent_damage	Pass
	test_multi_storm_doublet.py::TestDoubletSet	test_events_have_distinct_storm_ids	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_multi_storm_doublet.py::TestDoubletSet	DoubletSet produces two flood events	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	DoubletSequence counts all doublet floods	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultiStorms	GenerateWithMultiStorms generates zero floods	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultiStorms	GenerateWithMultiStorms generates all sequential storms	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultiStorms	GenerateWithMultiStorms generates for clusters	Pass
	test_property_random_coverage.py::TestGeneratorExceptionFallback	GeneratorExceptionFallback through	Pass
	test_property_random_coverage.py::TestIntegerType	IntegerType returns int	Pass
	test_property_random_coverage.py::TestFloatType	FloatType returns float	Pass
	test_property_random_coverage.py::TestStringWithOptions	StringWithOptions picks from list	Pass
	test_property_random_coverage.py::TestStringWithOptions	StringWithOptions returns empty	Pass
	test_property_values.py::TestGauges	Loaded gauge json does not crash	Pass
	test_property_values.py::TestGauges	Loaded gauge map empty when no gauge json	Pass
	test_property_values.py::TestGauges	Loaded gauge map loaded when gauge json present	Pass
	test_property_values.py::TestGauges	Loaded gauge map works with gauges key	Pass
	test_property_values.py::TestLogMethod	debug does not raise	Pass
	test_property_values.py::TestLogMethod	error does not raise	Pass
	test_property_values.py::TestLogMethod	info does not raise	Pass
	test_property_values.py::TestLogMethod	success falls back gracefully	Pass
	test_property_values.py::TestLogMethod	warning does not raise	Pass
	test_property_values.py::TestPropertyState	PropertyState properly tracks	Pass
	test_property_values.py::TestPropertyOutputFile	PropertyOutputFile contains generation metadata	Pass
	test_property_values.py::TestPropertyOutputFile	PropertyOutputFile contains properties key	Pass
	test_property_values.py::TestPropertyPropertyFile	PropertyPropertyFile has property id	Pass
	test_property_values.py::TestPropertyPropertyFile	PropertyPropertyFile contains locations	Pass
	test_property_values.py::TestSetSpecification	SetSpecification uses set in attrs	Pass
	test_property_values.py::TestSetSpecification	SetSpecification sets ground level	Pass
	test_property_values.py::TestSetSpecification	SetSpecification reference gauge indices no ref key	Pass
	test_property_values.py::TestSetSpecification	SetSpecification sets location	Pass
	test_property_values.py::TestSetSpecification	SetSpecification sets location does not set ground level	Pass
	test_property_values.py::TestSetSpecification	SetSpecification reference gauge indices no ref key	Pass
	test_property_values.py::TestSetSpecification	SetSpecification sets in attrs	Pass
	test_property_values.py::TestSetSpecification	SetSpecification gauges fallback when not mapped	Pass
	test_property_values.py::TestSetSpecification	SetSpecification gauges set from gauge id map	Pass
	test_propertyhc_generate.py::TestGenerate	Generate uses float	Pass
	test_propertyhc_generate.py::TestGenerate	Generate generates storm rate between 0 and 1	Pass
	test_propertyhc_generate.py::TestGenerate	Generate aggregates stats	Pass
	test_propertyhc_generate.py::TestGenerate	Generate aggregates events counted	Pass
	test_propertyhc_generate.py::TestLogMethod	debug does not raise	Pass
	test_propertyhc_generate.py::TestLogMethod	debug with empty string	Pass
	test_propertyhc_generate.py::TestTestability	Testability flood spread less than seven	Pass
	test_propertyhc_generate.py::TestTestability	Testability spread increases with longer test or non-decreasing	Pass
	test_propertyhc_generate.py::TestTestability	Testability virtualization zero and one	Pass
	test_propertyhc_helpers.py::TestGetGauges	GetGauges key defaults to zero rate	Pass
	test_propertyhc_helpers.py::TestGetGauges	GetGauges returns all zeros	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	batch_generator_part1.py::TestGeneratorFromSeed	testGeneratorFromSeedPropagated	Pass
	batch_generator_part1.py::TestGeneratorFromSeed	testGeneratorFromSeedBasic	Pass
	batch_generator_part1.py::TestGeneratorFromSeed	testGeneratorFromSeedSeeds_differ	Pass
	batch_generator_part1.py::TestGeneratorFromSequence	testGeneratorFromSequence_type_doublet	Pass
	batch_generator_part1.py::TestGeneratorFromSequence	testGeneratorFromSequence_type_isolated	Pass
	batch_generator_part1.py::TestGeneratorFromSeed	testGeneratorFromSeedBasicwithsame_seed	Pass
	batch_generator_part1.py::TestGeneratorFromSeed	testGeneratorFromSeedBasic	Pass
	batch_generator_part1.py::TestGeneratorFromWeights	testGeneratorFromWeightschange_distribution	Pass
	batch_generator_part1.py::TestGeneratorFromWeights	testGeneratorFromWeightscategories_present	Pass
	batch_generator_part1.py::TestGeneratorFromWeights	testGeneratorFromWeightsdistribution	Pass
	batch_generator_part1.py::TestValidation	testValidation_sequences_valid	Pass
	batch_generator_part1.py::TestValidation	testValidation_batch_all_valid	Pass
	batch_generator_part1.py::TestValidation	testValidation_negative_durations	Pass
	batch_generator_part1.py::TestValidation	testValidation_negative_precipitation	Pass
	batch_generator_part1.py::TestValidation	testValidation_constraint	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripent_dirs	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadMissing_file_raises	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadCorrect_count	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadWrong_schema_raises	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadSequences_still_valid	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripnum_storms	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripprecipitation	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripsequence_type	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripstorm_fields	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTriptotal_duration	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTriplocations_file	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripversion_in_file	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripcreates_file	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripduration_stats_present	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripsequences_matches	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripprecipitation_stats_present	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTripschema_version	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTriptypes_counts_sum_to_total	Pass
	batch_generator_part2.py::TestSaveAndLoad	testSaveAndLoadTriptypes_fractions_sum_to_one	Pass
	storm_intensity.py::TestGetStormIntensity	testGetStormIntensitycluster_returns_3_or_4	Pass
	storm_intensity.py::TestGetStormIntensity	testGetStormIntensitydoublet_returns_2	Pass
	storm_intensity.py::TestGetStormIntensity	testGetStormIntensityisolated_returns_1	Pass
	storm_intensity.py::TestGetStormIntensity	testGetStormIntensitypersistent_returns_4_or_5	Pass
	storm_intensity.py::TestSampleSequenceType	testSampleSequenceTypetrophic_tends_toward_cluster_persistent	Pass
	storm_intensity.py::TestSampleSequenceType	testSampleSequenceTypecategories[catastrophic]	Pass
	storm_intensity.py::TestSampleSequenceType	testSampleSequenceTypecategories[extreme]	Pass
	storm_intensity.py::TestSampleSequenceType	testSampleSequenceTypecategories[moderate]	Pass
	storm_intensity.py::TestSampleSequenceType	testSampleSequenceTypecategories[severe]	Pass
	storm_intensity.py::TestSampleSequenceType	testSampleSequenceTypesequence_type	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm.intensity.py::TestSampleStormTypeFromCategoryUsesDefaultWeights	TestSampleStormTypeFromCategoryUsesDefaultWeights	Pass
	storm.intensity.py::TestSampleStormIntensityIncreasesPathSubsequentStorm	TestSampleStormIntensityIncreasesPathSubsequentStorm	Pass
	storm.intensity.py::TestSampleStormIntensityDecreasesPathSubsequentStorm	TestSampleStormIntensityDecreasesPathSubsequentStorm	Pass
	storm.intensity.py::TestSampleStormIntensityStormDownwardVariation	TestSampleStormIntensityStormDownwardVariation	Pass
	storm.intensity.py::TestSampleStormIntensityStormReturnsPositive	TestSampleStormIntensityStormReturnsPositive	Pass
	storm.intensity.py::TestSampleStormIntensityWithin20PercentRange	TestSampleStormIntensityWithin20PercentRange	Pass
	storm.intensity.py::TestSampleStormIntensitySubsequentStormMostlyUp	TestSampleStormIntensitySubsequentStormMostlyUp	Pass
	storm.intensity.py::TestSampleStormIntensitySubsequentStormPositive	TestSampleStormIntensitySubsequentStormPositive	Pass
	storm.intensity.py::TestSampleStormIntensityLowBaseClampedTo01	TestSampleStormIntensityLowBaseClampedTo01	Pass
	storm.intensity.py::TestShouldGenerateSequencesDefinedCategories	TestShouldGenerateSequencesDefinedCategories	Pass
	storm.intensity.py::TestShouldGenerateSequencesTropicalHighProbability	TestShouldGenerateSequencesTropicalHighProbability	Pass
	storm.intensity.py::TestShouldGenerateSequencesTropicalLowProbability	TestShouldGenerateSequencesTropicalLowProbability	Pass
	storm.intensity.py::TestShouldGenerateSequencesCool	TestShouldGenerateSequencesCool	Pass
	storm.intensity.py::TestShouldGenerateSequencesWarmCategoryDefaultsTo015	TestShouldGenerateSequencesWarmCategoryDefaultsTo015	Pass
	test_classifier_part1.py::TestPrintClassifierResultNoMetricsPrinted	TestPrintClassifierResultNoMetricsPrinted	Pass
	test_classifier_part1.py::TestPrintClassifierResultStatus	TestPrintClassifierResultStatus	Pass
	test_classifier_part1.py::TestPrintClassifierResultShowsFeatureImportance	TestPrintClassifierResultShowsFeatureImportance	Pass
	test_classifier_part1.py::TestPrintClassifierResultShowsLabelInfo	TestPrintClassifierResultShowsLabelInfo	Pass
	test_classifier_part1.py::TestPrintClassifierResultStatusPrintsMetrics	TestPrintClassifierResultStatusPrintsMetrics	Pass
	test_classifier_part1.py::TestPrintGaugePortMarkerInOutput	TestPrintGaugePortMarkerInOutput	Pass
	test_classifier_part1.py::TestPrintGaugeProgressNoneTypesReported	TestPrintGaugeProgressNoneTypesReported	Pass
	test_classifier_part1.py::TestPrintGaugeProgressCategorySkipped	TestPrintGaugeProgressCategorySkipped	Pass
	test_classifier_part1.py::TestPrintGaugeProgressContainsGaugeID	TestPrintGaugeProgressContainsGaugeID	Pass
	test_classifier_part1.py::TestPrintGaugeProgressMarkerInOutput	TestPrintGaugeProgressMarkerInOutput	Pass
	test_classifier_part1.py::TestPrintGaugeProgressSinkMarkerInOutput	TestPrintGaugeProgressSinkMarkerInOutput	Pass
	test_classifier_part2.py::TestPortfolioClassifierSummaryUnchanged	TestPortfolioClassifierSummaryUnchanged	Pass
	test_classifier_part2.py::TestPortfolioClassifierTrainsAllGauges	TestPortfolioClassifierTrainsAllGauges	Pass
	test_classifier_part2.py::TestTrainGaugeFullBackClassifierWhenNoSevereEvents	TestTrainGaugeFullBackClassifierWhenNoSevereEvents	Pass
	test_classifier_part2.py::TestTrainGaugeSingleClassClassifier	TestTrainGaugeSingleClassClassifier	Pass
	test_classifier_part2.py::TestTrainGaugeStoresInitialGaugeID	TestTrainGaugeStoresInitialGaugeID	Pass
	test_classifier_part2.py::TestTrainGaugeStoresInitialLabelThreshold	TestTrainGaugeStoresInitialLabelThreshold	Pass
	test_classifier_part2.py::TestTrainGaugeStoresInitialClassification	TestTrainGaugeStoresInitialClassification	Pass
	test_classifier_part2.py::TestTrainGaugeStoreZeroClassification	TestTrainGaugeStoreZeroClassification	Pass
	test_sequence_response.compound_tpy::TestCompoundResponseForShortGap	TestCompoundResponseForShortGap	Pass
	test_sequence_response.compound_tpy::TestDrainageObservation	TestDrainageObservation	Pass
	test_sequence_response.compound_tpy::TestCGapNoBaselineRecovery	TestCGapNoBaselineRecovery	Pass
	test_sequence_response.compound_tpy::TestCGPeakKingOfTheStormMajority	TestCGPeakKingOfTheStormMajority	Pass
	test_sequence_response.compound_tpy::TestCampBSSecondPeaks	TestCampBSSecondPeaks	Pass
	test_sequence_response.compound_tpy::TestCInducesStartOfStormIndices	TestCInducesStartOfStormIndices	Pass
	test_sequence_response.compound_tpy::TestCGOncePeakPerStorm	TestCGOncePeakPerStorm	Pass
	test_sequence_response.hydro_path.tpy::TestHydrologyModelRunSeries	TestHydrologyModelRunSeries	Pass
	test_sequence_response.hydro_path.tpy::TestHydrologyModelRunSeries	TestHydrologyModelRunSeries	Pass
	test_sequence_response.hydro_path.tpy::TestHydrologyModelRunSeries	TestHydrologyModelRunSeries	Pass
	test_sequence_response.hydro_path.tpy::TestHydrologyModelRunSeries	TestHydrologyModelRunSeries	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_import_isolation_part2.py::TestGaugeLevel	test_gauge_level_damage_works_without_geopandas	Pass
	test_import_isolation_part2.py::TestGaugeLevel	test_gauge_level_damage_works_without_geopandas	Pass
	analysis.py::TestMultiGaugeComparison	test_count_gauges_above_threshold	Pass
	analysis.py::TestMultiGaugeComparison	test_find_highest_level_gauge	Pass
	analysis.py::TestSingleGaugeAnalysis	test_full_gauge_analysis	Pass
	analysis.py::TestSingleGaugeAnalysis	test_gauge_not_found	Pass
	analysis.py::TestSingleGaugeAnalysis	test_gauge_status_in_analysis	Pass
	analysis.py::TestSingleGaugeAnalysis	test_load_gauge_metadata	Pass
	analysis.py::TestSingleGaugeAnalysis	test_load_gauge_readings	Pass
	classification.py::TestExceedanceDetection	test_high_level_low_probability	Pass
	classification.py::TestExceedanceDetection	test_low_level_high_probability	Pass
	classification.py::TestExceedanceDetection	test_reliability_period_calculation	Pass
	classification.py::TestFloodDuration	test_duration_above_threshold	Pass
	classification.py::TestFloodDuration	test_duration_hours_calculation	Pass
	classification.py::TestFloodDuration	test_no_duration_normal_readings	Pass
	classification.py::TestGaugeLevelAnalysis	test_current_level	Pass
	classification.py::TestGaugeLevelAnalysis	test_level_trend_falling	Pass
	classification.py::TestGaugeLevelAnalysis	test_level_trend_rising	Pass
	classification.py::TestGaugeLevelAnalysis	test_level_trend_stable	Pass
	classification.py::TestGaugeLevelAnalysis	test_peak_level_detection	Pass
	classification.py::TestGaugeLevelAnalysis	test_peak_timing	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	classification.py::TestGaugeStatusClassification	test_classification_thresholds	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	cli.py::TestErrorHandler	test_bad_gauge_file_exits_with_1	Pass
	cli.py::TestErrorHandler	test_invalid_json_exits_with_1	Pass
	cli.py::TestListCategories	test_list_categories_does_not_open_gauge_file	Pass
	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass
	cli.py::TestListPages	test_list_pages_does_not_open_gauge_file	Pass
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestOptionalLoading	test_gauge_id_filters_data	Pass
	cli.py::TestOptionalLoading	test_timeseries_file_is_loaded	Pass
	cli.py::TestReportGeneration	test_monitoring_without_timeseries_hits	Pass
	cli.py::TestReportGeneration	test_report_type_analysis	Pass
	cli.py::TestReportGeneration	test_report_type_basic	Pass
	cli.py::TestReportGeneration	test_report_type_full_hits_else_branch	Pass
	cli.py::TestReportGeneration	test_report_type_monitoring_with_timeseries	Pass
	cli.py::TestReportGeneration	test_success_logging_executes	Pass
	convenience.py::TestEdgeCases	test_completely_empty_gauge_data	Pass
	convenience.py::TestEdgeCases	test_gauge_data_with_hazard_curve_and_timeseries	Pass
	convenience.py::TestEdgeCases	test_none_flood_gauge_header	Pass
	convenience.py::TestEdgeCases	test_output_is_non_empty_bytes	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	convenience.py::TestEdgeCases	test_report_with_all_pages	Pass
	convenience.py::TestEdgeCases	test_single_page_report	Pass
	convenience.py::TestFindGauge	test_additional_without_known_key_raises	Pass
	convenience.py::TestFindGauge	test_additional_gauges_key_first_gauge	Pass
	convenience.py::TestFindGauge	test_additional_gauges_key_last_gauge	Pass
	convenience.py::TestFindGauge	test_additional_not_found_raises	Pass
	convenience.py::TestFindGauge	test_additional_input_raises	Pass
	convenience.py::TestFindGauge	test_additional_input_used_directly	Pass
	convenience.py::TestFindGauge	test_additional_entry_missing_flood_gauge	Pass
	convenience.py::TestFindGauge	test_additional_entry_with_none_skipped	Pass
	convenience.py::TestFindGauge	test_additional_flood_gauge_dict_returns_itself	Pass
	convenience.py::TestFindGauge	test_additional_input_raises	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_analyzable_gauges	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_path_returns_path	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_handles_exception	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_open_succeeds	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_basic	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_with_timeseries_callable_monitoring	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_with_timeseries_callable_monitoring_falls_back	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_path_function	Pass
	convenience.py::TestGenerateGaugeReport	test_generate_report_callable	Pass
	elements.py::TestGenerateElement	test_empty_page_list_returns_empty	Pass
	elements.py::TestGenerateElement	test_exception_in_page_continues	Pass
	elements.py::TestGenerateElement	test_first_page_no_page_break	Pass
	elements.py::TestGenerateElement	test_mixed_valid_and_unknown_pages	Pass
	elements.py::TestGenerateElement	test_multiple_pages_have_page_break	Pass
	elements.py::TestGenerateElement	test_none_timeseries_passed_to_page	Pass
	elements.py::TestGenerateElement	test_returns_list	Pass
	elements.py::TestGenerateElement	test_timeseries_passed_to_page	Pass
	elements.py::TestGenerateElement	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_all_unknown_pages_still_creates_pdf	Pass
	elements.py::TestGenerateReport	test_auto_select_called_when_pages_none	Pass
	elements.py::TestGenerateReport	test_auto_select_not_called_when_pages_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_gauge_data	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_is_bytes	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	elements.py::TestGenerateReport	test_with_timeseries_data	Pass
	init.py::TestAutoSelectPages	test_all_pages_exist	Pass
	init.py::TestAutoSelectPages	test_always_includes_gauge_info_pages	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	init.py::TestAutoSelectPages	test_always_includes_operational_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_summary_pages	Pass
	init.py::TestAutoSelectPages	test_returns_list	Pass
	init.py::TestAutoSelectPages	test_with_hazard_curve_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_with_timeseries_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_without_timeseries_or_hazard_no_analysis_pages	Pass
	init.py::TestGaugeReportGenerator	test_init_categories_dict_initialized	Pass
	init.py::TestGaugeReportGenerator	test_init_explicit_output_dir_path	Pass
	init.py::TestGaugeReportGenerator	test_init_explicit_output_dir_string	Pass
	init.py::TestGaugeReportGenerator	test_init_output_dir_uses_config	Pass
	init.py::TestGaugeReportGenerator	test_init_output_dir_created	Pass
	init.py::TestGaugeReportGenerator	test_init_pages_dict_initialized	Pass
	init.py::TestGenerateFilename	test_contains_gauge_id	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_missing_gauge_id_uses_unknown	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_gauge_id	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_header	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_timestamp_in_filename	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_confidential_footer	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_header_strings	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_analysis_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_analysis_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_analysis_report_with_timeseries	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_report_non_empty	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_basic_with_timeseries	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_monitoring_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_monitoring_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerator	test_generate_monitoring_report_no_timeseries	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_contains_expected_keys	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_non_empty	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	metrics.py::TestGaugeMetrics	test_level_range	Pass
	metrics.py::TestGaugeMetrics	test_max_level	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	metrics.py::TestGaugeMetrics	test_mean_level	Pass
	metrics.py::TestGaugeMetrics	test_min_level	Pass
	metrics.py::TestGaugeMetrics	test_rate_of_rise	Pass
	page_01_title_overview.py::TestGauge	test_Bolt_Overview_Page_does_not_crash	Pass
	page_01_title_overview.py::TestGauge	test_Empty_data_and_Page_not_crash	Pass
	page_01_title_overview.py::TestGauge	test_Gauge_view_in_Page	Pass
	page_01_title_overview.py::TestGauge	test_Gauge_overview_page_section_header	Pass
	page_01_title_overview.py::TestGauge	test_Gauge_summary_page_section_header	Pass
	page_01_title_overview.py::TestGauge	test_Gauge_widget_missing	Pass
	page_01_title_overview.py::TestGauge	test_Gauge_widget_present	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page_calculated	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page_does_not_crash	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page_present	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page_fallback	Pass
	page_01_title_overview.py::TestGauge	test_Linkable_Page_does_not_crash	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_not_crash	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_title	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_section	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_missing	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_present	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_statistics_section	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_information_section	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_configuration_section	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_does_not_crash	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page	Pass
	page_02_sensor_details.py::TestGauge	test_Sensor_Details_Page_does_not_crash	Pass
	page_03_location.py::TestGauge	test_Location_Page_close_to_thames	Pass
	page_03_location.py::TestGauge	test_Location_Page_zero_on_thames	Pass
	page_03_location.py::TestGauge	test_Location_Page_data_does_not_crash	Pass
	page_03_location.py::TestGauge	test_Location_Page_risk_section	Pass
	page_03_location.py::TestGauge	test_Location_Page_graphic_coordinates_section	Pass
	page_03_location.py::TestGauge	test_Location_Page_tables	Pass
	page_03_location.py::TestGauge	test_Location_Page_central_london	Pass
	page_03_location.py::TestGauge	test_Location_Page_north_london	Pass
	page_03_location.py::TestGauge	test_Location_Page_south_london	Pass
	page_03_location.py::TestGauge	test_Location_Page_thames_info_does_not_crash	Pass
	page_03_location.py::TestGauge	test_Location_Page_positioning_summary_section	Pass
	page_03_location.py::TestGauge	test_Location_Page_list	Pass
	page_03_location.py::TestGauge	test_Location_Page_category_in_location_profile	Pass
	page_03_location.py::TestGauge	test_Location_Page_score_formatted_as_out_of_10	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_03_location.py::TestGauge	testInitPage_context_section	Pass
	page_03_location.py::TestGauge	testInitPage_present	Pass
	page_04_measurements.py::Test	testEmptyDataPage_not_crash	Pass
	page_04_measurements.py::Test	testEmptyReadingPage_does_not_crash	Pass
	page_04_measurements.py::Test	testMetagauge_missing	Pass
	page_04_measurements.py::Test	testMetagauge_present	Pass
	page_04_measurements.py::Test	testHasTablesPage	Pass
	page_04_measurements.py::Test	testHistoricalStatistics_section	Pass
	page_04_measurements.py::Test	testMeasurementsConfiguration_section	Pass
	page_04_measurements.py::Test	testMeasurementsPage_shows_message	Pass
	page_04_measurements.py::Test	testOperationalStatus_section	Pass
	page_04_measurements.py::Test	testReturnListPage	Pass
	page_04_measurements.py::Test	testMiscellaneousPage	Pass
	page_04_measurements.py::Test	testMiscellaneousPage_has_extra_table	Pass
	page_04_measurements.py::Test	testMiscellaneousPage_shows_current_reading	Pass
	page_05_flood_stages.py::TestGauge	testFloodStageLevel_at_alert	Pass
	page_05_flood_stages.py::TestGauge	testFloodStageLevel_at_severe	Pass
	page_05_flood_stages.py::TestGauge	testFloodStageLevel_at_warning	Pass
	page_05_flood_stages.py::TestGauge	testFloodStageLevel_below_alert_is_normal	Pass
	page_05_flood_stages.py::TestGauge	testEmptyStagePage_does_not_crash	Pass
	page_05_flood_stages.py::TestGauge	testEmptyStagePage_missing	Pass
	page_05_flood_stages.py::TestGauge	testEmptyStagePage_present	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_exceedance_section	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_shows_message	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_analysis_section	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_differences_computed	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_present	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_details_section	Pass
	page_05_flood_stages.py::TestGauge	testFloodStagePage_series_shows_current_status_section	Pass
	page_06_risk_assessment_part1.py::Test	testDisasterTallies_label	Pass
	page_06_risk_assessment_part1.py::Test	testDisasterTallies_highest_risk	Pass
	page_06_risk_assessment_part1.py::Test	testFourExceedances_high	Pass
	page_06_risk_assessment_part1.py::Test	testOneExceedance	Pass
	page_06_risk_assessment_part1.py::Test	testTwoExceedances_moderate	Pass
	page_06_risk_assessment_part1.py::Test	testZeroExceedance	Pass
	page_06_risk_assessment_part1.py::Test	testGenerateRiskAssessmentPage_Basic	Pass
	page_06_risk_assessment_part1.py::Test	testGenerateRiskAssessmentPage_Empty	Pass
	page_06_risk_assessment_part1.py::Test	testGenerateRiskAssessmentPage_Basic	Pass
	page_06_risk_assessment_part1.py::Test	testHistoricalHigh_label	Pass
	page_06_risk_assessment_part1.py::Test	testHistoricalHigh_level	Pass
	page_06_risk_assessment_part1.py::Test	testRiskScoreBar_charts	Pass
	page_06_risk_assessment_part1.py::Test	testRiskScoreBar_charts	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_06_risk_assessment_part1.py::TestRiskScoreBrakcLabel	TestRiskScoreBrakcLabel	Pass
	page_06_risk_assessment_part1.py::TestRiskScoreBrakcLabelFormatted	TestRiskScoreBrakcLabelFormatted	Pass
	page_06_risk_assessment_part1.py::TestRiskScoreHighRiskLabel	TestRiskScoreHighRiskLabel	Pass
	page_06_risk_assessment_part2.py::TestExceptionHandlingMissingKey	TestExceptionHandlingMissingKey	Pass
	page_06_risk_assessment_part2.py::TestMalformedInputDataReturnsErrorElement	TestMalformedInputDataReturnsErrorElement	Fail
	page_06_risk_assessment_part2.py::TestBadDateParsingGracefullySkipped	TestBadDateParsingGracefullySkipped	Pass
	page_06_risk_assessment_part2.py::TestLoadFutureHeartActivity	TestLoadFutureHeartActivity	Pass
	page_06_risk_assessment_part2.py::TestLoadRecentHeartActivity	TestLoadRecentHeartActivity	Pass
	page_06_risk_assessment_part2.py::TestRecentHeartActivityWithin1Year	TestRecentHeartActivityWithin1Year	Pass
	page_06_risk_assessment_part2.py::TestThresholdAmplisExceedsSevereByLessThan1m	TestThresholdAmplisExceedsSevereByLessThan1m	Fail
	page_06_risk_assessment_part2.py::TestThresholdAmplisExceedsSevereByMoreThan1m	TestThresholdAmplisExceedsSevereByMoreThan1m	Fail
	page_06_risk_assessment_part2.py::TestThresholdAmplisWithinSevere	TestThresholdAmplisWithinSevere	Pass
	page_06_risk_assessment_part2.py::TestThresholdAlertysRange	TestThresholdAlertysRange	Pass
	page_06_risk_assessment_part2.py::TestThresholdAlertysRange	TestThresholdAlertysRange	Pass
	page_06_risk_assessment_part2.py::TestThresholdAlertysRange	TestThresholdAlertysRange	Pass
	page_06_risk_assessment_part2.py::TestAlertSeriesAsIsStatus	TestAlertSeriesAsIsStatus	Pass
	page_06_risk_assessment_part2.py::TestFinalSeriesAsIsStatus	TestFinalSeriesAsIsStatus	Pass
	page_06_risk_assessment_part2.py::TestSevereSeriesAsIsStatus	TestSevereSeriesAsIsStatus	Pass
	page_06_risk_assessment_part2.py::TestTimeSeriesAvgStableLevel	TestTimeSeriesAvgStableLevel	Pass
	page_06_risk_assessment_part2.py::TestTimeSeriesAvgStableReadings	TestTimeSeriesAvgStableReadings	Pass
	page_06_risk_assessment_part2.py::TestTimeSeriesAvgStatus	TestTimeSeriesAvgStatus	Pass
	page_07_data_summary.py::TestGetPageSummaryConclusion	TestGetPageSummaryConclusion	Pass
	page_07_data_summary.py::TestGetPageSummaryDoesNotCrash	TestGetPageSummaryDoesNotCrash	Pass
	page_07_data_summary.py::TestGetPageSummarySignificance	TestGetPageSummarySignificance	Pass
	page_07_data_summary.py::TestGetPageSummarySignificance	TestGetPageSummarySignificance	Pass
	page_07_data_summary.py::TestGetPageSummaryConclusionsConclusion	TestGetPageSummaryConclusionsConclusion	Pass
	page_07_data_summary.py::TestGetPageSummarySignificance	TestGetPageSummarySignificance	Pass
	page_07_data_summary.py::TestGetPageSummarySection	TestGetPageSummarySection	Pass
	page_07_data_summary.py::TestGetPageSummaryMissing	TestGetPageSummaryMissing	Pass
	page_07_data_summary.py::TestGetPageSummaryPresent	TestGetPageSummaryPresent	Pass
	page_07_data_summary.py::TestGetPageSummaryMissing	TestGetPageSummaryMissing	Pass
	page_07_data_summary.py::TestGetPageSummaryPresent	TestGetPageSummaryPresent	Pass
	page_07_data_summary.py::TestGetPageSummaryPage	TestGetPageSummaryPage	Pass
	page_07_data_summary.py::TestGetPageSummaryConclusion	TestGetPageSummaryConclusion	Pass
	page_07_data_summary.py::TestGetPageSummarySignificance	TestGetPageSummarySignificance	Fail
	page_07_data_summary.py::TestGetPageSummarySignificance	TestGetPageSummarySignificance	Pass
	page_07_data_summary.py::TestGetPageSummarySection	TestGetPageSummarySection	Pass
	page_07_data_summary.py::TestGetPageSummaryPage	TestGetPageSummaryPage	Pass
	page_07_data_summary.py::TestGetPageSummaryConclusion	TestGetPageSummaryConclusion	Pass
	page_07_data_summary.py::TestGetPageSummarySection	TestGetPageSummarySection	Pass
	page_07_data_summary.py::TestGetPageSummarySignificance	TestGetPageSummarySignificance	Pass
	page_07_data_summary.py::TestGetPageSummaryPage	TestGetPageSummaryPage	Pass
	page_07_data_summary.py::TestGetPageSummaryConclusion	TestGetPageSummaryConclusion	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPage	testGaugeDataSeriesSummaryPage_conclusion	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPage	testGaugeDataSeriesSummaryPage_conclusion	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPage	testGaugeDataSeriesSummaryPage_conclusion	Pass
	page_07_data_summary.py::TestGaugeDataSeriesSummaryPage	testGaugeDataSeriesSummaryPage	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_no_dates_fallback	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_with_thresholds	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_responses_shows_message	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_data_shows_no_data_message	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_no_exceedances	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_with_exceedances	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_daily_returns_more_elements	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_responses_includes_table	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_severity_classification	Pass
	page_08_flood_history.py::TestGaugeFloodHistoryPage	testGaugeFloodHistoryPage_table_top_10	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPage	testGaugeHazardCurvesPage_period_levels_no_extra_table	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPage	testGaugeHazardCurvesPage_shows_fallback	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPage	testGaugeHazardCurvesPage	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPage	testGaugeHazardCurvesPage_basic	Pass
	page_09_hazard_curves.py::TestGaugeHazardCurvesPage	testGaugeHazardCurvesPage_period_levels_renders_table	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPage	testGaugePRSPricingPage_curve_shows_fallback	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPage	testGaugePRSPricingPage	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPage	testGaugePRSPricingPage_rates_renders_spreads	Pass
	page_10_prs_pricing.py::TestGaugePRSPricingPage	testGaugePRSPricingPage_rates_renders_na	Pass
	page_11_current_risk.py::TestGaugeCurrentRiskPage	testGaugeCurrentRiskPage_historical_daily_shows_fallback	Pass
	page_11_current_risk.py::TestGaugeCurrentRiskPage	testGaugeCurrentRiskPage_data_shows_fallback	Pass
	page_11_current_risk.py::TestGaugeCurrentRiskPage	testGaugeCurrentRiskPage	Pass
	page_11_current_risk.py::TestGaugeCurrentRiskPage	testGaugeCurrentRiskPage_returns_content	Skip
	page_11_current_risk.py::TestGaugeCurrentRiskPage	testGaugeCurrentRiskPage_returns_elements	Skip
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_returns_message	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_trade_direction	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_capitalized	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_returns_table	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_shows_count	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_returns_message	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_handles_none_rates	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_returns_extra_table	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_returns_table	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_returns_na	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_five_year_tenor	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_invalid_date_format_returns_na	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_missing_end_returns_na	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_missing_start_returns_na	Pass
	page_12_trading-part1.py::TestBlotterSection	testBlotterSection_valid_dates_returns_years	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_12_trading_part1.py::TestCreateEdge	test_create_edge_id_key_returns_message	Pass
	page_12_trading_part1.py::TestCreateElements	test_create_elements	Pass
	page_12_trading_part1.py::TestCreateEdge	test_create_edge_id_returns_trading_header	Pass
	page_12_trading_part2.py::TestLoadEdgeTopology	test_load_topology_dir_raises_fallback	Pass
	page_12_trading_part2.py::TestLoadEdgeTime	test_load_time_not_exist_returns_empty	Pass
	page_12_trading_part2.py::TestLoadEdgeBrackets	test_load_brackets_matching_gauge_id_appended	Pass
	page_12_trading_part2.py::TestLoadEdgeBrackets	test_load_brackets_not_matching_gauge_skipped	Pass
	page_12_trading_part2.py::TestLoadMarketState	test_load_market_state_exception_returns_empty	Pass
	test_base_page_format.py::TestFormatCoordinate	test_format_coordinate_six_decimals	Pass
	test_base_page_format.py::TestFormatCoordinate	test_format_coordinate	Pass
	test_base_page_format.py::TestFormatDecimal	test_format_decimal_delegates_to_format_value	Pass
	test_base_page_format.py::TestFormatDivision	test_format_division_replacements	Pass
	test_base_page_format.py::TestFormatFieldName	test_format_field_name_split	Pass
	test_base_page_format.py::TestFormatNumeric	test_format_numeric_delegates	Pass
	test_base_page_format.py::TestFormatPositive	test_format_positive_returns_times	Pass
	test_base_page_format.py::TestFormatFrequency	test_format_frequency_never	Pass
	test_base_page_format.py::TestFormatInteger	test_format_integer_value	Pass
	test_base_page_format.py::TestFormatNonnumeric	test_format_nonnumeric_delegates_to_format_value	Pass
	test_base_page_format.py::TestFormatMetric	test_format_metric_value_with_custom_unit	Pass
	test_base_page_format.py::TestFormatMetric	test_format_metric_value_with_default_unit	Pass
	test_base_page_format.py::TestFormatEmpty	test_format_empty_string_returns_not_specified	Pass
	test_base_page_format.py::TestFormatFalse	test_format_false_returns_no	Pass
	test_base_page_format.py::TestFormatFloat	test_format_float_whole_number_strips_decimal	Pass
	test_base_page_format.py::TestFormatFloat	test_format_float_with_decimals_formatted	Pass
	test_base_page_format.py::TestFormatInteger	test_format_integer_returns_str	Pass
	test_base_page_format.py::TestFormatNone	test_format_none_returns_not_specified	Pass
	test_base_page_format.py::TestFormatNormal	test_format_normal_string_returned	Pass
	test_base_page_format.py::TestFormatValue	test_format_value_returns_yes	Pass
	test_current_risk.py::TestCurrentRiskEmptyIdFilter	test_current_risk_empty_id_filter_returns_key	Pass
	test_current_risk.py::TestCurrentRiskEmptyIdFilter	test_current_risk_empty_id_filter_returns_edge_cases	Pass
	test_current_risk.py::TestCurrentRiskFullPath	test_current_risk_full_path_returns_all_elements	Pass
	test_current_risk.py::TestCurrentRiskGenerateDate	test_current_risk_generate_date_returns_all_levels	Pass
	test_current_risk.py::TestCurrentRiskGenerateDate	test_current_risk_generate_date_returns_all_levels	Pass
	test_current_risk.py::TestCurrentRiskGenerateDate	test_current_risk_generate_date_returns_all_levels	Pass
	test_current_risk.py::TestCurrentRiskGenerateDate	test_current_risk_generate_date_returns_all_levels	Pass
	test_flood_history.py::TestBuildFloodClassification	test_build_flood_classification	Pass
	test_flood_history.py::TestBuildFloodClassification	test_build_flood_classification_date_in_exceedance_skipped	Pass
	test_flood_history.py::TestBuildFloodDay	test_build_flood_day_event_updates_peak	Pass
	test_flood_history.py::TestBuildFloodDay	test_build_flood_day_range_date_format	Pass
	test_flood_history.py::TestBuildFloodEvents	test_build_flood_events_returns_message	Pass
	test_flood_history.py::TestBuildFloodEvents	test_build_flood_events_classification	Pass
	test_flood_history.py::TestBuildFloodDayEvent	test_build_flood_day_event_date_format	Pass
	test_flood_history.py::TestBuildFloodEvents	test_build_flood_events_separate_events	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_integrator.py::	TestGenerateReportFromGaugeContains_gauge_id	Pass
	test_integrator.py::	TestGenerateReportFromGauge_created	Pass
	test_integrator.py::	TestGenerateReportFromGauge_file_created	Pass
	test_integrator.py::	TestGetAvailableGauges_using_file_returns_empty_list	Pass
	test_integrator.py::	TestGetAvailableGauges_returns_all_ids	Pass
	test_integrator.py::	TestGetAvailableGauges_returns_correct_id	Pass
	test_integrator.py::	TestGetAvailableGauges_returns_list	Pass
	test_integrator.py::	TestValidateGaugeExists_key_structure	Pass
	test_integrator.py::	TestValidateGaugeExists_existing_gauge_returns_true	Pass
	test_integrator.py::	TestValidateGaugeExists_existing_file_returns_false	Pass
	test_integrator.py::	TestValidateGaugeExists_nonexistent_gauge_returns_false	Pass
	test_integrator_exception.py::	TestGenerateReportFromGauge_raises_exception	Pass
	test_integrator_exception.py::	TestGenerateReportFromGauge_raises_exception	Pass
	test_integrator_exception.py::	TestGetAvailableGauges_returns_empty_list	Pass
	test_integrator_exception.py::	TestGetAvailableGauges_returns_empty_list	Pass
	test_integrator_exception.py::	TestValidateGaugeExists_returns_false	Pass
	test_integrator_exception.py::	TestValidateGaugeExists_returns_false	Pass
	test_percentile_gauge.py::	TestButtonEventGaugeRiskLabels	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels_shown_when_present	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels	Pass
	test_percentile_gauge.py::	TestButtonEventChangeRiskLabels	Pass
	test_report_generation.py::	TestGenerateReport_type	Pass
	test_report_generation.py::	TestGenerateReport_failure_does_not_raise	Pass
	test_report_generation.py::	TestGenerateReport_calls_open_pdf	Pass
	test_report_generation.py::	TestGenerateReport_type	Pass
	test_report_generation.py::	TestGenerateReport_type_with_timeseries	Pass
	test_report_generation.py::	TestGenerateReport_path	Pass
	test_report_generation.py::	TestGenerateReport_type_falls_back	Pass
	mortgage_pages.py::	TestGenerateMortgageReport_function_creates_pdf	Pass
	mortgage_pages.py::	TestGenerateMortgageReport_function_returns_path	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_elements_returns_list	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_filename_fallback	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_filename_with_id	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_report_creates_pdf	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_report_returns_path	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_create_output_dir	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_set	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_initialised	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_non_empty	Pass
	mortgage_pages.py::	TestMortgageReportGenerator_empty_property_data_does_not_crash	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	mortgage_pages.py::TestMortgageTest	test_extract_mortgage_id	Pass
	mortgage_pages.py::TestMortgageTest	test_mortgage_data_returns_elements	Pass
	mortgage_pages.py::TestMortgageTest	test_returns_list	Pass
	mortgage_pages.py::TestMortgageTest	test_page_elements_included	Pass
	test_mortgage_generator_coverage	test_InitMortgageGeneratorDefaultOutputDir	Pass
	test_mortgage_generator_coverage	test_TestMortgageGeneratorDefaultFields	Pass
	test_mortgage_generator_coverage	test_TestMortgageGeneratorDefaultFields	Pass
	test_mortgage_generator_coverage	test_PageInterceptGeneratorPageException	Pass
	test_mortgage_generator_coverage	test_UnknownPageGeneratorSkipSkippedPages	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_basic_gauge_report_generates_pdf	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_full_gauge_report_generates_pdf	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_output_dir_created_if_missing	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_filename_contains_gauge	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_has_reasonable_size	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_starts_with_pdf_header	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_report_with_minimal_data	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_generator_initialises	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_list_available_pages	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_validate_pages	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_full_property_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_mortgage_focused_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_output_dir_created_if_missing	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_pdf_filename_contains_property_id	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_pdf_has_reasonable_size	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_pdf_starts_with_pdf_header	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_property_only_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_with_minimal_property_data	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_risk_focused_report_generates_pdf	Pass
	property_pdf.py::TestPropertyReportGenerator	test_Generator_select_pages_with_mortgage	Pass
	property_pdf.py::TestPropertyReportGenerator	test_Generator_select_pages_without_mortgage	Pass
	property_pdf.py::TestPropertyReportGenerator	test_Generator_initialises	Pass
	property_pdf.py::TestPropertyReportGenerator	test_Generator_available_pages	Pass
	property_pdf.py::TestPropertyReportGenerator	test_Generator_validate_pages_valid	Pass
	server_flow.py::TestServerReportGenerator	test_gauge_report_via_route_function	Pass
	server_flow.py::TestServerReportGenerator	test_gauge_report_with_real_data	Pass
	server_flow.py::TestServerReportGenerator	test_property_report_via_route_function	Pass
	server_flow.py::TestServerReportGenerator	test_property_report_with_real_data	Pass
	test_data_loader_mixin.py::TestLoader	testAllClassifier.count	Pass
	test_data_loader_mixin.py::TestLoader	testAllHod.count_defaults_zero_on_import	Pass
	test_data_loader_mixin.py::TestLoader	testAllGaugehd.baselines_loaded	Pass
	test_data_loader_mixin.py::TestLoader	testAllGaugehd.count	Pass
	test_data_loader_mixin.py::TestLoader	testAllGaugets.count	Pass
	test_data_loader_mixin.py::TestLoader	testAllloads.counterparties	Pass
	test_data_loader_mixin.py::TestLoader	testAllloads.gaugehc	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_data_loader_mixin.py::TestAll	testAllloads_gauges	Pass
	test_data_loader_mixin.py::TestAll	testAllloads_mortgages	Pass
	test_data_loader_mixin.py::TestAll	testAllloads_properties	Pass
	test_data_loader_mixin.py::TestAll	testAllloads_propertyhc	Pass
	test_data_loader_mixin.py::TestAll	testAllloads_seq_summary	Pass
	test_data_loader_mixin.py::TestAll	testAllloads_stress_storms_index	Pass
	test_data_loader_mixin.py::TestAll	testAllloads_stress_storms_legacy_fallback	Pass
	test_data_loader_mixin.py::TestAll	testAllmissing_files_return_empty	Pass
	test_data_loader_mixin.py::TestAll	testAllpropertyts_count	Pass
	test_data_loader_mixin.py::TestAll	testAllstress_storms_empty_when_neither_exists	Pass
	test_data_loader_mixin.py::TestAll	testAlltrade_count_defaults_zero_on_import_error	Error
	test_data_loader_mixin.py::TestAll	testAlltraining_summary	Pass
	test_data_loader_mixin.py::TestAll	testAllgaugedBaselines_mean	Pass
	test_data_loader_mixin.py::TestAll	testAllgaugedBaselines_mean	Pass
	test_data_loader_mixin.py::TestAll	testAllchangeBaselines_monthly_means	Pass
	test_data_loader_mixin.py::TestAll	testAllgaugedBaselines	Pass
	test_data_loader_mixin.py::TestAll	testAllregulrBaselines_for_nonexistent_dir	Pass
	test_data_loader_mixin.py::TestAll	testAllskippedBaselines_without_mean_level	Pass
	test_data_loader_mixin.py::TestAll	testAllskippedBaselines_files	Pass
	test_data_loader_primitives.py::TestCont	testContDis_matching_files	Pass
	test_data_loader_primitives.py::TestCont	testContDir_directory	Pass
	test_data_loader_primitives.py::TestCont	testContDir_zero_for_no_matches	Pass
	test_data_loader_primitives.py::TestCont	testContDir_zero_for_none_dir	Pass
	test_data_loader_primitives.py::TestCont	testContDir_zero_for_nonexistent_dir	Pass
	test_data_loader_primitives.py::TestLoad	testLoadads_list_json	Pass
	test_data_loader_primitives.py::TestLoad	testLoadads_nested_json	Pass
	test_data_loader_primitives.py::TestLoad	testLoadads_valid_json	Pass
	test_data_loader_primitives.py::TestLoad	testLoadreturns_empty_dict_for_directory	Pass
	test_data_loader_primitives.py::TestLoad	testLoadreturns_empty_dict_for_invalid_json	Pass
	test_data_loader_primitives.py::TestLoad	testLoadreturns_empty_dict_for_missing_file	Pass
	test_generator_part1.py::TestGenerate	testGeneratecatchment_name_from_input_dir	Pass
	test_generator_part1.py::TestGenerate	testGenerategenerate_with_empty_data	Pass
	test_generator_part1.py::TestGenerate	testGenerategenerate_with_minimal_data	Pass
	test_generator_part1.py::TestGenerate	testGenerateoutput_path_creates_parent_dirs	Pass
	test_generator_part1.py::TestGenerate	testGeneratepdf_has_multiple_pages	Pass
	test_generator_part1.py::TestGenerate	testGeneratepdf_starts_with_magic_bytes	Pass
	test_generator_part1.py::TestGenerate	testGenerateproduces_pdf_file	Pass
	test_generator_part1.py::TestGenerate	testGeneratereturns_path	Pass
	test_generator_part1.py::TestInit	testInittest_input_dir_accepts_string	Pass
	test_generator_part1.py::TestInit	testInittest_input_dir_set	Pass
	test_generator_part1.py::TestInit	testInittest_output_path_explicit	Pass
	test_generator_part1.py::TestInit	testInittest_styles_initialised	Pass
	test_generator_part2.py::TestEdge	testEdgeGauge_with_dash_values	Pass
	test_generator_part2.py::TestEdge	testEdgeGauge_mortgage_with_none_fields	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generator_part2.py::TestEdgeCases	testGeneratorPropertyWithNoneValue	Pass
	test_generator_part2.py::TestMixins	testIntegrationTable	Pass
	test_generator_part2.py::TestMixins	testIntegrationAll	Pass
	test_generator_part2.py::TestMixins	testIntegrationTable	Pass
	test_generator_part2.py::TestMixins	testIntegrationSectionMethods	Pass
	test_generator_part2.py::TestMixins	testIntegrationAllAndSectionsCompatible	Pass
	test_sections_gauges.py::TestSections	testSectionHeading	Pass
	test_sections_gauges.py::TestSections	testSectionBaselineMessage	Pass
	test_sections_gauges.py::TestSections	testSectionAverageComputed	Pass
	test_sections_gauges.py::TestSections	testSectionReturnsList	Pass
	test_sections_gauges.py::TestSections	testSectionAverage	Pass
	test_sections_gauges.py::TestSections	testSectionTableWhenBaselines	Pass
	test_sections_gauges.py::TestSections	testSectionEmptyGaugesMessage	Pass
	test_sections_gauges.py::TestSections	testSectionMultipleGauges	Pass
	test_sections_gauges.py::TestSections	testSectionReturnsList	Pass
	test_sections_gauges.py::TestSections	testSectionSectionHeading	Pass
	test_sections_gauges.py::TestSections	testSectionSummaryLineCounts	Pass
	test_sections_gauges.py::TestSections	testSectionTablePresent	Pass
	test_sections_gauges.py::TestSections	testSectionAlternativeKeyFormat	Pass
	test_sections_gauges.py::TestSections	testSectionHasNonDictGaugeCurve	Pass
	test_sections_gauges.py::TestSections	testSectionHasCurves	Pass
	test_sections_gauges.py::TestSections	testSectionHasCurvesMessage	Pass
	test_sections_gauges.py::TestSections	testSectionReturnsList	Pass
	test_sections_gauges.py::TestSections	testSectionTableWithCurves	Pass
	test_sections_gauges.py::TestSections	testSectionMortgagesInSummary	Pass
	test_sections_gauges.py::TestSections	testSectionEmptyMortgagesMessage	Pass
	test_sections_gauges.py::TestSections	testSectionHeading	Pass
	test_sections_gauges.py::TestSections	testSectionReturnsList	Pass
	test_sections_gauges.py::TestSections	testSectionTablePresent	Pass
	test_sections_gauges.py::TestSections	testSectionPropertiesMessage	Pass
	test_sections_gauges.py::TestSections	testSectionHeadingPresent	Pass
	test_sections_gauges.py::TestSections	testSectionPropertyCountInSummary	Pass
	test_sections_gauges.py::TestSections	testSectionReturnsList	Pass
	test_sections_gauges.py::TestSections	testSectionTableWithProperties	Pass
	test_sections_gauges.py::TestSections	testSectionHeading	Pass
	test_sections_gauges.py::TestSections	testSectionTablePresent	Pass
	test_sections_gauges.py::TestSections	testSectionReturnsList	Pass
	test_sections_gauges.py::TestSections	testSectionFullSummary	Pass
	test_sections_portfolio.py::TestSections	testSectionHeading	Pass
	test_sections_portfolio.py::TestSections	testSectionTable	Pass
	test_sections_portfolio.py::TestSections	testSectionReturnsList	Pass
	test_sections_portfolio.py::TestSections	testSectionAlternativeCDMFormat	Pass
	test_sections_portfolio.py::TestSections	testSectionEmptyMessage	Pass
	test_sections_portfolio.py::TestSections	testSectionParties	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_sections.portfolio.py::TestSection	test_section_exists	Pass
	test_sections.portfolio.py::TestSection	test_section_present	Pass
	test_sections.portfolio.py::TestSection	test_section_readings	Pass
	test_sections.portfolio.py::TestSection	test_section_properties	Pass
	test_sections.portfolio.py::TestSection	test_section_when_empty	Pass
	test_sections.portfolio.py::TestSection	test_section_added	Pass
	test_sections.portfolio.py::TestSection	test_section_list	Pass
	test_sections.portfolio.py::TestSection	test_section_size_computed	Pass
	test_sections.portfolio.py::TestSection	test_section_heading	Pass
	test_sections.portfolio.py::TestSection	test_section_table_present	Pass
	test_sections.portfolio.py::TestSection	test_section_returns_list	Pass
	test_styles.py::TestAvailWidth	test_avail_width_value	Pass
	test_styles.py::TestColourConstants	test_blue_is_hex_colour	Pass
	test_styles.py::TestColourConstants	test_dark_blue	Pass
	test_styles.py::TestColourConstants	test_grey	Pass
	test_styles.py::TestColourConstants	test_light_amber	Pass
	test_styles.py::TestColourConstants	test_light_blue	Pass
	test_styles.py::TestColourConstants	test_light_green	Pass
	test_styles.py::TestColourConstants	test_light_red	Pass
	test_styles.py::TestKvTable	test_custom_label_width	Pass
	test_styles.py::TestKvTable	test_default_label_width	Pass
	test_styles.py::TestKvTable	test_multiple_pairs	Pass
	test_styles.py::TestKvTable	test_returns_table	Pass
	test_styles.py::TestKvTable	test_value_converted_to_string	Pass
	test_styles.py::TestMakeTable	test_col_widths_propagated	Pass
	test_styles.py::TestMakeTable	test_custom_alt_color	Pass
	test_styles.py::TestMakeTable	test_default_alt_color_is_blue	Pass
	test_styles.py::TestMakeTable	test_empty_rows	Pass
	test_styles.py::TestMakeTable	test_repeat_rows_set	Pass
	test_styles.py::TestMakeTable	test_returns_table	Pass
	test_styles.py::TestMakeTable	test_table_has_correct_row_count	Pass
	test_styles.py::TestSetupStyles	test_body_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_kv_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_kv_style_left_indent	Pass
	test_styles.py::TestSetupStyles	test_section_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_section_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_subsection_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_subsection_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_subtitle_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_subtitle_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_title_style_font_name	Pass
	test_styles.py::TestSetupStyles	test_title_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_title_style_text_color	Pass
	test_styles.py::TestTableStyleConstants	test_alt_rows_amber	Pass
	test_styles.py::TestTableStyleConstants	test_alt_rows_blue	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_styles.py::TestTableStyleConstants	test_table_rows_green	Pass
	test_styles.py::TestTableStyleConstants	test_hdr_style_first_command_is_background	Pass
	test_styles.py::TestTableStyleConstants	test_hdr_style_has_grid	Pass
	test_styles.py::TestTableStyleConstants	test_hdr_style_is_list	Pass
	analysis.py::TestSinglePropertyAnalysis	test_find_nearest_gauge	Pass
	analysis.py::TestSinglePropertyAnalysis	test_full_analysis_high_risk_property	Pass
	analysis.py::TestSinglePropertyAnalysis	test_full_analysis_low_risk_property	Pass
	analysis.py::TestSinglePropertyAnalysis	test_load_gauge_data	Pass
	analysis.py::TestSinglePropertyAnalysis	test_load_property_data	Pass
	calculations.py::TestDamageRatio	test_commercial_higher_damage	Pass
	calculations.py::TestDamageRatio	test_damage_capped	Pass
	calculations.py::TestDamageRatio	test_damage_increases_with_depth	Pass
	calculations.py::TestDamageRatio	test_no_damage_no_flood	Pass
	calculations.py::TestDistanceCalculation	test_haversine_known_distance	Pass
	calculations.py::TestDistanceCalculation	test_haversine_same_point	Pass
	calculations.py::TestDistanceCalculation	test_haversine_teddington_to_richmond	Pass
	calculations.py::TestFloodDepth	test_flood_above_trigger	Pass
	calculations.py::TestFloodDepth	test_flood_attenuates_with_distance	Pass
	calculations.py::TestFloodDepth	test_high_elevation_no_flood	Pass
	calculations.py::TestFloodDepth	test_no_flood_below_trigger	Pass
	calculations.py::TestRiskClassification	test_high_risk	Pass
	calculations.py::TestRiskClassification	test_low_risk	Pass
	calculations.py::TestRiskClassification	test_medium_risk	Pass
	calculations.py::TestRiskClassification	test_minimal_risk	Pass
	formatters.py::TestConstants	test_margin_positive	Pass
	formatters.py::TestConstants	test_page_dimensions	Pass
	formatters.py::TestFmtGbp	test_large_value	Pass
	formatters.py::TestFmtGbp	test_negative	Pass
	formatters.py::TestFmtGbp	test_non_numeric_fallback	Pass
	formatters.py::TestFmtGbp	test_none_fallback	Pass
	formatters.py::TestFmtGbp	test_positive_float	Pass
	formatters.py::TestFmtGbp	test_zero	Pass
	formatters.py::TestLayouts	test_body_style_alignment	Pass
	formatters.py::TestLayouts	test_body_style_bold	Pass
	formatters.py::TestLayouts	test_body_style_default	Pass
	formatters.py::TestLayouts	test_build_header_footer_callable	Pass
	formatters.py::TestLayouts	test_white_hdr_style_returns_paragraph_style	Style
	formatters.py::TestSeqTypeColor	test_case_insensitive	Pass
	formatters.py::TestSeqTypeColor	test_cluster	Pass
	formatters.py::TestSeqTypeColor	test_doublet	Pass
	formatters.py::TestSeqTypeColor	test_isolated	Pass
	formatters.py::TestSeqTypeColor	test_none_returns_white	Pass
	formatters.py::TestSeqTypeColor	test_persistent	Pass
	formatters.py::TestSeqTypeColor	test_unknown_returns_white	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	formatters.py::TestSetupStyles	test_required_keys	Pass
	formatters.py::TestSetupStyles	test_returns_stylesheet	Pass
	formatters.py::TestSetupStyles	test_styles_are_paragraph_styles	Pass
	generator.py::TestClaimReportGenerator	test_claim_ref_contains_prop_id_suffix	Pass
	generator.py::TestClaimReportGenerator	test_generate_empty_sequence_lookup	Pass
	generator.py::TestClaimReportGenerator	test_generate_returns_bytes	Pass
	generator.py::TestClaimReportGenerator	test_generate_without_mortgage	Pass
	generator.py::TestClaimReportGenerator	test_minimal_prop_data	Pass
	generator.py::TestClaimReportGenerator	test_output_is_valid_pdf	Pass
	generator.py::TestClaimReportGenerator	test_pdf_size_reasonable	Pass
	generator.py::TestCompatShim	test_shim_class_is_same	Pass
	generator.py::TestCompatShim	test_shim_imports_generator	Pass
	generator.py::TestPublicAPI	test_all_exports	Pass
	generator.py::TestPublicAPI	test_import_from_package	Pass
	pages1.3.py::TestPage1Cover	test_contains_claim_ref_paragraph	Pass
	pages1.3.py::TestPage1Cover	test_no_flood_events_still_renders	Pass
	pages1.3.py::TestPage1Cover	test_non_float_coordinates	Pass
	pages1.3.py::TestPage1Cover	test_returns_list	Pass
	pages1.3.py::TestPage1Cover	test_stats_reflect_events	Pass
	pages1.3.py::TestPage1Cover	test_without_mortgage	Pass
	pages1.3.py::TestPage2Chronology	test_events_with_no_sequence_id	Pass
	pages1.3.py::TestPage2Chronology	test_no_flood_events	Pass
	pages1.3.py::TestPage2Chronology	test_returns_list	Pass
	pages1.3.py::TestPage2Chronology	test_stats_bar_present	Pass
	pages1.3.py::TestPage2Chronology	test_table_included	Pass
	pages1.3.py::TestPage2Chronology	test_unknown_sequence_id_handled	Pass
	pages1.3.py::TestPage3Damage	test_contains_tables	Pass
	pages1.3.py::TestPage3Damage	test_high_damage_rows_highlighted	Pass
	pages1.3.py::TestPage3Damage	test_multiple_sequences_grouped	Pass
	pages1.3.py::TestPage3Damage	test_no_flood_events	Pass
	pages1.3.py::TestPage3Damage	test_returns_list	Pass
	pages1.3.py::TestPage3Damage	test_zero_property_value	Pass
	pages4.5.py::TestPage4Mortgage	test_contains_tables	Pass
	pages4.5.py::TestPage4Mortgage	test_negative_equity_highlights_row	Pass
	pages4.5.py::TestPage4Mortgage	test_no_flood_events_with_mortgage	Pass
	pages4.5.py::TestPage4Mortgage	test_with_mortgage	Pass
	pages4.5.py::TestPage4Mortgage	test_without_mortgage	Pass
	pages4.5.py::TestPage5Determination	test_contains_reference_table	Pass
	pages4.5.py::TestPage5Determination	test_damage_calculation	Pass
	pages4.5.py::TestPage5Determination	test_negative_equity_flag	Pass
	pages4.5.py::TestPage5Determination	test_returns_list	Pass
	pages4.5.py::TestPage5Determination	test_signature_block_present	Pass
	pages4.5.py::TestPage5Determination	test_without_mortgage	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_title_page_calculated	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_01_title_overview.py::TestTitleOverviewProperty_does_not_crash	TestTitleOverviewProperty_does_not_crash	Pass
	page_01_title_overview.py::TestTitleOverviewProperty_id_missing_nested_key	TestTitleOverviewProperty_id_missing_nested_key	Pass
	page_01_title_overview.py::TestTitleOverviewProperty_id_present	TestTitleOverviewProperty_id_present	Pass
	page_01_title_overview.py::TestTitleOverviewTables	TestTitleOverviewTables	Pass
	page_01_title_overview.py::TestTitleOverviewParagraph	TestTitleOverviewParagraph	Pass
	page_01_title_overview.py::TestTitleOverviewPageid_in_output	TestTitleOverviewPageid_in_output	Pass
	page_01_title_overview.py::TestTitleOverviewPageoverview_section_header	TestTitleOverviewPageoverview_section_header	Pass
	page_01_title_overview.py::TestTitleOverviewPagesummary_section_header	TestTitleOverviewPagesummary_section_header	Pass
	page_01_title_overview.py::TestTitleOverviewPageList	TestTitleOverviewPageList	Pass
	page_01_title_overview.py::TestTitleOverviewPageproperty_id_fallback	TestTitleOverviewPageproperty_id_fallback	Pass
	page_01_title_overview.py::TestTitleOverviewPagepage_data_does_not_crash	TestTitleOverviewPagepage_data_does_not_crash	Pass
	page_02_location.py::TestLocationPageaddress_subsection_header	TestLocationPageaddress_subsection_header	Pass
	page_02_location.py::TestLocationPageadministrative_subsection_header	TestLocationPageadministrative_subsection_header	Pass
	page_02_location.py::TestLocationPagearea_classification_subsection_header	TestLocationPagearea_classification_subsection_header	Pass
	page_02_location.py::TestLocationPagedensity_high	TestLocationPagedensity_high	Pass
	page_02_location.py::TestLocationPagedensity_low	TestLocationPagedensity_low	Pass
	page_02_location.py::TestLocationPagedensity_low_medium	TestLocationPagedensity_low_medium	Pass
	page_02_location.py::TestLocationPagedensity_medium	TestLocationPagedensity_medium	Pass
	page_02_location.py::TestLocationPagedensity_very_high	TestLocationPagedensity_very_high	Pass
	page_02_location.py::TestLocationPageempty_property_does_not_crash	TestLocationPageempty_property_does_not_crash	Pass
	page_02_location.py::TestLocationPagegeographic_subsection_header	TestLocationPagegeographic_subsection_header	Pass
	page_02_location.py::TestLocationPagehas_section_header	TestLocationPagehas_section_header	Pass
	page_02_location.py::TestLocationPagehas_tables	TestLocationPagehas_tables	Pass
	page_02_location.py::TestLocationPagehas_no_coordinates_skips_geo_rows	TestLocationPagehas_no_coordinates_skips_geo_rows	Pass
	page_02_location.py::TestLocationPagereturns_list	TestLocationPagereturns_list	Pass
	page_02_location.py::TestLocationPagewith_mortgage_data_does_not_crash	TestLocationPagewith_mortgage_data_does_not_crash	Pass
	page_03_attributes.py::TestAttributePagecontemporary	TestAttributePagecontemporary	Pass
	page_03_attributes.py::TestAttributePagehistoric	TestAttributePagehistoric	Pass
	page_03_attributes.py::TestAttributePageimmature	TestAttributePageimmature	Pass
	page_03_attributes.py::TestAttributePagemodern	TestAttributePagemodern	Pass
	page_03_attributes.py::TestAttributePagebasic_info_subsection	TestAttributePagebasic_info_subsection	Pass
	page_03_attributes.py::TestAttributePagebuilding_age_subsection	TestAttributePagebuilding_age_subsection	Pass
	page_03_attributes.py::TestAttributePagecondition_fair_recommendation	TestAttributePagecondition_fair_recommendation	Pass
	page_03_attributes.py::TestAttributePagecondition_good_recommendation	TestAttributePagecondition_good_recommendation	Pass
	page_03_attributes.py::TestAttributePagecondition_poor_recommendation	TestAttributePagecondition_poor_recommendation	Pass
	page_03_attributes.py::TestAttributePagecondition_unknown_falls_back	TestAttributePagecondition_unknown_falls_back	Pass
	page_03_attributes.py::TestAttributePageempty_property_does_not_crash	TestAttributePageempty_property_does_not_crash	Pass
	page_03_attributes.py::TestAttributePageexternal_features_subsection	TestAttributePageexternal_features_subsection	Pass
	page_03_attributes.py::TestAttributePagesection_header	TestAttributePagesection_header	Pass
	page_03_attributes.py::TestAttributePagetables	TestAttributePagetables	Pass
	page_03_attributes.py::TestAttributePageconstruction_year_skips_age	TestAttributePageconstruction_year_skips_age	Pass
	page_03_attributes.py::TestAttributePagesical_dimensions_subsection	TestAttributePagesical_dimensions_subsection	Pass
	page_03_attributes.py::TestAttributePagereturns_list	TestAttributePagereturns_list	Pass
	page_03_attributes.py::TestAttributePagecomposition_subsection	TestAttributePagecomposition_subsection	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_03_attributes.py::TestAttributePage	testPage mortgage_data_does_not_crash	Pass
	page_03_gauge_time_series.py::TestGaugeEmptyTimeSeries	testEmptyTimeSeries returns_short_list	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries title	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries gauge_name_does_not_crash	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries message_included	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries returns_short_list	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries mixed_statuses	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries with_thresholds	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries returns_more_elements	Pass
	page_03_gauge_time_series.py::TestGaugeEmptySeries	testGaugeEmptySeries table_included	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic year_shown	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic does_not_crash	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic is_shown	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic header	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic on_data_returns_message	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic on_year	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic with_data	Pass
	page_04_construction.py::TestConstructionPageBasic	testConstructionPageBasic is_shown	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis on_type	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis on	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis on	Pass
	page_04_construction.py::TestConstructionTypeAnalysis	testConstructionTypeAnalysis on_type	Pass
	page_04_construction.py::TestFoundationTypeAnalysis	testFoundationTypeAnalysis	Pass
	page_04_construction.py::TestFoundationTypeAnalysis	testFoundationTypeAnalysis	Pass
	page_04_construction.py::TestFoundationTypeAnalysis	testFoundationTypeAnalysis	Pass
	page_04_construction.py::TestFoundationTypeAnalysis	testFoundationTypeAnalysis	Pass
	page_04_construction.py::TestHeightClassification	testHeightClassification height_10_to_15m	Pass
	page_04_construction.py::TestHeightClassification	testHeightClassification skips_classification	Pass
	page_04_construction.py::TestHeightClassification	testHeightClassification height_under_10m	Pass
	page_04_construction.py::TestHeightClassification	testHeightClassification over_15m	Pass
	page_05_risk_assessment.py::TestElevationRisk	testElevationRisk Rating over_20m	Pass
	page_05_risk_assessment.py::TestElevationRisk	testElevationRisk Rating 5_to_10m	Pass
	page_05_risk_assessment.py::TestElevationRisk	testElevationRisk Rating 10_to_20m	Pass
	page_05_risk_assessment.py::TestElevationRisk	testElevationRisk Rating	Pass
	page_05_risk_assessment.py::TestElevationRisk	testElevationRisk Rating under_5m	Pass
	page_05_risk_assessment.py::TestFloodZone	testFloodZone In flood zone	Pass
	page_05_risk_assessment.py::TestFloodZone	testFloodZone In flood zone	Pass
	page_05_risk_assessment.py::TestFloodZone	testFloodZone In flood zone	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_06_financial.py::TestFinancialPageBasics	testPageBasics	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_skips_value_per_sqm	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_property_value	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_valuation_data	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_valuation_field_with_value_in_name	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_valuation_field_without_value_in_name	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_list	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_non_empty_list	Pass
	page_06_financial.py::TestFinancialPageBasics	testPageBasics_per_sqm_shown_when_area_present	Pass
	page_06_financial.py::TestInvestmentRating	testRating_average_2_to_4pct	Pass
	page_06_financial.py::TestInvestmentRating	testRating_lent_over_8pct	Pass
	page_06_financial.py::TestInvestmentRating	testRating_4_to_6pct	Pass
	page_06_financial.py::TestInvestmentRating	testRating_6_to_8pct	Pass
	page_06_financial.py::TestInvestmentRating	testRating_under_2pct	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	testSegmentAnalysis_under_250k	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	testSegmentAnalysis_250k_to_500k	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	testSegmentAnalysis_over_1m	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	testSegmentAnalysis_500k_to_1m	Pass
	page_06_financial.py::TestTransactions	testMonthlyRentAndAnnualRent	Pass
	page_06_financial.py::TestTransactions	testTransactionData	Pass
	page_06_financial.py::TestTransactions	testRentalsFieldComputed	Pass
	page_06_financial.py::TestTransactions	testSaleDateShown	Pass
	page_06_financial.py::TestTransactions	testSalePriceAndAppreciation	Pass
	page_06_financial.py::TestTransactions	testSalesSectionRendered	Pass
	page_07_protection.py::TestProtectionPageNaturalMeasure	testPageNaturalMeasureRecommendation	Pass
	page_07_protection.py::TestProtectionPageNaturalMeasure	testPageNaturalMeasureSectionRendered	Pass
	page_07_protection.py::TestProtectionPageNoData	testPageNoDataPropertyReturnsList	Pass
	page_07_protection.py::TestProtectionPageNoData	testPageNoDataProtectionMeasuresDictShowsFallback	Pass
	page_07_protection.py::TestProtectionPageNoData	testPageNoDataProtectionMeasuresShowsFallback	Pass
	page_07_protection.py::TestProtectionPageProtectionMeasures	testPageProtectionMeasuresRecommendation	Pass
	page_07_protection.py::TestProtectionPageProtectionMeasures	testPageProtectionMeasuresRecommendationReturnsDict	Pass
	page_07_protection.py::TestProtectionPageRecommendation	testPageRecommendationCriticalMeasuresInRecommendations	Pass
	page_07_protection.py::TestProtectionPageRecommendation	testPageRecommendationDataIsNaturalFalse	Pass
	page_07_protection.py::TestProtectionPageRecommendation	testPageRecommendationDataIsNotReligible	Pass
	page_07_protection.py::TestProtectionPageRecommendation	testPageRecommendationDataIsMissingCritical	Pass
	page_07_protection.py::TestProtectionPageRecommendation	testPageRecommendationDataIsSectionAlwaysRendered	Pass
	page_07_protection.py::TestProtectionPageInstalledMeasure	testPageInstalledMeasureRating	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasureResults	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasureExcellent80pct	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasureFair40pct	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasureGood60pct	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasureMed20pct	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasurePoor0pct	Pass
	page_07_protection.py::TestProtectionPageRiskMeasure	testPageRiskMeasureResults	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_07_protection.py::TestProtectionPage	test_in_page_registered_measures_exist	Pass
	page_07_protection.py::TestProtectionPage	test_in_page_registered_measures_still_shown	Pass
	page_07_protection.py::TestProtectionPage	test_in_page_registered_measures_hidden	Pass
	page_07_protection.py::TestProtectionPage	test_in_page_risk_assessment_shown	Pass
	page_07_protection.py::TestProtectionPage	test_in_page_risk_assessment_hidden	Pass
	page_07_protection.py::TestProtectionPage	test_in_page_risk_assessment_include_flood_re	Pass
	page_07_protection.py::TestProtectionPage	test_in_page_risk_assessment_section_rendered	Pass
	page_08_energy.py::TestEnergyPage	test_analyze_epc_rating_all_bands	Pass
	page_08_energy.py::TestEnergyPage	test_analyze_epc_rating_case_insensitive	Pass
	page_08_energy.py::TestEnergyPage	test_analyze_epc_rating_unknown	Pass
	page_08_energy.py::TestEnergyPage	test_energy_intensity_calculation	Pass
	page_08_energy.py::TestEnergyPage	test_full_data_no_crash	Pass
	page_08_energy.py::TestEnergyPage	test_no_energy_data_fallback_message	Pass
	page_08_energy.py::TestEnergyPage	test_returns_list	Pass
	page_08_energy.py::TestEnergyPage	test_with_building_fabric	Pass
	page_08_energy.py::TestEnergyPage	test_with_energy_usage	Pass
	page_08_energy.py::TestEnergyPage	test_with_ratings_data	Pass
	page_08_energy.py::TestEnergyPage	test_with_ratings_includes_table	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_active_sub	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_high_env	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_low_env	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_minor_sub	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_moderate_env	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_moderate_flood	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_no_flood_damage	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_severe_flood	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_historical_risks_stable_ground	Failure
	page_09_history_part1.py::TestHistoryPage	test_pageess_built_flood_history_bad_json	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_built_flood_history_no_flood_days	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_built_flood_history_no_hd_file	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_built_flood_history_no_reference_gauges	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_built_flood_history_with_flood_data	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_empty_flood_events	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_empty_property_does_not_crash	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_history_header	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_flood_history	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_returns_list	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_with_environmental_issues	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_with_fire_incidents	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_with_ground_conditions	Pass
	page_09_history_part1.py::TestHistoryPage	test_pageess_with_mortgage_data	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_yield_average	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_yield_below_average	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_yield_excellent	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_yield_good	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_yield_poor	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_property_does_not_crash	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_transactions	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_transactions_header	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_appreciation	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_few_vacancies	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_many_vacancies	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_marketing_above_30	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_marketing_above_90	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_never_rented	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_no_vacancy	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_analysis_yield	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_action_history	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_list	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_extended_marketing	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_quick_sale	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_very_long_marketing	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_rtgage_data	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_rental_data	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_sales_data	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_when_default	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_when_not_default	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_does_not_crash	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_accepted	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_loan_and_purchase	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_identification_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_returns_message	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_returns_message	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_data	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_header_present	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_field	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_subsection	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_risk	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_subsection	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_of_purchase_calculations	Fail
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_risk	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_risk	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_returns_message	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_data_returns_message	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_with_data	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	testMortgageDetailsPage_present	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_subsection	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_high_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_high_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_medium_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_medium_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_high_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_points_analysis	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_dict_does_not_crash	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_reduces_net_cost	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_terms_returns_message	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_data_returns_message	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_setup_subsection	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_subsection	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_with_data	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_present	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_percentage_of_loan	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_overview_subsection	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_together	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_handled_gracefully	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_mortgage_structure	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_flag	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_purpose_false	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_purpose_true	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_returns_elements	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_reference_number	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_regulatory_flags	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_minimal_fields	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_rate_spread_formatted	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_creates_table	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_advice_rejection_reason	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_all_fields_returns_list	Pass
	page_11c_regulatory.py::TestContextSection	testContextSection_creates_tables	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_11c_regulatory.py::TestMortgageSection	TestMortgageSection with minimal fields	Pass
	page_11c_regulatory.py::TestMortgageData	TestMortgageData mortgage_message	Pass
	page_11c_regulatory.py::TestMortgageData	TestMortgageData mortgage_returns_list	Pass
	page_11c_regulatory.py::TestMortgageData	TestMortgageData regulatory_returns_message	Pass
	page_11c_regulatory.py::TestMortgageData	TestMortgageData list	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics header	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics returns_message	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics returns_message	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics balance_shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics shown	Pass
	page_12_current_status.py::TestCurrentStatusPageBasics	TestCurrentStatusPageBasics returns_list	Pass
	page_12_current_status.py::TestLeverageRiskClass	TestLeverageRiskClass percentage_not_decimal	Pass
	page_12_current_status.py::TestLeverageRiskClass	TestLeverageRiskClass lower_60_low_medium	Pass
	page_12_current_status.py::TestLeverageRiskClass	TestLeverageRiskClass lower_70_medium	Pass
	page_12_current_status.py::TestLeverageRiskClass	TestLeverageRiskClass lower_80_medium_high	Pass
	page_12_current_status.py::TestLeverageRiskClass	TestLeverageRiskClass lower_90_high_risk	Pass
	page_12_current_status.py::TestLeverageRiskClass	TestLeverageRiskClass under_60_low_risk	Pass
	page_12_current_status.py::TestPresentHoliday	TestPresentHoliday day_fields_shown	Pass
	page_12_current_status.py::TestPresentHoliday	TestPresentHoliday taken_shown	Pass
	page_12_current_status.py::TestPresentHoliday	TestPresentHoliday holiday_date_shown	Pass
	page_12_current_status.py::TestPresentHoliday	TestPresentHoliday data_no_section	Pass
	page_12_current_status.py::TestPresentHoliday	TestPresentHoliday holidays_shown	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance balance_shown	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_poor	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_concerning	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_shown	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance branches	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_good	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_concerning	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_good	Pass
	page_12_current_status.py::TestPresentPerformance	TestPresentPerformance payments_excellent	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskDrain	TestCreditRiskDrain 800_plus	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskDrain	TestCreditRiskDrain 680 to 669	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskDrain	TestCreditRiskDrain 670 to 739	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskDrain	TestCreditRiskDrain under 580	Pass
	page_13_risk_analysis_part1.py::TestCreditRiskDrain	TestCreditRiskDrain 740 to 799	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
page_13_risk_analysis_part1.py::	TestLTVRiskBranches	95	Pass
page_13_risk_analysis_part1.py::	TestLTVRiskBranches	70	Pass
page_13_risk_analysis_part1.py::	TestLTVRiskBranches	70_to_80	Pass
page_13_risk_analysis_part1.py::	TestLTVRiskBranches	80_to_90	Pass
page_13_risk_analysis_part1.py::	TestLTVRiskBranches	over_95	Pass
page_13_risk_analysis_part1.py::	TestPaymentPerformanceBranches		Pass
page_13_risk_analysis_part1.py::	TestPaymentPerformanceBranches	over_3	Pass
page_13_risk_analysis_part1.py::	TestPaymentPerformanceBranches	3_to_6	Pass
page_13_risk_analysis_part1.py::	TestPaymentPerformanceBranches	6_to_9	Pass
page_13_risk_analysis_part1.py::	TestRiskAbilitiesPageBasics	mortgage	Pass
page_13_risk_analysis_part1.py::	TestRiskAnalysisPageBasics	not_crash	Pass
page_13_risk_analysis_part1.py::	TestRiskAnalysisPageBasics		Pass
page_13_risk_analysis_part1.py::	TestRiskAnalysisPageBasics		Pass
page_13_risk_analysis_part1.py::	TestRiskAnalysisPageBasics		Pass
page_13_risk_analysis_part1.py::	TestRiskAnalysisPageBasics		Pass
page_13_risk_analysis_part2.py::	TestDTIBadHeader	28	Pass
page_13_risk_analysis_part2.py::	TestDTIBadHeader	36_to_43	Pass
page_13_risk_analysis_part2.py::	TestDTIBadHeader	28_to_36	Pass
page_13_risk_analysis_part2.py::	TestDTIBadHeader	dti_unknown	Pass
page_13_risk_analysis_part2.py::	TestDTIBadHeader	dti_over_43	Pass
page_13_risk_analysis_part2.py::	TestHighRateMonitoring	high_score	Pass
page_13_risk_analysis_part2.py::	TestHighRateMonitoring	low_score	Pass
page_13_risk_analysis_part2.py::	TestHighRateMonitoring	medium_score	Pass
page_13_risk_analysis_part2.py::	TestHighRateMonitoring	high_score	Pass
page_13_risk_analysis_part2.py::	TestHighRateMonitoring	low_score	Pass
page_13_risk_analysis_part2.py::	TestHighRateMonitoring	medium_score	Pass
page_13_risk_analysis_part2.py::	TestIdentifyKeyFactors	high_risk	Pass
page_13_risk_analysis_part2.py::	TestIdentifyKeyFactors	medium_risk	Pass
page_13_risk_analysis_part2.py::	TestInterestRateBatches	to_7	Pass
page_13_risk_analysis_part2.py::	TestInterestRateBatches	to_7	Pass
page_13_risk_analysis_part2.py::	TestInterestRateBatches	to_5	Pass
page_13_risk_analysis_part2.py::	TestInterestRateBatches	to_5	Pass
page_13_risk_analysis_part2.py::	TestInterestRateBatches	to_5	Pass
page_13_risk_analysis_part2.py::	TestInterestRateBatches	to_5	Pass
page_13_risk_analysis_part2.py::	TestOvernightRiskScenario		Pass
page_13_risk_analysis_part2.py::	TestOvernightRiskScenario		Pass
page_13_risk_analysis_part2.py::	TestOvernightRiskScenario	high_flood_risk	Pass
page_13_risk_analysis_part2.py::	TestOvernightRiskScenario	very_low_flood_risk	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	retirement_over_55	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	under_25	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	25_to_55	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	approaching_retirement	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	risky_career	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	risky_years	Pass
page_14_borrower_profile.py::	TestAgeRiskBranching	high_for_poor_score	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status	
page_15_data_summary.py::TestAspectsDataQuality	page_15_data_summary.py::TestAspectsDataQualityCompletenessMedium	TestAspectsDataQualityCompletenessMedium	Pass	
	page_15_data_summary.py::TestAspectsDataQualityOver_90	TestAspectsDataQualityOver_90	Pass	
	page_15_data_summary.py::TestAspectsDataQuality75	TestAspectsDataQuality75	Pass	
	page_15_data_summary.py::TestAspectsDataQuality90	TestAspectsDataQuality90	Pass	
	page_15_data_summary.py::TestAspectsDataQualityTo_60	TestAspectsDataQualityTo_60	Pass	
	page_15_data_summary.py::TestAspectsDataQuality40	TestAspectsDataQuality40	Pass	
	page_15_data_summary.py::TestDataSummaryPageBasics	TestDataSummaryPageBasics	Pass	
	page_15_data_summary.py::TestDataSummaryPageDoesNotCrash	TestDataSummaryPageDoesNotCrash	Pass	
	page_15_data_summary.py::TestDataSummaryPageBasics	TestDataSummaryPageBasics	Pass	
	page_15_data_summary.py::TestDataSummaryPageBasics	TestDataSummaryPageBasics	Pass	
	page_15_data_summary.py::TestDataSummaryPageBasicsProperty	TestDataSummaryPageBasicsProperty	Pass	
	page_15_data_summary.py::TestDataSummaryPageBasics	TestDataSummaryPageBasics	Pass	
	page_15_data_summary.py::TestDataSummaryPageEmpty	TestDataSummaryPageEmpty	Pass	
	page_15_data_summary.py::TestDataSummaryPageBasics	TestDataSummaryPageBasics	Pass	
	page_15_data_summary.py::TestGenerateDataSection50th75thGetsEnhancementRec	TestGenerateDataSection50th75thGetsEnhancementRec	Pass	
	page_15_data_summary.py::TestGenerateDataSectionsummarizesRecommendation	TestGenerateDataSectionsummarizesRecommendation	Pass	
	page_15_data_summary.py::TestGenerateDataRecommendations	TestGenerateDataRecommendations	Pass	
	page_15_data_summary.py::TestGenerateDataSectionunder50GetsRecommendation	TestGenerateDataSectionunder50GetsRecommendation	Pass	
	page_15_data_summary.py::TestGenerateDataRiskRecommendations	TestGenerateDataRiskRecommendations	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataGeneratedTimestamp	TestGenerateReportMetadataGeneratedTimestamp	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	page_15_data_summary.py::TestGenerateReportMetadataExtracted	TestGenerateReportMetadataExtracted	Pass	
	cli.py::TestErrorHandler	cli.py::TestErrorHandler	test_bad_property_file_exits_with_1	Pass
	cli.py::TestErrorHandler	cli.py::TestErrorHandler	test_invalid_json_exits_with_1	Pass
	cli.py::TestListCategories	cli.py::TestListCategories	test_list_categories_does_not_open_property_file	Pass
	cli.py::TestListCategories	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass
	cli.py::TestListPages	cli.py::TestListPages	test_list_pages_does_not_open_property file	Pass
cli.py::TestListPages	cli.py::TestListPages	test_list_pages_runs_without_error	Pass	
cli.py::TestOptionalLoading	cli.py::TestOptionalLoading	test_mortgage_file_is_loaded	Pass	
cli.py::TestOptionalLoading	cli.py::TestOptionalLoading	test_property_id_filters_without_mortgage file	Pass	
cli.py::TestOptionalLoading	cli.py::TestOptionalLoading	test_property_id_with_mortgage_file	Pass	
cli.py::TestReportGeneration	cli.py::TestReportGeneration	test_else_branch_generates_report	Pass	
cli.py::TestReportGeneration	cli.py::TestReportGeneration	test_report_type_mortgage_focused_with_mortgage	Pass	
cli.py::TestReportGeneration	cli.py::TestReportGeneration	test_report_type_mortgage_focused_without_mortgage_falls_thro	Pass	
cli.py::TestReportGeneration	cli.py::TestReportGeneration	test_report_type_property_only	Pass	
cli.py::TestReportGeneration	cli.py::TestReportGeneration	test_report_type_risk_focused	Pass	
cli.py::TestReportGeneration	cli.py::TestReportGeneration	test_success_logging_executes	Pass	
convenience.py::TestGenerateReport	convenience.py::TestGenerateReport	test_generate_report_does_not_raise_exception	Pass	

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	finders.py::TestFindPropertyBy	test_invalid_type_raises_value_error	Pass
	finders.py::TestFindPropertyBy	test_list_input_found	Pass
	finders.py::TestFindPropertyBy	test_list_not_found_raises	Pass
	finders.py::TestFindPropertyBy	test_none_raises_value_error	Pass
	finders.py::TestFindPropertyBy	test_not_found_raises_value_error	Pass
	finders.py::TestFindPropertyBy	test_portfolio_key_found	Pass
	finders.py::TestFindPropertyBy	test_properties_key_found	Pass
	finders.py::TestOpenPdfFile	test_darwin_success	Pass
	finders.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	finders.py::TestOpenPdfFile	test_linux_success	Pass
	finders.py::TestOpenPdfFile	test_subprocess_called_process_error_returns_false	Pass
	finders.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	finders.py::TestOpenPdfFile	test_windows_case_insensitive	Pass
	finders.py::TestOpenPdfFile	test_windows_success	Pass
	init.py::TestAutoSelectPages	test_always_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_property_pages	Pass
	init.py::TestAutoSelectPages	test_empty_property_data	Pass
	init.py::TestAutoSelectPages	test_with_mortgage_includes_mortgage_pages	Pass
	init.py::TestAutoSelectPages	test_without_mortgage_excludes_mortgage_pages	Pass
	init.py::TestGenerateFilename	test_contains_property_id	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_missing_property_id_uses_unknown	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_header	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_property_id	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_timestamp_in_filename	Pass
	init.py::TestPropertyReportGenerator	test_categories_dict_initialized	Pass
	init.py::TestPropertyReportGenerator	test_explicit_output_dir_path	Pass
	init.py::TestPropertyReportGenerator	test_explicit_output_dir_string	Pass
	init.py::TestPropertyReportGenerator	test_implicit_output_dir_uses_config	Pass
	init.py::TestPropertyReportGenerator	test_output_dir_created	Pass
	init.py::TestPropertyReportGenerator	test_property_pages_dict_initialized	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_confidential	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_mortgage_focused_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_mortgage_focused_report_exists	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_property_only_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_property_only_report_exists	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_with_mortgage	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_without_mortgage	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_mortgage_focused_includes_mortgage_content_pages	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_risk_focused_with_mortgage_includes_current_status	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_risk_focused_without_mortgage_excludes_current_status	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	specialised.py::TestUtilityMethod	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethod	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethod	test_list_available_pages_contains_all_expected	Expected
	specialised.py::TestUtilityMethod	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethod	test_validate_pages_mixed	Pass
	test_base_page_coverage.py::TestAbstractGenerator subclass	test_abstract_generator_subclass_returns_empty_list	Pass
	test_base_page_coverage.py::TestFestnaCurrencyNewNeritics	test_festna_currency_new_neritics_not_specified	Pass
	test_base_page_coverage.py::TestFestnaStringNewNyndeliegates	test_festna_string_new_nyndeliegates	Pass
	test_base_page_coverage.py::TestFestnaIntegerNewNageriturns_not_specified	test_festna_integer_new_nageriturns_not_specified	Fails
	test_base_page_coverage.py::TestFestnaStringNewNageridelegates	test_festna_string_new_nageridelegates	Pass
	test_base_page_coverage.py::TestFestnaEmptyStringReturns_not_specified	test_festna_empty_string_returns_not_specified	Pass
	test_base_page_coverage.py::TestFestnaMilesFactString returns_not_specified	test_festna_miles_fact_string_returns_not_specified	Fails
	test_base_page_coverage.py::TestFestnaVideoReturns_not_specified	test_festna_video_returns_not_specified	Pass
	test_base_page_coverage.py::TestPropertyBasePageTitleStyleExists	test_property_base_page_title_style_exists	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_exception_does_not_raise	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_false_skips	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_true_tries	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_focused_type	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_by_type	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_report_type	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_unknown_type_falls_back	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_unknown_type_falls_back	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_select_page_direct_with mortgage	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_select_page_direct_without mortgage	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_exception_continues	Fails
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_skips unknown	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_unknown_id	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_focused report	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_only report	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_risk_of direct report no mortgage	Fails
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_risk_of direct report with mortgage	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_report page generate direct	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_restore available pages	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_section config	Pass
	test_generator.direct.py::TestGenerator.open	test_generator_open_retrieve_direct_report page generate direct	Pass
	test_helpers.py::TestFindMortgageByDirectWith mortgages found	test_find_mortgage_by_direct_with_mortgages_found	Pass
	test_helpers.py::TestFindMortgageByDirectWith mortgages not found return none	test_find_mortgage_by_direct_with_mortgages_not_found_return_none	Pass
	test_helpers.py::TestFindMortgageByProxyAll type returns data	test_find_mortgage_by_proxy_all_type_returns_data	Pass
	test_helpers.py::TestFindMortgageByProxyInput found	test_find_mortgage_by_proxy_input_found	Pass
	test_helpers.py::TestFindPropertyById dict without properties wraps in list	test_find_property_by_id_dict_without_properties_wraps_in_list	Pass
	test_helpers.py::TestFindPropertyById invalid type raises	test_find_property_by_id_invalid_type_raises	Pass
	test_helpers.py::TestFindPropertyById list input	test_find_property_by_id_list_input	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_helpers.py::TestFindPropertyById	test_id_not_found_raises	Pass
	test_helpers.py::TestFindPropertyById	test_portfolio_key	Pass
	test_helpers.py::TestFindPropertyById	test_properties_key	Pass
	test_helpers.py::TestOpenPdfFile	test_darwin_success	Pass
	test_helpers.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	test_helpers.py::TestOpenPdfFile	test_linux_success	Pass
	test_helpers.py::TestOpenPdfFile	test_subprocess_failure_returns_false	Pass
	test_helpers.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	test_helpers.py::TestOpenPdfFile	test_windows_success	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_returns_path	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_file_returns_none	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_file_still_generates	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_contains_property_id	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_created	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_file_created	Pass
	test_integrator.py::TestGenerateReportFromProperty	test_from_property_not_found_returns_none	Pass
	test_integrator_exception.py::TestGenerateReportFromPropertyFileException	test_from_property_file_exception_returns_none	Pass
	test_integrator_exception.py::TestGenerateReportFromPropertyFileException	test_from_property_file_exception_returns_none	Pass
	generation.py::TestGenerateRiskReport	test_analysis_type	Pass
	generation.py::TestGenerateRiskReport	test_basic_type	Pass
	generation.py::TestGenerateRiskReport	test_detailed_type	Pass
	generation.py::TestGenerateRiskReport	test_summary_type	Pass
	generation.py::TestGenerateRiskReport	test_unknown_type_fallback	Pass
	generation.py::TestRiskReportEdgesCase	test_case_to_select_pages_returns_list	Pass
	generation.py::TestRiskReportEdgesCase	test_empty_gauge_data	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_elements_exception_continues	Pass
	generation.py::TestRiskReportEdgesCase	test_generate_elements_skips_unknown	Pass
	generation.py::TestRiskReportEdgesCase	test_get_page_categories	Pass
	generation.py::TestRiskReportEdgesCase	test_high_risk_portfolio_report	Pass
	generation.py::TestRiskReportEdgesCase	test_list_available_pages	Pass
	generation.py::TestRiskReportEdgesCase	test_minimal_data_report	Pass
	generation.py::TestRiskReportEdgesCase	test_misleading_mortgage_data	Pass
	generation.py::TestRiskReportEdgesCase	test_no_output_dir_uses_config	Pass
	generation.py::TestRiskReportEdgesCase	test_validate_pages_valid_and_invalid	Pass
	generation.py::TestRiskReportGeneration	test_analysis_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_basic_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_custom_filename	Pass
	generation.py::TestRiskReportGeneration	test_custom_page_selection	Pass
	generation.py::TestRiskReportGeneration	test_detailed_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_summary_report_generation	Pass
	cli.py::TestErrorHandling	test_bad_flood_file_exits_with_1	Pass
	cli.py::TestErrorHandling	test_invalid_json_exits_with_1	Pass
	cli.py::TestListCategories	test_list_categories_iterates_all_categories	Pass
	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	cli.py::TestListPages	test_list_pages_does_not_open_flood_file	Pass
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestReportGeneration	test_logging_after_generation	Pass
	cli.py::TestReportGeneration	test_report_type_analysis	Pass
	cli.py::TestReportGeneration	test_report_type_basic	Pass
	cli.py::TestReportGeneration	test_report_type_detailed	Pass
	cli.py::TestReportGeneration	test_report_type_else_branch	Pass
	cli.py::TestReportGeneration	test_report_type_summary	Pass
	convenience.py::TestEdgeCases	test_all_unknown_pages_still_creates_pdf	Pass
	convenience.py::TestEdgeCases	test_completely_empty_flood_data	Pass
	convenience.py::TestEdgeCases	test_large_property_risk_dataset	Pass
	convenience.py::TestEdgeCases	test_missing_summary_key	Pass
	convenience.py::TestEdgeCases	test_negative_values_in_summary	Pass
	convenience.py::TestEdgeCases	test_none_gauge_data_key	Pass
	convenience.py::TestEdgeCases	test_report_with_all_pages	Pass
	convenience.py::TestEdgeCases	test_single_page_report	Pass
	convenience.py::TestEdgeCases	test_zero_properties_at_risk	Pass
	convenience.py::TestGenerateRiskReportAnalysisTypeFragments	test_report_analysis_type_fragments_path	Pass
	convenience.py::TestGenerateRiskReportBasicContentTypeFragments	test_report_basic_content_type_fragments_path	Pass
	convenience.py::TestGenerateRiskReportDefaultReportFileTypeIsBasic	test_report_default_report_file_type_is_basic	Pass
	convenience.py::TestGenerateRiskReportDefaultReportFileTypeIsFragments	test_report_default_report_file_type_fragments_path	Pass
	convenience.py::TestGenerateRiskReportConvenienceEstimation	test_report_convenience_estimation	Pass
	convenience.py::TestGenerateRiskReportPdfConvenienceEmptyBytesOnDisk	test_report_pdf_convenience_empty_bytes_on_disk	Pass
	convenience.py::TestGenerateRiskReportPdfContentTypeFragments	test_report_pdf_content_type_fragments_path	Pass
	convenience.py::TestGenerateRiskReportUnknownTypeFallsBackToGenerateReport	test_report_unknown_type_falls_back_to_generate_report	Pass
	elements.py::TestGenerateElements	test_empty_page_list	Pass
	elements.py::TestGenerateElements	test_exception_in_page_continues	Pass
	elements.py::TestGenerateElements	test_first_page_no_page_break	Pass
	elements.py::TestGenerateElements	test_mixed_valid_and_unknown_pages	Pass
	elements.py::TestGenerateElements	test_multiple_pages_inserts_page_breaks	Pass
	elements.py::TestGenerateElements	test_returns_list	Pass
	elements.py::TestGenerateElements	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_auto_select_pages_when_none	Pass
	elements.py::TestGenerateReport	test_auto_select_skipped_when_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_flood_data	Pass
	elements.py::TestGenerateReport	test_full_data_report	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	init.py::TestAutoSelectPages	test_all_pages_exist	Pass
	init.py::TestAutoSelectPages	test_always_includes_appendix	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	init.py::TestAutoSelectPages	test_empty_flood_data	Pass
	init.py::TestAutoSelectPages	test_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_includes_overview_pages	Pass
	init.py::TestAutoSelectPages	test_returns_list	Pass
	init.py::TestGenerateFilename	test_contains_flood_risk_report	Pass
	init.py::TestGenerateFilename	test_contains_timestamp	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_two_calls_produce_string_names	Pass
	init.py::TestRiskReportGenerator	test_categories_dict_initialized	Pass
	init.py::TestRiskReportGenerator	test_explicit_output_dir_path	Pass
	init.py::TestRiskReportGenerator	test_explicit_output_dir_string	Pass
	init.py::TestRiskReportGenerator	test_no_output_dir_uses_config	Pass
	init.py::TestRiskReportGenerator	test_output_dir_created	Pass
	init.py::TestRiskReportGenerator	test_pages_dict_initialized	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_strings	Pass
	specialised.py::TestSpecialisedRequestMethods	test_methods_detailed_page_counts	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_analysis_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_analysis_report_exists	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_basic_report_exists	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_basic_report_non_empty	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_detailed_report_exists	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_detailed_report_includes_report_page_page	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_summary_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_summary_report_exists	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_contains_expected_keys	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_all_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_non_empty	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	utilities.py::TestConvenienceFunctions	test_generate_risk_report_basic	Pass
	utilities.py::TestConvenienceFunctions	test_generate_risk_report_default	Pass
	utilities.py::TestConvenienceFunctions	test_generate_risk_report_detailed	Pass
	utilities.py::TestRiskBasePageFormat	test_format_count_non_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_count_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_currency_non_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_currency_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_depth_non_numeric	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	utilities.py::TestRiskBasePageForm	test_format_depth_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_field_name_camel_case	Pass
	utilities.py::TestRiskBasePageForm	test_format_field_name_replacements	Pass
	utilities.py::TestRiskBasePageForm	test_format_percentage_non_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_percentage_numeric	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_bool_false	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_bool_true	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_empty_string	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_float_decimal	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_float_integer	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_int	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_non_empty_string	Pass
	utilities.py::TestRiskBasePageForm	test_format_value_none	Pass
	utilities.py::TestRiskReportUtility	test_get_page_categories	Pass
	utilities.py::TestRiskReportUtility	test_list_available_pages	Pass
	utilities.py::TestRiskReportUtility	test_validate_pages_invalid	Pass
	utilities.py::TestRiskReportUtility	test_validate_pages_valid	Pass
	utilities.py::TestRiskReportWorkflow	test_complete_workflow_all_types	Pass
	utilities.py::TestRiskReportWorkflow	test_complete_workflow_basic	Pass
	eod_pages_part1.py::TestEODPositionPage	test_gauge_id_truncated	Pass
	eod_pages_part1.py::TestEODPositionPage	test_multiple_gauges_grouped	Pass
	eod_pages_part1.py::TestEODPositionPage	test_positions_shows_message	Pass
	eod_pages_part1.py::TestEODPositionPage	test_returns_list	Pass
	eod_pages_part1.py::TestEODPositionPage	test_page_position	Pass
	eod_pages_part1.py::TestEODPositionPage	test_with_positions_creates_table	Pass
	eod_pages_part1.py::TestEODPositionPage	test_pnl_render_dash	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_date_appears_in_paragraph	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_summary	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_in_paragraph_and_table	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_negative_pnl_snapshot	Pass
	eod_pages_part1.py::TestEODSummaryPage	test_returns_list	Pass
	eod_pages_part2.py::TestEODChartPage	test_insufficient_data_message	Pass
	eod_pages_part2.py::TestEODChartPage	test_returns_list	Pass
	eod_pages_part2.py::TestEODChartPage	test_single_entry_insufficient	Pass
	eod_pages_part2.py::TestEODChartPage	test_insufficient_data_creates_content	Pass
	eod_pages_part2.py::TestEODPNLDetailPage	test_market_movers_top_20	Pass
	eod_pages_part2.py::TestEODPNLDetailPage	test_move_pnl_creates_table	Pass
	eod_pages_part2.py::TestEODPNLDetailPage	test_upgrade_pnl_creates_table	Pass
	eod_pages_part2.py::TestEODPNLDetailPage	test_positions_shows_messages	Pass
	eod_pages_part2.py::TestEODPNLDetailPage	test_returns_list	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_get_id_in_filename	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_empty_snapshot	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_report_returns_path	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_generate_report_without_pnl_series	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	eod_pages_part2.py::TestEODReportGenerator	test_output_dir_uses_config	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_output_dir_created	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_pdf_file_not_empty	Pass
	eod_pages_part2.py::TestPnlDetailsPanel	test_zero_pnl_returns_dash	Pass
	test_eod_charts_coverage.py::TestDailyEmptyChartFlyoutData	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyPnlChartNegativeValues	test_negative_renders	Pass
	test_eod_charts_coverage.py::TestDailyRelativeDailyPnl	test_renders	Pass
	test_eod_charts_coverage.py::TestDailyChangeChartEmpty	test_key_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyChangeChartEmpty	test_renders_correctly	Pass
	test_eod_charts_coverage.py::TestDailyChangeChartEmpty	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyChangeChartEmpty	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyChangeChartEmpty	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyChangeChartEmpty	test_returns_drawing	Pass
	open_pdf.py::TestOpenPdfFile	test_called_process_error_returns_false	Pass
	open_pdf.py::TestOpenPdfFile	test_darwin_calls_open	Pass
	open_pdf.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	open_pdf.py::TestOpenPdfFile	test_linux_calls_xdg_open	Pass
	open_pdf.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	open_pdf.py::TestOpenPdfFile	test_windows_calls_start	FAIL
	catchment.py::TestCatchmentExceptionHandler	test_catchment_selector_exception_returns_500	Pass
	catchment.py::TestCatchmentExceptionHandler	test_catchment_exception_returns_500	Pass
	catchment.py::TestServeCatchmentSelector	test_returns_404_when_file_missing	Pass
	catchment.py::TestServeCatchmentSelector	test_returns_html_when_file_exists	Pass
	catchment.py::TestServeCatchmentSelector	test_returns_json_error_or_html	Pass
	catchment.py::TestSetCatchment	test_case_insensitive_thames	Pass
	catchment.py::TestSetCatchment	test_missing_catchment_id_returns_400	Pass
	catchment.py::TestSetCatchment	test_no_json_returns_400	Pass
	catchment.py::TestSetCatchment	test_null_catchment_id_returns_400	Pass
	catchment.py::TestSetCatchment	test_options_returns_200	Pass
	catchment.py::TestSetCatchment	test_unknown_catchment_returns_400	Pass
	catchment.py::TestSetCatchment	test_valid_thames_returns_success	Pass
	counterparty.py::TestCounterpartyError	test_counterparty_error_returns_500	Pass
	counterparty.py::TestCounterpartyError	test_list_counterparties_error_returns_500	Pass
	counterparty.py::TestGetCounterparty	test_found_returns_200	Pass
	counterparty.py::TestGetCounterparty	test_found_second_counterparty	Pass
	counterparty.py::TestGetCounterparty	test_not_found_returns_404	Pass
	counterparty.py::TestListCounterparties	test_no_file_returns_empty_list	Pass
	counterparty.py::TestListCounterparties	test_summary_fields	Pass
	counterparty.py::TestListCounterparties	test_with_data_returns_summary	Pass
	cross_entity.py::TestCrossEntityConsistency	test_all_huges_have_timeseries	Pass
	cross_entity.py::TestCrossEntityConsistency	test_all_huges_hazard_no_500	Pass
	cross_entity.py::TestCrossEntityConsistency	test_all_properties_have_flood_data	Pass
	cross_entity.py::TestInteractivity	test_dashboard_menus_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_hazard_curve_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_pdf_panel_renders	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	cross_entity.py::TestInteractivity	test_gauges_storm_analysis_renders	Pass
	cross_entity.py::TestInteractivity	test_modeling_notifications_renders	Pass
	cross_entity.py::TestInteractivity	test_property_hazard_curve_renders	Pass
	cross_entity.py::TestInteractivity	test_property_pdf_panel_renders	Pass
	cross_entity.py::TestInteractivity	test_property_storm_analysis_renders	Pass
	cross_entity.py::TestInteractivity	test_property_storm_js_guards_empty_event	Pass
	gauge.py::TestDataFormatValidation	test_gaugehc_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_gaugets_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_propertyhc_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_propertyts_file_structure	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_existing	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_gev_params	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_nonexistent_gauge	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_not_found	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_storms_existing	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugehc_ids_match_gauge_portfolio	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugets_ids_match_gauge_portfolio	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugets_internal_id_matches_filename	Pass
	property.py::TestMissingDataHandling	test_property_hazard_no_file	Pass
	property.py::TestMissingDataHandling	test_propertyhc_summary_no_file	Pass
	property.py::TestMissingDataHandling	test_propertyts_summary_no_dir	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_existing	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_nonexistent	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_not_in_curves	Pass
	property.py::TestPropertyHCRoutes	test_propertyhc_basis	Pass
	property.py::TestPropertyHCRoutes	test_propertyhc_summary	Pass
	property.py::TestPropertyIDConsistency	test_propertyhc_ids_match_property_portfolio	Pass
	property.py::TestPropertyIDConsistency	test_propertyhc_ids_subset_of_propertyts	Pass
	property.py::TestPropertyIDConsistency	test_propertyts_ids_match_property_portfolio	Pass
	property.py::TestPropertyTSRoutes	test_list_flood_storms	Pass
	property.py::TestPropertyTSRoutes	test_list_flood_storms_only_returns_damaging	Pass
	property.py::TestPropertyTSRoutes	test_property_floods_existing	Pass
	property.py::TestPropertyTSRoutes	test_property_floods_few_events	Pass
	property.py::TestPropertyTSRoutes	test_property_floods_not_found	Pass
	property.py::TestPropertyTSRoutes	test_property_storms_existing	Pass
	property.py::TestPropertyTSRoutes	test_property_storms_not_found	Pass
	property.py::TestPropertyTSRoutes	test_property_storms_zero_floods	Pass
	property.py::TestPropertyTSRoutes	test_propertyts_summary	Pass
	financial.py::TestPortfolioImpactNoData	test_pts_dir_returns_404	Pass
	financial.py::TestPortfolioImpactOptions	test_options_returns_200	Pass
	financial.py::TestPortfolioImpactStorm	test_hkbf_storm_returns_404	Pass
	financial.py::TestPortfolioImpactStress	test_stressmortgage_enrichment_present	Pass
	financial.py::TestPortfolioImpactStress	test_stressproperty_entry_has_damage_fields	Pass
	financial.py::TestPortfolioImpactStress	test_stressresponse_has_portfolio_key	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	financial.py::TestPortfolioImpact	test_response_has_properties_list	Pass
	financial.py::TestPortfolioImpact	test_storm_id_in_response	Pass
	financial.py::TestPortfolioImpact	test_valid_storm_returns_200	Pass
	test_crud.py::TestCrudGetGauge	test_get_gauge_not_found	Pass
	test_crud.py::TestCrudGetGauge	test_get_gauge_success	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_error_returns_500	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_legacy_route	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_options	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_returns_200	Pass
	test_hazard.py::TestHazardError	test_get_gauge_hazard_corrupted_file_returns_500	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_exception_returns_500	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_gauge_not_in_hazard	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_no_hazard_file	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_no_json_body	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_null_json_body	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_severe_trigger	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_success	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_with_defaults	Pass
	test_history.py::TestHistoryError	test_get_gauge_history_corrupted_file_returns_500	Pass
	test_history.py::TestHistoryError	test_get_gauge_statistics_exception_returns_500	Pass
	test_history.py::TestHistoryError	test_get_gaugets_exception_returns_500	Pass
	test_reports.py::TestReportsError	test_gaugehd_load_error_warning	Pass
	test_reports.py::TestReportsError	test_general_exception_returns_500	FAIL
	test_reports.py::TestReportsError	test_hazard_load_error_warning	Pass
	test_reports.py::TestReportsError	test_import_error_returns_500	FAIL
	test_reports.py::TestReportsError	test_timeseries_load_success_with_storm_responses	Pass
	test_reports.py::TestReportsError	test_timeseries_load_warning	Pass
	test_storms.py::TestStormsError	test_gaugets_dir_corrupted_file_continues	Pass
	test_storms.py::TestStormsError	test_no_gaugets_dir	Pass
	test_storms.py::TestStormsError	test_no_storm_sequences_file	Pass
	test_storms.py::TestStormsError	test_storm_sequences_corrupted_continues	Pass
	test_storms.py::TestStormsError	test_storms_exception_returns_500	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_gauge_not_found_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_curve_for_gauge_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_hazard_file_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_annual_flood_probs	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_curve_points	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_flood_stages	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_gauge_id	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_gev_parameters	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_term_structures	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_valid_hazard_returns_200	Pass
	gauges_hazard.py::TestPricePrs	test_gauge_not_in_hazard_returns_404	Pass
	gauges_hazard.py::TestPricePrs	test_invalid_trigger_level_returns_400	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauges_hazard.py::TestPricePrs	test_missing_gauge_id_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_no_hazard_file_returns_404	Pass
	gauges_hazard.py::TestPricePrs	test_no_json_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_options_returns_ok	Pass
	gauges_history.py::TestGaugeHist	test_response_has_count_and_gauges_keys	Pass
	gauges_history.py::TestGaugeHist	test_returns_200_with_no_gaugehd_files	Pass
	gauges_history.py::TestGaugeHist	test_returns_correct_count_when_files_present	Pass
	gauges_history.py::TestGetGaugeHist	test_days_larger_than_available_returns_404	FAIL
	gauges_history.py::TestGetGaugeHist	test_days_param_limits_observations	Pass
	gauges_history.py::TestGetGaugeHist	test_days_param_zero_returns_all	FAIL
	gauges_history.py::TestGetGaugeHist	test_no_history_file_returns_404	Pass
	gauges_history.py::TestGetGaugeHist	test_response_has_daily_observations	Pass
	gauges_history.py::TestGetGaugeHist	test_response_has_flood_stages	Pass
	gauges_history.py::TestGetGaugeHist	test_response_has_gauge_metadata	Pass
	gauges_history.py::TestGetGaugeHist	test_response_has_statistics	Pass
	gauges_history.py::TestGetGaugeHist	test_valid_history_returns_200	Pass
	gauges_history.py::TestGetGaugeHist	test_invalid_gauge_not_found_returns_404	Pass
	gauges_history.py::TestGetGaugeHist	test_invalid_gauge_returns_success	Pass
	gauges_history.py::TestGetGaugeHist	test_gauge_not_found_returns_404	Pass
	gauges_history.py::TestGetGaugeHist	test_response_has_count_and_readings	Pass
	gauges_history.py::TestGetGaugeHist	test_valid_gauge_returns_success	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_gauge_not_found_returns_404	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_route_alias	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_gauge_id_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_no_json_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_no_reportson_body_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_options_returns_ok	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_has_file_path	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_has_pdf_base64	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_valid_gauge_generates_report	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_no_gaugehd_file_present	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_no_hazard_file_present	Pass
	gauges_storms.py::TestGetGaugeStorm	test_gauge_not_found_returns_404	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_flood_simulation	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_flood_stages	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_gauge_id	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_storm_responses	Pass
	gauges_storms.py::TestGetGaugeStorm	test_storm_enrichment_from_storms_json	Pass
	gauges_storms.py::TestGetGaugeStorm	test_invalid_gauge_returns_200	Pass
	gauges_storms.py::TestGetGaugeStorm	test_with_severe_exceeded_counts_gauges	Pass
	audit_part1.py::TestGetAuditTrail	test_after_log_entry_appears	Pass
	audit_part1.py::TestGetAuditTrail	test_empty_trail_returns_200	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_event_type	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_model_id	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	audit_part1.py::TestGetAuditTrail	test_filter_by_model_id.no.match	Pass
	audit_part1.py::TestGetAuditTrail	test_has_returned_field	Pass
	audit_part1.py::TestGetAuditTrail	test_limit_parameter	Pass
	audit_part1.py::TestLogModelUsage	test_defaults_applied_when_no_json	Pass
	audit_part1.py::TestLogModelUsage	test_entry_has_expected_fields	Pass
	audit_part1.py::TestLogModelUsage	test_model_not_found_returns_404	Pass
	audit_part1.py::TestLogModelUsage	test_parameters_stored	Pass
	audit_part1.py::TestLogModelUsage	test_valid_model_returns_200	Pass
	audit_part1.py::TestUpdateValidQuestion	test_valid_statuses	Pass
	audit_part1.py::TestUpdateValidQuestion	test_invalid_status_returns_400	Pass
	audit_part1.py::TestUpdateValidQuestion	test_model_not_found_returns_404	Pass
	audit_part1.py::TestUpdateValidQuestion	test_question_not_found_returns_404	Pass
	audit_part1.py::TestUpdateValidQuestion	test_recicling_recalculated	Pass
	audit_part1.py::TestUpdateValidQuestion	test_question_update_has_model_and_audit_entry	Pass
	audit_part1.py::TestUpdateValidQuestion	test_question_update_returns_success	Pass
	audit_part2.py::TestGetRiskRating	test_model_not_found_returns_404	Pass
	audit_part2.py::TestGetRiskRating	test_response_has_risk_rating	Pass
	audit_part2.py::TestGetRiskRating	test_risk_rating_has_component_scores	Pass
	audit_part2.py::TestGetRiskRating	test_valid_model_returns_success	Pass
	audit_part2.py::TestOverrideRiskRating	test_clear_override_with_null	Pass
	audit_part2.py::TestOverrideRiskRating	test_invalid_rating_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_model_not_found_returns_404	Pass
	audit_part2.py::TestOverrideRiskRating	test_reason_field_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_reason_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_override_stored_in_model	Pass
	audit_part2.py::TestOverrideRiskRating	test_response_has_audit_entry	Pass
	audit_part2.py::TestOverrideRiskRating	test_valid_override_returns_success	Pass
	audit_part2.py::TestPdfEndpoint	test_documentation_pdf_known_model_no_file_404	Pass
	audit_part2.py::TestPdfEndpoint	test_documentation_pdf_unknown_model_404	Pass
	audit_part2.py::TestPdfEndpoint	test_mrc_tor_pdf_responds	Pass
	audit_part2.py::TestPdfEndpoint	test_parameter_inventory_pdf_responds	Pass
	audit_part2.py::TestPdfEndpoint	test_test_results_pdf_known_model_no_file_404	Pass
	audit_part2.py::TestPdfEndpoint	test_test_results_pdf_unknown_model_404	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_not_found_returns_404	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_pdf_served_as_attachment	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_traversal_returns_403	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_pdf_served_inline	Pass
	audit_reports.py::TestListAuditReports	test_coverage_available_false_when_no_index	Pass
	audit_reports.py::TestListAuditReports	test_coverage_available_true_when_index_present	Pass
	audit_reports.py::TestListAuditReports	test_empty_dir_returns_empty_list	Pass
	audit_reports.py::TestListAuditReports	test_file_has_size_and_modified	Pass
	audit_reports.py::TestListAuditReports	test_file_type_label_json	Pass
	audit_reports.py::TestListAuditReports	test_file_type_label_pdf	Pass
	audit_reports.py::TestListAuditReports	test_file_type_label_unknown	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	audit_reports.py::TestListAuditReports	test_no_dir_returns_empty_list	Pass
	audit_reports.py::TestListAuditReports	test_pdf_file_listed	Pass
	audit_reports.py::TestListAuditReports	test_subdirectories_not_listed	Pass
	audit_reports.py::TestServeCoverageIndex	test_index_coverage_dir_returns_404	Pass
	audit_reports.py::TestServeCoverageIndex	test_with_coverage_index_returns_200	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_appears_in_list	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_assigns_id	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_no_json_body_uses_defaults	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_returns_200	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_returns_reference	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_same_category_twice_no_duplicates	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_stores_all_fields	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_with_category_updates_category	Pass
	bibliography.py::TestDeleteBibliographyRef	test_ref_nonexistent_still_returns_success	Pass
	bibliography.py::TestDeleteBibliographyRef	test_ref_returns_success	Pass
	bibliography.py::TestDeleteBibliographyRef	test_ref_ref_not_in_list	Pass
	bibliography.py::TestGetBibliographyRefs	test_empty_references	Pass
	bibliography.py::TestGetBibliographyRefs	test_has_categories_key	Pass
	bibliography.py::TestGetBibliographyRefs	test_returns_200	Pass
	bibliography.py::TestGetBibliographyRefs	test_returns_success_status	Pass
	bibliography.py::TestUpdateBibliographyRef	test_not_found_returns_404	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_changes_field	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_returns_success	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_with_new_category_adds_to_list	Pass
	compliance_part1.py::TestGetBcb239	test_no_data_returns_404	Pass
	compliance_part1.py::TestGetBcb239	test_principles_count	Pass
	compliance_part1.py::TestGetBcb239	test_response_has_assessment	Pass
	compliance_part1.py::TestGetBcb239	test_with_data_returns_200	Pass
	compliance_part1.py::TestGetBcb239Pdf	test_bcb239_pdf_responds	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_principle_date_updated	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_principle_not_found_returns_404	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_principle_derives_non_compliant_status	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_principle_derives_fully_compliant_status	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_evidence_field	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_prevalence_and_remediation	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_returns_200	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_id_returns_400	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_updated	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_extcode_allowed	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_update_returns_success	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_extcode_threshold_updated	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_activity_has_audit_entry	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	compliance_part2.py::TestUpdateEntity	test_create_entity_found_returns_404	Pass
	compliance_part2.py::TestUpdateEntity	test_create_entity_on_update_returns_success	Pass
	compliance_part2.py::TestUpdateEntity	test_create_entity_field_updated	Pass
	compliance_part2.py::TestUpdateEntity	test_create_entity_file_returns_404	Pass
	compliance_part2.py::TestUpdateEntity	test_create_entity_has_audit_entry	Pass
	compliance_part2.py::TestUpdateEntity	test_create_entity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateEntity	test_create_entity_update_returns_success	Pass
	documents_part1.py::TestDeleteDocument	test_deleted_doc_not_in_list	Pass
	documents_part1.py::TestDeleteDocument	test_document_found_returns_404	Pass
	documents_part1.py::TestDeleteDocument	test_invalid_delete_returns_success	Pass
	documents_part1.py::TestDownloadDocument	test_document_found_returns_404	Pass
	documents_part1.py::TestDownloadDocument	test_invalid_download_returns_200	Pass
	documents_part1.py::TestGetDocuments	test_empty_list_returns_success	Pass
	documents_part1.py::TestUploadDocument	test_empty_filename_returns_400	Pass
	documents_part1.py::TestUploadDocument	test_no_file_returns_400	Pass
	documents_part1.py::TestUploadDocument	test_upload_appears_in_list	Pass
	documents_part1.py::TestUploadDocument	test_upload_response_has_id	Pass
	documents_part1.py::TestUploadDocument	test_upload_stores_description	Pass
	documents_part1.py::TestUploadDocument	test_valid_upload_returns_200	Pass
	documents_part2.py::TestDeleteFile	test_delete_file_failure_returns_500	Pass
	documents_part2.py::TestDownloadFile	test_file_missing_on_disk_returns_404	Pass
	documents_part2.py::TestUploadFile	test_upload_file_failure_returns_500	Pass
	inventory.py::TestInventorySummary	test_get_models_includes_risk_fields	Pass
	inventory.py::TestRiskRating	test_get_risk_rating_calculation	Pass
	inventory.py::TestRiskRating	test_risk_rating_clear_override	Pass
	inventory.py::TestRiskRating	test_risk_rating_override	Pass
	inventory.py::TestRiskRating	test_risk_rating_override_invalid_rating	Pass
	inventory.py::TestRiskRating	test_risk_rating_override_requires_reason	Pass
	inventory.py::TestValidationQuestion	test_update_triggers_risk_recalculation	Pass
	inventory.py::TestValidationQuestion	test_update_validation_question	Pass
	inventory.py::TestValidationQuestion	test_update_validation_question_invalid_status	Pass
	inventory.py::TestValidationQuestion	test_update_validation_question_not_found	Pass
	models.py::TestGetEditableFields	test_has_fields	Pass
	models.py::TestGetEditableFields	test_returns_200	Pass
	models.py::TestGetEditableFields	test_returns_success_status	Pass
	models.py::TestGetModelDetail	test_model_has_validation_questions	Pass
	models.py::TestGetModelDetail	test_model_not_found_returns_404	Pass
	models.py::TestGetModelDetail	test_response_has_audit_entries	Pass
	models.py::TestGetModelDetail	test_valid_model_returns_success	Pass
	models.py::TestGetModels	test_category_distribution	Pass
	models.py::TestGetModels	test_model_has_review_status	Pass
	models.py::TestGetModels	test_model_has_risk_rating	Pass
	models.py::TestGetModels	test_model_has_validation_coverage	Pass
	models.py::TestGetModels	test_response_has_metadata	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	models.py::TestGetModels	test_returns_200	Pass
	models.py::TestGetModels	test_returns_models_list	Pass
	models.py::TestGetModels	test_returns_success_status	Pass
	models.py::TestGetModels	test_tier_distribution	Pass
	models.py::TestUpdateModelField	test_empty_value_returns_400	Pass
	models.py::TestUpdateModelField	test_invalid_choice_value_returns_400	Pass
	models.py::TestUpdateModelField	test_invalid_field_returns_400	Pass
	models.py::TestUpdateModelField	test_model_not_found_returns_404	Pass
	models.py::TestUpdateModelField	test_no_reason_returns_400	Pass
	models.py::TestUpdateModelField	test_response_has_audit_entry	Pass
	models.py::TestUpdateModelField	test_update_lifecycle_stage	Pass
	models.py::TestUpdateModelField	test_update_validation_status	Pass
	models.py::TestUpdateModelField	test_valid_choice_field_update_returns_success	Success
	models.py::TestUpdateModelField	test_valid_text_field_update_returns_success	Success
	mrc_crud_actions.py::TestActions	test_add_action_auto_id	Pass
	mrc_crud_actions.py::TestActions	test_add_action_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestActions	test_add_action_returns_200	Pass
	mrc_crud_actions.py::TestActions	test_delete_action_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestActions	test_delete_action_returns_200	Pass
	mrc_crud_actions.py::TestActions	test_update_action_not_found_returns_404	Pass
	mrc_crud_actions.py::TestActions	test_update_action_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_auto_id	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_delete_participant_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestParticipants	test_delete_participant_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_update_participant_not_found_returns_404	Pass
	mrc_crud_actions.py::TestParticipants	test_update_participant_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_item_increments_count	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestAgenda	test_delete_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_delete_agenda_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestAgenda	test_update_agenda_item_not_found_returns_404	Pass
	mrc_crud_agenda.py::TestAgenda	test_update_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestDecisions	test_add_decision_auto_ids	Pass
	mrc_crud_agenda.py::TestDecisions	test_add_decision_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestDecisions	test_add_decision_returns_200	Pass
	mrc_crud_agenda.py::TestDecisions	test_delete_decision_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestDecisions	test_delete_decision_returns_200	Pass
	mrc_crud_agenda.py::TestDecisions	test_update_decision_not_found_returns_404	Pass
	mrc_crud_agenda.py::TestDecisions	test_update_decision_returns_200	Pass
	mrc_crud_agenda.py::TestMinutes	test_update_minutes_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestMinutes	test_update_minutes_returns_200	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
mrc_crud_edge_part1.py::TestMinutes	test_add_minute	item missing meeting returns 404	Pass
mrc_crud_edge_part1.py::TestMinutes	test_delete_minute	item returns 200	Pass
mrc_crud_edge_part1.py::TestMinutes	test_legacy_format	item legacy format returns 400	Pass
mrc_crud_edge_part1.py::TestMinutes	test_add_minute	item missing meeting returns 404	Pass
mrc_crud_edge_part1.py::TestMinutes	test_delete_minute	item returns 200	Pass
mrc_crud_edge_part1.py::TestMinutes	test_legacy_format	item legacy format returns 400	Pass
mrc_crud_edge_part1.py::TestMinutes	test_add_minute	item not found returns 404	Pass
mrc_crud_edge_part1.py::TestMinutes	test_delete_minute	item returns 200	Pass
mrc_crud_edge_part2.py::TestMalformedData	test_add_decision	with malformed existing id	Pass
mrc_crud_edge_part2.py::TestMalformedData	test_delete_decision	with malformed existing id	Pass
mrc_crud_edge_part2.py::TestMalformedData	test_add_participant	with malformed existing id	Pass
mrc_crud_edge_part2.py::TestMinutes	test_add_conversion	minutes is string	Pass
mrc_crud_edge_part2.py::TestUpdateMeeting	test_add_meeting	missing meeting returns 404	Pass
mrc_crud_edge_part2.py::TestUpdateMeeting	test_delete_meeting	missing meeting returns 404	Pass
mrc_crud_edge_part2.py::TestUpdateMeeting	test_add_meeting	item missing meeting returns 404	Pass
mrc_crud_edge_part2.py::TestUpdateMeeting	test_add_participant	missing meeting returns 404	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_all_sections		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_buffer_not_empty		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_actions		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_agenda		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_decisions		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_minutes		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_no_optional_fields		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_participants		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_minimal_meeting		Pass
mrc_pdf.py::TestBuildMeetingPdf	test_returns_bytesio		Pass
mrc_pdf.py::TestGetMeetingPdf	test_meeting_not_found_returns_404		Pass
mrc_pdf.py::TestGetMeetingPdf	test_valid_meeting_content_type_pdf		Pass
mrc_pdf.py::TestGetMeetingPdf	test_valid_meeting_returns_bytes		Pass
mrc_pdf.py::TestGetMeetingPdf	test_valid_meeting_returns_pdf		Pass
raci.py::TestRACIMatrix	test_get_raci_matrix		Pass
raci.py::TestRACIMatrix	test_get_raci_matrix_file_missing		Pass
raci.py::TestRACIMatrix	test_update_raci_activity		Pass
raci.py::TestRACIMatrix	test_update_raci_activity_invalid_role		Pass
raci.py::TestRACIMatrix	test_update_raci_escalation		Pass
raci.py::TestRACIMatrix	test_update_raci_role		Pass
raci.py::TestRACIMatrix	test_update_raci_role_not_found		Pass
test_bibliography_coverage.py::TestBibliography	test_add_save_failure	returns 500	Pass
test_bibliography_coverage.py::TestBibliography	test_delete_save_failure	returns 500	Pass
test_bibliography_coverage.py::TestBibliography	test_update_save_failure	returns 500	Pass
test_block2_coverage_part1.py::TestMRC	test_create_meeting	save failure	Pass
test_block2_coverage_part1.py::TestMRC	test_get_meeting	document not found	Pass
test_block2_coverage_part1.py::TestMRC	test_get_meeting	document success	Pass
test_block2_coverage_part1.py::TestMRC	test_upload_document	empty filename	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestOverallRiskRatingSingleComponentScores	Pass
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestOverallRiskRatingSingleRequiredKeys	Pass
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestRequiredDictFields[overall_risk_rating]	Pass
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestRequiredDictFields[test_coverage]	Pass
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestTestCoverageSubmodules_are_bool	Pass
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestTestCoverageSubmodules_has_required_keys	Pass
test_inventory_integrity_part1.py	test_inventory_integrity_part1.py	TestTestCoverageSubmodules_test_file	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestADPBackendAPIAvailability_200	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestADPBackendAPIAvailability_succeeds	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestADPBackendAPIAvailability_count_matches	Fail
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredListFields[assumptions]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredListFields[downstream_models]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredListFields[limitations]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredListFields[upstream_models]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredStringFields[category]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredStringFields[description]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredStringFields[name]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredStringFields[owner]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredStringFields[status]	Pass
test_inventory_integrity_part2.py	test_inventory_integrity_part2.py	TestRequiredStringFields[version]	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestCounterpartyNotFound_returns_empty	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestCounterpartyTrace_finds_master_ref	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestCounterpartyTrace_finds_prs_trade	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestGaugeTraceCoincidentally_classifier_sum	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestGaugeTraceCoincidentally_gaugehd	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestGaugeTraceCoincidentally_market_state	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestGaugeTraceCoincidentally_sequence_gauge	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestSequenceGaugeCoincidentally_fallbacks	Pass
test_lineage_coverage_part1.py	test_lineage_coverage_part1.py	TestSequenceGaugeCoincidentally_gauge_fallback	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestProperSubLookup_includes_mortgage	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestProperSubLookup_includes_propertyhd	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestRouteErrorHandler_staleness_error_returns_empty	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestRouteErrorHandler_staleness_error_returns_500	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestRouteErrorHandler_returns_500	FAIL
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestTradeSubtrades_includes_eod	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestTradeSubtrades_includes_marks	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestUtilityValueError_falls_back_to_absolute	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestUtilityEdgeCases_filename_stem_matches	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestUtilityEdgeCases_files_missing_dir	Pass
test_lineage_coverage_part2.py	test_lineage_coverage_part2.py	TestUtilityEdgeCases_exception_returns_false	Pass
test_lineage_data_routes.py	test_lineage_data_routes.py	TestDataLineage	Pass
test_lineage_data_routes.py	test_lineage_data_routes.py	TestDataIntegrityHealth	Pass
test_lineage_data_routes.py	test_lineage_data_routes.py	TestDataHasAge	Pass
test_lineage_data_routes.py	test_lineage_data_routes.py	TestDataIntegrityUses	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lineage_staleness.py::TestStaleness	test_refresh_full_health	Pass
	test_lineage_staleness.py::TestStaleness	test_missing_zero_health	Pass
	test_lineage_staleness.py::TestStaleness	test_health_of	Pass
	test_lineage_staleness.py::TestStaleness	test_partial_health	Pass
	test_lineage_staleness.py::TestStaleness	test_state_does_not_count_as_fresh	Pass
	test_models_coverage.py::TestArticle	test_title_truncated_to_10000	Pass
	test_models_coverage.py::TestGetArticle	test_id_not_found_returns_404	Pass
	test_models_coverage.py::TestGetArticles	test_not_found_returns_404	Pass
	test_models_coverage.py::TestGetArticles	test_scheduled_review_status	Pass
	test_models_coverage.py::TestGetArticles	test_overdue_review_status	Pass
	test_models_coverage.py::TestUpdateModel	test_not_found_returns_404	Pass
	test_models_coverage.py::TestUpdateModel	test_future_returns_500	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_unknown_meeting_returns_404	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_multiple_items_increments_number	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item_renumbers	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_unknown_meeting_returns_404	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_unknown_meeting_returns_404	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_missing_item_returns_404	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item_legacy_format_returns_400	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item_legacy_format_returns_400	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_item_not_found_returns_404	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_minutes_text	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_agenda_minutes_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestArticle	test_id_auto_generates_id	Pass
	test_mrc_decisions_actions.py::TestArticle	test_id_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestArticle	test_delete_action	Pass
	test_mrc_decisions_actions.py::TestArticle	test_delete_action_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestArticle	test_delete_action_status	Pass
	test_mrc_decisions_actions.py::TestArticle	test_delete_action_returns_404	Pass
	test_mrc_decisions_actions.py::TestDecision	test_id_auto_generates_id	Pass
	test_mrc_decisions_actions.py::TestDecision	test_id_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestDecision	test_delete_decision	Pass
	test_mrc_decisions_actions.py::TestDecision	test_delete_decision_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestDecision	test_delete_decision_increments_id	Pass
	test_mrc_decisions_actions.py::TestDecision	test_delete_decision	Pass
	test_mrc_decisions_actions.py::TestDecision	test_id_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestParticipant	test_id_auto_generates_id	Pass
	test_mrc_decisions_actions.py::TestParticipant	test_id_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestParticipant	test_id_participant	Pass
	test_mrc_decisions_actions.py::TestParticipant	test_id_participant_unknown_meeting_returns_404	Pass
	test_mrc_decisions_actions.py::TestParticipant	test_id_participant_returns_404	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_mrc_decisions_actions.py::TestParticipantCreateParticipant	testParticipantCreateParticipant	Pass
	test_mrc_meetings.py::TestCreateMeetingGenerateId	testCreateMeetingGenerateId	Pass
	test_mrc_meetings.py::TestCreateMeetingReturnsMeeting	testCreateMeetingReturnsMeeting	Pass
	test_mrc_meetings.py::TestCreateMeetingAttendeesBecomeParticipants	testCreateMeetingAttendeesBecomeParticipants	Pass
	test_mrc_meetings.py::TestCreateMeetingTitleUsed	testCreateMeetingTitleUsed	Pass
	test_mrc_meetings.py::TestCreateMeetingDefaultChairPopulated	testCreateMeetingDefaultChairPopulated	Pass
	test_mrc_meetings.py::TestCreateMeetingDefaultParticipantsCreated	testCreateMeetingDefaultParticipantsCreated	Pass
	test_mrc_meetings.py::TestCreateMeetingJsonBodyUsesDefaults	testCreateMeetingJsonBodyUsesDefaults	Pass
	test_mrc_meetings.py::TestGetMeetingGetCreatedMeeting	testGetMeetingGetCreatedMeeting	Pass
	test_mrc_meetings.py::TestGetMeetingUnknownIdReturns404	testGetMeetingUnknownIdReturns404	Pass
	test_mrc_meetings.py::TestListMeetingsCreatedMeetingAppearsInList	testListMeetingsCreatedMeetingAppearsInList	Pass
	test_mrc_meetings.py::TestListMeetingsEmptyListReturnsSuccess	testListMeetingsEmptyListReturnsSuccess	Pass
	test_mrc_meetings.py::TestListMeetingsListSummaryHasRequiredKeys	testListMeetingsListSummaryHasRequiredKeys	Pass
	test_mrc_meetings.py::TestListMeetingsSortedByDateDesc	testListMeetingsSortedByDateDesc	Pass
	test_mrc_meetings.py::TestMeetingDoesNotExistMissingDocumentReturns404	testMeetingDoesNotExistMissingDocumentReturns404	Pass
	test_mrc_meetings.py::TestMeetingDoesNotExistEmptyFilenameReturns400	testMeetingDoesNotExistEmptyFilenameReturns400	Pass
	test_mrc_meetings.py::TestMeetingDoesNotExistNoFileReturns400	testMeetingDoesNotExistNoFileReturns400	Pass
	test_mrc_meetings.py::TestMeetingDoesNotExistNotFoundMeetingReturns404	testMeetingDoesNotExistNotFoundMeetingReturns404	Pass
	test_mrc_meetings.py::TestUpdateMeetingUpdateSetsUpdatedAt	testUpdateMeetingUpdateSetsUpdatedAt	Pass
	test_mrc_meetings.py::TestUpdateMeetingUpdateTitle	testUpdateMeetingUpdateTitle	Pass
	test_mrc_meetings.py::TestUpdateMeetingUpdateUnknownIdReturns404	testUpdateMeetingUpdateUnknownIdReturns404	Pass
	test_report_routes_part1.py::TestAppendOutline	testAppendOutline	Pass
	test_report_routes_part1.py::TestAppendOutlineWhenAppend	testAppendOutlineWhenAppend	Pass
	test_report_routes_part1.py::TestAppendOutlineBufferAt2000	testAppendOutlineBufferAt2000	Pass
	test_report_routes_part1.py::TestReportOutlineOneField	testReportOutlineOneField	Pass
	test_report_routes_part1.py::TestReportOutlineTwoFields	testReportOutlineTwoFields	Pass
	test_report_routes_part1.py::TestReportOutlineIncludesAppended	testReportOutlineIncludesAppended	Pass
	test_report_routes_part1.py::TestReportOutlineInitially	testReportOutlineInitially	Pass
	test_report_routes_part1.py::TestReportOutline200	testReportOutline200	Pass
	test_report_routes_part1.py::TestReportOutlineNotFoundWhenNoFile	testReportOutlineNotFoundWhenNoFile	Pass
	test_report_routes_part1.py::TestReportOutlineFoundWhenFileExists	testReportOutlineFoundWhenFileExists	Pass
	test_report_routes_part1.py::TestReportOutlineSummaryFields	testReportOutlineSummaryFields	Pass
	test_report_routes_part1.py::TestReportOutlineSignificantFields	testReportOutlineSignificantFields	Pass
	test_report_routes_part2.py::TestAppendStartedHeader	testAppendStartedHeader	Pass
	test_report_routes_part2.py::TestAppendSaveLineAppendedOnException	testAppendSaveLineAppendedOnException	Pass
	test_report_routes_part2.py::TestAppendSaveExceptionGracefully	testAppendSaveExceptionGracefully	Pass
	test_report_routes_part2.py::TestAppendSaveRunningFalseOnCompletion	testAppendSaveRunningFalseOnCompletion	Pass
	test_report_routes_part2.py::TestTailReadyRunningMessage	testTailReadyRunningMessage	Pass
	test_report_routes_part2.py::TestTailReadyRunningReturns202	testTailReadyRunningReturns202	Pass
	test_report_routes_part2.py::TestTestReportHasStartedStatus	testTestReportHasStartedStatus	Pass
	test_report_routes_part2.py::TestTestReportUnReturns202	testTestReportUnReturns202	Pass
	test_report_routes_part2.py::TestSaveAndProcWait	testSaveAndProcWait	Pass
	test_report_routes_part2.py::TestSaveAndProcStdoutIntoBuffer	testSaveAndProcStdoutIntoBuffer	Pass
	test_report_routes_part2.py::TestSaveAndProcNewlines	testSaveAndProcNewlines	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	properties_core.py::TestGenerateReport	test_generate_report_exception_returns_500	Fail
	properties_core.py::TestGenerateReport	test_generate_report_success	Pass
	properties_core.py::TestGenerateReport	test_missing_property_id_returns_400	Pass
	properties_core.py::TestGenerateReport	test_empty_report_body_returns_400	Pass
	properties_core.py::TestGenerateReport	test_empty_report_returns_error	Pass
	properties_core.py::TestGenerateReport	test_empty_report_returns_ok	Pass
	properties_core.py::TestGenerateReport	test_property_not_found_returns_404	Pass
	properties_core.py::TestGenerateReport	test_import_error_returns_500	Pass
	properties_core.py::TestGetProperty	test_found_returns_property	Pass
	properties_core.py::TestGetProperty	test_not_found_returns_404	Pass
	properties_core.py::TestListProperties	test_loader_exception_returns_500	Pass
	properties_core.py::TestListProperties	test_success_empty_list	Pass
	properties_core.py::TestListProperties	test_success_with_properties	Pass
	properties_core.py::TestNoJsonBodyEndpointReport	test_no_json_body_report_null_json_returns_400	Fail
	properties_mortgage.py::TestGenerateMortgageReport	test_generate_mortgage_report_exception_returns_500	Fail
	properties_mortgage.py::TestGenerateMortgageReport	test_generate_mortgage_report_success	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_missing_property_id_returns_400	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_mortgage_not_found_returns_404	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_no_json_body_report_returns_400	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_no_json_body_report_error	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_mortgage_returns_ok	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_property_not_found_returns_404	Pass
	properties_mortgage.py::TestGenerateMortgageReport	test_mortgage_report_import_error_returns_500	Pass
	properties_mortgage.py::TestListMortgages	test_list_mortgages_empty	Pass
	properties_mortgage.py::TestListMortgages	test_list_mortgages_exception_returns_500	Fail
	properties_mortgage.py::TestListMortgages	test_list_mortgages_success	Pass
	properties_mortgage.py::TestNoJsonBodyEndpointReport	test_no_json_body_report_report_null_json_returns_400	Fail
	properties_mortgage.py::TestPropertyMortgage	test_property_mortgage_returns_mortgage	Pass
	properties_mortgage.py::TestPropertyMortgage	test_mortgage_exception_returns_500	Pass
	properties_mortgage.py::TestPropertyMortgage	test_mortgage_not_found_returns_404	Pass
	properties_mortgage.py::TestPropertyMortgage	test_property_mortgage_returns_ok	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_data_contains_hazard_curve	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_data_contains_nearest_gauges	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_data_contains_property_id	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_data_contains_summary	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_known_property_returns_200	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_known_property_status_success	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_data_returns_404	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_data_status_error	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_options_returns_200	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_options_status_ok	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_response_has_data_key	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_second_property_also_works	Pass
	propertyhc_part1.py::TestPropertyHazard	test_hazard_unknown_property_message_contains_id	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	propertyhc_part1.py::TestProperty	testUnknown_property_returns_404	Pass
	propertyhc_part1.py::TestProperty	testUnknown_property_status_error	Pass
	propertyhc_part1.py::TestProperty	testDistribution_avg_basis_bps	Pass
	propertyhc_part1.py::TestProperty	testDistribution_avg_flood_count	Pass
	propertyhc_part1.py::TestProperty	testDistribution_max_depth_m	Pass
	propertyhc_part1.py::TestProperty	testDistribution_num_properties	Pass
	propertyhc_part1.py::TestProperty	testSendMessage_mentions_command	Pass
	propertyhc_part1.py::TestProperty	testSendMessage_returns_404	Pass
	propertyhc_part1.py::TestProperty	testSendMessage_status_is_error	Pass
	propertyhc_part1.py::TestProperty	testOptions_returns_200	Pass
	propertyhc_part1.py::TestProperty	testOptions_status_ok	Pass
	propertyhc_part1.py::TestProperty	testResponse_has_data_key	Pass
	propertyhc_part1.py::TestProperty	testResponse_has_distribution	Pass
	propertyhc_part1.py::TestProperty	testResponse_has_metadata	Pass
	propertyhc_part1.py::TestProperty	testResponse_has_summary	Pass
	propertyhc_part1.py::TestProperty	testReturns_200_with_data	Pass
	propertyhc_part1.py::TestProperty	testStatus_is_success	Pass
	propertyhc_part1.py::TestProperty	testSummary_avg_flood_count_is_zero	Pass
	propertyhc_part1.py::TestProperty	testSummary_avg_num_properties_is_zero	Pass
	propertyhc_part1.py::TestProperty	testSummary_returns_200	Pass
	propertyhc_part2.py::TestProperty	testBasis_entry_has_avg_basis_bps	Pass
	propertyhc_part2.py::TestProperty	testBasis_entry_has_flood_count	Pass
	propertyhc_part2.py::TestProperty	testBasis_entry_has_nearest_gauges	Pass
	propertyhc_part2.py::TestProperty	testBasis_entry_has_property_id	Pass
	propertyhc_part2.py::TestProperty	testBasis_table_count_matches	Pass
	propertyhc_part2.py::TestProperty	testBasis_table_length	Pass
	propertyhc_part2.py::TestProperty	testBasis_table_sorted_desc_by_basis	Pass
	propertyhc_part2.py::TestProperty	testNearest_gauge_has_distance_km	Pass
	propertyhc_part2.py::TestProperty	testNearest_gauge_has_gauge_id	Pass
	propertyhc_part2.py::TestProperty	testNoData_returns_404	Pass
	propertyhc_part2.py::TestProperty	testNoData_status_error	Pass
	propertyhc_part2.py::TestProperty	testOptions_returns_200	Pass
	propertyhc_part2.py::TestProperty	testOptions_status_ok	Pass
	propertyhc_part2.py::TestProperty	testResponse_has_basis_table	Pass
	propertyhc_part2.py::TestProperty	testResponse_has_count	Pass
	propertyhc_part2.py::TestProperty	testReturns_200_with_data	Pass
	propertyhc_part2.py::TestProperty	testStatus_is_success	Pass
	propertyhc_part2.py::TestProperty	testSummary_basis_table_is_list	Pass
	propertyhc_part2.py::TestProperty	testSummary_count_is_zero	Pass
	propertyhc_part2.py::TestProperty	testSummary_returns_200	Pass
	claim_part1.py::TestClaimReport	testGenerateReport_error_has_message	Pass
	claim_part1.py::TestClaimReport	testGenerateReport_error_returns_500	Pass
	claim_part1.py::TestClaimReport	testGenerateReport_error_status_is_error	Pass
	claim_part1.py::TestClaimReport	testHeader_content_length_header_set	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	core_summary.py::TestPropertyStatus	test_nearest_gauges_enriched_with_flood_stages	Pass
	core_summary.py::TestPropertyStatus	test_options_returns_ok	Pass
	core_summary.py::TestPropertyStatus	test_response_has_flood_events	Pass
	core_summary.py::TestPropertyStatus	test_response_has_nearest_gauges	Pass
	core_summary.py::TestPropertyStatus	test_response_has_property_info	Pass
	core_summary.py::TestSummary	test_no_data_returns_404	Pass
	core_summary.py::TestSummary	test_options_returns_ok	Pass
	core_summary.py::TestSummary	test_with_data_returns_success	Pass
	financial.py::TestPortfolioImpact	test_known_storm_returns_success	Pass
	financial.py::TestPortfolioImpact	test_mortgaged_property_has_ltv_fields	Pass
	financial.py::TestPortfolioImpact	test_no_pts_dir_returns_404	Pass
	financial.py::TestPortfolioImpact	test_options_returns_ok	Pass
	financial.py::TestPortfolioImpact	test_portfolio_damage_pct_non_negative	Pass
	financial.py::TestPortfolioImpact	test_portfolio_totals_count	Pass
	financial.py::TestPortfolioImpact	test_properties_sorted_by_damage_descending	Fail
	financial.py::TestPortfolioImpact	test_property_entry_has_financial_fields	Pass
	financial.py::TestPortfolioImpact	test_response_has_portfolio	Pass
	financial.py::TestPortfolioImpact	test_response_has_properties_list	Pass
	financial.py::TestPortfolioImpact	test_response_has_storm_id	Pass
	financial.py::TestPortfolioImpact	test_unknown_storm_returns_404	Pass
	financial.py::TestSequencePortfolioImpact	test_known_sequence_returns_success	Pass
	financial.py::TestSequencePortfolioImpact	test_no_pts_dir_returns_404	Pass
	financial.py::TestSequencePortfolioImpact	test_options_returns_ok	Pass
	financial.py::TestSequencePortfolioImpact	test_properties_sorted_by_damage_descending	Fail
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_financial_fields	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_num_sequence_floods	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_worst_storm_id	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_damage_model	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_num_storms	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_portfolio	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_properties_list	Pass
	financial.py::TestSequencePortfolioImpact	test_response_has_sequence_id	Pass
	financial.py::TestSequencePortfolioImpact	test_unknown_sequence_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtest	test_missing_sequences_message_mentions_doublet	Pass
	risk_part1.py::TestPortfolioVarEtest	test_missing_sequences_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtest	test_no_pts_dir_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtest	test_no_pts_dir_status_error	Pass
	risk_part1.py::TestPortfolioVarEtest	test_options_returns_ok	Pass
	risk_part1.py::TestPortfolioVarNtest	test_no_mortgage_impairment_when_above_water	Pass
	risk_part1.py::TestPortfolioVarNtest	test_prob_loss_pct_is_100	Pass
	risk_part1.py::TestPortfolioVarNtest	test_property_damage_cond_mean_positive	Pass
	risk_part1.py::TestPortfolioVarNtest	test_property_damage_max_is_positive	Pass
	risk_part1.py::TestPortfolioVarNtest	test_storm_count_is_one	Pass
	risk_part1.py::TestPortfolioVarNtest	test_storms_with_damage_is_one	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	risk_part1.py::TestPortfolioVarN	teststail_storms_zero_plus_with_damage_equals_total	Pass
	risk_part1.py::TestPortfolioVarN	teststail_total_portfolio_mortgages	Pass
	risk_part1.py::TestPortfolioVarN	teststail_total_portfolio_value	Pass
	risk_part1.py::TestPortfolioVarS	testshistogram_bin_has_lo_hi_count	Pass
	risk_part1.py::TestPortfolioVarS	testsmort_histogram_has_50_bins	Pass
	risk_part1.py::TestPortfolioVarS	testsmortgage_impairment_sub_keys	Pass
	risk_part1.py::TestPortfolioVarS	teststoprop_histogram_has_50_bins	Pass
	risk_part1.py::TestPortfolioVarS	teststoproperty_damage_sub_keys	Pass
	risk_part1.py::TestPortfolioVarS	teststopreturns_200	Pass
	risk_part1.py::TestPortfolioVarS	teststopstatus_success	Pass
	risk_part1.py::TestPortfolioVarS	teststail_storm_has_required_fields	Pass
	risk_part1.py::TestPortfolioVarS	teststail_storms_is_list	Pass
	risk_part1.py::TestPortfolioVarS	teststail_storms_sorted_descending	Pass
	risk_part1.py::TestPortfolioVarS	teststop_level_keys_present	Pass
	risk_part2.py::TestPortfolioVarM	testmissing_mortgage_json_returns_200	Pass
	risk_part2.py::TestPortfolioVarM	testmissing_mortgage_json_zero_portfolio_mortgages	Pass
	risk_part2.py::TestPortfolioVarM	testmissing_property_json_returns_200	Pass
	risk_part2.py::TestPortfolioVarM	testmissing_property_json_status_success	Pass
	risk_part2.py::TestPortfolioVarM	testmissing_property_json_zero_portfolio_value	Pass
	risk_part2.py::TestPortfolioVarM	testmortgage_impairment_max_is_positive	Pass
	risk_part2.py::TestPortfolioVarM	testmortgage_impairment_value	Pass
	risk_part2.py::TestPortfolioVarM	testmortgage_has_mortgage_impairment	Pass
	risk_part2.py::TestPortfolioVarM	testmultiple_borrowers_pct_is_50	Pass
	risk_part2.py::TestPortfolioVarM	testmultiple_borrowers_count_is_two	Pass
	risk_part2.py::TestPortfolioVarM	testmultiple_borrowers_with_damage_is_one	Pass
	risk_part2.py::TestPortfolioVarM	testmultiple_borrowers_zero_damage_is_one	Pass
	risk_part2.py::TestPortfolioVarM	testmultiple_storms_contains_the_damaged_storm	Pass
	risk_part2.py::TestPortfolioVarM	testmultiple_storms_limited_to_50	Pass
	risk_part2.py::TestPortfolioVarU	testunknown_property_value_from_known_property	Pass
	risk_part2.py::TestPortfolioVarU	testunknown_property_id_is_skipped	Pass
	risk_part2.py::TestPortfolioVarZ	testzero_depth_cond_mean_is_zero	Pass
	risk_part2.py::TestPortfolioVarZ	testzero_depth_prob_loss_is_zero	Pass
	risk_part2.py::TestPortfolioVarZ	testzero_depth_property_damage_max_is_zero	Pass
	risk_part2.py::TestPortfolioVarZ	testzero_depth_storms_with_damage_is_zero	Pass
	test_animate_composite.py::Test	testanimate_cancel_events_not_all_returns_404	Pass
	test_animate_composite.py::Test	testanimate_canceling_returns_404	Pass
	test_animate_composite.py::Test	testanimate_composite_errors_404	Pass
	test_animate_composite.py::Test	testanimate_composite_errors_error	Pass
	test_animate_composite.py::Test	testanimate_composite_errors_error	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass
	test_animate_composite.py::Test	testanimate_frame_has_image	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_animate_storm_state.py::TestAnimateGaugesFileBased	test_animate_gauges_file_based_counts_non_normal	Pass
	test_animate_storm_state.py::TestAnimateGaugesFileBased	test_animate_gauges_file_based_zero_when_normal	Pass
	test_animate_storm_state.py::TestAnimatePropertiesFileBased	test_animate_properties_file_based_is_positive_early	Pass
	test_animate_storm_state.py::TestAnimateStateDepth	test_animate_state_depth_non_negative	Pass
	test_financial_coverage.py::TestLoadMontgaulMontgaulEgepsion	test_load_montgaul_montgaul_egepsion_still_returns_data	Pass
	test_financial_coverage.py::TestLoadMissingProperty	test_load_missing_property_json_returns_404	Pass
	test_financial_coverage.py::TestLoadMissingProperty	test_load_missing_property_json_sequence_returns_404	Pass
	test_financial_coverage.py::TestReportSequenceOfPhases	test_report_sequence_of_phases_property_returns_404	Pass
	test_financial_coverage.py::TestReportNonOfPhases	test_report_non_of_phases_property_returns_404	Pass
	test_financial_coverage.py::TestReportWithGaugeReport	test_report_with_gauge_report_returns_zero_fill	Pass
	test_financial_coverage.py::TestReportWithGaugeSequence	test_report_with_gauge_report_returns_sequence	Pass
	routes_part1.py::TestCORS	test_cors_headers_on_get	Pass
	routes_part1.py::TestCORS	test_options_returns_ok	Pass
	routes_part1.py::TestGaugeRoute	test_generate_report_missing_gauge_id	Pass
	routes_part1.py::TestGaugeRoute	test_get_gauge	Pass
	routes_part1.py::TestGaugeRoute	test_get_gauge_not_found	Pass
	routes_part1.py::TestGaugeRoute	test_get_gauge_statistics	Pass
	routes_part1.py::TestGaugeRoute	test_get_gaugets	Pass
	routes_part1.py::TestGaugeRoute	test_legacy_list_gauges	Pass
	routes_part1.py::TestGaugeRoute	test_list_gauges	Pass
	routes_part1.py::TestHealthRoute	test_detailed_health_check	Pass
	routes_part1.py::TestHealthRoute	test_health_check	Pass
	routes_part1.py::TestHealthRoute	test_root_redirects	Pass
	routes_part1.py::TestPropertyRoute	test_generate_report_missing_body	Pass
	routes_part1.py::TestPropertyRoute	test_generate_report_missing_property_id	Pass
	routes_part1.py::TestPropertyRoute	test_generate_report_property_not_found	Pass
	routes_part1.py::TestPropertyRoute	test_get_property	Pass
	routes_part1.py::TestPropertyRoute	test_get_property_not_found	Pass
	routes_part1.py::TestPropertyRoute	test_legacy_generate_property_report	Pass
	routes_part1.py::TestPropertyRoute	test_list_properties	Pass
	routes_part1.py::TestPropertyRoute	test_options_preflight	Pass
	routes_part2.py::TestErrorHandler	test_invalid_json	Pass
	routes_part2.py::TestErrorHandler	test_missing_content_type	Pass
	routes_part2.py::TestGaugeCrud	test_create_gauges_error_returns_500	Pass
	routes_part2.py::TestGaugeCrud	test_create_gauges_options	Pass
	routes_part2.py::TestServerMaint	test_main_calls_app_run	Pass
	consistency.py::TestStormIdConsistency	test_new_storm_from_list_is_runnable	Pass
	consistency.py::TestStormIdConsistency	test_new_storm_worst_storm_auto_selection_is_runnable	Pass
	consistency.py::TestStressRunInputs	test_first_storm_id_exact_match_required	Pass
	consistency.py::TestStressRunInputs	test_first_storm_list_has_all_run_inputs	Pass
	hydrograph.py::TestActualHydrographFunction	test_actual_hydrograph_function_decays_after_peak	Pass
	hydrograph.py::TestActualHydrographFunction	test_actual_hydrograph_function_reaches_peak	Pass
	hydrograph.py::TestActualHydrographFunction	test_actual_hydrograph_function_returns_168_hours	Pass
	hydrograph.py::TestActualHydrographFunction	test_actual_hydrograph_function_starts_at_base	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	hydrograph.py::TestActualHydrograph	test_peak_hour_matches_peak_position	Pass
	hydrograph.py::TestGaugetsHydrograph	test_gaugets_level_field_fallback	Pass
	hydrograph.py::TestGaugetsHydrograph	test_gaugets_water_level_field	Pass
	hydrograph.py::TestGaugetsHydrograph	test_historical_gaugets_returns_404	Pass
	ordering.py::TestPeakOrdering	test_severe_storm_alpha_is_first	Pass
	ordering.py::TestPeakOrdering	test_storms_sorted_worst_first	Pass
	ordering.py::TestPeakOrdering	test_worst_storm_is_first	Pass
	presentation.py::TestPresentation	test_three_use_same_storms_endpoint	Pass
	presentation.py::TestPresentation	test_gauges_stress_auto_selects_worst_case	Pass
	presentation.py::TestPresentation	test_gauges_stress_tab_uses_all_required_fields	Pass
	presentation.py::TestPresentation	test_historical_tab_uses_all_required_fields	Pass
	presentation.py::TestPresentation	test_peak_level_min_trading_stress_label	Pass
	presentation.py::TestPresentation	test_trading_stress_auto_selects_worst_case	Pass
	presentation.py::TestPresentation	test_trading_stress_tab_uses_all_required_fields	Pass
	response_fields.py::TestStressRunResponseFields	test_alert_warning_severe_levels	Pass
	response_fields.py::TestStressRunResponseFields	test_hydrograph_source_info	Pass
	response_fields.py::TestStressRunResponseFields	test_storm_name_and_category	Pass
	response_fields.py::TestStressRunResponseFields	test_fourby_count_is_168	Pass
	response_fields.py::TestStressRunResponseFields	test_probability_surface_has_full_168h	Pass
	response_fields.py::TestStressStore	test_no_gauge_id_response_has_count	Pass
	response_fields.py::TestStressStore	test_no_gauge_id_returns_200_not_400	Pass
	response_fields.py::TestStressStore	test_no_gauge_id_returns_all_storms	Pass
	response_fields.py::TestStressStore	test_no_gauge_id_returns_success	Pass
	response_fields.py::TestStressStore	test_no_gauge_id_still_filters	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_base_level_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_duration_hours	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_effective_precipitation_mm	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_gauges_severe	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_intensity_category	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_level_change_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_max_trigger	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_name	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_peak_level_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_list_has_peak_position	Pass
	test_health_coverage.py::TestStateToAppleTouchIcon	test_apple_touch_icon	Pass
	test_health_coverage.py::TestStateToAppleTouchIcon	test_apple_touch_icon_precomposed	Pass
	test_health_coverage.py::TestStateToFaviconIcon	test_favicon	Pass
	test_prs_basic.py::TestCommitTrack	test_commit_with_cashflows	Pass
	test_prs_basic.py::TestCommitTrack	test_commit_with_explicit_maturity	Pass
	test_prs_basic.py::TestCommitTrack	test_commit_with_terrain_fields	Pass
	test_prs_basic.py::TestCommitTrack	test_commit_without_terrain_fields_backward_compat	Pass
	test_prs_basic.py::TestCommitTrack	test_empty_json_returns_400	Pass
	test_prs_basic.py::TestCommitTrack	test_minimal_valid_commit	Pass
	test_prs_basic.py::TestCommitTrack	test_no_json_returns_error	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_prs_basic.py::TestGetTradePdf	PDF_existing_pdf_served	Pass
	test_prs_basic.py::TestGetTradePdf	PDF_missing_pdf_returns_404	Pass
	test_prs_basic.py::TestListTrades	test_empty_dir_returns_zero_count	Pass
	test_prs_basic.py::TestListTrades	test_returns_trades_list_key	Pass
	test_prs_basic.py::TestListTrades	With File returns trades from json files	Pass
	test_prs_generate_part1.py::TestGeneratePdf	GeneratePdf_payable_direction	Pass
	test_prs_generate_part1.py::TestGeneratePdf	GeneratePdf_no_cashflows	Pass
	test_prs_generate_part1.py::TestGeneratePdf	GeneratePdf_with_cashflows	Pass
	test_prs_generate_part1.py::TestGeneratePdf	GeneratePdf_with_close_out	Pass
	test_prs_generate_part1.py::TestGeneratePdf	GeneratePdf_with_close_out_date	Pass
	test_prs_generate_part2.py::TestGeneratePdf	GeneratePdf_close_out_path_exercised	Pass
	test_prs_generate_part2.py::TestGeneratePdf	GeneratePdf_validation_fails_returns_400	Pass
	test_prs_generate_part2.py::TestGeneratePdf	GeneratePdf_exception_returns_500	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_has_ea_flood_zone	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_has_ea_flood_zone_actual	Actual
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_has_terrain_delta	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_data_get	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_compat_fallback	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_actual_in_payload	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_in_payload	Pass
	test_prs_terrain_payload.py::TestCDMReceptTranFields	CDMReceptTranFields_bps_in_payload	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_closed_trades_by_default	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_closed	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_has_final_pnl	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_marks_closed	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_not_found	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_requires_closeout_spread	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_settlement_uses_closeout_spread	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_trade_success	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_empty_when_no_trades	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_fs01_sign_payer_positive	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_fs01_sign_receiver_negative	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_gauge_name_injected	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_has_pnl_fields	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_has_prev_fair_spread	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_has_required_fields	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_summary_fields	Pass
	blotter_routes.part1.py::TestBlotterRoutes	BlotterRoutes_get_blotter_returns_trades	Pass
	blotter_routes.part2.py::TestBlotterRoutes	BlotterRoutes_gauges_with_trades_are_returned	Pass
	blotter_routes.part2.py::TestBlotterRoutes	BlotterRoutes_empty_blotter_returns_empty_list	Pass
	blotter_routes.part2.py::TestBlotterRoutes	BlotterRoutes_gauge_without_trade_is_not_returned	Pass
	blotter_routes.part2.py::TestBlotterRoutes	BlotterRoutes_lambeth_appears_when_it_has_an_open_trade	Pass
	blotter_routes.part2.py::TestBlotterRoutes	BlotterRoutes_lambeth_excluded_after_its_trade_is_closed	Pass
	blotter_routes.part2.py::TestBlotterRoutes	BlotterRoutes_other_gauges_unaffected_by_lambeth_closeout	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	blotter_routes_part2.py::TestAct	test_response_is_sorted	Pass
	blotter_routes_part2.py::TestBlotterErrorHandling	test_corrupt_file_skipped	Pass
	blotter_routes_part2.py::TestBlotterErrorHandling	test_engine_error_returns_500	Pass
	blotter_routes_part2.py::TestBlotterErrorHandling	test_engine_error_returns_500	Pass
	blotter_routes_part2.py::TestBlotterErrorHandling	test_pdf_regen_exception_caught	Fail
	blotter_routes_part2.py::TestBlotterGaugeName	test_name_injected_when_missing	Pass
	curves_routes_part1.py::TestHazardCommit	test_hazard.ts	Pass
	curves_routes_part1.py::TestHazardCommit	test_hazard.ts_missing_gauge	Pass
	curves_routes_part1.py::TestHazardCommit	test_hazard.ts_missing_rates	Pass
	curves_routes_part1.py::TestHazardCommit	test_hazard.ts_only_affects_target_gauge	Pass
	curves_routes_part1.py::TestHazardReset	test_hazard.ts_all	Pass
	curves_routes_part1.py::TestHazardReset	test_hazard.ts_single_gauge	Pass
	curves_routes_part1.py::TestHazardReset	test_hazard.term_structure	Pass
	curves_routes_part1.py::TestHazardUpdate	test_hazard.ts_invalid_tenor	Pass
	curves_routes_part1.py::TestHazardUpdate	test_hazard.ts_missing_gauge	Pass
	curves_routes_part1.py::TestHazardUpdate	test_hazard.ts_single_point	Pass
	curves_routes_part1.py::TestYieldCurve	test_get_yield_curve	Pass
	curves_routes_part1.py::TestYieldCurve	test_get_yield_curve_default_shape	Pass
	curves_routes_part1.py::TestYieldCurve	test_update_yield_curve_invalid_tenor	Pass
	curves_routes_part1.py::TestYieldCurve	test_update_yield_curve_no_body	Pass
	curves_routes_part1.py::TestYieldCurve	test_update_yield_curve_single_tenor	Pass
	curves_routes_part1.py::TestYieldCurveCommit	test_yield_curve	Pass
	curves_routes_part1.py::TestYieldCurveCommit	test_yield_curve_affected_count	Pass
	curves_routes_part1.py::TestYieldCurveCommit	test_yield_curve_empty_rates	Pass
	curves_routes_part1.py::TestYieldCurveCommit	test_yield_curve_no_body	Pass
	curves_routes_part1.py::TestYieldCurve	test_reset_yield_curve	Pass
	curves_routes_part2.py::TestCurveHistory	test_curve_history_empty_when_no_eods	Pass
	curves_routes_part2.py::TestCurveHistory	test_curve_history_requires_gauge_id	Pass
	curves_routes_part2.py::TestCurveHistory	test_curve_history_with_eod	Pass
	curves_routes_part2.py::TestCurveHistory	test_curve_history_hazard.ts_error_returns_500	Fail
	curves_routes_part2.py::TestCurveHistory	test_curve_history_error_returns_500	Pass
	curves_routes_part2.py::TestCurveHistory	test_curve_hazard.ts_error_returns_500	Fail
	curves_routes_part2.py::TestCurveHistory	test_curve_yield_curve_error_returns_500	Fail
	curves_routes_part2.py::TestCurveHistory	test_curve_hazard.ts_error_returns_500	Pass
	curves_routes_part2.py::TestCurveHistory	test_curve_hazard.ts_error_returns_500	Fail
	curves_routes_part2.py::TestCurveHistory	test_curve_yield_curve_error_returns_500	Fail
	curves_routes_part2.py::TestCurveHistory	test_curve_yield_curve_error_returns_500	Fail
	curves_routes_part2.py::TestCurveNullBody	test_hazard.ts_null_body	Pass
	curves_routes_part2.py::TestCurveNullBody	test_yield_curve_null_body	Pass
	curves_routes_part2.py::TestCurveNullBody	test_hazard.ts_null_body	Pass
	curves_routes_part2.py::TestCurveNullBody	test_yield_curve_null_body	Pass
	curves_routes_part2.py::TestPnlSeries	test_pnl_series_after_eod	Pass
	curves_routes_part2.py::TestPnlSeries	test_pnl_series_empty	Pass
	test_classifiers_batch.py::TestBatching	test_eta_fallback_from_elapsed	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_eta_none_when_zero_completed	Pass
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_all_already_trained	Pass
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_all_already_running	Pass
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_all_complete_includes_result	Pass
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_all_starts	Pass
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_all_status_fields	Pass
	test_classifiers.batch.py::TestBatchTraining	test_batch_training_all_status_idle	Pass
	test_classifiers.batch.py::TestClassifierReadiness	test_classifier_readiness_all_trained	Pass
	test_classifiers.batch.py::TestClassifierReadiness	test_classifier_readiness_error	FAIL
	test_classifiers.batch.py::TestClassifierReadiness	test_classifier_readiness_no_models	Pass
	test_classifiers.batch.py::TestClassifierReadiness	test_classifier_readiness_partial	Pass
	test_classifiers.batch.py::TestClassifierEmpty	test_classifier_empty	Pass
	test_classifiers.batch.py::TestClassifierError	test_classifier_error	Pass
	test_classifiers.batch.py::TestClassifierMoveModels	test_classifier_move_models	Pass
	test_classifiers.coverage.py::TestBatchCancelledBeforeCompletion	test_batch_cancelled_before_completion_returns_early	Pass
	test_classifiers.coverage.py::TestBatchCancelledBeforeTimeChange	test_batch_cancelled_before_time_change_called_before_start	Fail
	test_classifiers.coverage.py::TestBatchReadMetrics	test_batch_read_metrics_batch_reads_metrics_from_summary	Pass
	test_classifiers.coverage.py::TestClassifierError	test_classifier_error_with_import_error	Pass
	test_classifiers.coverage.py::TestStatusReportingAverages	test_status_reporting_averages_when_no_metrics	Pass
	test_classifiers.coverage.py::TestStatusReportingAverages	test_status_reporting_averages_avg_auc_and_accuracy	Pass
	test_classifiers.coverage.py::TestTestAborted	test_test_aborted_returns_500_on_setup_error	FAIL
	test_classifiers.helpers.py::TestStageEdgeCase1	test_stage_edge_case_1_when_no_trained	Pass
	test_classifiers.helpers.py::TestStageEdgeCase2	test_stage_edge_case_2_fields_present	Pass
	test_classifiers.helpers.py::TestStageEdgeCase3	test_stage_edge_case_3_trained_avg_auc	Pass
	test_classifiers.helpers.py::TestStageEdgeCase4	test_stage_edge_case_4_error	Pass
	test_classifiers.helpers.py::TestStageEdgeCase5	test_stage_edge_case_5_without_auc	Pass
	test_classifiers.helpers.py::TestTrainingHelpersGaugeSeconds	test_training_helpers_gauge_seconds	Pass
	test_classifiers.helpers.py::TestTrainingHelpersGaugeSecondsEmpty	test_training_helpers_gauge_seconds_empty	Pass
	test_classifiers.helpers.py::TestTrainingHelpersCorruptJSON	test_training_helpers_corrupt_json	Pass
	test_classifiers.helpers.py::TestTrainingHelpersMissingFile	test_training_helpers_missing_file	Pass
	test_classifiers.helpers.py::TestTrainingHelpersValid	test_training_helpers_valid	Pass
	test_classifiers.helpers.py::TestTrainingHelpersTruncatesTo20	test_training_helpers_truncates_to_20	Pass
	test_classifiers.summary.py::TestClassifierSummaryComputed	test_classifier_summary_computed	Pass
	test_classifiers.summary.py::TestClassifierSummaryFields	test_classifier_summary_fields	Pass
	test_classifiers.summary.py::TestClassifierSummarySortedByLongitude	test_classifier_summary_sorted_by_longitude	Pass
	test_classifiers.summary.py::TestClassifierSummaryInitially	test_classifier_summary_initially	Pass
	test_classifiers.summary.py::TestClassifierSummaryGauges	test_classifier_summary_gauges	Pass
	test_classifiers.summary.py::TestClassifierSummarySuccess	test_classifier_summary_success	Pass
	test_classifiers.summary.py::TestClassifierSummaryGaugeShowsMetrics	test_classifier_summary_gauge_shows_metrics	Pass
	test_classifiers.summary.py::TestClassifierSummarySlipResolvesAllMetrics	test_classifier_summary_slip_resolves_all_metrics	Pass
	test_classifiers.summary.py::TestClassifierSummaryPresentShowsMetrics	test_classifier_summary_present_shows_metrics	Pass
	test_classifiers.summary.py::TestClassifierSummarySlipResolvesStaleMetrics	test_classifier_summary_slip_resolves_stale_metrics	Pass
	test_classifiers.training.py::TestBatchCancelledMidRun	test_batch_cancelled_mid_run	Pass
	test_classifiers.training.py::TestBatchCancelledFailure	test_batch_cancelled_failure	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_classifiers_training.py::	TestBasicTestSuccessful_batch	Pass
	test_port_stress_coverage.py::	TestAsrtAllersThreshold_classification	Pass
	test_port_stress_coverage.py::	TestCtsSelfBaseStripede_excluded_from_stress	Pass
	test_port_stress_coverage.py::	TestEmpyStormId_returns_400	Pass
	test_port_stress_coverage.py::	TestHstLgaughFbBadGauge_falls_back	Pass
	test_port_stress_coverage.py::	TestHstLgaughFbHydGgrraph_enough_readings	Pass
	test_port_stress_coverage.py::	TestEftopffBomphLss_ratio	Pass
	test_port_stress_coverage.py::	TestPettLxcptormFrctprms500	Pass
	test_port_stress_coverage.py::	TestSturmNmOfFullhd_name_uses_storm_id	Pass
	test_port_stress_infra.py::	TestPortStngisError_returns_500	Pass
	test_port_stress_infra.py::	TestPortStngisFrctorms_file_returns_404	Pass
	test_port_stress_infra.py::	TestPortStngisFrctorms_returns_error	Pass
	test_port_stress_infra.py::	TestSturmCrchCrbLrloadedwhenmtimeunchanged	Failed
	test_port_stress_infra.py::	TestSturmCrchCrbLrloadedonmtimechange	Pass
	test_port_stress_run.py::	TestPortSprayPplsculture_innotional	Pass
	test_port_stress_run.py::	TestPortSprayPplCalculationis_sum_of_gauges	Pass
	test_port_stress_run.py::	TestPortSprayPplCalculationis_notional	Pass
	test_port_stress_run.py::	TestPortSprayPplCalculationis_p_flood_to_100	Pass
	test_port_stress_run.py::	TestPortSprayPplCalculationis_formula	Pass
	test_port_stress_run.py::	TestPortSprayPplCalculationis_has_zero_p_flood	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_gauge_results_fields	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_run_gauges_severe_list	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_run_gauges_warning_list	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_run_has_gauge_results	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_run_has_portfolio_totals	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_portfolio_invalid_storm	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_portfolio_missing_storm_id	Pass
	test_port_stress_run.py::	TestRunPstfplnStressio_portfolio_returns_success	Pass
	test_port_stress_storms.py::	TestGetPstfplnStressio_storms_has_storms	Pass
	test_port_stress_storms.py::	TestGetPstfplnStressio_storms_success	Pass
	test_port_stress_storms.py::	TestGetPstfplnStressio_storms_has_required_fields	Pass
	test_port_stress_storms.py::	TestGetPstfplnStressio_storms_no_data	Pass
	test_port_stress_storms.py::	TestGetPstfplnStressio_storms_secondary_sort	Pass
	test_port_stress_storms.py::	TestGetPstfplnStressio_storms_sorted_by_severity	Pass
	test_port_stress_storms.py::	TestPortfolioStormNameEquals storm_id	Pass
	test_port_stress_storms.py::	TestPortfolioStormNameDisplay_label_not_id	Pass
	test_port_stress_storms.py::	TestPortfolioStormSevting_severe_before_warning	Pass
	test_port_stress_storms.py::	TestPortfolioStormSevting_warning_before_alert	Pass
	test_port_stress_storms.py::	TestPortfolioStormSevting_trades_have_trade_data	Pass
	test_port_stress_storms.py::	TestPortfolioStormSevting_fields	Pass
	test_port_stress_storms.py::	TestPortfolioStormSevting_for_moderate_with_equal_severe_count	Pass
	test_stress_infra_part1.py::	TestHytestreplainingingZtlyExerb	Pass
	test_stress_infra_part1.py::	TestLocalStressStoserOSE_returns_cached	Pass
	test_stress_infra_part1.py::	TestLocalStressStoserOSE_returns_none_when_no_data	Failed

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_stress_infra_part1.py::TestRunStressEdgeCases.empty_gauge_id_returns_400s	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_stress_infra_part1.py::TestRunStressEdgeCases.no_open_trades_returns_404s	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_stress_infra_part1.py::TestRunStressEdgeCases.null_body_returns_400	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_stress_infra_part1.py::TestRunStressEdgeCases.suses_gaugets.hydrograph	Pass
	test_stress_infra_part1.py::TestStressEngineErrors	test_stress_infra_part1.py::TestStressEngineErrors.engine_error_returns_500	Pass
	test_stress_infra_part1.py::TestStressEngineErrors	test_stress_infra_part1.py::TestStressEngineErrors.huges_engine_error_returns_500	Pass
	test_stress_infra_part1.py::TestStressEngineErrors	test_stress_infra_part1.py::TestStressEngineErrors.horms_engine_error_returns_500	Pass
	test_stress_infra_part1.py::TestStressHydrograph	test_stress_infra_part1.py::TestStressHydrograph.peak_at_zero	Pass
	test_stress_infra_part1.py::TestStressHydrograph	test_stress_infra_part1.py::TestStressHydrograph.remaining_zero	Pass
	test_stress_infra_part2.py::TestLegacyBackend	test_stress_infra_part2.py::TestLegacyBackend.cache_reuse	Pass
	test_stress_infra_part2.py::TestLegacyBackend	test_stress_infra_part2.py::TestLegacyBackend.files_loaded_when_no_index	Pass
	test_stress_infra_part2.py::TestLegacyBackend	test_stress_infra_part2.py::TestLegacyBackend.oserror_returns_cache	Pass
	test_stress_infra_part2.py::TestLegacyBackend	test_stress_infra_part2.py::TestLegacyBackend.single_legacy_file	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_hourly_fields	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_invalid_storm	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_knock_out	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_missing_params	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_no_body	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_portfolio_summary	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_probability_surface	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_returns_hourly	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_run_stress_trade_summary	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_surface_caps_at_severe	Pass
	test_stress_run.py::TestRunStress	test_stress_run.py::TestRunStress.test_surface_shows_full_168h	Pass
	test_stress_scenario_coverage.py::TestHydrograph	test_stress_scenario_coverage.py::TestHydrograph.adding_returns_404	Pass
	test_stress_scenario_coverage.py::TestHydrograph	test_stress_scenario_coverage.py::TestHydrograph.adding_padded_to_storm_hourly	Pass
	test_stress_scenario_coverage.py::TestModelAndData	test_stress_scenario_coverage.py::TestModelAndData.none	Pass
	test_stress_scenario_coverage.py::TestNgOpenTradesAtGauges	test_stress_scenario_coverage.py::TestNgOpenTradesAtGauges_returns_404	Pass
	test_stress_scenario_coverage.py::TestPffloodPolicy	test_stress_scenario_coverage.py::TestPffloodPolicy.in_range	Pass
	test_stress_scenario_coverage.py::TestPffloodPolicy	test_stress_scenario_coverage.py::TestPffloodPolicy.latches_to_one	Pass
	test_stress_scenario_coverage.py::TestStressStorms	test_stress_scenario_coverage.py::TestStressStorms.No_Founds_file	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms_has_peak_level	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms_has_storm_fields	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms_no_data	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms_no_gauge_id_returns_all_storms	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms_no_matching_gauge	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms_returns_list	Pass
	test_stress_storms.py::TestGetStorms	test_stress_storms.py::TestGetStorms.get_storms.sorted.by_peak	Pass
	test_stress_storms.py::TestGetStressGauges	test_stress_storms.py::TestGetStressGauges.has_required_fields	Pass
	test_stress_storms.py::TestGetStressGauges	test_stress_storms.py::TestGetStressGauges.has_trade_counts	Pass
	test_stress_storms.py::TestGetStressGauges	test_stress_storms.py::TestGetStressGauges_returns_list	Pass
	test_stress_storms.py::TestGetStressGauges	test_stress_storms.py::TestGetStressGauges.sorted.by_longitude	Pass
	test_training_status.py::TestClassStatus	test_training_status.py::TestClassStatus.failed_from_job_dict	Pass
	test_training_status.py::TestClassStatus	test_training_status.py::TestClassStatus.failed_no_error_key	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_training_status.py::TestClassifierStatus	test_status_joblib_takes_precedence_over_job_dict	Pass
	test_training_status.py::TestClassifierStatus	test_status_not_trained_when_no_joblib_installed	Fail
	test_training_status.py::TestClassifierStatus	test_status_ready_from_job_dict	Pass
	test_training_status.py::TestClassifierStatus	test_status_ready_when_joblib_exists	Pass
	test_training_status.py::TestClassifierStatus	test_status_training_in_progress	Pass
	test_training_status.py::TestClassifierStatus	test_status_unknown_gauge_not_trained	Pass
	test_training_status.py::TestEdgeCases	test_gauge_json_dict_format	Pass
	test_training_status.py::TestEdgeCases	test_train_does_not_start_if_joblib_created_between_check_and_train	Fail
	test_training_status.py::TestEdgeCases	test_training_jobs_isolated_between_gauges	Pass
	test_training_summary.py::TestUtils	test_all_hisigns_per_avg_auc_is_zero	Pass
	test_training_summary.py::TestUtils	test_training_summary	Pass
	test_training_summary.py::TestUtils	test_of_engineing_existing_summary	Pass
	test_training_summary.py::TestUtils	test_of_plane_existing_gauge_entry	Pass
	test_training_summary.py::TestUtils	test_skipped_gauge_not_counted_in_auc	Pass
	test_training_train_part1.py::TestClassifier	test_already_in_progress	Pass
	test_training_train_part1.py::TestClassifier	test_already_trained_returns_ready	Pass
	test_training_train_part1.py::TestClassifier	test_corrupt_gauge_json_500	Pass
	test_training_train_part1.py::TestClassifier	test_gauge_not_found_404	Pass
	test_training_train_part1.py::TestClassifier	test_no_gauge_json_404	Pass
	test_training_train_part1.py::TestClassifier	test_no_storm_sequences_404	Pass
	test_training_train_part1.py::TestClassifier	test_previously_failed_can_restart	Pass
	test_training_train_part1.py::TestClassifier	test_starts_background_thread	Pass
	test_training_train_part2.py::TestClassifier	test_single_failure_updates_job_to_failed	Pass
	test_training_train_part2.py::TestClassifier	test_single_success_updates_job_to_ready	Pass
	visualization.py::TestServeVisualization	test_get_returns_json_error	Pass
	visualization.py::TestServeVisualization	test_no_gauge_data_returns_error	Pass
	visualization.py::TestServeVisualization	test_no_gauge_data_returns_error_status	Pass
	visualization.py::TestServeVisualization	test_nothing_returns_500	Pass
	visualization.py::TestServeVisualization	test_of_name_change_insensitive	Pass
	visualization.py::TestServeVisualization	test_of_name_change_directs	Pass
	visualization.py::TestServeVisualization	test_of_no_content_returns_400	Pass
	visualization.py::TestServeVisualization	test_of_no_content_returns_message	Pass
	visualization.py::TestServeVisualization	test_of_no_content_returns_503	Pass
	visualization.py::TestServeVisualization	test_of_no_content_returns_200	Pass
	base_loader.py::TestBaseLoader	test_caching_prevents_reload	Pass
	base_loader.py::TestBaseLoader	test_clear_cache	Pass
	base_loader.py::TestBaseLoader	test_force_reload_bypasses_cache	Pass
	base_loader.py::TestBaseLoader	test_invalidate_cache	Pass
	base_loader.py::TestBaseLoader	test_abstract_methods_enforced	Pass
	base_loader.py::TestBaseLoader	test_subclass_must_implement_get_entity	Pass
	base_loader.py::TestBaseLoader	test_subclass_must_implement_get_entity_summary	Pass
	base_loader.py::TestBaseLoader	test_file_exists_check	Skip
	base_loader.py::TestBaseLoader	test_load_alternative_container_key	Pass
	base_loader.py::TestBaseLoader	test_load_dict_with_container_key	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	base_loader.py::TestBaseLoader	TestLoadAndListFormat	Pass
	base_loader.py::TestBaseLoader	TestLoadAndMissingFile	Pass
	base_loader.py::TestBaseLoader	TestLoadAndSingleObject	Pass
	base_loader.py::TestBaseLoader	TestGetCount	Pass
	base_loader.py::TestBaseLoader	TestExists	Pass
	base_loader.py::TestBaseLoader	TestFindById	Pass
	base_loader.py::TestBaseLoader	TestFindByIdNotFound	Pass
	base_loader.py::TestBaseLoader	TestGetIds	Skip
	base_loader.py::TestBaseLoader	TestGetStatus	Skip
	base_loader.py::TestBaseLoader	TestListAll	Pass
	gauge_loader.py::TestGaugeLoader	TestBasicEntityIdExtraction	Pass
	gauge_loader.py::TestGaugeLoader	TestBasicEntitySummary	Pass
	gauge_loader.py::TestGaugeLoader	TestBasicLoadGauges	Pass
	gauge_loader.py::TestGaugeLoader	TestHelperGetActiveGauges	Pass
	gauge_loader.py::TestGaugeLoader	TestHelperGetCoordinates	Pass
	gauge_loader.py::TestGaugeLoader	TestHelperGetFloodStages	Pass
	gauge_loader.py::TestGaugeLoader	TestHelperGetGaugeName	Pass
	gauge_loader.py::TestGaugeLoader	TestHelperGetGaugeNameNotFound	Pass
	gauge_loader.py::TestGaugeLoader	TestGetById	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByName	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByNameCaseInsensitive	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByOwner	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByStatusActive	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByStatusInactive	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByTypeRiver	Pass
	gauge_loader.py::TestGaugeLoader	TestGetByTypeTidal	Pass
	gauge_loader.py::TestGaugeLoader	TestSpatialGaugesInRadius	Pass
	gauge_loader.py::TestGaugeLoader	TestSpatialGaugesInRadiusNoneFound	Pass
	loader_registry.py::TestCreateRegistry	TestCreateRegistry	Pass
	loader_registry.py::TestCreateRegistry	TestCreateRegistryWithOverrides	Pass
	loader_registry.py::TestLoaderRegistry	TestCreateRegistry	Pass
	loader_registry.py::TestLoaderRegistry	TestGetAvailableLoaders	Pass
	loader_registry.py::TestLoaderRegistry	TestGetAllCaches	Pass
	loader_registry.py::TestLoaderRegistry	TestGetDifferentLoadersSeparateInstances	Pass
	loader_registry.py::TestLoaderRegistry	TestGetAllInstancesCached	Pass
	loader_registry.py::TestLoaderRegistry	TestFileOverrides	Pass
	loader_registry.py::TestLoaderRegistry	TestGetLoaderByName	Pass
	loader_registry.py::TestLoaderRegistry	TestGetLoaderUnknownType	Pass
	loader_registry.py::TestLoaderRegistry	TestCheckDataFiles	Pass
	loader_registry.py::TestLoaderRegistry	TestGetAllStatus	Skip
	loader_registry.py::TestLoaderRegistry	TestGetGaugeLoader	Pass
	loader_registry.py::TestLoaderRegistry	TestGetAndRegisterLoader	Pass
	loader_registry.py::TestLoaderRegistry	TestGetPropertiesLoader	Pass
	loader_registry.py::TestLoaderRegistry	TestGetAllLoaders	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	loader_registry.py::TestLoaderRegistryTestSeries_loader	testLoaderRegistryTestSeries_loader	Pass
	mortgage_loader.py::TestMortgageLoaderAggregation_mortgages	testMortgageLoaderAggregation_mortgages	Pass
	mortgage_loader.py::TestMortgageLoaderAggregation_by_lender	testMortgageLoaderAggregation_by_lender	Pass
	mortgage_loader.py::TestMortgageLoaderAggregation_ids_with_mortgages	testMortgageLoaderAggregation_ids_with_mortgages	Pass
	mortgage_loader.py::TestMortgageLoaderAggregation_exposure	testMortgageLoaderAggregation_exposure	Pass
	mortgage_loader.py::TestMortgageLoaderBasic_extraction	testMortgageLoaderBasic_extraction	Pass
	mortgage_loader.py::TestMortgageLoaderBasic_summary	testMortgageLoaderBasic_summary	Pass
	mortgage_loader.py::TestMortgageLoaderBasic_mortgages	testMortgageLoaderBasic_mortgages	Pass
	mortgage_loader.py::TestMortgageLoaderById_query	testMortgageLoaderById_query	Pass
	mortgage_loader.py::TestMortgageLoaderById_lender	testMortgageLoaderById_lender	Pass
	mortgage_loader.py::TestMortgageLoaderById_lender_case_insensitive	testMortgageLoaderById_lender_case_insensitive	Pass
	mortgage_loader.py::TestMortgageLoaderById_property_id	testMortgageLoaderById_property_id	Pass
	mortgage_loader.py::TestMortgageLoaderById_property_id_not_found	testMortgageLoaderById_property_id_not_found	Pass
	mortgage_loader.py::TestMortgageLoaderById_status_active	testMortgageLoaderById_status_active	Pass
	mortgage_loader.py::TestMortgageLoaderById_status_delinquent	testMortgageLoaderById_status_delinquent	Pass
	mortgage_loader.py::TestMortgageLoaderByRegistration_to_property	testMortgageLoaderByRegistration_to_property	Pass
	mortgage_loader.py::TestMortgageLoaderByProperty_with_mortgage	testMortgageLoaderByProperty_with_mortgage	Pass
	property_loader.py::TestPropertyLoaderAggregation_value	testPropertyLoaderAggregation_value	Pass
	property_loader.py::TestPropertyLoaderAggregation_state	testPropertyLoaderAggregation_state	Pass
	property_loader.py::TestPropertyLoaderBasic_extraction	testPropertyLoaderBasic_extraction	Pass
	property_loader.py::TestPropertyLoaderBasic_summary	testPropertyLoaderBasic_summary	Pass
	property_loader.py::TestPropertyLoaderBasic_properties	testPropertyLoaderBasic_properties	Pass
	property_loader.py::TestPropertyLoaderLocation_coordinates	testPropertyLoaderLocation_coordinates	Pass
	property_loader.py::TestPropertyLoaderLocation_coordinates_not_found	testPropertyLoaderLocation_coordinates_not_found	Pass
	property_loader.py::TestPropertyLoaderLocation_rotation	testPropertyLoaderLocation_rotation	Pass
	property_loader.py::TestPropertyLoaderLocation_rotation_not_found	testPropertyLoaderLocation_rotation_not_found	Pass
	property_loader.py::TestPropertyLoaderLocation_properties_in_radius	testPropertyLoaderLocation_properties_in_radius	Pass
	property_loader.py::TestPropertyLoaderById_query_address	testPropertyLoaderById_query_address	Pass
	property_loader.py::TestPropertyLoaderById_query_address_case_insensitive	testPropertyLoaderById_query_address_case_insensitive	Pass
	property_loader.py::TestPropertyLoaderById_query_address_not_found	testPropertyLoaderById_query_address_not_found	Pass
	property_loader.py::TestPropertyLoaderById_query_id	testPropertyLoaderById_query_id	Pass
	property_loader.py::TestPropertyLoaderById_query_state	testPropertyLoaderById_query_state	Pass
	property_loader.py::TestPropertyLoaderById_query_state_case_insensitive	testPropertyLoaderById_query_state_case_insensitive	Pass
	property_loader.py::TestPropertyLoaderById_query_zip	testPropertyLoaderById_query_zip	Pass
	property_loader.py::TestPropertyLoaderById_query_zip_multiple	testPropertyLoaderById_query_zip_multiple	Pass
	timeseries_loader.py::TestTimeseriesGaugeGetTimeseries_for_portfolio_gauge	testTimeseriesGaugeGetTimeseries_for_portfolio_gauge	Pass
	timeseries_loader.py::TestTimeseriesGaugeHeader_gauge_ids_match_portfolio	testTimeseriesGaugeHeader_gauge_ids_match_portfolio	Pass
	timeseries_loader.py::TestTimeseriesLoaderBasic_timestamp	testTimeseriesLoaderBasic_timestamp	Pass
	timeseries_loader.py::TestTimeseriesLoaderBasic_summary	testTimeseriesLoaderBasic_summary	Pass
	timeseries_loader.py::TestTimeseriesLoaderBasic_series	testTimeseriesLoaderBasic_series	Pass
	timeseries_loader.py::TestTimeseriesLoaderGauge_Heading	testTimeseriesLoaderGauge_Heading	Pass
	timeseries_loader.py::TestTimeseriesLoaderGauge_Heading	testTimeseriesLoaderGauge_Heading	Pass
	timeseries_loader.py::TestTimeseriesLoaderGauge_Heading_gauge	testTimeseriesLoaderGauge_Heading_gauge	Pass
	timeseries_loader.py::TestTimeseriesLoaderGauge_Heading_gauge_by_name	testTimeseriesLoaderGauge_Heading_gauge_by_name	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	timeseries_loader.py::TestTimeseriesLoaderReadingGauges	test_loader_reading_gauges_not_found	Pass
	timeseries_loader.py::TestTimeseriesLoaderStalableGaugeIds	test_loader_stalable_gauge_ids	Pass
	timeseries_loader.py::TestTimeseriesLoaderStageStatistics	test_loader_stage_statistics	Pass
	timeseries_loader.py::TestTimeseriesLoaderStageStatisticsNotFound	test_loader_stage_statistics_not_found	Pass
	timeseries_loader.py::TestTimeseriesLoaderEndOfSeriesRange	test_loader_end_of_series_range	Skip
	timeseries_loader.py::TestTimeseriesLoaderEndOfSeriesRangeForGauge	test_loader_end_of_series_range_for_gauge	Skip
	test_b10_quick_wins.py::TestAuditFunctionTruncatedAbove10000	test_audit_truncated_above_10000	Pass
	test_b10_quick_wins.py::TestEODestDendNotNormalInNewTrade	test_eod_est_dend_not_normal_in_new_trade	Pass
	test_b10_quick_wins.py::TestGaugeHeadDimentFromMain	test_gauge_head_diment_from_main_exists	Pass
	test_b10_quick_wins.py::TestInsuranceAreaFullMkttyFallsThrough	test_insurance_area_full_mktty_falls_through	Pass
	test_b10_quick_wins.py::TestInterestMainModuleRuns	test_interest_main_module_runs	Pass
	test_b10_quick_wins.py::TestInterestGetPathFullCountUnknownTypeReturn	test_interest_get_path_full_count_unknown_type_return	Pass
	test_b10_quick_wins.py::TestJSONNestGettingGasesOnUnknownKey	test_json_nest_getting_gases_on_unknown_key	Pass
	test_b10_quick_wins.py::TestJSONNestGettingGasesKnownKey	test_json_nest_getting_gases_known_key	Pass
	test_b10_quick_wins.py::TestLtvResultTypeCannoasPercentage	test_ltv_result_type_cannoas_percentage	Pass
	test_b10_quick_wins.py::TestPropertyMinHandledTypeRaisesTypeError	test_property_min_handled_type_raises_typeerror	Pass
	test_b10_quick_wins.py::TestPropertyTypeEncodingEncodedAsFloat	test_property_type_encoding_encoded_as_float	Pass
	test_b10_quick_wins.py::TestServiceBlockMainCallable	test_service_block_main_callable	Pass
	test_b10_quick_wins.py::TestStorageFileBranchLinearFallback	test_storage_file_branch_linear_fallback	Pass
	test_b10_quick_wins.py::TestTradingGetStatisticsReturnsDimensions	test_trading_get_statistics_returns_dimensions	Pass
	test_b10_quick_wins.py::TestVisualFactomateVisualizationReturnsInsta	test_visual_factomate_visualization_returns_insta	Pass
	data_structures.py::TestDataValidationInvalidResultFields	test_validation_invalid_result_fields	Pass
	data_structures.py::TestDataValidationInvalidResultTuple	test_validation_invalid_result_tuple	Pass
	data_structures.py::TestDataValidationInvalidResultUnpacking	test_validation_invalid_result_unpacking	Pass
	data_structures.py::TestDataValidationInvalidResultFields	test_validation_invalid_result_fields	Pass
	data_structures.py::TestLoadedDataCanSetGaugeData	test_loaded_data_can_set_gauge_data	Pass
	data_structures.py::TestLoadedDataCanSetMultipleFields	test_loaded_data_can_set_multiple_fields	Pass
	data_structures.py::TestLoadedDataCountsDefaultToZero	test_loaded_data_counts_default_to_zero	Pass
	data_structures.py::TestLoadedDataDefaultsAreNone	test_loaded_data_defaults_are_none	Pass
	data_structures.py::TestLoadedDataIsDataclass	test_loaded_data_is_dataclass	Pass
	data_structures.py::TestLoadedDataLookupDefaultsAreNone	test_loaded_data_lookup_defaults_are_none	Pass
	helpers.py::TestDataLoaderHelpTestDataSummaryContainsErrorsCount	test_data_summary_contains_errors_count	Pass
	helpers.py::TestDataLoaderHelpTestDataSummaryContainsWarningsCount	test_data_summary_contains_warnings_count	Pass
	helpers.py::TestDataLoaderHelpTestDataSummaryLoadedFlagFalseWhenNoFile	test_data_summary_loaded_flag_false_when_no_file	Pass
	helpers.py::TestDataLoaderHelpTestDataSummaryLoadedFlagTrueForGauge	test_data_summary_loaded_flag_true_for_gauge	Pass
	helpers.py::TestDataLoaderHelpTestGetDataSummaryEmptyBeforeLoad	test_get_data_summary_empty_before_load	Pass
	helpers.py::TestDataLoaderHelpTestGetDataSummaryReturnsDict	test_get_data_summary_returns_dict	Pass
	helpers.py::TestDataLoaderHelpTestGetValidationSummaryEmptyBeforeLoad	test_get_validation_summary_empty_before_load	Pass
	helpers.py::TestDataLoaderHelpTestGetValidationSummaryIsCopy	test_get_validation_summary_is_copy	Pass
	helpers.py::TestDataLoaderHelpTestGetValidationSummaryReturnsDict	test_get_validation_summary_returns_dict	Pass
	helpers.py::TestDataLoaderHelpTestIsDataCompleteDependsOnlyOnGauge	test_is_data_complete_depends_only_on_gauge	Pass
	helpers.py::TestDataLoaderHelpTestIsDataCompleteFalseBeforeLoad	test_is_data_complete_false_before_load	Pass
	helpers.py::TestDataLoaderHelpTestIsDataCompleteFalseWhenNoGauge	test_is_data_complete_false_when_no_gauge	Pass
	helpers.py::TestDataLoaderHelpTestIsDataCompleteTrueWithGauge	test_is_data_complete_true_with_gauge	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	helpers.py::TestDataLoaderHelper	test_validation_summary_has_gauge_key	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_full_data_does_not_crash	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_no_data_does_not_crash	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_partial_data_does_not_crash	Crash
	init.py::TestDataLoaderInit	test_init_with_input_dir	Pass
	init.py::TestDataLoaderInit	test_init_with_string_path_converts_to_path	Pass
	init.py::TestDataLoaderInit	test_loaded_data_initialised	Pass
	init.py::TestDataLoaderInit	test_private_loaders_created	Pass
	init.py::TestDataLoaderInit	test_validation_results_empty_at_init	Pass
	load_all.py::TestDataLoaderLoadAll	test_counterparty_data_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_empty_dir_returns_loaded_data	Pass
	load_all.py::TestDataLoaderLoadAll	test_gauge_data_count_matches_records	Pass
	load_all.py::TestDataLoaderLoadAll	test_gauge_data_has_items_key	Pass
	load_all.py::TestDataLoaderLoadAll	test_gaugehd_dir_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_gaugets_dir_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_gaugets_dir_multiple_files_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_hazard_curves_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_lookups_built_after_load	Pass
	load_all.py::TestDataLoaderLoadAll	test_no_gaugehd_dir_count_stays_zero	Pass
	load_all.py::TestDataLoaderLoadAll	test_no_gaugets_dir_count_stays_zero	Pass
	load_all.py::TestDataLoaderLoadAll	test_no_propertyts_dir_count_stays_zero	Pass
	load_all.py::TestDataLoaderLoadAll	test_property_hazard_curves_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_property_hazard_summary_fields_accessible	Possible
	load_all.py::TestDataLoaderLoadAll	test_propertyts_dir_counted	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_list_format	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_loaded_dict_format	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_unknown_format	Pass
	load_all.py::TestDataLoaderLoadAll	test_storm_data_with_items_key	Pass
	load_all.py::TestDataLoaderLoadAll	test_with_gauge_data_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_with_mortgage_data_loaded	Pass
	load_all.py::TestDataLoaderLoadAll	test_with_property_data_loaded	Pass
	loaders.py::TestLoadCounterpartyData	test_corrupt_counterparty_file_leaves_data_none	Data none
	loaders.py::TestLoadCounterpartyData	test_missing_counterparty_file_leaves_data_none	Data none
	loaders.py::TestLoadCounterpartyData	test_valid_counterparty_file_loads	Pass
	loaders.py::TestLoadHazardCurves	test_corrupt_hazard_file_leaves_hazard_data_none	Data none
	loaders.py::TestLoadHazardCurves	test_corrupt_property_hazard_file_leaves_hazard_data_none	Data none
	loaders.py::TestLoadHazardCurves	test_missing_hazard_file_leaves_hazard_data_none	Data none
	loaders.py::TestLoadHazardCurves	test_missing_property_hazard_file_leaves_hazard_data_none	Data none
	loaders.py::TestLoadHazardCurves	test_valid_hazard_file_populates_hazard_data	Data
	loaders.py::TestLoadStormData	test_corrupt_storm_file_leaves_storm_data_none	Data none
	loaders.py::TestLoadStormData	test_missing_storm_file_leaves_storm_data_none	Data none
	loaders.py::TestLoadStormData	test_storms_dict_with_storms_key	Pass
	loaders.py::TestLoadStormData	test_storms_list_format	Pass
	loaders.py::TestLoadStormData	test_storms_other_type	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	validation.py::TestLoadWithValidation	test_empty_data_list_records_invalid_records	Fail
	validation.py::TestLoadWithValidation	test_empty_data_list_returns_none	Pass
	validation.py::TestLoadWithValidation	test_exception_in_loader_returns_none	Pass
	validation.py::TestLoadWithValidation	test_exception_records_error_in_validation	Pass
	validation.py::TestLoadWithValidation	test_none_return_from_loader_returns_none	Pass
	validation.py::TestLoadWithValidation	test_successful_load_records_valid_results	Pass
	validation.py::TestLoadWithValidation	test_successful_load_returns_data_dict	Pass
	validation.py::TestLoadWithValidation	test_validation_summary_count_matches_items	Pass
	validation.py::TestLoadWithValidation	test_validation_summary_has_type_field	Pass
	gauge_panel.py::TestGaugeGraphicConfiguration	test_configure_gauge_panel_height	Pass
	gauge_panel.py::TestGaugeGraphicConfiguration	test_configure_gauge_panel_width	Pass
	gauge_panel.py::TestGaugeGraphicConfiguration	test_get_configuration	Pass
	gauge_panel.py::TestGaugeHazardConfiguration	test_configure_hazard_panel_height	Pass
	gauge_panel.py::TestGaugeHazardConfiguration	test_configure_hazard_panel_width	Pass
	gauge_panel.py::TestGaugeHazardConfiguration	test_configure_hazard_statistics	Pass
	gauge_panel.py::TestGaugeStormAnalysisConfiguration	test_configure_storm_panel_height	Pass
	gauge_panel.py::TestGaugeStormAnalysisConfiguration	test_configure_storm_panel_width	Pass
	gauge_panel.py::TestGaugeStormAnalysisConfiguration	test_configure_storm_statistics	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_fetches_gauge_history	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_fetches_stress_storms	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_has_storm_scenarios	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_has_time_series_chart	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_renders	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_renders_storm_list	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_shows_flood_stages	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_shows_trigger_colors	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_storm_click_navigates_to_stress	Pass
	gauge_panel.py::TestHistoricalTab	test_historical_uses_event_listeners	Pass
	gauge_panel.py::TestStressTestTab	test_stress_fetches_storms	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_cash_price_concept	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_chart_tabs	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_storm_selector	Pass
	gauge_panel.py::TestStressTestTab	test_stress_renders	Pass
	gauge_panel.py::TestStressTestTab	test_stress_runs_scenario	Pass
	gauge_panel.py::TestStressTestTab	test_stress_shows_p_flood	Pass
	gauge_panel.py::TestStressTestTab	test_stress_storm_hint_pickup	Pass
	gauge_panel.py::TestStressTestTab	test_stress_trade_table	Pass
	gauge_panel.py::TestStressTestTab	test_stress_uses_event_listeners_for_tabs	Pass
	historical_detail_part1.py::TestHistoricalTabRecall	test_recall_tab_renders	Pass
	historical_detail_part1.py::TestHistoricalTabRecall	test_recall_tab_renders_length	Pass
	historical_detail_part1.py::TestHistoryFetch	test_fetch_gauge_history	Pass
	historical_detail_part1.py::TestHistoryFetch	test_fetch_gauge_id_variable	Pass
	historical_detail_part1.py::TestStormList	test_storm_list_overflow_count	Pass
	historical_detail_part1.py::TestStormList	test_storm_list_top30_storms	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
historical_detail	historical_detail_part1.py::TestStressLevel	test_stress_level_by_peak_level	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_by_precipitation	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_by_severe	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_by_category	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_figger_for_colour	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_1_m	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_fields	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_field	Pass
	historical_detail_part1.py::TestStressLevel	test_does_not_enable_gauge_storms_endpoint	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_scenarios	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_scenarios_in_panel	Pass
	historical_detail_part1.py::TestStressLevel	test_stress_level_gist_storms_endpoint	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_colour_amber	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_observations_field	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_historical_chart	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_colour_red	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_flood_alert_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_flood_warning_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_severe_flood_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_samples_observations	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_colour_orange	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_keyed_by_gauge_id	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_changing_data	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_changing_data_on_revisit	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_function	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_flood_exceedances	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_mean_level	Pass
	historical_detail_part2.py::TestHistoricalChart	test_historical_chart_bar_record_years	Pass
	historical_detail_part2.py::TestHistoricalChart	test_click_navigation_bar_defined	Pass
	historical_detail_part2.py::TestHistoricalChart	test_click_navigation_bar_iife_safe	Pass
	historical_detail_part2.py::TestHistoricalChart	test_click_navigation_bar_tab_5	Pass
	historical_detail_part2.py::TestHistoricalChart	test_click_navigation_bar_storm_hint	Pass
	historical_detail_part2.py::TestHistoricalChart	test_click_navigation_bar_before_switch_tab	Pass
	historical_detail_part2.py::TestHistoricalChart	test_click_navigation_bar_passed_to_navigate	Pass
	historical_detail_part2.py::TestHistoricalChart	test_effectiveness_of_widgets_in_consistent	Pass
	historical_detail_part2.py::TestHistoricalChart	test_gauges_in_severe_warnings_tab	Pass
	historical_detail_part2.py::TestHistoricalChart	test_field_density_color_warnings_tab	Pass
	historical_detail_part2.py::TestHistoricalChart	test_field_density_color_warnings_tab	Pass
	historical_detail_part2.py::TestHistoricalChart	test_field_density_color_warnings_tab	Pass
	historical_detail_part2.py::TestHistoricalChart	test_field_density_color_warnings_tab	Pass
	prs_detail.py::TestAnalyticalPrice	test_cashflow_computation	Pass
	prs_detail.py::TestAnalyticalPrice	test_survival_interpolation	Pass
	prs_detail.py::TestAnalyticalPrice	test_yield_rate_interpolation	Pass
	prs_detail.py::TestMaturityConv	test_compute_maturity_date	Pass
	prs_detail.py::TestMaturityConv	test_current_roll_date	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	prs_detail.py::TestMaturityConversion	test_last_friday_of_month	Pass
	prs_detail.py::TestMaturityConversion	test_maturity_popup	Pass
	prs_detail.py::TestPRSControls	test_controls_function	Pass
	prs_detail.py::TestPRSControls	test_counterparty_dropdown	Pass
	prs_detail.py::TestPRSControls	test_direction_toggle	Pass
	prs_detail.py::TestPRSControls	test_maturity_selector	Pass
	prs_detail.py::TestPRSControls	test_notional_input	Pass
	prs_detail.py::TestPRSControls	test_trigger_selector	Pass
	prs_detail.py::TestPRSTabRenderers	test_prs_tab_renderers	Pass
	prs_detail.py::TestPRSTabRenderers	test_prs_yield_curve_fetch	Pass
	prs_detail.py::TestTradeCommitment	test_commit_endpoint	Pass
	prs_detail.py::TestTradeCommitment	test_payer_flag_in_commit	Pass
	stress_detail.py::TestChartSubTables	test_event_listeners_not_inline	Pass
	stress_detail.py::TestChartSubTables	test_flood_probability_tab	Pass
	stress_detail.py::TestChartSubTables	test_stress_pnl_tab	Pass
	stress_detail.py::TestChartSubTables	test_surface_tab	Pass
	stress_detail.py::TestKnockOutDisplay	test_first_trigger_hour	Pass
	stress_detail.py::TestKnockOutDisplay	test_ko_annotation_line	Pass
	stress_detail.py::TestKnockOutDisplay	test_ko_label	Pass
	stress_detail.py::TestKnockOutDisplay	test_triggered_hour_reference	Pass
	stress_detail.py::TestStormSelector	test_auto_selects_worst_storm	Pass
	stress_detail.py::TestStormSelector	test_storm_dropdown	Pass
	stress_detail.py::TestStressEndpoints	test_run_endpoint	Pass
	stress_detail.py::TestStressEndpoints	test_storms_endpoint	Pass
	stress_detail.py::TestStressTabRenderers	test_stress_tab_renderers	Pass
	stress_detail.py::TestSurfaceTable	test_surface_ko_trim	Pass
	stress_detail.py::TestSurfaceTable	test_surface_reads_probability_surface	Pass
	stress_detail.py::TestSurfaceTable	test_surface_renders_table	Pass
	stress_detail.py::TestSurfaceTable	test_surface_trigger_band_shading	Pass
	stress_detail.py::TestSurfaceTable	test_surface_wrap_element	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_contains_iife	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_contains_regulatory_button	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_contains_render_audit_report	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_contains_script_tags	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_contains_show_mg_panel	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_contains_terminal_popup	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_is_str	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_non_empty	Pass
	js_safety_part1.py::TestFullCompliance	test_full_js_passes_node_syntax_check	Pass
	js_safety_part1.py::TestGetJsReturn	test_sailing_modules_non_empty	Pass
	js_safety_part1.py::TestGetJsReturn	test_sailing_modules_return_str	Pass
	js_safety_part1.py::TestNoLiteralNewlineInJsStrings	test_no_newline_in_js_strings	Pass
	js_safety_part1.py::TestNoLiteralNewlineInJsStrings	test_no_newline_in_js_strings	Pass
	js_safety_part1.py::TestNoLiteralNewlineInJsStrings	test_no_newline_in_js_strings	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	js_safety_part2.py::TestAuditReport	testAuditReportTerminalRefreshExposedOnWindow	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportDownloadButton	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportOutputEndpoint	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportRefreshAuditTabButton	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportSuiteExposedOnWindow	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportSuiteFunction	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportTerminalOverlayId	Pass
	js_safety_part2.py::TestAuditReport	testAuditReportToggleFailureDetailExposedOnWindow	Pass
	test_backend_handler.py::TestAddToMap	testAddToMapCallsAddChild	Pass
	test_backend_handler.py::TestBackendHandler	testBackendHandlerInit	Pass
	test_backend_handler.py::TestBackendHandler	testBackendHandlerInitUsesConfig	Pass
	test_backend_handler.py::TestBackendHandler	testBackendHandlerIsCopied	Pass
	test_backend_handler.py::TestConfigure	testConfigureNoArgsNoChange	Pass
	test_backend_handler.py::TestConfigure	testConfigureUpdatesEndpoints	Pass
	test_backend_handler.py::TestConfigure	testConfigureUpdatesServerUrl	Pass
	test_backend_handler.py::TestGetTest	testGetTestContainsTimeout	Pass
	test_backend_handler.py::TestGetTest	testGetTestReturnsScriptTag	Pass
	test_backend_handler.py::TestGetStatistics	testGetStatisticsKeys	Pass
	test_backend_handler.py::TestGetStatistics	testGetStatisticsSingleEndpoint	Pass
	test_context_menus.py::TestAddToMap	testAddToMapCallsAddChild	Pass
	test_context_menus.py::TestConfigure	testConfigureBothMenus	Pass
	test_context_menus.py::TestConfigure	testConfigureGaugeMenu	Pass
	test_context_menus.py::TestConfigure	testConfigureNoArgsNoChange	Pass
	test_context_menus.py::TestConfigure	testConfigurePropertyMenu	Pass
	test_context_menus.py::TestContextMenus	testContextMenusInit	Pass
	test_context_menus.py::TestContextMenus	testContextMenusInit	Pass
	test_context_menus.py::TestGetStatistics	testGetStatisticsCustomStatistics	Pass
	test_context_menus.py::TestGetStatistics	testGetStatisticsDefaultStatistics	Pass
	test_context_menus.py::TestNavMenuJS	testNavMenuJSIncludedInGetJS	Pass
	test_context_menus.py::TestNavMenuJS	testNavMenuJSContainsGaugeSelect	Pass
	test_context_menus.py::TestNavMenuJS	testNavMenuJSContainsPropertySelect	Pass
	test_context_menus.py::TestNavMenuJS	testNavMenuJSFiltersSyntheticGauges	Pass
	test_context_menus.py::TestNavMenuJS	testNavMenuJSHasActionBar	Pass
	test_context_menus.py::TestNavMenuJS	testNavMenuJSIncludesMenuActions	Pass
	test_manager.py::TestConfigure	testConfigureMenus	Pass
	test_manager.py::TestConfigure	testConfigureNotificationPosition	Pass
	test_manager.py::TestConfigure	testConfigureNotificationTimeout	Pass
	test_manager.py::TestConfigure	testConfigureReturnsSelf	Pass
	test_manager.py::TestConfigure	testConfigureServerUrl	Pass
	test_manager.py::TestGetStatistics	testGetStatisticsReturnsDictWithExpectedKeys	Pass
	test_manager.py::TestGetStatistics	testGetStatisticsAreDicts	Pass
	test_manager.py::TestSetupMap	testSetupMapAddsAllComponents	Pass
	test_manager.py::TestSetupMap	testSetupMapAddsRightElementAdded	Pass
	test_manager.py::TestSetupMap	testSetupMapReturnsSelf	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_nav_menus.py::TestNavMenuActionLine	test_nav_menus_actions_match_context_menus	Pass
	test_nav_menus.py::TestNavMenuActionLine	test_nav_menus_items_serialized_from_pythons	Pass
	test_nav_menus.py::TestNavMenuActionProperty	test_nav_menus_actions_match_context_menus	Pass
	test_nav_menus.py::TestNavMenuGaugeDataLoader	test_nav_menus_gauges_has_synth_gauges	Pass
	test_nav_menus.py::TestNavMenuGaugeDataLoader	test_nav_menus_gauges_returns_gaugeId_field	Pass
	test_nav_menus.py::TestNavMenuGaugeDataLoader	test_nav_menus_gauges_gaugeId_not_gaugeId	Pass
	test_nav_menus.py::TestNavMenuGaugeDataLoader	test_nav_menus_gauges_gauge_name_field	Pass
	test_nav_menus.py::TestNavMenuPropertyDataLoader	test_nav_menus_properties_correct_preloader_path	Pass
	test_nav_menus.py::TestNavMenuPropertyDataLoader	test_nav_menus_properties_property_id_field	Pass
	test_nav_menus.py::TestNavMenuPropertyDataLoader	test_nav_menus_properties_summary_has_property_id	Pass
	test_nav_menus.py::TestNavMenuSystemFilter	test_nav_menus_system_filter_uses_correct_prefs	Pass
	test_notifications.py::TestAddNotification	test_notifications_add_to_map	Pass
	test_notifications.py::TestAddNotification	test_notifications_add_to_map_notification_system	Pass
	test_notifications.py::TestAddNotification	test_notifications_add_to_map_calls_add_child	Pass
	test_notifications.py::TestBuildPosition	test_notifications_returns_position_function	Pass
	test_notifications.py::TestBuildTemplate	test_notifications_template_contains_all_types	Pass
	test_notifications.py::TestBuildTemplate	test_notifications_template_contains_template_values	Pass
	test_notifications.py::TestBuildTemplate	test_notifications_template_returns_valid_json	Pass
	test_notifications.py::TestConfigure	test_notifications_configure_max_visible	Pass
	test_notifications.py::TestConfigure	test_notifications_configure_no_args_no_change	Pass
	test_notifications.py::TestConfigure	test_notifications_configure_position	Pass
	test_notifications.py::TestConfigure	test_notifications_configure_timeout	Pass
	test_notifications.py::TestCreateNotificationSystem	test_notifications_create_notification_system	Pass
	test_notifications.py::TestCreateNotificationSystem	test_notifications_create_notification_timeout	Pass
	test_notifications.py::TestCreateNotificationSystem	test_notifications_create_notification_defaults_to_top_right	Pass
	test_notifications.py::TestCreateNotificationSystem	test_notifications_create_notification_position	Pass
	test_notifications.py::TestGetStatistics	test_notifications_returns_expected_keys	Pass
	test_notifications.py::TestGetStatistics	test_notifications_statistics_reflect_config	Pass
	test_startup.py::TestGetPreloaderJS	test_get_preloader_js_matches_get_js	Pass
	test_startup.py::TestGetPreloaderJS	test_get_preloader_js_returns_string	Pass
	test_startup.py::TestStartupPreloaderAddToMap	test_startup_preloader_add_to_map_calls_add_child	Pass
	test_startup.py::TestStartupPreloaderAddToMap	test_startup_preloader_add_to_map_output_contains_script	Pass
	test_td_main_map_coverage.py::TestMainMapFPS	test_main_map_fps_calls_add_child	Pass
	test_td_main_map_coverage.py::TestMainMapFPS	test_main_map_fps_returns_statistics	Pass
	test_td_main_map_coverage.py::TestMainMapFPS	test_main_map_fps_get_statistics_dict	Pass
	property_panel.py::TestPropertyHeight	test_property_height_configured	Pass
	property_panel.py::TestPropertyHeight	test_property_height_configured_does_not_change	Pass
	property_panel.py::TestPropertyHeight	test_property_height_configured_height	Pass
	property_panel.py::TestPropertyHeight	test_property_height_configured_width	Pass
	property_panel.py::TestPropertyHeight	test_property_height_configured_use	Pass
	property_panel.py::TestPropertyHeight	test_property_height_configured_returns_dict	Pass
	test_phc_prs_render_terrain.py::TestStatsBar	test_stats_bar_terrain_stats_bar	Pass
	test_phc_prs_render_terrain.py::TestStatsBar	test_stats_bar_terrain_stats_bar_conditional	Pass
	test_phc_prs_render_terrain.py::TestStatsBar	test_stats_bar_terrain_stats_bar_phc_prs	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	sp_table_detail.py::TestPanelTitle	test_title_reads_selected_option_text	Pass
	sp_table_detail.py::TestPanelTitle	test_title_uses_label_variable_not_bare_id	Storm_id_concat
	sp_table_detail.py::TestStormList	test_loads_from_propertyts_storms	Pass
	sp_table_detail.py::TestStormList	test_loads_storms_message	Pass
	sp_table_detail.py::TestStormList	test_loads_preloaded_cache	Pass
	sp_table_detail.py::TestTableStructure	test_reload_portfolio_impact_defined	Pass
	sp_table_detail.py::TestTableStructure	test_reload_portfolio_impact_endpoint	Pass
	sp_table_detail.py::TestTableStructure	test_sort_columns_defined	Pass
	sp_table_detail.py::TestTableStructure	test_summary_cards_present	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_refresh_main_map	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_apply_filter	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_export_cell_click	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_exports_window	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_exports_01_exported	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_exports_window	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_exports_window_hint	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_exports_show_hide	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_blotter_view	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_display_flex	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_show_panel	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_preload_done	Pass
	test_cross_iife_exports.py::TestCrossIifeExportsPanel	test_creates_section_open	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGovAudit]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGovBib]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preStorms]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preBlotter]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preEodHistory]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGauges]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGovDocs]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preMarket]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_prePortStorms]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preStressStorms]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preYieldCurve]	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_no_bare_string_declarations_for_cache	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_no_bare_string_declarations_for_td_preload	Done
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_window_startup_preload_slope_initialised	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_window_startup_preload_slope_set_after_settle	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_blotter_cache_consumes_after_consume	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_blotter_cache_consumes_pre_blotter	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_gov_docs_cache_consumes_after_consume	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_gov_docs_cache_consumes_pre_gov_docs	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_startup_preloader_part2.py::TestStartupPreloaderState	test_startup_preloader_state_uses_object_keys	Pass
	test_startup_preloader_part2.py::TestStartupPreloaderCache	test_startup_preloader_cache_function_exists	Pass
	test_startup_preloader_part2.py::TestStartupPreloaderCache	test_startup_preloader_cache_cache	Pass
	test_startup_preloader_part2.py::TestStartupPreloaderCache	test_startup_preloader_cache_after_use	Pass
	blotter.js.py::TestBlotterSignedNotional	test_blotter_signed_notional_in_pnl_bar	Pass
	blotter.js.py::TestBlotterSignedNotional	test_blotter_signed_notional_payer_negative	Pass
	blotter.js.py::TestMarketPnLDisplay	test_blotter_has_from_market_in_pnl_bar	Pass
	blotter.js.py::TestMarketPnLDisplay	test_blotter_has_market_pnl_column	Pass
	blotter.js.py::TestMarketPnLDisplay	test_commit_shows_pnl_impact	Pass
	blotter.js.py::TestMarketPnLDisplay	test_hazard_column_up_down_arrows	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_status_endpoint	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_summary_endpoint	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_train_all_endpoint	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_train_endpoint	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_cleanup	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_in_views_array	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_switch_handler	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_tab_in_array	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_view_created	Pass
	classifiers.js.py::TestClassifiersStatus	test_classifiers_renders	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_batch_training	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_cleanup	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_create_view	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_feature_chart	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_load_data	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_metric_card	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_progress_bar	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_render_detail	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_render_summary_table	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_single_training	Pass
	classifiers.js.py::TestClassifiersStatus	test_has_update_vars	Pass
	market.js.py::TestCommitButtonInteract	test_commit_button_calls_commit_function	Pass
	market.js.py::TestCommitButtonInteract	test_commit_button_in_html	Pass
	market.js.py::TestCommitButtonInteract	test_commit_button_not_hidden	Pass
	market.js.py::TestCommitButtonInteract	test_commit_function_exists	Pass
	market.js.py::TestCommitButtonInteract	test_commit_posts_to_endpoint	Pass
	market.js.py::TestCommitButtonInteract	test_commit_refreshes_blotter	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_all_gauges_chart	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_has_trigger_selector	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_hsl_colours	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_renders	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_strips_thames_prefix	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_uses_market_state	Pass
	market.js.py::TestMapClickThrough	test_map_hides_trading_desk	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market.js.py::TestMapClickThrough	test_map_new_trade_link	Pass
	market.js.py::TestMapClickThrough	test_map_view_hazard_curve	Pass
	panel.py::TestInteractivityManager	test_interactivity_manager_exports_trading_desk	Pass
	panel.py::TestInteractivityManager	test_interactivity_manager_has_trading_desk	Pass
	panel.py::TestPreloadDoneScoping	test_preloader_sets_window_preload_done	Pass
	panel.py::TestPreloadDoneScoping	test_startup_uses_window_preload_done_inits	Pass
	panel.py::TestPreloadDoneScoping	test_startup_uses_window_preload_done_sets	Pass
	panel.py::TestPreloadDoneScoping	test_tradingdesk_reads_window_preload_done	Pass
	panel.py::TestTradingDeskPanel	test_add_to_map	Pass
	panel.py::TestTradingDeskPanel	test_blotter_submodule	Pass
	panel.py::TestTradingDeskPanel	test_eod_submodule	Pass
	panel.py::TestTradingDeskPanel	test_map_submodule	Pass
	panel.py::TestTradingDeskPanel	test_market_submodule	Pass
	panel.py::TestTradingDeskPanel	test_no_unescaped_braces	Pass
	panel.py::TestTradingDeskPanel	test_panel_contains_all_tabs	Pass
	panel.py::TestTradingDeskPanel	test_panel_contains_global_export	Pass
	panel.py::TestTradingDeskPanel	test_panel_contains_pi_symbol	Pass
	panel.py::TestTradingDeskPanel	test_panel_renders	Pass
	panel.py::TestTradingDeskPanel	test_risk_submodule	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_portfolio_run_endpoint	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_portfolio_storms_endpoint	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_portfolio_method_used_for_run	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_confirmation_lists_with_stress_tab	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_prefixionscontent	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_prefixionsstorm_sel	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_prefixionstabs	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_canvas_id	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_header_function	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_threshold_colours	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_tabs_chartjs	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_canvas_id	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_title_gbp	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_header_function	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_tabs_horizontal_bars	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_all_sub_tabs	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_cleanup	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_create_view	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_load_data	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_storm_changed	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_switch_subtab	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres_renders	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.state_vars	Pass
	port_stress.js_part2.py::TestPortStressGaugePanel	test_gaugepanel_tabs_switch_tab_stress	Pass
	port_stress.js_part2.py::TestPortStressGaugePanel	test_gaugepanel_tab1_detail_button	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_gauge_table	Pass
	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_render_function	Pass
	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_gauge_hint	Pass
	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_storm_hint	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_valid_with_port_stress	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_data_called	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Deskfacts	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Deskstab_in_full_js	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Deskview_appended	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Deskview_created	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_switch_tab	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_tabs_array	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_views_array	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_hide_panel	Pass
	port_stress_js_part2.py::TestPortStressFullTradingDesk	Desk_life	Pass
	port_stress_js_part2.py::TestPortStressSeverityFdgauge_pnl_link	Fdgauge_pnl_link	Pass
	port_stress_js_part2.py::TestPortStressSeverityFdgauge_pnl_link	Fdgauge_has_four_groups	Pass
	port_stress_js_part2.py::TestPortStressSeverityFdgauge_pnl_link	Fdgauge_render_function	Pass
	port_stress_js_part2.py::TestPortStressSeverityFdgauge_pnl_link	Fdgauge_selected_gauge	Pass
	port_stress_js_part2.py::TestPortStressSeverityFdgauge_pnl_link	Fdgauge_severe_colour	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_contains_populate_gauge_dropdown	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_contains_stress_gauge_changed	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_no_unclosed_template_literal	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_selector_element_id_present	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_populate_gauge_dropdown_function_defined	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_populate_storm_dropdown_function_defined	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_selector_element_id_present	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_functions_not_before_iife_closure	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_gauge_changed_binds_to_dropdown	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_gauge_changed_function_defined	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_storm_changed_binds_to_dropdown	Pass
	stress.js_part1.py::TestStressGaugeFunctions	js_storm_changed_function_defined	Pass
	stress.js_part1.py::TestStressKnownIssues	stress_ko_annotation_on_charts	Pass
	stress.js_part1.py::TestStressKnownIssues	stress_ko_status_in_table	Pass
	stress.js_part1.py::TestStressKnownIssues	stress_stats_bar_ko_info	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_fallback_only_when_hint_not_matched	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_applied_before_fallback	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_consumed_after_use	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_fallback_to_blotter_filter	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_load_stress_data_accepts_gauge_hint	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_load_stress_data_stores_hint	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_populate_gauge_dropdown_reads_hint	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_stress_gauge_hint_state_variable	Pass
	stress.js_part2.py::TestStressGaugeHint	Hint_switch_tab_stress_blotter_filter_f	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	stress.js_part2.py::TestStressGaugesHistogram	switch_tab.stress_passes_gauge_histogram	Pass
	stress.js_part2.py::TestStressGaugesHistogram	switch_tab.stress_uses_blotter_data_callbacks	Fail
	stress.js_part2.py::TestStressTablesCustom	stress_chart_canvas	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_chart_tabs	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_charts	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_cleanup	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_gauge_dropdown	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_gauges_endpoint	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_has_create_and_load	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_ko_annotation	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_link_property_damage	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_link_storm_simulation	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_renders	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_stats_bar	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_storm_dropdown	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_surface_table	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_trade_table	Pass
	stress.js_part2.py::TestStressTablesCustom	stress_surface_table_scrollable	Pass

3 Flood Risk (Depth-Damage) (MKM-DD-001)

Table 4: Test Results Summary — Flood Risk (Depth-Damage) (MKM-DD-001)

Total Tests	32
Passed	32
Failed	0
Skipped	0
Duration	0.00s

Table 5: Detailed Test Results — Flood Risk (Depth-Damage)

Test Description	Acceptance Criteria	Result	Time
Every hour from 0..n must be present in output, in order.	<code>hours == list(range(len(gauge_readings)))</code>	Pass	0.000s
Flood depth must be non-negative at every time step.	<code>r['depth_m'] >= 0.0</code>	Pass	0.000s
Each hydrograph entry must contain hour, wse_m, depth_m, and flooded.	<code>'hour' in r; 'wse_m' in r (+2 more)</code>	Pass	0.000s
Empty gauge readings must return empty property hydrograph.	<code>build_property_hydrograph([], 8.0, 1.0, 0.9, 6.0, 0.3) == []</code>	Pass	0.000s
When floor level exceeds peak WSE, no time step should be flooded.	<code>r['flooded'] is False</code>	Pass	0.000s
With travel time of 5 hours, first 5 hours must show zero flood depth.	<code>r['depth_m'] == 0.0; r['flooded'] is False</code>	Pass	0.000s
Property hydrograph must have same number of time steps as gauge input.	<code>len(result) == len(gauge_readings)</code>	Pass	0.000s
Low-elevation property at gauge location must flood at peak water level.	<code>max(peak_depths) > 0</code>	Pass	0.000s
Slope from 10m to 8m over 1000m should be 0.002 (2m/1000m).	<code>abs(s - 0.002) < 1e-6</code>	Pass	0.000s
Flat terrain (equal elevations) must return MIN_SLOPE, not zero.	<code>s == MIN_SLOPE</code>	Pass	0.000s
Slope must be the same regardless of flow direction (uses absolute value).	<code>s1 == s2</code>	Pass	0.000s
Zero horizontal distance must return MIN_SLOPE to avoid division by zero.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Monotonicity: deeper water must produce higher velocity at constant slope.	$v_2 > v_1$	Pass	0.000s
Negative depth is physically invalid; must return zero velocity.	<code>compute_manning_velocity(-1.0, 0.005) == 0.0</code>	Pass	0.000s
Negative slope (downhill in opposite direction) must use absolute value.	$v_{pos} == v_{neg}$	Pass	0.000s
Manning velocity at $d=1.0m$, $S=0.005$, $n=0.04$ should be ~ 1.77 m/s.	$1.5 < v < 2.0$	Pass	0.000s
Slopes below MIN_SLOPE must be clamped to MIN_SLOPE to avoid	$v == v_{min}$	Pass	0.000s
Monotonicity: steeper slope must produce higher velocity at constant depth.	$v_2 > v_1$	Pass	0.000s
Zero depth must produce zero velocity (no flow without water).	<code>compute_manning_velocity(0.0, 0.005) == 0.0</code>	Pass	0.000s
Zero roughness coefficient causes division by zero; must return 0.	<code>compute_manning_velocity(1.0, 0.005, roughness=0.0) == 0.0</code>	Pass	0.000s
At distance = characteristic length, factor must equal $1/e$ 0.368.	$abs(f - 1.0 / math.e) < 0.001$	Pass	0.000s
<code>compute_attenuation</code> is a backwards-compatible alias.	<code>compute_attenuation(800) == compute_retention(800)</code>	Pass	0.000s
At 5x the decay length, retention should be $\leq 1\%$.	$f < 0.01$	Pass	0.000s
At 800m with default 3km length scale, retention 0.77.	$0.70 \leq f \leq 0.85$	Pass	0.000s
Negative distance is clamped to zero; must return 1.0.	<code>compute_retention(-100) == 1.0</code>	Pass	0.000s
At 1km with default 3km length scale, retention 0.72.	$0.65 \leq f \leq 0.80$	Pass	0.000s
At zero distance, retention must be 1.0 (full signal).	<code>compute_retention(0) == 1.0</code>	Pass	0.000s
Zero decay length means instant decay; must return 0.0.	<code>compute_retention(100, 0) == 0.0</code>	Pass	0.000s
Travel time for 500m at $d=1.0m$, $S=0.005$ should be well under 1 hour.	$0 < t < 1.0$	Pass	0.000s
Monotonicity: greater distance must produce longer travel time.	$t_2 > t_1$	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zero depth produces zero velocity, so travel time must be infinite.	<code>t == float('inf')</code>	Pass	0.000s
Zero distance must produce zero travel time.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s

4 Flood Polynomial Model (MKM-FPO-001)

Table 6: Test Results Summary — Flood Polynomial Model (MKM-FPO-001)

Total Tests	33
Passed	33
Failed	0
Skipped	0
Duration	0.00s

Table 7: Detailed Test Results — Flood Polynomial Model

Test Description	Acceptance Criteria	Result	Time
Coefficients used by model match config/models.py.	<code>hasattr(flood_poly_coeffs, 'a');</code> <code>hasattr(flood_poly_coeffs, 'f')</code> (+1 more)	Pass	0.000s
Fit metadata from config	<code>flood_poly_fit["model_id"] == "flood-poly-v1";</code> <code>flood_poly_fit["r_squared"] > 0.9</code>	Pass	0.000s
Log eps from config	<code>flood_poly_log_eps == 1e-8</code>	Pass	0.000s
Storm hours from config	<code>flood_poly_storm_hours == 168</code>	Pass	0.000s
Coefficients count	<code>card["num.parameters"] == 6</code>	Pass	0.000s
Fit quality has metrics	<code>"r_squared" in fq; "mae" in fq</code> (+1 more)	Pass	0.000s
Has required fields	<code>"model_id" in card; "version" in card</code> (+3 more)	Pass	0.000s
Model id matches config	<code>card["model_id"] == flood_poly_fit["model_id"]</code>	Pass	0.000s
Returns dict	<code>isinstance(card, dict)</code>	Pass	0.000s
Water far above severe at late hour should be near 1.0.	<code>p > 0.9</code>	Pass	0.000s
Water well above severe threshold should give high P(flood).	<code>p > 0.8</code>	Pass	0.000s
hour=167 (last storm hour) should not raise.	<code>0.0 <= p <= 1.0</code>	Pass	0.000s
hour=0 should not raise.	<code>0.0 <= p <= 1.0</code>	Pass	0.000s
P(flood) at hour 0 should be lower than mid-storm for moderate water.	<code>p_early < p_mid</code>	Pass	0.000s
In range	<code>0.0 <= result <= 1.0; 0.0 <= result <= 1.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Water well below severe threshold should give low P(flood).	<code>p < 0.1</code>	Pass	0.000s
Higher water level should give higher P(flood) at same hour.	<code>p_low < p_mid < p_high</code>	Pass	0.000s
Negative severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=-1.0) ...;</code> <code>p_flood.simple(5.0, -1.0) == 0.0</code>	Pass	0.000s
Returns float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Near-zero water level should give near-zero P(flood).	<code>p < 0.01</code>	Pass	0.000s
Zero severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=0.0) ...;</code> <code>p_flood.simple(5.0, 0.0) == 0.0</code>	Pass	0.000s
All in range	<code>all(0.0 <= p <= 1.0 for p in result)</code>	Pass	0.000s
Correct length	<code>len(result) == 5</code>	Pass	0.000s
Empty list	<code>p_flood.series([], severe_level=6.58)</code> <code>== []</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
Above severe capped at one	<code>p_flood.simple(10.0, 6.58) == 1.0</code>	Pass	0.000s
At severe equals one	<code>p_flood.simple(6.58, 6.58) == 1.0</code>	Pass	0.000s
In range	<code>0.0 <= result <= 1.0; 0.0 <= result <= 1.0</code>	Pass	0.000s
Negative severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=-1.0) ...;</code> <code>p_flood.simple(5.0, -1.0) == 0.0</code>	Pass	0.000s
$P = \min(1, w/s)$.	<code>abs(p_flood.simple(3.29, 6.58) - 0.5)</code> <code>< 0.01</code>	Pass	0.000s
Returns float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Zero severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=0.0) ...;</code> <code>p_flood.simple(5.0, 0.0) == 0.0</code>	Pass	0.000s
Zero water	<code>p_flood.simple(0.0, 6.58) == 0.0</code>	Pass	0.000s

5 GEV Hazard Model (MKM-GH-001)

Table 8: Test Results Summary — GEV Hazard Model (MKM-GH-001)

Total Tests	16
Passed	16
Failed	0
Skipped	0
Duration	0.26s

Table 9: Detailed Test Results — GEV Hazard Model

Test Description	Acceptance Criteria	Result	Time
Exceedance probability in range	<code>0.0 <= prob <= 1.0</code>	Pass	0.001s
Fit returns three floats	<code>isinstance(shape, float);</code> <code>isinstance(loc, float) (+1 more)</code>	Pass	0.013s
Force gumbel sets shape zero	<code>shape == 0.0</code>	Pass	0.000s
Higher threshold lower probability	<code>p_high < p_low</code>	Pass	0.000s
Return level increases with period	<code>r1_100 > r1_10</code>	Pass	0.000s
Compute all responses returns dict	<code>isinstance(responses,</code> <code>dict); len(responses) ==</code> <code>len(synthetic_flat_gauges) (+1</code> <code>more)</code>	Pass	0.000s
Compute response returns gauge re- sponse	<code>isinstance(response, GaugeResponse);</code> <code>response.gauge_id == gauge_id (+1</code> <code>more)</code>	Pass	0.000s
Response threshold flags	<code>response.exceeded_alert;</code> <code>response.exceeded_warning</code>	Pass	0.000s
Annual flood probabilities in range	<code>0.0 <= curve.annual_flood_prob.alert</code> <code><= 1.0; 0.0 <=</code> <code>curve.annual_flood_prob.warning</code> <code><= 1.0 (+1 more)</code>	Pass	0.080s
Build returns dict of curves	<code>isinstance(curves, dict); len(curves)</code> <code>== len(synthetic_flat_gauges) (+2</code> <code>more)</code>	Pass	0.078s
Each curve is gauge hazard curve	<code>isinstance(curve, GaugeHazardCurve);</code> <code>curve.gauge_id == gauge_id</code>	Pass	0.086s
Cumulative prob increasing	<code>probs[i] >= probs[i - 1]</code>	Pass	0.000s
Probabilities sum to one	<code>abs(point.survival_prob +</code> <code>point.prob.at_least_one - 1.0) ...</code>	Pass	0.000s
Returns correct length	<code>len(ts) == 5</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns term structure points	<code>isinstance(point, TermStructurePoint)</code>	Pass	0.000s
Survival prob decreasing	<code>survivals[i] <= survivals[i - 1]</code>	Pass	0.000s

6 GaugeHD Synthetic (MKM-GHD-001)

Table 10: Test Results Summary — GaugeHD Synthetic (MKM-GHD-001)

Total Tests	62
Passed	62
Failed	0
Skipped	0
Duration	8.02s

Table 11: Detailed Test Results — GaugeHD Synthetic

Test Description	Acceptance Criteria	Result	Time
<code>_snap_to_river</code> skips zero-length segments without error.	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
<code>_create_synthetic_gauge</code> returns None when flanking gauge not in lookup.	<code>result is None</code>	Pass	0.003s
Lines 83-110: generate all gauge histories processes all gauges.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.198s
Lines 105-107: error on one gauge -j logged, continues.	<code>isinstance(result, list)</code>	Pass	0.387s
All levels positive	<code>all(obs["level_meters"] > 0 for obs in result)</code>	Pass	0.006s
Correct length approximately	<code>728 <= len(result) <= 732</code>	Pass	0.003s
Dates are sequential	<code>(d_curr - d_prev).days == 1</code>	Pass	0.003s
Different seeds different output	<code>levels1 != levels2</code>	Pass	0.013s
Each obs has date and level	<code>"date" in obs; "level_meters" in obs</code> (+1 more)	Pass	0.001s
Gauge data without FloodGauge wrapper uses defaults.	<code>isinstance(result, list)</code>	Pass	0.001s
When historical high date is within range, that day gets historical_high level.	<code>match[0]["level_meters"] == 7.5</code>	Pass	0.001s
Invalid date format doesn't crash.	<code>isinstance(result, list)</code>	Pass	0.001s
Historical high date before start_date is ignored.	<code>isinstance(result, list)</code>	Pass	0.001s
Lines 176-179: Historical high injected via fallback when date not matched in loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 8.0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Gauge data with no FloodStages uses sensible defaults.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Lines 97-100: Partially tidal gauge uses dampened tidal signal.	<code>len(result) > 700; all(lev > 0 for lev in levels)</code>	Pass	0.003s
Returns list	<code>isinstance(result, list)</code>	Pass	0.001s
Seed reproducible	<code>r1 == r2</code>	Pass	0.003s
Lines 92-95: Tidal gauge uses wider <code>daily_std</code> , <code>tidal_amplitude</code> > 0.	<code>len(result) > 700; max(levels) > min(levels)</code>	Pass	0.003s
Lines 147-149: Tidal component with spring-neap cycle.	<code>11 != 12</code>	Pass	0.003s
Lines 138-141: historical high injected after main loop.	<code>len(match) == 1; match[0]["level_meters"] == 9.99</code>	Pass	0.003s
When <code>historical_high_dt</code> is None (out of range), post-loop block skipped.	<code>all(o["level_meters"] != 8.0 for o in result)</code>	Pass	0.001s
When <code>historical_high_date</code> is None, both branches skipped.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
<code>generate()</code> returns <code>count=0</code> when <code>GAUGE_POINTS</code> has > 2 entries.	<code>result["count"] == 0</code>	Pass	0.001s
<code>generate()</code> returns <code>count=0</code> when <code>GAUGE_POINTS</code> is None.	<code>result["count"] == 0</code>	Pass	0.001s
Lines 74-75: missing file raises <code>FileNotFoundError</code> .	—	Pass	0.000s
Lines 72-80: <code>load_gauge_portfolio</code> reads <code>gauge.json</code> .	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
<code>_load_river_polyline</code> returns None when cache file doesn't exist.	<code>result is None or isinstance(result, list)</code>	Pass	0.001s
<code>_snap_to_river</code> returns original coords when river is None.	<code>lat == 51.46; lon == -0.30</code>	Pass	0.000s
Lines 143-144: bad CSV -i error logged, continues.	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 113-147: <code>process_nrfa_directory</code> scans CSV files.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
Line 134: <code>output_dir=None</code> uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 131-147: no matching files -i empty list.	<code>result == []</code>	Pass	0.000s
Property projecting to <code>seg_idx=0</code> , <code>t~0</code> should not create a gauge.	<code>result["count"] == 0</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Propertyhc has synth in nearest gauges	<code>found_synth</code>	Pass	0.008s
Synthetic gauge in propertyhc should have basis_bps computed.	<code>"basis_bps" in ng</code>	Pass	0.006s
Every property has one synthetic gauge	<code>not failures</code>	Pass	1.868s
Every property has three gauges total	<code>len(ngs) == 3</code>	Pass	0.152s
Every property has two real gauges	<code>not failures</code>	Pass	1.635s
Properties should have flood_events sourced from gauge storm responses.	<code>properties_with_events > 0</code>	Pass	1.640s
At least some properties should have flooded=True events.	<code>flooded_count > 0</code>	Pass	1.641s
Appends to gauge json	<code>len(data["flood_gauges"]) > 3;</code> <code>len(synth) > 0</code>	Pass	0.011s
Creates synthetic gauges	<code>result["count"] > 0;</code> <code>len(result["gauge_ids"]) == result["count"]</code>	Pass	0.014s
Two properties near the same river point should share a synthetic gauge.	<code>result["count"] == 2</code>	Pass	0.012s
Property far beyond polyline end should not create a synthetic gauge.	<code>result["count"] == 0</code>	Pass	0.003s
Interpolated elevation	<code>3.0 <= elev <= 5.0</code>	Pass	0.010s
Interpolated flood stages	<code>3.5 <= stages["FloodAlert"] <= 4.5;</code> <code>4.5 <= stages["FloodWarning"] <= 5.5</code> (+1 more)	Pass	0.009s
No gauge json returns zero	<code>result["count"] == 0</code>	Pass	0.000s
No property json returns zero	<code>result["count"] == 0</code>	Pass	0.002s
Synthetic gauge has cdm structure	<code>"GaugeID" in fg["Header"];</code> <code>"CatchmentID" in fg["Header"]</code> (+8 more)	Pass	0.011s
Synthetic gauge lat/lon should be on the polyline (very close to it).	<code>dist_m < 50.0; dist_m < 1.0</code>	Pass	0.017s
A pre-existing SYNTH- gauge in gauge.json is skipped in polyline matching.	<code>result["count"] >= 0</code>	Pass	0.010s
Gauge json has synth gauges	<code>len(synth) > 0</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Synth gauge has required cdm fields	<code>fg["Header"]["GaugeID"].startswith("SYNTH")</code> <code>fg["Location"]["GaugeLatitude"] != 0</code> (+7 more)	Pass	0.001s
Gaugehc has synth curves	<code>len(synth) > 0</code>	Pass	0.012s
Synth has term structure	<code>len(ts) > 0</code>	Pass	0.007s
Synth hazard rates positive	<code>hc.get("annual_hazard_rate_alert", 0)</code> <code>> 0</code>	Pass	0.007s
Synth gaugets files exist	<code>len(synth_files) > 0</code>	Pass	0.001s
At least some storms should exceed alert at synthetic gauges.	<code>len(exceeded) > 0</code>	Pass	0.135s
Synth gaugets have storm responses	<code>len(resps) > 0</code>	Pass	0.147s
Property with lat=0 is silently skipped.	<code>result["count"] == 0</code>	Pass	0.002s
Property with lon=0 is silently skipped.	<code>result["count"] == 0</code>	Pass	0.002s

7 Insurance Premium (MKM-IP-001)

Table 12: Test Results Summary — Insurance Premium (MKM-IP-001)

Total Tests	36
Passed	36
Failed	0
Skipped	0
Duration	0.00s

Table 13: Detailed Test Results — Insurance Premium

Test Description	Acceptance Criteria	Result	Time
All factors applied	<code>abs(result - round(expected, 2)) < 0.01</code>	Pass	0.000s
Basic calculation	<code>result == 1250.0</code>	Pass	0.000s
Claims factor increases premium	<code>with.claims > base</code>	Pass	0.000s
Clamped to max	<code>result == MAX_PREMIUM</code>	Pass	0.000s
Clamped to min	<code>result == MIN_PREMIUM</code>	Pass	0.000s
Contents premium added	<code>with.contents == base + 500.0</code>	Pass	0.000s
High flood risk increases premium	<code>high.flood > low.flood</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Security factor reduces premium	<code>with.security < without</code>	Pass	0.000s
100 years is heritage	<code>get_age_premium.band(1925, current_year=2025) == 'heritage'</code>	Pass	0.000s
10 years is modern	<code>get_age_premium.band(2015, current_year=2025) == 'modern'</code>	Pass	0.000s
30 years is established	<code>get_age_premium.band(1995, current_year=2025) == 'establi...</code>	Pass	0.000s
Default current year	<code>result in AGE_PREMIUM_FACTORS</code>	Pass	0.000s
Established	<code>get_age_premium.band(1960, current_year=2025) == 'establi...</code>	Pass	0.000s
Exactly 29 years modern	<code>get_age_premium.band(1996, current_year=2025) == 'modern'</code>	Pass	0.000s
Exactly 99 years established	<code>get_age_premium.band(1926, current_year=2025) == 'establi...</code>	Pass	0.000s
Exactly 9 years new build	<code>get_age_premium.band(2016, current_year=2025) == 'new.build'</code>	Pass	0.000s
Heritage old	<code>get_age_premium.band(1850, current_year=2025) == 'heritage'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Modern	<code>get_age_premium_band(2000, current_year=2025) == 'modern'</code>	Pass	0.000s
New build	<code>get_age_premium_band(2020, current_year=2025) == 'new.build'</code>	Pass	0.000s
Exactly 100 third band	<code>(lo, hi) == AREA_PREMIUM_BANDS[2][1]</code>	Pass	0.000s
Exactly 50 second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Just below 100 second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Just below 50 first band	<code>(lo, hi) == AREA_PREMIUM_BANDS[0][1]</code>	Pass	0.000s
Large area fourth band	<code>(lo, hi) == AREA_PREMIUM_BANDS[3][1]</code>	Pass	0.000s
Medium area second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Returns tuple	<code>isinstance(result, tuple); len(result) == 2</code>	Pass	0.000s
Small area first band	<code>(lo, hi) == AREA_PREMIUM_BANDS[0][1]</code>	Pass	0.000s
Age premium factors all positive	<code>lo > 0; hi >= lo</code>	Pass	0.000s
Area bands are sorted	<code>thresholds == sorted(thresholds)</code>	Pass	0.000s
Base rate range	<code>lo > 0; hi > lo</code>	Pass	0.000s
Construction type factors present	<code>'Brick' in CONSTRUCTION_TYPE_FACTORS; 'Timber Frame' in CONSTRUCTION_TYPE_FACTORS</code>	Pass	0.000s
Flood risk factors increase with risk	<code>very_high_hi > very_low_lo</code>	Pass	0.000s
Flood risk factors present	<code>set(FLOOD_RISK_PREMIUM_FACTORS.keys()) == expected</code>	Pass	0.000s
Min max premium bounds	<code>MIN_PREMIUM == 200; MAX_PREMIUM == 20_000</code>	Pass	0.000s
Property type factors present	<code>set(PROPERTY_TYPE_PREMIUM_FACTORS.keys()) == expected</code>	Pass	0.000s

8 Mortgage Pricer (MKM-MP-001)

Table 14: Test Results Summary — Mortgage Pricer (MKM-MP-001)

Total Tests	67
Passed	67
Failed	0
Skipped	0
Duration	0.05s

Table 15: Detailed Test Results — Mortgage Pricer

Test Description	Acceptance Criteria	Result	Time
Default ids assigned	<code>results[0]["mortgage_id"] == "MORTGAGE_0";</code> <code>results[0]["property_id"] == "PROPERTY_0"</code>	Pass	0.001s
Error isolation	<code>len(results) == 3;</code> "error" not in <code>results[0]</code> (+2 more)	Pass	0.001s
Prices multiple mortgages	<code>len(results) == 2;</code> <code>results[0]["mortgage_id"] == "M1"</code> (+1 more)	Pass	0.001s
Custom tax rate	<code>MortgagePricer(tax_rate=0.40).tax_rate == 0.40</code>	Pass	0.000s
Default tax rate	<code>MortgagePricer().tax_rate == 0.20</code>	Pass	0.000s
Custom tax rate	<code>spread_high_tax > spread_low_tax</code>	Pass	0.000s
Floor at 10bps	<code>spread >= 0.001</code>	Pass	0.000s
Higher affordability higher spread	<code>spread_low_income > spread_high_income</code>	Pass	0.000s
Negative income fallback	<code>spread == 0.15</code>	Pass	0.000s
Spread bounded by schedule	<code>spread >= 0.001; spread < 0.05</code>	Pass	0.000s
Zero income fallback	<code>spread == 0.15</code>	Pass	0.000s
debug=True in the credit spread calculation.	<code>"credit_spread" in result</code>	Pass	0.001s
debug=True exercises logging branches without error.	<code>result["mortgage_value"] > 0</code>	Pass	0.001s
Zero income with debug=True exercises zero-income debug branch.	<code>result["credit_spread"] > 0</code>	Pass	0.001s
flood_risk_category=None with debug=True.	<code>result["mortgage_value"] > 0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
When interest_rate=0, monthly_rate==0 → loan_amount/n_periods formula.	result["mortgage_value"] > 0	Pass	0.001s
Batch passes flood risk	results[0]["flood_risk_factor"] == 1.40; results[1]["flood_risk_factor"] == 1.00 (+1 more)	Pass	0.001s
Case insensitive	MortgagePricer.calculate_flood_risk_impact("high") =...; MortgagePricer.calculate_flood_risk_impact("VERY LOW") ==... (+1 more)	Pass	0.000s
Flood factor in result	result["flood_risk_factor"] == 1.20	Pass	0.001s
Flood risk increases spread	high["credit_spread"] > low["credit_spread"]; high["flood_risk_factor"] > low["flood_risk_factor"] (+1 more)	Pass	0.001s
Flood risk multipliers[high-1.4] [category='High', expected=1.4]	MortgagePricer.calculate_flood_risk_impact("High") == e...	Pass	0.000s
Flood risk multipliers[low-1.05] [category='Low', expected=1.05]	MortgagePricer.calculate_flood_risk_impact("Low") == e...	Pass	0.000s
Flood risk multipliers[medium-1.2] [category='Medium', expected=1.2]	MortgagePricer.calculate_flood_risk_impact("Medium") == e...	Pass	0.000s
Flood risk multipliers[very high-1.75] [category='Very High', expected=1.75]	MortgagePricer.calculate_flood_risk_impact("Very High") == e...	Pass	0.000s
Flood risk multipliers[very low-1.0] [category='Very Low', expected=1.0]	MortgagePricer.calculate_flood_risk_impact("Very Low") == e...	Pass	0.000s
No flood risk defaults to unity	result["flood_risk_factor"] == 1.0	Pass	0.001s
None returns unity	MortgagePricer.calculate_flood_risk_impact("None") == 1.0	Pass	0.000s
Unknown category returns unity	MortgagePricer.calculate_flood_risk_impact("Unknown") == 1.0; MortgagePricer.calculate_flood_risk_impact("Extreme") == 1.0	Pass	0.000s
Ltv thresholds[0.5-1.0] [ltv=0.5, expected=1.0]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s
Ltv thresholds[0.8-1.0] [ltv=0.8, expected=1.0]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s
Ltv thresholds[0.85-1.1] [ltv=0.85, expected=1.1]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Ltv thresholds[0.9-1.1] [ltv=0.9, expected=1.1]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.91-1.3] [ltv=0.91, expected=1.3]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.95-1.3] [ltv=0.95, expected=1.3]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.96-1.5] [ltv=0.96, expected=1.5]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[1.0-1.5] [ltv=1.0, expected=1.5]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Zero property value	<code>pricer.calculate_loan_to_value_impact(100.0, 0) == 1.5</code>	Pass	0.000s
Higher rate higher payment	<code>high > low</code>	Pass	0.000s
Shorter term higher payment	<code>short > long</code>	Pass	0.000s
£200k at 3.5% over 25yr £1,001.25/month.	<code>995 < payment < 1010</code>	Pass	0.000s
Zero-rate degenerate case: $M = P / n$.	<code>payment == pytest.approx(1000.0)</code>	Pass	0.000s
Each mortgage has property id	<code>mapping.get("property_id") is not None</code>	Pass	0.004s
Processing stats	<code>stats["successful_mortgages"] == 5;</code> <code>stats["failed_mortgages"] == 0</code>	Pass	0.004s
Output file exists	<code>result["file_path"].exists()</code>	Pass	0.004s
Output file is valid json	<code>isinstance(data, dict)</code>	Pass	0.006s
Generate returns expected keys	<code>"data" in result;</code> <code>"file_path" in result (+1 more)</code>	Pass	0.003s
Mortgage count matches properties	<code>len(result["data"]["mortgages"]) == 5</code>	Pass	0.004s
Mortgage id format	<code>re.match(r"~MORT-[a-f0-9]{8}\$", mid)</code>	Pass	0.004s
Mortgage ids unique	<code>len(ids) == len(set(ids))</code>	Pass	0.004s
All errors returns error	<code>"error" in calculate_portfolio_metrics(results)</code>	Pass	0.000s
High risk count	<code>calculate_portfolio_metrics(results)["high_risk_mortgages"]</code>	Pass	0.000s
Mixed results exclude errors	<code>metrics["total_mortgages"] == 1;</code> <code>metrics["error_count"] == 1</code>	Pass	0.001s
Valid results	<code>metrics["total_mortgages"] == 2;</code> <code>metrics["error_count"] == 0 (+3 more)</code>	Pass	0.001s
Balance converges to zero	<code>result["outstanding_balance"][-1] < 1.0</code>	Pass	0.001s
Expected losses non negative	<code>all(e1 >= 0 for e1 in result["expected_losses"])</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Fair value less than par	<code>result["mortgage_value"] < base.mortgage_params["loan_amo...; result["discount_to_par"] > 0 (+1 more)</code>	Pass	0.001s
Hazard rates positive	<code>result["hazard_rates"][0] == 0.0; all(result["hazard_rates"][i] > 0 for i in range(1, len(r...</code>	Pass	0.001s
High ltv increases spread	<code>high_ltv["credit_spread"] > low_ltv["credit_spread"]; high_ltv["ltv_factor"] > low_ltv["ltv_factor"]</code>	Pass	0.001s
Higher haircut more loss	<code>high["pv_losses"] > low["pv_losses"]</code>	Pass	0.001s
Input validation clamps	<code>result["mortgage_value"] > 0</code>	Pass	0.000s
Ltv factor in result	<code>"ltv_factor" in result; result["ltv_factor"] == 1.0</code>	Pass	0.001s
Raises on invalid types	—	Pass	0.000s
Recovery haircut zero low ltv	<code>all(lgd == 0 for lgd in result["lgds"])</code>	Pass	0.001s
Survival first period less than one	<code>result["survival_probs"][1] < 1.0</code>	Pass	0.001s
Survival monotonically decreasing	<code>surv[i] <= surv[i - 1]</code>	Pass	0.001s
Positive rate exceeds principal	<code>cost > 200.000</code>	Pass	0.000s
Zero rate equals principal	<code>cost == pytest.approx(100_000.0)</code>	Pass	0.000s

9 PRS Pricing Model (MKM-PR-001)

Table 16: Test Results Summary — PRS Pricing Model (MKM-PR-001)

Total Tests	57
Passed	57
Failed	0
Skipped	0
Duration	12.18s

Table 17: Detailed Test Results — PRS Pricing Model

Test Description	Acceptance Criteria	Result	Time
1Y from Feb 2026 = last Friday May 2027.	<code>mat == last_friday_of_month(2027, 5)</code>	Pass	0.000s
3Y from Feb 2026 = last Friday May 2029.	<code>mat == last_friday_of_month(2029, 5);</code> <code>mat.month == 5 (+1 more)</code>	Pass	0.000s
Jan 2027 uses Aug 2026 roll → Nov 2029 maturity.	<code>mat == last_friday_of_month(2029, 11)</code>	Pass	0.000s
3Y from Sep 2026 = last Friday Nov 2029 (Aug roll).	<code>mat == last_friday_of_month(2029, 11);</code> <code>mat.month == 11</code>	Pass	0.000s
5Y from Feb 2026 = last Friday May 2031.	<code>mat == last_friday_of_month(2031, 5)</code>	Pass	0.000s
5Y from Sep 2026 = last Friday Nov 2031.	<code>mat == last_friday_of_month(2031, 11)</code>	Pass	0.000s
All maturities should fall on a Friday.	<code>mat.weekday() == 4</code>	Pass	0.000s
3Y maturity jumps from May to Nov at the Aug roll.	<code>may_mat.month == 5; nov_mat.month ==</code> <code>11 (+1 more)</code>	Pass	0.000s
Aug onwards uses Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8</code>	Pass	0.000s
December uses the same year's Aug roll.	<code>roll.month == 8; roll.year == 2026</code>	Pass	0.000s
Feb-Jul uses Feb roll.	<code>roll == last_friday_of_month(2026, 2);</code> <code>roll.month == 2</code>	Pass	0.000s
January uses the previous year's Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8 (+1 more)</code>	Pass	0.000s
July is the last month of the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s
March is still in the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
compute_maturity_date with no ref_date uses today.	<code>isinstance(mat, date); mat.weekday() == 4</code>	Pass	0.000s
current_roll_date(None) uses today and returns a valid date.	<code>isinstance(roll, date); roll.weekday() == 4</code>	Pass	0.000s
maturity_table with no ref_date uses today.	<code>len(table) == 5;</code> <code>all(isinstance(e['maturity_date'], date) for e in table)</code>	Pass	0.000s
Empty propertyts dir	<code>stats["total_properties"] == 0;</code> <code>stats["properties_with_gev"] == 0</code>	Pass	0.011s
Generator should still work without gauge hazard curves (empty basis).	<code>stats["properties_with_gev"] == 2;</code> <code>stats["properties_with_floor"] == 1</code> (+1 more)	Pass	0.558s
No propertyts dir	—	Pass	0.000s
Aug 2026: 31st is Monday, last Friday = 28th.	<code>last_friday_of_month(2026, 8) == date(2026, 8, 28)</code>	Pass	0.000s
Feb 2026: 28th is Saturday, last Friday = 27th.	<code>last_friday_of_month(2026, 2) == date(2026, 2, 27)</code>	Pass	0.000s
May 2029: 31st is Thursday, last Friday = 25th.	<code>last_friday_of_month(2029, 5) == date(2029, 5, 25)</code>	Pass	0.000s
Nov 2029: 30th is Friday.	<code>last_friday_of_month(2029, 11) == date(2029, 11, 30)</code>	Pass	0.000s
Result should always be a Friday (weekday=4).	<code>d.weekday() == 4</code>	Pass	0.000s
Actual years should be strictly increasing.	<code>years[i] > years[i - 1]</code>	Pass	0.000s
All maturities should be in May for the Feb roll.	<code>e['maturity_date'].month == 5</code>	Pass	0.000s
All maturities should be in November for the Aug roll.	<code>e['maturity_date'].month == 11</code>	Pass	0.000s
Maturity string should be formatted as 'DD Mon YYYY'.	<code>len(e['maturity_str']) > 8;</code> 'May' <code>in e['maturity_str'] or 'Nov' in e['maturity_str']</code>	Pass	0.000s
Default table has 5 entries (1Y through 5Y).	<code>len(table) == 5</code>	Pass	0.000s
Tenors should be 1, 2, 3, 4, 5.	<code>tenors == [1, 2, 3, 4, 5]</code>	Pass	0.000s
Positive spread	<code>spread > 0; 50 < spread < 500</code>	Pass	0.000s
Spread increases with hazard	<code>spread_high > spread_low</code>	Pass	0.000s
Spread values at different tenors	<code>s > 0</code>	Pass	0.000s
Zero hazard rate	<code>spread == 0.0</code>	Pass	0.000s
Basis calculation	<code>len(nearest) > 0;</code> <code>ng0["gauge_id"] == "GAUGE-001"</code> (+5 more)	Pass	0.498s

Test Description	Acceptance Criteria	Result	Time
Depth thresholds	"any_flood" in thresholds; "moderate" in thresholds (+4 more)	Pass	0.500s
Generate produces output	output_path.exists(); "metadata" in data (+2 more)	Pass	0.534s
Gev params structure	"shape" in gev; "loc" in gev (+2 more)	Pass	0.494s
High transmission rate	prop3["summary"]["flood_transmission_rate"] == 1.0	Pass	0.498s
Output structure	"PROP-001" in curves; "PROP-002" in curves (+14 more)	Pass	0.519s
Properties with gev	stats["properties_with_gev"] == 2; stats["properties_with_floor"] == 1 (+1 more)	Pass	0.521s
Survival decreases with tenor	survival[i] <= survival[i - 1]	Pass	0.495s
Term structure	ts["tenors"] == TENORS; threshold_name in ts (+3 more)	Pass	0.571s
Recovery rates by trigger	len(spreads) > 0	Pass	0.497s
Recovery reduces spread	spread_with_recovery < spread_no_recovery	Pass	0.000s
After attach_spread_decomposition, propertyhc.json has decomposition.	"spread_decomposition" in pc; "gauge_spread_bps" in sd (+5 more)	Pass	1.534s
At least one effect per path must be non-zero when gauge != property.	df["distance_effect_bps"] != 0.0 or df["elevation_effect..."]; ef["elevation_effect_bps"] != 0.0 or ef["distance_effect..."]	Pass	1.499s
Both decomposition paths should arrive at the property spread.	abs(path1 - prop) < 0.1; abs(path2 - prop) < 0.1	Pass	1.478s
With shd/she files present, decomposition values must be non-zero.	sd["property_spread_bps"] != 0.0; sd["shd_spread_bps"] != 0.0 (+1 more)	Pass	1.476s
Without shd/she files, decomposition still works (zeros).	n > 0; sd["shd_spread_bps"] == 0.0 (+1 more)	Pass	0.495s
_get_5yr_spread must return index 4 when available.	PropertyHazardCurveGenerator._get_5yr_spread() == 50.0	Pass	0.000s
_get_5yr_spread must return 0.0 for empty/missing data.	PropertyHazardCurveGenerator._get_5yr_spread() == 0.0; PropertyHazardCurveGenerator._get_5yr_spread(... (+1 more))	Pass	0.000s
_get_5yr_spread must work with specified threshold.	PropertyHazardCurveGenerator._get_5yr_spread('severe'...); PropertyHazardCurveGenerator._get_5yr_spread(pc, 'any_flo...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All tenors should round-trip through maturity and back.	<code>tenor_from_maturity(mat, ref) == t</code>	Pass	0.000s
A date not in the table returns the closest tenor.	<code>result in [1, 2, 3, 4, 5]</code>	Pass	0.000s
Exact maturity date returns correct tenor.	<code>tenor_from_maturity(mat, date(2026, 2, 24)) == 3</code>	Pass	0.000s

10 Property Valuation (MKM-PV-001)

Table 18: Test Results Summary — Property Valuation (MKM-PV-001)

Total Tests	55
Passed	55
Failed	0
Skipped	0
Duration	16.93s

Table 19: Detailed Test Results — Property Valuation

Test Description	Acceptance Criteria	Result	Time
Line 541: non-dict schema → returns {}.	<code>result == {}</code>	Pass	0.000s
Line 544-545: 'type'/'options'/'description' fields are skipped.	<code>"type" not in result; "options" not in result</code>	Pass	0.000s
Calculate insurance premium flood risk high	<code>premium > 0</code>	Pass	0.090s
Line 214: area=None → computes it first.	<code>isinstance(premium, float); premium > 0</code>	Pass	0.098s
Line 211: property_value=None → computes it first.	<code>isinstance(premium, float); premium > 0</code>	Pass	0.179s
Calculate monthly rent all types	<code>800 <= rent <= 15.000</code>	Pass	0.000s
Lines 165-166: area=None → computes it first.	<code>isinstance(rent, float); rent > 0</code>	Pass	0.000s
Lines 162-163: property_value=None → computes it first.	<code>isinstance(rent, float); rent > 0</code>	Pass	0.089s
Calculate monthly rent positive	<code>isinstance(rent, float); 800 <= rent <= 15.000</code>	Pass	0.000s
Calculate property area all types	<code>area > 0</code>	Pass	0.000s
Lines 128-129: invalid date format → random years_ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 120-121: property_value=None → computes it first.	<code>isinstance(price, float); price > 0</code>	Pass	0.089s
Calculate sale price positive	<code>isinstance(price, float); 50.000 <= price <= 8.000.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 135-137: sale_date 1-2 years ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 139-140: sale_date > 2 years ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 124-128: sale_date within 1 year.	<code>isinstance(price, float)</code>	Pass	0.000s
Line 60-61: datetime → isoformat string.	<code>"2024-01-01" in result</code>	Pass	0.000s
Lines 64-65: np.float64 → float.	<code>"3.14" in result</code>	Pass	0.000s
Lines 62-63: np.integer → int.	<code>result == "42"</code>	Pass	0.000s
Lines 66-67: np.ndarray → list.	<code>result == [1, 2, 3]</code>	Pass	0.000s
Line 68: super().default() raises TypeError for unknown type.	—	Pass	0.000s
Lines 510-517: each fallback location has lat/lon/name/elevation.	<code>"lat" in loc; "lon" in loc (+2 more)</code>	Pass	0.000s
Lines 499-518: fallback generates right number of locations.	<code>len(locs) == 5</code>	Pass	0.000s
Lines 505-506: uses params.get_elevation if available.	<code>all(loc["elevation"] == 10.0 for loc in locs)</code>	Pass	0.000s
Lines 608-612: generate_properties returns result dict.	<code>isinstance(result, dict); "data" in result (+1 more)</code>	Pass	0.803s
Lines 610-612: generate_properties creates output file.	<code>result["file_path"].exists()</code>	Pass	0.578s
Calculate mortgage financials returns dict	<code>isinstance(result, dict); "loan_amount" in result (+2 more)</code>	Pass	0.000s
Generate financial data keys	<code>"mortgage_id" in data; "loan_amount" in data (+1 more)</code>	Pass	0.000s
Interest rate range	<code>0.01 <= data["interest_rate"] <= 0.15</code>	Pass	0.000s
Loan amount less than value	<code>data["loan_amount"] <= info["property_value"] * 1.05</code>	Pass	0.000s
Mortgage id format	<code>re.match(r"~MORT-[a-f0-9]{8}\$", data["mortgage_id"])</code>	Pass	0.000s
Quality consistency check	<code>isinstance(corrected, dict)</code>	Pass	0.000s
Calculate insurance premium positive	<code>isinstance(premium, (int, float)); premium > 0</code>	Pass	0.088s
Calculate property area positive	<code>isinstance(area, (int, float)); area > 0</code>	Pass	0.000s
Calculate property value in range	<code>50_000 <= value <= 10_000_000</code>	Pass	0.986s
Generate bedrooms detached	<code>isinstance(beds, int); 1 <= beds <= 7</code>	Pass	0.000s
Generate bedrooms flat	<code>isinstance(beds, int); 1 <= beds <= 4</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Generate postcode format	<code>isinstance(postcode, str); len(postcode) >= 5</code>	Pass	0.000s
Generate field value decimal	<code>isinstance(val, (int, float))</code>	Pass	0.189s
Generate field value text	<code>isinstance(val, str)</code>	Pass	0.091s
Coordinates in thames range	<code>51.0 <= loc["lat"] <= 52.0; -1.0 <= loc["lon"] <= 1.0</code>	Pass	2.659s
Processing stats	<code>stats["successful_properties"] == 5; stats["failed_properties"] == 0</code>	Pass	1.342s
Output file exists	<code>result["file_path"].exists()</code>	Pass	1.326s
Output file is valid json	<code>isinstance(data, dict)</code>	Pass	1.331s
Generate correct count	<code>len(result["data"]["properties"]) == 5</code>	Pass	1.357s
Generate returns expected keys	<code>"data" in result; "file_path" in result (+1 more)</code>	Pass	1.342s
Property id format	<code>re.match(r"~PROP-[a-f0-9]{8}\$", pid)</code>	Pass	1.376s
Property ids unique	<code>len(ids) == len(set(ids))</code>	Pass	2.733s
Construction year in range	<code>1600 <= year <= 2026</code>	Pass	0.000s
Property id format	<code>re.match(r"~PROP-[a-f0-9]{8}\$", meta["property_id"])</code>	Pass	0.089s
Returns dict with required keys	<code>"property_id" in meta; "property_type" in meta</code>	Pass	0.090s
Lines 73-75: generate_grid_reference returns a non-empty string.	<code>isinstance(ref, str); len(ref) > 4</code>	Pass	0.000s
Lines 50-52: generate_owner_name returns 'Firstname Lastname'.	<code>len(parts) == 2; all(p[0].isupper() for p in parts)</code>	Pass	0.000s
Lines 43-45: generate_past_date returns YYYY-MM-DD string.	<code>isinstance(result, str); len(parts) == 3</code>	Pass	0.000s
Custom days_range is respected (result is a past date).	<code>dt < datetime.now()</code>	Pass	0.000s

11 Storm-Gauge Response Model (MKM-SG-001)

Table 20: Test Results Summary — Storm-Gauge Response Model (MKM-SG-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.03s

Table 21: Detailed Test Results — Storm-Gauge Response Model

Test Description	Acceptance Criteria	Result	Time
Encodes datetime	"2026-01-01" in result	Pass	0.000s
Line 80: np.float32 is np.floating but NOT a Python float subclass in NumPy 2.x,	"2.5" in result	Pass	0.000s
Encodes numpy floating	"3.14" in result	Pass	0.000s
Encodes numpy integer	"42" in result	Pass	0.000s
Encodes numpy ndarray	"1.0" in result	Pass	0.000s
Fallback raises for unknown	—	Pass	0.000s
Close to thames high risk	result["FloodRiskScore"] >= 7; result["FloodRiskCategory"] in ["High", "Very High"]	Pass	0.000s
Far from thames lower risk	result["FloodRiskScore"] <= 6; result["FloodRiskCategory"] in ["Low", "Medium"]	Pass	0.000s
Flood stages ordering	alert < warning < severe	Pass	0.001s
Processing stats	stats["successful_gauges"] == 5; stats["failed_gauges"] == 0	Pass	0.001s
Lines 264-266: exception during json.dump is logged and re-raised.	—	Pass	0.000s
Line 245: end_time is set by the first generate(); the second generate() call	—	Pass	0.001s
Line 290: non-dict section_schema returns {}.	result == {}	Pass	0.000s
Line 294: 'type', 'options', 'description', 'values' keys are skipped.	skip not in result	Pass	0.000s
Lines 159-162: count <i>i</i> max_gauges → capped to max_gauges.	len(result["data"]["flood_gauges"]) == max_available	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Line 155-156: count ; 1 raises ValueError.	—	Pass	0.000s
Lines 354-355: generate_gauges() convenience function.	"data" in result; len(result["data"]["flood_gauges"]) == 3	Pass	0.001s
Lines 212-215: exception in _generate_single_gauge increments failed_gauges.	result["processing_stats"]["failed_gauges"] == 1	Pass	0.000s
Lines 122-125: log() dispatches to correct logger method.	—	Pass	0.000s
Lines 309-327: missing Flood-Gauge/Header/Location/Flood-Stages are created.	gauche_data["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-t..."; gauche_data["FloodGauge"]["Location"]["GaugeLatitude"] == ...	Pass	0.000s
Lines 99-100: verbose=False sets logger to WARNING.	logging.getLogger("port.src.gauge.gauge") == logging...	Pass	0.000s
Output file exists	result["file_path"].exists()	Pass	0.001s
Output file is valid json	"flood_gauges" in data	Pass	0.003s
Output json has correct count	len(data["flood_gauges"]) == 5	Pass	0.003s
Lines 378-381: __main__ block calls generate_gauges and logs results.	(tmp_path / 'gauge.json').exists()	Pass	0.005s
Gauge id format	re.match(r"^GAUGE-[a-f0-9]{8}\$", gid)	Pass	0.001s
Gauge ids unique	len(ids) == len(set(ids))	Pass	0.001s
Generate correct count	len(result["data"]["flood_gauges"]) == 5	Pass	0.001s
Generate returns expected keys	"data" in result; "file_path" in result (+1 more)	Pass	0.001s
Locations have coordinates	"lat" in loc; "lon" in loc (+1 more)	Pass	0.001s
Date field returns date string	isinstance(val, str); re.match(r"^\{\}d{4}-\{\}d{2}-\{\}d{2}\$", val)	Pass	0.000s
Decimal field returns float	isinstance(val, (int, float))	Pass	0.000s
Gauge name includes area	"TestArea" in val	Pass	0.000s
Menu field returns valid option	isinstance(val, str)	Pass	0.000s
Text field returns string	isinstance(val, str); len(val) > 0	Pass	0.000s
Catchment name stored	meta["catchment_name"] == "Thames"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Flood stage ordering	<code>meta["flood.alert"] <</code> <code>meta["flood.warning"];</code> <code>meta["flood.warning"] <</code> <code>meta["severe_flood.warning"]</code> (+1 more)	Pass	0.000s
Gauge id format	<code>re.match(r"^GAUGE-[a-f0-9]{8}\$",</code> <code>meta["gauge_id"])</code>	Pass	0.000s
Historical high level range	<code>5.0 <= meta["historical_high_level"]</code> <code><= 8.0</code>	Pass	0.000s
Install date format	<code>re.match(r"^\\d{4}-\\d{2}-\\d{2}\$",</code> <code>meta["install_date"])</code>	Pass	0.000s
Returns dict with required keys	<code>key in meta</code>	Pass	0.000s

12 Storm Intensity Distribution (MKM-SI-001)

Table 22: Test Results Summary — Storm Intensity Distribution (MKM-SI-001)

Total Tests	63
Passed	63
Failed	0
Skipped	0
Duration	0.02s

Table 23: Detailed Test Results — Storm Intensity Distribution

Test Description	Acceptance Criteria	Result	Time
All categories defined	<code>set(DURATION_PARAMS.keys()) == expected</code>	Pass	0.000s
Catastrophic extended	<code>high == 240</code>	Pass	0.000s
Each tier's max roughly doubles the previous.	<code>1.5 <= ratio <= 3.0</code>	Pass	0.000s
Extreme extended	<code>DURATION_PARAMS["extreme"] == (36, 72, 144)</code>	Pass	0.000s
Moderate extended	<code>low == 12; mode == 30 (+1 more)</code>	Pass	0.000s
Severe extended	<code>DURATION_PARAMS["severe"] == (24, 48, 96)</code>	Pass	0.000s
Gap types	<code>GapType.SHORT.value == "short"; GapType.MEDIUM.value == "medium" (+1 more)</code>	Pass	0.000s
Sequence gap mapping	<code>SEQUENCE_GAP_TYPE[SequenceType.DOUBLET] == GapType.MEDIUM; SEQUENCE_GAP_TYPE[SequenceType.CLUSTER] == GapType.MEDIUM (+2 more)</code>	Pass	0.000s
Sequence types	<code>SequenceType.ISOLATED.value == "isolated"; SequenceType.DOUBLET.value == "doublet" (+2 more)</code>	Pass	0.000s
Storm count ranges	<code>SEQUENCE_TYPE_STORM_COUNTS[SequenceType.ISOLATED] == (1, 1); SEQUENCE_TYPE_STORM_COUNTS[SequenceType.DOUBLET] == (2, 2) (+2 more)</code>	Pass	0.000s
Constants	<code>EVENT_WINDOW_HOURS == 168; MIN_DRAINAGE_WINDOW_HOURS == 12 (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exact boundary	<code>fits_in_window([78.0, 78.0], [0.0])</code>	Pass	0.000s
Exceeds window	<code>not fits_in_window([72.0, 72.0], [48.0])</code>	Pass	0.000s
Simple doublet fits	<code>fits_in_window([24.0, 24.0], [48.0])</code>	Pass	0.000s
Single storm	<code>fits_in_window([100.0], [])</code>	Pass	0.000s
Long gaps	<code>GAP_PARAMS[GapType.LONG] == (48, 96, 144)</code>	Pass	0.000s
Medium gaps	<code>GAP_PARAMS[GapType.MEDIUM] == (24, 48, 72)</code>	Pass	0.000s
Short gaps	<code>GAP_PARAMS[GapType.SHORT] == (6, 18, 36)</code>	Pass	0.000s
Doublet medium	<code>get_gap_range(SequenceType.DOUBLET) == (24, 48, 72)</code>	Pass	0.000s
Isolated zero	<code>get_gap_range(SequenceType.ISOLATED) == (0, 0, 0)</code>	Pass	0.000s
Get duration range	<code>get_duration_range("moderate") == (12, 30, 60)</code>	Pass	0.000s
Get max duration	<code>get_max_duration("catastrophic") == 240; get_max_duration("minimal") == 12</code>	Pass	0.000s
Ids unique	<code>len(ids) == 100</code>	Pass	0.000s
Sequence id format	<code>sid.startswith("STORM-"); len(sid) == 14</code>	Pass	0.000s
Sequence ids unique	<code>len(ids) == 100</code>	Pass	0.000s
Storm id format	<code>sid.startswith("STORM-"); len(sid) == 14</code>	Pass	0.000s
Invalid category	—	Pass	0.000s
Mode should be near the most frequent value in a large sample.	<code>abs(median - mode) < 15</code>	Pass	0.005s
Line 50: <code>rng=None</code> → creates <code>np.random.RandomState()</code> internally.	<code>low <= d <= high</code>	Pass	0.000s
Reproducibility	<code>d1 == d2</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='baseline']	<code>low <= d <= high</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='catastrophic']	<code>low <= d <= high</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='extreme']	<code>low <= d <= high</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sampled durations fall within [min, max] for the category. [category='minimal']	low <= d <= high	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='moderate']	low <= d <= high	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='severe']	low <= d <= high	Pass	0.000s
Doublet gaps should fall in medium range (24-72h).	all(24 <= g <= 72 for g in gaps)	Pass	0.000s
Isolated returns zero	sample_gap(SequenceType.ISOLATED) == 0.0	Pass	0.000s
Line 49: rng=None → creates np.random.RandomState() internally.	low <= g <= high	Pass	0.000s
Persistent gaps should fall in short range (6-36h).	all(6 <= g <= 36 for g in gaps)	Pass	0.000s
Reproducibility	g1 == g2	Pass	0.000s
Within bounds[sequencetype.cluster] [seq_type=;SequenceType.CLUSTER: 'cluster']	low <= g <= high	Pass	0.000s
Within bounds[sequencetype.doublet] [seq_type=;SequenceType.DOUBLET: 'doublet']	low <= g <= high	Pass	0.000s
Within bounds[sequencetype.persistent] [seq_type=;SequenceType.PERSISTENT: 'persistent']	low <= g <= high	Pass	0.000s
Create basic	storm.storm_id == "STORM-abc12345"; storm.duration_hours == 24.0	Pass	0.000s
From dict round trip	restored.storm_id == original.storm_id; restored.duration_hours == original.duration_hours (+6 more)	Pass	0.000s
Precipitation rounding	d["precipitation_mm"] == 35.12; d["intensity_factor"] == 1.234568 (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
To dict	d["storm_id"] == "STORM-test1234"; d["start_time.hours"] == 48.0 (+6 more)	Pass	0.000s
Antecedent defaults	seq.antecedent.soil_moisture == "normal"; seq.antecedent.groundwater == "normal"	Pass	0.000s
Create doublet	seq.num_storms == 2; len(seq.storms) == 2 (+2 more)	Pass	0.000s
From dict round trip	restored.storm_id == original.storm_id; restored.duration_hours == original.duration_hours (+6 more)	Pass	0.000s
Isolated no gaps	len(seq.inter_storm_gaps_hours) == 0	Pass	0.000s
Spatial correlation defaults	seq.spatial.correlation.enabled is False; seq.spatial.correlation.range_km is None	Pass	0.000s
Spatial correlation enabled	d["spatial.correlation.enabled"] is True; d["spatial.correlation.range_km"] == 43.2	Pass	0.000s
To dict	d["storm_id"] == "STORM-test1234"; d["start_time.hours"] == 48.0 (+6 more)	Pass	0.000s
Duration mismatch	any("total.duration.hours" in e for e in errors)	Pass	0.000s
Exceeds precip window	any("MAX_PRECIP_END_HOUR" in e for e in errors)	Pass	0.000s
Invalid intensity category	any("invalid intensity" in e for e in errors)	Pass	0.000s
Invalid sequence type	any("Invalid sequence_type" in e for e in errors)	Pass	0.000s
Overlapping storms	any("starts at" in e and "before storm" in e for e in errors)	Pass	0.000s
Storm count mismatch	any("num_storms" in e for e in errors)	Pass	0.000s
Too many storms	any("not in [1, 5]" in e for e in errors)	Pass	0.000s
Valid doublet	errors == []	Pass	0.000s

13 Spatial Interpolation (MKM-SP-001)

Table 24: Test Results Summary — Spatial Interpolation (MKM-SP-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.01s

Table 25: Detailed Test Results — Spatial Interpolation

Test Description	Acceptance Criteria	Result	Time
Diagonal is one	—	Pass	0.000s
Off diagonal between zero and one	<code>np.all(off_diag >= 0)</code> and <code>np.all(off_diag <= 1)</code>	Pass	0.000s
Shape is n by n	<code>mat.shape == (n, n)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Diagonal is one	—	Pass	0.000s
Higher base correlation increases off diagonal	<code>np.all(off_high > off_low)</code>	Pass	0.000s
Larger correlation_distance → slower exponential decay → higher off-diag.	<code>np.all(off_far >= off_near)</code>	Pass	0.000s
Off diagonal positive	<code>np.all(off > 0)</code>	Pass	0.000s
Returns square matrix	<code>mat.shape == (3, 3)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Empty dataframe returns none	<code>build_spatial_index(df)</code> is None	Pass	0.000s
None gauge data returns none	<code>build_spatial_index(None)</code> is None	Pass	0.000s
With gauges returns kdtree	<code>isinstance(result, cKDTree)</code>	Pass	0.000s
Lines 43-45: coordinates are converted to radians.	<code>tree.data[0][1] ==</code> <code>pytest.approx(np.pi, rel=1e-6)</code>	Pass	0.000s
Single gauge should still produce a valid KDTree.	<code>isinstance(tree, cKDTree); tree.n ==</code> 1	Pass	0.000s
Lines 42-46: non-empty DataFrame builds a cKDTree.	<code>isinstance(tree, cKDTree); tree.n ==</code> 3	Pass	0.000s
Equatorial degree approx 111km	<code>111.000 < d < 112.000</code>	Pass	0.000s
London paris approx 340km	<code>330.000 < d < 350.000</code>	Pass	0.000s
North south degree approx 111km	<code>110.000 < d < 112.000</code>	Pass	0.000s
Returns float	<code>isinstance(haversine_distance(51.0, -0.1, 52.0, 0.0), float)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Same point is zero	<code>haversine_distance(51.5, -0.1, 51.5, -0.1) == pytest.approx...</code>	Pass	0.000s
Symmetry	<code>d1 == pytest.approx(d2, rel=1e-9)</code>	Pass	0.000s
All zero weights returns zero	<code>result == pytest.approx(7.5)</code>	Pass	0.000s
Closer gauge has higher weight	<code>result < 5.0</code>	Pass	0.000s
Empty list returns zero	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Equal distance gauges averages wse	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Near gauge returns wse directly	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Power one changes result	<code>r2 != pytest.approx(r1, rel=0.01)</code>	Pass	0.000s
Single far gauge	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Line 158: power parameter affects weights.	<code>r3 < r1</code>	Pass	0.000s
Line 149-150: empty input → 0.0.	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Gauge at exactly <code>min_distance=1.0</code> is NOT less than, so IDW used.	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Multiple gauges produce weighted result.	<code>2.0 < result < 6.0; result < 4.0</code>	Pass	0.000s
Line 156-157: <code>dist j min_distance</code> → return wse.	<code>result == pytest.approx(42.0)</code>	Pass	0.000s
At gauge location returns wse directly	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Empty gauge data returns zero	<code>result == 0.0</code>	Pass	0.000s
Idw returns weighted value	<code>2.5 <= result <= 4.5</code>	Pass	0.000s
Single gauge	<code>result > 0</code>	Pass	0.000s
Lines 119-120: <code>distance j 1m</code> → direct return.	<code>result == pytest.approx(7.0)</code>	Pass	0.000s
Line 97-98: no gauge data → 0.0.	<code>spatial.interpolate_wse(51.5, -0.1, {}, {}) == 0.0</code>	Pass	0.000s
Lines 113-124: IDW with two equidistant gauges.	<code>result == pytest.approx(2.0, rel=0.01)</code>	Pass	0.000s

14 Storm Sequence Generator (MKM-SS-001)

Table 26: Test Results Summary — Storm Sequence Generator (MKM-SS-001)

Total Tests	17
Passed	17
Failed	0
Skipped	0
Duration	0.00s

Table 27: Detailed Test Results — Storm Sequence Generator

Test Description	Acceptance Criteria	Result	Time
Duration must not exceed MAX_PRECIP_END_HOUR (156).	<code>result.storms[0].duration_hours <= MAX_PRECIP_END_HOUR</code>	Pass	0.000s
Isolated has one storm	<code>isinstance(result, StormSequence);</code> <code>result.num_storms == 1 (+2 more)</code>	Pass	0.000s
Aggregate stats	<code>result.max_intensity_factor >=</code> <code>result.avg_intensity_factor;</code> <code>result.total_precipitation_mm > 0</code> (+1 more)	Pass	0.000s
Catchment id in storms	<code>result.storms[0].catchment_id ==</code> "rhine"	Pass	0.000s
Cluster sequence	<code>result.sequence_type in</code> (SequenceType.CLUSTER.value, Sequ...	Pass	0.000s
force_sequence_type='doublet' → always doublet.	<code>result.sequence_type ==</code> SequenceType.DOUBLET.value; <code>result.num_storms == 2</code>	Pass	0.000s
force_sequence_type='isolated' → always isolated.	<code>result.sequence_type ==</code> SequenceType.ISOLATED.value; <code>result.num_storms == 1</code>	Pass	0.000s
Minimal intensity (5% sequence probability) mostly produces isolated.	<code>isolated >= 10</code>	Pass	0.001s
Generate multiple sequences without error.	<code>isinstance(result, StormSequence);</code> <code>result.num_storms >= 1</code>	Pass	0.000s
Persistent sequence	<code>result.sequence_type in</code> (SequenceType.PERSISTENT.value, S...	Pass	0.000s
Returns storm sequence	<code>isinstance(result, StormSequence)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sequences must have total_duration ≤ 168h.	result.total_duration_hours ≤ 168.0	Pass	0.000s
Storms have correct fields	storm.duration_hours > 0; storm.intensity_factor > 0 (+2 more)	Pass	0.000s
Custom catchment	gen.catchment_id == "rhine"; gen.base_precipitation == CATCHMENT_BASE_PRECIP["rhine"]	Pass	0.000s
Default catchment	gen.catchment_id == "thames"; gen.base_precipitation == CATCHMENT_BASE_PRECIP["thames"]	Pass	0.000s
Same seed → same sequence.	seq1.num_storms == seq2.num_storms; seq1.sequence_type == seq2.sequence_type	Pass	0.000s
Unknown catchment defaults to 35	gen.base_precipitation == 35.0	Pass	0.000s

15 Stress Test Pipeline (MKM-ST-001)

Table 28: Test Results Summary — Stress Test Pipeline (MKM-ST-001)

Total Tests	107
Passed	107
Failed	0
Skipped	0
Duration	19.37s

Table 29: Detailed Test Results — Stress Test Pipeline

Test Description	Acceptance Criteria	Result	Time
All already trained	<code>result["trained"] == 0;</code> <code>result["skipped"] == 3</code>	Pass	0.002s
After the first gauge trains, ETA should appear in output.	<code>"ETA" in captured</code>	Pass	0.217s
Missing gauge json	—	Pass	0.000s
Missing sequences	—	Pass	0.002s
No valid gauges	<code>result["trained"] == 0</code>	Pass	0.001s
One gauge already trained, one succeeds, one fails.	<code>result["trained"] == 1;</code> <code>result["failed"] == 1 (+1 more)</code>	Pass	0.147s
Successful training	<code>result["trained"] == 3;</code> <code>result["failed"] == 0 (+2 more)</code>	Pass	0.221s
Training failure is caught	<code>result["trained"] == 0;</code> <code>result["failed"] == 3 (+1 more)</code>	Pass	0.218s
Counts default to zero	<code>s["alert_sequences"] == 0;</code> <code>s["warning_sequences"] == 0</code> (+1 more)	Pass	0.000s
Num gauges	<code>s["num_gauges"] == 4</code>	Pass	0.000s
Num sequences	<code>s["num_sequences"] == 7</code>	Pass	0.001s
Returns required keys	<code>key in s</code>	Pass	0.001s
When one gauge's classifier fails, pipeline continues.	<code>"classifier failed" in out;</code> <code>result["num_gauges"] == 2</code>	Pass	0.384s
Dict format	<code>len(result) == 2</code>	Pass	0.000s
Empty list	<code>._extract_gauges({"flood_gauges": []}) == []</code>	Pass	0.000s
List format	<code>result == [_G1, _G2]</code>	Pass	0.000s
Missing key returns empty	<code>._extract_gauges({}) == []</code>	Pass	0.000s
When gaugehd/ has baseline data, the 'Loaded' message appears.	<code>"gauge baselines from gaugehd" in out</code> or <code>"heuristic base ...</code>	Pass	0.359s

Test Description	Acceptance Criteria	Result	Time
Gauge summary dir written	<code>sg_dir.is_dir()</code>	Pass	0.000s
Gauge summary gauge ids	<code>len(d["gauge_ids"]) == 3</code>	Pass	0.000s
Gauge summary num gauges	<code>d["num_gauges"] == 3</code>	Pass	0.000s
Gauge summary schema version	<code>meta.exists(); d["schema_version"] ==</code> <code>SCHEMA_VERSION_SPATIAL</code>	Pass	0.001s
Gauge summary sequence count	<code>len(gauge_files) == 3</code>	Pass	0.000s
Sequences file loadable	<code>len(seqs) == 40</code>	Pass	0.001s
Sequences json written	<code>(gauge_dir /</code> <code>SEQUENCES_FILENAME).exists()</code>	Pass	0.000s
Summary json written	<code>(gauge_dir /</code> <code>SUMMARY_FILENAME).exists()</code>	Pass	0.000s
Alert count non negative	<code>full_run["alert_sequences"] >= 0</code>	Pass	0.000s
Elapsed positive	<code>full_run["elapsed_seconds"] > 0</code>	Pass	0.000s
Num gauges	<code>full_run["num_gauges"] == 3</code>	Pass	0.000s
Num sequences	<code>full_run["num_sequences"] == 40</code>	Pass	0.000s
Returns dict	<code>isinstance(full_run, dict)</code>	Pass	0.000s
Severe lte warning	<code>full_run["severe_sequences"] <=</code> <code>full_run["warning_sequenc...</code>	Pass	0.000s
Type counts present	<code>"type_counts" in full_run;</code> <code>sum(full_run["type_counts"].values())</code> <code>== 40</code>	Pass	0.000s
Warning lte alert	<code>full_run["warning_sequences"] <=</code> <code>full_run["alert_sequences"]</code>	Pass	0.000s
Batch generator populates category	<code>all(s.intensity_category in valid for</code> <code>s in seqs)</code>	Pass	0.002s
From dict missing category defaults empty	<code>reconstructed.intensity_category ==</code> <code>""</code>	Pass	0.001s
From dict round trip	<code>reconstructed.intensity_category ==</code> <code>s.intensity_category</code>	Pass	0.001s
Serialized sequences have category	<code>all(s.intensity_category in valid for</code> <code>s in seqs)</code>	Pass	0.001s
To dict includes intensity category	<code>"intensity_category" in d;</code> <code>d["intensity_category"] ==</code> <code>s.intensity_category</code>	Pass	0.001s
Legacy sequence.gauge.summary.json deleted after split-mode write.	se- is <code>not legacy.exists()</code>	Pass	0.358s
Corrupt file skipped	<code>len(baselines) == 1;</code> <code>"GAUGE-OK" in</code> <code>baselines</code>	Pass	0.002s
Empty directory	<code>_load_gaugehd.baselines(d) == {}</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing directory	<code>_load_gaugehd_baselines(tmp_path / "nonexistent") == {}</code>	Pass	0.000s
Missing mean level skipped	<code>len(baselines) == 0</code>	Pass	0.001s
Multiple gauges	<code>len(baselines) == 3</code>	Pass	0.004s
Valid gaugehd files	<code>"GAUGE-001" in baselines;</code> <code>baselines["GAUGE-001"]["mean_level"] == 1.25 (+1 more)</code>	Pass	0.002s
Sequence with malformed sequence.start doesn't crash.	<code>result["num_sequences"] == 5</code>	Pass	0.345s
Explicitly test malformed date by patching sequences post-generation.	<code>result["num_sequences"] == 3</code>	Pass	0.332s
No crash when gauge json absent	<code>isinstance(result, dict)</code>	Pass	0.002s
Num gauges zero without gauge json	<code>result["num_gauges"] == 0</code>	Pass	0.002s
Sequences still written without gauge json	<code>(tmp_path / SEQUENCES_FILENAME).exists()</code>	Pass	0.002s
gauge.json present but every record missing gauge_id → n.all == 0.	<code>isinstance(result, dict);</code> <code>result["num_gauges"] == 0 (+1 more)</code>	Pass	0.003s
Sequences still written when all gauges invalid	<code>(tmp_path / SEQUENCES_FILENAME).exists()</code>	Pass	0.002s
count=2001 with verbose=False prints ETA line at i=2000.	<code>result["num_sequences"] == 2001;</code> <code>"2,000" in out or "ETA" in out</code>	Pass	2.460s
Base level derived from alert	<code>r["base_level"] == pytest.approx(3.5 * 0.35)</code>	Pass	0.000s
Flood alert	<code>_parse_gauge(_G1)["flood_alert"] ==</code> <code>pytest.approx(3.5)</code>	Pass	0.000s
Flood warning	<code>_parse_gauge(_G1)["flood_warning"] ==</code> <code>pytest.approx(4.6)</code>	Pass	0.000s
Gauge id	<code>_parse_gauge(_G1)["gauge_id"] ==</code> <code>"GAUGE-test001"</code>	Pass	0.000s
Lat lon	<code>r["lat"] == pytest.approx(51.46);</code> <code>r["lon"] == pytest.approx(-0.30)</code>	Pass	0.000s
Missing alert returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Missing gauge id returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Missing lat returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Severe warning	<code>_parse_gauge(_G1)["severe_warning"]</code> <code>== pytest.approx(5.5)</code>	Pass	0.000s
Valid record returns dict	<code>result is not None</code>	Pass	0.000s
Warning defaults when absent	<code>r is not None; r["flood_warning"] ==</code> <code>pytest.approx(4.0 * 1.33) (+1 more)</code>	Pass	0.000s
Baseline without monthly means	<code>result["base_level"] == 1.5;</code> <code>result["monthly_means"] is None</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
With baseline	<code>result["base_level"] == 1.25;</code> <code>result["monthly_means"] == {"01":</code> <code>1.4}</code>	Pass	0.000s
Without baseline uses heuristic	<code>result["base_level"] ==</code> <code>pytest.approx(3.5 * 0.35);</code> <code>result["monthly_means"] is None</code>	Pass	0.000s
Empty monthly means	<code>_seasonal_base_level({},</code> <code>mean_level=1.0, month=6) == 1.0</code>	Pass	0.000s
Missing month falls back	<code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=3) ==...</code>	Pass	0.000s
No monthly means	<code>_seasonal_base_level(None,</code> <code>mean_level=1.0, month=6) == 1.0</code>	Pass	0.000s
With monthly means	<code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=1) ==...;</code> <code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=7) ==...</code>	Pass	0.000s
All have intensity category	<code>all(r["intensity_category"] in valid</code> <code>for r in records)</code>	Pass	0.000s
All have sequence id	<code>all("sequence_id" in r for r in</code> <code>records)</code>	Pass	0.000s
All have sequence type	<code>all(r["sequence_type"] in valid for r</code> <code>in records)</code>	Pass	0.000s
All have total precip	<code>all("total_precip_mm" in r for r in</code> <code>records); all(r["total_precip_mm"] > 0</code> <code>for r in records)</code>	Pass	0.000s
Gauge file count matches num gauges	<code>len(gauge_records) == 3</code>	Pass	0.000s
Peak hours in valid range	<code>0 <= s["peak_hour"] <= 167</code>	Pass	0.000s
Peaks positive	<code>all(s["peak_m"] > 0 for s in seqs)</code>	Pass	0.000s
Per gauge records have alert flags	<code>all("alert" in s for s in seqs)</code>	Pass	0.000s
Per gauge records have peak	<code>all("peak_m" in s for s in seqs)</code>	Pass	0.000s
Per gauge records have peak hour	<code>all("peak_hour" in s for s in seqs)</code>	Pass	0.000s
Per gauge sequence count	<code>len(seqs) == len(records)</code>	Pass	0.000s
Severe implies warning	<code>s["warning"]</code>	Pass	0.000s
Every sequence that breached warning must also have breached alert.	<code>s["alert"]</code>	Pass	0.000s
Error message lists available ids	<code>"GAUGE-test001" in</code> <code>str(exc_info.value)</code>	Pass	0.001s
Invalid gauge id raises	—	Pass	0.001s
Named file gauge ids	<code>d["gauge_ids"] == ["GAUGE-test002"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Named file peaks length one	<code>all(len(r["peaks_m"]) == 1 for r in d["sequences"])</code>	Pass	0.000s
Named file schema version	<code>d["schema_version"] == SCHEMA_VERSION_SPATIAL</code>	Pass	0.016s
Named file sequence count	<code>len(d["sequences"]) == 40</code>	Pass	0.000s
Named output file written	<code>(gauge_dir / "sequence_gauge_GAUGE-test002.json").exists()</code>	Pass	0.000s
Summary num gauges is one	<code>single_run["num_gauges"] == 1</code>	Pass	0.000s
Single gauge classifier result dict	<code>isinstance(result, dict)</code>	Pass	6.166s
Single gauge + train_classifier=True covers lines 353-361.	<code>result["num_gauges"] == 1; stressm_dir.exists()</code>	Pass	6.101s
Base level matches gauge params	<code>responses["GAUGE-A"][0]["base_level_m"] == pytest.approx(...; responses["GAUGE-B"][0]["base_level_m"] == pytest.approx(...</code>	Pass	0.000s
Gauge a values	<code>r["base_level_m"] == pytest.approx(1.5); r["peak_level_m"] == pytest.approx(5.0) (+1 more)</code>	Pass	0.000s
Gauge b values	<code>r["base_level_m"] == pytest.approx(2.0); r["peak_level_m"] == pytest.approx(7.0) (+1 more)</code>	Pass	0.000s
Level change is peak minus base	<code>r["level_change_m"] == pytest.approx(expected)</code>	Pass	0.000s
Response has base level m	<code>"base_level_m" in r</code>	Pass	0.000s
Response has level change m	<code>"level_change_m" in r</code>	Pass	0.000s
Creates new summary	<code>summary["num_gauges"] == 1; summary["num_trained"] == 1 (+1 more)</code>	Pass	0.002s
Merges into existing	<code>summary["num_gauges"] == 2; summary["num_trained"] == 2 (+1 more)</code>	Pass	0.003s
Replaces existing gauge	<code>summary["num_gauges"] == 1; summary["gauges"][0]["metrics"]["auc_roc"] == 0.95</code>	Pass	0.002s
Skipped gauge not counted as trained	<code>summary["num_trained"] == 0; summary["num_skipped"] == 1</code>	Pass	0.001s
With count ; 2000 and verbose=False, no mid-loop progress line.	<code>"ETA" not in out or "[" not in out</code>	Pass	0.684s

count=501 with verbose=True triggers the progress line at i=500.	result["num_sequences"] == 501; "[500" in out or "500/" in out	Pass	1.307s
--	--	------	--------

16 Trading Desk (MKM-TD-001)

Table 30: Test Results Summary — Trading Desk (MKM-TD-001)

Total Tests	212
Passed	212
Failed	0
Skipped	0
Duration	1.33s

Table 31: Detailed Test Results — Trading Desk

Test Description	Acceptance Criteria	Result	Time
All buttons must use font-size:11px;font-weight:600 matching header tabs.	count >= 4	Pass	0.000s
All buttons must use padding:4px 14px matching header tab buttons.	count >= 4	Pass	0.000s
All four buttons must sit inside a single flex container (group).	'display:flex;border:1px solid #ddd;border-radius:4px;ove...	Pass	0.000s
Commit button must be blue (#1976d2) — primary action like active header tab.	'#1976d2' in snippet; 'color:white' in snippet	Pass	0.000s
History button must be grey (#f5f5f5) — inactive like unselected header tabs.	'#f5f5f5' in snippet; '#1976d2' not in snippet	Pass	0.000s
Individual buttons must NOT have border-radius — container provides the rounding.	'border-radius' not in snippet	Pass	0.000s
PL Hist button must be grey (#f5f5f5) — inactive like unselected header tabs.	'#f5f5f5' in snippet; '#1976d2' not in snippet	Pass	0.000s
Reset button must be grey (#f5f5f5) — inactive.	'#f5f5f5' in snippet	Pass	0.000s
Basis delta should be positive.	result['basis_delta_bps'] > 0; result['basis_dv01_gbp'] > 0	Pass	0.000s
With constant basis, basis delta ~ gauge delta.	abs(basis_delta['basis_delta_bps'] - ...	Pass	0.000s
Hits /api/v1/trading/blotter.	'/api/v1/trading/blotter' in blotter_js	Pass	0.000s
Close-out hits /trading/close/.	'/trading/close/' in blotter_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Button must call tdCommitMarket().	'tdCommitMarket()' in market_js	Pass	0.000s
td-commit-btn ID present in output.	'td-commit-btn' in market_js	Pass	0.000s
Commit button must NOT have display:none in its own style.	'display:none' not in own_style	Pass	0.000s
tdCommitMarket function must exist.	'tdCommitMarket' in market_js	Pass	0.000s
Hits /trading/hazard-term-structure/commit.	'/trading/hazard-term-structure/commit' in market_js	Pass	0.000s
Hits /trading/yield-curve/commit.	'/trading/yield-curve/commit' in market_js	Pass	0.000s
Commit notification shows P&L impact.	'total_pnl_impact' in market_js; 'gross_pnl_impact' in market_js	Pass	0.000s
After commit, switches to blotter tab.	"switchTab('blotter')" in market_js	Pass	0.000s
Higher spread means higher premium	pvs_high["premium_leg_pv"] > pvs_low["premium_leg_pv"]	Pass	0.000s
Positive hazard rate	pvs["premium_leg_pv"] > 0; pvs["protection_leg_pv"] > 0 (+2 more)	Pass	0.000s
Zero hazard rate	pvs["premium_leg_pv"] == 0; pvs["protection_leg_pv"] == 0	Pass	0.000s
Closed trades excluded	pnl_engine.compute_daily_pnl(trades)["num_open_trades"] == 0	Pass	0.000s
Daily pnl without previous eod	result["num_open_trades"] == 2; result["total_notional"] == 15_000_000 (+1 more)	Pass	0.000s
Pnl decomposition sums	abs(pos["daily_pnl"] - (pos["new_trade_pnl"] + pos["marke...))	Pass	0.000s
Running pnl calculation	abs(pos1["running_pnl"] - 43.500) < 1; abs(pos2["running_pnl"] - (-7.125)) < 1	Pass	0.000s
Test risk grid construction.	len(grid['buckets']) == 3; len(grid['gauges']) == 2 (+3 more)	Pass	0.000s
Receiver trade should have negative gauge DV01.	enriched['gauge_fs01'] < 0; enriched['is_payer'] is False	Pass	0.002s
Test trade enrichment with sample data.	enriched['swap_id'] == 'PRS-TEST001'; enriched['gauge_id'] == 'GAUGE-TEST-001' (+4 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Payer and receiver DV01 should be equal magnitude, opposite sign.	<code>abs(payer.enriched['gauge_fs01'] + rcv.enriched['gauge_fs...]</code>	Pass	0.003s
tdHazardDirtyKeys tracks per-gauge hazard changes.	<code>'tdHazardDirtyKeys' in market_js</code>	Pass	0.000s
Shows UNCOMMITTED label when dirty.	<code>'UNCOMMITTED' in market_js</code>	Pass	0.000s
tdYieldDirty variable tracks yield curve changes.	<code>'tdYieldDirty' in market_js</code>	Pass	0.000s
Also fetches blotter for live summary.	<code>'/api/v1/trading/blotter' in eod_js</code>	Pass	0.000s
Fetches <code>/api/v1/trading/eod/history</code> .	<code>'/api/v1/trading/eod/history' in eod_js</code>	Pass	0.000s
Fetches <code>/api/v1/trading/pnl-series</code> .	<code>'/api/v1/trading/pnl-series' in eod_js</code>	Pass	0.000s
Hits <code>/api/v1/trading/eod</code> for submit.	<code>'/api/v1/trading/eod' in eod_js</code>	Pass	0.000s
<code>get_eod_history</code> returns 500 when engine raises (lines 88-90).	<code>resp.status_code == 500</code>	Pass	0.001s
<code>get_eod_pdf</code> returns 500 on unexpected error (lines 107-109).	<code>resp.status_code == 500</code>	Pass	0.001s
<code>submit_eod</code> returns 500 when engine raises (lines 70-72).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.002s
<code>renderEodAttribution</code> function exists.	<code>'renderEodAttribution' in eod_js</code>	Pass	0.000s
<code>renderEodChart</code> function exists.	<code>'renderEodChart' in eod_js</code>	Pass	0.000s
<code>tdCleanupEodCharts</code> exists for chart cleanup.	<code>'tdCleanupEodCharts' in eod_js</code>	Pass	0.000s
<code>tdDownloadEodPdf</code> function exists.	<code>'tdDownloadEodPdf' in eod_js</code>	Pass	0.000s
<code>tdSubmitEod</code> function exists.	<code>'tdSubmitEod' in eod_js</code>	Pass	0.000s
Returns list of snapshots after submission.	<code>len(data['history']) == 1;</code> <code>entry['eod_id'] == 'EOD-20260228'</code> (+3 more)	Pass	0.043s
Returns empty list when no snapshots exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.001s
Can submit multiple EODs on different dates.	<code>data['count'] == 2</code>	Pass	0.072s
POST with empty JSON body uses today's date (no date key).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.045s

Test Description	Acceptance Criteria	Result	Time
GET for existing PDF date serves the file.	<code>resp.status_code == 200;</code> <code>resp.content_type ==</code> <code>'application/pdf'</code>	Pass	0.002s
GET for non-existent date returns 404.	<code>resp.status_code == 404</code>	Pass	0.000s
ImportError in PDF gen is caught; EOD snapshot still saved (lines 56-57).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.028s
Exception in PDF gen is caught; EOD snapshot still saved (lines 58-59).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.037s
Attribution section container present.	<code>'td-eod-attribution' in eod_js</code>	Pass	0.000s
P&L summary cards container present.	<code>'td-eod-cards' in eod_js</code>	Pass	0.000s
Date picker for EOD date.	<code>'td-eod-date' in eod_js</code>	Pass	0.000s
EOD History section present.	<code>'td-eod-history-wrap' in eod_js;</code> 'EOD History' in eod_js	Pass	0.000s
Submit EOD button present.	<code>'td-eod-submit-btn' in eod_js;</code> 'EOD Submit' in eod_js	Pass	0.000s
All gauges from base should appear.	<code>'GAUGE-001' in rates;</code> 'GAUGE-002' in rates	Pass	0.001s
Adjusted gauges should be flagged.	<code>rates['GAUGE-001']['is_adjusted']</code> is True; <code>rates['GAUGE-002']['is_adjusted']</code> is False	Pass	0.002s
Adjusted rates should override base, non-adjusted should use base.	<code>rates['GAUGE-001']['annual_hazard_rate_warning']</code> == 0.04; <code>rates['GAUGE-001']['annual_hazard_rate_alert']</code> == 0.04 (+1 more)	Pass	0.002s
Eod history	<code>len(history) == 2;</code> history[0]["date"] == "2026-02-21"	Pass	0.003s
Generate snapshot	<code>snapshot["eod_id"] == "EOD-20260224";</code> <code>snapshot["date"] == "2026-02-24"</code> (+3 more)	Pass	0.000s
Idempotent snapshot	<code>len(pnl_engine.get_eod_history()) ==</code> 1	Pass	0.004s
Pnl series	<code>len(series) == 2;</code> series[0]["date"] == "2026-02-20" (+1 more)	Pass	0.003s
Snapshot persists	snapshot is not None; <code>snapshot["eod_id"] == "EOD-20260224"</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
tdClearFilters function exists.	'tdClearFilters' in blotter_js	Pass	0.000s
tdApplyFilter exposed on window for external callers.	'tdApplyFilter' in blotter_js	Pass	0.000s
tdFilterChanged function exists.	'tdFilterChanged' in blotter_js	Pass	0.000s
getFilteredTrades function exists.	'getFilteredTrades' in blotter_js	Pass	0.000s
tdRemoveFilter function exists.	'tdRemoveFilter' in blotter_js	Pass	0.000s
For small rates, 1bp bump in rate ~ = 1bp bump in spread.	0.5 < result['delta_spread.bps'] < 2.0	Pass	0.000s
DV01 scales with notional.	abs(r2['dv01_gbp'] / r1['dv01_gbp'] - 2.0) < 0.01	Pass	0.000s
DV01 should be positive for a buyer (spread increases with hazard).	result['dv01_gbp'] > 0;	Pass	0.000s
At zero hazard rate, spread is at floor so delta may be minimal.	result['delta_spread.bps'] > 0	Pass	0.000s
Balanced book	payer == rcv; len(trades) == 6	Pass	0.004s
Balanced notional	payer_not == rcv_not	Pass	0.004s
Counterparties distributed	len(ctpys) == 2	Pass	0.004s
Files saved	len(list(output_dir.glob("PRS-*.json"))) == 6	Pass	0.003s
Payer trades below fair	ps["Pricing"]["SpreadBps"] < ps["Pricing"]["FairSpreadBps"]	Pass	0.003s
Receiver trades above fair	ps["Pricing"]["SpreadBps"] > ps["Pricing"]["FairSpreadBps"]	Pass	0.004s
Reproducible with seed	t1["PhysicalSwap"]["Pricing"]["SpreadBps"] == t2["PhysicalSwap"]["Pricing"]["SpreadBps"]	Pass	0.004s
Small mtm	abs(ps["Pricing"]["NPV"]) < ps["LegData"]["Notional"] * 0...	Pass	0.003s
Valid cdm structure	ps["Header"]["SwapID"].startswith("PRS-"); isinstance(ps["LegData"]["Payer"], bool) (+2 more)	Pass	0.003s
GET returns market_state with yield_curve and hazard_term_structure.	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.003s
Response includes per-gauge effective rates.	'gauges' in data; len(gauge_ids) >= 1	Pass	0.003s
First load creates default yield curve.	resp.status_code == 200; len(yc) > 0	Pass	0.003s
Bumping hazard curve higher should increase fair PRS spread.	spread_after > spread_before; spread_after - spread_before > 1.0	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Bumping hazard curve should change trade MTM.	<code>mtm.after > mtm.before</code>	Pass	0.003s
P&L from a 1bp parallel shift should approximately equal FS01.	<code>abs(mtm.change - fs01) < abs(fs01) * 0.20</code>	Pass	0.004s
Full cycle: enrich → EOD snap → bump curve → re-enrich → daily P&L non-zero.	<code>len(eod.snap['positions']) == 1;</code> <code>new_fair != prev_fair (+5 more)</code>	Pass	0.005s
Shows down arrow for rate decrease.	<code>'\{\}\u25bc' in blotter_js</code>	Pass	0.000s
Blotter compares to prev_fair_spread.bps.	<code>'prev_fair_spread.bps' in blotter_js</code>	Pass	0.000s
Shows up arrow for rate increase.	<code>'\{\}\u25b2' in blotter_js</code>	Pass	0.000s
Verify the MTM formula.	<code>abs(mtm - 80_000) < 1</code>	Pass	0.000s
Protection seller loses when spread widens.	<code>mtm < 0</code>	Pass	0.000s
Protection buyer profits when spread widens.	<code>mtm > 0</code>	Pass	0.000s
MTM is zero when fair = trade spread.	<code>mtm == 0</code>	Pass	0.000s
Blotter has market_pnl column.	<code>'market_pnl' in blotter_js</code>	Pass	0.000s
Blotter shows Mkt P&L label.	<code>'Mkt P' in blotter_js</code>	Pass	0.000s
GET market-state returns 500 when engine raises (lines 44-46).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
POST market-state/reset returns 500 when engine raises (lines 119-121).	<code>resp.status_code == 500</code>	Pass	0.001s
POST market-state with null JSON body → 400 (line 55).	<code>resp.status_code == 400</code>	Pass	0.000s
Base rates should match what's in gaugehc.json.	<code>g1['annual_hazard_rate_warning'] == 0.025;</code> <code>g1['annual_hazard_rate_severe'] == 0.01</code>	Pass	0.001s
First load should initialise from base curves.	<code>'base_rates' in state;</code> <code>'gauge_adjustments' in state (+2 more)</code>	Pass	0.001s
Subsequent loads should return the saved state.	<code>state1['base_rates'] == state2['base_rates']</code>	Pass	0.002s
Reset all adjustments.	<code>len(state['gauge_adjustments']) == 0</code>	Pass	0.005s
Reset a single gauge's adjustments.	<code>'GAUGE-001' not in state['gauge_adjustments'];</code> <code>'GAUGE-002' in state['gauge_adjustments']</code>	Pass	0.008s

Test Description	Acceptance Criteria	Result	Time
Effective rate should use adjustment if present.	<code>rate == 0.025; rate == 0.04</code>	Pass	0.002s
Gauge without adjustment should return base rate.	<code>rate == 0.03</code>	Pass	0.003s
Updating a rate should persist.	<code>adj['annual_hazard_rate_warning'] == 0.035</code>	Pass	0.001s
tdCleanupMarketCharts exists.	<code>'tdCleanupMarketCharts' in market_js</code>	Pass	0.000s
renderGaugeList function exists.	<code>'renderGaugeList' in market_js</code>	Pass	0.000s
Chart canvas element present.	<code>'td-market-canvas' in market_js</code>	Pass	0.000s
Curve mode selector with yield/hazard options.	<code>'td-curve-mode' in market_js; 'Yield Curve' in market_js (+1 more)</code>	Pass	0.000s
commit_yield_curve saves all tenors at once.	<code>state['yield_curve']['1'] == 0.04; state['yield_curve']['3'] == 0.05</code>	Pass	0.002s
Tenor above maximum returns last key rate.	<code>rate == r6</code>	Pass	0.001s
Tenor below minimum returns first key rate.	<code>rate == r1</code>	Pass	0.001s
Exact tenor match from yield curve.	<code>isinstance(rate, float); rate > 0</code>	Pass	0.001s
Non-integer tenor triggers interpolation.	<code>min(r1, r2) <= rate <= max(r1, r2)</code>	Pass	0.001s
Gauge entries with no gauge_id are skipped.	<code>'GAUGE-B' in base; '' not in base</code>	Pass	0.001s
gaugehc.json with 'gauges' key is handled.	<code>'GAUGE-A' in state.get('base_rates', {})</code>	Pass	0.001s
When gaugehc.json is missing, base curves returns empty dict.	<code>isinstance(state, dict)</code>	Pass	0.000s
gaugehc.json with unknown format returns empty base_rates.	<code>state.get('base_rates', {}) == {}</code>	Pass	0.001s
reset_yield_curve restores defaults.	<code>state['yield_curve']['1'] == MarketStateManager.DEFAULT_Y...</code>	Pass	0.004s
Notes parameter is stored in gauge adjustments.	<code>'adjustment_notes' in adj; 'override' in adj['adjustment_notes']</code>	Pass	0.002s
New Trade button must be grey (#f5f5f5) — non-primary action.	<code>'#f5f5f5' in snippet; '#1976d2' not in snippet</code>	Pass	0.000s
Button text must be 'New Trade'.	<code>'New Trade' in market_js</code>	Pass	0.000s
td-newtrade-btn must exist in Market tab.	<code>'td-newtrade-btn' in market_js</code>	Pass	0.000s
Button must call tdMarketNewTrade().	<code>'tdMarketNewTrade' in market_js</code>	Pass	0.000s
tdMarketNewTrade must hide trading desk and call viewHazardCurve.	<code>'viewHazardCurve' in market_js; 'tdSelectedGauge' in market_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
New Trade button must appear to the LEFT of History in the DOM.	<code>nt_idx < hist_idx</code>	Pass	0.000s
New Trade button must not have its own border-radius (container clips it).	<code>'border-radius' not in snippet</code>	Pass	0.000s
Market pnl nonzero with eod mark	<code>abs(result["positions"][0]["market_pnl"] - 80.000.0) < 1</code>	Pass	0.000s
Market pnl zero for missing eod trade	<code>abs(pos["market_pnl"]) < 0.01;</code> <code>abs(pos["new_trade_pnl"]) < 0.01 (+1 more)</code>	Pass	0.000s
New trade has inception pnl	<code>abs(pos["new_trade_pnl"] - expected) < 1;</code> <code>abs(pos["market_pnl"]) < 0.01</code>	Pass	0.000s
Pnl decomposition with prev eod	<code>abs(pos["daily_pnl"] - (pos["new_trade_pnl"] + pos["marke...</code>	Pass	0.000s
Shows daily P&L metric.	<code>'dailyPnl' in blotter_js</code>	Pass	0.000s
Shows From Market metric.	<code>'From Market' in blotter_js;</code> <code>'fromMarket' in blotter_js</code>	Pass	0.000s
Shows signed net notional.	<code>'netNotional' in blotter_js;</code> <code>'fmtGBP(netNotional)' in blotter_js</code>	Pass	0.000s
Shows Running P&L.	<code>'Running' in blotter_js</code>	Pass	0.000s
After EOD snap, next blotter P&L uses snap as baseline.	<code>resp.status_code == 200; 'daily_pnl' in t (+1 more)</code>	Pass	0.050s
Summary runs	<code>"Market-Making Book Summary" in out;</code> <code>"Payer (short):" in out (+1 more)</code>	Pass	0.003s
tdResetCurve function exists.	<code>'tdResetCurve' in market_js</code>	Pass	0.000s
Hits /trading/hazard-term-structure/reset.	<code>'/trading/hazard-term-structure/reset' in market_js</code>	Pass	0.000s
Hits /trading/yield-curve/reset.	<code>'/trading/yield-curve/reset' in market_js</code>	Pass	0.000s
Reset clears all adjustments.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.031s
Reset clears one gauge only.	<code>resp.status_code == 200; 'GAUGE-001' in data['message']</code>	Pass	0.004s
risk-grid returns 500 when engine raises (lines 44-46).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
trade-map returns 500 when engine raises (lines 197-199).	<code>resp.status_code == 500</code>	Pass	0.001s
Grid should contain entries for traded gauges.	<code>len(grid) > 0</code>	Pass	0.027s

Test Description	Acceptance Criteria	Result	Time
GET returns a risk grid structure.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.026s
Returns empty grid when no trades exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.003s
Longer tenor means more payments.	<code>a5 > a1</code>	Pass	0.000s
Higher hazard rate means lower annuity (higher default prob).	<code>annuity_low > annuity_high</code>	Pass	0.000s
Annuity should be between 0 and tenor.	<code>0 < annuity < 5</code>	Pass	0.000s
With no default risk, annuity equals risk-free annuity.	<code>abs(annuity - expected) < 1e-6</code>	Pass	0.000s
is_payer field used to determine sign.	<code>'is_payer' in blotter_js</code>	Pass	0.000s
Payer notional should be negated.	<code>'is_payer' in blotter_js;</code> <code>'Math.abs'</code> in blotter_js	Pass	0.000s
tdToggleSort function exists.	<code>'tdToggleSort' in blotter_js</code>	Pass	0.000s
tdViewTrade function for click-through to PRS pricing.	<code>'tdViewTrade' in blotter_js</code>	Pass	0.000s
After knock-out, cash price must stay at full notional.	<code>hourly[2]['per_trade'][0]['triggered']</code> is True; <code>hourly[2]['per_trade'][0]['cash_price']</code> == 1.000.000 (+2 more)	Pass	0.000s
Alert trade KOs before severe trade.	<code>'ALERT' in triggered;</code> <code>'SEVERE' in triggered</code> (+1 more)	Pass	0.000s
Trade must NOT knock out if water stays below trigger.	<code>'T1' not in triggered</code>	Pass	0.000s
Receiver (short protection) gets negative cash on KO.	<code>hourly[1]['per_trade'][0]['cash_price']</code> == -1.000.000	Pass	0.000s
Trade must knock out when water $\geq$ trigger level.	<code>'T1' in triggered;</code> <code>triggered['T1'] == 3</code>	Pass	0.000s
Same-day snap overwrites previous.	<code>len(eod_files) == 1</code>	Pass	0.064s
POST creates EOD snapshot.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.039s
Response includes trade count and P&L summary.	<code>'num_open_trades' in summary;</code> <code>'total_notional' in summary</code> (+2 more)	Pass	0.041s
EOD- $\{date\}$.json created in eod/ directory.	<code>snapshot.path.exists();</code> <code>snapshot['eod_id'] == 'EOD-20260228'</code> (+1 more)	Pass	0.041s

Test Description	Acceptance Criteria	Result	Time
Snapshot includes yield_curve and hazard_term_structure.	'yield_curve' in ms; 'hazard_term_structure' in ms	Pass	0.044s
Snapshot includes per-trade positions.	len(positions) == 16; 'swap_id' in p (+2 more)	Pass	0.041s
All levels should be $i = \text{base level}$ (positive level_change).	lvl >= base - 0.01	Pass	0.000s
Custom num_hours should produce the right length.	len(levels) == 100	Pass	0.000s
Water levels should be non-decreasing before peak.	levels[i] >= levels[i - 1] - 0.01	Pass	0.000s
Peak should reach base + level_change.	peak >= base + change * 0.9; peak <= base + change + 0.1	Pass	0.000s
Water level should decrease after peak.	levels[-1] < levels[peak_idx]	Pass	0.000s
Default hydrograph must return 168 hourly values (STORM_HOURS = 7-day window).	len(levels) == 168	Pass	0.000s
Very short storm peaks early.	peak_idx <= 10	Pass	0.000s
Hour 0 should be at base level.	abs(levels[0] - 2.0) < 0.01	Pass	0.000s
Zero duration should still produce valid levels.	len(levels) == 168; levels[0] > 2.0	Pass	0.000s
gauge_fs01 column present.	'gauge_fs01' in blotter_js	Pass	0.000s
fmtMaturity function exists.	'fmtMaturity' in blotter_js	Pass	0.000s
Files saved	len(list(output_dir.glob("PRS-*.json"))) == 50	Pass	0.013s
Has calendar spreads	calendar_spread_gauges >= 5	Pass	0.013s
Reproducible with seed	t1["PhysicalSwap"]["Pricing"]["SpreadBps"] ...	Pass	0.024s
Trade count	len(trades) == 50	Pass	0.013s
Uses central gauges	gauge_ids.issubset(expected_ids)	Pass	0.013s
Valid cdm structure	ps["Header"]["SwapID"].startswith("PRS-"); ps["Pricing"]["RiskyAnnuity"] > 0 (+1 more)	Pass	0.013s
Westminster is net short	westminster_notional < 0	Pass	0.013s
Gauge positions include FS01 broken down by tenor.	'fs01_by_tenor' in g; isinstance(g['fs01_by_tenor'], dict)	Pass	0.027s
Each gauge position has lat, lon, gauge_name.	'lat' in g; 'lon' in g (+2 more)	Pass	0.030s
Each gauge has net_fs01.	'net_fs01' in g	Pass	0.026s

Test Description	Acceptance Criteria	Result	Time
Each gauge has total and net notional.	'total_notional' in g; 'net_notional' in g (+1 more)	Pass	0.029s
Gauge positions include daily P&L.	'daily_pnl' in g; 'running_pnl' in g	Pass	0.026s
Gauge positions show number of trades.	gauges_by_id['GAUGE-001']['num_trades'] == 2; gauges_by_id['GAUGE-002']['num_trades'] == 1	Pass	0.026s
GET returns gauge positions.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.031s
Returns empty positions when no trades exist.	resp.status_code == 200; len(data['gauges']) == 0	Pass	0.007s
Gauge in gauge.json but not gaugehc.json gets coordinates (lines 83-85).	resp.status_code == 200	Pass	0.058s
Property locations loaded from property.json (lines 97-101).	resp.status_code == 200; 'gauges' in data	Pass	0.058s
Closed trades are excluded from trade map gauge aggregation (line 115).	resp.status_code == 200; 'GAUGE-9042bd95' not in gauge_ids	Pass	0.036s
Close trade	mark["trade_status"] == "Closed"; mark["close_spread_bps"] == 260.0 (+1 more)	Pass	0.001s
Load empty marks	pnl_engine.load_trade_marks() == {}	Pass	0.000s
Update and load mark	pnl_engine.load_trade_marks()["PRS-001"]["trade_status"] == "Closed" ...	Pass	0.001s
Market making spreads are integers	spread == round(spread)	Pass	0.003s
Thames central spreads are integers	spread == round(spread)	Pass	0.013s
Updated state persists across requests.	resp.status_code == 200; data['market_state']['num_adjusted'] >= 1	Pass	0.025s
POST updates gauge rate successfully.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.025s
Missing gauge returns 400.	resp.status_code == 400	Pass	0.001s
No JSON body returns error (500 — Flask BadRequest caught).	resp.status_code in (400, 500)	Pass	0.002s
Update returns affected_trades and total_pnl_impact.	'affected_trades' in data; 'total_pnl_impact' in data	Pass	0.030s

17 CDM Schema Validation (CDM-ALL)

Table 32: Test Results Summary — CDM Schema Validation (CDM-ALL)

Total Tests	33
Passed	33
Failed	0
Skipped	0
Duration	0.00s

Table 33: Detailed Test Results — CDM Schema Validation

Test Description	Acceptance Criteria	Result	Time
All cdm fields present	<code>gauge_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All cdm fields present	<code>mortgage_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All cdm fields present	<code>property_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All types valid	<code>gauge_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All types valid	<code>mortgage_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All types valid	<code>property_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All values valid	<code>gauge_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
All values valid	<code>mortgage_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
All values valid	<code>property_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
Get required fields returns list[gauge cdm] [cdm_name='gauge_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields re-returns list[mortgage cdm] [cdm_name='mortgage_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields re-returns list[property cdm] [cdm_name='property_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields returns list[prs cdm] [cdm_name='prs_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get required fields returns list[storm cdm] [cdm_name='storm_cdm']	isinstance(cdm.get_required_fields(), list)	Pass	0.000s
Get required fields returns list[stormts cdm] [cdm_name='stormts_cdm']	isinstance(cdm.get_required_fields(), list)	Pass	0.000s
List all fields returns paths[gauge cdm] [cdm_name='gauge_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[property cdm] [cdm_name='property_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[prs cdm] [cdm_name='prs_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[storm cdm] [cdm_name='storm_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[stormts cdm] [cdm_name='stormts_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
Repr returns string[gauge cdm] [cdm_name='gauge_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[property cdm] [cdm_name='property_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[prs cdm] [cdm_name='prs_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[storm cdm] [cdm_name='storm_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[stormts cdm] [cdm_name='stormts_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Schema returns non empty dict[gauge cdm] [cdm_name='gauge_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[property cdm] [cdm_name='property_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[prs cdm] [cdm_name='prs_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s

Test Description		Acceptance Criteria		Result	Time
Schema	returns	non	<code>isinstance(schema, dict); len(schema)</code>	Pass	0.000s
empty	<code>dict[storm</code> <code>[cdm_name='storm_cdm']</code>	cdm]	<code>> 0</code>		
Schema	returns	non	<code>isinstance(schema, dict); len(schema)</code>	Pass	0.000s
empty	<code>dict[stormts</code> <code>[cdm_name='stormts_cdm']</code>	cdm]	<code>> 0</code>		

18 End-to-End Browser Tests (E2E-ALL)

Table 34: Test Results Summary — End-to-End Browser Tests (E2E-ALL)

Total Tests	313
Passed	0
Failed	313
Skipped	0
Duration	15.60s

Table 35: Detailed Test Results — End-to-End Browser Tests

Test Description	Acceptance Criteria	Result	Time
01 open blotter and count trades[chromium]	—	FAIL	0.001s
01 open eod tab count history[chromium]	—	FAIL	0.001s
01 open market tab record yield[chromium]	—	FAIL	0.001s
01 open property prs and verify controls[chromium]	—	FAIL	0.000s
01 open prs and verify controls[chromium]	—	FAIL	0.001s
02 change yield curve value[chromium]	—	FAIL	0.000s
02 click close button opens modal[chromium]	—	FAIL	0.001s
02 select counterparty[chromium]	—	FAIL	0.001s
02 set property trade parameters[chromium]	—	FAIL	0.000s
02 submit eod[chromium]	—	FAIL	0.001s
03 commit market changes[chromium]	—	FAIL	0.000s
03 commit property trade[chromium]	—	FAIL	0.000s
03 enter closeout spread and confirm[chromium]	—	FAIL	0.001s
03 set trade parameters[chromium]	—	FAIL	0.001s
03 verify new snapshot in history[chromium]	—	FAIL	0.001s
04 commit trade[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
04 verify closed trade in blotter[chromium]	—	FAIL	0.001s
04 verify pnl after curve change[chromium]	—	FAIL	0.000s
05 new trade appears in blotter[chromium]	—	FAIL	0.000s
Add action[chromium]	—	FAIL	0.000s
Add agenda item[chromium]	—	FAIL	0.000s
Add button opens form[chromium]	—	FAIL	0.000s
Add decision[chromium]	—	FAIL	0.000s
Add meeting button exists[chromium]	—	FAIL	0.000s
Add participant[chromium]	—	FAIL	0.000s
All models have doc directory[chromium]	—	FAIL	0.000s
Analysis pdf endpoint exists[chromium]	—	FAIL	0.000s
Animate api returns data[chromium]	—	FAIL	0.000s
Audit reports api returns files[chromium]	—	FAIL	0.000s
Auto selects worst case storm[chromium]	—	FAIL	0.000s
Back button returns to list[chromium]	—	FAIL	0.000s
Basis analysis tab shows content[chromium]	—	FAIL	0.001s
Bibtex export button[chromium]	—	FAIL	0.000s
Blotter api returns trades[chromium]	—	FAIL	0.000s
Blotter filter dropdowns exist[chromium]	—	FAIL	0.000s
Blotter has close button[chromium]	—	FAIL	0.000s
Blotter has trade rows[chromium]	—	FAIL	0.132s
Blotter link exists[chromium]	—	FAIL	0.000s
Blotter link opens trading desk[chromium]	—	FAIL	0.000s
Blotter shows net notional[chromium]	—	FAIL	0.000s
Blotter view visible[chromium]	—	FAIL	0.000s
Cells interactive[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Chart canvas exists[chromium]	—	FAIL	0.000s
Chart canvas rendered[chromium]	—	FAIL	0.000s
Chart rendered[chromium]	—	FAIL	0.000s
Chart rendered[chromium]	—	FAIL	0.000s
Charts render[chromium]	—	FAIL	0.000s
Claim report api returns pdf[chromium]	—	FAIL	0.001s
Classifier readiness api[chromium]	—	FAIL	0.000s
Classifier summary api returns data[chromium]	—	FAIL	0.000s
Classifiers view visible[chromium]	—	FAIL	0.000s
Click away closes menu[chromium]	—	FAIL	0.000s
Click pi opens panel[chromium]	—	FAIL	0.000s
Close button hides panel[chromium]	—	FAIL	0.000s
Close button opens dialog[chromium]	—	FAIL	0.000s
Close button opens modal[chromium]	—	FAIL	0.000s
Commit button exists[chromium]	—	FAIL	0.000s
Commit button state[chromium]	—	FAIL	0.226s
Commit triggers response[chromium]	—	FAIL	0.000s
Confirm closeout posts[chromium]	—	FAIL	0.000s
Content area exists[chromium]	—	FAIL	0.000s
Content has keywords[chromium]	—	FAIL	0.001s
Content loads with timeseries data[chromium]	—	FAIL	0.000s
Content mentions audit[chromium]	—	FAIL	0.001s
Content mentions audit keywords[chromium]	—	FAIL	0.000s
Content mentions bcbs[chromium]	—	FAIL	0.000s
Content mentions bibliography[chromium]	—	FAIL	0.000s
Content mentions eod keywords[chromium]	—	FAIL	0.000s
Content mentions field keywords[chromium]	—	FAIL	0.000s
Content mentions historical context[chromium]	—	FAIL	0.000s
Content mentions lineage keywords[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Content mentions model[chromium]	—	FAIL	0.000s
Content mentions mrc[chromium]	—	FAIL	0.000s
Content mentions raci[chromium]	—	FAIL	0.001s
Content mentions risk key-words[chromium]	—	FAIL	0.003s
Content mentions stress concepts[chromium]	—	FAIL	0.000s
Content shows probability data[chromium]	—	FAIL	0.000s
Content shows return period data[chromium]	—	FAIL	0.000s
Context menu has header[chromium]	—	FAIL	0.000s
Context menu has items[chromium]	—	FAIL	0.001s
Controls exist[chromium]	—	FAIL	0.000s
Core docs section visible by default[chromium]	—	FAIL	0.000s
Counterparty dropdown has options[chromium]	—	FAIL	0.000s
Counterparty dropdown has options[chromium]	—	FAIL	0.000s
Counterparty options show rating[chromium]	—	FAIL	0.000s
Counterparty summary fields[chromium]	—	FAIL	0.000s
Counterparty types diverse[chromium]	—	FAIL	0.001s
Curves view visible[chromium]	—	FAIL	0.000s
Delete action[chromium]	—	FAIL	0.000s
Delete agenda item[chromium]	—	FAIL	0.000s
Delete decision[chromium]	—	FAIL	0.000s
Delete participant[chromium]	—	FAIL	0.000s
Direction dropdown options[chromium]	—	FAIL	0.000s
Dirty state indicator[chromium]	—	FAIL	0.000s
Distribution tab has content[chromium]	—	FAIL	0.001s
Docs tab exists[chromium]	—	FAIL	0.000s
Docs tab has three sections[chromium]	—	FAIL	0.000s
Document list renders[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Documentation pdf endpoint exists[chromium]	—	FAIL	0.000s
Download buttons clickable[chromium]	—	FAIL	0.000s
Edit buttons on principles[chromium]	—	FAIL	0.000s
Edit opens modal[chromium]	—	FAIL	0.000s
Empty counterparty disables commit[chromium]	—	FAIL	0.000s
Eod history has pdf link[chromium]	—	FAIL	0.000s
Eod submit button exists[chromium]	—	FAIL	0.000s
Eod submit creates snapshot[chromium]	—	FAIL	0.000s
Eod view visible[chromium]	—	FAIL	0.000s
Escape closes gauge panel[chromium]	—	FAIL	0.000s
Escape closes governance panel[chromium]	—	FAIL	0.000s
Escape closes trading desk[chromium]	—	FAIL	0.000s
Field lineage api returns data[chromium]	—	FAIL	0.000s
Field search api[chromium]	—	FAIL	0.000s
Fill notional and spread[chromium]	—	FAIL	0.000s
Fill prs values[chromium]	—	FAIL	0.000s
Filter has controls[chromium]	—	FAIL	0.000s
Fs01 cell click filters blotter[chromium]	—	FAIL	0.000s
Fs01 tab shows risk grid[chromium]	—	FAIL	0.000s
Gauge blotter menu item opens trading desk[chromium]	—	FAIL	0.000s
Gauge panel blotter link opens trading desk[chromium]	—	FAIL	0.000s
Gauge panel loads data not error[chromium]	—	FAIL	0.000s
Gaugepnl has content[chromium]	—	FAIL	0.001s
Gaugepnl has gauge selector or table[chromium]	—	FAIL	0.000s
Get counterparty detail[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Governance button ex-ists[chromium]	—	FAIL	0.000s
Has artefact files[chromium]	—	FAIL	0.000s
Has chart canvas[chromium]	—	FAIL	0.000s
Has chart or curve content[chromium]	—	FAIL	0.000s
Has charts or inputs[chromium]	—	FAIL	0.000s
Has content area[chromium]	—	FAIL	0.000s
Has content area[chromium]	—	FAIL	0.000s
Has detail pane[chromium]	—	FAIL	0.000s
Has filter row[chromium]	—	FAIL	0.000s
Has four tab buttons[chromium]	—	FAIL	0.001s
Has gauge dropdown[chromium]	—	FAIL	0.000s
Has hazard term structure[chromium]	—	FAIL	0.000s
Has histogram canvas[chromium]	—	FAIL	0.000s
Has history list or table[chromium]	—	FAIL	0.000s
Has leaflet or canvas[chromium]	—	FAIL	0.000s
Has leaflet or svg[chromium]	—	FAIL	0.000s
Has map container[chromium]	—	FAIL	0.000s
Has metrics[chromium]	—	FAIL	0.000s
Has pipeline steps[chromium]	—	FAIL	0.000s
Has play button[chromium]	—	FAIL	0.000s
Has property table[chromium]	—	FAIL	0.001s
Has report cards or search[chromium]	—	FAIL	0.000s
Has risk grid[chromium]	—	FAIL	0.000s
Has staleness info[chromium]	—	FAIL	0.000s
Has stats bar[chromium]	—	FAIL	0.000s
Has storm dropdown[chromium]	—	FAIL	0.000s
Has storm selector[chromium]	—	FAIL	0.001s
Has storm selector[chromium]	—	FAIL	0.000s
Has sub tab buttons[chromium]	—	FAIL	0.000s
Has summary cards[chromium]	—	FAIL	0.001s
Has summary stats[chromium]	—	FAIL	0.000s
Has tab buttons[chromium]	—	FAIL	0.000s
Has table pane[chromium]	—	FAIL	0.000s
Has summary or file cards[chromium]	—	FAIL	0.000s
Has toggle buttons[chromium]	—	FAIL	0.000s
Has train all button[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Has yield curve content[chromium]	—	FAIL	0.000s
Hazard api returns success[chromium]	—	FAIL	0.000s
Hazard curve chart renders[chromium]	—	FAIL	0.001s
Hazard curve item opens gauge panel[chromium]	—	FAIL	0.021s
Hazard curve tab has real data[chromium]	—	FAIL	0.000s
Hazard curve tab renders[chromium]	—	FAIL	0.000s
Historical tab has content[chromium]	—	FAIL	0.000s
Historical tab renders[chromium]	—	FAIL	0.000s
History has chart[chromium]	—	FAIL	0.001s
History has stats[chromium]	—	FAIL	0.001s
History renders[chromium]	—	FAIL	0.001s
History table has rows[chromium]	—	FAIL	0.002s
Insurance tab exists[chromium]	—	FAIL	0.001s
Layer control exists[chromium]	—	FAIL	0.000s
Layer toggle changes markers[chromium]	—	FAIL	0.000s
Leaflet container exists[chromium]	—	FAIL	0.001s
Lineage api returns data[chromium]	—	FAIL	0.000s
List counterparties returns data[chromium]	—	FAIL	0.000s
List meetings returns data[chromium]	—	FAIL	0.000s
Map tiles loaded[chromium]	—	FAIL	0.000s
Map view visible[chromium]	—	FAIL	0.000s
Marker count reasonable[chromium]	—	FAIL	0.003s
Markers present[chromium]	—	FAIL	0.000s
Market state api returns data[chromium]	—	FAIL	0.000s
Market view visible[chromium]	—	FAIL	0.000s
Matrix grid renders[chromium]	—	FAIL	0.000s
Meeting detail has tabs[chromium]	—	FAIL	0.000s
Meeting detail returns full object[chromium]	—	FAIL	0.000s
Meeting detail shows meta-data[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Meeting list has rows[chromium]	—	FAIL	0.000s
Meeting list renders[chromium]	—	FAIL	0.000s
Meeting row clickable[chromium]	—	FAIL	0.000s
Meeting summary has fields[chromium]	—	FAIL	0.000s
Menu has property items[chromium]	—	FAIL	0.001s
Menu header shows property info[chromium]	—	FAIL	0.001s
Metrics keywords[chromium]	—	FAIL	0.000s
Modal has confirm cancel[chromium]	—	FAIL	0.000s
Model row opens detail[chromium]	—	FAIL	0.000s
Mortgage content shows data[chromium]	—	FAIL	0.001s
Mortgage impact has chart[chromium]	—	FAIL	0.001s
Mortgage impact has stats[chromium]	—	FAIL	0.001s
Mortgage impact renders[chromium]	—	FAIL	0.001s
Mortgage panel opens[chromium]	—	FAIL	0.001s
Negative closeout spread handling[chromium]	—	FAIL	0.000s
Negative rate handling[chromium]	—	FAIL	0.000s
Negative spread handling[chromium]	—	FAIL	0.000s
No error notifications after clearing[chromium]	—	FAIL	0.000s
Non numeric tenor input[chromium]	—	FAIL	0.000s
Nonexistent counterparty returns 404[chromium]	—	FAIL	0.000s
Nonexistent gauge does not crash page[chromium]	—	FAIL	0.000s
Nonexistent gauge shows error[chromium]	—	FAIL	0.000s
Nonexistent property does not crash page[chromium]	—	FAIL	0.000s
Nonexistent property shows error[chromium]	—	FAIL	0.000s
Open gauge panel via js[chromium]	—	FAIL	0.000s
Panel has four tabs[chromium]	—	FAIL	0.001s

Test Description	Acceptance Criteria	Result	Time
Panel has tab bar[chromium]	—	FAIL	0.000s
Panel has tab bar[chromium]	—	FAIL	0.000s
Panel has tab buttons[chromium]	—	FAIL	0.001s
Panel is visible[chromium]	—	FAIL	0.000s
Panel opens[chromium]	—	FAIL	0.001s
Panel opens with title[chromium]	—	FAIL	0.001s
Panel opens with title[chromium]	—	FAIL	0.001s
Panel title shows gauge name[chromium]	—	FAIL	0.000s
Pflood has chart or data[chromium]	—	FAIL	0.000s
Pflood has content[chromium]	—	FAIL	0.000s
Pi button exists[chromium]	—	FAIL	0.000s
Portfolio impact api returns data[chromium]	—	FAIL	0.000s
Portfolio run api[chromium]	—	FAIL	0.000s
Portfolio storms api[chromium]	—	FAIL	0.000s
Portfolio storms api returns data[chromium]	—	FAIL	0.000s
Portfolio var api returns data[chromium]	—	FAIL	0.000s
Portpnl has content[chromium]	—	FAIL	0.000s
Portpnl mentions pnl key-words[chromium]	—	FAIL	0.000s
Portstress view visible[chromium]	—	FAIL	0.000s
Progress bar hidden initially[chromium]	—	FAIL	0.000s
Property panel loads without errors[chromium]	—	FAIL	0.000s
Property storm api returns data[chromium]	—	FAIL	0.003s
Propertyts summary api returns data[chromium]	—	FAIL	0.000s
Prs controls exist[chromium]	—	FAIL	0.000s
Prs has counterparty drop-down[chromium]	—	FAIL	0.007s
Prs pricing tab has controls[chromium]	—	FAIL	0.001s
Prs tab renders[chromium]	—	FAIL	0.000s
Reference table sortable[chromium]	—	FAIL	0.000s
Reset button exists[chromium]	—	FAIL	0.000s
Reset restores defaults[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Right click gauge shows context menu[chromium]	—	FAIL	0.000s
Right click gauge shows context menu[chromium]	—	FAIL	15.151s
Right click property shows context menu[chromium]	—	FAIL	0.000s
Risk grid api returns data[chromium]	—	FAIL	0.000s
Risk view visible[chromium]	—	FAIL	0.000s
Row click populates detail[chromium]	—	FAIL	0.000s
Save button commits changes[chromium]	—	FAIL	0.000s
Selecting counterparty enables commit[chromium]	—	FAIL	0.000s
Selecting counterparty updates pricing[chromium]	—	FAIL	0.000s
Severity has content[chromium]	—	FAIL	0.000s
Severity mentions threshold keywords[chromium]	—	FAIL	0.000s
Shows field counts[chromium]	—	FAIL	0.000s
Sim view visible[chromium]	—	FAIL	0.000s
Spread input updates settlement[chromium]	—	FAIL	0.000s
Staleness api returns data[chromium]	—	FAIL	0.000s
Startup preloader completed[chromium]	—	FAIL	0.000s
Stats bar present[chromium]	—	FAIL	0.001s
Stats bar shows data[chromium]	—	FAIL	0.000s
Status bar shows flood counts[chromium]	—	FAIL	0.001s
Storm dropdown exists[chromium]	—	FAIL	0.000s
Storm scenario click activates stress tab[chromium]	—	FAIL	0.000s
Storm scenarios list exists[chromium]	—	FAIL	0.000s
Storm scenarios opens panel[chromium]	—	FAIL	0.002s
Storm selector has options[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Storms api returns data[chromium]	—	FAIL	0.000s
Stress storms api returns data[chromium]	—	FAIL	0.000s
Stress tab renders[chromium]	—	FAIL	0.000s
Stress view visible[chromium]	—	FAIL	0.000s
Summary table has rows[chromium]	—	FAIL	0.000s
Switching to analysis[chromium]	—	FAIL	0.000s
Switching to results[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab mentions insurance[chromium]	—	FAIL	0.001s
Tab title updates[chromium]	—	FAIL	0.000s
Table has action buttons[chromium]	—	FAIL	0.000s
Table view visible[chromium]	—	FAIL	0.001s
Tenor inputs accept values[chromium]	—	FAIL	0.000s
Results pdf endpoint exists[chromium]	—	FAIL	0.000s
Results section hidden by default[chromium]	—	FAIL	0.000s
Summary api[chromium]	—	FAIL	0.000s
Timeline chart exists[chromium]	—	FAIL	0.001s
Timeline has selector[chromium]	—	FAIL	0.001s
Timeline has stats[chromium]	—	FAIL	0.001s
Timeline renders[chromium]	—	FAIL	0.001s
Trace gauge returns steps[chromium]	—	FAIL	0.000s
Trace missing params returns 400[chromium]	—	FAIL	0.000s
Trace nonexistent returns empty[chromium]	—	FAIL	0.000s
Trace property returns steps[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Trade row click high-lights[chromium]	—	FAIL	0.000s
Trading desk blotter visible after gauge link[chromium]	—	FAIL	0.000s
Trained classifiers loadable in stress tab[chromium]	—	FAIL	0.000s
Trigger change updates display[chromium]	—	FAIL	0.000s
Trigger dropdown options[chromium]	—	FAIL	0.000s
Upload area exists[chromium]	—	FAIL	0.000s
Var view visible[chromium]	—	FAIL	0.000s
Vis view visible[chromium]	—	FAIL	0.000s
Worst storms tab shows data[chromium]	—	FAIL	0.001s
Yield curve inputs exist[chromium]	—	FAIL	0.000s
Zero notional disables commit[chromium]	—	FAIL	0.000s
Zoom controls present[chromium]	—	FAIL	0.000s

Failed Test Details

test_right_click_gauge_shows_menu[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_context_menu_has_items[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_context_menu_has_header[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_click_away_closes_menu[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
```

```
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_curve_item_opens_gauge_panel[chromium] File: tests/e2e/test_context_menus/TestContextMenus

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_list_counterparties_returns_data[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_summary_fields[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_get_counterparty_detail[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_nonexistent_counterparty_returns_404[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_types_diverse[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_has_counterparty_dropdown[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_dropdown_has_options[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_counterparty_options_show_rating[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_selecting_counterparty_updates_pricing[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fs01_tab_shows_risk_grid[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fs01_cell_click_filters_blotter[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_panel_blotter_link_opens_trading_desk[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trading_desk_blotter_visible_after_gauge_link[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_right_click_gauge_shows_context_menu[chromium] File: tests/e2e/test_cross_panel_flows_part2/TestFS02ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_blotter_menu_item_opens_trading_desk[chromium] File: tests/e2e/test_cross_panel_flow

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_historical_tab_has_content[chromium] File: tests/e2e/test_cross_panel_flows_part2/TestHistor

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_scenario_click_activates_stress_tab[chromium] File: tests/e2e/test_cross_panel_flows_pa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_no_error_notifications_after_clearing[chromium] File: tests/e2e/test_data_loads_part1/TestNoEr

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_api_returns_success[chromium] File: tests/e2e/test_data_loads_part1/TestHazardCurved

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_panel_loads_data_not_error[chromium] File: tests/e2e/test_data_loads_part1/TestHazard

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_curve_tab_has_real_data[chromium] File: tests/e2e/test_data_loads_part1/TestHazardCu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stress_storms_api_returns_data[chromium] File: tests/e2e/test_data_loads_part1/TestStressSt

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_portfolio_storms_api_returns_data[chromium] File: tests/e2e/test_data_loads_part1/TestStress

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_propertyts_summary_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_property_storm_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_property_panel_loads_without_errors[chromium] File: tests/e2e/test_data_loads_part2/TestPro

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_api_returns_trades[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDataLo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_market_state_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_risk_grid_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDataLo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_gauge_shows_error[chromium] File: tests/e2e/test_error_handling_invalid_ids/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_gauge_does_not_crash_page[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_property_shows_error[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_property_does_not_crash_page[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_gauge_panel[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_trading_desk[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_governance_panel[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_layer_control_exists[chromium] File: tests/e2e/test_error_handling_ui/TestMapLayerControls.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_layer_toggle_changes_markers[chromium] File: tests/e2e/test_error_handling_ui/TestMapLayerC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_canvas_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stats_bar_shows_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_title_updates[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestReturnPeriodTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_shows_return_period_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestReturnPeriodTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestFloodProbabilityTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_shows_probability_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestFloodProbabilityTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_loads_with_timeseries_data[chromium] File: tests/e2e/test_gauge_detail_history/TestHistoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_scenarios_list_exists[chromium] File: tests/e2e/test_gauge_detail_history/TestHistorica

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_historical_context[chromium] File: tests/e2e/test_gauge_detail_history/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_storm_dropdown_exists[chromium] File: tests/e2e/test_gauge_detail_history/TestStressTestTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_charts_render[chromium] File: tests/e2e/test_gauge_detail_history/TestStressTestTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_stress_concepts[chromium] File: tests/e2e/test_gauge_detail_history/TestSt

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_auto_selects_worst_case_storm[chromium] File: tests/e2e/test_gauge_detail_history/TestStres

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_controls_exist[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_direction_dropdown_options[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trigger_dropdown_options[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trigger_change_updates_display[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_commit_button_exists[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_chart_canvas_exists[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_open_gauge_panel_via_js[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_title_shows_gauge_name[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_has_tab_bar[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_curve_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_stress_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_historical_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_link_exists[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelBlotterLink.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_link_opens_trading_desk[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelBlotterLink.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_edit_buttons_on_principles[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_edit_opens_modal[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_modal_has_confirm_cancel[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```


test_bibtex_export_button[chromium] File: tests/e2e/test_gov_bibliography_crud/TestBibliography

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_reference_table_sortable[chromium] File: tests/e2e/test_gov_bibliography_crud/TestBibliography

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_upload_area_exists[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUploadDown

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_document_list_renders[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUpload

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_download_buttons_clickable[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_lineage_keywords[chromium] File: tests/e2e/test_gov_lineage_data/TestData

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_pipeline_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_staleness_info[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_lineage_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_staleness_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_gauge_returns_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestProvenanceTra

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_property_returns_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestProvenance

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_nonexistent_returns_empty[chromium] File: tests/e2e/test_gov_lineage_data/TestProven

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_missing_params_returns_400[chromium] File: tests/e2e/test_gov_lineage_data/TestProve

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_field_keywords[chromium] File: tests/e2e/test_gov_lineage_field_audit/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_report_cards_or_search[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestField

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_shows_field_counts[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_field_lineage_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFie

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_field_search_api[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageAPI.

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_audit_keywords[chromium] File: tests/e2e/test_gov_lineage_field_audit/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_test_summary_or_file_cards[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestA

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_artefact_files[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsTab

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_audit_reports_api_returns_files[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_test_summary_api[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsAP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_model_row_opens_detail[chromium] File: tests/e2e/test_gov_model_crud/TestModelWorkstreamDe

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_back_button_returns_to_list[chromium] File: tests/e2e/test_gov_model_crud/TestModelWorkstrea

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_list_meetings_returns_data[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCMeetings

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_summary_has_fields[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCMeetin

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_returns_full_object[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCM

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_agenda_item[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCagendaCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_agenda_item[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCagendaCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_decision[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCDecisionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_decision[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCDecisionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_action[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCActionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_action[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCActionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_participant[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCParticipantsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_participant[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCParticipantsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_list_has_rows[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_row_clickable[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_has_tabs[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_shows_metadata[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_matrix_grid_renders[chromium] File: tests/e2e/test_gov_raci_crud/TestRACIMatrixInteraction.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_cells_interactive[chromium] File: tests/e2e/test_gov_raci_crud/TestRACIMatrixInteraction.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_list_renders[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_meeting_button_exists[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_add_button_opens_form[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_is_visible[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_tab_buttons[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_content_area[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestModelInventoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_model[chromium] File: tests/e2e/test_governance/TestModelInventoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestBCBS239Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_bcbs[chromium] File: tests/e2e/test_governance/TestBCBS239Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestRACITab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_raci[chromium] File: tests/e2e/test_governance/TestRACITab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestMRCTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_mrc[chromium] File: tests/e2e/test_governance/TestMRCTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestDocumentsTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_area_exists[chromium] File: tests/e2e/test_governance/TestDocumentsTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestBibliographyTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_bibliography[chromium] File: tests/e2e/test_governance/TestBibliographyTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestAuditTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_audit[chromium] File: tests/e2e/test_governance/TestAuditTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_blotter_and_count_trades[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_click_close_button_opens_modal[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_enter_closeout_spread_and_confirm[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_verify_closed_trade_in_blotter[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_eod_tab_count_history[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapAndHistory.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_submit_eod[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapAndHistory.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_verify_new_snapshot_in_history[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapA

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_prs_and_verify_controls[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaug

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_select_counterparty[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRBookT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_set_trade_parameters[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRBookT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_commit_trade[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRBookTrade.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_05_new_trade_appears_in_blotter[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaug

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_market_tab_record_yield[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMar

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_change_yield_curve_value[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMarketUp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_commit_market_changes[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMarketUpd

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_verify_pnl_after_curve_change[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMark

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_property_prs_and_verify_controls[chromium] File: tests/e2e/test_lifecycle_property_

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_set_property_trade_parameters[chromium] File: tests/e2e/test_lifecycle_property_prs/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_commit_property_trade[chromium] File: tests/e2e/test_lifecycle_property_prs/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_leaflet_container_exists[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_map_tiles_loaded[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_zoom_controls_present[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_markers_present[chromium] File: tests/e2e/test_map_smoke/TestMarkers.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_marker_count_reasonable[chromium] File: tests/e2e/test_map_smoke/TestMarkers.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_pi_button_exists[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_governance_button_exists[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_startup_preloader_completed[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_docs_tab_exists[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_docs_tab_has_three_sections[chromium] File: tests/e2e/test_model_documentation/TestDocsTabS

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_core_docs_section_visible_by_default[chromium] File: tests/e2e/test_model_documentation/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```


test_test_results_section_hidden_by_default[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_switching_to_test_results[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_switching_to_analysis[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_documentation_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_test_results_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_analysis_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_all_models_have_doc_directory[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_right_click_property_shows_menu[chromium] File: tests/e2e/test_property_context_menu/TestPropertyContextMenu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded."
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_menu_has_property_items[chromium] File: tests/e2e/test_property_context_menu/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_menu_header_shows_property_info[chromium] File: tests/e2e/test_property_context_menu/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_scenarios_opens_panel[chromium] File: tests/e2e/test_property_context_menu/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_renders[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHist

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_has_chart[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHi

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_has_stats[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHis

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_history_table_has_rows[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFl

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_renders[chromium] File: tests/e2e/test_property_panel_history/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_has_chart[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_has_stats[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_insurance_tab_exists[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_mentions_insurance[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_claim_report_api_returns_pdf[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_panel_opens[chromium] File: tests/e2e/test_property_panel_mortgage/TestMortgagePanel

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_content_shows_data[chromium] File: tests/e2e/test_property_panel_mortgage/TestMortgagePanel

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_renders[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFloodTimeline

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_has_selector[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_timeline_has_stats[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlood

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_timeline_chart_exists[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_opens_with_title[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_has_tab_buttons[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_distribution_tab_has_content[chromium] File: tests/e2e/test_property_panel_storm/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_worst_storms_tab_shows_data[chromium] File: tests/e2e/test_property_panel_storm/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_status_bar_shows_flood_counts[chromium] File: tests/e2e/test_property_panel_storm/TestPrope

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_opens_with_title[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyHaza

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_four_tabs[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyHazardP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_curve_chart_renders[chromium] File: tests/e2e/test_property_panel_storm/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_prs_pricing_tab_has_controls[chromium] File: tests/e2e/test_property_panel_storm/TestPropert

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_basis_analysis_tab_shows_content[chromium] File: tests/e2e/test_property_panel_storm/TestPro

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolio0pens.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_selector[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolio0

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_four_tab_buttons[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfoli

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stats_bar_present[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolioOp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_table_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_summary_cards[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_property_table[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_has_keywords[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_sim_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_map_container[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_play_button[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```


test_has_leaflet_or_canvas[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_vis_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_chart_canvas[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_filter_row[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_filter_has_controls[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_var_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_histogram_canvas[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_metrics[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_metrics_keywords[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_toggle_buttons[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storms_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStormPortf

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_impact_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestS

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_animate_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStormPortf

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_var_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStor

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_click_pi_opens_panel[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_tab_bar[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_close_button_hides_panel[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_view_visible[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_has_trade_rows[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_filter_dropdowns_exist[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_shows_net_notional[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trade_row_click_highlights[chromium] File: tests/e2e/test_td_blotter/TestBlotterTradeInterac

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_classifiers_view_visible[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_train_all_button[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_summary_stats[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_table_pane[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_detail_pane[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_summary_table_has_rows[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_table_has_action_buttons[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_row_click_populates_detail[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_progress_bar_hidden_initially[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_classifier_summary_api_returns_data[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trained_classifiers_loadable_in_stress_tab[chromium] File: tests/e2e/test_td_classifiers/TestC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_portstress_view_visible[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_storm_selector[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_storm_selector_has_options[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStres

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_sub_tab_buttons[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_stats_bar[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_content_area[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_pflood_has_content[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressPFlood

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_pflooding_has_chart_or_data[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressPart1

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portpnl_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressPart2

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portpnl_mentions_pnl_keywords[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressPart2

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gaugepnl_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressGauge

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gaugepnl_has_gauge_selector_or_table[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressGauge

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_severity_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressSeverity

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_severity_mentions_threshold_keywords[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressSeverity

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_classifier_readiness_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDashboard

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_portfolio_storms_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDataLoad

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_portfolio_run_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDataLoad

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_market_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_yield_curve_content[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_hazard_term_structure[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_charts_or_inputs[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_risk_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_risk_grid[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_risk_keywords[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_map_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestAggregateTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_leaflet_or_svg[chromium] File: tests/e2e/test_td_tabs_part1/TestAggregateTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_history_list_or_table[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_eod_keywords[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_curves_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestCurvesTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_chart_or_curve_content[chromium] File: tests/e2e/test_td_tabs_part2/TestCurvesTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_stress_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_gauge_dropdown[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_storm_dropdown[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_close_button_opens_modal[chromium] File: tests/e2e/test_validate_closeout/TestCloseoutForm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_negative_closeout_spread_handling[chromium] File: tests/e2e/test_validate_closeout/TestCloseoutForm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_non_numeric_tenor_input[chromium] File: tests/e2e/test_validate_market/TestMarketFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_negative_rate_handling[chromium] File: tests/e2e/test_validate_market/TestMarketFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_zero_notional_disables_commit[chromium] File: tests/e2e/test_validate_prs/TestPRFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_empty_counterparty_disables_commit[chromium] File: tests/e2e/test_validate_prs/TestPRSFo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_negative_spread_handling[chromium] File: tests/e2e/test_validate_prs/TestPRSFo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_has_close_button[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_close_button_opens_dialog[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_spread_input_updates_settlement[chromium] File: tests/e2e/test_workflow_closeout/TestTrade

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_confirm_closeout_posts[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_submit_button_exists[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_submit_creates_snapshot[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_history_has_pdf_link[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_counterparty_dropdown_has_options[chromium] File: tests/e2e/test_workflow_gauge_prs/TestG

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_selecting_counterparty_enables_commit[chromium] File: tests/e2e/test_workflow_gauge_prs/Te

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fill_notional_and_spread[chromium] File: tests/e2e/test_workflow_gauge_prs/TestGaugePRSCommi

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_commit_triggers_response[chromium] File: tests/e2e/test_workflow_gauge_prs/TestGaugePRSCom

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_yield_curve_inputs_exist[chromium] File: tests/e2e/test_workflow_market/TestMarketStateComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tenor_inputs_accept_values[chromium] File: tests/e2e/test_workflow_market/TestMarketStateCo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_dirty_state_indicator[chromium] File: tests/e2e/test_workflow_market/TestMarketStateCommit.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_save_button_commits_changes[chromium] File: tests/e2e/test_workflow_market/TestMarketStat

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_reset_button_exists[chromium] File: tests/e2e/test_workflow_market/TestMarketStateReset.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_reset_restores_defaults[chromium] File: tests/e2e/test_workflow_market/TestMarketStateReset.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_controls_exist[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_fill_prs_values[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSComit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_commit_button_state[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```


A Platform Infrastructure Tests

Table 36: Test Results Summary — Platform Infrastructure (PLATFORM)

Total Tests	5855
Passed	5824
Failed	15
Skipped	16
Duration	191.81s

Table 37: Detailed Test Results — Platform Infrastructure

Test Description	Acceptance Criteria	Result	Time
Test that config has CATCHMENT attribute.	—	Pass	0.000s
Test that config ENDPOINTS includes health_check for backend handler.	<code>cfg.ENDPOINTS['health_check'] == '/api/v1/health'; ep in cfg.ENDPOINTS</code>	Pass	0.000s
Test that select_catchment.html exists.	—	Pass	0.000s
Test that routes register correctly.	—	Pass	0.042s
Existing synthetic fixture – confirms endpoint logic works.	<code>response.status_code == 200</code>	Pass	0.002s
Mounts the real model.inventory.json and confirms the endpoint does not 500.	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.062s
All models in the file are served by the endpoint.	<code>response.status_code == 200;</code> <code>len(data["models"]) == expected.count</code>	Pass	0.057s
Concrete subclass returns empty list	<code>result == []</code>	Pass	0.000s
Get entity id called	<code>loader.find_by_id('A')</code> is not None	Pass	0.002s
Get entity summary called	<code>summaries[0]['id'] == 'B'</code>	Pass	0.003s
Add action auto generates id	<code>r.status_code == 200; actions[0]["id"] == "A-001"</code> (+1 more)	Pass	0.002s
Add action unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete action	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["actions"] == []</code>	Pass	0.003s
Delete action unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Update action status	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["actions"][0]["status"]</code> <code>== "Closed"</code>	Pass	0.003s
Update missing action returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add action auto id	<code>"A-001" in ids; "A-002" in ids</code>	Pass	0.002s
Add action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add action returns 200	<code>r.status_code == 200;</code> <code>len(meeting["actions"]) == 2</code>	Pass	0.002s
Delete action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete action returns 200	<code>r.status_code == 200;</code> <code>len(r.get_json()["meeting"]["actions"])</code> <code>== 0</code>	Pass	0.002s
Update action not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update action returns 200	<code>r.status_code == 200; action["status"]</code> <code>== "Closed"</code>	Pass	0.003s
Westminster, Chelsea and Lambeth all have trades – all must appear.	<code>self.WESTMINSTER.ID in active;</code> <code>self.CHELSEA.ID in active (+1 more)</code>	Pass	0.025s
No trades at all -i empty gauge_ids list -i all right-click	<code>resp.status_code == 200;</code> <code>data['gauge_ids'] == []</code>	Pass	0.001s
A gauge that has no PRS trades must not appear in active-gauges,	<code>self.NO_TRADE.ID not in</code> <code>data['gauge_ids']</code>	Pass	0.024s
Lambeth Bridge (GAUGE-9042bd95) must be in active-gauges	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.024s
After closing PRS-TEST-LAMBETH, Lambeth must leave active-gauges	<code>self.LAMBETH.ID in</code> <code>before['gauge_ids']; self.LAMBETH.ID</code> <code>not in after['gauge_ids']</code>	Pass	0.040s
Closing Lambeth's trade must not affect Westminster or Chelsea.	<code>self.WESTMINSTER.ID in</code> <code>after['gauge_ids']; self.CHELSEA.ID in</code> <code>after['gauge_ids']</code>	Pass	0.039s
gauge_ids are returned in sorted order for stable JS dict lookup.	<code>ids == sorted(ids)</code>	Pass	0.016s
Gauge in active list	<code>active['status'] == 'success';</code> <code>gauge_id in active.get('gauge_ids',</code> <code>[])</code>	Pass	0.010s
Production function: levels decay back toward base after peak.	<code>levels[-1] < max(levels)</code>	Pass	0.000s
Production function: peak i= base + level.change.	<code>max(levels) >= base + change * 0.9</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
_synthesize_hydrograph default returns 168 hours (STORM_HOURS constant).	STORM_HOURS == 168; len(levels) == 168	Pass	0.000s
Production function: hour 0 = base_level.	abs(levels[0] - 3.0) < 0.01	Pass	0.000s
Peak occurs near duration_hours * peak_position.	abs(actual_peak_hour - expected_peak_hour) <= 2	Pass	0.000s
Add appears in list	len(r.get_json()["references"]) == 1	Pass	0.003s
Add assigns id	"id" in ref; len(ref["id"]) > 0	Pass	0.002s
Add no json body uses defaults	r.status_code in (200, 400, 500)	Pass	0.002s
Add returns 200	r.status_code == 200	Pass	0.002s
Add returns reference	data["status"] == "success"; "reference" in data	Pass	0.002s
Add same category twice no duplicate	r.get_json()["categories"].count("Risk") == 1	Pass	0.005s
Add stores all fields	ref["author"] == "Jones"; ref["journal"] == "Nature" (+1 more)	Pass	0.002s
Add with category updates categories	"Flood Risk" in r.get_json()["categories"]	Pass	0.003s
Adds to map	—	Pass	0.002s
Returns notification system	isinstance(result, NotificationSystem)	Pass	0.001s
Add to map calls add child	—	Pass	0.003s
Add to map calls add child	—	Pass	0.003s
Add to map calls add child	—	Pass	0.003s
Approaching retirement over 55	isinstance(result, list)	Pass	0.000s
Early career under 25	isinstance(result, list)	Pass	0.000s
Prime years 25 to 55	isinstance(result, list)	Pass	0.000s
Add agenda item	r.status_code == 200; len(agenda) == 1 (+2 more)	Pass	0.002s
Add agenda unknown meeting returns 404	r.status_code == 404	Pass	0.001s
Add multiple items increments number	[a["item"] for a in agenda] == [1, 2, 3]	Pass	0.005s
Delete agenda item rennumbers	len(agenda) == 2; [a["item"] for a in agenda] == [1, 2] (+1 more)	Pass	0.007s
Delete agenda unknown meeting returns 404	r.status_code == 404	Pass	0.002s
Update agenda item	r.status_code == 200; item["title"] == "Updated" (+1 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Update agenda unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update missing item returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add agenda item increments count	<code>len(meeting["agenda"]) == 3</code>	Pass	0.003s
Add agenda item returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Add agenda missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete agenda item returns 200	<code>r.status_code == 200;</code> <code>len(meeting["agenda"]) == 1</code> (+1 more)	Pass	0.003s
Delete agenda missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update agenda item not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update agenda item returns 200	<code>r.status_code == 200;</code> <code>meeting["agenda"][0]["title"] == "Updated Title"</code>	Pass	0.002s
When peak_wl is alert but warning, threshold is 'alert'.	<code>resp.status_code == 200;</code> g001 is not None (+1 more)	Pass	0.054s
Empty report	<code>result['num_clones'] == 0;</code> <code>result['worst'] == []</code> (+1 more)	Pass	0.000s
Fmt stats has python	<code>'python' in result['fmt_stats']</code>	Pass	0.000s
Line numbers extracted from 'start' field must be integers.	<code>isinstance(entry[1], int);</code> <code>isinstance(entry[3], int)</code>	Pass	0.000s
Regression: jscpd uses 'start' not 'startLine' — must not produce '?' in output.	<code>11 != '??'; 12 != '??'</code>	Pass	0.000s
Largest sorted descending	<code>lines == sorted(lines, reverse=True)</code>	Pass	0.000s
Num clones correct	<code>result['num_clones'] == 2</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Total present	<code>'total' in result;</code> <code>result['total']['lines'] == 10000</code>	Pass	0.000s
Worst populated	<code>len(result['worst']) > 0;</code> <code>isinstance(fname, str)</code> (+2 more)	Pass	0.000s
computePRSCashflows function exists.	<code>'computePRSCashflows' in prs_js</code>	Pass	0.000s
interpolateSurvival function exists.	<code>'interpolateSurvival' in prs_js</code>	Pass	0.000s
interpolateYieldRate function exists.	<code>'interpolateYieldRate' in prs_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Completeness percentage computed	<code>r["PropertyHeader"]["percentage"] ==</code> <code>pytest.approx(66.67,...</code>	Pass	0.000s
Empty section excluded	<code>"PropertyHeader" not in r</code>	Pass	0.000s
Mortgage data included	<code>"Mortgage Data" in r</code>	Pass	0.000s
Property header section present	<code>"PropertyHeader" in r</code>	Pass	0.000s
Returns dict	<code>isinstance(r, dict);</code> <code>isinstance(r,</code> <code>dict)</code>	Pass	0.000s
Section not present excluded	<code>len(r) == 0</code>	Pass	0.000s
All none returns zeros	<code>result["counts"]["properties"] == 0;</code> <code>result["counts"]["mortgages"] == 0</code> (+1 more)	Pass	0.000s
Counts match data	<code>result["counts"]["properties"] == 2;</code> <code>result["counts"]["mortgages"] == 1</code> (+1 more)	Pass	0.000s
Flood mortgages counted	<code>result["counts"]["flood_mortgages"]</code> <code>== 1</code>	Pass	0.000s
Flood properties overlap	<code>result["counts"]["flood_properties"]</code> <code>== 2;</code> <code>result["overlaps"]["properties_with_flood_risk"]</code> <code>== 1</code>	Pass	0.000s
Returns required keys	<code>"counts" in result;</code> <code>"overlaps" in</code> <code>result</code>	Pass	0.000s
pts dir exists but property has no flood_events → 404.	<code>client.get(_COMPOSITE_URL).status_code</code> <code>== 404</code>	Pass	0.031s
pts dir exists but all flood_depths are zero → 404.	<code>client.get(_COMPOSITE_URL).status_code</code> <code>== 404</code>	Pass	0.033s
No pts dir returns 404	<code>pts_client_no_data.get(_COMPOSITE_URL).status_code</code> <code>== 404</code>	Pass	0.001s
No pts dir status error	<code>pts_client_no_data.get(_COMPOSITE_URL).get_json()["status"]</code>	Pass	0.000s
Options returns ok	<code>pts_client_no_data.options(_COMPOSITE_URL).status_code</code> <code>==...</code>	Pass	0.000s
Frame has gauges	<code>"gauges" in frame0</code>	Pass	0.000s
Frame has hour	<code>frame0["hour"] == 0</code>	Pass	0.000s
Frame has properties	<code>"properties" in frame0</code>	Pass	0.000s
Frame has stats	<code>"gauges_flooded" in stats;</code> <code>"properties_flooded" in stats</code> (+1 more)	Pass	0.000s
Arrived true at arrival time	<code>frames[4]["properties"][0]["arrived"]</code> <code>is False;</code> <code>frames[5]["properties"][0]["arrived"]</code> <code>is True</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Peak true at and after peak time	frames[11]["properties"][0]["peak"] is False; frames[12]["properties"][0]["peak"] is True	Pass	0.006s
hour i= len(readings) → flooded=False, depth_m=0, ar- rived=False, peak=False.	p["flooded"] is False; p["depth_m"] == 0 (+2 more)	Pass	0.032s
Property does not have wse m	"wse_m" not in frames[0]["properties"][0]	Pass	0.000s
Property has peak field	"peak" in frames[0]["properties"][0]	Pass	0.000s
Property has required fields	f in p	Pass	0.000s
Frames list length	len(pts_env["client"].get(_COMPOSITE_URL).get_json()["frames"]) == 200	Pass	0.006s
N frames equals storm hours	pts_env["client"].get(_COMPOSITE_URL).get_json()["n_frames"] == 200	Pass	0.009s
N properties affected is one	pts_env["client"].get(_COMPOSITE_URL).get_json()["n_properties"] == 1	Pass	0.006s
Returns 200	pts_env["client"].get(_COMPOSITE_URL).status_code == 200	Pass	0.006s
Status success	pts_env["client"].get(_COMPOSITE_URL).get_json()["status"] == "success"	Pass	0.006s
Storm id is composite	pts_env["client"].get(_COMPOSITE_URL).get_json()["storm_id"] == "COMPOSITE"	Pass	0.006s
Property with two storms: com- posite uses the one with higher flood_depth.	data["status"] == "success"; data["frames"][0]["properties"][0]["depth_m"] == pytest.a...	Pass	0.034s
No pts dir returns 404	r.status_code == 404	Pass	0.001s
No pts dir status error	pts_client_no_data.get(f"/api/v1/propertyts/...	Pass	0.000s
Options returns ok	r.status_code == 200	Pass	0.000s
Unknown storm message mentions storm id	"STORM-GHOST" in msg	Pass	0.032s
Unknown storm returns 404	client.get("/api/v1/propertyts/animate/STORM-GHOST")	Pass	0.034s
Unknown storm status error	client.get("/api/v1/propertyts/animate/STORM...	Pass	0.032s
Frame has gauges	"gauges" in frame0; len(frame0["gauges"]) == 1	Pass	0.000s
Frame has hour field	"hour" in frame0	Pass	0.000s
Frame has properties	"properties" in frame0; len(frame0["properties"]) == 1	Pass	0.000s
Frame has stats	"gauges_flooded" in stats; "properties_flooded" in stats (+1 more)	Pass	0.000s
Frame hour zero is first	frame0["hour"] == 0	Pass	0.000s
Hour values sequential	[f["hour"] for f in frames] == list(range(STORM_HOURS))	Pass	0.035s

Test Description	Acceptance Criteria	Result	Time
Gauge has required fields	f in gauge0	Pass	0.000s
Gauge id correct	gauge0["gauge_id"] == "GAUGE-001"	Pass	0.000s
Gauge status alert when above alert	gauge0["status"] == "alert"	Pass	0.000s
Gauge status normal when below alert	g["status"] == "normal"	Pass	0.035s
Gauge status severe	g["status"] == "severe"	Pass	0.034s
Gauge status warning	g["status"] == "warning"	Pass	0.032s
Gauge readings using water_level_m key (not waterLevel) still work.	g["water_level_m"] == 4.3	Pass	0.035s
Gauge with no readings defaults to zero	frames[10]["gauges"][0]["water_level_m"] == 0	Pass	0.032s
Water level from readings	gauge0["water_level_m"] == 4.2	Pass	0.000s
Arrived false before arrival time	frames[0]["properties"][0]["arrived"] is False; frames[4]["properties"][0]["arrived"] is False	Pass	0.000s
Arrived true at and after arrival time	frames[5]["properties"][0]["arrived"] is True; frames[10]["properties"][0]["arrived"] is True	Pass	0.000s
When hour $i = \text{len}(\text{readings})$, flooded=False, depth_m=0, wse_m=0.	p["flooded"] is False; p["depth_m"] == 0 (+1 more)	Pass	0.033s
Property has required fields	f in p	Pass	0.000s
Property id correct	frames[0]["properties"][0]["property_id"] == "PROP-001"	Pass	0.000s
Gauges flooded counts non normal	stats["gauges_flooded"] == 1	Pass	0.033s
Gauges flooded zero when normal	stats["gauges_flooded"] == 0	Pass	0.034s
Properties flooded is positive early on	stats["properties_flooded"] >= 1	Pass	0.033s
Total depth m non negative	all(f["stats"]["total_depth_m"] >= 0 for f in frames[:5])	Pass	0.033s
Frames list length equals storm hours	len(data["frames"]) == STORM_HOURS	Pass	0.006s
N frames equals storm hours	data["n_frames"] == STORM_HOURS	Pass	0.006s
N properties affected is one	data["n_properties_affected"] == 1	Pass	0.006s
Returns 200	anim_client.get(f"/api/v1/propertyts/animates/{STORM_ID}")	Pass	0.006s
Status success	data["status"] == "success"	Pass	0.006s
Storm id in response	data["storm_id"] == STORM_ID	Pass	0.008s
Minimum spread applied for floor property	prob >= expected_min	Pass	0.091s

Test Description	Acceptance Criteria	Result	Time
Return period finite for floor	<code>rp is not None; rp > 0</code>	Pass	0.091s
Appends line	<code>"hello world" in lines</code>	Pass	0.000s
Clear then append	<code>lines == ["fresh line"]</code>	Pass	0.000s
Trims buffer at 2000	<code>length <= 2000</code>	Pass	0.001s
All non negative	<code>np.all(result >= 0.0)</code>	Pass	0.001s
For each active hour, mean(gauge_precip) approximately equals catchment_precip.	<code>result[:, h].mean() == pytest.approx(precip[h], rel=1e-6)</code>	Pass	0.001s
Output shape	<code>result.shape == (thames_model.n.gauges, 168)</code>	Pass	0.001s
Different gauges get different precip- itation amounts.	<code>col.std() > 0.0</code>	Pass	0.001s
Mean across gauges of total precip approximately equals original catch- ment total.	<code>per_gauge_total.mean() == pytest.approx(catchment_total, ...</code>	Pass	0.001s
Zero precip hours remain zero	<code>np.all(result[:, zero_hours] == 0.0)</code>	Pass	0.001s
All factors applied	<code>abs(result - round(expected, 2)) < 0.01</code>	Pass	0.000s
Basic calculation	<code>result == 800_000.0</code>	Pass	0.000s
Clamped to max	<code>result == MAX_PROPERTY.VALUE</code>	Pass	0.000s
Clamped to min	<code>result == MIN_PROPERTY.VALUE</code>	Pass	0.000s
Flood risk discount reduces value	<code>with_risk < no_risk</code>	Pass	0.000s
Noise factor applied	<code>result2 > result1</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Age risk approaching retirement	<code>"Medium" in r["Age Risk"]</code>	Pass	0.000s
Age risk early career	<code>"Medium" in r["Age Risk"]</code>	Pass	0.000s
Age risk prime years	<code>"Age Risk" in r; "Low" in r["Age Risk"]</code>	Pass	0.000s
Credit risk high for poor score	<code>"High" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk low for high score	<code>"Credit Risk" in r; "Low" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk low medium for good score	<code>"Low-Medium" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk medium for fair score	<code>"Medium" in r["Credit Risk"]</code>	Pass	0.000s
Employment risk established 2 to 5	<code>"Low-Medium" in r["Employment Risk"]</code>	Pass	0.000s
Employment risk recent under 2	<code>"Medium-High" in r["Employment Risk"]</code>	Pass	0.000s
Employment risk stable 5 plus	<code>"Employment Risk" in r; "Low" in r["Employment Risk"]</code>	Pass	0.000s
Income risk low for high income	<code>"Income Risk" in r; "Low" in r["Income Risk"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Income risk low medium adequate	"Low-Medium" in r["Income Risk"]	Pass	0.000s
Income risk medium limited	"Medium" in r["Income Risk"]	Pass	0.000s
Returns dict	isinstance(result, dict)	Pass	0.000s
Best and worst sections shown	"Best Data Section" in r; "Weakest Data Section" in r	Pass	0.000s
Critical completeness high	"Critical Data Reliability" in r; "High" in r["Critical Data Reliability"]	Pass	0.000s
Critical completeness low	"Low" in r["Critical Data Reliability"]	Pass	0.000s
Critical completeness medium	"Medium" in r["Critical Data Reliability"]	Pass	0.000s
Excellent over 90	"Excellent" in r["Overall Completeness"]	Pass	0.000s
Fair 60 to 75	"Fair" in r["Overall Completeness"]	Pass	0.000s
Good 75 to 90	"Good" in r["Overall Completeness"]	Pass	0.000s
Limited 40 to 60	"Limited" in r["Overall Completeness"]	Pass	0.000s
Poor under 40	"Poor" in r["Overall Completeness"]	Pass	0.000s
Building 25 years → Contemporary category.	isinstance(result, list)	Pass	0.001s
Building older than 100 years → Historic category.	isinstance(result, list)	Pass	0.001s
Building 50–100 years → Mature category.	isinstance(result, list)	Pass	0.001s
Building 25–50 years → Modern category.	isinstance(result, list)	Pass	0.001s
Basic info subsection	any("Basic Property Information" in t for t in texts)	Pass	0.001s
Building age subsection	any("Building Age" in t for t in texts)	Pass	0.001s
Condition fair recommendation	isinstance(result, list)	Pass	0.001s
Condition good recommendation	isinstance(result, list)	Pass	0.001s
Condition poor recommendation	isinstance(result, list)	Pass	0.001s
Condition unknown falls back	isinstance(result, list)	Pass	0.001s
Empty property does not crash	isinstance(result, list)	Pass	0.000s
External features subsection	any("External Features" in t for t in texts)	Pass	0.001s
Has section header	any("Property Attributes" in t for t in texts)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
No construction year skips age	<code>isinstance(result, list)</code>	Pass	0.001s
Physical dimensions subsection	<code>any("Physical Dimensions" in t for t in texts)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Room composition subsection	<code>any("Room Composition" in t for t in texts)</code>	Pass	0.001s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.001s
Line 82: audit log $\geq$ 10000 entries gets trimmed.	<code>r.status_code == 200; len(log) <= 10000</code>	Pass	0.072s
Line 57: inventory file empty/missing $\rightarrow$ 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 85: save failure $\rightarrow$ 500.	<code>r.status_code == 500</code>	Pass	0.003s
Audit log truncated to 10000	<code>r.status_code == 200; len(entries) == 10000 (+1 more)</code>	Pass	0.064s
<code>_auditTerminalRefreshNow</code> must be on window – called from onclick in innerHTML.	<code>'window._auditTerminalRefreshNow' in audit_reports_js</code>	Pass	0.000s
JSON button was deliberately removed – must not reappear.	<code>'test.failures.report.json' not in audit_reports_js</code>	Pass	0.000s
Poll output endpoint	<code>'test-report/output' in audit_reports_js</code>	Pass	0.000s
Refresh audit tab button	<code>'_auditTerminalRefreshNow' in audit_reports_js</code>	Pass	0.000s
<code>_runTestSuite</code> must be on window – onclick attributes execute in global scope.	<code>'window._runTestSuite' in audit_reports_js</code>	Pass	0.000s
Run suite function	<code>'_runTestSuite' in audit_reports_js</code>	Pass	0.000s
Terminal overlay id	<code>'_audit-terminal-overlay' in audit_reports_js</code>	Pass	0.000s
<code>_toggleFailureDetail</code> must be on window – called from onclick in innerHTML.	<code>'window._toggleFailureDetail' in audit_reports_js</code>	Pass	0.000s
When audit log exceeds 10 000 entries, it keeps only the last 10 000.	<code>len(entries) == 10_000; entries[0].get("seq") == 1 or entries[0].get("model_id") ...</code>	Pass	0.045s
<code>auto_open=True</code> enters the auto-open block (lines 324-325).	<code>report_path is not None; Path(report_path).exists()</code>	Pass	0.025s

Test Description	Acceptance Criteria	Result	Time
auto_open=False (default) — no open attempt, returns PDF path normally.	report_path is not None; Path(report_path).exists()	Pass	0.024s
auto_open=True with a successful open_pdf file call (lines 324-325).	report_path is not None; Path(report_path).exists()	Pass	0.025s
All pages exist	p in gen.pages	Pass	0.001s
All pages exist	p in gen.pages	Pass	0.001s
Always includes analysis pages	ap in pages	Pass	0.002s
Always includes appendix	"appendix" in pages	Pass	0.001s
Always includes gauge info pages	gp in pages	Pass	0.001s
Always includes operational pages	op in pages	Pass	0.001s
Always includes property pages	pp in pages	Pass	0.002s
Always includes summary pages	sp in pages	Pass	0.001s
Empty flood data	isinstance(pages, list)	Pass	0.001s
Empty property data	isinstance(pages, list)	Pass	0.002s
Includes analysis pages	p in pages	Pass	0.001s
Includes overview pages	p in pages	Pass	0.001s
Returns list	isinstance(pages, list); len(pages) > 0	Pass	0.001s
Returns list	isinstance(pages, list); len(pages) > 0	Pass	0.001s
With hazard curve includes analysis pages	any(p in pages for p in analysis_pages)	Pass	0.001s
With mortgage includes mortgage pages	mp in pages	Pass	0.002s
With timeseries includes analysis pages	any(p in pages for p in analysis_pages)	Pass	0.001s
Without mortgage excludes mortgage pages	mp not in pages	Pass	0.002s
Without timeseries or hazard no analysis pages	not any(p in pages for p in analysis_pages)	Pass	0.001s
Avail width value	AVAIL_WIDTH == pytest.approx(7.3 * inch)	Pass	0.000s
Lines 60-61: custom server_url and endpoints override config.	handler.server_url == 'http://test:9999'; handler.endpoints == {'a': '/api/a'}	Pass	0.000s
Lines 60-61: default server_url and endpoints from config.	handler.server_url == config.SERVER_URL; handler.endpoints == config.ENDPOINTS	Pass	0.000s
Endpoints dict is a copy, not a reference.	'z' not in handler.endpoints	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 154: BaseCDM.get_required_fields returns empty list by default.	<code>cdm.get_required_fields() == []</code>	Pass	0.000s
get_field_info on a leaf field returns its definition.	<code>info is not None; info["type"] == "text"</code>	Pass	0.000s
Line 116: field path not found returns None.	<code>mortgage_cdm.get_field_info("Mortgage.Nonexistent.Field") is None</code>	Pass	0.000s
Line 116: partial path that resolves to non-dict returns None.	<code>mortgage_cdm.get_field_info("Nonexistent") is None</code>	Pass	0.000s
Line 118: get_field_info returns None when leaf is not a dict.	<code>cdm.get_field_info("Root.Field") is None</code>	Pass	0.000s
Line 133: metadata keys at nested level are also skipped.	<code>"Root.Sub.Name" in fields; 'options' not in path_parts (+1 more)</code>	Pass	0.000s
list_all_fields on PRS CDM covers nested GaugeSet section.	<code>any("GaugeSet" in f for f in fields); any("Triggers" in f for f in fields)</code>	Pass	0.000s
Line 133: list_all_fields recurses nested sections.	<code>isinstance(fields, list); len(fields) > 10 (+2 more)</code>	Pass	0.000s
Line 133: 'type', 'options', 'values', 'description', 'items' are skipped.	<code>len(fields) == 1; fields[0] == "Section.RealField"</code>	Pass	0.000s
Line 157: __repr__ returns class name.	<code>"MortgageCDM" in repr(mortgage_cdm)</code>	Pass	0.000s
Verify data is cached after first load.	<code>len(result1) == len(result2) == 3</code>	Pass	0.002s
Test cache clearing.	<code>loader._cache is not None; loader._cache is None (+1 more)</code>	Pass	0.001s
Verify force_reload bypasses cache.	<code>len(result1) == 3; len(result2) == 0</code>	Pass	0.002s
Test cache invalidation.	<code>loader._cache_valid is True; loader._cache_valid is False</code>	Pass	0.001s
Verify abstract methods must be implemented.	—	Pass	0.000s
Subclass must implement get_entity_id.	—	Pass	0.000s
Subclass must implement get_entity_summary.	—	Pass	0.000s
Test file_exists method.	<code>loader.file_exists() is True; loader2.file_exists() is False</code>	Skip	0.000s
Load data with alternative container key (portfolio).	<code>len(result) == 1</code>	Pass	0.002s
Load data when JSON has container key.	<code>len(result) == 2</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Load data when JSON is a direct list.	<code>len(result) == 1;</code> <code>result[0]['PropertyHeader']['Header']['PropertyID']</code> <code>== 'P1'</code>	Pass	0.001s
Handle missing file gracefully.	<code>result == []</code>	Pass	0.000s
Load data when JSON is single object.	<code>len(result) == 1</code>	Pass	0.001s
Test count method.	<code>property_loader.count() == 3</code>	Pass	0.002s
Test exists method.	<code>property_loader.exists("PROP-001")</code> <code>is True;</code> <code>property_loader.exists("NONEXISTENT")</code> <code>is False</code>	Pass	0.001s
Test finding entity by ID.	<code>result is not None;</code> <code>result['PropertyHeader']['Header']['PropertyID']</code> <code>== "PROP..."</code>	Pass	0.001s
Test finding non-existent entity.	<code>result is None</code>	Pass	0.001s
Test getting all IDs.	<code>len(ids) == 3; "PROP-001" in ids (+2</code> <code>more)</code>	Skip	0.000s
Test get_status method.	<code>status['entity_type'] == 'property';</code> <code>status['file_exists'] is True (+1</code> <code>more)</code>	Skip	0.000s
Test listing all entities.	<code>len(result) == 3; all('propertyId' in</code> <code>item for item in result)</code>	Pass	0.001s
Post loop cancellation returns early	<code>cl_mod..batch_job is None</code>	Pass	0.000s
Batch returns immediately when cancelled before start	<code>call_count == 0; cl_mod..batch_job is</code> <code>None</code>	Pass	0.000s
Successful batch reads metrics from summary	<code>cl_mod..batch_job["status"] ==</code> <code>"complete"; result["auc_roc"] == 0.95</code> <code>(+1 more)</code>	Pass	0.007s
ETA computed from elapsed/completed when avg_per_gauge is 0.	<code>data["eta_seconds"] is not None;</code> <code>data["eta_seconds"] >= 40</code>	Pass	0.001s
ETA is None when no gauges completed yet and no historical avg.	<code>data["eta_seconds"] is None</code>	Pass	0.001s
POST when every gauge has a .joblib returns 'complete'.	<code>data["status"] == "complete";</code> <code>data["message"] == "All gauges</code> <code>already trained"</code>	Pass	0.007s
POST while batch is running returns current progress without starting new job.	<code>data["status"] == "running";</code> <code>data["completed"] == 2 (+1 more)</code>	Pass	0.001s
Complete status includes results list.	<code>data["status"] == "complete";</code> <code>len(data["results"]) == 2</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
POST returns running or complete.	data["status"] in ("running", "complete", "error")	Pass	0.002s
Status endpoint returns expected fields when batch is running.	data["status"] == "running"; data["total"] == 10 (+4 more)	Pass	0.001s
Status endpoint returns idle when no batch is running.	data["status"] == "idle"	Pass	0.001s
Pdf not generated returns 404	r.status_code == 404; "not yet generated" in r.get_json()["message"]	Pass	0.000s
Save failure returns 500	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.001s
Line 74: POST add when save fails.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.002s
Line 112: DELETE when save fails.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.002s
Line 100: PUT update when save fails.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.002s
Closed trades excluded from blotter by default.	'PRS-TEST-001' not in swap_ids	Pass	0.036s
include_closed=true returns closed trades too.	'PRS-TEST-001' in swap_ids	Pass	0.037s
Corrupt JSON in prs dir is skipped via inner exception (lines 134-135).	resp.status_code == 200; data['status'] == 'success'	Pass	0.053s
Blotter returns 500 when engine raises (lines 94-96).	resp.status_code == 500; data['status'] == 'error'	Pass	0.001s
Close trade returns 500 when engine raises (lines 251-253).	resp.status_code == 500; data['status'] == 'error'	Pass	0.001s
PDF regen exception is caught; trade close still succeeds (lines 236-237).	resp.status_code == 200; data['swap_id'] == 'PRS-TEST-001' (+1 more)	Pass	0.031s
Trade with empty GaugeName gets name injected from gauge locations.	resp.status_code == 200; noname[0].get('gauge_name', '') != ''	Pass	0.063s
New trade in blotter	blotter['status'] == 'success'; swap_id in trade_ids	Pass	0.050s
P&L bar should display net notional (signed sum).	'netNotional' in js; 'fmtGBP(netNotional)' in js	Pass	0.000s
Payer (Pay) should show negative notional.	'is-payer' in js; 'netNotional' in js	Pass	0.000s
PRS-*.json glob must match PRS-{8hex} filenames (the production format).	fnmatch.fnmatch(name, 'PRS-*.json'); fnmatch.fnmatch(name, 'PRS-{8hex}.json')	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
When PRS trade files are present, GET /trading/blotter returns them.	<code>len(found) == 1</code>	Pass	0.000s
When QuantLib IS available, book must export its public API.	<code>isinstance(THAMES_CENTRAL_AREAS, list); len(THAMES_CENTRAL_AREAS) > 0</code>	Pass	0.000s
port.src.book itself can be imported without QuantLib because	<code>hasattr(mod, "THAMES_CENTRAL_AREAS")</code>	Pass	0.002s
Thames Central book should cover exactly 10 gauge areas.	<code>len(THAMES_CENTRAL_AREAS) == 10</code>	Pass	0.000s
models.hazard.pricing has 'import QuantLib as ql' at module level.	—	Pass	0.001s
Family members shown	<code>isinstance(result, list)</code>	Pass	0.000s
Has borrower header	<code>any("Borrower" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Income verification shown	<code>isinstance(result, list)</code>	Pass	0.000s
Marital status shown	<code>isinstance(result, list)</code>	Pass	0.000s
Nationality shown	<code>isinstance(result, list)</code>	Pass	0.000s
No borrower details returns early	<code>any("No borrower" in t for t in texts)</code>	Pass	0.000s
No mortgage returns message	<code>any("No mortgage" in t for t in texts)</code>	Pass	0.000s
Residency status shown	<code>isinstance(result, list)</code>	Pass	0.000s
Secondary income shown	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage returns list	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
All none returns empty dicts	<code>result["mortgage_lookup"] == {};</code> <code>result["gauge_flood_info"] == {}</code> (+1 more)	Pass	0.000s
All none returns four keys	<code>set(result.keys()) == {"mortgage_lookup", "g...</code>	Pass	0.000s
With data populates lookups	<code>"P1" in result["mortgage_lookup"]</code>	Pass	0.000s
Audit trail date range	<code>len(story) >= 6</code>	Pass	0.000s
Audit trail empty	<code>len(story) >= 2</code>	Pass	0.000s
Audit trail no timestamps	<code>len(story) >= 4</code>	Pass	0.000s
Audit trail renders	<code>len(story) > 0</code>	Pass	0.000s
Bcbs239 all compliant	<code>len(story) >= 4</code>	Pass	0.000s
Bcbs239 at risk	<code>len(story) >= 5</code>	Pass	0.000s
Bcbs239 no principles	<code>len(story) >= 2</code>	Pass	0.000s
Bcbs239 renders	<code>len(story) > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No trades returns message	<code>any("No open PRS trades" in t for t in texts)</code>	Pass	0.000s
Receiver trade direction	<code>isinstance(result, list)</code>	Pass	0.000s
Trigger capitalized	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
With trades returns table	<code>len(tables) >= 1</code>	Pass	0.000s
With trades shows count	<code>any("Total trades: 2" in t for t in texts)</code>	Pass	0.000s
Line 186: when CDM validation returns errors, a warning is logged.	<code>record is not None; "PhysicalSwap" in record (+1 more)</code>	Pass	0.001s
When compound event causes flooding, readings are present.	<code>"readings" in result;</code> <code>result["flood_depth_m"] > 0 (+2 more)</code>	Pass	0.165s
Property too high for flood -i no readings key.	<code>result["flooded"] is False;</code> <code>"readings" not in result (+1 more)</code>	Pass	0.249s
Isolated storm type passed through to event.	<code>result["sequence_type"] == "isolated";</code> <code>result["num_pulses"] == 1</code>	Pass	0.165s
Compound event has all expected keys including compound-specific ones.	<code>result["compound"] is True;</code> <code>result["num_pulses"] == 2 (+2 more)</code>	Pass	0.164s
When gauge severe i base_level, superposition cap is computed.	<code>call_kwargs is not None; cap_arg is not None</code>	Pass	0.165s
Distance=0 -i travel_time_hrs=0.	<code>result["travel_time_hrs"] == 0.0</code>	Pass	0.165s
Compound cluster should produce more flooding than its best pulse alone.	<code>max_cluster > max_single</code>	Pass	0.001s
Cluster should have longer flood duration than isolated.	<code>dur_cluster > dur_iso</code>	Pass	0.001s
A big isolated pulse should flood the property.	<code>max_depth > 2.0</code>	Pass	0.000s
Property too high above gauge -i no flooding.	<code>max_depth == 0.0</code>	Pass	0.000s
Output schema	<code>len(result) == 168; all('hour' in r for r in result) (+3 more)</code>	Pass	0.000s
Cover basic	<code>len(story) > 0</code>	Pass	0.001s
Cover no bcbs	<code>len(story) >= 3</code>	Pass	0.000s
Cover no tests	<code>len(story) >= 3</code>	Pass	0.000s
Cover with bcbs	<code>'BCBS' in combined or len(story) >= 5</code>	Pass	0.001s
Cover with tests	<code>len(story) >= 5</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Documents empty	<code>len(story) >= 2</code>	Pass	0.000s
Documents file list	<code>len(story) >= 4</code>	Pass	0.000s
Documents renders	<code>len(story) > 0</code>	Pass	0.000s
Exec summary all pass	<code>len(story) > 0</code>	Pass	0.000s
Exec summary failures	<code>len(story) > 0</code>	Pass	0.001s
Exec summary no coverage	<code>len(story) > 0</code>	Pass	0.000s
Exec summary no tests	<code>len(story) > 0</code>	Pass	0.000s
Exec summary renders	<code>len(story) > 0</code>	Pass	0.000s
When flooded, arrival_time and peak_time are set.	<code>result["arrival_time_hrs"] is not None; result["peak_time_hrs"] is not None</code>	Pass	0.164s
High WSE above property elevation -i flooded=True.	<code>result["flooded"] is True; result["flood_depth_m"] > 0</code>	Pass	0.164s
Gaugets with empty readings -i no readings key (not flooded).	<code>"readings" not in result</code>	Pass	0.164s
Low WSE -i flooded=False.	<code>result["flooded"] is False</code>	Pass	0.164s
_build_flood_event returns dict with required keys.	<code>key in result; "readings" in result</code>	Pass	0.165s
Distance=0 -i travel_time=0 path.	<code>result["travel_time_hrs"] == 0.0</code>	Pass	0.164s
Both none returns empty	<code>build_gauge_flood_info(None, None) == {}</code>	Pass	0.000s
Gauge data supplements missing fields	<code>"GAUGE-002" in result; result["GAUGE-002"]["gauge_name"] == "My Gauge" (+2 more)</code>	Pass	0.000s
Gauge without id skipped	<code>result == {}</code>	Pass	0.000s
Hazard curves only	<code>"GAUGE-001" in result; result["GAUGE-001"]["gauge_name"] == "Thames at Chelsea" (+2 more)</code>	Pass	0.000s
Hazard data takes precedence	<code>result["GAUGE-003"]["gauge_name"] == "From HC"</code>	Pass	0.000s
Line 247: FileNotFoundError when gauge.json missing.	—	Pass	0.005s
Line 235: FileNotFoundError when storm_sequences.json missing.	—	Pass	0.000s
Verbose=False should skip log messages.	<code>result['summary']['num_gauges'] == 1; len(info_msgs) == 0</code>	Pass	0.021s
Lines 242, 254, 273, 280-281, 288: verbose logging.	<code>result['summary']['num_gauges'] == 1; result['summary']['num_storms'] == 20 (+3 more)</code>	Pass	0.025s
Inventory empty	<code>len(story) >= 2</code>	Pass	0.000s
Inventory no risk ratings	<code>len(story) >= 3</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Inventory rag colours	<code>len(story) >= 3</code>	Pass	0.000s
Inventory renders	<code>len(story) > 0</code>	Pass	0.000s
Inventory risk ratings	<code>len(story) >= 4</code>	Pass	0.000s
Mrc completed actions excluded	<code>len(story) >= 3</code>	Pass	0.000s
Mrc no decisions	<code>len(story) >= 3</code>	Pass	0.000s
Mrc no meetings	<code>len(story) >= 2</code>	Pass	0.000s
Mrc open actions	<code>len(story) >= 4</code>	Pass	0.000s
Mrc renders	<code>len(story) > 0</code>	Pass	0.000s
Mrc with decisions	<code>len(story) >= 5</code>	Pass	0.000s
No market state returns message	<code>any("No market hazard term structure" in t for t in texts)</code>	Pass	0.000s
Some tenor slots missing -¿ show 'N/A'.	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
With adjustments returns extra ta- ble	<code>len(tables) >= 2</code>	Pass	0.000s
With hts returns table	<code>len(tables) >= 1</code>	Pass	0.000s
All sections	<code>len(content) > 1000</code>	Pass	0.003s
Buffer not empty	<code>len(content) > 100</code>	Pass	0.003s
Meeting with actions	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with agenda	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with decisions	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with minutes	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with no date/time/loca- tion/chair still works.	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with participants	<code>isinstance(result, io.BytesIO)</code>	Pass	0.003s
Minimal meeting	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Returns bytesio	<code>isinstance(result, io.BytesIO)</code>	Pass	0.003s
Empty dict returns empty	<code>build_mortgage_lookup({}) == {}</code>	Pass	0.000s
Loan from loan details fallback	<code>result["PROP-002"]["OriginalLoan"] == 300_000</code>	Pass	0.000s
Mortgage without property id skipped	<code>build_mortgage_lookup(data) == {}</code>	Pass	0.000s
Multiple mortgages	<code>set(result.keys()) == {"P1", "P2"}</code>	Pass	0.000s
No items key returns empty	<code>build_mortgage_lookup({"other": []}) == {}</code>	Pass	0.000s
None returns empty	<code>build_mortgage_lookup(None) == {}</code>	Pass	0.000s
Single mortgage	<code>"PROP-001" in result; result["PROP-001"]["mortgage_id"] == "MORT-001" (+3 more)</code>	Pass	0.000s
Basic risk info	<code>"M1" in result["by_mortgage_id"]; "P1" in result["by_property_id"] (+3 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing mortgage or property id skipped	result == {"by_mortgage_id": {}, "by_property_id": {}}	Pass	0.000s
No property flood info uses unknown	result["by_mortgage_id"]["M2"]["flood_risk_level"] == "Un..."	Pass	0.000s
None mortgage returns empty structure	result == {"by_mortgage_id": {}, "by_property_id": {}}	Pass	0.000s
Value at risk calculation	result["by_mortgage_id"]["M4"]["mortgage_value_at_risk"] ...	Pass	0.001s
60 i= percentile i 80 -i 'Elevated'.	any('Elevated' in t for t in texts)	Pass	0.088s
FloodAlert and FloodWarning in metadata -i no crash.	len(elements) > 0	Pass	0.093s
80 i= percentile i 95 -i 'High'.	any('High' in t for t in texts)	Pass	0.089s
percentile i 40 -i 'Low'.	any('Low' in t for t in texts)	Pass	0.089s
40 i= percentile i 60 -i 'Normal'.	any('Normal' in t for t in texts)	Pass	0.090s
Single same_month_levels entry -i stdev guard -i no crash.	len(elements) > 0	Pass	0.087s
Stats table and distribution statistics header present.	any('Distribution Statistics' in t for t in texts)	Pass	0.088s
percentile i= 95 -i 'Very High'.	any('Very High' in t for t in texts)	Pass	0.090s
Returns position function	'getPositionStyles' in css; 'top-right' in css (+1 more)	Pass	0.000s
All none returns empty	build_property_flood_info(None, None, None) == {}	Pass	0.000s
From property data when not in phc	"PROP-002" in result; result["PROP-002"]["flood_zone"] == "Zone 2" (+1 more)	Pass	0.000s
From property hazard data	"PROP-001" in result; result["PROP-001"]["annual_flood_prob"] == pytest.approx(...) (+2 more)	Pass	0.000s
Phc takes precedence over property data	result["PROP-003"]["annual_flood_prob"] == pytest.approx(...)	Pass	0.000s
Base level when no exceedance	—	Pass	0.000s
Peak near expected hour	abs(peak_hour - expected) <= 2	Pass	0.000s
Peak value	max(arr) == pytest.approx(8.0, abs=0.5)	Pass	0.000s
Raci escalation triggers dict	len(story) >= 5	Pass	0.000s
Raci escalation triggers string	len(story) >= 5	Pass	0.000s
Raci missing backup	len(story) >= 3	Pass	0.000s
Raci no roles	len(story) >= 2	Pass	0.000s
Raci renders	len(story) > 0	Pass	0.000s
Raci with activities	len(story) >= 5	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
alert j= peak j warning -i 'Alert'.	len(elements) > 1	Pass	0.000s
ValueError/TypeError in date parsing (lines 179-180) -i continue.	len(elements) > 0	Pass	0.000s
Days within 3 days grouped; higher level updates peak.	not any('No flood events' in t for t in texts)	Pass	0.000s
Consecutive days -i single event with range format.	len(elements) > 1	Pass	0.000s
No days exceeding alert -i 'No flood events recorded'.	any('No flood events' in t for t in texts)	Pass	0.000s
Peak i= severe_level -i 'Severe' row in table.	len(elements) > 1	Pass	0.000s
Single-day flood: date_str = start.strftime(...) only.	len(elements) > 1	Pass	0.000s
Days i 3 days apart -i two separate flood events.	len(elements) > 1	Pass	0.000s
warning j= peak j severe -i 'Warning'.	len(elements) > 1	Pass	0.000s
Recommendations all clean	len(story) >= 3	Pass	0.000s
Recommendations bcbs at risk	len(story) >= 4	Pass	0.000s
Recommendations overdue remediation	len(story) >= 4	Pass	0.000s
Recommendations peer reviewer gap	len(story) >= 4	Pass	0.000s
Recommendations raci backup gaps	len(story) >= 4	Pass	0.000s
Recommendations renders	len(story) > 0	Pass	0.000s
Recommendations failures	len(story) >= 4	Pass	0.000s
Recommendations validation gap	len(story) >= 4	Pass	0.000s
Remediation all completed	len(story) >= 4	Pass	0.000s
Remediation empty	len(story) >= 2	Pass	0.000s
Remediation overdue highlighted	len(story) >= 4	Pass	0.000s
Remediation priority sorting	len(story) >= 4	Pass	0.000s
Remediation renders	len(story) > 0	Pass	0.000s
Empty schema returns empty dict	make_generator(tmp_path).build_section({}, 0, {}) == {}	Pass	0.000s
Nested dict without type recurses	"SubSection" in result; isinstance(result["SubSection"], dict)	Pass	0.000s
Non dict schema returns empty dict	make_generator(tmp_path).build_section("not a dict", 0, ...)	Pass	0.000s
None schema returns empty dict	make_generator(tmp_path).build_section(None, 0, {}) == {}	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None value from generate field value excluded	"AField" not in result	Pass	0.000s
Reserved key description skipped	"description" not in make_generator(tmp_path)..build.sect...	Pass	0.000s
Reserved key options skipped	"options" not in make_generator(tmp_path)..build.section(...	Pass	0.000s
Reserved key type skipped	"type" not in result	Pass	0.000s
Reserved key values skipped	"values" not in make_generator(tmp_path)..build.section({...	Pass	0.000s
Contains all types	t.key in parsed; 'icon' in parsed[t.key] (+2 more)	Pass	0.000s
Info template values	parsed['info']['color'] == '#2196F3'	Pass	0.000s
Returns valid json	isinstance(parsed, dict)	Pass	0.000s
Testing no junit	len(story) >= 3	Pass	0.000s
Testing no sensitivity generators	len(story) >= 4	Pass	0.000s
Testing per model coverage	len(story) >= 6	Pass	0.000s
Testing renders	len(story) > 0	Pass	0.000s
Testing with coverage	len(story) >= 5	Pass	0.000s
Testing with sensitivity generators	len(story) >= 6	Pass	0.000s
Validation all reviewers assigned	len(story) >= 3	Pass	0.000s
Validation high assumptions	len(story) > 3	Pass	0.000s
Validation no assumptions	len(story) >= 3	Pass	0.000s
Validation no questions	len(story) >= 1	Pass	0.000s
Validation peer reviewer gaps	len(story) >= 4	Pass	0.000s
Validation renders	len(story) > 0	Pass	0.000s
Line 88: exceedance probs between 0 and 0.01 are capped to 0.01.	pt.annual.exceedance_prob >= 0.01 or pt.annual.exceedance...	Pass	0.023s
Line 61: log() does nothing when verbose=False.	"should not appear" not in caplog.text	Pass	0.000s
Line 61: log() calls logger.info when verbose=True.	"test message" in caplog.text	Pass	0.001s
Line 152: progress logged every 10 gauges.	len(curves) == 11; "10/11" in caplog.text or "Processed" in caplog.text	Pass	0.185s
All days before start	d < today	Pass	0.000s
Chronological order	days[i] > days[i - 1]	Pass	0.000s
Ends before start	d < start	Pass	0.000s
Large count	len(days) == 252; d.weekday() < 5	Pass	0.000s
Last element should be the business day immediately before start.	last < start; last.weekday() < 5	Pass	0.000s
No weekends	d.weekday() < 5	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns ascending order	<code>result == sorted(result)</code>	Pass	0.000s
Returns business days only	<code>d.weekday() < 5</code>	Pass	0.000s
Returns correct count	<code>len(days) == 63</code>	Pass	0.000s
Returns correct count	<code>len(result) == 5</code>	Pass	0.000s
Single day	<code>len(days) == 1; days[0].weekday() < 5</code>	Pass	0.000s
Single day	<code>len(result) == 1; result[0].weekday() < 5</code>	Pass	0.000s
Skips weekends	<code>wd not in returned.set</code>	Pass	0.000s
The day before Monday is Sunday — should skip back to Friday.	<code>days[0].weekday() == 4</code>	Pass	0.000s
5 days back from Wednesday should contain no Saturday/Sunday.	<code>len(days) == 5; d.weekday() < 5</code>	Pass	0.000s
Zero days	<code>result == []</code>	Pass	0.000s
The blueprint source should include EAFloodZone in Pricing section.	<code>'"EAFloodZone"' in source</code>	Pass	0.001s
Blueprint source has ea flood zone actual	<code>'"EAFloodZoneActual"' in source</code>	Pass	0.000s
Blueprint source has terrain delta bps	<code>'"TerrainDeltaBps"' in source</code>	Pass	0.000s
Terrain fields should use data.get() with defaults for backward compat.	<code>'data.get("ea_flood_zone", "")' in source; 'data.get("ea_flood_zone_actual", "")' in source (+1 more)</code>	Pass	0.000s
Test CORS headers on GET re- quest.	<code>response.status_code == 200</code>	Pass	0.000s
Test OPTIONS requests return 200.	<code>response.status_code == 200</code>	Pass	0.001s
Larger area gives larger energy	<code>sum(large) > sum(small)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default area when missing	<code>result > 0; result > 0</code>	Pass	0.000s
Is float	<code>isinstance(result, float); isinstance(result, float)</code>	Pass	0.000s
Larger area tends to give larger emissions	<code>sum(large) > sum(small)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default area when missing	<code>result > 0; result > 0</code>	Pass	0.000s
Correct calculation	<code>abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Is float	<code>isinstance(result, float); isinstance(result, float)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses defaults when missing	<code>result >= 0; abs(result - 2430.0) < 0.01</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zero usage returns zero	<code>result == 0.0</code>	Pass	0.000s
Above severe level some positive	<code>np.any(depths > 0)</code>	Pass	0.001s
Below severe level returns zeros	—	Pass	0.001s
Depths capped at 5m	<code>np.all(depths <= 5.0)</code>	Pass	0.000s
Empty gauge data returns zeros	—	Pass	0.000s
No gauge data returns zeros	—	Pass	0.000s
Returns correct length	<code>len(depths) == len(properties)</code>	Pass	0.000s
Lines 50-57: non-None gauge_data calls calculate_synthetic_flood_depths.	<code>len(depths) == 3; isinstance(depths, np.ndarray)</code>	Pass	0.000s
Key remapping: 'flow_cumecs' → 'flow'.	"mean_flow" in result; "mean_flow_cumecs" not in result	Pass	0.000s
Flow stats should include q5_flow and q95_flow.	"q5_flow" in result; "q95_flow" in result	Pass	0.000s
Returns dict	<code>isinstance(result, dict);</code> <code>isinstance(result, dict) (+1 more)</code>	Pass	0.000s
Less than remaining energy	<code>result <= 9001</code>	Pass	0.000s
No negative when electricity exceeds total	<code>result == 0</code>	Pass	0.000s
Returns non negative	<code>result >= 0</code>	Pass	0.000s
Uses defaults when missing	<code>result >= 0; abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Fraction of total	<code>all(4500 <= r <= 12001 for r in results)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default energy when missing	<code>result > 0</code>	Pass	0.000s
Key remapping: 'level_meters' → 'level'.	"mean_level" in result; "mean_level_meters" not in result	Pass	0.001s
Has min max	"min_level" in result; "max_level" in result	Pass	0.001s
Returns dict	<code>isinstance(result, dict);</code> <code>isinstance(result, dict) (+1 more)</code>	Pass	0.001s
Buy to let type	<code>result["mortgage_type"] == "Buy-to-Let"</code>	Pass	0.000s
High flood risk reduces ltv	<code>high_risk["ltv_ratio"] <= normal["ltv_ratio"] + 0.01</code>	Pass	0.000s
Loan amount positive	<code>result["loan_amount"] > 0</code>	Pass	0.000s
Monthly payment positive	<code>result["monthly_payment"] > 0</code>	Pass	0.000s
Required keys present	<code>key in result</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Second home type	result["mortgage_type"] == "Second Home"	Pass	0.000s
Conditional rating middle range	result["calculated_rating"] in ("Conditional", "Unaccepta...	Pass	0.000s
Due soon gives half score	result["component_scores"]["review_currency"] == 0.5	Pass	0.000s
Far review gives full score	result["component_scores"]["review_currency"] == 1.0	Pass	0.000s
High assumptions penalised	result["component_scores"]["assumption_risk"] == 0.0	Pass	0.000s
High coverage acceptable	result["calculated_rating"] == "Acceptable"	Pass	0.000s
High limitations penalised	result["component_scores"]["limitation_risk"] == 0.0	Pass	0.000s
No coverage unacceptable	result["calculated_rating"] == "Unacceptable"	Pass	0.000s
No review date gives zero	result["component_scores"]["review_currency"] == 0.0	Pass	0.000s
Overdue review gives zero score	result["component_scores"]["review_currency"] == 0.0	Pass	0.000s
Returns dict with required keys	"calculated_rating" in result; "calculated_score" in result (+1 more)	Pass	0.000s
Score is float	isinstance(result["calculated_score"], float)	Pass	0.000s
Heat pump returns zero	result == 0	Pass	0.000s
Multiple returns positive	result > 0	Pass	0.000s
No solar returns zero	result == 0	Pass	0.000s
No system returns zero	result == 0	Pass	0.000s
Solar pv returns positive	result > 0	Pass	0.000s
Solar uses default area when missing	result > 0	Pass	0.000s
Annual maxima present	"annual_maxima" in stats; stats["annual_maxima"]["years_count"] == 2	Pass	0.000s
Basic stats keys	key in stats	Pass	0.000s
Empty returns empty dict	GaugeHistoricalDaily().calculate_statistics() == {}	Pass	0.000s
Extreme events above p99	"extreme_events" in stats; stats["extreme_events"]["count"] >= 1	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mean correct	<code>gen.calculate_statistics(flows)["mean_flow"]</code>	Pass	0.000s
Min max correct	<code>stats["min_flow"] == pytest.approx(5.0); stats["max_flow"] == pytest.approx(100.0)</code>	Pass	0.000s
Monthly means present	<code>"01" in stats["monthly_means"]; "02" in stats["monthly_means"]</code>	Pass	0.000s
Percentiles present	<code>"percentiles" in stats; p in stats["percentiles"]</code>	Pass	0.000s
Single flow no std dev error	<code>gen.calculate_statistics(flows)["std_dev"] == 0</code>	Pass	0.000s
All percentile keys present	<code>p in stats["percentiles"]</code>	Pass	0.000s
Annual maxima events capped at ten	<code>len(stats["annual_maxima"]["events"]) <= 10</code>	Pass	0.000s
Extreme events top 10 capped	<code>len(stats["extreme_events"]["top_10"]) <= 10</code>	Pass	0.000s
Max flow date correctly identified	<code>stats["max_flow_date"] == "2020-01-02"; stats["max_flow"] == pytest.approx(200.0)</code>	Pass	0.000s
Q5 flow equals p95	<code>stats["q5_flow"] == stats["percentiles"]["p95"]</code>	Pass	0.000s
Q95 flow equals p5	<code>stats["q95_flow"] == stats["percentiles"]["p5"]</code>	Pass	0.000s
Record start and end match data	<code>stats["record_start"] == "2018-05-01"; stats["record_end"] == "2021-08-15"</code>	Pass	0.000s
Single year annual maxima std dev zero	<code>stats["annual_maxima"]["years.count"] == 1; stats["annual_maxima"]["std_dev"] == 0</code>	Pass	0.000s
Total years approximate	<code>stats["total_days"] == 20; stats["total_years"] == round(20 / 365.25, 1)</code>	Pass	0.000s
Two flow std dev non zero	<code>gen.calculate_statistics(flows)["std_dev"] > 0</code>	Pass	0.000s
All same values	<code>result["mean_level_meters"] == 3.0; result["std_dev"] == 0.0</code>	Pass	0.000s
Empty returns empty dict	<code>calculate_timeseries_statistics([], "level_meters") == {}</code>	Pass	0.000s
Flood exceedances zero when all below	<code>result["flood_exceedances"]["flood_alert"] == 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Flood stages adds exceedances	"flood.exceedances" in result; result["flood.exceedances"]["severe_warning"]["count"] >= 1	Pass	0.001s
Flow cumecs adds q flows	"q95_flow" in result; "q5_flow" in result	Pass	0.000s
Has annual maxima	"annual_maxima" in result; "years_count" in result["annual_maxima"]	Pass	0.001s
Has basic keys	"total_days" in result; "mean_level_meters" in result (+2 more)	Pass	0.001s
Has extreme events	"extreme_events" in result	Pass	0.001s
Has monthly means	"monthly_means" in result	Pass	0.001s
Has percentiles	"percentiles" in result; "p5" in result["percentiles"] (+1 more)	Pass	0.001s
Max date correct	result["max_level_meters_date"] == "2026-01-02"	Pass	0.000s
No flood stages no exceedances key	"flood.exceedances" not in result	Pass	0.001s
Record start end	result["record_start"] == "2020-01-01"; result["record_end"] == "2025-12-31"	Pass	0.000s
Returns dict	isinstance(result, dict); isinstance(result, dict) (+1 more)	Pass	0.001s
Single observation no stdev error	result["std_dev"] == 0	Pass	0.000s
Total days correct	result["total_days"] == 100	Pass	0.000s
Explicit none params	isinstance(level, float)	Pass	0.000s
None params uses defaults	isinstance(level, float); level > 0	Pass	0.000s
Lines 54-56: internal error returns 500 JSON error.	r.status_code in (404, 500); data["status"] == "error"	Pass	0.001s
Lines 108-113: exception in set_catchment returns 500.	r.status_code in (200, 500)	Pass	0.001s
Uses addEventListener, not inline onclick for sub-tabs.	'addEventListener' in stress_js; 'stress-ctab-0' in stress_js (+2 more)	Pass	0.000s
Flood Probability sub-tab present.	'Flood Probability' in stress_js	Pass	0.000s
Stress P&L sub-tab present.	'Stress P' in stress_js	Pass	0.000s
Surface sub-tab present.	'Surface' in stress_js	Pass	0.000s
Consumer has no hash for input	not ok; "no recorded hash" in issues[0].lower()	Pass	0.000s
Consumer never run	not ok; "never run" in issues[0].lower()	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Fresh when hashes match	ok; issues == []	Pass	0.000s
No hash recorded for producer output	not ok; "No hash recorded" in issues[0]	Pass	0.000s
Producer never run	not ok; "never run" in issues[0].lower()	Pass	0.000s
Root steps (gauges, counterparties) have no inputs → always fresh.	ok; issues == []	Pass	0.000s
Stale when hashes differ	not ok; "stale" in issues[0].lower()	Pass	0.000s
Unknown step	not ok; "Unknown step" in issues[0]	Pass	0.000s
All outputs present → complete.	result["complete"]; result["missing"] == [] (+1 more)	Pass	0.006s
Empty directory is as broken as missing.	not result["complete"]; len(empty) == 1 (+2 more)	Pass	0.005s
Missing gauge.json → incomplete.	not result["complete"]; "gauge.json" in missing_outputs (+2 more)	Pass	0.000s
Only root steps present → reports downstream as missing.	not result["complete"]; result["present"] == 3 (+3 more)	Pass	0.001s
All pipeline steps missing produces 'missing' statuses.	len(results) == 14; r["status"] == "missing" (+2 more)	Pass	0.000s
A directory step checks most recent file mtime.	ghd_step["status"] == "fresh"	Pass	0.001s
A directory with only old files is stale.	ghd_step["status"] == "stale"	Pass	0.001s
An empty directory counts as missing.	ghd_step["status"] == "missing"	Pass	0.000s
A recently modified file is reported as 'fresh'.	gauge_step["status"] == "fresh"; gauge_step["last_run"] is not None (+1 more)	Pass	0.000s
Dotfiles in directories are ignored.	ghd_step["status"] == "missing"	Pass	0.001s
If manifest has last_run AND file exists, manifest last_run is kept.	gauge_step["last_run"] == "2026-01-01T00:00:00"	Pass	0.000s
If lineage manifest has last_run, it is carried through.	gauge_step["last_run"] == "2026-03-01T12:00:00"	Pass	0.000s
A file older than 72 hours is reported as 'stale'.	prop_step["status"] == "stale"; len(prop_step["issues"]) == 1 (+1 more)	Pass	0.000s
All present	ok; missing == []	Pass	0.000s
Missing upstream	not ok; "gauges" in missing	Pass	0.000s
Nearby ranges round to same cache key.	L1 is L2	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Second call at same range returns cached object.	L1 is L2	Pass	0.000s
Cholesky lower triangular	<code>np.allclose(np.triu(L, k=1), 0.0)</code>	Pass	0.000s
$L @ L.T == C$ within numerical tolerance.	<code>np.allclose(L @ L.T, C, atol=1e-10)</code>	Pass	0.000s
Thames cholesky reconstruction	<code>np.allclose(L @ L.T, C, atol=1e-8)</code>	Pass	0.008s
When <code>np.linalg.cholesky</code> raises <code>LinAlgError</code> on first call,	<code>L.shape == (model.n_gauges, model.n_gauges); call_count[0] == 2</code>	Pass	0.000s
Generator error has message	<code>r.get_json().get("message")</code>	Pass	0.005s
Generator error returns 500	<code>r.status_code == 500</code>	Pass	0.006s
Generator error status is error	<code>r.get_json()["status"] == "error"</code>	Pass	0.005s
Claim ref is built from last 8 chars of <code>property_id</code> .	<code>len(result) > 1000</code>	Pass	0.016s
Generate empty sequence lookup	<code>isinstance(result, bytes)</code>	Pass	0.021s
Generate returns bytes	<code>isinstance(result, bytes); len(result) > 0</code>	Pass	0.021s
Generate without mortgage	<code>isinstance(result, bytes); result[:4] == b'%PDF'</code>	Pass	0.016s
Minimal <code>prop_data</code> with a single flood event should not raise.	<code>isinstance(result, bytes)</code>	Pass	0.013s
Output is valid pdf	<code>result[:4] == b'%PDF'</code>	Pass	0.021s
Pdf size reasonable	<code>len(result) > 8.000</code>	Pass	0.021s
Content length header set	<code>r.headers.get("Content-Length") == str(len(fake_pdf))</code>	Pass	0.004s
Filename contains prop id	<code>CLAIM_PROP_ID in cd</code>	Pass	0.004s
Response body is pdf bytes	<code>r.data == fake_pdf</code>	Pass	0.004s
Response has content disposition	<code>"attachment" in cd; CLAIM_PROP_ID in cd</code>	Pass	0.005s
Response is pdf content type	<code>r.content_type == "application/pdf"</code>	Pass	0.005s
Success returns 200	<code>r.status_code == 200</code>	Pass	0.004s
Corrupt <code>storm_sequences.json</code> triggers the except in <code>load_sequence_lookup</code> (L56-57).	<code>r.status_code == 200; seq_lookup == {}</code>	Pass	0.032s
<code>load_mortgage_record</code> exception (L89-91) returns None; report still generated.	<code>r.status_code == 200; mort_record is None</code>	Pass	0.002s
<code>load_prop_record</code> exception (L71-73) returns <code>{}</code> ; report still generated.	<code>r.status_code == 200; prop_record == {}</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
load_sequence_lookup exception (L56-57) returns empty dict; report still generated.	<code>r.status_code == 200</code>	Pass	0.002s
No dir message mentions propertyts	<code>"propertyts" in msg or "property" in msg or "not found" i...</code>	Pass	0.000s
No dir returns 404	<code>r.status_code == 404</code>	Pass	0.000s
No dir status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s
No floods message mentions events	<code>"flood" in msg or "event" in msg</code>	Pass	0.002s
No floods returns 404	<code>r.status_code == 404</code>	Pass	0.002s
No floods status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Unknown property message contains id	<code>"PROP-GHOST" in r.get_json()["message"]</code>	Pass	0.000s
Unknown property returns 404	<code>r.status_code == 404</code>	Pass	0.000s
Unknown property status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Metadata categories contains expected keys	<code>key in cats</code>	Pass	0.000s
Metadata categories station has required subkeys	<code>key in station_keys</code>	Pass	0.000s
Schema version is string	<code>isinstance(GaugeHistoricalDaily.SCHEMA_VERSION, str); len(GaugeHistoricalDaily.SCHEMA_VERSION) > 0</code>	Pass	0.000s
Classifiers that exist should reference current gauge IDs.	<code>len(valid) > 0</code>	Pass	0.002s
training_summary.json must exist alongside classifiers.	—	Skip	0.000s
Job dict says 'failed' => status failed with error message.	<code>resp.status_code == 200;</code> <code>data["status"] == "failed"</code> (+2 more)	Pass	0.000s
Failed job with no 'error' key falls back to 'Unknown error'.	<code>data["status"] == "failed";</code> <code>data["error"] == "Unknown error"</code>	Pass	0.000s
If joblib exists on disk, status is 'ready' even if job dict says 'training'.	<code>data["status"] == "ready"</code>	Pass	0.001s
No joblib file and no training job => not_trained.	<code>resp.status_code == 200;</code> <code>data["status"] == "not_trained"</code> (+1 more)	Pass	0.000s
Job dict says 'ready' (joblib might not exist yet) => status ready.	<code>resp.status_code == 200;</code> <code>data["status"] == "ready"</code>	Pass	0.000s
If a .joblib file exists for the gauge, status is 'ready'.	<code>resp.status_code == 200;</code> <code>data["status"] == "ready"</code> (+1 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
When a training job is in progress, status is 'training' with elapsed.	resp.status_code == 200; data["status"] == "training" (+4 more)	Pass	0.000s
Unknown gauge with no joblib and no job =i not_trained.	resp.status_code == 200; data["status"] == "not_trained"	Pass	0.000s
Status endpoint	'/api/v1/trading/stress/classifier-status' in cl_js	Pass	0.000s
Summary endpoint	'/api/v1/trading/classifiers/summary' in cl_js	Pass	0.000s
Train all endpoint	'/api/v1/trading/classifiers/train-all' in cl_js	Pass	0.000s
Train endpoint	'/api/v1/trading/stress/train/' in cl_js	Pass	0.000s
hidePanel calls clCleanupCharts.	'clCleanupCharts' in full_js	Pass	0.000s
'classifiers' included in switchTab views array.	""classifiers"" in full_js	Pass	0.000s
switchTab calls loadClassifiersData.	'loadClassifiersData()' in full_js	Pass	0.000s
Tab button array includes classifiers.	""classifiers"" in full_js or ""classifiers"" in full_js	Pass	0.000s
createClassifiersView() called in panel setup.	'createClassifiersView()' in full_js	Pass	0.000s
All gauges have .joblib → ready=True.	data["ready"] is True; data["trained"] == data["total"] (+1 more)	Pass	0.013s
Internal error → 500 with error status.	resp.status_code == 500; data["status"] == "error" (+1 more)	FAIL	0.008s
No .joblib files → ready=False.	resp.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.014s
Some gauges trained → ready=False, correct counts.	data["ready"] is False; data["trained"] == 2 (+1 more)	Pass	0.014s
classifiers.get_js() returns non-empty string.	len(cl_js) > 0	Pass	0.000s
'_clStartBatchTraining' triggers train-all.	'_clStartBatchTraining' in cl_js	Pass	0.000s
'clCleanupCharts' destroys Chart.js instances.	'clCleanupCharts' in cl_js	Pass	0.000s
'createClassifiersView' builds the Tab 9 DOM.	'createClassifiersView' in cl_js	Pass	0.000s
'_clRenderFeatureChart' renders feature importance bar chart.	'_clRenderFeatureChart' in cl_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'loadClassifiersData' fetches summary on tab open.	'loadClassifiersData' in cl_js	Pass	0.000s
'_clMetricCard' builds metric display cards.	'_clMetricCard' in cl_js	Pass	0.000s
'_clUpdateProgress' updates the batch progress bar.	'_clUpdateProgress' in cl_js	Pass	0.000s
'_clRenderDetail' renders single-gauge detail panel.	'_clRenderDetail' in cl_js	Pass	0.000s
'_clRenderSummaryTable' renders the all-gauge table.	'_clRenderSummaryTable' in cl_js	Pass	0.000s
'_clStartSingleTraining' triggers per-gauge training.	'_clStartSingleTraining' in cl_js	Pass	0.000s
Module-level state variables must be declared.	'clSummary' in cl_js; 'clSelectedGaugeId' in cl_js (+2 more)	Pass	0.000s
Avg auc computed	data["num_trained"] == 1; data["avg_auc_roc"] == 0.95	Pass	0.004s
Gauge fields	"gauge_id" in g; "gauge_name" in g (+4 more)	Pass	0.004s
Gauges sorted by longitude	lons == sorted(lons)	Pass	0.003s
No .joblib files → all gauges show has_model=False.	data["num_trained"] == 0; g["has_model"] is False	Pass	0.003s
Returns all gauges	"gauges" in data; data["num_total"] > 0	Pass	0.004s
Returns success	resp.status_code == 200; data["status"] == "success"	Pass	0.003s
When training_summary.json + .joblib exist, metrics appear.	len(trained) == 1; g["has_model"] is True (+4 more)	Pass	0.003s
Above high threshold is high	_classify_property_risk(0.5) == "High"	Pass	0.000s
High threshold	_classify_property_risk(0.03) == "High"	Pass	0.000s
Just below medium is low	_classify_property_risk(0.009) == "Low"	Pass	0.000s
Medium threshold	_classify_property_risk(0.01) == "Medium"	Pass	0.000s
Tiny prob is low	_classify_property_risk(0.005) == "Low"	Pass	0.000s
Zero is negligible	_classify_property_risk(0.0) == "Negligible"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No models to clear → removed=0.	<code>resp.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.001s
Internal error → 500.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code>	Pass	0.001s
Clears .joblib files and training_summary.json.	<code>data["status"] == "success";</code> <code>data["removed"] == 3</code> (+3 more)	Pass	0.014s
clear-all still returns success when port_stress import fails.	<code>data["status"] == "success";</code> <code>data["removed"] == 1</code>	Pass	0.007s
Close response includes final P&L.	<code>'final_pnl' in data</code>	Pass	0.035s
After close, trade status is set to Closed in marks file.	<code>marks_file.exists();</code> <code>marks['PRS-TEST-002']['trade_status'] == 'Closed'</code> (+2 more)	Pass	0.036s
Closing non-existent trade returns 404.	<code>resp.status_code == 404</code>	Pass	0.022s
Close-out without close-out_spread_bps returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Settlement amount reflects the negotiated closeout spread, not fair spread.	<code>data['status'] == 'success';</code> <code>data['close_spread_bps'] == 400.0</code> (+2 more)	Pass	0.035s
Closing a trade at a negotiated spread returns success with close spread.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.030s
Closed trade should not appear in stress results.	<code>resp.status_code == 200; t['swap_id'] != 'PRS-CLOSED-001'</code>	Pass	0.235s
post_damage_ltv is recomputed independently for each storm.	<code>ltvs["STORM-cl2"] ></code> <code>ltvs["STORM-cl1"]; ltvs["STORM-cl2"] > ltvs["STORM-cl3"]</code>	Pass	0.008s
Each cluster storm individually queryable	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.013s
STORM-cl2 (damage_ratio=0.15) causes more damage than cl1 or cl3.	<code>damages["STORM-cl2"] ></code> <code>damages["STORM-cl1"];</code> <code>damages["STORM-cl2"] ></code> <code>damages["STORM-cl3"]</code>	Pass	0.005s
Querying a storm_id that didn't breach alert returns 404.	<code>r.status_code == 404</code>	Pass	0.004s
Summary max_depth_m reflects the worst storm in the cluster.	<code>result["summary"]["max_depth_m"] >= 0.0</code>	Pass	0.166s
Cluster produces three flood events	<code>len(data["flood_events"]) == 3</code>	Pass	0.182s
Cluster three distinct storm ids in events	<code>storm_ids == {"STORM-c001a", "STORM-c001b", "STORM-c001c"}</code>	Pass	0.167s

Test Description	Acceptance Criteria	Result	Time
The 'from port.src.book import ...' statement in cmd_port must be	blotter_idx != -1; book_idx != -1 (+1 more)	Pass	0.001s
Importing app.commands.port must not trigger QuantLib.	hasattr(mod, "cmd_port"); hasattr(mod, "register_parser")	Pass	0.001s
chain_result has expected keys.	'is_consistent' in chain; 'stale_steps' in chain (+1 more)	Pass	0.006s
Every step in graph should have a step_details entry.	graph_steps == detail_steps	Pass	0.006s
Pipeline must have at least one step.	data['num_steps'] > 0	Pass	0.006s
collect_all() returns a dict with expected keys.	isinstance(data, dict); 'manifest' in data (+4 more)	Pass	0.010s
step_details is a list of dicts.	isinstance(data['step_details'], list); isinstance(sd, dict) (+5 more)	Pass	0.006s
Blue is hex colour	BLUE == colors.HexColor('#1565C0')	Pass	0.000s
Dark blue	DARK_BLUE == colors.darkblue	Pass	0.000s
Grey	GREY == colors.HexColor('#757575')	Pass	0.000s
Light amber	LIGHT_AMBER == colors.HexColor('#FF8E1')	Pass	0.000s
Light blue	LIGHT_BLUE == colors.HexColor('#E3F2FD')	Pass	0.000s
Light green	LIGHT_GREEN == colors.HexColor('#E8F5E9')	Pass	0.000s
Light red	LIGHT_RED == colors.HexColor('#FFE0E0')	Pass	0.000s
Age 50 to 100	mid_age > young	Pass	0.000s
Age over 100	old > young	Pass	0.000s
Basic returns float	isinstance(score, float); 0 < score <= 10	Pass	0.000s
Construction concrete lower	concrete < brick	Pass	0.000s
Construction steel lowest	steel < concrete	Pass	0.000s
Construction timber higher	timber > brick	Pass	0.000s
Construction wood equals timber	timber == wood	Pass	0.000s
High ltv multiplier	high > low	Pass	0.000s
Ltv 60 to 80 multiplier	mid > base	Pass	0.000s
Ltv 80 to 95 multiplier	mid > base	Pass	0.000s
None ltv no multiplier	0 < score <= 10	Pass	0.000s
Unknown construction type	0 < score <= 10	Pass	0.000s
Unknown flood level	0 < score <= 10	Pass	0.000s
Very high flood capped	score == 10.0	Pass	0.000s
Very low flood lowest score	v1 < vh	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sections together	<code>isinstance(result, list); len(tables) >= 2</code>	Pass	0.000s
Feeding bad data (non-dict regulatory) exercises the except block.	<code>isinstance(result, list)</code>	Pass	0.000s
mortgage_data without 'Mortgage' key → uses top-level.	<code>isinstance(result, list)</code>	Pass	0.000s
Commit button must call <code>tdCommitMarket()</code> .	<code>'tdCommitMarket()' in js</code> or <code>'tdCommitMarket(' in js</code>	Pass	0.000s
Market tab must contain a visible commit button with correct ID.	<code>'td-commit-btn' in js</code>	Pass	0.000s
Commit button must NOT have <code>display:none</code> in its own style.	<code>'display:none' not in own_style</code>	Pass	0.000s
<code>tdCommitMarket</code> function must be defined.	<code>'tdCommitMarket = function' in js</code> or <code>\{\} 'fu...</code>	Pass	0.000s
Commit function must POST to <code>hazard-term-structure/commit</code> .	<code>'/trading/hazard-term-structure/commit' in js</code>	Pass	0.000s
After commit, must switch to blotter tab (which loads blotter data).	<code>"switchTab('blotter')" in js</code>	Pass	0.000s
Close out path exercised	<code>r.status_code in (200, 400)</code>	Pass	0.035s
Terrain fields should use — fall-back for missing values.	<code>"result.selectedZone ''" in js;</code> <code>"result.actualZone ''" in js (+1 more)</code>	Pass	0.000s
Ea flood zone actual in payload	<code>'ea_flood_zone.actual: result.actualZone' in js</code>	Pass	0.000s
Ea flood zone in payload	<code>'ea_flood_zone: result.selectedZone' in js</code>	Pass	0.000s
Terrain delta bps in payload	<code>'terrain.delta.bps: result.terrainDelta' in js</code>	Pass	0.000s
Commit with cashflows — exercises PDF cashflow schedule section.	<code>r.status_code in (200, 400)</code>	Pass	0.008s
Commit with <code>maturity_date</code> provided explicitly.	<code>r.status_code in (200, 400)</code>	Pass	0.007s
Commit with EA flood zone terrain fields.	<code>r.status_code in (200, 400);</code> <code>r.get_json()["status"] in ("success", "error")</code>	Pass	0.007s
Commit without terrain fields should still work (backward compatibility).	<code>r.status_code in (200, 400)</code>	Pass	0.007s
Empty json returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Commit with enough fields to pass CDM validation.	<code>r.status_code in (200, 400);</code> <code>r.get_json()["status"] in ("success", "error")</code>	Pass	0.007s
No json returns error	<code>r.status_code in (400, 500);</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.003s
Validation fails returns 400	<code>r.status_code == 400; data["status"] == "error" (+1 more)</code>	Pass	0.029s
<code>commit_yield_curve</code> creates <code>yield_curve</code> from default when missing.	<code>updated['yield_curve']['1'] == 0.04;</code> <code>updated['yield_curve']['2'] == 0.045</code>	Pass	0.002s
Advised flag	<code>isinstance(result, list)</code>	Pass	0.000s
Business purpose false	<code>isinstance(result, list)</code>	Pass	0.000s
Business purpose true	<code>isinstance(result, list)</code>	Pass	0.000s
Common section returns elements	<code>isinstance(result, list); len(result) > 2</code>	Pass	0.000s
Fca reference number	<code>len(tables) >= 1</code>	Pass	0.000s
Multiple regulatory flags	<code>isinstance(result, list)</code>	Pass	0.000s
Contains header	<code>"Scenario Comparison" in result</code>	Pass	0.363s
Contains scenario names	<code>name in result</code>	Pass	0.364s
None uses all scenarios	<code>len(result) > 50</code>	Pass	0.364s
Returns string	<code>isinstance(result, str)</code>	Pass	0.364s
Single scenario	<code>first_name in result</code>	Pass	0.073s
Two scenarios	<code>name in result</code>	Pass	0.147s
Shim class is same	<code>New is Shim</code>	Pass	0.000s
Shim imports generator	<code>ClaimReportGenerator is not None</code>	Pass	0.001s
Line 159: <code>_create_summary</code> calls <code>get_entity_summary</code> .	<code>summary == {'id': 'Y', 'name': 'Ypsilon'}</code>	Pass	0.000s
Line 155: <code>_extract_id</code> calls <code>get_entity_id</code> .	<code>loader._extract_id(entity) == 'X'</code>	Pass	0.000s
Line 163: <code>_get_container_keys</code> returns <code>CONTAINER_KEYS</code> .	<code>loader._get_container_keys() == ['items']</code>	Pass	0.000s
Line 167: <code>get_file_status</code> is alias for <code>get_status</code> .	<code>status['entity_name'] == 'stub';</code> <code>status['exists'] is True (+1 more)</code>	Pass	0.000s
Persistent sequences (SHORT gaps) should show stronger compounding than doublets (MEDIUM gaps).	<code>persistent_excess >= doublet_excess - 0.1</code>	Pass	0.046s
During the gap, level should drop from Storm 1 peak.	<code>level.at_gap_end < s1_peak</code>	Pass	0.000s
For a short-gap persistent sequence, level does not return to baseline during gap.	<code>level.at_gap_end ></code> <code>default_gauge.base_level + 0.05</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Spec requirement: Storm 2 peak λ	<code>fraction >= 0.60</code>	Pass	0.036s
Storm 1 peak in λ = 60% of doublets.			
Gauge ids match	<code>{r.gauge_id for r in responses} ==</code> <code>{gauge.gauge_id, gauge...</code>	Pass	0.000s
Near gauge higher response	<code>near_resp.peak_level >=</code> <code>far_resp.peak_level</code>	Pass	0.000s
Returns one response per gauge	<code>len(responses) == 2</code>	Pass	0.000s
All kernels decrease with distance	<code>near >= far</code>	Pass	0.000s
All kernels in 0 1 range	<code>0.0 <= decay <= 1.0</code>	Pass	0.000s
Exponential at half	<code>decay ==</code> <code>pytest.approx(math.exp(-0.5),</code> <code>rel=1e-4)</code>	Pass	0.000s
Exponential at one lambda	<code>decay ==</code> <code>pytest.approx(math.exp(-1.0),</code> <code>rel=1e-4)</code>	Pass	0.000s
Gaussian at one sigma	<code>decay ==</code> <code>pytest.approx(math.exp(-0.5),</code> <code>rel=1e-4)</code>	Pass	0.000s
Gaussian at two sigma	<code>decay ==</code> <code>pytest.approx(math.exp(-2.0),</code> <code>rel=1e-4)</code>	Pass	0.000s
Linear beyond cutoff is zero	<code>decay == 0.0</code>	Pass	0.000s
Linear midpoint	<code>decay == pytest.approx(0.75,</code> <code>abs=0.001)</code>	Pass	0.000s
Zero distance returns one all kernels	<code>model.compute_decay(0, 100, kernel,</code> <code>1.0) == 1.0</code>	Pass	0.000s
Consistent when all clear	<code>dl_mod._compute_health(chain, lr) ==</code> <code>'CONSISTENT'</code>	Pass	0.000s
Degraded on stale steps	<code>dl_mod._compute_health(chain, lr) ==</code> <code>'DEGRADED'</code>	Pass	0.000s
Degraded on failures	<code>dl_mod._compute_health(chain, lr) ==</code> <code>'DEGRADED'</code>	Pass	0.000s
Health colour mapping	<code>dl_mod.health_colour('CONSISTENT')</code> <code>== dl_mod.GREEN;</code> <code>dl_mod.health_colour('DEGRADED')</code> <code>== dl_mod.AMBER (+2 more)</code>	Pass	0.000s
Inconsistent on broken chain	<code>dl_mod._compute_health(chain, lr) ==</code> <code>'INCONSISTENT'</code>	Pass	0.000s
After end uses last point	<code>intensity >= 0</code>	Pass	0.000s
At peak time is nonzero	<code>intensity > 0</code>	Pass	0.000s
Before start uses first point	<code>intensity >= 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Empty track returns zero	<code>result == 0.0</code>	Pass	0.000s
Far from track is lower	<code>near > far</code>	Pass	0.000s
dist j 1.0 -j short-circuit to _build_flood_event directly.	<code>result is not None; result["storm_id"] == "STORM-001"</code>	Pass	0.164s
Multiple gauges in nearest -j IDW path used.	<code>result is not None</code>	Pass	0.164s
gauge_responses has no entry for nearest gauge -j None.	<code>result is None</code>	Pass	0.165s
Normal IDW path returns dict with storm_id.	<code>result is not None; result["storm_id"] == "STORM-001"</code>	Pass	0.163s
Response without pulse_peaks -j simple event (no compound key).	<code>result is not None;</code> <code>result.get("compound") is not True</code>	Pass	0.164s
Response with pulse_peaks -j compound event (compound=True).	<code>result is not None;</code> <code>result.get("compound") is True</code> (+1 more)	Pass	0.164s
Line 126: annuity j= 0 returns annual_hazard_rate * 10000.	<code>result > 0</code>	Pass	0.000s
Negative hazard returns zero	<code>result == 0.0</code>	Pass	0.000s
Verify compute_prs_spread uses yield_curve when provided.	<code>result > 0</code>	Pass	0.000s
Zero hazard returns zero	<code>result == 0.0</code>	Pass	0.000s
Accumulation nonnegative	<code>resp.accumulation >= 0</code>	Pass	0.000s
Duration nonnegative	<code>resp.duration_above_alert >= 0;</code> <code>resp.duration_above_warning >= 0</code> (+1 more)	Pass	0.000s
Flooded flag correct	<code>resp.flooded == (resp.peak_level >= gauge.flood_alert)</code>	Pass	0.000s
High intensity storm floods	<code>resp.peak_level > gauge.base_level</code>	Pass	0.000s
Peak level at least base	<code>resp.peak_level >= gauge.base_level</code>	Pass	0.000s
Peak level is max of series	<code>resp.peak_level ==</code> <code>pytest.approx(max(levels))</code>	Pass	0.000s
Response ids match	<code>resp.gauge_id ==</code> <code>gauge.gauge_id; resp.storm_id ==</code> <code>simple_storm.storm_id</code>	Pass	0.000s
Timeseries length	<code>len(resp.level_timeseries)</code> <code>== expected_steps;</code> <code>len(resp.intensity_timeseries) ==</code> <code>expected_steps</code>	Pass	0.000s
To dict roundtrip	<code>d['gauge_id'] == gauge.gauge_id;</code> 'level_timeseries' in d (+1 more)	Pass	0.000s
To dict without timeseries	'level_timeseries' not in d	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Pre-wetting the catchment before the same storm raises the peak.	<code>np.max(wet) > np.max(dry)</code>	Pass	0.001s
Level should be declining in the later part of the drainage window.	<code>np.all(np.diff(tail) <= 0.01)</code>	Pass	0.004s
Extreme storm should produce higher peak than moderate.	<code>np.max(l_ext) > np.max(l_mod)</code>	Pass	0.001s
With identical first storm parameters, doublet produces ζ = isolated peak.	<code>np.max(l_dbl) >= np.max(l_iso)</code>	Pass	0.001s
Severe storm should raise level above baseline.	<code>np.max(levels) > default_gauge.base_level + 0.5</code>	Pass	0.000s
River level must always be ζ = base_level.	<code>np.all(levels >= default_gauge.base_level - 1e-6)</code>	Pass	0.005s
Spec constraint: no precipitation after hour 156.	<code>np.all(p[156:] == pytest.approx(0.0))</code>	Pass	0.001s
Output shape	<code>levels.shape == (EVENT_WINDOW_HOURS,)</code>	Pass	0.000s
Level at hour 167 should be below the peak level (recovering, not diverging).	<code>final <= peak + 0.01; final_excess < 1.5</code>	Pass	0.006s
Peak above base	<code>peak >= default_gauge.base_level</code>	Pass	0.004s
Peak indices match storm indices	<code>idx == storm.storm_index</code>	Pass	0.002s
Returns one peak per storm	<code>len(peaks) == seq.num_storms</code>	Pass	0.004s
Compliant when all pass	<code>dl_mod._compute_verdict(chain, lr) == 'COMPLIANT'</code>	Pass	0.000s
Empty lineage results	<code>dl_mod._compute_verdict(chain, {}) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
Non compliant on broken chain	<code>dl_mod._compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Non compliant on majority failures	<code>dl_mod._compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Non compliant on missing steps	<code>dl_mod._compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Partially compliant on failures	<code>dl_mod._compute_verdict(chain, lr) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
No tests run cannot prove compliance.	<code>dl_mod._compute_verdict(chain, lr) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
Spatial correlation constants in config.port must be self-consistent.	<code>SPATIAL_CORR_ENABLED is True; SPATIAL_CORR_MODEL_TYPE == "exponential" (+9 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Config structure	sc["enabled"] is True; sc["model.type"] == "exponential" (+3 more)	Pass	0.001s
Round trip params	loaded.base_range_km == 35.0; loaded.nugget == 0.08	Pass	0.001s
Save creates file	path.exists()	Pass	0.000s
Configure both menus	handler.property_menu == pm; handler.gauge_menu == gm	Pass	0.000s
Configure gauge menu	handler.gauge_menu == new_gm	Pass	0.000s
Configure max visible	ns.max_visible == 10	Pass	0.000s
Configure menus	mgr.context_menus.property_menu == custom_prop	Pass	0.000s
Configure no args no change	handler.server_url == 'http://test:1234'	Pass	0.000s
Configure no args no change	handler.property_menu == DEFAULT_PROPERTY_MENU; handler.gauge_menu == DEFAULT_GAUGE_MENU	Pass	0.000s
Configure no args no change	ns.position == NotificationPosition.TOP_LEFT; ns.timeout == 7000 (+1 more)	Pass	0.000s
Configure notification position	mgr.notifications.position == NotificationPosition.BOTTOM...	Pass	0.000s
Configure notification timeout	mgr.notifications.timeout == 2000	Pass	0.000s
Configure position	ns.position == NotificationPosition.BOTTOM_LEFT	Pass	0.000s
Configure property menu	handler.property_menu == new_pm	Pass	0.000s
Configure returns self	result is mgr	Pass	0.000s
Configure server url	result is mgr; mgr.backend.server_url == 'http://new:9999'	Pass	0.000s
Configure timeout	ns.timeout == 3000	Pass	0.000s
Configure updates endpoints	handler.endpoints == {'a': 'b', 'c': 'd'}	Pass	0.000s
Configure updates server url	handler.server_url == 'http://new:2222'; handler.endpoints == {'a': 'b'}	Pass	0.000s
Margin positive	MARGIN > 0	Pass	0.000s
Page dimensions	PAGE_W > 0; PAGE_H > 0 (+1 more)	Pass	0.000s
Custom parameters	d.params.base_mean == 50; d.params.tail_threshold == 70	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Default parameters	<code>d.params.base_mean == 45.0;</code> <code>d.params.base_std == 15.0 (+4 more)</code>	Pass	0.000s
From params object	<code>d.params.base_mean == 55</code>	Pass	0.000s
From scenario baseline	<code>d is not None;</code> <code>d.params.name == "baseline"</code>	Pass	0.000s
From scenario unknown raises	—	Pass	0.000s
Seed gives deterministic output	<code>s1 == s2</code>	Pass	0.000s
Tail prob between 0 and 1	<code>0.0 < d..tail_prob < 1.0</code>	Pass	0.000s
Construction year shown	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self..page().generate_elements(prop), list)</code>	Pass	0.000s
Floor level shown	<code>isinstance(result, list)</code>	Pass	0.000s
Has section header	<code>any("Construction" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No construction data returns message	<code>any("No construction" in t for t in texts)</code>	Pass	0.000s
No construction year	<code>isinstance(self..page().generate_elements(prop), list)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
Site height shown	<code>isinstance(result, list)</code>	Pass	0.000s
Brick construction	<code>isinstance(result, list)</code>	Pass	0.000s
Concrete construction	<code>isinstance(result, list)</code>	Pass	0.000s
Empty construction type	<code>isinstance(result, list)</code>	Pass	0.000s
Masonry construction	<code>isinstance(result, list)</code>	Pass	0.000s
Steel construction	<code>isinstance(result, list)</code>	Pass	0.000s
Timber construction	<code>isinstance(result, list)</code>	Pass	0.000s
Unknown construction type	<code>isinstance(result, list)</code>	Pass	0.000s
Custom menus	<code>handler.property_menu == pm;</code> <code>handler.gauge_menu == gm</code>	Pass	0.000s
Default init	<code>handler.property_menu == DEFAULT_PROPERTY_MENU;</code> <code>handler.gauge_menu == DEFAULT_GAUGE_MENU</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preGovAudit']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Each startup cache variable must be initialised as window.X = null. [var='_preGovBib']	f'window.{var}' in src	Pass	0.001s
Each startup cache variable must be initialised as window.X = null. [var='_preStorms']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreBlotter']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreEodHistory']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreGauges']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreGovDocs']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreMarket']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPrePortStorms']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreStressStorms']	f'window.{var}' in src	Pass	0.000s
Each startup cache variable must be initialised as window.X = null. [var='_tdPreYieldCurve']	f'window.{var}' in src	Pass	0.000s
No startup cache var should have a bare var declaration.	f'var {var}' not in src	Pass	0.000s
The preload-done flag must NOT be a var (regression: 2026-03-12 incident).	'var _tdPreloadDone' not in src	Pass	0.001s
Window td preload done initialised	'window._tdPreloadDone = false' in src	Pass	0.000s
Window td preload done set after settle	'window._tdPreloadDone = true' in src	Pass	0.000s
Blotter nulls cache after consume	'window._tdPreBlotter = null' in src	Pass	0.000s
Blotter reads window pre blotter	'window._tdPreBlotter' in src	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gov docs nulls cache after consume	'window._tdPreGovDocs = null' in src	Pass	0.000s
Gov docs reads window pre gov docs	'window._tdPreGovDocs' in src	Pass	0.001s
Port stress nulls cache after consume	'window._tdPrePortStorms = null' in src	Pass	0.002s
Port stress reads window pre port storms	'window._tdPrePortStorms' in src	Pass	0.001s
preloader.py must not assign bare _tdPreloadDone (creates unreliable global).	not bare_assigns	Pass	0.001s
trading/preloader.py fallback must also set window._tdPreloadDone.	'window._tdPreloadDone = true' in src	Pass	0.001s
Storm portfolio nulls cache after consume	'window._preStorms = null' in src	Pass	0.000s
Storm portfolio reads window pre storms	'window._preStorms' in src	Pass	0.000s
showPanel() must read window._tdPreloadDone, not bare _tdPreloadDone.	'window._tdPreloadDone' in src	Pass	0.000s
Blotter setup no bare pre blotter	—	Pass	0.001s
Gov docs no bare pre gov docs	—	Pass	0.001s
Port stress no bare pre port storms	—	Pass	0.001s
preloader.py checks should all use window._tdPreloadDone.	not bad_lines	Pass	0.001s
Storm table no bare pre storms	—	Pass	0.001s
Tradingdesk no bare preload done	—	Pass	0.001s
Governance JS sub-modules must be syntactically valid.	—	Pass	0.177s
startup.py JS must be syntactically valid.	—	Pass	0.059s
Storm portfolio syntax	—	Pass	0.067s
Trading aggregate submodule syntax	—	Pass	0.061s
Trading blotter submodule syntax	—	Pass	0.063s
Trading curves submodule syntax	—	Pass	0.061s
Trading desk js syntax	—	Pass	0.075s
Trading eod submodule syntax	—	Pass	0.064s
Trading fs01 submodule syntax	—	Pass	0.066s
Trading market submodule syntax	—	Pass	0.061s
Trading port stress submodule syntax	—	Pass	0.064s
Trading stress submodule syntax	—	Pass	0.064s

Test Description	Acceptance Criteria	Result	Time
Aggregate generates	<code>len(js) > 1000</code>	Pass	0.000s
Blotter generates	<code>len(js) > 1000</code>	Pass	0.000s
Curves generates	<code>len(js) > 1000</code>	Pass	0.000s
Eod generates	<code>len(js) > 1000</code>	Pass	0.000s
Fs01 generates	<code>len(js) > 500</code>	Pass	0.000s
Governance bibliography generates	<code>len(js) > 500</code>	Pass	0.000s
Governance docs generates	<code>len(js) > 500</code>	Pass	0.000s
Market generates	<code>len(js) > 1000</code>	Pass	0.000s
Port stress generates	<code>len(js) > 1000</code>	Pass	0.000s
Preloader generates	<code>len(js) > 1000</code>	Pass	0.000s
Startup generates	<code>len(js) > 1000</code>	Pass	0.000s
Storm sp table generates	<code>len(js) > 500</code>	Pass	0.000s
Stress generates	<code>len(js) > 1000</code>	Pass	0.000s
Trading desk generates	<code>len(js) > 50.000</code>	Pass	0.000s
blotter/actions.py must call <code>window.refreshMainMapFS01</code> after close-out.	<code>'window.refreshMainMapFS01'</code> in <code>src</code>	Pass	0.001s
<code>tdApplyFilter</code> must be on window for FS01 cell click to work.	<code>'window.tdApplyFilter'</code> in <code>src</code>	Pass	0.001s
<code>tdRiskCellClick</code> must be on window for blotter filter drill-through.	<code>'window.tdRiskCellClick'</code> in <code>src</code>	Pass	0.001s
<code>_tdPendingFilter</code> must be on window for context-menu → blotter filter.	<code>'window._tdPendingFilter'</code> in <code>blotter_src</code>	Pass	0.001s
<code>refreshMainMapFS01</code> must be on window for blotter close-out to call it.	<code>'window.refreshMainMapFS01'</code> in <code>td_map_src</code>	Pass	0.000s
<code>_stressStormHint</code> must be set via <code>window.*</code> for cross-panel navigation.	<code>'window._stressStormHint'</code> in <code>hist_src</code>	Pass	0.000s
Stress setup reads window hint	<code>'window._stressStormHint'</code> in <code>stress_src</code>	Pass	0.001s
TradingDeskPanel must export <code>TradingDesk</code> and <code>showTradingDesk</code> .	<code>'window.TradingDesk'</code> in <code>src</code> ; <code>'window.showTradingDesk'</code> in <code>src</code>	Pass	0.002s
Create panel creates blotter view	<code>'createBlotterView'</code> in <code>js</code>	Pass	0.003s
Open panel function exists	<code>'_tdOpenPanel'</code> in <code>js</code>	Pass	0.003s
Open panel sets display flex	<code>"style.display = 'flex'"</code> in <code>js</code>	Pass	0.003s
Pi button calls show panel	<code>'showPanel()'</code> in <code>js</code>	Pass	0.003s
Fallback preloader function must exist for first-open race condition.	<code>'_tdRunPreload'</code> in <code>js</code>	Pass	0.003s
Show panel function exists	<code>'function showPanel()'</code> in <code>js</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Show panel reads window preload done	'window..tdPreloadDone' in js	Pass	0.003s
Panel must switch to blotter tab when opened.	"switchTab('blotter')" in js	Pass	0.003s
Generate risk report basic	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.017s
Generate risk report default	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.016s
Generate risk report detailed	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.022s
Diagonal is one	np.allclose(np.diag(C), 1.0)	Pass	0.000s
Longer range -i higher off-diagonal correlations.	C.long[mask].mean() > C.short[mask].mean()	Pass	0.000s
Higher nugget -i lower off-diagonal values.	C.high[mask].mean() < C.low[mask].mean()	Pass	0.000s
Off diagonal in open interval	0.0 < C[i, j] < 1.0	Pass	0.000s
Positive definite	np.all(eigenvalues > 0)	Pass	0.004s
Symmetric	np.allclose(C, C.T)	Pass	0.000s
Thames positive definite	np.all(eigenvalues > 0)	Pass	0.005s
All gauge files corrupt → no storms (but file still written).	result["total_storms"] == 0	Pass	0.002s
Lines 151-153: unreadable gauge file is skipped with warning.	out.exists() and (out / "_index.json").exists(); result["total_storms"] == 1	Pass	0.003s
Lines 133-134: invalid JSON in storms.json logs warning, continues.	out.exists() and (out / "_index.json").exists(); result["total_storms"] == 1	Pass	0.004s
Exactly at 119999 should be band 'A'.	band == "A"	Pass	0.000s
Line 159: property value i 120000 returns band 'A'.	band == "A"	Pass	0.000s
Line 161: property value = 120000 returns band 'B'.	band == "B"	Pass	0.000s
Property value 140000 returns band 'B'.	band == "B"	Pass	0.000s
Exactly at 155999 should still be band 'B'.	band == "B"	Pass	0.000s
Counts matching files	_count_dir(tmp_path, 'GAUGE-*.json') == 5	Pass	0.001s
Empty directory	_count_dir(tmp_path, '*') == 0	Pass	0.000s
Returns zero for no matches	_count_dir(tmp_path, '*.json') == 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns zero for none dir	<code>_count_dir(None, '*.json') == 0</code>	Pass	0.000s
Returns zero for nonexistent dir	<code>_count_dir(tmp_path / 'nope', '*.json') == 0</code>	Pass	0.000s
All counterparties have party id	<code>len(counterparties) > 0;</code> <code>ctpy["CounterpartySet"]["Party"]["PartyID"].startswith("C...</code>	Pass	0.005s
Cdm structure	<code>"Party" in ctpy;</code> <code>"PartyID" in</code> <code>ctpy["Party"] (+1 more)</code>	Pass	0.001s
Custom count	<code>len(result["data"]) == 3</code>	Pass	0.001s
Generates counterparty file	<code>(pipeline_dir /</code> <code>"counterparty.json").exists()</code>	Pass	0.000s
Lines 263-269: ContactInformation fields mapped.	<code>mapping.get("primary_email") ==</code> <code>"test@bank.com"; mapping.get("city")</code> <code>== "London"</code>	Pass	0.000s
Lines 280-285: count fields in mapping.	<code>"counterparty_count" in mapping;</code> <code>mapping["counterparty_count"] == 2</code>	Pass	0.000s
Minimal data (empty Counterparty-Set) returns dict.	<code>isinstance(mapping, dict)</code>	Pass	0.000s
Lines 245-289: create_mapping with full data.	<code>isinstance(mapping, dict);</code> <code>mapping["party_id"] == "CTPY-001"</code> <code>(+3 more)</code>	Pass	0.000s
Lines 291-292: exception → raises ValueError.	—	Pass	0.000s
Lines 288-289: None values are stripped from result.	<code>None not in mapping.values()</code>	Pass	0.000s
Lines 294-301: get_required_fields() returns non-empty list.	<code>isinstance(fields, list); len(fields)</code> <code>> 0 (+2 more)</code>	Pass	0.000s
Schema is dict	<code>isinstance(cdm.schema, dict);</code> <code>len(cdm.schema) > 0</code>	Pass	0.000s
Lines 201-202: empty Counterparties array → error.	<code>"Counterparties" in errors</code>	Pass	0.000s
validate({}) returns errors for all required fields.	<code>isinstance(errors, dict)</code>	Pass	0.000s
Lines 211-214: invalid role (not Party1/Party2) → error.	<code>"Counterparties" in errors;</code> <code>any("Invalid" in e for e in</code> <code>errors["Counterparties"])</code>	Pass	0.000s
Lines 209-210: missing CounterpartyRole → error.	<code>"Counterparties" in errors;</code> <code>any("CounterpartyRole" in e for</code> <code>e in errors["Counterparti...</code>	Pass	0.000s
Lines 188-189: missing PartyID → Party errors.	<code>"Party" in errors; any("PartyID" in e</code> <code>for e in errors["Party"])</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 191-192: missing PartyName → Party errors.	"Party" in errors; any("PartyName" in e for e in errors["Party"])	Pass	0.000s
Lines 218-219: missing PartyRef → error.	"Counterparties" in errors; any("PartyRef" in e for e in errors["Counterparties"])	Pass	0.000s
Lines 222-225: two CPs with same role → error.	"Counterparties" in errors	Pass	0.000s
Valid counterparty data produces empty error dict.	errors == {}	Pass	0.000s
Lines 74-75: json.JSONDecodeError in get_counterparty → 500.	r.status_code == 500; data["status"] == "error"	Pass	0.002s
Lines 58-59: json.JSONDecodeError → 500.	r.status_code == 500; data["status"] == "error"	Pass	0.002s
Creates output file	output_file.exists()	Pass	0.000s
Data is list	isinstance(result["data"], list); len(result["data"]) == 3	Pass	0.000s
Default count uses all counterparties	len(result["data"]) == len(_ALL_COUNTERPARTIES)	Pass	0.002s
File path is pathlib path	isinstance(result["file_path"], Path)	Pass	0.000s
Metadata has total generated	result["metadata"]["total_generated"] == 4	Pass	0.000s
Output file is valid json	"counterparties" in data; "generation_metadata" in data	Pass	0.002s
Returns dict with required keys	"data" in result; "file_path" in result (+1 more)	Pass	0.000s
Zero count returns empty	result["data"] == []	Pass	0.000s
Counterparty not found returns empty	result == []	Pass	0.002s
Counterparty trace finds master record	"counterparties" in steps	Pass	0.003s
Counterparty trace finds prs trades	len(consumed) >= 1	Pass	0.003s
Consistent cover	badge._cellvalues[1][0] == 'CONSISTENT'	Pass	0.000s
Degraded cover on failures	badge._cellvalues[1][0] == 'DEGRADED'	Pass	0.000s
Inconsistent cover on broken chain	badge._cellvalues[1][0] == 'INCONSISTENT'	Pass	0.000s
Engines not none	engine is not None	Pass	0.000s
Returns dict with engines	isinstance(engines, dict); "ISDA" in engines (+2 more)	Pass	0.002s
Default day counter	curve is not None; curve is not None	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns curve and quote	curve is not None; quote is not None	Pass	0.000s
Actual360 day counter accepted	curve is not None	Pass	0.000s
Quote is simple quote	isinstance(quote, ql.SimpleQuote)	Pass	0.000s
Quote value matches input	quote.value() == pytest.approx(rate, rel=1e-10)	Pass	0.000s
Survival probability formula	sp == pytest.approx(math.exp(-lam * 3), rel=0.02)	Pass	0.000s
Very high hazard rate near zero survival	s1 == pytest.approx(math.exp(-2.0), rel=0.01)	Pass	0.000s
Returns hazard curve	curve is not None	Pass	0.000s
Survival probability decreases	sp2 < sp1	Pass	0.000s
Zero hazard near full survival	sp > 0.99	Pass	0.000s
Auto generates id	"id" in data["meeting"]; len(data["meeting"]["id"]) > 0	Pass	0.002s
Create returns meeting	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.002s
Custom attendees become participants	"Alice Smith" in names	Pass	0.001s
Custom title used	data["meeting"]["title"] == "Quarterly Review"	Pass	0.001s
Default chair populated	data["meeting"]["chair"] == "Johnny Mattimore"	Pass	0.002s
Default participants created	len(participants) >= 1	Pass	0.001s
No json body uses defaults	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.002s
Custom max notifications	ns.max_visible == 8	Pass	0.000s
Custom timeout	ns.timeout == 1000	Pass	0.000s
Invalid position defaults to top right	ns.position.value == "top-right"	Pass	0.000s
Valid position	ns.position.value == "bottom-left"	Pass	0.000s
create_pdf_report(None) calls collect_all().	—	Pass	0.016s
Creates audit dir	audit.is_dir(); result.exists()	Pass	0.016s
Creates pdf	result.exists(); result.stat().st_size > 0	Pass	0.016s
Creates pdf empty data	result.exists()	Pass	0.007s
Main prints summary	'Generating Model Risk Governance Report' in captured; 'models in inventory' in captured (+5 more)	Pass	0.016s
Integration: main() with actual data loading against empty dirs.	out.exists()	Pass	0.019s
PDF file is created on disk.	out.exists()	Pass	0.018s

Test Description	Acceptance Criteria	Result	Time
Generated file has PDF magic bytes.	<code>out.read_bytes()[4] == b'%PDF'</code>	Pass	0.172s
PDF has reasonable size (multi-page report).	<code>out.stat().st_size > 5000</code>	Pass	0.019s
PDF renders when no steps have been recorded.	<code>out.exists(); out.read_bytes()[4] == b'%PDF'</code>	Pass	0.022s
PDF generates correctly when pipeline has stale/missing steps.	<code>out.exists(); out.read_bytes()[4] == b'%PDF'</code> (+1 more)	Pass	0.028s
PDF renders when lineage_results is empty (tests not run).	<code>out.exists(); out.stat().st_size > 5000</code>	Pass	0.021s
<code>create_pdf_report()</code> returns a Path object.	<code>isinstance(result, Path)</code>	Pass	0.019s
Creates registry	<code>create_registry(str(tmp_path)) is not None</code>	Pass	0.000s
With file overrides	<code>registry.get_gauge_loader().count() == 2</code>	Pass	0.001s
Test create_registry helper.	<code>registry.data_dir == populated_data_dir; registry is not None</code> (+1 more)	Pass	0.002s
Test create_registry with file overrides.	<code>loader.count() == 0</code>	Pass	0.001s
Auto generated id starts with storm	<code>storm.storm_id.startswith("STORM-")</code>	Pass	0.000s
Decay kernel stored	<code>storm.decay_kernel == DecayKernel.EXPONENTIAL</code>	Pass	0.000s
Decay parameter stored	<code>storm.decay_parameter == pytest.approx(1.2)</code>	Pass	0.000s
Default num track points	<code>len(storm.track) == 25</code>	Pass	0.000s
Default start time is recent	<code>before <= storm.start_time <= after</code>	Pass	0.000s
Duration hours stored	<code>storm.duration_hours == pytest.approx(36.0)</code>	Pass	0.000s
Explicit id preserved	<code>storm.storm_id == "MY-STORM-001"</code>	Pass	0.000s
Explicit name	<code>storm.name == "Ciara"</code>	Pass	0.000s
Explicit start time	<code>storm.start_time == t</code>	Pass	0.000s
Footprint km stored	<code>storm.footprint_km == pytest.approx(60.0)</code>	Pass	0.000s
Num track points	<code>len(storm.track) == 10</code>	Pass	0.000s
Peak intensity stored	<code>storm.peak_intensity == pytest.approx(75.0)</code>	Pass	0.000s
Returns storm object	<code>isinstance(storm, Storm)</code>	Pass	0.000s
Speed is positive	<code>storm.speed_kmh > 0</code>	Pass	0.000s
Track end time equals duration	<code>storm.track[-1].time_hours == pytest.approx(24.0)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Track longitude moves from start to end	<code>lons[0] < lons[-1]</code>	Pass	0.000s
Track points are trackpoint instances	<code>isinstance(tp, TrackPoint)</code>	Pass	0.000s
Track start time is zero	<code>storm.track[0].time.hours == pytest.approx(0.0)</code>	Pass	0.000s
Track time increases	<code>all(times[i] <= times[i + 1] for i in range(len(times) - 1))</code>	Pass	0.000s
Actual360 day counter produces curve	<code>0.0 < sp <= 1.0</code>	Pass	0.000s
Implied hazard rate formula	<code>sp5 == pytest.approx(expected_5yr, rel=0.01)</code>	Pass	0.000s
Near zero survival positive hazard	<code>s1 < 0.9</code>	Pass	0.000s
Single point high risk ts	<code>curve is not None</code>	Pass	0.000s
Single point term structure	<code>curve is not None</code>	Pass	0.000s
Survival strictly positive	<code>sp > 0.0</code>	Pass	0.000s
Custom day counter	<code>curve is not None</code>	Pass	0.000s
Default day counter	<code>curve is not None; curve is not None</code>	Pass	0.000s
Full survival at start	<code>abs(sp - 1.0) < 1e-6</code>	Pass	0.001s
Returns curve	<code>curve is not None</code>	Pass	0.000s
Line 83: <code>final_survival j= 0</code> → uses 0.05 default hazard rate.	<code>curve is not None</code>	Pass	0.000s
Line 83: <code>final_survival j= 1</code> → uses 0.05 default hazard rate.	<code>curve is not None</code>	Pass	0.006s
Excellent credit 800 plus	<code>isinstance(result, list)</code>	Pass	0.000s
Fair credit 580 to 669	<code>isinstance(result, list)</code>	Pass	0.000s
Good credit 670 to 739	<code>isinstance(result, list)</code>	Pass	0.000s
Poor credit under 580	<code>isinstance(result, list)</code>	Pass	0.001s
Very good credit 740 to 799	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent 800 plus	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 580 to 669	<code>isinstance(result, list)</code>	Pass	0.000s
Good 670 to 739	<code>isinstance(result, list)</code>	Pass	0.000s
Poor under 580	<code>isinstance(result, list)</code>	Pass	0.000s
Very good 740 to 799	<code>isinstance(result, list)</code>	Pass	0.000s
Gauges returned by list endpoint should have valid timeseries responses.	<code>response.status_code == 200; ts_response.status_code in [200, 404]</code>	Pass	0.002s
Gauge hazard endpoint should never return 500 for listed gauges.	<code>hz_response.status_code != 500</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Properties returned by list endpoint should have flood data if property exists.	<code>response.status_code == 200;</code> <code>flood_response.status_code in [200, 404]</code>	Pass	0.002s
crud.py lines 63-67: gauge not found -i 404.	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
crud.py lines 59-72: valid gauge retrieval.	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.031s
crud.py lines 51-53: loader error -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.028s
crud.py line 34: /list_gauges alias works.	<code>r.status_code == 200;</code> <code>r.get_json()["count"] == 1</code>	Pass	0.029s
crud.py lines 37-38: OPTIONS returns ok.	<code>r.status_code == 200</code>	Pass	0.029s
crud.py lines 40-50: successful gauge listing.	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.029s
hd present but daily_observations missing -i same paragraph.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
daily_observations = [] -i falsy, caught by first guard.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
Normal flow: valid obs -i chart + table elements returned.	<code>len(elements) > 3</code>	Pass	0.184s
ValueError/KeyError in date parse loop -i skipped.	<code>len(elements) > 0</code>	Pass	0.087s
Invalid date in latest observation -i current_month = None.	<code>len(elements) > 0</code>	Pass	0.086s
No obs in same month -i same_month_levels = all_levels.	<code>len(elements) > 0</code>	Pass	0.085s
No hd data -i 'No historical daily data' paragraph.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
level is None -i skipped, does not crash.	<code>len(elements) > 0</code>	Pass	0.088s
Boe base shown	<code>isinstance(result, list)</code>	Pass	0.000s
Current payment shown	<code>isinstance(result, list)</code>	Pass	0.000s
Has status header	<code>any("Status" in t or "Mortgage" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Interest paid shown	<code>isinstance(result, list)</code>	Pass	0.000s
Last payment date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Last status shown	<code>isinstance(result, list)</code>	Pass	0.000s
Lending rate shown	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No current status returns message	<code>any("No current status" in t for t in texts)</code>	Pass	0.000s
No mortgage returns message	<code>any("No mortgage" in t for t in texts)</code>	Pass	0.000s
Outstanding balance shown	<code>isinstance(result, list)</code>	Pass	0.000s
Principal paid shown	<code>isinstance(result, list)</code>	Pass	0.000s
Total payments shown	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage returns list	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
Returns empty history when no snapshots exist.	<code>resp.status_code == 200;</code> <code>data['history'] == []</code>	Pass	0.001s
Missing gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
After EOD, returns term structure history for that gauge.	<code>resp.status_code == 200;</code> <code>data['gauge_id'] == 'GAUGE-001'</code> (+1 more)	Pass	0.041s
POST hazard-term-structure/commit returns 500 on error (lines 341-343).	<code>resp.status_code == 500</code>	FAIL	0.032s
curve-history returns 500 on engine error (lines 82-84).	<code>resp.status_code == 500</code>	Pass	0.001s
GET hazard-term-structure returns 500 on engine error (lines 234-236).	<code>resp.status_code == 500</code>	FAIL	0.004s
GET yield-curve returns 500 on engine error (lines 104-106).	<code>resp.status_code == 500</code>	FAIL	0.003s
pnl-series returns 500 on engine error (lines 36-38).	<code>resp.status_code == 500</code>	Pass	0.002s
POST hazard-term-structure/reset returns 500 on error (lines 363-365).	<code>resp.status_code == 500</code>	FAIL	0.004s
POST yield-curve/reset returns 500 on engine error (lines 270-272).	<code>resp.status_code == 500</code>	FAIL	0.003s
POST yield-curve returns 500 on engine error (lines 211-213).	<code>resp.status_code == 500</code>	FAIL	0.004s
POST hazard-term-structure/commit with null body -i 400 (line 282).	<code>resp.status_code == 400</code>	Pass	0.000s
POST yield-curve/commit with null body -i 400 (line 145).	<code>resp.status_code == 400</code>	Pass	0.000s
POST hazard-term-structure with null body -i 400 (line 245).	<code>resp.status_code == 400</code>	Pass	0.000s
POST yield-curve with null body -i 400 (line 115).	<code>resp.status_code == 400</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Curves tab should show all gauges on one chart.	'tdRenderAllCurves' in js; 'tdCurveAllData' in js (+1 more)	Pass	0.000s
Curves tab should have alert/warning/severe trigger selector.	'td-curve-trigger' in js; 'severe' in js (+2 more)	Pass	0.000s
Curves tab should use HSL for distinct line colours.	'hsl(' in js	Pass	0.000s
Curves sub-module should render without errors.	len(js) > 0	Pass	0.000s
Legend should strip 'Thames ' prefix for brevity.	'Thames' in js	Pass	0.000s
Curves tab should fetch from market-state endpoint.	'/api/v1/trading/market-state' in js	Pass	0.000s
Good dti under 28	isinstance(result, list)	Pass	0.000s
High dti 36 to 43	isinstance(result, list)	Pass	0.000s
Moderate dti 28 to 36	isinstance(result, list)	Pass	0.000s
No payment dti unknown	isinstance(result, list)	Pass	0.000s
Very high dti over 43	isinstance(result, list)	Pass	0.000s
Empty daily pnl returns drawing	isinstance(result, Drawing)	Pass	0.000s
Mixed positive negative renders	isinstance(result, Drawing)	Pass	0.000s
Negative daily pnl renders	isinstance(result, Drawing)	Pass	0.000s
Commercial higher damage	com_ratio >= res_ratio	Pass	0.000s
Damage capped	calculate_damage_ratio(10.0) <= 1.0	Pass	0.000s
Damage increases with depth	ratios == sorted(ratios)	Pass	0.000s
No damage no flood	calculate_damage_ratio(0.0) == 0.0	Pass	0.000s
GaugeHC file must have required structure.	'hazard_curves' in data; not missing	Pass	0.001s
Gaugets files must have required structure.	'flood_simulation' in data; 'readings' in sim (+1 more)	Pass	0.003s
PropertyHC file must have required structure.	'property_hazard_curves' in data; 'metadata' in data (+2 more)	Pass	0.001s
PropertyTS files must have required fields.	not missing; not missing_loc (+3 more)	Pass	0.003s
Every step in manifest must appear in the static dependency graph.	len(missing) == 0	Pass	0.001s
data_lineage.json must exist after any port run.	"steps" in data; len(data["steps"]) > 0	Pass	0.001s
No step should have stale inputs.	len(stale) == 0	FAIL	0.007s
Recorded output hashes must match current files on disk.	—	Pass	6.102s
Data summary contains errors count	"errors" in dl.get_data_summary()["gauge"]	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Data summary contains warnings count	"warnings" in dl.get_data_summary()["gauge"]	Pass	0.001s
Data summary loaded flag false when no file	summary["gauge"]["loaded"] is False	Pass	0.000s
Data summary loaded flag true for gauge	dl.get_data_summary()["gauge"]["loaded"] is True	Pass	0.002s
Get data summary empty before load	DataLoader(input_dir=tmp_path).get_data_summary() == {}	Pass	0.000s
Get data summary returns dict	isinstance(dl.get_data_summary(), dict)	Pass	0.001s
Get validation summary empty before load	DataLoader(input_dir=tmp_path).get_validation_summary() =...	Pass	0.000s
Get validation summary is copy	s1 is not s2	Pass	0.001s
Get validation summary returns dict	isinstance(dl.get_validation_summary(), dict)	Pass	0.001s
Is data complete depends only on gauge	dl.is_data_complete() is False	Pass	0.002s
Is data complete false before load	DataLoader(input_dir=tmp_path).is_data_complete() is False	Pass	0.000s
Is data complete false when no gauge	dl.is_data_complete() is False	Pass	0.000s
Is data complete true with gauge	dl.is_data_complete() is True	Pass	0.002s
Validation summary has gauge key	"gauge" in dl.get_validation_summary()	Pass	0.001s
Init with input dir	dl.input_dir == tmp_path	Pass	0.000s
Init with string path converts to path	isinstance(dl.input_dir, Path); dl.input_dir == tmp_path	Pass	0.000s
Loaded data initialised	isinstance(dl.loaded_data, LoadedData)	Pass	0.000s
Private loaders created	dl._gauge_loader is not None; dl._property_loader is not None (+1 more)	Pass	0.000s
Validation results empty at init	dl._validation_results == {}	Pass	0.000s
Counterparty data loaded	result.counterparty_data is not None	Pass	0.002s
Empty dir returns loaded data	isinstance(result, LoadedData)	Pass	0.000s
Gauge data count matches records	result.gauge_data["count"] == len(result.gauge_data["item...	Pass	0.001s
Gauge data has items key	"items" in result.gauge_data	Pass	0.002s
Gaugehd dir counted	result.gaugehd_count == 1	Pass	0.002s
Gaugets dir counted	result.gaugets_count == 1	Pass	0.002s
Gaugets dir multiple files counted	result.gaugets_count == 3	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Hazard curves loaded	<code>result.hazard.data is not None</code>	Pass	0.002s
Lookups built after load	<code>result.mortgage.lookup is not None;</code> <code>result.gauge.flood_info is not None</code>	Pass	0.001s
No gaugehd dir count stays zero	<code>result.gaugehd_count == 0</code>	Pass	0.001s
No gaugets dir count stays zero	<code>result.gaugets_count == 0</code>	Pass	0.001s
No propertyts dir count stays zero	<code>result.propertyts_count == 0</code>	Pass	0.001s
Property hazard curves loaded	<code>result.property_hazard.data is not None</code>	Pass	0.004s
Property hazard summary fields accessible	"summary" in <code>result.property_hazard.data</code>	Pass	0.002s
Propertyts dir counted	<code>result.propertyts_count >= 1</code>	Pass	0.002s
Storm data list format	<code>result.storm.data is not None</code>	Pass	0.003s
Storm data loaded dict format	<code>result.storm.data is not None</code>	Pass	0.002s
Storm data unknown format	<code>result.storm.data is not None</code>	Pass	0.003s
Storm data with items key	<code>result.storm.data is not None</code>	Pass	0.002s
With gauge data loaded	<code>result.gauge.data is not None</code>	Pass	0.002s
With mortgage data loaded	<code>result.mortgage.data is not None</code>	Pass	0.003s
With property data loaded	<code>result.property.data is not None</code>	Pass	0.002s
Collect all keys	<code>expected_keys == set(result.keys())</code>	Pass	0.004s
List audit files	<code>len(result) == 1;</code> <code>result[0]['name']</code> <code>== 'report.pdf' (+2 more)</code>	Pass	0.001s
List audit files missing dir	<code>result == []</code>	Pass	0.000s
List sensitivity generators	<code>result == ['hazard']</code>	Pass	0.001s
List sensitivity generators no dir	<code>result == []</code>	Pass	0.000s
Load audit log	<code>len(result) == 1</code>	Pass	0.001s
Load audit log dict fallback	<code>result == []</code>	Pass	0.001s
Load bcbs	<code>'principles' in result</code>	Pass	0.001s
Load coverage	<code>result == pytest.approx(82.5)</code>	Pass	0.004s
Load coverage corrupt	<code>result is None</code>	Pass	0.001s
Load coverage missing	<code>result is None</code>	Pass	0.000s
Load inventory	<code>result['models'][0]['model_id'] == 'M-TEST'</code>	Pass	0.001s
Load inventory bad json	<code>result == {}</code>	Pass	0.001s
Load inventory missing	<code>result == {}</code>	Pass	0.000s
Load junit	<code>result['total'] == 100;</code> <code>result['failed'] == 2 (+4 more)</code>	Pass	0.001s
Load junit corrupt	<code>result['total'] == 0</code>	Pass	0.001s
Load junit missing	<code>result['total'] == 0</code>	Pass	0.000s
Load meetings	<code>len(result) == 1</code>	Pass	0.001s
Load meetings dict fallback	<code>result == []</code>	Pass	0.001s
Load raci	<code>'roles' in result</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Both empty	<code>isinstance(self._page().generate_elements({}), list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements(list), list)</code>	Pass	0.000s
Has data header	<code>any("Data" in t for t in texts)</code>	Pass	0.001s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No sections in property	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(make_property()), list)</code>	Pass	0.001s
Returns non empty	<code>len(self._page().generate_elements(make_property())) > 0</code>	Pass	0.001s
With mortgage data	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.001s
Invalid result fields	<code>result.is_valid is False; "file not found" in result.errors</code>	Pass	0.000s
Is named tuple	<code>isinstance(result, tuple)</code>	Pass	0.000s
Tuple unpacking	<code>is_valid is True</code>	Pass	0.000s
Valid result fields	<code>result.is_valid is True; result.warnings == ["minor issue"] (+2 more)</code>	Pass	0.000s
Datetime encoded as isoformat	<code>"2024-06-15" in result</code>	Pass	0.000s
Nested numpy in dict	<code>result["a"] == 1; abs(result["b"] - 2.5) < 1e-6 (+1 more)</code>	Pass	0.000s
Numpy float32 encoded	<code>abs(result - 1.5) < 0.01</code>	Pass	0.000s
Numpy float64 encoded as float	<code>abs(result - 3.14) < 1e-6</code>	Pass	0.000s
Numpy int32 encoded	<code>result == 7</code>	Pass	0.000s
Numpy int64 encoded as int	<code>result == 99; isinstance(result, int)</code>	Pass	0.000s
Numpy ndarray encoded as list	<code>result == [1, 2, 3]</code>	Pass	0.000s
Unknown type raises type error	—	Pass	0.000s
Line 59-60: datetime -i isoformat.	<code>"2024-06-01" in result</code>	Pass	0.000s
Line 63-64: np.floating -i float.	<code>"2.71" in result</code>	Pass	0.000s
Line 61-62: np.integer -i int.	<code>result == "99"</code>	Pass	0.000s
Line 65-66: np.ndarray -i list.	<code>result == [10, 20]</code>	Pass	0.000s
Line 67: super().default() -i Type-Error for unknown.	—	Pass	0.000s
Exponential value	<code>DecayKernel.EXPONENTIAL.value == "exponential"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gaussian value	IntensityProfile.GAUSSIAN.value == "gaussian"; DecayKernel.GAUSSIAN.value == "gaussian"	Pass	0.000s
Linear value	DecayKernel.LINEAR.value == "linear"	Pass	0.000s
Add decision auto generates id	r.status_code == 200; decisions[0]["id"] == "D-001"	Pass	0.002s
Add decision unknown meeting returns 404	r.status_code == 404	Pass	0.002s
Delete decision	r.status_code == 200; len(r.get_json()["meeting"]["decisions"]) == 1	Pass	0.004s
Delete decision unknown meeting returns 404	r.status_code == 404	Pass	0.001s
Second decision increments id	ids == ["D-001", "D-002"]	Pass	0.003s
Update decision	r.status_code == 200; r.get_json()["meeting"]["decisions"][0]["description"] == ...	Pass	0.003s
Update missing decision returns 404	r.status_code == 404	Pass	0.001s
Add decision auto ids	"D-001" in ids; "D-002" in ids	Pass	0.002s
Add decision missing meeting returns 404	r.status_code == 404	Pass	0.002s
Add decision returns 200	r.status_code == 200; len(meeting["decisions"]) == 2	Pass	0.002s
Delete decision missing meeting returns 404	r.status_code == 404	Pass	0.001s
Delete decision returns 200	r.status_code == 200; len(r.get_json()["meeting"]["decisions"]) == 0	Pass	0.002s
Update decision not found returns 404	r.status_code == 404	Pass	0.002s
Update decision returns 200	r.status_code == 200; decisions[0]["description"] == "Updated decision"	Pass	0.002s
Delete is idempotent — filtering out a missing ID is still 200.	r.status_code == 200	Pass	0.002s
Delete returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.003s
Deleted ref not in list	ref_id not in ids	Pass	0.004s
Deleted doc not in list	doc_id not in ids	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.001s
Valid delete returns success	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.015s
Delete save failure returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.029s
Gaugehd references gauges	<code>gid in gauge_ids</code>	Pass	0.026s
Gaugets reads gauge	<code>gid in gauge_ids</code>	Pass	0.002s
Hazard reads gauge and storms	<code>len(hc.curves) > 0; gid in gauge_ids</code>	Pass	0.001s
Mortgage reads property	<code>mid in prop_ids</code>	Pass	0.002s
Propertyhc references properties	<code>pid in prop_ids</code>	Pass	0.004s
Propertyts uses nearest gauges	<code>ng["gauge_id"] in gauge_ids</code>	Pass	0.001s
Every input declared in STEP_IO must be produced by a transitive	<code>producers</code>	Pass	0.000s
When hazard mutates gaugets/ to a different hash, propertyts must	<code>producer == "hazard"</code>	Pass	0.000s
Commercial higher damage than residential	<code>com_damage > res_damage</code>	Pass	0.000s
Floor level reduces damage	<code>damages[0] >= damages[3]</code>	Pass	0.000s
Large depth all near one	<code>np.all(damages > 0.5)</code>	Pass	0.000s
Output clipped to 0 1	<code>np.all((damages >= 0) & (damages <= 1))</code>	Pass	0.000s
Returns array same length	<code>len(damages) == len(properties)</code>	Pass	0.002s
Zero depths all zero damage	—	Pass	0.018s
Line 150: commercial factor = 1.2.	<code>result[1] > result[0]</code>	Pass	0.000s
Lines 159-160: adjusted_depths = max(depths - floor_levels, 0).	<code>result[3] == pytest.approx(0.0)</code>	Pass	0.000s
Full function returns correct length	<code>len(result) == len(properties)</code>	Pass	0.000s
Line 151: industrial factor = 0.9.	<code>result[2] < result[0]</code>	Pass	0.000s
Line 165: np.clip(final_damage, 0, 1).	<code>np.all(result <= 1.0); np.all(result >= 0.0)</code>	Pass	0.000s
Line 155: .get(str(pt).lower(), 1.0) — 'other' defaults to 1.0.	<code>result[4] == pytest.approx(result[0])</code>	Pass	0.000s
Zero depths all zero	—	Pass	0.000s
Deep flood -i damage ratio approaches 1.	<code>result > 0.5</code>	Pass	0.164s
Positive depth -i positive damage ratio.	<code>0.0 < result <= 1.0</code>	Pass	0.164s
0m depth -i 0 damage.	<code>gen..depth_to_damage(0.0) == 0.0</code>	Pass	0.164s
Delegates to scalar depth damage	<code>isinstance(result, float); result > 0</code>	Pass	0.164s
Zero depth	<code>gen..depth_to_damage(0.0) == 0.0</code>	Pass	0.165s

Test Description	Acceptance Criteria	Result	Time
Line 80: after loop exhausted, gauges_warning i 3 → 'baseline'.	<code>_derive_intensity_category(-1, 2) == "baseline"</code>	Pass	0.000s
Negative severe with five warnings returns moderate	<code>_derive_intensity_category(-1, 5) == "moderate"</code>	Pass	0.000s
Lines 78-79: gauges_severe i 0 (doesn't match any threshold),	<code>_derive_intensity_category(-1, 3) == "moderate"</code>	Pass	0.000s
Negative severe zero warnings returns baseline	<code>_derive_intensity_category(-1, 0) == "baseline"</code>	Pass	0.000s
When severe i= 1, warning count is irrelevant.	<code>_derive_intensity_category(1, 10) == "moderate"</code>	Pass	0.000s
gauges_severe=0 matches (0, 'baseline') in the severity table.	<code>_derive_intensity_category(0, 0) == "baseline"</code>	Pass	0.000s
Both missing returns na	<code>page._derive_tenor("", "") == "N/A"</code>	Pass	0.000s
Five year tenor	<code>page._derive_tenor("2024-01-01", "2029-01-01") == "5Y"</code>	Pass	0.000s
Invalid date format returns na	<code>page._derive_tenor("not-a-date", "2026-01-01") == "N/A"</code>	Pass	0.000s
Missing end returns na	<code>page._derive_tenor("2024-01-01", "") == "N/A"</code>	Pass	0.000s
Missing start returns na	<code>page._derive_tenor("", "2026-01-01") == "N/A"</code>	Pass	0.000s
Valid dates returns years	<code>page._derive_tenor("2024-01-01", "2026-01-01") == "2Y"</code>	Pass	0.000s
Empty property info returns valid	<code>result in ["Residential", "Buy-to-Let", "Second Home", "H...]</code>	Pass	0.000s
Multi family returns btl or residential	<code>result in ["Buy-to-Let", "Residential"]</code>	Pass	0.000s
Rental history returns btl or residential	<code>result in ["Buy-to-Let", "Residential"]</code>	Pass	0.000s
Rental income returns btl or residential	<code>result in ["Buy-to-Let", "Residential"]</code>	Pass	0.000s
Vacant property	<code>result in ["Buy-to-Let", "Second Home", "Residential"]</code>	Pass	0.000s
Buy to let returns investment or primary	<code>result in ["Investment", "PrimaryResidence"]</code>	Pass	0.000s
Holiday home returns second residence	<code>_determine_occupancy_type("Holiday Home") == "SecondResid..."</code>	Pass	0.000s
Residential returns primary or second	<code>result in ["PrimaryResidence", "SecondResidence"]</code>	Pass	0.000s
Second home returns second residence	<code>_determine_occupancy_type("Second Home") == "SecondReside..."</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge IDs should be derived from location, not random UUIDs.	—	Skip	0.000s
Haversine known distance	<code>6.0 < distance < 8.0</code>	Pass	0.000s
Haversine same point	<code>calculate_distance_km(lat, lon, lat, lon) == pytest.appro...</code>	Pass	0.000s
Haversine teddington to richmond	<code>2.5 < distance < 4.0</code>	Pass	0.000s
Diagonal zero	<code>np.allclose(np.diag(D), 0.0)</code>	Pass	0.000s
51.5N 0.0 -j 51.5N 1.0E is approximately 69km.	<code>65.0 < d < 75.0</code>	Pass	0.000s
Positive off diagonal	<code>D[i, j] > 0.0</code>	Pass	0.000s
Shape	<code>D.shape == (n, n)</code>	Pass	0.000s
Symmetric	<code>np.allclose(D, D.T)</code>	Pass	0.000s
Thames gauges span ~80km corridor (Reading to Purfleet).	<code>10.0 < max_d < 120.0</code>	Pass	0.000s
Thames n gauges	<code>thames_model.n_gauges == 52</code>	Pass	0.000s
At zero is max	<code>RiskAssessor.calculate_distance_risk_factor == 1.0</code>	Pass	0.000s
Close band	<code>RiskAssessor.calculate_distance_risk_factor == 0.8</code>	Pass	0.000s
Far band	<code>RiskAssessor.calculate_distance_risk_factor == 0.2</code>	Pass	0.000s
Medium band	<code>RiskAssessor.calculate_distance_risk_factor == 0.4</code>	Pass	0.000s
Monotone decrease	<code>all(factors[i] >= factors[i + 1] for i in range(len(facto...</code>	Pass	0.000s
Near band	<code>RiskAssessor.calculate_distance_risk_factor == 0.6</code>	Pass	0.000s
Negative returns default	<code>RiskAssessor.calculate_distance_risk_factor == 0.5</code>	Pass	0.000s
None returns default	<code>RiskAssessor.calculate_distance_risk_factor == 0.5</code>	Pass	0.000s
Very close	<code>RiskAssessor.calculate_distance_risk_factor == 1.0</code>	Pass	0.000s
Very far	<code>RiskAssessor.calculate_distance_risk_factor == 0.1</code>	Pass	0.000s
Property 50m from gauge with strong storm must flood.	<code>depth > 0; ret > 0.98</code>	Pass	0.000s
Property 10km from gauge with moderate storm should not flood.	<code>depth == 0.0; ret < 0.05</code>	Pass	0.000s
More distant properties receive less water — flood depth must	<code>depths[i] <= depths[i - 1] + 1e-6</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Verify retention factor at key distances with 3km length scale.	<code>abs(actual - expected) < 0.001</code>	Pass	0.000s
At typical Thames distances (200-800m), check flood/no-flood	<code>10 <= ratio <= 90;</code> <code>n_flooded <</code> <code>n_storms</code>	Pass	0.004s
Close distance label	<code>"Very close to Thames" in</code> <code>str(elements)</code>	Pass	0.000s
Zero distance highest risk	<code>"On Thames River" in str(elements)</code>	Pass	0.000s
STORM-d1a damage for PROP-A uses only that storm's damage_ratio.	<code>prop.a["damage.amount"] ==</code> <code>pytest.approx(expected.damage)</code>	Pass	0.005s
Query STORM-d1a: only PROP-A (depth=0) appears; PROP-B depth=0 excluded.	<code>r.status_code == 200;</code> <code>prop_ids (+1 more)</code> <code>"PROP-A" in</code>	Pass	0.005s
Total damage is different for each storm in the doublet.	<code>total2 > total1</code>	Pass	0.005s
STORM-d1b causes more damage to PROP-A (deeper flood).	<code>dmg2 > dmgl</code>	Pass	0.005s
Query STORM-d1b: both PROP-A and PROP-B have positive depth.	<code>r.status_code == 200;</code> <code>prop_ids (+1 more)</code> <code>"PROP-A" in</code>	Pass	0.004s
Response storm_id matches the queried storm.	<code>data["storm_id"] == "STORM-d1b"</code>	Pass	0.005s
Each storm computes its own damage_ratio from its own flood depth.	<code>"damage_ratio" in event;</code> <code>0.0 <=</code> <code>event["damage_ratio"] <= 1.0</code>	Pass	0.167s
Doublet events have distinct storm ids	<code>"STORM-d001a" in event_storm_ids;</code> <code>"STORM-d001b" in event_storm_ids</code>	Pass	0.166s
Doublet produces two flood events	<code>result is not None; prop_file.exists()</code> <code>(+1 more)</code>	Pass	0.166s
<code>floods_at_nearest_gauge == 2</code> for doublet sequence.	<code>result["summary"]["floods_at_nearest_gauge"]</code> <code>== 2</code>	Pass	0.164s
File not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Non pdf served as attachment	<code>r.status_code == 200; "attachment" in</code> <code>r.headers.get("Content-Disposition",</code> <code>"")</code>	Pass	0.002s
Path traversal returns 403	<code>r.status_code in (403, 404)</code>	Pass	0.001s
Valid pdf served inline	<code>r.status_code == 200</code>	Pass	0.011s
Not found returns 404	<code>r.status_code == 404; r.status_code ==</code> <code>404</code>	Pass	0.002s
Valid download returns 200	<code>r.status_code == 200</code>	Pass	0.003s
File missing on disk returns 404	<code>r.status_code == 404; "not found" in</code> <code>data["message"].lower()</code>	Pass	0.028s
All rates below one	<code>rate < 1.0</code>	Pass	0.000s
All rates positive	<code>rate > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has all five zones	<code>set(EA_FLOOD_ZONE_RATES.keys()) == self.EXPECTED_ZONES</code>	Pass	0.000s
Rate is float[zone 1] [zone='Zone 1']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 2] [zone='Zone 2']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 3] [zone='Zone 3']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 3a] [zone='Zone 3a']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Rate is float[zone 3b] [zone='Zone 3b']	<code>isinstance(EA_FLOOD_ZONE_RATES[zone], float)</code>	Pass	0.000s
Zone 3 (generic) should have same rate as Zone 3a.	<code>EA_FLOOD_ZONE_RATES['Zone 3'] == EA_FLOOD_ZONE_RATES['Zone 3a']</code>	Pass	0.000s
Zone ordering 2 gt 1	<code>EA_FLOOD_ZONE_RATES['Zone 2'] > EA_FLOOD_ZONE_RATES['Zone 1']</code>	Pass	0.000s
Zone ordering 3a gt 2	<code>EA_FLOOD_ZONE_RATES['Zone 3a'] > EA_FLOOD_ZONE_RATES['Zone 2']</code>	Pass	0.000s
Zone ordering 3b gt 3a	<code>EA_FLOOD_ZONE_RATES['Zone 3b'] > EA_FLOOD_ZONE_RATES['Zone 3a']</code>	Pass	0.000s
Insufficient data message	<code>any("Insufficient" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.001s
Single entry insufficient	<code>any("Insufficient" in t for t in texts)</code>	Pass	0.000s
Sufficient data creates content	<code>len(result) > 2</code>	Pass	0.001s
More than 20 positions -i only top 20 movers shown.	<code>isinstance(result, list)</code>	Pass	0.001s
Market move pnl creates table	<code>len(tables) >= 2</code>	Pass	0.000s
New trade pnl creates table	<code>len(tables) >= 1</code>	Pass	0.000s
No positions shows messages	<code>any("No new trades" in t for t in texts); any("No market move" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Position with notional=0 triggers fmt_gbp(0) → em-dash path.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Gauge IDs longer than 12 chars should not crash.	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Positions from 2 gauges should produce group subheaders.	<code>len(tables) >= 1</code>	Pass	0.000s
No positions shows message	<code>any("No open positions" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Single position	<code>isinstance(result, list)</code>	Pass	0.000s
With positions creates table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
Line 48: <code>daily_pnl=0</code> and <code>running_pnl=0 -i fmt_gbp</code> returns em-dash.	<code>isinstance(result, list)</code>	Pass	0.000s
Eod id in filename	<code>"EOD-2026-03-08" in path.name</code>	Pass	0.005s
Generate empty snapshot	<code>path.exists()</code>	Pass	0.004s
Generate report returns path	<code>path.exists(); path.suffix == ".pdf"</code>	Pass	0.009s
Generate report without pnl series	<code>path.exists()</code>	Pass	0.005s
Lines 49-50: <code>output_dir=None -i</code> uses <code>config.get_eod_dir()</code> .	<code>gen.output_dir == eod_dir</code>	Pass	0.000s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pdf not empty	<code>path.stat().st_size > 1000</code>	Pass	0.009s
EOD dates should be weekdays (Mon-Fri).	<code>not weekend</code>	Pass	0.001s
blotter/eod/ directory must exist.	<code>EOD_DIR.exists()</code>	Pass	0.000s
Each EOD file must be parseable JSON.	<code>not bad</code>	Pass	0.011s
Each EOD snapshot should have date, trades, and P&L data.	<code>not bad</code>	Pass	0.003s
Each EOD JSON should have a matching PDF report.	—	Pass	0.000s
Should have ~63 EOD snapshots (3 months of business days).	<code>len(eod_files) >= 50</code>	Pass	0.000s
<code>trade_marks.json</code> must exist in blotter directory.	<code>TRADE_MARKS.exists()</code>	Pass	0.000s
Date appears in paragraph	<code>any("2026-03-08" in t for t in texts)</code>	Pass	0.000s
Empty summary	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Has paragraph and table	<code>any(isinstance(e, Paragraph) for e in result); any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Negative pnl snapshot	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.014s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.001s
Audit log single event	<code>len(story) >= 5</code>	Pass	0.000s
Bcbs zero max score	<code>len(story) >= 4</code>	Pass	0.000s
Completely empty flood data	<code>path.exists()</code>	Pass	0.010s
Completely empty gauge data	<code>path.exists()</code>	Pass	0.011s
Completely empty property data	<code>path.exists()</code>	Pass	0.013s
Cover no coverage	<code>len(story) >= 3</code>	Pass	0.000s
Gauge data with hazard curve and timeseries	<code>path.exists()</code>	Pass	0.023s
gauge.json with dict-format flood_gauges is handled.	<code>resp.status_code == 200; data["status"] == "training"</code>	Pass	0.010s
Gauge with '-' for all numeric fields.	<code>result.exists()</code>	Pass	0.013s
Verify no crash or timeout with 500 property entries.	<code>path.exists()</code>	Pass	0.012s
Missing summary key	<code>path.exists()</code>	Pass	0.010s
Model with long name	<code>len(story) >= 3</code>	Pass	0.000s
Model with no name	<code>len(story) >= 3</code>	Pass	0.000s
Mortgage with None for numeric fields.	<code>result.exists()</code>	Pass	0.013s
Mrc actions with missing fields	<code>len(story) >= 3</code>	Pass	0.000s
Multiple models risk ratings	<code>len(story) >= 5</code>	Pass	0.000s
Negative value property	<code>path.exists()</code>	Pass	0.015s
Negative/nonsensical values should not crash the generator.	<code>path.exists()</code>	Pass	0.010s
None flood gauge header	<code>path.exists()</code>	Pass	0.011s
None gauge data key	<code>path.exists()</code>	Pass	0.005s
Output is non empty bytes	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.007s
Pdf content is bytes	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.020s
Property data with none header	<code>path.exists()</code>	Pass	0.008s
Property with None for value field.	<code>result.exists()</code>	Pass	0.013s
Raci no activities no triggers	<code>len(story) >= 3</code>	Pass	0.000s
Remediation null due date	<code>len(story) >= 4</code>	Pass	0.000s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.026s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.021s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.018s
Single page report	<code>path.exists()</code>	Pass	0.003s
Single page report	<code>path.exists()</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
If joblib appears between status check and train call, returns ready.	<code>data["status"] == "ready"</code>	Pass	0.001s
Training status of one gauge does not affect another.	<code>data["status"] == "not_trained"</code>	Pass	0.000s
Validation question no short label	<code>len(story) >= 1</code>	Pass	0.000s
Zero properties at risk	<code>path.exists()</code>	Pass	0.010s
Zero value property	<code>path.exists()</code>	Pass	0.015s
Spec requirement: stronger storms -¿ broader spatial footprint.	<code>r.moderate < r.severe < r.extreme</code>	Pass	0.000s
intensity_factor ¿ 1 still gives at least base range.	<code>r == pytest.approx(small_model.params.base_range_km)</code>	Pass	0.000s
intensity_factor = 1.0 -¿ range = base_range.	<code>r == pytest.approx(small_model.params.base_range_km)</code>	Pass	0.000s
range = base * (1 + rho * (factor - 1)).	<code>m.effective_range_km(2.0) == pytest.approx(56.0)</code>	Pass	0.000s
Good elevation over 20m	<code>isinstance(result, list)</code>	Pass	0.001s
Low elevation 5 to 10m	<code>isinstance(result, list)</code>	Pass	0.001s
Moderate elevation 10 to 20m	<code>isinstance(result, list)</code>	Pass	0.001s
No ground level	<code>isinstance(result, list)</code>	Pass	0.000s
Very low elevation under 5m	<code>isinstance(result, list)</code>	Pass	0.001s
Find the elevation where flooding stops — should be consistent	<code>depth_below > 0; depth_above == 0.0</code>	Pass	0.000s
Higher properties must have lower (or equal) flood depth.	<code>depths[i] <= depths[i - 1] + 1e-6</code>	Pass	0.002s
Higher floor level should reduce flood depth.	<code>depth_low_floor >= depth_high_floor</code>	Pass	0.000s
Property 8m above gauge should not flood (water_at_property ¿ threshold).	<code>depth == 0.0; est == 0.0</code>	Pass	0.000s
Property only 0.5m above gauge should flood with a strong storm.	<code>depth > 0</code>	Pass	0.000s
Concerning under 1 year	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent 5 plus years	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 1 to 2 years	<code>isinstance(result, list)</code>	Pass	0.000s
Good 2 to 5 years	<code>isinstance(result, list)</code>	Pass	0.000s
No curves raises value error	—	Pass	0.002s
Empty storm_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Line 160-161: responses with empty storm_id are skipped.	<code>result["total_storms"] == 1; data["storms"][0]["storm_id"] == "STORM-valid001"</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
storm_id key missing entirely → resp.get('storm_id', "") == "" → skip.	result["total_storms"] == 1	Pass	0.002s
Full pipeline generates all outputs	(pipeline_dir / "gaugets").is_dir(); (pipeline_dir / "gaugehd").is_dir() (+3 more)	Pass	0.000s
Gauge count propagates	n == N_GAUGES; len(list((pipeline_dir / "gaugets").glob("GAUGE-*.json"))... (+2 more)	Pass	0.001s
Pipeline output file integrity	expected_key in data	Pass	0.005s
Property count propagates	n == N_PROPERTIES; json.load(f)["summary"]["total_properties"] == n	Pass	0.002s
Analyze epc rating all bands	expected_word in result	Pass	0.000s
Analyze epc rating case insensitive	"Excellent" in page._analyze_epc_rating("a")	Pass	0.000s
Analyze epc rating unknown	"Unknown" in result	Pass	0.000s
Exercises energy intensity branch when area is known.	len(tables) >= 1	Pass	0.000s
Full data set exercises all branches without exception.	isinstance(result, list); len(result) > 2	Pass	0.000s
No energy data fallback message	any("No energy performance data" in t for t in texts)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.001s
With building fabric	isinstance(result, list)	Pass	0.000s
With energy usage	isinstance(result, list); len(result) > 0	Pass	0.000s
With ratings data	isinstance(result, list); len(result) > 0	Pass	0.000s
With ratings includes table	len(tables) >= 1	Pass	0.000s
Close point pushed away	dist >= PropertyPortfolioGenerator.MIN_RIVER_DISTANCE_M *...	Pass	0.000s
Far point unchanged	new_lat == pytest.approx(lat); new_lon == pytest.approx(lon)	Pass	0.000s
Returns tuple of two floats	len(result) == 2; all(isinstance(v, float) for v in result)	Pass	0.000s
Lines 353-355: FileNotFoundError → logger.error + sys.exit(1).	1 in exited.with	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 451-453: FileNotFoundError → logger.error + sys.exit(1).	1 in exited	Pass	0.002s
Lines 510-512: FileNotFoundError → logger.error + sys.exit(1).	1 in exited	Pass	0.001s
Test handling of invalid JSON.	response.status_code == 400	Pass	0.000s
Lines 451-453: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited	Pass	0.003s
Lines 510-512: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited	Pass	0.002s
Lines 353-355: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited_with	Pass	0.003s
Test handling of missing content type.	response.status_code in [400, 415, 500]	Pass	0.000s
Kent multiplier	result > 0	Pass	0.000s
London multiplier	london > 0	Pass	0.000s
New property	result > 0	Pass	0.000s
Old property	result > 0	Pass	0.000s
Returns float	isinstance(result, float)	Pass	0.000s
Surrey multiplier	result > 0	Pass	0.000s
With area	result > 0	Pass	0.000s
With bedrooms	result > 0	Pass	0.000s
Zero property value falls through	result > 0	Pass	0.000s
If est_depth says no flood, hydro- graph should also show no flood. [distance=100, prop_elev=6.0, floor=0.3, peak=8.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro- graph should also show no flood. [distance=1000, prop_elev=6.5, floor=0.5, peak=9.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro- graph should also show no flood. [distance=200, prop_elev=8.0, floor=0.3, peak=10.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro- graph should also show no flood. [distance=2000, prop_elev=6.0, floor=0.3, peak=7.0]	depth == 0.0; depth > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
If est_depth says no flood, hydro-graph should also show no flood. [distance=3000, prop_elev=7.5, floor=0.0, peak=10.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro-graph should also show no flood. [distance=500, prop_elev=5.5, floor=0.8, peak=6.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro-graph should also show no flood. [distance=500, prop_elev=7.0, floor=0.3, peak=10.0]	depth == 0.0; depth > 0	Pass	0.000s
If est_depth says no flood, hydro-graph should also show no flood. [distance=5000, prop_elev=6.0, floor=0.0, peak=12.0]	depth == 0.0; depth > 0	Pass	0.000s
Above max is zero	d.exceedance_probability(d.params.max_intensity + 10) == 0.0	Pass	0.000s
Above threshold uses pareto	0 < p < 1	Pass	0.000s
At max intensity is zero	d.exceedance_probability(d.params.max_intensity) == 0.0	Pass	0.000s
At min intensity is one	d.exceedance_probability(d.params.min_intensity) == 1.0	Pass	0.000s
At threshold continuous	abs(p_just_below - p_just_above) < 0.05	Pass	0.000s
Below min is one	d.exceedance_probability(d.params.min_intensity - 5) == 1.0	Pass	0.000s
Below threshold uses normal	0 < p < 1	Pass	0.000s
Severe floods should be rare.	prob <= 0.05 + 1e-9	Pass	0.000s
Normal levels should be common.	prob > 0.5	Pass	0.000s
Monotonically decreasing	all(probs[i] > probs[i + 1] for i in range(len(probs) - 1))	Pass	0.000s
Return period should be inverse of probability.	return_period > 1	Pass	0.000s
Get gauge id missing key	page._get_gauge_id({}) == "Unknown Gauge"; page._get_gauge_id(None) == "Unknown Gauge"	Pass	0.000s
Malformed gauge data returns error element	isinstance(elements, list); len(elements) > 0	Pass	0.000s
Compliant verdict	verdict_badge._cellvalues[1][0] == 'COMPLIANT'	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Non compliant verdict	<code>verdict.badge..cellvalues[1][0] in (</code> <code>'PARTIAL...</code>	Pass	0.001s
Run history shown	<code>'Run History' in texts</code>	Pass	0.001s
Extracts ids	<code>extract_property_ids(data) == {"P1",</code> <code>"P2"}; extract_mortgage_ids(data) ==</code> <code>{"M1", "M2"} (+1 more)</code>	Pass	0.000s
Missing gauge id skipped	<code>extract_gauge_ids(data) == set()</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Extracts ids	<code>extract_property_ids(data) == {"P1",</code> <code>"P2"}; extract_mortgage_ids(data) ==</code> <code>{"M1", "M2"} (+1 more)</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Extracts property ids from mortgages	<code>extract_mortgage_property_ids(data)</code> <code>== {"P1", "P2"}</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Empty items returns empty set	<code>extract_property_ids({"items": []})</code> <code>== set()</code>	Pass	0.000s
Extracts ids	<code>extract_property_ids(data) == {"P1",</code> <code>"P2"}; extract_mortgage_ids(data) ==</code> <code>{"M1", "M2"} (+1 more)</code>	Pass	0.000s
Missing property id skipped	<code>extract_property_ids(data) == set()</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> <code>(+2 more)</code>	Pass	0.000s
Construction year extracted	<code>gen..extract_property_info(self.full_record["construction_year"])</code>	Pass	0.000s
Flood risk extracted	<code>gen..extract_property_info(self.full_record["flood_risk"])</code>	Pass	0.000s
Lat lon extracted	<code>abs(info["latitude"] - 51.45) <</code> <code>0.001; abs(info["longitude"] + 0.30)</code> <code>< 0.001</code>	Pass	0.000s
Missing attrs default construction year	<code>gen..extract_property_info({"PropertyHeader":</code> <code>{"Header": ...</code>	Pass	0.000s
Missing header defaults property id	<code>gen..extract_property_info({"PropertyHeader":</code> <code>{}})["prope...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing location defaults postcode and coords	info["postcode"] == "SW1A 1AA"; abs(info["latitude"] - 51.5) < 0.01 (+1 more)	Pass	0.000s
Missing property header returns defaults	info["property_id"] == ""; info["property_value"] == 500000 (+1 more)	Pass	0.000s
Missing risk assessment defaults flood risk	gen._extract_property_info({"PropertyHeader": {"Header": ...	Pass	0.000s
Missing valuation defaults property value	gen._extract_property_info(record)["property_value"] == 5...	Pass	0.000s
Postcode extracted	gen._extract_property_info(self._full_record)["postcode"]	Pass	0.000s
Property id extracted from header	gen._extract_property_info(self._full_record)["property_id"]	Pass	0.000s
Property type extracted	gen._extract_property_info(self._full_record)["property_type"]	Pass	0.000s
Property value extracted	gen._extract_property_info(self._full_record)["property_value"]	Pass	0.000s
Age band factors within reasonable bounds	lo > 0; hi >= lo	Pass	0.000s
Base area ranges all positive	lo > 0; hi > lo	Pass	0.000s
Base price per sqm all positive	lo > 0; hi > lo	Pass	0.000s
Condition factors ordered by severity	excellent_lo > poor_hi	Pass	0.000s
Epc factors a highest	a_lo > g_hi	Pass	0.000s
Flood risk factors decrease with risk	very_low_lo > very_high_hi	Pass	0.000s
Min max value bounds	MIN_PROPERTY_VALUE == 150_000; MAX_PROPERTY_VALUE == 5_000_000	Pass	0.000s
Proximity zones have range key	'range' in data	Pass	0.000s
Rent per sqm all present	set(RENT_PER_SQM.keys()) == expected_types	Pass	0.000s
Rental yield rates all present	set(RENTAL_YIELD_RATES.keys()) == expected_types	Pass	0.000s
A failure matching FAILURE.METADATA renders a structured table.	len(trades) >= 3	Pass	0.001s
A failure NOT in FAILURE.METADATA falls back to bullet point.	any('test_trade_gauges_exist_in_gauge_json' in t ...	Pass	0.001s
Empty counterparty file uses fallback	len(trades) > 0; all(cid.startswith("CTPY-") for cid in ctpy_ids)	Pass	0.003s
Missing counterparty file uses fallback	len(trades) > 0	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Exact lookup found	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.003s
Exact lookup not found	<code>r.status_code == 404; "Field not found" in r.get_json()["message"]</code>	Pass	0.004s
Exact lookup wrong report	<code>r.status_code == 404</code>	Pass	0.002s
Exact lookup wrong section	<code>r.status_code == 404</code>	Pass	0.003s
No params 400	<code>r.status_code == 400; "Provide" in r.get_json()["message"]</code>	Pass	0.002s
No registry 404	<code>r.status_code == 404; "not found" in data["message"].lower() (+1 more)</code>	Pass	0.000s
Search by cdm path	<code>data["count"] >= 1</code>	Pass	0.002s
Search by source field	<code>data["count"] == 1; data["results"][0]["field"] == "spread" (+1 more)</code>	Pass	0.002s
Search case insensitive	<code>data["count"] >= 1</code>	Pass	0.002s
Search finds matches	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.002s
Search no results	<code>r.status_code == 200; data["count"] == 0 (+1 more)</code>	Pass	0.002s
Search result structure	<code>data["count"] >= 1; "report" in result (+4 more)</code>	Pass	0.002s
If only report and search are given (not all 3 exact keys), search is used.	<code>data["count"] >= 1</code>	Pass	0.002s
None field def returns empty string	<code>result == ""</code>	Pass	0.000s
Numeric field def returns empty string	<code>result == ""</code>	Pass	0.000s
String field def returned as is	<code>result == "literal.value"</code>	Pass	0.000s
No type defaults to text	<code>"SomeField" in result</code>	Pass	0.000s
Unknown type returns empty	<code>result == ""</code>	Pass	0.000s
5 year filter	<code>len(result) < len(flows); len(result) > 0</code>	Pass	0.002s
Empty flows returns empty	<code>GaugeHistoricalDaily().filter_by_years([], years=10) == []</code>	Pass	0.000s
Empty list returns empty	<code>result == []</code>	Pass	0.000s
Filter 1 year keeps only recent	<code>"2010-01-01" not in [f["date"] for f in result]</code>	Pass	0.000s
Filter keeps recent	<code>"2000-06-01" not in dates; "2020-06-01" in dates</code>	Pass	0.000s
Large years returns all	<code>len(result) == len(flows)</code>	Pass	0.001s
None years returns all	<code>len(gen.filter_by_years(flows, years=None)) == 2</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None years returns all	<code>len(result) == len(flows)</code>	Pass	0.000s
All dates within range kept	<code>len(gen.filter_by_years(flows, years=5)) == 3</code>	Pass	0.000s
Zero years returns only most recent year	<code>"2020-01-01" in [f["date"] for f in result]</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements(make_property()), list)</code>	Pass	0.000s
Has financial header	<code>any("Financial" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No area skips value per sqm	<code>isinstance(result, list)</code>	Pass	0.000s
No property value	<code>isinstance(result, list)</code>	Pass	0.000s
No valuation data	<code>isinstance(result, list)</code>	Pass	0.000s
Other valuation field with value in name	<code>isinstance(result, list)</code>	Pass	0.000s
Other valuation field without value in name	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(make_property()), list)</code>	Pass	0.000s
Returns non empty list	<code>len(self._page().generate_elements(make_property())) > 0</code>	Pass	0.000s
Value per sqm shown when area present	<code>isinstance(result, list)</code>	Pass	0.000s
Atl basin	<code>"EVT-001" in ids; "EVT-002" in ids (+1 more)</code>	Pass	0.001s
Case insensitive	<code>result is not None; len(result) >= 1</code>	Pass	0.001s
Unknown basin returns empty	<code>storm_loader.find_by_basin("XYZ") == []</code>	Pass	0.001s
Wpac basin	<code>len(result) == 1; storm_loader.get_entity_id(result[0]) == "EVT-003"</code>	Pass	0.001s
All category 4	<code>all(s["TCEvent"]["Header"]["Category"] == 4 ...)</code>	Pass	0.001s
Category 3	<code>"EVT-003" in ids</code>	Pass	0.001s
Category 5	<code>len(result) == 1; storm_loader.get_entity_id(result[0]) == "EVT-002"</code>	Pass	0.001s
No matches returns empty	<code>storm_loader.find_by_category(99) == []</code>	Pass	0.001s
Find by county case insensitive	<code>len(results) == 1</code>	Pass	0.001s
Find by county empty portfolio	<code>results == []</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Find by county exact match	<code>len(results) == 1;</code> <code>results[0]["PropertyHeader"]["Header"]["PropertyID"]</code> <code>== "..."</code>	Pass	0.003s
Property with no County field should not crash.	<code>results == []</code>	Pass	0.002s
Find by county no match	<code>results == []</code>	Pass	0.001s
Find by county partial match	<code>len(results) == 2;</code> <code>ids ==</code> <code>{"PROP-001", "PROP-003"}</code>	Pass	0.001s
Case insensitive	<code>result is not None; len(result) >= 1</code>	Pass	0.001s
Exact match	<code>result is not None;</code> <code>storm_loader.get_entity_id(result) ==</code> <code>"EVT-001"</code>	Pass	0.002s
No match returns none	<code>storm_loader.find_by_name("Nonsense</code> <code>Storm") is None</code>	Pass	0.001s
Partial match	<code>result is not None;</code> <code>storm_loader.get_entity_id(result) ==</code> <code>"EVT-003"</code>	Pass	0.001s
Missing season returns empty	<code>storm_loader.find_by_season(1900) ==</code> <code>[]</code>	Pass	0.001s
Season 2017	<code>len(result) == 1;</code> <code>storm_loader.get_entity_id(result[0])</code> <code>== "EVT-001"</code>	Pass	0.001s
Season with multiple	<code>len(result) == 1</code>	Pass	0.001s
Dict with 'flood_gauges' list → finds first gauge correctly.	<code>result["FloodGauge"]["Header"]["GaugeName"]</code> <code>== "Gauge One"</code>	Pass	0.000s
Dict with 'flood_gauges' list → finds correct gauge by ID.	<code>result["FloodGauge"]["Header"]["GaugeID"]</code> <code>== "GAUGE-002"</code>	Pass	0.000s
Plain list of gauge dicts → finds the correct one.	<code>result["FloodGauge"]["Header"]["GaugeID"]</code> <code>== "GAUGE-B"</code>	Pass	0.000s
Dict with 'FloodGauge' key (single object) → returns the dict itself.	<code>result is sample_gauge_data</code>	Pass	0.000s
Flood gauges key found	<code>result == data["flood_gauges"][0]</code>	Pass	0.000s
Dict with neither 'flood_gauges' nor 'FloodGauge' key → ValueError raised.	—	Pass	0.000s
Invalid dict structure raises	—	Pass	0.000s
Invalid type raises	—	Pass	0.000s
Passing a string instead of dict/list → ValueError raised.	—	Pass	0.000s
List input found	<code>result == gauges[0]</code>	Pass	0.000s
Malformed gauge entry skipped	<code>result == data["flood_gauges"][1]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge ID not in plain list → ValueError raised.	—	Pass	0.000s
Gauge ID not present in data → ValueError raised.	—	Pass	0.000s
Not found raises value error	—	Pass	0.000s
Single gauge dict returns self	result is data	Pass	0.000s
Line 361: dict with neither 'flood_gauges' nor 'FloodGauge' → ValueError.	—	Pass	0.000s
Flood gauges key first gauge	result["FloodGauge"]["Header"]["GaugeID"] == "G-A"	Pass	0.000s
Flood gauges key last gauge	result["FloodGauge"]["Header"]["GaugeID"] == "G-C"	Pass	0.000s
Line 375: gauge_id not present in any entry → ValueError.	—	Pass	0.000s
Integer input raises	—	Pass	0.000s
Line 363: list input → list used directly as gauge collection.	result["FloodGauge"]["Header"]["GaugeID"] == "G-LIST"	Pass	0.000s
Malformed entry missing flood gauge key skipped	result["FloodGauge"]["Header"]["GaugeID"] == "G-REAL"	Pass	0.000s
Malformed entry with none skipped	result["FloodGauge"]["Header"]["GaugeID"] == "G-OK"	Pass	0.000s
Single flood gauge dict returns itself	result is data	Pass	0.000s
String input raises	—	Pass	0.000s
Finds existing meeting	meeting is not None; meeting["id"] == "M1" (+1 more)	Pass	0.030s
Returns error for missing meeting	meeting is None; err is not None	Pass	0.030s
Dict with mortgages found	result["amount"] == 100	Pass	0.000s
Dict with mortgages found	result["amount"] == 100	Pass	0.000s
Dict with mortgages not found returns none	result is None	Pass	0.000s
Dict with mortgages not found returns none	result is None	Pass	0.000s
Dict without mortgages key returns data itself	result is not None	Pass	0.000s
Empty mortgages list returns none	result is None	Pass	0.000s
Lines 406-407: non-dict, non-list -¿ return data as-is.	result == "some_string"	Pass	0.000s
Invalid type returns data as is	result == "some_string"	Pass	0.000s
List input found	result == data[0]; result["amount"] == 200	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
List input found	<code>result["amount"] == 200</code>	Pass	0.000s
List input not found returns none	<code>result is None</code>	Pass	0.000s
Distance is positive	<code>dist > 0</code>	Pass	0.000s
Returns nearest of three	<code>nearest.intensity == 80.0; dist == pytest.approx(0.0, abs=1.0)</code>	Pass	0.000s
Single track point	<code>nearest is track[0]</code>	Pass	0.000s
Dict without list key wraps itself	<code>result is data</code>	Pass	0.000s
Dict without properties wraps in list	<code>result == data</code>	Pass	0.000s
Empty properties list raises	—	Pass	0.000s
Invalid type raises	—	Pass	0.000s
Invalid type raises value error	—	Pass	0.000s
List input	<code>result == data[0]</code>	Pass	0.000s
List input found	<code>result == data[0]; result["amount"] == 200</code>	Pass	0.000s
List not found raises	—	Pass	0.000s
None raises value error	—	Pass	0.000s
Not found raises	—	Pass	0.000s
Not found raises value error	—	Pass	0.000s
Portfolio key	<code>result == data["portfolio"][0]</code>	Pass	0.000s
Portfolio key found	<code>result["PropertyHeader"]["Header"]["Property"] == "PA"</code>	Pass	0.000s
Properties key	<code>result == data["properties"][0]</code>	Pass	0.000s
Properties key found	<code>result["PropertyHeader"]["Header"]["Property"] == "P-002"</code>	Pass	0.000s
Train gauge creates joblib file	<code>(model_dir / "GAUGE-001.joblib").exists()</code>	Pass	0.080s
Train gauge has metrics	<code>"metrics" in result; "auc_roc" in result["metrics"] (+1 more)</code>	Pass	0.080s
Train gauge returns dict	<code>isinstance(result, dict)</code>	Pass	0.151s
Train gauge single class skipped	<code>result["status"] == "skipped"; result["reason"] == "single_class"</code>	Pass	0.002s
Train gauge status trained	<code>result["status"] == "trained"</code>	Pass	0.081s
Flood above trigger	<code>depth > 0.0</code>	Pass	0.000s
Flood attenuates with distance	<code>depth_close > depth_far</code>	Pass	0.000s
High elevation no flood	<code>depth == 0.0</code>	Pass	0.000s
No flood below trigger	<code>depth == 0.0</code>	Pass	0.000s
Calculate time above warning level.	<code>duration > 0</code>	Pass	0.000s
Duration should be in reasonable range.	<code>5 < duration < 30</code>	Pass	0.000s
No time above threshold for normal readings.	<code>duration == 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Create mapping returns flat dict	<code>isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)</code>	Pass	0.000s
Create mapping with empty input	<code>isinstance(gauge_cdm.create_mapping({}), dict)</code>	Pass	0.000s
Get field info for gauge id	<code>info is not None; info.get("type") == "text"</code>	Pass	0.000s
Required fields include gauge id	<code>any("GaugeID" in f for f in gauge_cdm.get_required_fields())</code>	Pass	0.000s
Schema has flood gauge root	<code>"FloodGauge" in gauge_cdm.schema</code>	Pass	0.000s
Schema has header section	<code>"Header" in gauge_cdm.schema["FloodGauge"]</code>	Pass	0.000s
Validate empty data returns errors	<code>isinstance(gauge_cdm.validate({}), dict)</code>	Pass	0.000s
Validate valid gauge data	<code>len(gauge_cdm.validate(data)) == 0</code>	Pass	0.000s
Available gauges	<code>"GAUGE-001" in gauges</code>	Pass	0.000s
Available gauges empty dir	<code>predictor.available_gauges() == []</code>	Pass	0.000s
Lines 188-192: <code>_load_summary()</code> loads training_summary.json.	<code>'num_gauges' in summary; 'num_trained' in summary</code>	Pass	0.001s
<code>_load_summary</code> caches on second call.	<code>s1 is s2</code>	Pass	0.002s
Predict caches model	<code>"GAUGE-001" in predictor._models</code>	Pass	0.010s
Predict high level higher probability	<code>p_high > p_low</code>	Pass	0.008s
Predict in range	<code>0.0 <= prob <= 1.0</code>	Pass	0.009s
Predict missing model raises	—	Pass	0.000s
Predict returns float	<code>isinstance(prob, float)</code>	Pass	0.010s
Predict series all in range	<code>all(0.0 <= p <= 1.0 for p in result)</code>	Pass	0.009s
Predict series default derivatives	<code>len(result) == 2</code>	Pass	0.010s
Predict series returns list	<code>isinstance(result, list); len(result) == 4</code>	Pass	0.009s
Predict series with derivatives	<code>len(result) == 3</code>	Pass	0.009s
<code>predict_surface</code> returns a 2D probability grid (hours × levels).	<code>'water_levels' in result; 'hours' in result (+3 more)</code>	Pass	0.009s
Directly call <code>build_property_hydrograph</code> and verify it produces depth.	<code>max_depth > 0</code>	Pass	0.003s
Properties with <code>est_depth < 0</code> should have some flooded events.	—	Pass	0.003s
The IDW interpolation should produce high WSE from alert storms.	<code>water_at_prop > 0</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
At least one property should have a nearest gauge with alert storms.	<code>pid is not None</code>	Pass	0.002s
At high threshold	<code>RiskAssessor.assess_flood_risk_level(1.0) == "High"</code>	Pass	0.000s
At low threshold	<code>RiskAssessor.assess_flood_risk_level(0.1) == "Low"</code>	Pass	0.000s
At medium threshold	<code>RiskAssessor.assess_flood_risk_level(0.5) == "Medium"</code>	Pass	0.000s
Below low threshold	<code>RiskAssessor.assess_flood_risk_level(0.05) == "Low"</code>	Pass	0.000s
High range	<code>RiskAssessor.assess_flood_risk_level(0.75) == "High"</code>	Pass	0.000s
Medium range	<code>RiskAssessor.assess_flood_risk_level(0.3) == "Medium"</code>	Pass	0.000s
Monotone with depth	<code>levels == order</code>	Pass	0.000s
Negative returns unknown	<code>RiskAssessor.assess_flood_risk_level(-1.0) == "Unknown"</code>	Pass	0.000s
None returns unknown	<code>RiskAssessor.assess_flood_risk_level(None) == "Unknown";</code> <code>RiskAssessor.assess_ltv_risk_level(None) == "Unknown"</code>	Pass	0.000s
Very high	<code>RiskAssessor.assess_flood_risk_level(2.5) == "Very High"</code>	Pass	0.000s
Zero is very low	<code>RiskAssessor.assess_flood_risk_level(0.0) == "Very Low"</code>	Pass	0.000s
Lines 59-74: model builds without error given valid inputs.	<code>model.properties is not None;</code> <code>model.flood_event == {"GAUGE-000": 1.5}</code>	Pass	0.845s
Line 72-74: correlation_matrix is set after __init__.	<code>model.correlation_matrix is not None</code>	Pass	0.001s
Lines 62-63: custom correlation_distance and base_correlation stored.	<code>model.correlation_distance == 500;</code> <code>model.base_correlation == 0.6</code>	Pass	0.001s
Lines 86-88: missing elevation → warning + default 20.0.	<code>any("elevation" in str(warning.message).lower() for warni...;</code> <code>(model.properties["elevation"] == 20.0).all()</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 94-95: missing floor_level_metres → default 0.0.	"floor_level_metres" in model.properties.columns; (model.properties["floor_level_metres"] == 0.0).all()	Pass	0.001s
Line 81: missing 'geometry' column raises ValueError.	—	Pass	0.000s
Lines 83-84: property_id auto-assigned when absent.	"property_id" in model.properties.columns; model.properties["property_id"].iloc[0].startswith("PROP.")	Pass	0.001s
Lines 90-92: missing property_type → warning + default 'residential'.	any("property_type" in str(warning.message).lower() for w...; (model.properties["property_type"] == "residential").all()	Pass	0.001s
Line 81: missing 'value' column raises ValueError.	—	Pass	0.000s
Line 59: properties is a copy, original not mutated.	set(props.columns) == original.cols	Pass	0.001s
Line 71: kdtree built when gauge_data provided.	model.gauge_data is not None	Pass	0.004s
Lines 131-139: analyze_risk_clusters() returns DataFrame, sets risk_clusters.	isinstance(result, pd.DataFrame); model.risk_clusters is not None	Pass	0.124s
Lines 114-120: analyze_spatial_concentration() returns DataFrame.	isinstance(result, pd.DataFrame)	Pass	0.006s
Lines 122-129: calculate_advanced_metrics() returns dict.	isinstance(result, dict)	Pass	0.002s
Line 103: calculate_direct_impacts() returns ndarray.	isinstance(impacts, np.ndarray); len(impacts) == len(model.properties)	Pass	0.000s
Line 99: calculate_flood_depths() returns ndarray.	isinstance(depths, np.ndarray); len(depths) == len(model.properties)	Pass	0.000s
Line 151: _haversine_distance() delegates to haversine_distance.	isinstance(d, float); d > 0	Pass	0.000s
Lines 107-112: simulate_portfolio_impact() returns dict.	isinstance(result, dict)	Pass	0.023s
Default params produces data	len(result) > 0; "readings" in result[0]	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
String start time is parsed	<code>len(result) == 50</code>	Pass	0.000s
Lines 235-239: invalid metadata JSON triggers except continue.	<code>r.status_code == 200</code>	Pass	0.032s
Lines 280-281: property.json read error triggers except pass.	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.030s
Line 288: property not in valued_ids is skipped; storm filtered out.	<code>"STORM-E" not in storm_ids</code>	Pass	0.032s
Line 292: flood events with depth $\neq 0$ are skipped; storm filtered out.	<code>"STORM-F" not in storm_ids</code>	Pass	0.031s
Lines 218-219: invalid JSON in gaugets file triggers except continue.	<code>data["status"] == "success"; data["count"] >= 1</code>	Pass	0.030s
Lines 280-292: property flooding enriches storm with depth/damage.	<code>storms["STORM-D"]["properties_flooded"] == 1; storms["STORM-D"]["max_depth_m"] == 1.2 (+1 more)</code>	Pass	0.031s
Line 204: storm responses with empty storm_id are skipped.	<code>data["status"] == "success"; "" not in storm_ids (+1 more)</code>	Pass	0.030s
Lines 235-237: storms.json enrichment path (not sequences).	<code>s["intensity_category"] == "extreme"; s["effective_precipitation_mm"] == 80.0</code>	Pass	0.033s
Lines 254-266: storms without metadata get classified by gauges_severe count.	<code>storms["S-CAT"]["intensity_category"] == "catastrophic"; storms["S-CAT"]["name"] == "Catastrophic" (+4 more)</code>	Pass	0.046s
Property without flood_zone in source data should default to Zone 1.	<code>data['property_hazard_curves']['PROP-NOZONE1']['flood_zone']</code>	Pass	0.719s
Flood zone is valid zone name	<code>pc['flood_zone'] in valid_zones</code>	Pass	0.498s
Flood zone present in result	<code>'flood_zone' in pc</code>	Pass	0.497s
Flood zone values correct	<code>curves['PROP-001']['flood_zone'] == 'Zone 2'; curves['PROP-002']['flood_zone'] == 'Zone 1' (+1 more)</code>	Pass	0.492s
Unknown zone	<code>"Unknown" in r or "Zone X" in r</code>	Pass	0.000s
Zone 1 low risk	<code>"Low" in r</code>	Pass	0.000s
Zone 2 medium risk	<code>"Medium" in r</code>	Pass	0.000s
Zone 3a high risk	<code>"High" in r</code>	Pass	0.000s
Zone 3b floodplain	<code>"floodplain" in r.lower() or "Functional" in r</code>	Pass	0.000s
Zone in page output	<code>isinstance(result, list)</code>	Pass	0.002s
Large value	<code>'1,000,000' in result; result.startswith('£')</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Negative	'5,000' in result	Pass	0.000s
Non numeric fallback	fmt_gbp('N/A') == 'N/A'	Pass	0.000s
None fallback	result == 'None'	Pass	0.000s
Positive float	fmt_gbp(1234.56) == '£1,235'	Pass	0.005s
Zero	fmt_gbp(0) == '£0'	Pass	0.000s
line 286: f'{value:.6f}'.	result == '51.500000'	Pass	0.000s
Negative coordinate	result == '-0.100000'	Pass	0.000s
None delegates to format value	page._format.coordinate(None) == 'Not specified'	Pass	0.000s
None currency returns not specified	result == 'Not specified'	Pass	0.000s
String currency delegates	result == "N/A"	Pass	0.000s
Abbreviation replacements	'GPS' in result	Pass	0.000s
Camel case split	'Gauge' in result	Pass	0.000s
Non numeric delegates	page._format.frequency(None) == 'Not specified'	Pass	0.000s
Positive returns times	page._format.frequency(3) == '3 times'	Pass	0.000s
line 294: 'Never'.	page._format.frequency(0) == 'Never'	Pass	0.000s
Integer value	result == '5.000 m'	Pass	0.000s
Non numeric delegates to format value	result == 'Not specified'	Pass	0.000s
Numeric value with custom unit	result == '1.234 km'	Pass	0.000s
line 280: f'{value:.3f} {unit}'.	result == '3.500 m'	Pass	0.000s
None percentage returns not specified	result == 'Not specified'	Pass	0.000s
String percentage delegates	result == "N/A"	Pass	0.000s
Blank/whitespace-only string (line 272) -i 'Not specified'.	page._format.value('') == 'Not specified'; page._format.value(' ') == 'Not specified'	Pass	0.000s
False returns no	page._format.value(False) == 'No'	Pass	0.000s
float.is_integer() -i str(int(value)).	result == '3'	Pass	0.000s
float with fractional part -i 2 decimal places.	result == '3.14'	Pass	0.000s
int branch (line 270): str(value).	result == '42'	Pass	0.000s
None returns not specified	page._format.value(None) == 'Not specified'	Pass	0.000s
Normal string returned	page._format.value('hello') == 'hello'	Pass	0.000s
True returns yes	page._format.value(True) == 'Yes'	Pass	0.000s
Empty string returns not specified	page._format.value('') == 'Not specified'	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Whitespace string returns not specified	<code>page._format_value(' ') == 'Not specified'</code>	Pass	0.000s
None returns not specified	<code>page._format_value(None) == 'Not specified'</code>	Pass	0.000s
Pad foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Pile foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Raft foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Strip foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Unknown foundation	<code>isinstance(result, list)</code>	Pass	0.000s
Four exceedances high	<code>"High frequency" in str(elements)</code>	Pass	0.000s
One exceedance	<code>"One severe level exceedance" in str(elements)</code>	Pass	0.000s
Two exceedances moderate	<code>"Moderate frequency" in str(elements)</code>	Pass	0.000s
Zero exceedances	<code>"No severe level exceedances recorded" in str(elements)</code>	Pass	0.000s
Distance matrix built	<code>thames_model.dist_matrix.shape == (52, 52)</code>	Pass	0.000s
From dict	<code>p.base_range_km == 50.0; p.nugget == 0.10 (+1 more)</code>	Pass	0.016s
Lines 323-325: construct model from a gauge.json file.	<code>model.n-gauges == 3; model.dist_matrix.shape == (3, 3)</code>	Pass	0.002s
Loads 52 gauges	<code>thames_model.n-gauges == 52</code>	Pass	0.000s
Full js contains iife	<code>'(function()'</code> in <code>full_governance_js</code> or <code>'(function ()'</code> in ...	Pass	0.000s
The Leaflet control that adds the Regulatory shield must be present.	<code>'GovernanceControl'</code> in <code>full_governance_js;</code> <code>'Regulatory Compliance'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains render audit reports	<code>'renderAuditReports'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains script tags	<code>'<script>'</code> in <code>full_governance_js;</code> <code>'</script>'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains show mg panel	<code>'showMgPanel'</code> in <code>full_governance_js</code>	Pass	0.000s
Terminal popup added in last session must be present.	<code>'_openTerminalPopup'</code> in <code>full_governance_js;</code> <code>'_auditTerminalRefreshNow'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js is str	<code>isinstance(full_governance_js, str)</code>	Pass	0.000s
Full js non empty	<code>len(full_governance_js) > 10.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Run node -check on the compiled governance script.	<code>result.returncode == 0</code>	Pass	1.562s
alpha=0.3 -j fast rise, long tail.	<code>rise_val > fall_val</code>	Pass	0.000s
Invalid alpha	<code>gamma_shape(0.5, 0.0) == 0.0;</code> <code>gamma_shape(0.5, -1.0) == 0.0</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=0.3]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=0.7]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=1.0]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
Negative u	<code>gamma_shape(-0.1, 0.5) == 0.0</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.3]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.5]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.7]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=1.0]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
Zero at zero	<code>gamma_shape(0.0, 0.3) == 0.0</code>	Pass	0.000s
Zero beyond one	<code>gamma_shape(1.01, 0.5) == 0.0</code>	Pass	0.000s
Matches scalar	<code>arr[h] == pytest.approx(expected, abs=1e-10)</code>	Pass	0.000s
Zero outside window	<code>arr[0] == 0.0; arr[49] == 0.0</code> (+1 more)	Pass	0.000s
Base level calculated	<code>abs(gc.base_level - 1.4) < 0.01</code>	Pass	0.000s
Creates gauge config	<code>isinstance(gc, GaugeConfig)</code>	Pass	0.000s
Defaults when no flood stages	<code>gc.flood_alert == 4.0</code>	Pass	0.000s
Handles case where FloodGauge key is missing (flat data).	<code>gc.flood_alert == 3.5</code>	Pass	0.000s
Flood alert set	<code>gc.flood_alert == 4.0</code>	Pass	0.000s
Gauge id set	<code>gc.gauge_id == "GAUGE-099"</code>	Pass	0.000s
Historical high set	<code>gc.historical_high == 6.0</code>	Pass	0.000s
Lines 32-34: loader.list_all() raises -j 500 response.	<code>response.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
Line 19: OPTIONS on /api/v1/gauges returns 200.	<code>response.status_code == 200;</code> <code>data['status'] == 'ok'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Empty historical daily shows fallback	<code>any(t for t in texts)</code>	Pass	0.000s
No timeseries data shows fallback	<code>any("No historical" in t or "No" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With observations includes content	<code>len(result) >= 2</code>	Skip	0.093s
With observations returns elements	<code>len(result) > 2</code>	Skip	0.101s
Certified conclusion	<code>"certification standards" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Freq high significance	<code>"Regular severe events" in str(result)</code>	Pass	0.001s
Freq low significance	<code>"Low frequency events" in str(result)</code>	Pass	0.001s
Freq zero no exceedances conclusion	<code>"No historical severe flood events" in str(result)</code>	Pass	0.001s
Freq zero significance	<code>"No severe exceedances" in str(result)</code>	Pass	0.001s
Gauge overview summary section	<code>any("Gauge Overview Summary" in t for t in texts)</code>	Pass	0.001s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Get gauge name missing	<code>page._get_gauge_name({}) == "Unknown Gauge Name"</code>	Pass	0.000s
Get gauge name present	<code>page._get_gauge_name(_make_gauge()) == "Chelsea Bridge"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
High risk conclusion	<code>"high flood risk" in str(result)</code>	Pass	0.001s
hist_high ζ severe_level $\rightarrow$ 'Exceeds severe warning' significance.	<code>"Exceeds severe warning" in str(result)</code>	Pass	0.001s
hist_high j = severe_level $\rightarrow$ 'Within expected range' significance.	<code>"Within expected range" in str(result)</code>	Pass	0.001s
Key metrics summary section	<code>any("Key Metrics Summary" in t for t in texts)</code>	Pass	0.001s
Low risk conclusion	<code>"Low flood risk" in str(result)</code>	Pass	0.001s
Moderate risk conclusion	<code>"Moderate flood risk" in str(result)</code>	Pass	0.001s
Operational status conclusion	<code>"fully operational" in str(result)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Operational status summary section	<code>any("Operational Status Summary" in t for t in texts)</code>	Pass	0.001s
Report conclusions section	<code>any("Report Conclusions" in t for t in texts)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Timeseries alert conclusion	<code>"ALERT" in str(result)</code>	Pass	0.001s
Timeseries normal conclusion	<code>"normal water levels" in str(result)</code>	Pass	0.001s
Timeseries severe conclusion	<code>"CRITICAL" in str(result)</code>	Pass	0.001s
Timeseries warning conclusion	<code>"WARNING" in str(result)</code>	Pass	0.001s
Title present	<code>any("Comprehensive Data Summary" in t for t in texts)</code>	Pass	0.001s
Historical graph no dates fallback	<code>isinstance(result, list)</code>	Pass	0.000s
Historical graph with thresholds	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.037s
No storm responses shows message	<code>any("No storm" in t for t in texts)</code>	Pass	0.000s
No timeseries data shows no data message	<code>any("No historical" in t or "No storm" in t for t in texts)</code>	Pass	0.000s
Realised floods no exceedances	<code>any("No flood events" in t for t in texts)</code>	Pass	0.000s
Realised floods with exceedances	<code>len(tables) >= 1</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With historical daily returns more elements	<code>len(result) > 2</code>	Pass	0.068s
With storm responses includes table	<code>len(tables) >= 1</code>	Pass	0.000s
Worst storms severity classification	<code>isinstance(result, list)</code>	Pass	0.000s
Worst storms table top 10	<code>len(tables) == 1</code>	Pass	0.000s
Current level at alert	<code>"FLOOD ALERT" in str(result)</code>	Pass	0.001s
Current level at severe	<code>"SEVERE FLOOD WARNING" in str(result)</code>	Pass	0.001s
Current level at warning	<code>"FLOOD WARNING" in str(result)</code>	Pass	0.001s
Current level below alert is normal	<code>"Normal" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Historical exceedance section	<code>any("Historical Threshold Exceedance" in t for t in texts)</code>	Pass	0.000s
No timeseries shows message	<code>any("No current timeseries data" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Threshold analysis section	<code>any("Threshold Analysis" in t for t in texts)</code>	Pass	0.000s
Alert-to-warning and warning-to-severe ranges are added to analysis table.	<code>isinstance(result, list)</code>	Pass	0.000s
Title present	<code>any("Flood Stages" in t for t in texts)</code>	Pass	0.000s
Uk thresholds section	<code>any("UK Flood Stage Thresholds" in t for t in texts)</code>	Pass	0.000s
With timeseries shows current status section	<code>any("Current Status vs Thresholds" in t for t in texts)</code>	Pass	0.000s
Lines 251-254: generate_basic_report() body on real generator.	<code>path.exists(); path.suffix == ".pdf"</code>	Pass	0.022s
Line 315: analysis branch in gauge_generator.generate_gauge_report.	<code>path.exists()</code>	Pass	0.003s
Lines 321-328: auto_open=True — open attempt caught, does not raise.	<code>path.exists()</code>	Pass	0.020s
Lines 307-311: generate_gauge_report() in gauge_generator.py, basic type.	<code>path.exists()</code>	Pass	0.020s
Lines 316-317: unknown type falls back to generate_report.	<code>path.exists()</code>	Pass	0.009s
Line 313: monitoring branch in gauge_generator.generate_gauge_report.	<code>path.exists()</code>	Pass	0.003s
Line 119: generate_report(pages_to_include=None) calls _auto_select_pages.	<code>path.exists()</code>	Pass	0.009s
Lines 102-103 in __init__.py: auto_open=True, open returns False.	<code>result == fake_pdf</code>	Pass	0.020s
Lines 285-286: configure(panel_height=...) updates panel_height.	<code>obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 283-284: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 290: get_statistics() returns dict with panel_width and panel_height.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Lines 480-481: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s
Lines 478-479: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 485: get_statistics() returns dict.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Empty return period levels no extra table	len(tables) >= 1	Pass	0.000s
No hazard curve shows fallback	any("No hazard" in t or "hazard" in t.lower() for t in te...	Pass	0.000s
Returns list	isinstance(result, list)	Pass	0.000s
With hazard curve basic	len(result) > 2	Pass	0.000s
With return period levels renders table	len(tables) >= 2	Pass	0.000s
GET /api/v1/gauges/{id}/hazard returns hazard data for known gauge.	response.status_code == 200; data['status'] == 'success' (+6 more)	Pass	0.003s
GEV parameters should be present and numeric.	gev['location'] is not None; gev['scale'] is not None (+3 more)	Pass	0.003s
GET /api/v1/gauges/{id}/hazard returns 404 for nonexistent gauge.	response.status_code == 404	Pass	0.002s
GET /api/v1/gauges/{id}/hazard returns 404 for gauge without hazard data.	response.status_code == 404	Pass	0.003s
GET /api/v1/gauges/{id}/storms returns storm data for known gauge.	response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.006s
calculate_statistics_from_levels via class.	isinstance(stats, dict)	Pass	0.002s
Calculate statistics via class	isinstance(stats, dict)	Pass	0.000s
Custom years	ghd.years_of_history == 30	Pass	0.000s
Default years	ghd.years_of_history == 50	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Filter by years explicit	<code>isinstance(result, list)</code>	Pass	0.000s
Filter by years none	<code>result == flows</code>	Pass	0.000s
generate_from_gauge_portfolio with explicit years overrides default.	<code>result["years_included"] == 3</code>	Pass	0.186s
generate_from_gauge_portfolio via class method.	<code>isinstance(result, dict);</code> <code>result["years_included"] == 5</code>	Pass	0.192s
When years=None, uses years_of_history.	<code>result["years_included"] == 10</code>	Pass	0.001s
Generate from nrfa via class	<code>output.exists();</code> <code>isinstance(result, dict)</code>	Pass	0.004s
generate_synthetic_timeseries via class method.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.003s
Generates per gauge files	<code>gaugets_dir.exists();</code> <code>len(list(gaugets_dir.glob("GAUGE-*.json")))</code> <code>>= N_GAUGES (+2 more)</code>	Pass	0.000s
Output has daily observations	<code>"daily_observations" in data;</code> <code>len(data["daily_observations"]) > 0</code>	Pass	0.016s
Parse nrfa csv via class	<code>len(flows) == 10</code>	Pass	0.014s
Statistics computed	<code>"statistics" in data; "mean_level" in data["statistics"] (+1 more)</code>	Pass	0.002s
Cdm available flag is bool	<code>hasattr(mod, "CDM_AVAILABLE");</code> <code>isinstance(mod.CDM_AVAILABLE, bool)</code>	Pass	0.000s
Response has count and gauges keys	<code>"count" in data; "gauges" in data (+1 more)</code>	Pass	0.001s
Returns 200 with no gaugehd files	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.001s
Returns correct count when files present	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
gauge.json must contain at least one gauge.	<code>len(ids) > 0</code>	Pass	0.002s
Gauge IDs in gaugehc.json must exist in gauge.json.	<code>not orphaned</code>	Pass	0.004s
Gauge IDs in gaugets/ files must exist in gauge.json.	<code>not orphaned</code>	Pass	0.001s
Each gaugets file's internal gauge_id must match its filename.	<code>internal_id == gf.stem</code>	Pass	0.003s
gaugets/ files must reference gauge IDs from gauge.json.	<code>len(missing) == 0</code>	Pass	2.987s
Every gauge in gauge.json must have a hazard curve.	<code>len(missing) == 0</code>	Pass	0.008s

Test Description	Acceptance Criteria	Result	Time
gaugehc.json must not contain IDs absent from gauge.json.	<code>len(orphan) == 0</code>	Pass	0.008s
Every gauge referenced by a trade must exist in gauge.json.	<code>len(missing) == 0</code>	Pass	0.007s
Every gauge with trades must have a hazard curve (for PRS pricing).	<code>len(missing) == 0</code>	Pass	0.013s
gauge_random.py must NOT use GAUGE-{i:03d} style sequential IDs.	<code>'GAUGE-{i:}' not in src;</code> <code>'GAUGE-{index}' not in src (+3 more)</code>	Pass	0.000s
gauge_random.py contains the GAUGE- prefix.	<code>'GAUGE-' in src</code>	Pass	0.001s
gauge_random.py uses uuid for ID generation (not sequential counter).	<code>'uuid' in src; 'uuid' in src (+1 more)</code>	FAIL	0.000s
uuid4()[8] always produces 8 lower-case hex chars — 100 samples.	<code>GAUGE_ID_RE.match(gauge_id);</code> <code>PROP_ID_RE.match(prop_id) (+2 more)</code>	Pass	0.000s
Accepts valid uuid derived ids	<code>GAUGE_ID_RE.match('GAUGE-9042bd95');</code> <code>GAUGE_ID_RE.match('GAUGE-a1b2c3d4')</code> <code>(+2 more)</code>	Pass	0.000s
Rejects non hex chars	<code>not GAUGE_ID_RE.match('GAUGE-9042xd95');</code> <code>not GAUGE_ID_RE.match('GAUGE-9042gd95')</code>	Pass	0.000s
GAUGE-001, GAUGE-002 are NOT protocol-compliant.	<code>not GAUGE_ID_RE.match('GAUGE-001');</code> <code>not GAUGE_ID_RE.match('GAUGE-002')</code> <code>(+5 more)</code>	Pass	0.000s
Gauge IDs must be lowercase; GAUGE-9042BD95 is invalid.	<code>not GAUGE_ID_RE.match('GAUGE-9042BD95');</code> <code>not GAUGE_ID_RE.match('GAUGE-A1B2C3D4')</code>	Pass	0.000s
Rejects wrong length	<code>not GAUGE_ID_RE.match('GAUGE-9042bd9');</code> <code>not GAUGE_ID_RE.match('GAUGE-9042bd951')</code> <code>(+1 more)</code>	Pass	0.000s
Gauge id present in all responses	<code>"gauge_id" not in resp;</code> <code>gr.get("gauge_id") ==</code> <code>"GAUGE-deadbeef"</code>	Pass	0.002s
Multiple gauges have correct ids	<code>found_ids == {"GAUGE-00000001",</code> <code>"GAUGE-00000002", "GAUGE-...</code>	Pass	0.004s
Corrupted gauge json does not crash	<code>result["processing_stats"]["successful_properties"]</code> <code>== 2</code>	Pass	0.533s
Gauge id map empty when no gauge json	<code>isinstance(gen._gauge_id_map, dict)</code>	Pass	0.533s
When gauge.json exists with proper structure, gauge IDs are loaded.	<code>0 in gen._gauge_id_map;</code> <code>gen._gauge_id_map[0] == "GAUGE-111"</code>	Pass	0.544s
Also supports 'gauges' as the top-level key.	<code>gen._gauge_id_map.get(0) == "G-AAA"</code>	Pass	0.535s

Test Description	Acceptance Criteria	Result	Time
Get most recent reading.	<code>current ==</code> <code>flood_event_readings[-1]['level']</code>	Pass	0.000s
Detect falling water levels.	<code>trend == "FALLING"</code>	Pass	0.000s
Detect rising water levels.	<code>trend == "RISING"</code>	Pass	0.000s
Detect stable water levels.	<code>trend == "STABLE"</code>	Pass	0.000s
Detect peak level in time series.	<code>peak['level'] > 6.0;</code> 'timestamp' in <code>peak</code>	Pass	0.000s
Peak should occur around hour 24.	<code>20 < hours_to_peak < 28</code>	Pass	0.000s
Every gauges file should have 168-hour flood simulation.	<code>len(missing) == 0</code>	Pass	0.001s
Every gauges file should have storm_responses with responses.	<code>len(missing) == 0</code>	Pass	0.001s
At least some storms should exceed alert threshold.	<code>total_alert > 0</code>	Pass	0.913s
Synthetic gauges specifically should have storm responses.	<code>len(synth_gauges) > 0;</code> <code>len(responses)</code> <code>> 0</code>	Pass	0.776s
Count	<code>GaugeLoader(tmp_path).count() == 4</code>	Pass	0.004s
Floodgauges key also works	<code>GaugeLoader(tmp_path).count() == 2</code>	Pass	0.005s
Load all returns list	<code>len(GaugeLoader(tmp_path).load_all())</code> <code>== 3</code>	Pass	0.048s
Load missing file returns empty	<code>GaugeLoader(tmp_path).load_all() ==</code> <code>[]</code>	Pass	0.001s
Test GaugeID extraction from nested structure.	<code>gauge_id is not None;</code> <code>gauge_id.startswith(("GAUGE-",</code> <code>"SYNTH-"))</code>	Pass	0.001s
Test gauge summary generation.	<code>len(summaries) == 3;</code> 'gaugeId' in <code>summary (+5 more)</code>	Pass	0.001s
Test loading gauge portfolio.	<code>len(gauges) == 3</code>	Pass	0.001s
Caching works	<code>loader.load_all() is</code> <code>loader.load_all()</code>	Pass	0.001s
Clear cache	<code>not loader._cache_valid</code>	Pass	0.001s
Force reload	<code>len(loader.load_all(force_reload=True))</code> <code>== 5</code>	Pass	0.004s
Test getting active gauges.	<code>len(active) == 2;</code> <code>status == "Active"</code>	Pass	0.001s
Test getting gauge coordinates.	<code>coords is not None;</code> <code>lat ==</code> <code>pytest.approx(51.4309, rel=1e-4)</code> <code>(+1 more)</code>	Pass	0.002s
Test getting flood stage thresholds.	<code>stages is not None;</code> <code>stages['ActionStage'] == 4.5</code> (+3 <code>more)</code>	Pass	0.001s
Test getting gauge name by ID.	<code>name == "Thames at Teddington"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Test getting name for non-existent gauge.	name is None	Pass	0.001s
Exists false	GaugeLoader(tmp_path).exists("GAUGE-999") is False	Pass	0.002s
Exists true	GaugeLoader(tmp_path).exists("GAUGE-000") is True	Pass	0.001s
Find by id missing returns none	GaugeLoader(tmp_path).find_by_id("GAUGE-999") is None	Pass	0.002s
Find by id returns entity	result is not None; result["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-001"	Pass	0.001s
List all returns summaries	len(summaries) == 2; "gaugeId" in summaries[0]	Pass	0.001s
Test finding gauge by ID.	gauge is not None; gauge['FloodGauge']['Header']['GaugeName'] == "Thames at ..."	Pass	0.002s
Test finding gauge by name.	gauge is not None; gauge_loader.get_entity_id(gauge) == "GAUGE-001"	Pass	0.002s
Test name search is case insensitive.	gauge is not None	Pass	0.003s
Test finding gauges by owner.	len(ea_gauges) == 2; len(usgs_gauges) == 1	Pass	0.009s
Test finding active gauges.	len(active) == 2	Pass	0.001s
Test finding inactive gauges.	len(inactive) == 1; gauge_loader.get_entity_id(inactive[0]) == "GAUGE-003"	Pass	0.001s
Test finding river gauges.	len(river) == 2	Pass	0.001s
Test finding tidal gauges.	len(tidal) == 1	Pass	0.002s
Test finding gauges within radius.	len(nearby) >= 1; len(nearby) >= 2	Pass	0.001s
Test radius search with no matches.	len(nearby) == 0	Pass	0.001s
Get status returns dict	"entity_name" in status; "path" in status (+1 more)	Pass	0.000s
Distance j 100 → 'Very close to Thames'.	"Very close to Thames" in str(result)	Pass	0.001s
Distance == 0 → 'On Thames River' and 'Directly on Thames'.	"On Thames River" in str(result)	Pass	0.001s
Empty data does not crash	isinstance(result, list)	Pass	0.000s
Flood risk section	any("Flood Risk" in t for t in texts)	Pass	0.000s
Geographic coordinates section	any("Geographic Coordinates" in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Latitude 51.4-51.5 → 'Central London area'.	<code>"Central London area" in str(result)</code>	Pass	0.001s
Latitude 51.5 → 'North London area'.	<code>"North London area" in str(result)</code>	Pass	0.001s
Latitude 51.4 → 'South London area'.	<code>"South London area" in str(result)</code>	Pass	0.001s
No thames info does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Positioning summary section	<code>any("Positioning Summary" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Risk category in location profile	<code>"High flood risk location" in str(result)</code>	Pass	0.001s
Risk score shown as 'X/10'.	<code>"7.5/10" in str(result)</code>	Pass	0.001s
Thames context section	<code>any("Thames River Context" in t for t in texts)</code>	Pass	0.000s
Title present	<code>any("Geographic Location" in t for t in texts)</code>	Pass	0.000s
Lines 89-90: exception in create_gauge_mapping raises ValueError.	—	Pass	0.000s
Line 100: get_nrfa_fields returns list of NRFA field names.	<code>isinstance(fields, list); len(fields) == 15 (+3 more)</code>	Pass	0.000s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Empty readings list does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Historical statistics section	<code>any("Historical Measurement Statistics" in t for t in texts)</code>	Pass	0.000s
Measurement configuration section	<code>any("Measurement Configuration" in t for t in texts)</code>	Pass	0.000s
No timeseries shows message	<code>any("No current timeseries data" in t for t in texts)</code>	Pass	0.000s
Operational status section	<code>any("Operational Status" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Title present	<code>any("Current Measurements" in t for t in texts)</code>	Pass	0.000s
Current readings table is added when timeseries provided.	<code>len(tables_with) >= len(tables_without)</code>	Pass	0.001s
With timeseries shows current readings	<code>any("Current Readings" in t for t in texts)</code>	Pass	0.000s
Calculate level range.	<code>level_range > 2.0</code>	Pass	0.000s
Calculate maximum level.	<code>max_level > 6.0</code>	Pass	0.000s
Calculate mean water level.	<code>2.5 < mean < 3.5</code>	Pass	0.000s
Calculate minimum level.	<code>min_level > 0</code>	Pass	0.000s
Calculate maximum rate of rise.	<code>rate > 0</code>	Pass	0.000s
When name is empty, uses area_name.	<code>"Westminster" in result; "Thames" in result</code>	Pass	0.000s
No name key falls back to area	<code>"Putney" in result</code>	Pass	0.000s
No hazard curve shows fallback	<code>any("No hazard" in t or "hazard" in t.lower() for t in te...</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
With nonzero rates renders spreads	<code>len(tables) >= 1</code>	Pass	0.000s
With zero rates renders na	<code>len(tables) >= 1</code>	Pass	0.000s
Basic gauge report produces a valid PDF file.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.025s
Full gauge report produces a valid PDF.	<code>report_path.exists(); report_path.suffix == '.pdf'</code>	Pass	0.013s
Output directory is created automatically.	<code>new_dir.exists(); report_path.exists()</code>	Pass	0.024s
Generated filename includes the gauge ID.	<code>'GAUGE-test0001' in report_path.name</code>	Pass	0.024s
Gauge report PDF should be non-trivial in size.	<code>report_path.stat().st_size > 5000</code>	Pass	0.024s
Generated file is a valid PDF.	<code>header == b'%PDF-'</code>	Pass	0.032s
Report handles minimal gauge data without crashing.	<code>report_path.exists(); report_path.stat().st_size > 0</code>	Pass	0.020s
Daily minus 15	<code>r['reliability_score'] == 80</code>	Pass	0.000s
Decommissioned	<code>r['reliability_score'] == 0; r['category'] == "Unreliable"</code>	Pass	0.000s
Fully operational	<code>r['reliability_score'] == 95; r['category'] == "Highly Reliable"</code>	Pass	0.000s
Hourly minus 5	<code>r['reliability_score'] == 90</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Maintenance required	<code>r['reliability_score'] == 70;</code>	Pass	0.000s
Monthly minus 50	<code>r['category'] == "Reliable"</code> <code>r['reliability_score'] == 20;</code> <code>r['category'] == "Unreliable"</code>	Pass	0.000s
Realtime no adjustment	<code>rt['reliability_score'] ==</code> <code>base['reliability_score']</code>	Pass	0.000s
Result keys	<code>'reliability_score' in r; 'category'</code> <code>in r (+1 more)</code>	Pass	0.000s
Score clamped at zero	<code>r['reliability_score'] == 0</code>	Pass	0.000s
Temporarily offline	<code>r['reliability_score'] == 30;</code> <code>r['category'] == "Low Reliability"</code>	Pass	0.000s
Unknown status	<code>r['reliability_score'] == 50;</code> <code>r['category'] == "Moderately</code> <code>Reliable"</code>	Pass	0.000s
Weekly minus 30	<code>r['reliability_score'] == 65</code>	Pass	0.000s
Generator initialises with output directory.	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
Generator lists all registered gauge page modules.	<code>'title_overview' in pages;</code> <code>'sensor_details' in pages (+7 more)</code>	Pass	0.001s
Validates known gauge page names.	<code>'title_overview' in valid; 'bogus' in</code> <code>invalid</code>	Pass	0.001s
Line 163 (else branch): no time-series or hazard -i no analysis pages.	<code>not any(p in pages for p in</code> <code>analysis_pages)</code>	Pass	0.001s
Line 163 (if branch): gauge_data.get('hazard_curve') -i include analysis.	<code>"risk_assessment" in pages</code>	Pass	0.001s
Lines 269-270: generate_analysis_report creates PDF.	<code>path.exists()</code>	Pass	0.004s
Lines 208-210: exception in page -i logged, continue to next page.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 190-191: unknown page -i warning logged, skipped.	<code>isinstance(elements, list)</code>	Pass	0.001s
Lines 176-177: missing GaugeID -i uses 'unknown' in filename.	<code>"unknown" in name;</code> <code>name.endswith(".pdf")</code>	Pass	0.001s
Line 175: gauge_id extracted for filename.	<code>"GAUGE-001" in name</code>	Pass	0.001s
Lines 261-263: generate_monitoring_report creates PDF.	<code>path.exists()</code>	Pass	0.003s
Line 313: get_page_categories returns dict.	<code>isinstance(cats, dict); "gauge_info"</code> <code>in cats</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Line 279: list_available_pages returns list of strings.	isinstance(pages, list); "title_overview" in pages	Pass	0.001s
Lines 59-60: output_dir=None -i uses config.get_gauge_reports_dir().	gen.output_dir == gauge_dir	Pass	0.001s
Line 315: validate_pages with all valid pages.	"title_overview" in valid; invalid == []	Pass	0.001s
validate_pages with some invalid page names.	"title_overview" in valid; "nonexistent_page" in invalid	Pass	0.001s
Categories dict initialized	"gauge_info" in gen.categories; "operational" in gen.categories (+2 more)	Pass	0.001s
Explicit output dir path	isinstance(gen.output_dir, Path)	Pass	0.001s
Explicit output dir string	gen.output_dir == tmp_path	Pass	0.001s
No output dir uses config	gen.output_dir == gauge_dir	Pass	0.001s
Output dir created	new_dir.exists()	Pass	0.001s
Pages dict initialized	expected <= set(gen.pages.keys())	Pass	0.001s
Excludes timeseries when requested	"intensity_timeseries" not in d; "level_timeseries" not in d	Pass	0.000s
Flooded is bool	isinstance(d["flooded"], bool); d["flooded"] is True	Pass	0.000s
Has required keys	"gauge_id" in d; "storm_id" in d (+2 more)	Pass	0.000s
Includes timeseries by default	"intensity_timeseries" in d; "level_timeseries" in d (+1 more)	Pass	0.000s
Returns dict	isinstance(d, dict); isinstance(d, dict)	Pass	0.000s
Values rounded	d["peak_level"] == 5.2; d["accumulation"] == 4.5	Pass	0.000s
Generates elements list	isinstance(elements, list); len(elements) > 0	Pass	0.000s
No timeseries shows placeholder	any("No current timeseries" in t for t in texts)	Pass	0.000s
With timeseries data	isinstance(elements, list); len(elements) > 0	Pass	0.000s
Test POST /api/v1/gauges/report without gaugeId.	response.status_code == 400; 'Gauge ID is required' in data['message']	Pass	0.000s
Test GET /api/v1/gauges/idi.	response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.002s
Test GET /api/v1/gauges/idi with invalid ID.	response.status_code == 404	Pass	0.002s

Test Description		Acceptance Criteria	Result	Time
Test GET /api/v1/gauges/{id}/statistics.		response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Test GET /api/v1/gauges/{id}/timeseries.		response.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Test legacy /api/v1/list_gauges endpoint.	GET	response.status_code == 200; data['count'] == 3	Pass	0.002s
Test GET /api/v1/gauges.		response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.002s
Empty data does not crash		isinstance(result, list)	Pass	0.000s
Gauge id in subtitle		any("GAUGE-001" in t for t in texts)	Pass	0.001s
Gauge information section		any("Gauge Information" in t for t in texts)	Pass	0.001s
Get gauge id missing		page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present		page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Has tables		any(isinstance(e, Table) for e in result)	Pass	0.001s
Historical sensor statistics section		any("Historical Sensor Statistics" in t for t in texts)	Pass	0.001s
Location information section		any("Location Information" in t for t in texts)	Pass	0.001s
Measurement configuration section		any("Measurement Configuration" in t for t in texts)	Pass	0.001s
Missing SensorDetails → empty tables, no exception.		isinstance(result, list)	Pass	0.000s
Returns list		isinstance(result, list); len(result) > 0	Pass	0.001s
Title present		any("Sensor Details" in t for t in texts)	Pass	0.001s
With timeseries does not crash		isinstance(result, list)	Pass	0.001s
Level at alert threshold.		status == "ALERT"	Pass	0.000s
Level between alert and warning.		status == "ALERT"	Pass	0.000s
Level below alert = normal.		status == "NORMAL"	Pass	0.000s
Level at severe threshold.		status == "SEVERE"	Pass	0.000s
Level at warning threshold.		status == "WARNING"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 270-271: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s
Lines 268-269: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 275: get_statistics() returns dict.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Empty timeseries returns short list	isinstance(result, list); len(result) > 0	Pass	0.000s
Gauge name in title	any("Chelsea Gauge" in t for t in texts)	Pass	0.000s
Generates per gauge files	gaugets_dir.exists(); len(list(gaugets_dir.glob("GAUGE-*.json")) >= N_GAUGES (+2 more)	Pass	0.000s
Missing gauge name does not crash	isinstance(result, list)	Pass	0.000s
No timeseries message included	any("No time series data" in t for t in texts)	Pass	0.000s
No timeseries returns short list	len(result) > 0	Pass	0.000s
Output file has readings	len(gauge_files) > 0; "flood_simulation" in data (+1 more)	Pass	0.001s
Requires gauge portfolio	—	Pass	0.000s
Returns list	isinstance(result, list)	Pass	0.002s
Timeseries mixed statuses	isinstance(result, list)	Pass	0.083s
Readings with non-zero thresholds exercising fill_between paths.	isinstance(result, list)	Pass	0.084s
With timeseries returns more elements	len(result) >= len(empty_result)	Pass	0.087s
With timeseries table included	len(tables) >= 1	Pass	0.087s
DEFAULT_PARAMS and generate() default must both be 168 hours (7 days).	GaugeTimeSeriesGenerator.DEFAULT_PARAMS["simulation_hours"] == 168	Pass	0.000s
generate(simulation_hours) default parameter must be 168.	default == 168	Pass	0.000s
Convenience function generate_gaugets() default must be 168.	default == 168	Pass	0.000s
peak_hour_max must be strictly less than simulation_hours.	p["peak_hour_max"] < p["simulation_hours"]	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
peak_hour_min must be less than peak_hour_max.	p["peak_hour_min"] < p["peak_hour_max"]	Pass	0.000s
168-hour simulation produces significantly more readings than 60-hour.	files60 and files168; count168 > count60	Pass	0.355s
Lines 127-130: configure() updates a known sim_param key.	gen.sim_params['simulation_hours'] == 48	Pass	0.000s
Lines 127-129: unknown key is silently ignored (if branch is False).	'nonexistent_param' not in gen.sim_params	Pass	0.000s
generate(168) should produce ~168 readings per gauge.	len(files) > 0; sim.get("simulation_hours") == 168 (+1 more)	Pass	0.355s
Explicit override stores the passed value in simulation_hours metadata.	sim.get("simulation_hours") == 60	Pass	0.244s
Lines 157-159: gauge.json absent -> FileNotFoundError re-raised.	—	Pass	0.001s
simulation_hours is written into each gaugets JSON.	"simulation_hours" in data["flood_simulation"]	Pass	0.347s
Line 175: stale GAUGE-*.json files in gaugets/ are deleted before writing.	stale.exists(); not stale.exists()	Pass	0.140s
Unparseable install date is silently skipped.	isinstance(result, list)	Pass	0.000s
Empty data does not crash	isinstance(result, list)	Pass	0.000s
Gauge id in output	any("GAUGE-001" in t for t in texts)	Pass	0.000s
Gauge overview section header	any("Gauge Overview" in t for t in texts)	Pass	0.000s
Gauge summary section header	any("Gauge Summary" in t for t in texts)	Pass	0.000s
Get gauge id missing	page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present	page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.000s
Valid install date triggers gauge age row in summary.	isinstance(result, list); len(result) > 0	Pass	0.000s
No install date does not crash	isinstance(result, list)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Title paragraph present	any("Comprehensive Flood Gauge Analysis Report" in t for ...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown gauge fallback	<code>any("Unknown Gauge" in t for t in texts)</code>	Pass	0.000s
With timeseries does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Gauge trace includes classifier summary	<code>len(clf_steps) >= 2</code>	Pass	0.005s
Gauge trace includes gaugehd	<code>"gaugehd" in steps</code>	Pass	0.005s
Gauge trace includes market state	<code>len(blotter_steps) >= 2</code>	Pass	0.005s
Gauge trace includes sequence gauge	<code>len(stressm_steps) >= 2</code>	Pass	0.005s
When per-gauge file doesn't exist, falls back to <code>_index.json</code> .	<code>any("_index.json" in r["file"] for r in stressm_steps)</code>	Pass	0.002s
When <code>sequence_gauge/</code> dir doesn't exist, falls back to legacy file.	<code>any("sequence_gauge_summary" in r["file"] for r in stress...</code>	Pass	0.002s
Lines 68-69: exception returns <code>validation_error</code> dict.	<code>"validation_error" in result; isinstance(result["validation_error"], list) (+2 more)</code>	Pass	0.000s
Lines 61,64: invalid menu field value appended to <code>sensor_errors</code> .	<code>"SensorDetails" in errors; any("DataSourceType" in e for e in errors["SensorDetails"])</code>	Pass	0.000s
Multiple invalid menu fields all collected.	<code>"SensorDetails" in errors; len(errors["SensorDetails"]) == 3</code>	Pass	0.000s
Valid menu field values produce no <code>SensorDetails</code> errors.	<code>"SensorDetails" not in errors</code>	Pass	0.000s
Curve points present	<code>not missing</code>	Pass	0.000s
Each gauge has required fields	<code>not missing</code>	Pass	0.000s
File exists	<code>GAUGEHC_PATH.exists(); MARKET_STATE.exists()</code>	Pass	0.000s
alert ; warning ; severe for every gauge.	<code>not violations</code>	Pass	0.000s
Gauge count at least 40	<code>count >= 40</code>	Pass	0.000s
Gauge ids are well formed	<code>not bad</code>	Pass	0.000s
Has hazard curves key	<code>"hazard_curves" in gaugehc</code>	Pass	0.000s
alert ; warning ; severe (higher trigger = lower probability).	<code>not violations</code>	Pass	0.000s
Hazard rates positive	<code>not violations</code>	Pass	0.000s
Term structure present	<code>not missing</code>	Pass	0.000s
Lines 73-77: <code>main()</code> with no GDF files logs info.	—	Pass	0.000s
Lines 70-71: <code>main()</code> processes files, handles errors.	—	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Line 37: output_dir defaults to input_dir when None.	result == []	Pass	0.000s
Lines 46-47: error processing a CSV file is logged and skipped.	result == []	Pass	0.001s
directory.main() is callable.	callable(main)	Pass	0.000s
Each file has required keys	not bad	Pass	9.259s
Flood simulation has readings	not bad	Pass	9.086s
Gauge id field matches filename	not bad	Pass	7.844s
Gaugets dir exists	GAUGETS_DIR.exists()	Pass	0.000s
Gaugets gauge id format	not bad	Pass	0.001s
Gaugets not empty	gaugets_files	Pass	0.000s
simulation_hours should match number of reading entries.	not mismatches	Pass	7.901s
Line 72: datetime -i isoformat string.	"2026-01-01" in result	Pass	0.000s
Lines 75-76: np.float32 is np.floating but not Python float -i default() called.	"2.5" in result	Pass	0.000s
Lines 73-74: np.integer -i int.	"42" in result	Pass	0.000s
Lines 77-78: np.ndarray -i list via tolist().	"1.0" in result	Pass	0.000s
Line 79: unknown type -i super().default() -i TypeError.	—	Pass	0.000s
gaugets readings using 'level' key (alternate field name) are extracted.	resp.status_code == 200; max(water_levels) > min(water_levels)	Pass	0.007s
gaugets readings using 'waterLevel' key are correctly extracted.	resp.status_code == 200; max(water_levels) > min(water_levels) (+1 more)	Pass	0.007s
When no gaugets file exists, stress run returns 404.	resp.status_code == 404; "No gaugets data" in data.get('message', '')	Pass	0.006s
Lines 241-244: __main__ block runs generate_gaugets(168) and logs results.	(tmp_path / 'gaugets').exists()	Pass	0.004s
Random module peak_hour_max must be j simulation_hours.	DEFAULT_PARAMS["peak_hour_max"] < DEFAULT_PARAMS["simulat...	Pass	0.000s
gaugets_random.DEFAULT_PARAMS simulation_hours must be 168.	DEFAULT_PARAMS["simulation_hours"] == 168	Pass	0.000s
The generator uses input_dir.name as the catchment name.	gen.input_dir.name == 'thames'	Pass	0.000s
Daily flows filtered by years	len(result_3yr["daily_flows"]) > len(result_1yr["daily_fl...	Pass	0.026s

Test Description	Acceptance Criteria	Result	Time
Explicit gauge id overrides meta-data	<code>result["station_metadata"]["station_id"] == "OVERRIDE-ID"</code>	Pass	0.015s
Even with completely empty input, PDF should still generate.	<code>result.exists(); result.stat().st_size > 0</code>	Pass	0.007s
Minimal data (empty arrays) should produce valid PDF.	<code>result.exists()</code>	Pass	0.012s
Output file written	<code>output_path.exists(); json.load(f)["data.type"] == "GaugeHistoricalDaily"</code>	Pass	0.018s
Output path creates parent dirs	<code>result.exists()</code>	Pass	0.022s
With populated data, PDF should have multiple pages (from Page-Breaks).	<code>out.stat().st_size > 5000</code>	Pass	0.021s
Pdf starts with magic bytes	<code>f.read(5) == b'%PDF-'</code>	Pass	0.028s
Produces pdf file	<code>result == out; out.exists() (+1 more)</code>	Pass	0.026s
Returns dict with required keys	<code>key in result</code>	Pass	0.015s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.017s
Avg basis is float	<code>isinstance(stats["avg_basis_bps"], float)</code>	Pass	0.317s
Avg transmission rate between 0 and 1	<code>0.0 <= stats["avg-transmission-rate"] <= 1.0</code>	Pass	0.226s
Min spread bps in stats	<code>stats["min_spread_bps"] == MIN_PRS_SPREAD_BPS</code>	Pass	0.103s
Total flood events counted	<code>stats["total_flood_events"] == 7</code>	Pass	0.450s
No gauges in portfolio returns empty list.	<code>result == []</code>	Pass	0.002s
Line 50: error path extracts GaugeID from FloodGauge.Header.	<code>len(result) == 0; "GAUGE-BADONE" in caplog.text</code>	Pass	0.002s
Line 50: completely empty entry uses UNKNOWN as gauge_id.	<code>len(result) == 0; "UNKNOWN" in caplog.text</code>	Pass	0.002s
Good gauges succeed even when bad ones fail.	<code>len(result) == 1</code>	Pass	0.195s
Line 60-61: house with 3 bedrooms returns 1 or 2 bathrooms.	<code>results.issubset({1, 2}); len(results) == 2</code>	Pass	0.000s
Line 62-63: house with 4+ bedrooms returns 2 or 3 bathrooms.	<code>results.issubset({2, 3}); len(results) == 2</code>	Pass	0.000s
5 bedrooms also takes the 4+ path (line 62-63).	<code>val in (2, 3)</code>	Pass	0.000s
Advised flag	<code>isinstance(generate.boolean_value("AdvisedFlag", self._fd...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Btl commercial purpose	<code>generate_boolean_value("BusinessOrCommercialPurpose", sel...; generate_boolean_value("BusinessOrCommercialPurpose", sel...</code>	Pass	0.000s
Default flag from data	<code>generate_boolean_value("DefaultFlag", self._fd(is_default...; generate_boolean_value("DefaultFlag", self._fd(is_default...</code>	Pass	0.000s
Execution only flag	<code>isinstance(generate_boolean_value("ExecutionOnlyFlag", se...</code>	Pass	0.000s
First time buyer btl always false	<code>generate_boolean_value("FirstTimeBuyerFlag", self._fd(mor...</code>	Pass	0.000s
First time buyer expensive property	<code>isinstance(result, bool)</code>	Pass	0.000s
First time buyer normal property	<code>isinstance(result, bool)</code>	Pass	0.000s
In arrears flag	<code>generate_boolean_value("InArrearsFlag", self._fd(is_in_ar...</code>	Pass	0.000s
Mmr compliant	<code>generate_boolean_value("MMRCompliantFlag", self._fd()) is...</code>	Pass	0.000s
Stress compliant	<code>generate_boolean_value("StressTestCompliantFlag", self.f...</code>	Pass	0.000s
Unknown field returns bool	<code>isinstance(generate_boolean_value("Unknown", self._fd()),...</code>	Pass	0.000s
Count respected	<code>len(result["data"]) == 3</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict); "data" in result</code>	Pass	0.000s
Fair section 50 to 75 gets enhance- ment rec	<code>any("OtherSection" in rec for rec in r)</code>	Pass	0.000s
Good sections maintain recommen- dation	<code>any("Maintain" in rec or "maintain" in rec for rec in r)</code>	Pass	0.000s
Max 5 recommendations	<code>len(r) <= 5</code>	Pass	0.000s
Poor section under 50 gets recom- mendation	<code>any("SomeSection" in rec for rec in r)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements("PoorProperty", isinstance(r, list)</code>	Pass	0.000s
Application date is string	<code>isinstance(result, str); len(result) == 10</code>	Pass	0.000s
Default date not defaulted	<code>result is None</code>	Pass	0.000s
Default date when defaulted	<code>isinstance(result, str)</code>	Pass	0.000s
Disbursal date	<code>isinstance(result, str)</code>	Pass	0.000s
Maturity date	<code>isinstance(result, str)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown field	<code>1 <= result <= 10; isinstance(result, str)</code>	Pass	0.000s
Application property valuation	<code>generate_decimal_value("ApplicationPropertyValuation", se...)</code>	Pass	0.000s
Aprc initial rate	<code>isinstance(result, float)</code>	Pass	0.000s
Aprc secondary rate	<code>isinstance(result, float)</code>	Pass	0.000s
Borrower income	<code>generate_decimal_value("BorrowerIncome", self._fd()) == 7...</code>	Pass	0.000s
Current balance	<code>generate_decimal_value("CurrentBalance", self._fd()) == 2...</code>	Pass	0.000s
Current lending rate	<code>abs(result - 4.0) < 0.01</code>	Pass	0.000s
Current ltv	<code>abs(result - 75.0) < 0.01</code>	Pass	0.000s
Current payment	<code>generate_decimal_value("CurrentPayment", self._fd()) == 1500</code>	Pass	0.000s
Debt to income ratio	<code>isinstance(result, float)</code>	Pass	0.000s
Debt to income zero income	<code>result == 0.3</code>	Pass	0.000s
Default field	<code>isinstance(result, float)</code>	Pass	0.000s
Interest rate	<code>isinstance(result, float)</code>	Pass	0.000s
Loan to value ratio	<code>abs(result - 80.0) < 0.01</code>	Pass	0.000s
Ltv field	<code>abs(result - 75.0) < 0.01</code>	Pass	0.000s
Original lending rate	<code>abs(result - 4.0) < 0.01</code>	Pass	0.000s
Original loan	<code>generate_decimal_value("OriginalLoan", self._fd()) == 320000</code>	Pass	0.000s
Original loan amount	<code>generate_decimal_value("OriginalLoanAmount", self._fd()) ...</code>	Pass	0.000s
Original ltv	<code>abs(result - 80.0) < 0.01</code>	Pass	0.000s
Outstanding balance	<code>generate_decimal_value("OutstandingBalance", self._fd()) ...</code>	Pass	0.000s
Purchase value	<code>generate_decimal_value("PurchaseValue", self._fd()) == 40...</code>	Pass	0.000s
Empty page list	<code>elements == []</code>	Pass	0.002s
Empty page list	<code>elements == []</code>	Pass	0.001s
Empty page list returns empty	<code>elements == []</code>	Pass	0.001s
Exception in page continues	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
If one page raises, the remainder are still processed.	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.001s
Exception in page module continues	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.001s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.001s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.002s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.001s
Mortgage data passed to page	—	Pass	0.002s
Multiple pages have page break	<code>any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
Multiple pages have page breaks	<code>any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
Multiple pages inserts page breaks	<code>has_break</code>	Pass	0.001s
No gauge id key returns message	<code>any("No gauge ID" in t for t in texts)</code>	Pass	0.000s
None timeseries passed to page	—	Pass	0.001s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.002s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.009s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.002s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.001s
Timeseries passed to page	—	Pass	0.002s
Unknown page skipped	<code>len(elements) == 0</code>	Pass	0.001s
Unknown page skipped	<code>len(elements) == 0</code>	Pass	0.002s
Unknown page skipped	<code>isinstance(elements, list); len(elements) == 0</code>	Pass	0.001s
With gauge id returns trading header	<code>any("Trading Activity" in t for t in texts)</code>	Pass	0.009s
When eod_date is None, uses today's date.	<code>snapshot['date'] == date.today().isoformat(); snapshot['eod_id'] == expected_id</code>	Pass	0.000s
Empty property list returns zero mortgages	<code>result["data"]["mortgages"] == []; result["processing_stats"]["total_mortgages"] == 0</code>	Pass	0.002s
Missing property file raises file not found	—	Pass	0.000s
All storm sequences	<code>isinstance(seq, StormSequence)</code>	Pass	0.000s
Catchment propagated	<code>seq.catchment_id == "rhine"; storm.catchment_id == "rhine"</code>	Pass	0.001s
Correct count	<code>len(small_batch) == 200</code>	Pass	0.000s
Different seeds differ	<code>types_a != types_b</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Force sequence type doublet	<code>doublets > 50; seq.sequence_type in ("doublet", "isolated")</code>	Pass	0.002s
Force sequence type isolated	<code>seq.sequence_type == "isolated"; seq.num_storms == 1</code>	Pass	0.001s
Reproducible with same seed	<code>[s.sequence_id for s in a] != [s.sequence_id for s in b]; sa.num_storms == sb.num_storms (+1 more)</code>	Pass	0.003s
Returns list	<code>isinstance(small_batch, list)</code>	Pass	0.000s
Custom weight heavy on extreme shifts the distribution.	<code>all(c == "extreme" for c in cats)</code>	Pass	0.007s
All four default weight categories appear in the batch.	<code>cat in categories</code>	Pass	0.000s
Multi-storm sequences appear at a meaningful rate for severe+.	<code>multi_frac > 0.15</code>	Pass	0.000s
Boolean type	<code>isinstance(result, bool)</code>	Pass	0.000s
Date type	<code>isinstance(result, str)</code>	Pass	0.000s
Decimal type	<code>isinstance(result, (int, float))</code>	Pass	0.000s
Enum type	<code>result == "Monthly"</code>	Pass	0.000s
Integer type	<code>result == 300</code>	Pass	0.000s
Menu type	<code>result == "Monthly"</code>	Pass	0.000s
Non dict field def returns string	<code>result == "literal"</code>	Pass	0.000s
Non dict non string returns empty	<code>result == ""</code>	Pass	0.000s
Text type	<code>result == "thames"</code>	Pass	0.000s
Unknown type returns empty	<code>result == ""</code>	Pass	0.000s
Contains flood risk report	<code>"flood_risk_report" in gen.generate_filename()</code>	Pass	0.001s
Contains gauge id	<code>"GAUGE-001" in name</code>	Pass	0.001s
Contains property id	<code>"PROP-001" in name</code>	Pass	0.002s
Contains timestamp	<code>digits >= 8</code>	Pass	0.001s
Ends with pdf	<code>gen.generate_filename(gauge_data).endswith(".pdf")</code>	Pass	0.001s
Ends with pdf	<code>gen.generate_filename(prop_data).endswith(".pdf")</code>	Pass	0.002s
Ends with pdf	<code>gen.generate_filename().endswith(".pdf")</code>	Pass	0.001s
Missing gauge id uses unknown	<code>"unknown" in name; name.endswith(".pdf")</code>	Pass	0.001s
Missing property id uses unknown	<code>"unknown" in name; name.endswith(".pdf")</code>	Pass	0.002s
Partial path missing gauge id	<code>"unknown" in name</code>	Pass	0.001s
Partial path missing header	<code>"unknown" in name</code>	Pass	0.001s
Partial path missing header	<code>"unknown" in name</code>	Pass	0.002s
Partial path missing property id	<code>"unknown" in name</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Returns string	<code>isinstance(name, str)</code>	Pass	0.001s
Returns string	<code>isinstance(name, str)</code>	Pass	0.003s
Returns string	<code>isinstance(name, str)</code>	Pass	0.001s
Timestamp in filename	<code>digits >= 8</code>	Pass	0.001s
Timestamp in filename	<code>digits >= 8</code>	Pass	0.002s
Two calls produce string names	<code>isinstance(n1, str)</code> and <code>isinstance(n2, str)</code>	Pass	1.107s
Estimates value when zero	<code>result["loan.amount"] > 0</code>	Pass	0.000s
Flood risk passed through	<code>result["flood_risk"] == "High"</code>	Pass	0.000s
Returns dict with mortgage id	<code>"mortgage_id" in result;</code> <code>result["mortgage_id"].startswith("MORT-")</code>	Pass	0.000s
Uses provided property value	<code>result["property_value"] == 600000</code>	Pass	0.000s
When <code>output_dir=None</code> , uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, dict)</code>	Pass	0.192s
Daily observations generated	<code>len(result["daily_observations"]) > 0</code>	Pass	0.192s
Gauge metadata extracted	<code>result["gauge_metadata"]["gauge_id"]</code> <code>== "GAUGE-TEST01"</code>	Pass	0.190s
Gauge data without FloodGauge wrapper.	<code>result["gauge_metadata"]["gauge_id"]</code> <code>== "GAUGE-FLAT"</code>	Pass	0.193s
Output file created	<code>(tmp_path /</code> <code>"gauge_GAUGE-TEST01_hd.json").exists()</code>	Pass	0.191s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.192s
Schema version	<code>result["schema_version"] == "1.0"</code>	Pass	0.191s
When <code>output_path=None</code> , uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, dict);</code> <code>(tmp_path / "gaugehd" /</code> <code>"gauge_AUTO-01_hd.json").exists()</code>	Pass	0.004s
Creates json file	<code>output.exists()</code>	Pass	0.003s
Gauge id override	<code>result["station_metadata"]["station_id"]</code> <code>== "GAUGE-CUSTOM"</code>	Pass	0.001s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.002s
Schema version in output	<code>result["schema_version"] ==</code> <code>"1.0"; result["data_type"] ==</code> <code>"GaugeHistoricalDaily"</code>	Pass	0.002s
Station metadata extracted	<code>result["station_metadata"]["station_name"]</code> <code>== "Thames at ..."</code>	Pass	0.006s
Current balance does not exceed original loan	<code>loan["CurrentBalance"] <=</code> <code>loan["OriginalLoanAmount"]</code>	Pass	0.002s
Loan details values are positive	<code>loan["OriginalLoanAmount"] > 0;</code> <code>loan["CurrentBalance"] > 0 (+3 more)</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Ltv within valid range	10 <= m["Mortgage"]["LoanDetails"]["LTV"] <= 100	Pass	0.002s
Mortgage data key is list	isinstance(result["data"]["mortgages"], list)	Pass	0.002s
Mortgage data structure has mortgage key	"Mortgage" in m	Pass	0.002s
Mortgage header has required fields	"MortgageID" in header; "PropertyID" in header (+1 more)	Pass	0.002s
Mortgage ids key is list	isinstance(result["data"]["mortgage_ids"], list)	Pass	0.002s
Output file is valid json	isinstance(json.load(f), dict)	Pass	0.003s
Output json contains generation metadata	"generated_at" in meta; "catchment" in meta (+1 more)	Pass	0.004s
Output json contains mortgages key	"mortgages" in json.load(f)	Pass	0.003s
Processing stats contain timing	stats["start_time"] is not None; stats["end_time"] is not None	Pass	0.002s
Gauge reading returns all fields	"gaugeId" in reading; "waterLevel" in reading (+1 more)	Pass	0.000s
Gauge reading with string timestamp	reading["timestamp"] == "2024-01-01T00:00:00"	Pass	0.000s
report_type='analysis' calls generate_analysis_report.	—	Pass	0.001s
auto_open=True with open_pdf_file raising -i logs warning, does not raise.	result is not None	Pass	0.001s
auto_open=True tries to open the PDF (lines 95-106).	mock_open.call_count >= 0	Pass	0.001s
report_type='basic' calls generate_basic_report.	—	Pass	0.001s
Gauge not found returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.002s
The /generate_gauge_report alias also works.	r.status_code == 200	Pass	0.029s
Missing gauge id returns 400	r.status_code == 400; data["status"] == "error"	Pass	0.000s
report_type='monitoring' with timeseries calls generate_monitoring_report.	—	Pass	0.001s
No json returns 400	r.status_code in (400, 415, 500)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Sending JSON null body makes get_json() return None → line 29.	<code>r.status_code == 400</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.000s
Response has file path	<code>"file_path" in data;</code> <code>data["file_path"].endswith(".pdf")</code>	Pass	0.031s
Response has pdf base64	<code>"pdf_base64" in data;</code> <code>len(data["pdf_base64"]) > 0</code>	Pass	0.029s
Return value is the PDF path.	<code>result == tmp_path /</code> <code>"gauge_report.pdf"</code>	Pass	0.001s
Unknown report_type calls generate_report.	—	Pass	0.001s
Valid gauge generates report	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success"</code>	Pass	0.031s
gaugehd file exists → exercises lines 62-69.	<code>r.status_code == 200</code>	Pass	0.113s
gaugehc.json exists → exercises lines 76-82.	<code>r.status_code == 200</code>	Pass	0.060s
Analysis type calls generate analysis	—	Pass	0.001s
Auto open false returns path	<code>result == fake_pdf</code>	Pass	0.001s
Auto open true handles exception	<code>result is not None</code>	Pass	0.001s
Lines 343-344: auto_open=True + open_pdf_file succeeds → both lines covered.	<code>result == fake_pdf</code>	Pass	0.001s
Basic type calls generate basic	—	Pass	0.001s
Monitoring type with timeseries calls monitoring	—	Pass	0.001s
Monitoring without timeseries falls back	—	Pass	0.000s
Returns path	<code>result == fake_pdf</code>	Pass	0.001s
Unknown type calls generate report	—	Pass	0.001s
Lines 236-237: generate_gauges() instantiates generator and calls generate().	<code>result['data']['num_gauges'] == 5</code>	Pass	0.000s
Creates output file	<code>output.exists()</code>	Pass	0.003s
History entries have date	<code>'date' in entry</code>	Pass	0.004s
Metadata lists gauges	<code>'GAUGE-005' in</code> <code>data['metadata']['gauges']</code>	Pass	0.003s
Multiple gauges	<code>'GAUGE-001' in data['history'];</code> <code>'GAUGE-002' in data['history']</code>	Pass	0.003s
No eod files returns early	<code>not output.exists()</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Output has history	'history' in data;	Pass	0.003s
Output has metadata	'metadata' in data;	Pass	0.004s
Tenors sorted numerically	data['history'] data['metadata']['num_snapshots'] == 2	Pass	0.003s
Two eod files two history entries	len(entries) == 1; tenor_keys ==	Pass	0.004s
Empty dir produces no file	sorted(tenor_keys, key=int)	Pass	0.000s
History entries have date	len(entries) == 2	Pass	0.002s
History entries have tenors	not output.exists()	Pass	0.003s
History keyed by gauge	entry["date"] == "2026-01-02"	Pass	0.002s
History keyed by trigger	"1" in entry and "2" in entry and "3" in entry	Pass	0.002s
Metadata has generated at	"GAUGE-042" in data["history"]	Pass	0.002s
Metadata num snapshots	"alert" in gauge_hist; "warning" in gauge_hist	Pass	0.005s
Multiple gauges in metadata	"generated_at" in data["metadata"] data["metadata"]["num_snapshots"] == 3	Pass	0.003s
Multiple snapshots produce multi- ple entries	set(data["metadata"]["gauges"]) == { "GAUGE-001", "GAUGE-0...	Pass	0.004s
Output has metadata and history	len(alert_entries) == 3	Pass	0.002s
Single snapshot creates file	"metadata" in data; "history" in data	Pass	0.002s
Standalone check: _business_days always returns Mon-Fri dates.	output.exists()	Pass	0.000s
Pre-existing EOD-*.json files are deleted before simulation.	len(result) == 63; d.weekday() < 5	Pass	0.003s
Creates eod dir	not stale.exists()	Pass	0.002s
Empty trades returns zero	(trading_dir / 'eod').exists()	Pass	0.002s
A trade that fails enrich_trade is skipped gracefully (except branch).	count == 0	Pass	0.017s
More trades should generally yield more (or equal) snapshots.	count == 0	Pass	0.159s
Returns integer	count > 0	Pass	0.002s
Same seed should produce same ran- dom walk (deterministic).	isinstance(result, int)	Pass	0.004s
With a real trade + real engine, we expect 40 snapshots.	count1 == count2	Pass	0.127s
EOD snapshot JSON files are cre- ated in eod/ directory.	count > 0	Pass	0.133s

Test Description	Acceptance Criteria	Result	Time
hazard_curve_history.json and trade_pnl_history.json are created.	(trading_dir / 'hazard_curve_history.json').exists(); (trading_dir / 'trade_pnl_history.json').exists()	Pass	0.137s
Arrears months current	generate_integer_value("ArrearsMonths", self._fd()) == 0	Pass	0.000s
Arrears months in arrears	1 <= result <= 6	Pass	0.000s
Behavioral score	30 <= result <= 100	Pass	0.000s
Borrower age btl	35 <= result <= 65	Pass	0.000s
Borrower age expensive	35 <= result <= 65	Pass	0.000s
Borrower age normal	25 <= result <= 60	Pass	0.000s
Credit score expensive property	700 <= result <= 800	Pass	0.000s
Credit score low rate	750 <= result <= 850	Pass	0.000s
Credit score normal	650 <= result <= 750	Pass	0.000s
Days in arrears current	generate_integer_value("DaysInArrears", self._fd()) == 0	Pass	0.000s
Days in arrears defaulted	90 <= result <= 365	Pass	0.000s
Days in arrears in arrears	1 <= result <= 89	Pass	0.000s
Family members	result in [1, 2, 3, 4]	Pass	0.000s
Loan term	generate_integer_value("LoanTerm", self._fd()) == 300	Pass	0.000s
Number of borrowers	result in [1, 2]	Pass	0.000s
Original term	generate_integer_value("OriginalTerm", self._fd()) == 300	Pass	0.000s
Prepayment risk high rate	7 <= result <= 10	Pass	0.000s
Prepayment risk low rate	1 <= result <= 5	Pass	0.000s
Remaining term	result == 240	Pass	0.000s
Total payments	result == 60	Pass	0.000s
Unknown field	1 <= result <= 10; isinstance(result, str)	Pass	0.000s
Each location has required keys	"lat" in loc; "lon" in loc (+4 more)	Pass	0.000s
Elevation is non negative	loc["elevation"] >= 0	Pass	0.000s
With j 3 gauge points, fallback generator is called.	len(locs) == 3	Pass	0.000s
Fallback used when no gauge points	len(locs) == 3	Pass	0.000s
When primary_idx == 0, triangle is gauges 0, 1, 2 -i sorted [0,1,2].	set(ref) == {0, 1, 2}	Pass	0.000s
Reference gauge indices sorted	idxs == sorted(idxs)	Pass	0.001s
Reference gauge indices three elements	len(loc["reference_gauge_indices"]) == 3	Pass	0.000s
Returns correct count	len(locs) == 10	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
When params has no get_elevation, elevation is sampled from	<code>len(locs) == 5; 0 <= loc["elevation"] <= 40</code>	Pass	0.000s
Application channel	<code>result in ["Retail", "Broker", "Correspondent"]</code>	Pass	0.000s
Loan purpose btl	<code>result in ["Purchase", "Refinancing"]</code>	Pass	0.000s
Loan purpose residential	<code>result in ["Purchase", "Refinancing", "Home Improvement"]</code>	Pass	0.000s
Mortgage type	<code>result == "Buy-to-Let"</code>	Pass	0.000s
Occupancy type	<code>result == "Investment"</code>	Pass	0.000s
Original rate type	<code>isinstance(result, str) and len(result) > 0</code>	Pass	0.000s
Payment frequency	<code>generate_menu_value("PaymentFrequency", {}, 0, self._fd()...</code>	Pass	0.000s
Repayment type btl	<code>result in ["Interest only", "Repayment", "Part and part"]</code>	Pass	0.000s
Repayment type residential	<code>result in ["Repayment", "Interest only", "Part and part"]</code>	Pass	0.000s
Unknown field no options	<code>result == ""</code>	Pass	0.000s
Unknown field with options	<code>result in ["X", "Y"]</code>	Pass	0.000s
Convenience function creates pdf	<code>output.exists()</code>	Pass	0.033s
Convenience function returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Lines 203-208: exception -i 500.	<code>r.status_code in (200, 500)</code>	Pass	0.001s
Lines 174-193: full success path with mocked mortgage report generator.	<code>r.status_code in (200, 500)</code>	Pass	0.004s
Missing property id returns 400	<code>r.status_code == 400; "Property ID" in r.get_json()["message"]</code>	Pass	0.000s
Mortgage not found returns 404	<code>r.status_code == 404; "mortgage" in r.get_json()["message"].lower()</code>	Pass	0.001s
Line 149: get_json() returns None -i 400.	<code>r.status_code in (400, 415, 500)</code>	Pass	0.000s
No json returns error	<code>r.status_code in (400, 415)</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.000s
Property not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Mortgage import error returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.002s
Raises without property file	—	Pass	0.001s
Returns dict when property file exists	<code>isinstance(result, dict); "data" in result (+1 more)</code>	Pass	0.020s

Test Description	Acceptance Criteria	Result	Time
Lines 332-334: open_pdf_file raises -i warning logged, no raise.	result is not None	Pass	0.001s
Lines 335-336: auto_open=False -i skips opening.	—	Pass	0.001s
Lines 327-334: auto_open=True -i calls open_pdf_file.	mock_open.called	Pass	0.001s
Lines 128-133: exception in report generation -i 500.	r.status_code in (500, 404, 400)	Pass	0.002s
Lines 94-119: full success path with mocked report generator.	r.status_code in (200, 500); data["status"] == "success" (+1 more)	Pass	0.002s
Missing property id returns 400	r.status_code == 400; "Property ID" in r.get_json()["message"]	Pass	0.000s
Lines 319-320: 'mortgage-focused' with mortgage_data.	—	Pass	0.001s
Line 74: get_json() returns None -i 400.	r.status_code in (400, 415, 500)	Pass	0.000s
No json returns error	r.status_code in (400, 415)	Pass	0.000s
Options returns ok	r.status_code == 200; r.get_json()["status"] == "ok"	Pass	0.000s
Property not found returns 404	r.status_code == 404	Pass	0.001s
Line 317-318: 'property-only' -i generate_property_only_report.	—	Pass	0.001s
Lines 321-322: 'risk-focused'.	—	Pass	0.001s
Lines 323-324: unknown type -i generate_report.	—	Pass	0.000s
Auto open exception does not raise	result is not None	Pass	0.001s
Auto open false skips open	—	Pass	0.001s
Auto open true calls open	—	Pass	0.001s
Full type falls back to generate report	—	Pass	0.001s
Mortgage focused type with mortgage	—	Pass	0.001s
Mortgage focused without mortgage falls back	—	Pass	0.001s
Property only type	—	Pass	0.001s
Returns path	result == fake_pdf	Pass	0.001s
Risk focused type	—	Pass	0.001s
Unknown type falls back to generate report	—	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 167: log milestone every 50 properties.	<code>any("50" in m for m in log.messages)</code>	Pass	0.178s
Line 171: ratio branch when total_storms_at_gauge $\neq$ 0.	<code>"gauge_to_property_ratio" in result;</code> <code>result["gauge_to_property_ratio"] >= 0.0</code>	Pass	0.347s
Line 176: ratio=0 branch when total_storms_at_gauge == 0.	<code>result["gauge_to_property_ratio"] == 0.0</code>	Pass	0.168s
All items are strings	<code>all(isinstance(r, str) for r in recs)</code>	Pass	0.000s
Deep flood extra items	<code>len(deep) > len(shallow)</code>	Pass	0.000s
High risk four or more	<code>len(recs) >= 4</code>	Pass	0.000s
High risk mentions flood insurance	<code>any("flood insurance" in r.lower() for r in recs)</code>	Pass	0.000s
Low risk	<code>len(recs) >= 2</code>	Pass	0.000s
Medium risk	<code>len(recs) >= 3</code>	Pass	0.000s
Very low risk	<code>len(recs) >= 1</code>	Pass	0.000s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.002s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.002s
Auto select called when pages none	—	Pass	0.011s
Auto select called when pages none	—	Pass	0.015s
Auto select not called when pages provided	—	Pass	0.003s
Auto select not called when pages provided	—	Pass	0.003s
Auto select pages when none	—	Pass	0.012s
Auto select skipped when provided	—	Pass	0.003s
Custom output filename	<code>path.name == "my_gauge.pdf";</code> <code>path.exists()</code>	Pass	0.011s
Custom output filename	<code>path.name == "my_prop.pdf";</code> <code>path.exists()</code>	Pass	0.015s
Custom output filename	<code>path.name == "my_report.pdf";</code> <code>path.exists()</code>	Pass	0.012s
Custom pages to include	<code>path.exists()</code>	Pass	0.005s
Custom pages to include	<code>path.exists()</code>	Pass	0.007s
Custom pages to include	<code>path.exists()</code>	Pass	0.007s
Empty flood data	<code>path.exists()</code>	Pass	0.012s
Empty gauge data	<code>path.exists()</code>	Pass	0.010s
Empty property data	<code>path.exists()</code>	Pass	0.014s
Full data report	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.021s
Full data report	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.018s
Pdf exists	<code>gen.generate_report(gauge_data).exists()</code>	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Pdf exists	<code>gen.generate_report(prop_data).exists()</code>	Pass	0.015s
Pdf exists	<code>path.exists()</code>	Pass	0.012s
Pdf is bytes	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.006s
Pdf non empty	<code>path.stat().st_size > 0</code>	Pass	0.011s
Pdf non empty	<code>path.stat().st_size > 0</code>	Pass	0.015s
Pdf non empty	<code>path.stat().st_size > 0</code>	Pass	0.012s
Pdf suffix	<code>gen.generate_report(gauge_data).suffix == ".pdf"</code>	Pass	0.011s
Pdf suffix	<code>gen.generate_report(prop_data).suffix == ".pdf"</code>	Pass	0.015s
Pdf suffix	<code>path.suffix == ".pdf"</code>	Pass	0.012s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.015s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.012s
With mortgage data	<code>path.exists()</code>	Pass	0.021s
With timeseries data	<code>path.exists()</code>	Pass	0.023s
gauge_integrator should handle flood_gauges key too.	<code>result is not None</code>	Pass	0.001s
Found gauge returns path	<code>result is not None; isinstance(result, Path)</code>	Pass	0.001s
Gauge not found returns none	<code>result is None</code>	Pass	0.002s
Missing file returns none	<code>result is None</code>	Pass	0.000s
Output contains gauge id	<code>"GAUGE-001" in content</code>	Pass	0.002s
Output dir created	<code>output_dir.exists()</code>	Pass	0.001s
Output file created	<code>result.exists()</code>	Pass	0.001s
Corrupt json returns none	<code>result is None</code>	Pass	0.005s
Non json file returns none	<code>result is None</code>	Pass	0.001s
Found property returns path	<code>result is not None; isinstance(result, Path)</code>	Pass	0.002s
Missing property file returns none	<code>result is None</code>	Pass	0.001s
No mortgage file still generates	<code>result is not None</code>	Pass	0.001s
Output contains property id	<code>"PROP-001" in content</code>	Pass	0.003s
Output dir created	<code>output_dir.exists()</code>	Pass	0.002s
Output file created	<code>result.exists()</code>	Pass	0.003s
Property not found returns none	<code>result is None</code>	Pass	0.002s
A file with invalid JSON triggers an exception -i return None.	<code>result is None</code>	Pass	0.001s
Simulated write permission error re- turns None.	<code>result is None</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Import error returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.002s
Has report generated timestamp	<code>"Report Generated" in r</code>	Pass	0.000s
Last updated extracted	<code>r["Data Last Updated"] == "2025-01-01"</code>	Pass	0.000s
Mortgage id extracted	<code>r.get("Mortgage ID") == "MORT-001"</code>	Pass	0.000s
Property id extracted	<code>r["Property ID"] == "PROP-999"</code>	Pass	0.000s
Returns dict	<code>isinstance(r, dict); isinstance(r, dict)</code>	Pass	0.000s
Scope combined with mortgage	<code>"Mortgage" in r["Analysis Scope"]</code>	Pass	0.000s
Scope property only	<code>"Property-Only" in r["Analysis Scope"]</code>	Pass	0.000s
Unknown property id when missing	<code>r["Property ID"] == "Unknown"</code>	Pass	0.000s
Uprn extracted	<code>r["UPRN"] == "123456789"</code>	Pass	0.000s
Lines 263-264: 'analysis' type.	<code>path.exists()</code>	Pass	0.016s
Line 257-258: 'basic' type.	<code>path.exists()</code>	Pass	0.017s
Lines 259-260: 'detailed' type.	<code>path.exists()</code>	Pass	0.022s
Lines 261-262: 'summary' type.	<code>path.exists()</code>	Pass	0.009s
Lines 265-266: unknown type → generate_report.	<code>path.exists()</code>	Pass	0.022s
Analysis type returns path	<code>path.exists()</code>	Pass	0.010s
Basic type returns path	<code>isinstance(path, Path); path.exists()</code>	Pass	0.010s
Omitting report_type should default to 'basic'.	—	Pass	0.011s
Detailed type returns path	<code>path.exists()</code>	Pass	0.012s
Output dir as string	<code>path.exists()</code>	Pass	0.010s
Pdf is non empty bytes on disk	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.016s
Summary type returns path	<code>path.exists()</code>	Pass	0.010s
Unknown type falls back to generate report	<code>path.exists()</code>	Pass	0.012s
Empty gaugets directory must raise FileNotFoundError.	—	Pass	0.001s
Each index entry must have gauge_ids_alert for directory-based filtering.	<code>"gauge_ids_alert" in entry; "GAUGE-00000001" in entry["gauge_ids_alert"]</code>	Pass	0.005s
Index has required top level keys	<code>key in data</code>	Pass	0.008s
Individual storm files must contain the full gauge_responses array.	<code>"gauge_responses" in storm; len(storm["gauge_responses"]) == 1</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Storm id prefix uses config constant	<code>data["storm_id_prefix"] == STORM_ID.PREFIX</code>	Pass	0.003s
Storms where no gauge exceeded alert must NOT appear in output.	<code>result["total_storms"] == 0</code>	Pass	0.002s
Total storms matches list length	<code>data["total_storms"] == len(data["storms"])</code>	Pass	0.007s
Output directory must contain _index.json and per-storm files.	<code>(out_dir / "_index.json").exists(); (out_dir / f"{sid}.json").exists()</code>	Pass	0.002s
Account status defaulted	<code>result == "Default"</code>	Pass	0.000s
Account status normal	<code>result in ["Current", "Arrears", "Closed"]</code>	Pass	0.000s
Borrower employment btl	<code>isinstance(result, str)</code>	Pass	0.000s
Catchment id	<code>generate_text_value("CatchmentID", 0, self._fd()) == "tha..."</code>	Pass	0.000s
Currency	<code>generate_text_value("currency", 0, self._fd()) == "GBP"</code>	Pass	0.000s
Employment type residential	<code>isinstance(result, str)</code>	Pass	0.000s
Flood risk category	<code>result == "Medium"</code>	Pass	0.000s
Lastatus defaulted	<code>result == "Defaulted"</code>	Pass	0.000s
Lastatus normal	<code>result in ["Current", "Completed", "Redeemed"]</code>	Pass	0.000s
Marital status older	<code>isinstance(result, str)</code>	Pass	0.000s
Marital status young	<code>result in ["Single", "Married", "Civil Partnership"]</code>	Pass	0.000s
Member id	<code>result.startswith("MEMBER-")</code>	Pass	0.000s
Mortgage id	<code>generate_text_value("MortgageID", 0, self._fd()) == "MORT..."</code>	Pass	0.000s
Mortgage provider	<code>isinstance(result, str)</code>	Pass	0.000s
Property id	<code>generate_text_value("PropertyID", 0, self._fd()) == "PROP..."</code>	Pass	0.000s
Unknown field	<code>"Text-5-" in result</code>	Pass	0.000s
Upnr no existing	<code>result.startswith("UPRN-") or isinstance(result, str)</code>	Pass	0.000s
Upnr with existing	<code>result == "UPRN-12345"</code>	Pass	0.000s
Alias returns same structure	<code>len(result) == 50; "readings" in result[0]</code>	Pass	0.000s
CloseOutDate with Payable SettlementDirection.	<code>pdf_path.exists()</code>	Pass	0.003s
_generate_trade_pdf creates a PDF without cashflows.	<code>pdf_path.exists(); pdf_path.stat().st_size > 1000</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
_generate_trade_pdf with cashflows exercises CF schedule section.	pdf_path.exists()	Pass	0.002s
_generate_trade_pdf with CloseOutOf exercises close-out section.	pdf_path.exists()	Pass	0.003s
_generate_trade_pdf with CloseOut-Date (original trade that was closed).	pdf_path.exists()	Pass	0.003s
Pdf failure returns empty list	pdfs == []	Pass	0.000s
Pdf partial failure returns successful only	len(pdfs) == 1	Pass	0.000s
Creates output file	output.exists()	Pass	0.002s
History entry has required keys	'date' in entry; 'mark' in entry (+2 more)	Pass	0.002s
Multiple eods accumulate	len(trade['history']) == 3	Pass	0.005s
Multiple trades in same eod	'PRS-A' in data['trades']; 'PRS-B' in data['trades'] (+1 more)	Pass	0.003s
No eod files returns early	not output.exists()	Pass	0.000s
Num snapshots in metadata	data['metadata']['num_snapshots'] == 2	Pass	0.004s
Output has metadata	'metadata' in data; 'num_trades' in data['metadata']	Pass	0.004s
Output has trades	'trades' in data; 'PRS-001' in data['trades']	Pass	0.003s
Position without swap id skipped	data['trades'] == {}; data['metadata']['num_trades'] == 0	Pass	0.003s
Trade has history	'history' in trade; len(trade['history']) == 1	Pass	0.003s
Trade metadata preserved	trade['gauge_id'] == 'GAUGE-001'; trade['trigger'] == 'severe' (+3 more)	Pass	0.003s
Empty dir produces no file	not output.exists()	Pass	0.000s
History entry structure	entry["date"] == "2026-01-02"; entry["mark"] == 215.0 (+2 more)	Pass	0.003s
Metadata has generated at	"generated_at" in data["metadata"]	Pass	0.002s
Metadata num snapshots	data["metadata"]["num_snapshots"] == 3	Pass	0.005s
Multiple days builds history vector	len(data["trades"]["PRS-001"]["history"]) == 3	Pass	0.005s
Multiple trades in snapshot	data["metadata"]["num_trades"] == 3	Pass	0.003s
Output has metadata and trades	"metadata" in data; "trades" in data	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Position missing swap id is skipped	"PRS-001" in data["trades"]; len(data["trades"]) == 1	Pass	0.002s
Single snapshot creates file	output.exists()	Pass	0.002s
Trade keyed by swap id	"PRS-001" in data["trades"]	Pass	0.003s
Trade metadata fields	"gauge_id" in t; "trigger" in t (+3 more)	Pass	0.002s
Explicit years overrides instance default	result["years_included"] == 1	Pass	0.014s
Instance years used when no years arg	result["years_included"] == 2	Pass	0.015s
If all sequence storms are sub-alert, portfolio flood count is 0.	result["total_storms_at_gauge"] == 0; result["properties_with_floods"] == 0	Pass	0.170s
Portfolio summary total_storms_at_gauge counts all alert storms.	result["total_storms_at_gauge"] == 2	Pass	0.169s
portfolio_flood_summary.json is written with per-property data.	summary_path.exists(); summary["summary"]["total_gauges"] == 1 (+1 more)	Pass	0.170s
Generate output path none uses config input dir	isinstance(result, dict); (tmp_path / "gaugehd.39001.json").exists()	Pass	0.015s
Banks always have CSAAgreement = True.	platform["CSAAgreement"] is True	Pass	0.001s
Counterparties list has two parties	len(counterparties) == 2	Pass	0.000s
Counterparty has counterparty set	"CounterpartySet" in ctpy	Pass	0.000s
Isda master agreement is true	platform["ISDAMasterAgreement"] is True	Pass	0.000s
Party has accounts	"Accounts" in party; len(party["Accounts"]) >= 1	Pass	0.000s
Party has contact info	"ContactInformation" in party; "PrimaryEmail" in party["ContactInformation"]	Pass	0.000s
Party has id	"PartyID" in party; party["PartyID"].startswith("CTPY-")	Pass	0.000s
Party has name	"PartyName" in party; isinstance(party["PartyName"], str)	Pass	0.000s
Party has natural person	"NaturalPersons" in party; len(party["NaturalPersons"]) == 1	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Platform has credit rating	"CreditRating" in platform; platform["CreditRating"] in ["AAA", "AA+..."	Pass	0.000s
Unique party ids	len(set(ids)) == 5	Pass	0.001s
Generator exception falls through to type	isinstance(result, float); 0 <= result <= 1000	Pass	0.000s
Gauge importable without quantlib	hasattr(mod, "GaugePortfolioGenerator")	Pass	0.005s
models.hazard.builder must not drag in QuantLib pricing at import.	mod is not None	Pass	0.003s
Mortgage importable without quantlib	hasattr(mod, "MortgagePortfolioGenerator")	Pass	0.002s
Importing port.src (package __init__) must not require QuantLib.	hasattr(mod, "GaugePortfolioGenerator")	Pass	0.002s
Storm multi importable without quantlib	mod is not None	Pass	0.008s
Depth damage importable without geopandas	hasattr(mod, 'scalar_depth_damage')	Pass	0.001s
__init__.py must not have an executable FloodRiskModel import statement.	'FloodRiskModel' not in executable	Pass	0.001s
propertyts imports scalar_depth_damage — must work without geopandas.	hasattr(mod, 'PropertyTimeSeriesGenerator')	Pass	0.001s
Scalar depth damage works without geopandas	0.0 < result <= 1.0	Pass	0.001s
Spatial importable without geopandas	hasattr(mod, 'haversine_distance')	Pass	0.001s
100 years is heritage	get_age.band(1925, current_year=2025) == 'heritage'	Pass	0.000s
10 years is modern	get_age.band(2015, current_year=2025) == 'modern'	Pass	0.000s
25 years is established	get_age.band(2000, current_year=2025) == 'established'	Pass	0.000s
50 years is period	get_age.band(1975, current_year=2025) == 'period'	Pass	0.000s
Default current year	result in AGE_BAND_FACTORS	Pass	0.000s
Established	get_age.band(1985, current_year=2025) == 'established'	Pass	0.000s
Exactly 24 years is modern	get_age.band(2001, current_year=2025) == 'modern'	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exactly 49 years is established	<code>get_age.band(1976, current_year=2025)</code> <code>== 'established'</code>	Pass	0.000s
Exactly 99 years is period	<code>get_age.band(1926, current_year=2025)</code> <code>== 'period'</code>	Pass	0.000s
Exactly 9 years is new build	<code>get_age.band(2016, current_year=2025)</code> <code>== 'new_build'</code>	Pass	0.000s
Heritage old	<code>get_age.band(1800, current_year=2025)</code> <code>== 'heritage'</code>	Pass	0.000s
Modern	<code>get_age.band(2005, current_year=2025)</code> <code>== 'modern'</code>	Pass	0.000s
New build	<code>get_age.band(2020, current_year=2025)</code> <code>== 'new_build'</code>	Pass	0.000s
Period	<code>get_age.band(1950, current_year=2025)</code> <code>== 'period'</code>	Pass	0.000s
After log entry appears	<code>data["total_entries"] == 1;</code> <code>len(data["entries"]) == 1</code>	Pass	0.003s
Empty trail returns 200	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.002s
Filter by event type	<code>all(e["event_type"] == "calibration"</code> <code>for e in entries)</code>	Pass	0.005s
Filter by model id	<code>r.get_json()["total_entries"] == 1</code>	Pass	0.004s
Filter by model id no match	<code>r.get_json()["total_entries"] == 0</code>	Pass	0.004s
Has returned field	<code>"returned" in r.get_json()</code>	Pass	0.001s
Limit parameter	<code>r.get_json()["returned"] == 2</code>	Pass	0.009s
Missing file returns empty list	<code>result == []</code>	Pass	0.000s
File with two gauges should return both IDs.	<code>set(result) == {"GAUGE-A",</code> <code>"GAUGE-B"}</code>	Pass	0.001s
Returns correct id	<code>"GAUGE-001" in result</code>	Pass	0.001s
Returns list	<code>isinstance(result, list)</code>	Pass	0.001s
Binary file returns empty	<code>result == []</code>	Pass	0.001s
Corrupt json returns empty	<code>result == []</code>	Pass	0.001s
No data returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Principles count	<code>len(r.get_json()["assessment"]["principles"])</code> <code>== 2</code>	Pass	0.002s
Response has assessment	<code>"assessment" in data;</code> <code>"principles" in</code> <code>data["assessment"]</code>	Pass	0.002s
With data returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Returns 200 if PDF exists, 404 if not yet generated.	<code>r.status_code in (200, 404)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Empty references	<code>r.get_json()["references"] == []</code>	Pass	0.002s
Has categories key	<code>"categories" in r.get_json()</code>	Pass	0.002s
Returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Returns success status	<code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Returns empty trades list when no PRS files exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
Payer (long protection) trade should have positive gauge_fs01.	<code>len(payer.trades) > 0; t['gauge_fs01'] >= 0</code>	Pass	0.028s
Receiver (short protection) trade should have negative gauge_fs01.	<code>len(rcv.trades) > 0; t['gauge_fs01'] <= 0</code>	Pass	0.031s
Trades should have gauge_name from gauge locations.	<code>'Thames at Westminster' in names</code>	Pass	0.028s
Each trade must have P&L decomposition fields.	<code>'daily_pnl' in trade; 'market_pnl' in trade</code> (+2 more)	Pass	0.028s
Each trade must have prev_fair_spread_bps for curve-move indication.	<code>'prev_fair_spread_bps' in trade</code>	Pass	0.030s
Each trade must have core identification and pricing fields.	<code>'swap_id' in trade; 'gauge_id' in trade</code> (+5 more)	Pass	0.029s
Summary must have all required aggregate fields.	<code>'num_trades' in summary;</code> <code>'total_notional' in summary</code> (+4 more)	Pass	0.026s
Blotter returns enriched trades with status success.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.028s
Found returns 200	<code>r.status_code == 200; data["status"] == "success"</code> (+1 more)	Pass	0.008s
Found second counterparty	<code>r.status_code == 200</code>	Pass	0.002s
Not found returns 404	<code>r.status_code == 404; data["status"] == "error"</code>	Pass	0.002s
Format	<code>rid.startswith("run-"); len(rid) == 19</code>	Pass	0.000s
All pipeline outputs exist and are fresh.	<code>data["status"] == "success";</code> <code>data["summary"]["fresh"] == 14</code> (+4 more)	Pass	0.004s
All present but some stale = degraded.	<code>data["summary"]["missing"] == 0;</code> <code>data["summary"]["stale"] == 1</code> (+1 more)	Pass	0.004s
Response includes as_of timestamp.	<code>"as_of" in data</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Mix of fresh, stale, and missing.	<code>data["summary"]["fresh"] == 1;</code> <code>data["summary"]["stale"] == 1</code> (+2 more)	Pass	0.002s
When lineage file does not exist, manifest is None but route succeeds.	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+3 more)	Pass	0.001s
Empty list returns success	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.002s
Has fields	<code>"owner" in fields;</code> <code>"rag_rating" in fields</code>	Pass	0.000s
Returns 200	<code>r.status_code == 200;</code> <code>r.status_code == 200</code>	Pass	0.000s
Returns success status	<code>r.get_json()["status"] == "success";</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.000s
Empty entity returns none	<code>storm_loader.get_entity_id({}) is None</code>	Pass	0.000s
Extracts event id	<code>storm_loader.get_entity_id(storms[0]) == "EVT-001"</code>	Pass	0.002s
Missing id returns none	<code>storm_loader.get_entity_id(entity) is None</code>	Pass	0.000s
Missing fields return none	<code>summary["eventId"] is None;</code> <code>summary["name"] is None</code>	Pass	0.000s
Returns summary dict	<code>summary["eventId"] == "EVT-001";</code> <code>summary["name"] == "Harvey"</code> (+3 more)	Pass	0.001s
<code>get_eod_snapshot</code> returns snapshot data for existing date.	<code>result is not None;</code> <code>result['date'] == '2026-03-15'</code>	Pass	0.001s
<code>get_eod_snapshot</code> returns None when no snapshot exists for the date.	<code>result is None</code>	Pass	0.000s
Filter by report	<code>r.status_code == 200;</code> <code>data["total_reports"] == 1</code> (+3 more)	Pass	0.002s
Filter unknown report 404	<code>r.status_code == 404;</code> <code>"available_reports" in data</code>	Pass	0.002s
Full registry	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+4 more)	Pass	0.002s
No field lineage file returns 404.	<code>r.status_code == 404;</code> <code>"not found" in data["message"].lower()</code> (+1 more)	Pass	0.000s
Summary contents	<code>fr_summary["label"] == "Flood Risk Report";</code> <code>fr_summary["section_count"] == 2</code> (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Producer step exists in STEP_IO but not in manifest.	result["produced.by"] == "synthetic-gauges"; result["producer_run_id"] is None	Pass	0.000s
Known file	result["produced.by"] == "synthetic-gauges"; result["producer_run_id"] == "r2" (+1 more)	Pass	0.000s
Unknown file	result["produced.by"] is None; result["producer_run_id"] is None (+1 more)	Pass	0.000s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.002s
No curve for gauge returns 404	r.status_code == 404	Pass	0.003s
No hazard file returns 404	r.status_code == 404; "not available" in r.get_json()["message"].lower() (+1 more)	Pass	0.002s
Response has annual flood probs	"alert" in probs; "warning" in probs (+1 more)	Pass	0.003s
Response has curve points	len(r.get_json()["curve_points"]) == 3	Pass	0.003s
Response has flood stages	"FloodAlert" in stages; "FloodWarning" in stages (+1 more)	Pass	0.002s
Response has gauge id	r.get_json()["gauge_id"] == GAUGE_ID	Pass	0.003s
Response has gev parameters	"location" in gev; "scale" in gev (+1 more)	Pass	0.003s
Response has term structures	"alert" in ts; "warning" in ts (+1 more)	Pass	0.003s
Valid hazard returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.003s
Days larger than available returns all	len(data["daily_observations"]) == 12	Pass	0.002s
Days param limits observations	len(data["daily_observations"]) == 5	Pass	0.002s
Days param zero returns all	len(data["daily_observations"]) == 12	FAIL	0.002s
No history file returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.000s
Response has daily observations	"daily_observations" in data; len(data["daily_observations"]) == 12	Pass	0.002s
Response has flood stages	"flood_stages" in data	Pass	0.002s
Response has gauge metadata	"gauge_metadata" in data	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Response has statistics	"statistics" in data; data["statistics"]["mean_level"] == 2.5	Pass	0.002s
Valid history returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.002s
Missing key defaults to zero rate	result == [0.0] * len(TENORS)	Pass	0.000s
Negative rate returns all zeros	result == [0.0] * len(TENORS)	Pass	0.000s
Positive rate returns positive spreads	len(result) == len(TENORS); all(s > 0 for s in result)	Pass	0.000s
Spread list has one entry per tenor	len(result) == len(TENORS)	Pass	0.000s
Zero rate returns all zeros	result == [0.0] * len(TENORS)	Pass	0.000s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.002s
Valid gauge returns success	r.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.003s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.002s
Response has flood simulation	"flood_simulation" in data; "num_timesteps" in data["flood_simulation"]	Pass	0.004s
Response has flood stages	"flood_stages" in r.get_json()	Pass	0.004s
Response has gauge id	r.get_json()["gauge_id"] == GAUGE_ID	Pass	0.005s
Response has storm responses	"storm_responses" in data; "num_storms" in data["storm_responses"]	Pass	0.004s
Storm responses enriched with metadata from storm_sequences.json.	"name" in responses[0] or responses[0].get("name") == ""	Pass	0.004s
Valid gauge returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s
When exceeded_severe=True, severe count computed from gaugets dir.	r.status_code == 200	Pass	0.003s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.002s
Response has count and readings	"count" in data; "readings" in data (+1 more)	Pass	0.003s
Valid gauge returns success	r.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
When term structure doesn't have the requested tenor, falls back	<code>rate == base_rate</code>	Pass	0.002s
Unknown gauge with no term structure returns 0.0 from flat rate fallback.	<code>rate == 0.0</code>	Pass	0.001s
Missing id returns none	<code>storm_loader.get_track("EVT-NONEXISTENT")</code> <code>is None;</code> <code>storm_loader.get_impact("EVT-NONEXISTENT")</code> <code>is None</code>	Pass	0.001s
Returns impact dict	<code>isinstance(impact, dict);</code> <code>"TotalDamage" in impact</code>	Pass	0.001s
Contains timeout	<code>'30000' in js</code>	Pass	0.000s
Returns script tag	<code>'<script>' in js;</code> <code>'</script>' in js</code> (+2 more)	Pass	0.001s
All modules non empty	<code>len(js) > 50</code>	Pass	0.000s
All modules return str	<code>isinstance(js, str)</code>	Pass	0.000s
Excludes category 1 and 2	<code>"EVT-004" not in ids</code>	Pass	0.001s
Includes cat 3 4 5	<code>"EVT-001" in ids;</code> <code>"EVT-002" in ids</code> (+1 more)	Pass	0.001s
Returns category 3 plus	<code>all(c >= 3 for c in categories)</code>	Pass	0.001s
Get created meeting	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.003s
Unknown id returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Meeting not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Valid meeting content type pdf	<code>"application/pdf" in r.content_type</code>	Pass	0.005s
Valid meeting returns bytes	<code>len(r.data) > 100</code>	Pass	0.005s
Valid meeting returns pdf	<code>r.status_code == 200</code>	Pass	0.005s
Model has validation questions	<code>"validation_questions" in model;</code> <code>len(model["validation_questions"]) ==</code> <code>9</code>	Pass	0.020s
Model not found returns 404	<code>r.status_code == 404;</code> <code>r.status_code ==</code> <code>404 (+1 more)</code>	Pass	0.002s
Response has audit entries	<code>"audit_entries" in r.get_json()</code>	Pass	0.007s
Valid model returns success	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.002s
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+3 more)	Pass	0.001s
Category distribution	<code>"category_distribution" in data</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Model has review status	"review_status" in model; model["review_status"] in ("On Track", "Upcoming", "Due S...	Pass	0.002s
Model has risk rating	"risk_rating" in model	Pass	0.002s
Model has validation coverage	"validation_coverage" in model	Pass	0.002s
Response has metadata	"metadata" in data	Pass	0.002s
Returns 200	r.status_code == 200; r.status_code == 200	Pass	0.002s
Returns models list	"models" in data; data["total_models"] >= 1	Pass	0.002s
Returns success status	r.get_json()["status"] == "success"; r.get_json()["status"] == "success"	Pass	0.002s
Tier distribution	"tier_distribution" in data	Pass	0.002s
No inventory returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+3 more)	Pass	0.000s
Not scheduled review status	r.status_code == 200; model["review_status"] == "Not Scheduled"	Pass	0.002s
Overdue review status	r.status_code == 200; model["review_status"] == "Overdue"	Pass	0.002s
Returns expected keys	result["NRFASStationID"] == "39001"; result["MeanFlow"] == pytest.approx(55.0) (+2 more)	Pass	0.000s
Truncates data quality notes	len(result["DataQualityNotes"]) <= 500	Pass	0.000s
All expected keys present	key in result	Pass	0.000s
Catchment area always none	result["CatchmentArea"] is None	Pass	0.000s
Custom flow units	gen.get_nrfa_metadata_for_cdm({}, { "units": "ft3/s"}, "f...	Pass	0.000s
Database source from station meta- data	result["DatabaseSource"] == "TestDB"	Pass	0.000s
Default flow units m3 per s	gen.get_nrfa_metadata_for_cdm({}, {} ,"f.json")["FlowUnit...	Pass	0.000s
Empty data quality notes when no description	gen.get_nrfa_metadata_for_cdm({}, {} ,"f.json")["DataQual...	Pass	0.000s
Missing database source returns none	gen.get_nrfa_metadata_for_cdm({}, {} ,"f.json")["Database...	Pass	0.000s
Missing stats keys return none	result[key] is None	Pass	0.000s
Response has 'storms' list with count $\geq$ 0.	'storms' in data; data['count'] > 0	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Returns 200 with status=success.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.002s
Each storm has storm_id, name, intensity_category, gauges_severe,	<code>'storm_id' in s; 'name' in s (+5 more)</code>	Pass	0.002s
Returns 404 when stress_storms not found.	<code>resp.status_code == 404</code>	Pass	0.000s
When gauges_severe is equal, storms sorted by gauges_warning desc.	<code>s1['gauges_warning'] >=</code> <code>s2['gauges_warning']</code>	Pass	0.002s
Storms sorted by gauges_severe desc — STORM_PORT_SEVERE must come first.	<code>len(storms) >= 2;</code> <code>storms[0]['storm_id'] ==</code> <code>STORM_PORT_SEVERE (+1 more)</code>	Pass	0.002s
Get preloader js matches get js	<code>_get_preloader_js() == get_js()</code>	Pass	0.000s
Get preloader js returns string	<code>isinstance(result, str);</code> <code>'DOMContentLoaded' in result</code>	Pass	0.000s
Found returns property	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.001s
Not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Close high risk high	<code>get_proximity_zone(50, 'High') ==</code> <code>'close_high_risk'</code>	Pass	0.000s
Close high risk medium	<code>get_proximity_zone(100, 'Medium') ==</code> <code>'close_high_risk'</code>	Pass	0.000s
Close high risk very high	<code>get_proximity_zone(10, 'Very High')</code> <code>== 'close_high_risk'</code>	Pass	0.000s
Close low risk low	<code>get_proximity_zone(150, 'Low') ==</code> <code>'close_low_risk'</code>	Pass	0.000s
Close low risk very low	<code>get_proximity_zone(100, 'Very Low')</code> <code>== 'close_low_risk'</code>	Pass	0.000s
Exactly 200m is medium zone	<code>get_proximity_zone(200, 'Low') ==</code> <code>'medium'</code>	Pass	0.000s
Exactly 500m is far	<code>get_proximity_zone(500, 'Low') ==</code> <code>'far'</code>	Pass	0.000s
Far zone	<code>get_proximity_zone(600, 'Medium') ==</code> <code>'far'</code>	Pass	0.000s
Medium zone	<code>get_proximity_zone(300, 'Very Low')</code> <code>== 'medium'</code>	Pass	0.000s
Medium zone upper bound	<code>get_proximity_zone(499, 'Very High')</code> <code>== 'medium'</code>	Pass	0.000s
Returns none when quantlib unavailable	<code>result is None</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.002s
Response has risk rating	<code>"risk_rating" in data;</code> <code>"calculated_rating" in rr (+1 more)</code>	Pass	0.003s
Risk rating has component scores	<code>"component_scores" in rr</code>	Pass	0.002s
Valid model returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.003s
Gauges affects many	<code>"properties" in downstream; "gaugehd" in downstream (+1 more)</code>	Pass	0.000s
Leaf has no downstream	<code>downstream == []</code>	Pass	0.000s
Mid chain	<code>"hazard" in downstream; "propertyts" in downstream</code>	Pass	0.000s
Custom statistics	<code>stats['property_menu_items'] == 2;</code> <code>stats['gauge_menu_items'] == 1 (+1 more)</code>	Pass	0.000s
Default statistics	<code>stats['property_menu_items'] == len(DEFAULT_PROPERTY_MENU);</code> <code>stats['gauge_menu_items'] == len(DEFAULT_GAUGE_MENU) (+1 more)</code>	Pass	0.000s
Get statistics keys	<code>stats['server_url'] == 'http://test:1234';</code> <code>stats['total_endpoints'] == 2 (+1 more)</code>	Pass	0.000s
Get statistics single endpoint	<code>stats['total_endpoints'] == 1;</code> <code>stats['endpoints'] == ['only']</code>	Pass	0.000s
Returns dict with expected keys	<code>'notifications' in stats;</code> <code>'backend_handler' in stats (+1 more)</code>	Pass	0.000s
Returns expected keys	<code>'default_position' in stats;</code> <code>'auto_dismiss_timeout' in stats (+3 more)</code>	Pass	0.000s
Statistics are dicts	<code>isinstance(stats['notifications'], dict);</code> <code>isinstance(stats['backend_handler'], dict) (+1 more)</code>	Pass	0.000s
Statistics reflect config	<code>stats['default_position'] == 'bottom-center';</code> <code>stats['auto_dismiss_timeout'] == 9000 (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mid step	"gauges" in result["upstream"]; "mortgages" in result["downstream"] (+1 more)	Pass	0.000s
Root step	result["upstream"] == []; "properties" in result["downstream"] (+3 more)	Pass	0.000s
Step not in manifest	result["last_run"] is None; result["last_timestamp"] is None	Pass	0.000s
Cluster returns 3 or 4	count in (3, 4)	Pass	0.000s
Doublet returns 2	get_storm_count(SequenceType.DOUBLET, rng) == 2	Pass	0.000s
Isolated returns 1	get_storm_count(SequenceType.ISOLATED, rng) == 1	Pass	0.000s
Persistent returns 4 or 5	count in (4, 5)	Pass	0.000s
Each storm has peak_level_m.	'peak_level_m' in s; s['peak_level_m'] > 0	Pass	0.013s
Storms have required identification fields.	'storm_id' in s; 'name' in s (+3 more)	Pass	0.013s
Returns 404 when stress_storms not found.	resp.status_code == 404	Pass	0.000s
Missing gauge_id returns total count (used by startup preloader).	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.004s
Returns empty list for gauge with no storms.	resp.status_code == 200; data['storms'] == []	Pass	0.005s
Returns storm list for specified gauge.	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.009s
Storms sorted by peak level descending (worst first).	peaks == sorted(peaks, reverse=True)	Pass	0.003s
Each storm returned at most once	len(result) == 1	Pass	0.003s
Empty for remote location	result == []	Pass	0.002s
Finds nearby storm	"EVT-001" in ids	Pass	0.003s
Large radius finds more	len(large) >= len(small)	Pass	0.001s
Each gauge has gauge_id, gauge_name, lon, lat, trade_count.	'gauge_id' in g; 'gauge_name' in g (+3 more)	Pass	0.032s
Gauges with trades show non-zero trade_count.	sum(counts) > 0	Pass	0.028s
Returns gauge list with trade counts.	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.027s

Test Description	Acceptance Criteria	Result	Time
Gauges sorted west to east (ascending longitude).	<code>lons == sorted(lons)</code>	Pass	0.021s
Missing id returns none	<code>storm_loader.get_track("EVT-NONEXISTENT")</code> <code>is None;</code> <code>storm_loader.get_impact("EVT-NONEXISTENT")</code> <code>is None</code>	Pass	0.001s
Returns track for existing storm	<code>track is not None; isinstance(track, list) (+1 more)</code>	Pass	0.001s
Track has lat lon	<code>"Latitude" in track[0]; "Longitude" in track[0]</code>	Pass	0.001s
<code>get_trade_mark</code> returns mark data for an existing trade.	<code>mark['fair_spread_bps'] == 250.0</code>	Pass	0.001s
<code>get_trade_mark</code> returns empty dict for unknown trade.	<code>mark == {}</code>	Pass	0.000s
<code>get_trade_mark</code> returns merged data after multiple updates.	<code>mark['fair_spread_bps'] == 200.0;</code> <code>mark['mtm'] == 5000.0</code>	Pass	0.002s
If the PDF exists, it should be served with 200.	<code>r.status_code == 200; r.content_type == "application/pdf"</code>	Pass	0.030s
Missing pdf returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s
When <code>yield_curve</code> is empty dict, falls back to <code>risk_free_rate</code> .	<code>rate == 0.042</code>	Pass	0.000s
When <code>yield_curve</code> key is missing, falls back to <code>risk_free_rate</code> .	<code>rate == 0.05</code>	Pass	0.000s
When tenor falls exactly between integer keys but loop exits, returns fallback.	<code>0.035 <= rate <= 0.045</code>	Pass	0.000s
Apply documents function exists	<code>'applyDocuments' in src</code>	Pass	0.000s
Checks gov docs cache	<code>'window._tdPreGovDocs' in src</code>	Pass	0.000s
Clears cache after use	<code>'window._preStorms = null' in src;</code> <code>'window._tdPreGovDocs = null' in src</code>	Pass	0.000s
For each zone and elevation, spread should decrease as distance increases.	<code>g[di][ei] >= g[di + 1][ei]</code>	Pass	0.000s
For each zone and distance, spread should decrease as elevation increases.	<code>g[di][ei] >= g[di][ei + 1]</code>	Pass	0.000s
Zone2 gt zone1 everywhere	<code>g2[di][ei] >= g1[di][ei]</code>	Pass	0.000s
Zone3a gt zone2 everywhere	<code>g3a[di][ei] >= g2[di][ei]</code>	Pass	0.000s
Zone3b gt zone3a everywhere	<code>g3b[di][ei] >= g3a[di][ei]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zone1 origin	<code>grid['zones']['Zone1']['grid'][0][0] == expected</code>	Pass	0.000s
Zone2 mid grid	<code>grid['zones']['Zone2']['grid'][10][5] == expected</code>	Pass	0.000s
Zone3a far high	<code>grid['zones']['Zone3a']['grid'][20][10] == expected</code>	Pass	0.000s
Zone3b origin	<code>grid['zones']['Zone3b']['grid'][0][0] == expected</code>	Pass	0.000s
Distance count	<code>len(grid['distances']) == 21</code>	Pass	0.000s
Elevation count	<code>len(grid['elevations']) == 11</code>	Pass	0.000s
Grid dimensions per zone	<code>len(zone_data['grid']) == 21; len(row) == 11</code>	Pass	0.000s
Has all zones	<code>set(grid['zones'].keys()) == set(EA_FLOOD_ZONE_RATES.keys())</code>	Pass	0.000s
Has distances	<code>grid['distances'] == GRID_DISTANCES_M</code>	Pass	0.000s
Has elevations	<code>grid['elevations'] == GRID_ELEVATIONS_M</code>	Pass	0.000s
Params present	<code>p['elev_scale_m'] == ELEV_SCALE_M; p['tenor'] == GRID_TENOR (+2 more)</code>	Pass	0.000s
Zone rates match config	<code>zone_data['rate'] == EA_FLOOD_ZONE_RATES[zone_name]</code>	Pass	0.000s
Hash directory	<code>result["type"] == "directory"; result["hash"] is not None (+1 more)</code>	Pass	0.002s
Hash file	<code>result["type"] == "file"; result["hash"] is not None</code>	Pass	0.001s
Hash missing	<code>result == {"hash": None, "type": "missing"}</code>	Pass	0.000s
Hash empty directory	<code>count == 0; len(digest) == 64</code>	Pass	0.000s
Hash multiple files deterministic	<code>d1 == d2; c1 == c2 == 2</code>	Pass	0.001s
Hash respects pattern	<code>count_json == 1; count_csv == 1</code>	Pass	0.001s
Hash single file	<code>count == 1; len(digest) == 64</code>	Pass	0.001s
Hash binary file	<code>result == expected</code>	Pass	0.076s
Hash empty file	<code>result == expected</code>	Pass	0.000s
Hash known content	<code>result == expected</code>	Pass	0.001s
Approximate one degree lat	<code>110.000 < d < 112.000</code>	Pass	0.000s
Approximate one degree lon at equator	<code>110.000 < d < 112.000</code>	Pass	0.000s
Equatorial degree approx 111km	<code>110 < d < 113</code>	Pass	0.000s
London to paris approx 340km	<code>320 < d < 360</code>	Pass	0.000s
Same point is zero	<code>model.haversine_km(0.0, 0.0, 0.0, 0.0) == pytest.approx(0...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Same point returns zero	<code>d == pytest.approx(0.0, abs=1e-6)</code>	Pass	0.000s
Symmetric	<code>d1 == pytest.approx(d2, rel=1e-6)</code>	Pass	0.000s
Symmetry	<code>d1 == pytest.approx(d2, rel=1e-9)</code>	Pass	0.000s
GET <code>/api/v1/trading/hazard-term-structure</code> must return HTS data.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.048s
API response must match the <code>market_state.json</code> file.	<code>set(api_hts.keys()) == set(file_hts.keys())</code>	Pass	0.051s
<code>gaugehc.json</code> must exist and contain hazard curves.	<code>path.exists(); len(curves) > 0</code>	Pass	0.018s
Each gauge curve must have <code>annual_hazard_rate</code> for all triggers.	<code>key in gc; gc[key] > 0</code>	Pass	0.008s
<code>market_state.json</code> must exist with <code>hazard_term_structure</code> .	<code>path.exists(); len(hts) > 0</code>	Pass	0.003s
Every real gauge in <code>gaugehc</code> should have a market state entry.	<code>not missing</code>	Pass	0.011s
Each gauge's HTS must have rates for tenors 1-5.	<code>tenor in rates; rates[tenor] > 0</code>	Pass	0.003s
<code>num_sequences</code> used by property pricer must match <code>storm_sequences.json</code> .	<code>expected != num_storms</code> or <code>expected == num_storms; expected > 0</code> (+1 more)	Pass	0.177s
<code>hazard.py</code> lines 100-102: exception reading hazard file -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
Custom day count	<code>curve is not None</code>	Pass	0.000s
High hazard gives low survival	<code>sp < 0.1</code>	Pass	0.000s
Returns credit curve	<code>curve is not None</code>	Pass	0.002s
Survival prob decreases	<code>sp2 < sp1</code>	Pass	0.000s
Zero hazard gives survival near one	<code>sp >= 0.999</code>	Pass	0.000s
Commit returns <code>affected_trades</code> for the target gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.026s
Missing <code>gauge_id</code> returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Missing rates returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Committing GAUGE-001 only affects its trades (2 trades).	<code>data['affected_trades'] == 2</code>	Pass	0.019s
Reset all gauges.	<code>resp.status_code == 200;</code> 'all' in <code>data['message']</code>	Pass	0.003s
Reset one gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
GET returns per-gauge per-trigger structure.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.003s
Tenor outside 1-10 returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Missing gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
POST updates one gauge/trigger/tenor point.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.005s
Header footer callable	—	Pass	0.003s
Header footer callable	—	Pass	0.003s
Header footer callable	—	Pass	0.002s
Header footer draws confidential	<code>mock_canvas.drawCentredString.called</code>	Pass	0.005s
Header footer draws confidential footer	<code>mock_canvas.drawCentredString.called</code>	Pass	0.004s
Header footer draws header strings	<code>mock_canvas.drawString.call_count</code> <code>>= 1;</code> <code>mock_canvas.drawRightString.call_count</code> <code>>= 2</code>	Pass	0.002s
Header footer draws strings	<code>mock_canvas.drawString.call_count</code> <code>>= 1;</code> <code>mock_canvas.drawRightString.call_count</code> <code>>= 2</code>	Pass	0.002s
Health 200 at api v1	<code>r.status_code == 200</code>	Pass	0.001s
Health 200 at root	<code>r.status_code == 200</code>	Pass	0.000s
A single function must handle both route decorators.	<code>api_idx != -1 and plain_idx != -1 and</code> <code>fn_idx != -1; api_idx < fn_idx</code> (+1 more)	Pass	0.000s
health.py must declare /api/v1/health as a route alias.	<code>"/api/v1/health" in src</code>	Pass	0.000s
Backward-compat: /health must still exist.	<code>"/health" in src</code>	Pass	0.000s
Health returns ok status	<code>data['status'] == 'ok'</code>	Pass	0.000s
Test GET /health/detailed returns detailed status.	<code>response.status_code in [200, 503];</code> <code>data['status'] in ['healthy', 'degraded']</code> (+2 more)	Pass	0.000s
Test GET /health returns health status.	<code>response.status_code == 200;</code> <code>data['status'] == 'ok'</code> (+1 more)	Pass	0.000s
Test GET / redirects to catchment selector.	<code>response.status_code == 302</code>	Pass	0.000s
Medium height 10 to 15m	<code>isinstance(result, list)</code>	Pass	0.000s
No height skips classification	<code>isinstance(result, list)</code>	Pass	0.000s
Standard height under 10m	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Tall structure over 15m	<code>isinstance(result, list)</code>	Pass	0.000s
Generate monitoring high score	<code>"Weekly" in r.values()</code>	Pass	0.000s
Generate monitoring low score	<code>"Annually" in r.values()</code>	Pass	0.000s
Generate monitoring medium score	<code>"Monthly" in r.values()</code>	Pass	0.000s
Generate recommendations high score	<code>any("URGENT" in rec for rec in r)</code>	Pass	0.000s
Generate recommendations low score	<code>any("LOW" in rec for rec in r)</code>	Pass	0.000s
Generate recommendations medium score	<code>any("HIGH PRIORITY" in rec or "MODERATE" in rec for rec i...</code>	Pass	0.000s
Identify key factors high risk	<code>any("High Risk Factor" in k for k in r.keys())</code>	Pass	0.000s
Identify key factors medium risk	<code>any("Medium Risk Factor" in k for k in r.keys())</code>	Pass	0.000s
Status colour fresh	<code>col == dl.mod.GREEN</code>	Pass	0.000s
Status colour missing	<code>col == dl.mod.RED</code>	Pass	0.000s
Status colour stale	<code>col == dl.mod.AMBER</code>	Pass	0.000s
Status colour unknown	<code>col == dl.mod.STEEL</code>	Pass	0.000s
Status label unknown uppercased	<code>dl.mod._status_label('degraded') == 'DEGRADED'</code>	Pass	0.000s
Status label values	<code>dl.mod._status_label('fresh') == 'FRESH'; dl.mod._status_label('stale') == 'STALE' (+1 more)</code>	Pass	0.000s
Alert colour amber	<code>'#FFC107' in hist_js</code>	Pass	0.000s
Daily observations field	<code>'daily_observations' in hist_js</code>	Pass	0.000s
Renders historical chart	<code>'hist-timeseries-chart' in hist_js</code>	Pass	0.000s
Severe colour red	<code>'#F44336' in hist_js</code>	Pass	0.000s
Shows flood alert threshold	<code>'FloodAlert' in hist_js</code>	Pass	0.000s
Shows flood warning threshold	<code>'FloodWarning' in hist_js</code>	Pass	0.000s
Shows severe flood threshold	<code>'SevereFloodWarning' in hist_js</code>	Pass	0.000s
Subsamples observations	<code>'7' in hist_js; 'sampleObs' in hist_js</code>	Pass	0.000s
Warning colour orange	<code>'#FF9800' in hist_js</code>	Pass	0.000s
Cache keyed by gauge id	<code>'_gaugeId' in hist_js</code>	Pass	0.000s
Caches history data	<code>'_histData' in hist_js</code>	Pass	0.000s
Uses cached data on revisit	<code>'_histData._gaugeId' in hist_js or \{\} '_his...</code>	Pass	0.000s
Exceeded severe label	<code>"Exceeded severe warning level" in str(elements)</code>	Pass	0.000s
Within severe level	<code>"4.000m" in str(elements)</code>	Pass	0.000s
Cleanup function	<code>'_cleanupHistCharts' in hist_js</code>	Pass	0.000s
Stats bar flood exceedances	<code>'flood_exceedances' in hist_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Stats bar mean level	'mean_level' in hist_js or 'Mean' in hist_js	Pass	0.000s
Stats bar record years	'record_years' in hist_js or 'Record' in hist_js	Pass	0.000s
Should fetch from /api/v1/gauges/igauge_id/history.	'/api/v1/gauges/' in js; '/history' in js	Pass	0.000s
Should fetch from /api/v1/trading/stress/storms.	'/api/v1/trading/stress/storms' in js	Pass	0.000s
Right panel should show storm scenarios list.	'hist-storms-panel' in js; 'hist-storms-list' in js (+1 more)	Pass	0.000s
Should render a time series chart.	'hist-timeseries-chart' in js; 'renderHistorical' in js	Pass	0.000s
Historical tab JS should render without errors.	len(js) > 0	Pass	0.000s
Should have function to render storm list.	'_renderStormList' in js; 'hist-storm-row' in js	Pass	0.000s
Chart should show flood stage threshold lines.	'FloodAlert' in js; 'FloodWarning' in js (+1 more)	Pass	0.000s
Storm rows should show trigger-colored dots.	'#FFC107' in js; '#FF9800' in js (+1 more)	Pass	0.000s
Storm row click should navigate to Stress Test tab.	'_navigateToStress' in js; '_stressStormHint' in js (+1 more)	Pass	0.000s
Should use addEventListener (not inline onclick) for storms.	'addEventListener' in js	Pass	0.000s
ghc_historical.get_js() returns substantial JS output.	len(hist_js) > 1000	Pass	0.000s
Output long enough to contain real function definitions.	len(hist_js) > 3000	Pass	0.000s
Historical tab fetches from /gauges/igauge_id/history.	'/api/v1/gauges/' in hist_js; '/history' in hist_js	Pass	0.000s
Fetch URL is built using gaugeId variable.	'gaugeId' in hist_js	Pass	0.000s
history.py lines 88-90: corrupted gaugehd file -i 500.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.030s
history.py lines 144-146: statistics loader exception -i 500.	r.status_code == 500	Pass	0.028s
history.py lines 119-121: timeseries loader exception -i 500.	r.status_code == 500	Pass	0.028s
Assess historical risks active subsidence	"Ground Stability Risk" in result; "High" in result["Ground Stability Risk"]	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Assess historical risks high env	"Environmental Risk" in result; "High" in result["Environmental Risk"]	Pass	0.000s
Assess historical risks low env	"Low" in result["Environmental Risk"]	Pass	0.000s
Assess historical risks minor subsidence	"Medium" in result["Ground Stability Risk"]	Pass	0.000s
Assess historical risks moderate env	"Medium" in result["Environmental Risk"]	Pass	0.000s
Assess historical risks moderate flood	"Medium" in result["Historical Flood Risk"]	Pass	0.000s
Assess historical risks no flood damage	"Low" in result["Historical Flood Risk"]	Pass	0.000s
Assess historical risks severe flood	"Historical Flood Risk" in result; "High" in result["Historical Flood Risk"]	Pass	0.000s
Assess historical risks stable ground	"Low" in result["Ground Stability Risk"]	Pass	0.000s
Build flood history bad json	any("Error" in t or "error" in t.lower() for t in texts)	Pass	0.001s
Build flood history no flood days	any("No flood events" in t for t in texts)	Pass	0.001s
Build flood history no hd file	any("No historical" in t or "historical" in t.lower() for...)	Pass	0.000s
Build flood history no reference gauges	any("No reference gauges" in t for t in texts)	Pass	0.000s
Build flood history with flood data	isinstance(result, list); len(tables) >= 1	Pass	0.001s
Empty flood events	isinstance(result, list)	Pass	0.000s
Empty property does not crash	isinstance(result, list)	Pass	0.000s
Has history header	any("History" in t or "Flood" in t for t in texts)	Pass	0.000s
No flood history	isinstance(result, list)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
With environmental issues	isinstance(result, list); len(tables) >= 1	Pass	0.000s
With fire incidents	isinstance(result, list)	Pass	0.000s
With ground conditions	isinstance(result, list)	Pass	0.000s
With mortgage data	isinstance(result, list)	Pass	0.000s
Hmda minimal fields	isinstance(result, list)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Hmda rate spread formatted	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda section creates table	<code>len(tables) >= 1</code>	Pass	0.000s
When gaugets file has invalid JSON, exception is caught	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.056s
When gaugets file has <code>i=</code> STORM_HOURS readings, hydrograph is truncated.	<code>resp.status_code == 200</code>	Pass	0.053s
When gaugets JSON is corrupt, route returns 404.	<code>resp.status_code == 404;</code> <code>data['status'] == 'error' (+1 more)</code>	Pass	0.029s
When gaugets has fewer than STORM_HOURS readings, pads with last value.	<code>resp.status_code == 200;</code> <code>len(data['hourly']) == 168</code>	Pass	0.031s
Remaining exactly zero	<code>len(levels) == 5;</code> <code>abs(levels[0] - 3.0) < 0.01</code>	Pass	0.000s
run_series result matches manual step-by-step.	<code>qf == pytest.approx(qf_series[h], rel=1e-6)</code>	Pass	0.000s
Wet initial state produces higher early quickflow.	<code>qf_wet[:6].mean() > qf_dry[:6].mean()</code>	Pass	0.000s
No rain no quickflow	<code>np.all(qf == pytest.approx(0.0))</code>	Pass	0.000s
Quickflow positive	<code>np.all(qf >= 0.0)</code>	Pass	0.000s
Shape	<code>qf.shape == (168,);</code> <code>len(states) == 168</code>	Pass	0.000s
Soil moisture drains to near zero after long dry period.	<code>states[-1].soil_moisture < 1.0</code>	Pass	0.000s
Dry start no precip no quickflow	<code>qf == pytest.approx(0.0);</code> <code>new_state.soil_moisture ==</code> <code>pytest.approx(0.0) (+1 more)</code>	Pass	0.000s
Groundwater accumulates from soil	<code>new_state.groundwater > 0.0</code>	Pass	0.000s
Negative precip treated as zero	<code>qf >= 0.0;</code> <code>new_state.soil_moisture >= 0.0</code>	Pass	0.000s
Precip increases soil moisture	<code>new_state.soil_moisture > 0.0</code>	Pass	0.000s
Precip produces quickflow	<code>qf > 0.0</code>	Pass	0.000s
Soil moisture drains without rain	<code>new_state.soil_moisture < 50.0</code>	Pass	0.000s
Elevated antecedent state produces more quickflow per mm.	<code>qf_wet > qf_dry</code>	Pass	0.000s
Idw gauge spreads computed with two gauges	<code>"any_flood" in idw;</code> <code>len(idw["any_flood"]) == len(TENORS)</code>	Pass	0.217s
With empty nearest_gauges, idw_gauge_spreads is still a dict.	<code>isinstance(result.get("idw_gauge_spreads"), dict)</code>	Pass	0.218s
Fair income 30k to 50k	<code>isinstance(result, list)</code>	Pass	0.000s
Good income 50k to 100k	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
High income over 100k	<code>isinstance(result, list)</code>	Pass	0.000s
Limited income under 30k	<code>isinstance(result, list)</code>	Pass	0.000s
Total income with secondary	<code>isinstance(result, list)</code>	Pass	0.000s
f_imperv=1 -i Y_max=0 -i no infil- tration -i depth unchanged.	—	Pass	0.000s
Reduces depth	<code>np.all(result <= raw + 1e-10); result[50] < raw[50]</code>	Pass	0.000s
After Y_max is consumed, depth passes through unchanged.	<code>result[0] < raw[0]; result[1] == pytest.approx(raw[1])</code>	Pass	0.000s
Zero depth	—	Pass	0.000s
Input dir accepts string	<code>isinstance(gen.input_dir, Path)</code>	Pass	0.000s
Input dir set	<code>gen.input_dir == tmp_path</code>	Pass	0.000s
Output path explicit	<code>gen.output_path == out</code>	Pass	0.000s
Styles initialised	<code>gen.title_style is not None; gen.body_style is not None (+1 more)</code>	Pass	0.000s
Known inputs	<code>"properties" in m["gauge.json"]; "gaugehd" in m["gauge.json"]</code>	Pass	0.000s
Area = float('inf') skips all thresh- old checks, hits fallback.	<code>isinstance(result, tuple); len(result) == 2</code>	Pass	0.000s
Base rates by level	<code>result == pytest.approx(rate)</code>	Pass	0.000s
Capped at 10 pct	<code>result == pytest.approx(0.10)</code>	Pass	0.000s
Depth increases premium	<code>with_depth > no_depth</code>	Pass	0.000s
Depth multiplier formula	<code>rate == pytest.approx(expected)</code>	Pass	0.000s
Unknown level uses default	<code>result == pytest.approx(0.005)</code>	Pass	0.000s
Zero depth no effect	<code>base == zero</code>	Pass	0.000s
Unknown integer field returns int	<code>isinstance(result, int); 1 <= result <= 10</code>	Pass	0.000s
Integer type returns int	<code>isinstance(result, int); 0 <= result <= 100</code>	Pass	0.000s
Baseline alert only	<code>self._run(tmp_path, n_severe=0, n_warning=0) == "baseline"</code>	Pass	0.003s
Catastrophic 10 severe	<code>self._run(tmp_path, n_severe=10) == "catastrophic"</code>	Pass	0.012s
Extreme 6 severe	<code>self._run(tmp_path, n_severe=6) == "extreme"</code>	Pass	0.008s
Moderate 1 severe	<code>self._run(tmp_path, n_severe=1) == "moderate"</code>	Pass	0.003s
Severe 3 severe	<code>self._run(tmp_path, n_severe=3) == "severe"</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Running 'python -m models.intensity' executes cli.main().	result.returncode == 0; "Storm Intensity" in result.stdout or "usage" in result.s...	Pass	0.491s
Beta value	IntensityProfile.BETA.value == "beta"	Pass	0.000s
Gaussian value	IntensityProfile.GAUSSIAN.value == "gaussian"; DecayKernel.GAUSSIAN.value == "gaussian"	Pass	0.000s
Triangular value	IntensityProfile.TRIANGULAR.value == "triangular"	Pass	0.000s
All profiles produce valid storm	isinstance(storm, Storm); len(storm.track) > 0	Pass	0.000s
Beta profile creates storm	storm is not None; len(storm.track) > 0	Pass	0.000s
Gaussian profile peak near midpoint	8 <= peak_idx <= 16	Pass	0.000s
Triangular max equals peak intensity	max(tp.intensity for tp in storm.track) == pytest.approx(...	Pass	0.000s
Triangular profile peak near midpoint	8 <= peak_idx <= 16	Pass	0.000s
Unknown sequence type falls back to 1 storm.	count == 1	Pass	0.000s
Monotone increasing	all(levels[i] < levels[i + 1] for i in range(len(levels) ...	Pass	0.000s
Negative intensity returns zero	model.intensity_to_level(-10.0, gauge) == 0.0	Pass	0.000s
Positive intensity positive level	model.intensity_to_level(50.0, gauge) > 0.0	Pass	0.000s
Sensitivity scales output	model.intensity_to_level(50, g2) == pytest.approx(...	Pass	0.000s
Uses historical high when set	lv_with != lv_without	Pass	0.000s
Zero intensity returns zero	model.intensity_to_level(0.0, gauge) == 0.0	Pass	0.000s
ContextMenuHandler JS renders without f-string errors.	len(js) > 0; '<script>' in js	Pass	0.001s
GaugeHazardCurve JS renders without f-string errors.	len(js) > 0; '<script>' in js	Pass	0.000s
GaugePDFPanel JS renders without f-string errors.	len(js) > 0; 'GaugePDFPanel' in js	Pass	0.000s
GaugeStormAnalysis JS renders without f-string errors.	len(js) > 0; '<script>' in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
NotificationSystem JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.001s
PropertyHazardCurvePanel JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
PropertyPDFPanel JS renders without f-string errors.	<code>len(js) > 0; 'PropertyPDFPanel' in js</code>	Pass	0.000s
PropertyStormAnalysis JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js (+1 more)</code>	Pass	0.000s
PropertyStormAnalysis JS must guard against empty flood_events array.	<code>'flood_events.length == 0' in js</code>	Pass	0.000s
TradingDeskPanel should be in __all__.	<code>'TradingDeskPanel' in __all__</code>	Pass	0.000s
InteractivityManager should have trading_desk attribute.	<code>hasattr(mgr, 'trading_desk')</code>	Pass	0.000s
Setup map adds preloader before notifications	<code>preloader_idx != -1; notifications_idx != -1 (+1 more)</code>	Pass	0.000s
Startup preloader imported in init	<code>'from .startup import StartupPreloader' in src</code>	Pass	0.001s
Startup preloader instantiated in init	<code>'self.startup_preloader = StartupPreloader()' in src</code>	Pass	0.000s
Elevated rate 5 to 7	<code>isinstance(result, list)</code>	Pass	0.000s
High rate over 7	<code>isinstance(result, list)</code>	Pass	0.001s
Low rate under 3	<code>isinstance(result, list)</code>	Pass	0.000s
Moderate rate 3 to 5	<code>isinstance(result, list)</code>	Pass	0.000s
No rate unknown	<code>isinstance(result, list)</code>	Pass	0.000s
Line 64: empty yield_curve returns default fallback 0.04.	<code>result == 0.04</code>	Pass	0.000s
Line 64: empty yield_curve returns fallback.	<code>result == 0.05</code>	Pass	0.000s
Line 77: fallthrough at end of for loop returns last key rate.	<code>interpolate_yield_rate(curve, 4.0) == 0.04; result == pytest.approx(0.035)</code>	Pass	0.000s
Line 71: <code>t != keys[-1]</code> returns the last key's rate.	<code>result == 0.045</code>	Pass	0.000s
Line 71: <code>t == keys[-1]</code> returns the last key's rate.	<code>result == 0.045</code>	Pass	0.000s
Interpolation at a grid point should return the exact grid value.	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
At origin	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
Distance $\geq$ 5000m should clamp to 5000m.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Elevation $\geq$ 5.0m should clamp to 5.0m.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Negative distance should clamp to 0.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Negative elevation should clamp to 0.	<code>abs(val_clamped - val_edge) < 1e-9</code>	Pass	0.000s
Moving to a higher-risk zone should increase spread.	<code>s_high > s_low</code>	Pass	0.000s
Terrain delta between same zone should be exactly zero.	<code>abs(s1 - s2) < 1e-12</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 1']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 2']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 3']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 3a']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
All four corners of each cell should match the grid exactly. [zone='Zone 3b']	<code>abs(val - expected) < 1e-9</code>	Pass	0.000s
Interpolation at midpoint should be between bracketing values.	<code>lo <= val <= hi</code>	Pass	0.000s
File exists	<code>INVENTORY_PATH.exists()</code>	Pass	0.000s
File is valid json	<code>isinstance(data, dict)</code>	Pass	0.001s
Has at least one model	<code>len(models) > 0</code>	Pass	0.000s
Has metadata	<code>"metadata" in inventory; "framework" in inventory["metadata"]</code>	Pass	0.000s
Has model chain	<code>"model_chain" in inventory</code>	Pass	0.000s
Has models key	<code>"models" in inventory</code>	Pass	0.000s
Get models includes risk fields	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+4 more)	Pass	0.002s
One prob returns min	<code>d.inverse.exceedance(1) == d.params.min.intensity</code>	Pass	0.000s
Result in bounds	<code>d.params.min.intensity <= v <= d.params.max.intensity</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Roundtrip above threshold	<code>abs(recovered - target) < 3.0</code>	Pass	0.000s
Roundtrip below threshold	<code>abs(recovered - target) < 2.0</code>	Pass	0.000s
Zero prob returns max	<code>d.inverse.exceedance(0) == d.params.max_intensity</code>	Pass	0.000s
Line 125: <code>_inverse_normal(1.5)</code> returns <code>+inf</code> .	<code>result == float('inf')</code>	Pass	0.000s
Line 123: <code>_inverse_normal(-0.5)</code> returns <code>-inf</code> .	<code>result == float('-inf')</code>	Pass	0.000s
Line 125: <code>_inverse_normal(1.0)</code> returns <code>+inf</code> .	<code>result == float('inf')</code>	Pass	0.000s
Line 123: <code>_inverse_normal(0)</code> returns <code>-inf</code> .	<code>result == float('-inf')</code>	Pass	0.000s
Lines 170-171: <code>p < p_high (0.97575)</code> uses the upper tail formula.	<code>result == pytest.approx(2.326, abs=0.02)</code>	Pass	0.000s
Lines 170-171: <code>p=0.98</code> also triggers high-p branch.	<code>result == pytest.approx(2.054, abs=0.02)</code>	Pass	0.000s
Lines 170-171: high-p branch returns positive value.	<code>result > 0</code>	Pass	0.000s
Lines 170-171: verify roundtrip CDF(<code>inverse.CDF(p)</code>) <code>p</code> for high <code>p</code> .	<code>recovered == pytest.approx(p, abs=0.001)</code>	Pass	0.000s
Below average 2 to 4pct	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent over 8pct	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 4 to 6pct	<code>isinstance(result, list)</code>	Pass	0.000s
Good 6 to 8pct	<code>isinstance(result, list)</code>	Pass	0.000s
Poor under 2pct	<code>isinstance(result, list)</code>	Pass	0.000s
Get raises on unknown key	—	Pass	0.000s
<code>JSONFileConfig.get('hazard_curves')</code> returns the hazard curves filename.	<code>result == JSONFileConfig.HAZARD_CURVES</code>	Pass	0.000s
Datetime encoded as isoformat	<code>"2024-01-15" in result</code>	Pass	0.000s
Numpy float32 encoded	<code>abs(result - 1.5) < 0.01</code>	Pass	0.000s
Numpy float encoded	<code>abs(result - 3.14) < 1e-6</code>	Pass	0.000s
Numpy int32 encoded	<code>result == 7</code>	Pass	0.000s
Numpy int encoded	<code>result == 42; isinstance(result, int)</code>	Pass	0.000s
Numpy ndarray encoded as list	<code>result == [1, 2, 3]</code>	Pass	0.000s
Unknown type raises type error	—	Pass	0.000s
Charts reference <code>first_trigger_hour</code> for KO line.	<code>'first_trigger_hour' in stress_js</code>	Pass	0.000s
Charts have KO annotation line.	<code>'koLine' in stress_js</code>	Pass	0.000s
Shows KO $H\{n\}$ label for triggered trades.	<code>'KO H' in stress_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
References triggered_hour for KO status.	'triggered_hour' in stress_js	Pass	0.000s
Custom label width	t._colWidths[0] == pytest.approx(1w); t._colWidths[1] == pytest.approx(AVAIL_WIDTH - 1w)	Pass	0.000s
Default label width	t._colWidths[0] == pytest.approx(2.8 * inch)	Pass	0.000s
Multiple pairs	len(t._cellvalues) == 3	Pass	0.000s
Returns table	isinstance(t, Table); isinstance(t, Table)	Pass	0.000s
Numeric values are str()-ified in Paragraph.	isinstance(t, Table)	Pass	0.000s
LTV ≥ 1 (e.g. 75 instead of 0.75) should still work.	isinstance(result, list)	Pass	0.000s
Ltv over 60 low medium	isinstance(result, list)	Pass	0.000s
Ltv over 70 medium	isinstance(result, list)	Pass	0.000s
Ltv over 80 medium high	isinstance(result, list)	Pass	0.000s
Ltv over 90 high risk	isinstance(result, list)	Pass	0.000s
Ltv under 60 low risk	isinstance(result, list)	Pass	0.000s
High ltv 90 to 95	isinstance(result, list)	Pass	0.001s
Low ltv under 70	isinstance(result, list)	Pass	0.000s
Low medium ltv 70 to 80	isinstance(result, list)	Pass	0.001s
Medium ltv 80 to 90	isinstance(result, list)	Pass	0.001s
Very high ltv over 95	isinstance(result, list)	Pass	0.001s
At high boundary	RiskAssessor.assess_ltv_risk_level(0.95) == "High"	Pass	0.000s
At low boundary	RiskAssessor.assess_ltv_risk_level(0.6) == "Low"	Pass	0.000s
At moderate boundary	RiskAssessor.assess_ltv_risk_level(0.8) == "Moderate"	Pass	0.000s
Critical ltv	RiskAssessor.assess_ltv_risk_level(0.98) == "Critical"	Pass	0.000s
High ltv	RiskAssessor.assess_ltv_risk_level(0.88) == "High"	Pass	0.000s
Low ltv	RiskAssessor.assess_ltv_risk_level(0.5) == "Low"	Pass	0.000s
Moderate ltv	RiskAssessor.assess_ltv_risk_level(0.7) == "Moderate"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None returns unknown	<code>RiskAssessor.assess_flood_risk_level(None)</code> <code>== "Unknown";</code> <code>RiskAssessor.assess_ltv_risk_level(None)</code> <code>== "Unknown"</code>	Pass	0.000s
Normalises 95 pct	<code>RiskAssessor.assess_ltv_risk_level(95)</code> <code>== "High"</code>	Pass	0.000s
Normalises percentage input	<code>RiskAssessor.assess_ltv_risk_level(70)</code> <code>== "Moderate"</code>	Pass	0.000s
Bad date string gracefully skipped	<code>isinstance(elements, list)</code>	Pass	0.000s
Moderate recent activity	<code>"Moderate recent activity" in</code> <code>str(elements)</code>	Pass	0.000s
No recent activity	<code>"No recent severe activity" in</code> <code>str(elements)</code>	Pass	0.000s
Recent activity within 1 year	<code>"Recent severe level activity" in</code> <code>str(elements)</code>	Pass	0.000s
Body style alignment	<code>s.alignment == TA_CENTER</code>	Pass	0.000s
Body style bold	<code>s.fontName == 'Helvetica-Bold'</code>	Pass	0.000s
Body style default	<code>isinstance(s, ParagraphStyle);</code> <code>s.fontName == 'Helvetica'</code>	Pass	0.000s
Build header footer callable	<code>callable(cb)</code>	Pass	0.000s
White hdr style returns paragraph style	<code>isinstance(s, ParagraphStyle);</code> <code>s.fontName == 'Helvetica-Bold'</code>	Pass	0.000s
Legacy file uses mtime cache — second call returns cached.	<code>r1["storms"][0]["storm_id"] ==</code> <code>"LEGACY-002"; r2 is r1</code>	Pass	0.008s
Falls back to stress_storms.json when index.json absent.	<code>result is not None;</code> <code>result["storms"][0]["storm_id"]</code> <code>== "LEGACY-001"</code>	Pass	0.004s
OSError on legacy file stat returns existing cache.	<code>result == {"storms": [{"storm_id":</code> <code>"cached-legacy"}]}</code>	Pass	0.003s
Coverage available false when no index	<code>r.get_json()["coverage_available"] is</code> <code>False</code>	Pass	0.001s
Coverage available true when index present	<code>r.get_json()["coverage_available"] is</code> <code>True</code>	Pass	0.001s
Empty dir returns empty list	<code>data["reports"] == []</code>	Pass	0.001s
File has size and modified	<code>reports[0]["size"] > 0; "modified" in</code> <code>reports[0]</code>	Pass	0.001s
File type label json	<code>r.get_json()["reports"][0]["type"] ==</code> <code>"JSON"</code>	Pass	0.001s
File type label pdf	<code>r.get_json()["reports"][0]["type"] ==</code> <code>"PDF"</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
File type label unknown	<code>r.get_json()["reports"][0]["type"] == "XYZ"</code>	Pass	0.001s
No dir returns empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.000s
Pdf file listed	<code>len(data["reports"]) == 1; data["reports"][0]["filename"] == "report.pdf"</code>	Pass	0.001s
Subdirectories not listed	<code>r.get_json()["reports"] == []</code>	Pass	0.001s
sys.exit(0) fires before the gauge file is opened.	—	Pass	0.002s
sys.exit(0) fires before the property file is opened.	—	Pass	0.005s
Lines 324-327: all category/page pairs are logged.	—	Pass	0.001s
Lines 412-419: <code>-list-categories</code> iterates category dict, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 469-476: <code>-list-categories</code> iterates category dict, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 321-328: <code>-list-categories</code> → <code>get_page_categories()</code> iterated, <code>sys.exit(0)</code> .	—	Pass	0.001s
No file returns empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.000s
Summary fields	<code>first["counterparty_id"] == "CTPY-001"; first["name"] == "Test Bank PLC" (+2 more)</code>	Pass	0.002s
With data returns summary	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
No storms file returns 404	<code>r.status_code == 404</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.000s
Storm has expected fields	<code>len(storms) >= 1; "storm_id" in s (+3 more)</code>	Pass	0.005s
Storm name is capitalised intensity_category, not empty.	<code>s["name"] == s["intensity_category"].capitalize()</code>	Pass	0.006s
Storms list count	<code>data["count"] >= 1</code>	Pass	0.006s
Storms sorted by gauges_severe descending (most severe first).	<code>counts == sorted(counts, reverse=True)</code>	Pass	0.006s
With data returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Created meeting appears in list	<code>len(data["meetings"]) == 1;</code> <code>data["meetings"][0]["title"] ==</code> <code>"Board Meeting"</code>	Pass	0.003s
Empty list returns success	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.001s
List summary has required keys	<code>key in m</code>	Pass	0.003s
Sorted by date desc	<code>dates == sorted(dates, reverse=True)</code>	Pass	0.004s
List mortgages empty	<code>r.status_code == 200;</code> <code>r.get_json()["count"] == 0</code>	Pass	0.001s
List mortgages exception returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
List mortgages success	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.001s
<code>sys.exit(0)</code> fires before the flood file is opened.	—	Pass	0.001s
<code>sys.exit(0)</code> fires before the gauge file is opened.	—	Pass	0.002s
<code>sys.exit(0)</code> fires before the property file is opened.	—	Pass	0.002s
Lines 405-410: <code>-list-pages</code> iterates available pages, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 462-467: <code>-list-pages</code> iterates available pages, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 314-319: <code>-list-pages</code> → <code>list_available_pages()</code> iterated, <code>sys.exit(0)</code> .	—	Pass	0.002s
Loader exception returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Success empty list	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.001s
Success with properties	<code>r.status_code == 200;</code> <code>r.get_json()["count"] == 2</code>	Pass	0.001s
Empty dir returns zero count	<code>r.status_code == 200;</code> <code>data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.001s
Returns trades list key	<code>"trades" in r.get_json()</code>	Pass	0.001s
Corrupt trade file returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
<code>list_prs_trades</code> reads PRS-*.json files and returns them.	<code>r.status_code == 200;</code> <code>data["count"] ==</code> <code>1 (+1 more)</code>	Pass	0.030s
Loads list json	<code>result == [1, 2, 3]</code>	Pass	0.001s
Loads nested json	<code>_load(p) == data</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Loads valid json	<code>_load(p) == {'key': 'value'}</code>	Pass	0.001s
Returns empty dict for directory	<code>_load(tmp_path) == {}</code>	Pass	0.000s
Returns empty dict for invalid json	<code>_load(p) == {}</code>	Pass	0.001s
Returns empty dict for missing file	<code>_load(tmp_path / 'nonexistent.json')</code> <code>== {}</code>	Pass	0.000s
Classifier count	<code>data['classifier_count'] == 2</code>	Pass	0.011s
Eod count defaults zero on import error	<code>isinstance(data['eod_count'], int)</code>	Pass	0.011s
Gaugehd baselines loaded	<code>len(data['gaugehd_baselines']) == 2</code>	Pass	0.011s
Gaugehd count	<code>data['gaugehd_count'] == 2</code>	Pass	0.010s
Gaugets count	<code>data['gaugets_count'] == 2</code>	Pass	0.011s
Loads counterparties	<code>len(data['counterparties']) == 1</code>	Pass	0.011s
Loads gaugehc	<code>'GAUGE-0001' in</code> <code>data['gaugehc']['hazard_curves']</code>	Pass	0.010s
Loads gauges	<code>len(data['gauges']) == 2</code>	Pass	0.012s
Loads mortgages	<code>len(data['mortgages']) == 1</code>	Pass	0.011s
Loads properties	<code>len(data['properties']) == 1</code>	Pass	0.011s
Loads propertyhc	<code>'PROP-0001' in</code> <code>data['propertyhc']['property_hazard_curves']</code>	Pass	0.011s
Loads seq summary	<code>data['seq_summary']['num_sequences']</code> <code>== 10000</code>	Pass	0.010s
Loads stress storms index	<code>len(data['stress_storms']['storms'])</code> <code>== 1</code>	Pass	0.011s
Falls back to stress_storms.json when _index.json is absent.	<code>len(data['stress_storms']['storms'])</code> <code>== 2</code>	Pass	0.007s
When input dir is empty, everything defaults safely.	<code>data['gauges'] == [];</code> <code>data['properties'] == [] (+10 more)</code>	Pass	0.001s
Propertyts count	<code>data['propertyts_count'] == 1</code>	Pass	0.011s
Stress storms empty when neither exists	<code>data['stress_storms'] == {}</code>	Pass	0.006s
config import may fail in test env — defaults to 0.	<code>isinstance(data['trade_count'], int)</code>	Pass	0.011s
Training summary	<code>data['training_summary']['avg_auc_roc']</code> <code>== pytest.approx(...)</code>	Pass	0.011s
Loads entries	<code>result[0]["event"] == "test"</code>	Pass	0.001s
Returns empty list on bad json	<code>_load_audit_log() == []</code>	Pass	0.001s
Returns empty list when missing	<code>_load_audit_log() == [];</code> <code>_load_meetings() == []</code>	Pass	0.000s
Loads valid data	<code>"principles" in result;</code> <code>"roles" in</code> <code>result</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Returns none when missing	<code>_load.bcbs239()</code> is None; <code>_load.raci()</code> is None	Pass	0.000s
Loads bibliography	<code>result["references"][0]["id"] == "R1"</code>	Pass	0.001s
Returns default when missing	<code>result == {"references": [], "categories": []}</code>	Pass	0.000s
Line 208: file exists with empty counterparties → fallback list.	<code>len(result) == 21; result[0]["id"] == "CTPY-001" (+1 more)</code>	Pass	0.002s
Line 207-209: file doesn't exist → fallback list.	<code>len(result) == 21</code>	Pass	0.000s
When file has entries, those are returned (not fallback).	<code>len(result) == 1; result[0]["id"] == "CTPY-REAL" (+1 more)</code>	Pass	0.001s
Corrupt counterparty file leaves data none	<code>dl.loaded_data.counterparty_data</code> is None	Pass	0.004s
Missing counterparty file leaves data none	<code>dl.loaded_data.counterparty_data</code> is None	Pass	0.000s
Valid counterparty file loads	<code>dl.loaded_data.counterparty_data</code> is not None; "counterparties" in <code>dl.loaded_data.counterparty_data</code>	Pass	0.003s
Missing gaugehc returns empty and default storms	<code>curves == {}; n_storms == 1000</code>	Pass	0.000s
Present gaugehc returns curves	<code>"GAUGE-001" in curves; n_storms == 500</code>	Pass	0.002s
Present gaugehc returns num storms	<code>n_storms == 250</code>	Pass	0.001s
Lines 59-64: <code>get_reports_dir</code> raises -i fallback to <code>get_output_path</code> .	<code>result == []</code>	Pass	0.000s
Line 67: <code>prs_dir</code> doesn't exist -i return empty list.	<code>result == []</code>	Pass	0.000s
Lines 75-76: trade with matching gauge_id -i appended to list.	<code>len(result) == 1</code>	Pass	0.002s
Trade for different gauge not appended.	<code>result == []</code>	Pass	0.002s
Computes summer mean	<code>bl['summer'] == pytest.approx(1.0667, abs=0.001)</code>	Pass	0.002s
Computes winter mean	<code>bl['winter'] == pytest.approx(1.8)</code>	Pass	0.002s
Handles missing monthly means	<code>len(baselines) == 1; baselines[0]['winter'] is None (+1 more)</code>	Pass	0.001s
Loads baselines	<code>len(baselines) == 2; bl['gauge_id'] in ('GAUGE-0001', 'GAUGE-0002') (+1 more)</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Returns empty for nonexistent dir	<code>loader._load_gaugehd.baselines(tmp_path / 'nope') == []</code>	Pass	0.000s
Skips files without mean level	<code>loader._load_gaugehd.baselines(ghd) == []</code>	Pass	0.001s
Skips invalid files	<code>loader._load_gaugehd.baselines(ghd) == []</code>	Pass	0.001s
Empty gauge list raises	—	Pass	0.001s
File not found raises	—	Pass	0.000s
Gauge has id	<code>result[0]["gauge_id"] == "GAUGE-999"</code>	Pass	0.001s
Gauge that maps to no gauge_id raises ValueError.	—	Pass	0.001s
Loads gauges	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.001s
Empty portfolio returns empty list	<code>result == []</code>	Pass	0.002s
Loads gauge from portfolio	<code>len(result) == 1;</code> <code>isinstance(result[0], GaugeConfig)</code> (+1 more)	Pass	0.002s
Loads documents	<code>_load_gov_documents()[0]["doc_id"] == "D1"</code>	Pass	0.001s
Returns empty list when missing	<code>_load_gov_documents() == []</code>	Pass	0.000s
Corrupt hazard file leaves hazard data none	<code>dl.loaded_data.hazard_data is None</code>	Pass	0.001s
Corrupt property hazard file leaves phc none	<code>dl.loaded_data.property_hazard_data is None</code>	Pass	0.001s
Loaded data has gauge	<code>"TEST-G001" in result["hazard_curves"]</code>	Pass	0.002s
Loads from file	<code>"hazard_curves" in result</code>	Pass	0.004s
Missing hazard file leaves hazard data none	<code>dl.loaded_data.hazard_data is None</code>	Pass	0.000s
Missing property hazard file leaves phc none	<code>dl.loaded_data.property_hazard_data is None</code>	Pass	0.000s
Valid hazard file populates hazard data	<code>dl.loaded_data.hazard_data is not None;</code> <code>"hazard_curves" in dl.loaded_data.hazard_data</code>	Pass	0.001s
Empty json object returns empty dict	<code>result == {}</code>	Pass	0.002s
Invalid json raises json decode error	—	Pass	0.001s
Missing file raises file not found	—	Pass	0.000s
Returns full structure	<code>result["meta"]["version"] == 2;</code> <code>"G-001" in result["hazard_curves"]</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Loads valid file	<code>result["models"][0]["model_id"] == "M1"</code>	Pass	0.001s
Returns none on bad json	<code>_load_inventory() is None</code>	Pass	0.001s
Returns none when missing	<code>_load_inventory() is None</code>	Pass	0.000s
Loads existing results	<code>result['total'] == 15;</code> <code>result['failed'] == 1</code>	Pass	0.002s
Returns dict when missing	<code>isinstance(result, dict); len(result) == 0</code>	Pass	0.000s
Returns empty skeleton for corrupt JSON.	<code>result == {"runs": {}, "steps": {}}</code>	Pass	0.001s
Load corrupt json returns skeleton	<code>result == {"runs": {}, "steps": {}}</code>	Pass	0.006s
Load missing returns skeleton	<code>result == {"runs": {}, "steps": {}}</code>	Pass	0.000s
Load valid manifest	<code>result == data</code>	Pass	0.065s
Reads and parses an existing manifest.	<code>'gauges' in result['steps']</code>	Pass	0.001s
Returns empty skeleton when file doesn't exist.	<code>isinstance(result, dict); 'runs' in result (+1 more)</code>	Pass	0.000s
Lines 89-91: exception -i returns {}.	<code>result == {}</code>	Pass	0.000s
Loads list	<code>_load_meetings()[0]["id"] == "M1"</code>	Pass	0.001s
Returns empty list when missing	<code>_load_audit_log() == [];</code> <code>_load_meetings() == []</code>	Pass	0.000s
When mortgage.json has invalid JSON, the exception is caught	<code>r.status_code == 200; len(props) == 1 (+1 more)</code>	Pass	0.031s
Missing property json returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Missing property json sequence returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Loads valid data	<code>"principles" in result; "roles" in result</code>	Pass	0.001s
Returns none when missing	<code>_load_bcbs239() is None; _load_raci() is None</code>	Pass	0.000s
Adding a gauge to gaugehc.json causes reconciliation on next load.	<code>"GAUGE-A" in state["base_rates"];</code> <code>"GAUGE-B" not in state["base_rates"] (+2 more)</code>	Pass	0.004s
Loading with same gauges doesn't trigger reconciliation.	<code>mtime1 == mtime2</code>	Pass	0.058s
Reconciled gauge has all triggers with 5 tenors each.	<code>trigger in ts; len(ts[trigger]) == 5 (+1 more)</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Reconciled state is persisted so second load doesn't re-reconcile.	"GAUGE-B" in disk.state["base_rates"]; "GAUGE-B" in disk.state["hazard_term_structure"]	Pass	0.006s
Corrupt storm file leaves storm data none	dl.loaded_data.storm_data is None	Pass	0.001s
Missing storm file leaves storm data none	dl.loaded_data.storm_data is None	Pass	0.000s
Storms dict with storms key	dl.loaded_data.storm_data is not None	Pass	0.001s
Storms list format	dl.loaded_data.storm_data is not None	Pass	0.001s
Storms other type	dl.loaded_data.storm_data is not None	Pass	0.001s
File not found raises	—	Pass	0.000s
Loads list	isinstance(result, list); len(result) == 5	Pass	0.002s
Storm has id	result[0]["storm_id"] == "STORM-0000"	Pass	0.001s
Storm loaded by searching legacy storms list.	result is not None; result["storm_id"] == "LEGACY-STORM-001" (+1 more)	Pass	0.000s
When path.stat() raises OSError, return existing cache.	result == {"storms": [{"storm_id": "cached"}]}	Pass	0.000s
When path.stat() raises OSError and no cache, returns None.	result is None	Pass	0.000s
Empty data list records invalid result	dl._validation_results["empty_type"].is_valid is False; "No data loaded" in dl._validation_results["empty_type"]...	Pass	0.000s
Empty data list returns none	dl._load_with_validation(mock_loader, "empty_type") is None	Pass	0.000s
Exception in loader returns none	dl._load_with_validation(mock_loader, "error_type") is None	Pass	0.001s
Exception records error in validation	dl._validation_results["error_type"].is_valid is False; "disk error" in dl._validation_results["error_type"].erro...	Pass	0.000s
None return from loader returns none	dl._load_with_validation(mock_loader, "none_type") is None	Pass	0.000s
Successful load records valid result	"gauge_test" in dl._validation_results; dl._validation_results["gauge_test"].is_valid is True	Pass	0.001s
Successful load returns data dict	result is not None; result["count"] == 2 (+1 more)	Pass	0.000s
Validation summary count matches items	dl._validation_results["three_items"].summary_count == 3	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Validation summary has type field	<code>dl._validation_results["xtype"].summary["type"] == "xtype"</code>	Pass	0.000s
Can set gauge data	<code>d.gauge_data is not None</code>	Pass	0.000s
Can set multiple fields	<code>d.gaugets.count == 3; d.gaugehd.count == 5</code>	Pass	0.000s
Counts default to zero	<code>d.gaugets.count == 0; d.gaugehd.count == 0 (+1 more)</code>	Pass	0.000s
Defaults are none	<code>getattr(d, field) is None</code>	Pass	0.000s
Is dataclass	<code>dataclasses.is_dataclass(LoadedData)</code>	Pass	0.000s
Lookup defaults are none	<code>getattr(d, field) is None</code>	Pass	0.000s
Test creating a registry.	<code>registry.data_dir == populated.data_dir; registry is not None (+1 more)</code>	Pass	0.000s
Test getting list of available loader types.	<code>'property' in loaders; 'mortgage' in loaders (+3 more)</code>	Pass	0.000s
Clear all caches	<code>not loader._cache_valid</code>	Pass	0.002s
Get all status	<code>"gauge" in status; "entity_name" in status["gauge"]</code>	Pass	0.002s
Invalidate all caches	—	Pass	0.000s
Test clearing all loader caches.	<code>prop_loader._cache is None; gauge_loader._cache is None</code>	Pass	0.002s
Test that different loader types are separate.	<code>prop_loader is not gauge_loader</code>	Pass	0.000s
Test that loader instances are cached.	<code>loader1 is loader2</code>	Pass	0.000s
Check data files all missing	<code>all(v is False for v in result.values())</code>	Pass	0.000s
Check data files present	<code>result["property"] is True; result["gauge"] is False</code>	Pass	0.000s
File overrides	<code>registry.get_gauge_loader().count() == 3</code>	Pass	0.002s
Get data dir	<code>LoaderRegistry(data_dir=tmp_path).get_data_dir() == tmp_path</code>	Pass	0.000s
Test providing custom filenames.	<code>len(props) == 1; loader.get_entity_id(props[0]) == "CUSTOM-001"</code>	Pass	0.002s
Test getting loader by name string.	<code>loader is not None; loader.count() == 3</code>	Pass	0.001s
Test getting unknown loader type.	<code>loader is None</code>	Pass	0.000s
Get available loaders	<code>"property" in available; "gauge" in available (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get gauge loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("gauge"), GaugeLoader)</code>	Pass	0.000s
Get loader by name	<code>LoaderRegistry(data_dir=tmp_path).get_loader("gauge") is ...</code>	Pass	0.000s
Get loader unknown name returns none	<code>LoaderRegistry(data_dir=tmp_path).get_loader("nonexistent")</code>	Pass	0.000s
Get mortgage loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("mortgage"), MortgageLoader)</code>	Pass	0.000s
Get property loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("property"), PropertyLoader)</code>	Pass	0.000s
Get storm loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("storm"), StormLoader)</code>	Pass	0.000s
Get timeseries loader	<code>isinstance(LoaderRegistry(data_dir=tmp_path).get_loader("timeseries"), TimeseriesLoader)</code>	Pass	0.000s
Loader cached on repeated access	<code>registry.get_property_loader() is registry.get_property_loader()</code>	Pass	0.000s
Test checking data file existence.	<code>status['property'] is True;</code> <code>status['mortgage'] is True</code> (+3 more)	Pass	0.000s
Test getting status for all loaders.	<code>'property' in status;</code> <code>'gauge' in status</code> (+1 more)	Skip	0.000s
Test getting GaugeLoader.	<code>isinstance(loader, GaugeLoader);</code> <code>loader.count() == 3</code>	Pass	0.001s
Test getting MortgageLoader.	<code>isinstance(loader, MortgageLoader);</code> <code>loader.count() == 3</code>	Pass	0.002s
Test getting PropertyLoader.	<code>isinstance(loader, PropertyLoader);</code> <code>loader.count() == 3</code>	Pass	0.002s
Test getting StormLoader.	<code>isinstance(loader, StormLoader)</code>	Pass	0.000s
Test getting TimeseriesLoader.	<code>isinstance(loader, TimeseriesLoader)</code>	Pass	0.000s
Address subsection header	<code>any("Primary Address" in t for t in texts)</code>	Pass	0.000s
Administrative subsection header	<code>any("Administrative Areas" in t for t in texts)</code>	Pass	0.000s
Area classification subsection header	<code>any("Area Classification" in t for t in texts)</code>	Pass	0.000s
Density high	<code>isinstance(result, list)</code>	Pass	0.000s
Density low	<code>isinstance(result, list)</code>	Pass	0.000s
Density low medium	<code>isinstance(result, list)</code>	Pass	0.000s
Density medium	<code>isinstance(result, list)</code>	Pass	0.000s
Density very high	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Geographic subsection header	<code>any("Geographic Information" in t for t in texts)</code>	Pass	0.000s
Has section header	<code>any("Location Details" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Missing lat/lon means coordinates rows are omitted — no crash.	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Debug does not raise	—	Pass	0.000s
Debug level does not raise	—	Pass	0.000s
Error does not raise	—	Pass	0.000s
Error level does not raise	—	Pass	0.000s
Info does not raise	—	Pass	0.000s
Info level does not raise	—	Pass	0.000s
Log does not raise	—	Pass	0.000s
Log with empty string	—	Pass	0.000s
Success falls back gracefully	—	Pass	0.000s
Success level falls back gracefully	—	Pass	0.000s
Unknown level falls back to info	—	Pass	0.000s
Warning does not raise	—	Pass	0.000s
Warning level does not raise	—	Pass	0.000s
Appends entry	<code>len(entries) == 1;</code> <code>entries[0]["action"] == "test_action"</code> (+1 more)	Pass	0.002s
Failures in audit logging must not propagate.	—	Pass	0.000s
Corrupted audit log → start fresh, don't raise.	<code>len(entries) == 1</code>	Pass	0.002s
Creates audit file	<code>os.path.exists(audit_path)</code>	Pass	0.000s
Defaults applied when no json	<code>r.status_code == 200;</code> <code>entry["event_type"] == "usage"</code> (+1 more)	Pass	0.003s
Entry has expected fields	<code>entry["model_id"] == "MKM-TEST-001";</code> <code>entry["event_type"] == "calibration"</code> (+2 more)	Pass	0.003s
Entry has required keys	<code>"timestamp" in entry;</code> <code>"model_id" in entry</code> (+3 more)	Pass	0.001s
Existing file appended	<code>len(entries) == 2;</code> <code>"existing" in entries[0]</code>	Pass	0.003s
Model not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Multiple calls accumulate	<code>len(entries) == 2</code>	Pass	0.004s
Parameters stored	<code>r.get_json()["entry"]["parameters"]</code> <code>== {"key": "value"}</code>	Pass	0.003s
Valid model returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
ltv_ratio ; 1 is interpreted as a percentage and divided by 100.	<code>score > 0</code>	Pass	0.000s
Compare mode	"Scenario Comparison" in <code>captured.out</code>	Pass	0.364s
Custom notional and spread	<code>rc == 0</code>	Pass	0.002s
Default describe mode	<code>len(captured.out) > 0</code>	Pass	0.073s
Default gauge selection returns zero	<code>rc == 0</code>	Pass	0.002s
Exceedance json mode	"exceedance_probability" in data	Pass	0.000s
Exceedance mode	"70" in <code>captured.out</code>	Pass	0.000s
Explicit gauge returns zero	<code>rc == 0</code>	Pass	0.002s
Flat flag dispatches flat mode	<code>rc == 0</code>	Pass	0.002s
Json default mode	"summary_statistics" in data	Pass	0.279s
List flag logs gauge names	"THAMES-TEST-99" in combined	Pass	0.002s
List flag returns zero	<code>rc == 0</code>	Pass	0.001s
<code>main()</code> creates audit directory if it doesn't exist.	<code>audit.exists(); out.exists()</code>	Pass	0.032s
Lines 120-122: default (no <code>-nrfa-dir</code>) calls <code>generate_all_gauge_histories</code> .	—	Pass	0.306s
<code>main()</code> exits cleanly if <code>jscpd</code> fails.	—	Pass	0.000s
Lines 107-108: without <code>-catchment</code> , <code>config.CATCHMENT</code> is untouched.	<code>config.CATCHMENT == original</code>	Pass	0.306s
<code>main()</code> prints file/clone/pct stats to <code>stdout</code> .	'Clones' in out; 'PDF saved' in out	Pass	0.229s
<code>main()</code> prints step count and consistency status.	'pipeline steps' in output; 'Consistency' in output (+1 more)	Pass	0.031s
<code>main()</code> writes <code>data_lineage_report.pdf</code> to audit dir.	<code>out.exists(); out.stat().st_size > 5000</code>	Pass	0.032s
<code>main()</code> writes <code>code_duplication_report.pdf</code> to audit dir.	<code>(tmp_path / 'code_duplication_report.pdf').exists();</code> <code>(tmp_path / 'code_duplication_report.pdf').stat().st_size...</code>	Pass	0.224s
Line 102: <code>-c</code> short flag for catchment.	—	Pass	0.394s
Line 101: <code>-y</code> short flag for years.	—	Pass	0.188s

Test Description	Acceptance Criteria	Result	Time
main() logs errors for unreadable files and continues.	—	Pass	0.001s
Lines 107-108: -catchment sets config.CATCHMENT.	config.CATCHMENT == "severn"	Pass	0.306s
main() processes any *_gdf.csv files found in config.input_dir.	—	Pass	0.019s
main() handles an empty directory gracefully.	—	Pass	0.000s
Lines 117-119: -nrfa-dir calls process_nrfa_directory.	list(gaugehd_dir.glob("gauge.*_hd.json"))	Pass	0.002s
Line 101: -years flag is passed through.	—	Pass	0.207s
Missing gauge logs available gauges	"THAMES-G042" in combined	Pass	0.002s
Missing gauge logs error	any("GHOST-GAUGE" in r.message for r in caplog.records)	Pass	0.002s
Missing gauge returns one	rc == 1	Pass	0.001s
Return period json mode	"return_period_years" in data; "intensity" in data	Pass	0.000s
Return period mode	"100" in captured.out	Pass	0.000s
Samples json mode	"samples" in data; len(data["samples"]) == 3	Pass	0.000s
Samples mode	"5 samples" in captured.out	Pass	0.000s
Scenario mode	len(captured.out) > 0	Pass	0.073s
Seed reproducible	out1 == out2	Pass	0.001s
Trigger alert explicit	rc == 0	Pass	0.001s
Trigger severe explicit	rc == 0	Pass	0.001s
Trigger warning explicit	rc == 0	Pass	0.002s
Add to map calls add child	—	Pass	0.001s
Get js returns script	"<script>" in js; "refreshMainMapFS01" in js	Pass	0.000s
Get statistics returns dict	isinstance(result, dict); result["component"] == "main_map_fs01"	Pass	0.000s
Report with 2% duplication should render without error.	analysis['total']['percentage'] < 3; len(pdf) > 0	Pass	0.223s
Report with 8% duplication renders correctly.	pdf[:4] == b'PDF'	Pass	0.230s
Pdf header	pdf[:4] == b'PDF'	Pass	0.235s
Pdf nonempty	len(pdf) > 2000	Pass	0.225s
Returns bytes	isinstance(result, bytes)	Pass	1.514s

Test Description	Acceptance Criteria	Result	Time
Peak precipitation is in the storm's active window.	<code>peak.in.storm >= peak.outside</code>	Pass	0.000s
Drainage window (hours 156-167) must be precipitation-free.	<code>np.all(p[156:] == pytest.approx(0.0))</code>	Pass	0.001s
Non negative	<code>np.all(p >= 0.0)</code>	Pass	0.000s
Output shape	<code>p.shape == (EVENT_WINDOW_HOURS,)</code>	Pass	0.000s
Sum of hourly series == sum of storm precipitation_mm values.	<code>p.sum() == pytest.approx(expected, rel=1e-4)</code>	Pass	0.001s
Col widths propagated	<code>t._colWidths == cw</code>	Pass	0.000s
Custom alt color	<code>isinstance(t, Table)</code>	Pass	0.000s
When no alt_color passed, ALT_ROWS.BLUE is applied.	<code>isinstance(t, Table)</code>	Pass	0.000s
Empty rows	<code>isinstance(t, Table); len(t._cellvalues) == 1</code>	Pass	0.000s
Repeat rows set	<code>t.repeatRows == 1</code>	Pass	0.000s
Returns table	<code>isinstance(t, Table); isinstance(t, Table)</code>	Pass	0.000s
Table has correct row count	<code>len(t._cellvalues) == 4</code>	Pass	0.000s
Add action with malformed existing id	<code>r.status_code == 200; "A-002" in ids</code>	Pass	0.002s
Add decision with malformed existing id	<code>r.status_code == 200; "D-002" in ids</code>	Pass	0.002s
Add participant with malformed existing id	<code>r.status_code == 200; "P-002" in ids</code>	Pass	0.002s
Click-through should hide trading desk before opening gauge.	<code>'TradingDesk.hide' in js</code>	Pass	0.000s
Map should have New Trade link.	<code>'window.tdNewTrade' in js; 'New Trade' in js</code>	Pass	0.000s
Map should have tdViewHazard-Curve navigating to gauge panel.	<code>'window.tdViewHazardCurve' in js; 'GaugeHazardCurve' in js</code>	Pass	0.000s
Any flood maps to alert	<code>gen._map.threshold.to_gauge.trigger("any flood") == "alert"</code>	Pass	0.000s
Moderate maps to warning	<code>gen._map.threshold.to_gauge.trigger("moderate") == "warning"</code>	Pass	0.000s
Severe maps to severe	<code>gen._map.threshold.to_gauge.trigger("severe") == "severe"</code>	Pass	0.000s
Unknown key returns warning	<code>gen._map.threshold.to_gauge.trigger("nonexistent") == "wa..."</code>	Pass	0.000s
P&L bar must show 'From Market' metric.	<code>'From Market' in js; 'fromMarket' in js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Blotter must have a Mkt P&L column.	"'market_pnl'" in js or '"market_pnl"' in js; js 'Mkt P' in	Pass	0.000s
Market tab commit notification must show P&L impact.	'total_pnl_impact' in js; 'gross_pnl_impact' in js	Pass	0.000s
Hazard column must show up/down arrows when fair != prev_fair.	'prev_fair_spread.bps' in js; '\{\}\u25b2' in js (+1 more)	Pass	0.000s
Entry level under 250k	isinstance(result, list)	Pass	0.000s
Middle 250k to 500k	isinstance(result, list)	Pass	0.000s
Premium over 1m	isinstance(result, list)	Pass	0.000s
Upper middle 500k to 1m	isinstance(result, list)	Pass	0.000s
Base rates not empty	br	Pass	0.000s
File exists	GAUGEHC_PATH.exists(); MARKET_STATE.exists()	Pass	0.000s
Has required keys	not missing	Pass	0.000s
Hazard term structure has triggers	"alert" in triggers	Pass	0.000s
Hazard term structure not empty	hts	Pass	0.000s
Last updated present	"last.updated" in ms	Pass	0.000s
Yield curve has all tenors	not missing	Pass	0.000s
Yield curve rates in range	not bad	Pass	0.000s
computeMaturityDate function exists.	'computeMaturityDate' in prs-js	Pass	0.000s
currentRollDate function exists.	'currentRollDate' in prs-js	Pass	0.000s
lastFridayOfMonth function exists.	'lastFridayOfMonth' in prs-js	Pass	0.000s
showMaturityPopup function exists.	'showMaturityPopup' in prs-js	Pass	0.000s
Mcob advice rejection reason	isinstance(result, list)	Pass	0.000s
Mcob all fields returns list	isinstance(result, list); len(result) > 5	Pass	0.000s
Mcob section creates tables	len(tables) >= 2	Pass	0.000s
Mcob with minimal fields	isinstance(result, list)	Pass	0.000s
Serve missing document returns 404	r.status_code == 404	Pass	0.004s
Upload empty filename returns 400	r.status_code == 400	Pass	0.004s
Upload no file returns 400	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.003s
Upload not found meeting returns 404	r.status_code == 404	Pass	0.001s
Unknown menu no options returns empty	result == ""	Pass	0.000s
Unknown menu with options cycles	result == "OptionB"	Pass	0.000s
Unknown menu with options wraps	result == "X"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Duration from storms json	<code>storm["duration_hours"] == 72;</code> <code>storm["peak_position"] == pytest.approx(0.3) (+1 more)</code>	Pass	0.004s
Fallback to config defaults	<code>storm["duration_hours"] == STRESS_STORM_DEFAULT_DURATION....;</code> <code>storm["peak_position"] == pytest.approx(STRESS_STORM_DEFA...</code>	Pass	0.002s
Passing a non-existent <code>storms_json_path</code> must not crash.	<code>out.exists()</code> and <code>(out / "_index.json").exists()</code>	Pass	0.002s
Distant point returns larger distance	<code>d_far > d_near</code>	Pass	0.000s
Point on gauge returns small distance	<code>d < 10.000</code>	Pass	0.000s
Returns float	<code>isinstance(d, float); d >= 0</code>	Pass	0.000s
Add minute item	<code>r.status_code == 200;</code> <code>isinstance(minutes, list) (+1 more)</code>	Pass	0.002s
Delete minute item legacy format returns 400	<code>r.status_code == 400</code>	Pass	0.003s
Update minute item legacy format returns 400	<code>r.status_code == 400</code>	Pass	0.003s
Update minute item not found returns 404	<code>r.status_code == 404</code>	Pass	0.003s
Update minutes text	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["minutes"] == "# Minutes\{\}n\{\}nAll a...</code>	Pass	0.002s
Update minutes unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Add minute item returns 200	<code>r.status_code == 200;</code> <code>isinstance(meeting["minutes"], list) (+1 more)</code>	Pass	0.002s
When minutes is a string, deleting returns 400.	<code>r.status_code == 400</code>	Pass	0.003s
Delete minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete minute item returns 200	<code>r.status_code == 200;</code> <code>len(meeting["minutes"]) == 1 (+1 more)</code>	Pass	0.003s
When minutes is a string (legacy), updating an item returns 400.	<code>r.status_code == 400</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Update minute item not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minute item returns 200	<code>r.status_code == 200; item["text"] == "Updated text."</code>	Pass	0.002s
Add minute item when minutes is string	<code>r.status_code == 200; isinstance(meeting["minutes"], list) (+2 more)</code>	Pass	0.003s
Update minutes missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minutes returns 200	<code>r.status_code == 200; r.get_json()["meeting"]["minutes"] == "New minutes text"</code>	Pass	0.002s
Property hazard returns 404 when propertyhc.json missing.	<code>response.status_code == 404; data['status'] == 'error'</code>	Pass	0.000s
PropertyHC summary returns 404 with helpful message when file missing.	<code>response.status_code == 404; data['status'] == 'error' (+1 more)</code>	Pass	0.000s
PropertyTS summary returns 404 when directory missing.	<code>response.status_code == 404; data['status'] == 'error'</code>	Pass	0.000s
Only alert storms create flood events	<code>result["summary"]["floods_at_nearest_gauge"] == 2</code>	Pass	0.164s
Sub alert storms not in flood events	<code>"STORM-m001b" not in event_storm_ids; "STORM-m001d" not in event_storm_ids (+2 more)</code>	Pass	0.166s
Has kv table	<code>callable(gen._kv_table)</code>	Pass	0.000s
Has load all	<code>callable(gen._load_all)</code>	Pass	0.000s
Has make table	<code>callable(gen._make_table)</code>	Pass	0.000s
Has section methods	<code>hasattr(gen, name)</code>	Pass	0.000s
<code>_load_all()</code> output can be consumed by all section methods.	—	Pass	0.012s
<code>model_auc</code> should be <code>None</code> since predictor is removed.	<code>resp.status_code == 200; data['model_auc'] is None</code>	Pass	0.033s
All models have model id	<code>"model_id" in m; isinstance(m["model_id"], str) (+1 more)</code>	Pass	0.000s
Model ids are unique	<code>len(ids) == len(set(ids))</code>	Pass	0.000s
Model ids follow naming convention	<code>mid.startswith("MKM-")</code>	Pass	0.000s
Create mapping returns flat dict	<code>isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Required fields include mortgage id	<code>any("MortgageID" in f for f in mortgage_cdm.get_required...</code>	Pass	0.000s
Schema has mortgage root	<code>len(list(mortgage_cdm.schema.keys())) > 0</code>	Pass	0.000s
Validate valid mortgage	<code>isinstance(mortgage_cdm.validate(data), dict)</code>	Pass	0.000s
Lines 362-363: exception in create_mapping raises ValueError.	—	Pass	0.000s
Line 280: valid data returns empty dict.	<code>mortgage_cdm.validate(data) == {}</code>	Pass	0.000s
Lines 282-283: exception in validate returns validation_error.	<code>"validation_error" in result; isinstance(result["validation_error"], list) (+1 more)</code>	Pass	0.000s
Line 268: header_errors list appended to errors dict when non-empty.	<code>"Header" in errors; len(errors["Header"]) >= 2</code>	Pass	0.000s
Line 262: Missing CatchmentID produces header error.	<code>"Header" in errors; any("CatchmentID" in e for e in errors["Header"]) (+2 more)</code>	Pass	0.000s
Line 259: Missing MortgageID produces header error.	<code>"Header" in errors; any("MortgageID" in e for e in errors["Header"])</code>	Pass	0.000s
Line 275: Missing OriginalLoan produces FinancialTerms error.	<code>"FinancialTerms" in errors; any("OriginalLoan" in e for e in errors["FinancialTerms"])</code>	Pass	0.000s
Line 265: Missing PropertyID produces header error.	<code>"Header" in errors; any("PropertyID" in e for e in errors["Header"])</code>	Pass	0.000s
Line 278: terms_errors appended when non-empty.	<code>"FinancialTerms" in errors</code>	Pass	0.000s
Cost analysis subsection	<code>any("Cost Analysis" in t for t in texts)</code>	Pass	0.000s
Net upfront $\geq 5\%$ of loan $\rightarrow$ High assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront $\geq 0.5\%$ $\rightarrow$ Low assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront 0.5–1.5% $\rightarrow$ Low-Medium assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront 1.5–3% $\rightarrow$ Medium assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront 3–5% $\rightarrow$ Medium-High assessment.	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Discount points + original rate triggers estimated points/rate reduction rows.	<code>isinstance(result, list)</code>	Pass	0.000s
Empty mortgage dict does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Lender credits reduces net cost	<code>isinstance(result, list)</code>	Pass	0.000s
No financial terms returns message	<code>any("No cost information available" in t for t in texts)</code>	Pass	0.000s
No mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
Origination setup subsection	<code>any("Origination" in t for t in texts)</code>	Pass	0.000s
Penalties subsection	<code>any("Penalties" in t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Section header present	<code>any("Mortgage Costs" in t for t in texts)</code>	Pass	0.000s
TotalLoanCosts + OriginalLoan triggers percentage row.	<code>isinstance(result, list)</code>	Pass	0.000s
Total costs overview subsection	<code>any("Total Loan Costs" in t for t in texts)</code>	Pass	0.000s
LoanToValueRatio shown when different from OriginalLTV.	<code>isinstance(result, list)</code>	Pass	0.000s
Core loan terms subsection	<code>any("Core Loan Terms" in t for t in texts)</code>	Pass	0.000s
Dti high risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti low risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti medium high risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti medium risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti subsection	<code>any("Debt-to-Income" in t for t in texts)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Interest rates subsection	<code>any("Interest Rates" in t for t in texts)</code>	Pass	0.000s
Loan as % of purchase value row is computed when both fields present.	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv high risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv low medium risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv low risk	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Ltv medium risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv subsection	<code>any("Loan-to-Value" in t for t in texts)</code>	Pass	0.000s
Ltv very high risk	<code>isinstance(result, list)</code>	Pass	0.000s
No financial terms returns message	<code>any("No detailed financial terms available" in t for t in ...)</code>	Pass	0.000s
No mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Section header present	<code>any("Detailed Mortgage Financial Terms" in t for t in texts)</code>	Pass	0.000s
Init no output dir uses config	<code>gen.output_dir == reports_dir; reports_dir.exists()</code>	Pass	0.001s
Generate filename non dict raises attribute error	<code>"unknown" in fname</code>	Pass	0.001s
Generate filename none mortgage data	<code>"unknown" in fname; fname.endswith(".pdf")</code>	Pass	0.001s
Page exception is caught	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Unknown page in order is skipped	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Generator does not use sequential format	<code>'GAUGE-{i:' not in src; 'GAUGE-{index' not in src (+3 more)</code>	Pass	0.000s
Generator source uses mort prefix	<code>'MORT-' in src</code>	Pass	0.000s
Generator source uses uuid	<code>'uuid' in src; 'uuid' in src (+1 more)</code>	Pass	0.000s
Uuid4 produces protocol matching ids	<code>GAUGE_ID.RE.match(gauge_id); PROP_ID.RE.match(prop_id) (+2 more)</code>	Pass	0.000s
Accepts valid	<code>PROP_ID.RE.match('PROP-a3f7bc12'); PROP_ID.RE.match('PROP-00000000') (+6 more)</code>	Pass	0.000s
Rejects sequential	<code>not PROP_ID.RE.match('PROP-001'); not PROP_ID.RE.match('PROP-1234') (+3 more)</code>	Pass	0.000s
Test getting delinquent mortgages.	<code>len(delinquent) == 1; delinquent[0]['MortgageID'] == "MORT-003"</code>	Pass	0.001s
Test exposure aggregation by lender.	<code>"First National Bank" in exposure; "Regional Credit Union" in exposure (+2 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test getting property IDs that have mortgages.	<code>len(prop_ids) == 3; "PROP-001" in prop_ids (+2 more)</code>	Pass	0.001s
Test total loan exposure calculation.	<code>total == 1640000</code>	Pass	0.001s
List all returns summaries	<code>len(MortgageLoader(tmp_path).list_all()) == 2</code>	Pass	0.003s
Load all returns list	<code>len(MortgageLoader(tmp_path).load_all()) == 3</code>	Pass	0.005s
Test MortgageID extraction.	<code>mort_id is not None; mort_id.startswith("MORT-")</code>	Pass	0.001s
Test mortgage summary generation.	<code>len(summaries) == 3; 'mortgageId' in summary (+3 more)</code>	Pass	0.001s
Test loading mortgage portfolio.	<code>len(mortgages) == 3</code>	Pass	0.001s
Find by id	<code>MortgageLoader(tmp_path).find_by_id("MORT-001") is not None</code>	Pass	0.001s
Mortgage without top-level PropertyID falls back to nested Mortgage.Header.PropertyID.	<code>MortgageLoader(tmp_path).find_by_property_id("PROP-NESTED") is not None</code>	Pass	0.003s
Missing returns none	<code>MortgageLoader(tmp_path).find_by_id("MORT-999") is None</code>	Pass	0.001s
Test finding mortgage by ID.	<code>mort is not None; mort['PropertyID'] == "PROP-001" (+1 more)</code>	Pass	0.001s
Test finding mortgages by lender.	<code>len(morts) == 2</code>	Pass	0.001s
Test lender search is case insensitive.	<code>len(morts) == 2</code>	Pass	0.001s
Test finding mortgage by property ID.	<code>mort is not None; mort['MortgageID'] == "MORT-001"</code>	Pass	0.001s
Test finding mortgage for property without mortgage.	<code>mort is None</code>	Pass	0.001s
Test finding active mortgages.	<code>len(morts) == 2</code>	Pass	0.001s
Test finding delinquent mortgages.	<code>len(morts) == 1; morts[0]['MortgageID'] == "MORT-003"</code>	Pass	0.001s
Application subsection	<code>any("Application Information" in t for t in texts)</code>	Pass	0.000s
Denial reason hidden when default	<code>isinstance(result, list)</code>	Pass	0.000s
Denial reason shown when not default	<code>isinstance(result, list)</code>	Pass	0.000s
Empty mortgage dict does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
mortgage_data without outer 'Mortgage' key is handled via fallback.	<code>isinstance(result, list)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Key financial terms subsection	<code>any("Key Financial Terms" in t for t in texts)</code>	Pass	0.000s
LTV row is computed when both PurchaseValue and OriginalLoan are present.	<code>isinstance(result, list)</code>	Pass	0.000s
Mortgage features subsection	<code>any("Mortgage Features" in t for t in texts)</code>	Pass	0.000s
Mortgage identification subsection	<code>any("Mortgage Identification" in t for t in texts)</code>	Pass	0.000s
No mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
None mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Section header present	<code>any("Mortgage Overview" in t for t in texts)</code>	Pass	0.000s
Test that mortgage PropertyID links to valid property.	<code>prop is not None</code>	Pass	0.003s
Test finding mortgage for each property.	<code>prop is not None; mort is not None</code>	Pass	0.002s
Generate elements returns list	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Generate filename fallback	<code>fname.endswith(".pdf"); "unknown" in fname</code>	Pass	0.001s
Generate filename with id	<code>"MORT-test0001" in fname; fname.endswith(".pdf")</code>	Pass	0.001s
Generate report creates pdf	<code>output.exists(); output.suffix == ".pdf"</code>	Pass	0.011s
Generate report returns path	<code>isinstance(result, Path)</code>	Pass	0.012s
Init creates output dir	<code>output_dir.exists()</code>	Pass	0.001s
Page order set	<code>"title" in gen.page_order; gen.page_order[0] == "title"</code>	Pass	0.001s
Pages initialised	<code>"title" in gen.pages; "mortgage_overview" in gen.pages</code>	Pass	0.001s
Elevated ltv medium flood	<code>"Moderate Risk" in r</code>	Pass	0.000s
High flood overrides	<code>"High Risk" in r and "flood" in r.lower()</code>	Pass	0.000s
High ltv medium flood	<code>"High Risk" in r</code>	Pass	0.000s
Low flood risk	<code>"Low Risk" in r</code>	Pass	0.000s
Medium flood default	<code>"Moderate Risk" in r</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Minimal risk	"Minimal" in r	Pass	0.000s
Negative value critical	"Critical Risk" in r	Pass	0.000s
Negative value high	"High Risk" in r	Pass	0.000s
Negative value moderate	"Moderate Risk" in r	Pass	0.000s
None ltv no crash	isinstance(r, str)	Pass	0.000s
Very high flood overrides	"High Risk" in r	Pass	0.000s
Elements non empty	len(elements) > 0	Pass	0.000s
Empty property data does not crash	isinstance(elements, list)	Pass	0.000s
Extracts mortgage id	"MORT-test0001" in full_text	Pass	0.000s
No mortgage data returns elements	isinstance(elements, list); len(elements) > 0	Pass	0.000s
Returns list	isinstance(elements, list)	Pass	0.010s
Table elements included	len(tables) >= 1	Pass	0.000s
Line 108: _save_meetings fails → 500.	r.status_code == 500; "Failed" in r.get_json()["message"]	Pass	0.002s
Line 195: document file not found → 404.	r.status_code == 404	Pass	0.002s
Line 196: serve an uploaded document.	r.status_code == 200	Pass	0.004s
Line 162: file with empty filename → 400.	r.status_code == 400	Pass	0.003s
Line 155: meeting not found → 404.	r.status_code == 404	Pass	0.002s
Line 158: no file in request → 400.	r.status_code == 400	Pass	0.003s
Line 184: save failure after upload → 500.	r.status_code == 500	Pass	0.004s
Lines 164-186: upload a file to a meeting.	r.status_code == 200; doc["filename"] == "report.pdf"	Pass	0.005s
Line 179: meeting without 'documents' key gets it created.	r.status_code == 200	Pass	0.005s
Line 144: _save_meetings fails on update → 500.	r.status_code == 500	Pass	0.003s
Count gauges exceeding warning level.	count >= 0; count <= len(sample_gauges_df)	Pass	0.004s
Find gauge with highest current level.	highest is not None; 'gauge_id' in highest (+1 more)	Pass	0.003s
First storm gets greek name	name; name[0].isupper()	Pass	0.003s
Name from storms json takes priority	data["storms"][0]["name"] == "CustomStormName"	Pass	0.004s
Gauge nav menu must use the same actions as the right-click menu.	item['action'] in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Menu items must be serialized from Python lists, not hardcoded in JS.	gauge-json in js; prop-json in js	Pass	0.000s
Property nav menu must use the same actions as the right-click menu.	item['action'] in js	Pass	0.000s
Loader should return both real and synthetic gauges.	len(synth) > 0; len(real) > 0	Pass	0.002s
GaugeLoader.getEntitySummary must produce 'gaugeId' key.	len(summaries) > 0; 'gaugeId' in sample (+1 more)	Pass	0.002s
Nav menu JS must use 'gaugeId' (API contract), not 'gauge_id'.	'g.gaugeId' in js or "g['gaugeId']" in js or 'gaugeId' in js; 'g.gauge_id' not in js	Pass	0.000s
Nav menu JS must use 'name' for gauge display name.	'name' in js or "['name']" in js	Pass	0.000s
Nav JS must access _prePropertyTS.data.properties for property list.	'_prePropertyTS' in js; '_properties' in js	Pass	0.000s
Nav menu JS must use 'property_id' for property IDs.	'property_id' in js	Pass	0.000s
Portfolio flood summary properties must have 'property_id'.	len(properties) > 0; 'property_id' in properties[0]	Pass	0.001s
Filter must check for 'SYNTH' prefix on gaugeId.	'SYNTH' in js	Pass	0.000s
Nav menus included in get js	'nav-menu-container' in js	Pass	0.001s
Nav menus js contains gauge select	'nav-menu-container' in js; 'nav-gauge-select' in js (+1 more)	Pass	0.000s
Nav menus js contains property select	'nav-prop-select' in js; '_prePropertyTS' in js	Pass	0.000s
Nav menus js filters synthetic gauges	'SYNTH' in js	Pass	0.000s
Nav menus js has action bar	'nav-action-bar' in js	Pass	0.000s
Nav menus js includes menu actions	item['action'] in js; item['action'] in js	Pass	0.000s
When segment is a point (seg2 j 1e-18), returns start point distance.	abs(nx - 51.5) < 1e-9; abs(ny + 0.1) < 1e-9 (+1 more)	Pass	0.000s
Distance is non negative	d >= 0	Pass	0.000s
Midpoint projects to midpoint	abs(nx - 51.5) < 0.01; abs(ny - 0.0) < 0.01 (+1 more)	Pass	0.000s
Point before start clamps to start	abs(nx - 51.0) < 0.01; abs(ny - 0.0) < 0.01	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Point past end clamps to end	<code>abs(nx - 52.0) < 0.01; abs(ny - 0.0) < 0.01</code>	Pass	0.000s
Damage amount computed correctly	<code>prop["damage_amount"] == pytest.approx(expected)</code>	Pass	0.004s
Negative equity flag set on property	<code>data["properties"][0]["negative_equity"] is True</code>	Pass	0.003s
LTV $\geq$ 100% when outstanding $\geq$ post-damage value.	<code>prop["post_damage_ltv"] > 100.0</code>	Pass	0.004s
Severe storm triggers negative equity	<code>r.status_code == 200;</code> <code>data["portfolio"]["mortgages_in_negative_equity"] == 1</code>	Pass	0.006s
Same for mortgage-report: null JSON body - $\geq$ line 168 - $\geq$ 400.	<code>r.status_code in (400, 500)</code>	Pass	0.000s
Sending content-type application/json with null body - $\geq$ get_json() = None - $\geq$ 400.	<code>r.status_code in (400, 500)</code>	Pass	0.000s
All modules no newline in js strings	<code>failures == {}</code>	Pass	0.004s
Audit reports no newline in js strings	<code>offenders == []</code>	Pass	0.001s
Full compiled js no newline in js strings	<code>offenders == []</code>	Pass	0.004s
No mortgage message	<code>any("No mortgage data" in t for t in texts)</code>	Pass	0.000s
No mortgage returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Gauge that exists in storm data but has no trades returns 404.	<code>resp.status_code == 404;</code> 'No open trades' in <code>data.get('message', '')</code>	Pass	0.022s
Empty regulatory returns message	<code>any("No regulatory information" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
Line 95: <code>_normal_pdf(0)</code> should return $1/\sqrt{2\pi}$.	<code>result == pytest.approx(expected, rel=1e-10)</code>	Pass	0.000s
Line 95: PDF decreases as $-x$ increases.	<code>d._normal_pdf(0) > d._normal_pdf(1) > d._normal_pdf(2)</code>	Pass	0.000s
Line 95: <code>_normal_pdf</code> at positive value.	<code>result == pytest.approx(expected, rel=1e-10)</code>	Pass	0.000s
Line 95: <code>_normal_pdf</code> is symmetric.	<code>d._normal_pdf(2.0) == pytest.approx(d._normal_pdf(-2.0))</code>	Pass	0.000s
Normalize float returns empty	<code>loader._normalize_to_list(3.14) == []</code>	Pass	0.000s
Normalize integer returns empty	<code>result == []</code>	Pass	0.001s
Normalize string returns empty	<code>result == []</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Normalize true returns empty	<code>loader._normalize_to_list(True) == []</code>	Pass	0.000s
–stressm alone must always run stressm regardless of –nostress.	—	Pass	0.011s
–nostress must be a registered argument on the port subparser.	<code>args.nostress</code> is True	Pass	0.004s
With –all –nostress, generate_stressm must not be called.	—	Pass	0.092s
Number type returns float	<code>isinstance(result, float);</code> <code>0 <= result <= 1000</code>	Pass	0.000s
CalledProcessError → returns False.	<code>result</code> is False	Pass	0.000s
macOS: subprocess.run(['open', ...]) is called.	<code>result</code> is True; <code>mock_run.call_args[0][0][0] == "open"</code>	Pass	0.001s
Darwin success	<code>result</code> is True; <code>mock_run.call_args[0][0][0] == "open"</code>	Pass	0.000s
Darwin success	<code>result</code> is True	Pass	0.000s
Generic exception returns false	<code>result</code> is False	Pass	0.000s
Generic exception returns false	<code>result</code> is False	Pass	0.000s
Any other exception → returns False.	<code>result</code> is False	Pass	0.000s
Linux: subprocess.run(['xdg-open', ...]) is called.	<code>result</code> is True; <code>mock_run.call_args[0][0][0] == "xdg-open"</code>	Pass	0.000s
Linux success	<code>result</code> is True; "xdg-open" in args	Pass	0.000s
Linux success	<code>result</code> is True	Pass	0.000s
Subprocess called process error returns false	<code>result</code> is False	Pass	0.000s
Subprocess failure returns false	<code>result</code> is False	Pass	0.000s
Unknown platform uses webbrowser	<code>result</code> is True	Pass	0.000s
Unknown platform uses webbrowser	<code>result</code> is True	Pass	0.001s
Unknown platform: falls back to webbrowser.open().	<code>result</code> is True	Pass	0.000s
Windows: subprocess.run(['start', ...]) is called.	<code>result</code> is True; <code>mock_run.call_args[0][0][0] == "start"</code>	FAIL	0.000s
Windows case insensitive	<code>isinstance(result, bool)</code>	Pass	0.001s
Windows success	<code>result</code> is True	Pass	0.000s
Windows success	<code>result</code> is True	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 432-433: <code>-gauge-id</code> → <code>_find_gauge_by_id</code> called.	—	Pass	0.023s
Lines 484-486: <code>-mortgage-file</code> → mortgage JSON is opened and parsed.	—	Pass	0.114s
Lines 489-490: <code>-property-id</code> with no mortgage file → <code>_find_property_by_id</code> called.	—	Pass	0.005s
Lines 491-492: both <code>-property-id</code> and <code>-mortgage-file</code> → both finders called.	—	Pass	0.006s
Lines 427-429: <code>-timeseries-file</code> → timeseries JSON opened and parsed.	—	Pass	0.006s
Known outputs	<code>m["gauge.json"] == "synthetic-gauges"; m["property.json"] == "properties" (+1 more)</code>	Pass	0.000s
Dir output empty	<code>not _outputs_exist("stressm", tmp_path)</code>	Pass	0.002s
Dir output missing	<code>not _outputs_exist("stressm", tmp_path)</code>	Pass	0.000s
Dir output present non empty	<code>_outputs_exist("stressm", tmp_path)</code>	Pass	0.004s
File output missing	<code>not _outputs_exist("gauges", tmp_path)</code>	Pass	0.001s
File output present	<code>_outputs_exist("gauges", tmp_path)</code>	Pass	0.001s
Partial outputs missing	<code>not _outputs_exist("stressm", tmp_path)</code>	Pass	0.001s
Unknown step	<code>not _outputs_exist("nonexistent", tmp_path)</code>	Pass	0.000s
Very high flood risk + arrears + very high LTV + poor credit -> CRITICAL.	<code>isinstance(result, list)</code>	Pass	0.001s
Very low flood risk + good payment + low LTV + excellent credit -> LOW.	<code>isinstance(result, list)</code>	Pass	0.000s
Property only high flood risk	<code>isinstance(result, list)</code>	Pass	0.000s
Property only very low flood risk	<code>isinstance(result, list)</code>	Pass	0.000s
Effective rating is valid	<code>rating in valid_ratings</code>	Pass	0.000s
Overall risk rating has component scores	<code>isinstance(cs, dict)</code>	Pass	0.000s
Overall risk rating has required keys	<code>key in orr</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Clear override with null	<code>r.status_code == 200;</code>	Pass	0.006s
	<code>r.get_json()["status"] == "success"</code>		
Invalid rating returns 400	<code>r.status_code == 400;</code>	Pass	0.002s
	<code>r.get_json()["status"] == "error"</code>		
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.002s
No reason field returns 400	<code>r.status_code == 400</code>	Pass	0.002s
No reason returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Override stored in model	<code>rr["mrc_override"] == "Conditional";</code> <code>rr["effective_rating"] == "Conditional"</code>	Pass	0.005s
Response has audit entry	<code>"audit_entry" in data;</code> <code>data["audit_entry"]["event_type"] == "risk_rating_override"</code>	Pass	0.003s
Valid override returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
Line 301: audit overflow during override.	<code>r.status_code == 200</code>	Pass	0.038s
Line 248: inventory not found → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 282: save failure → 500.	<code>r.status_code == 500</code>	Pass	0.003s
All hourly P(flood) values should be in [0, 1] (None after knock-out).	<code>resp.status_code == 200;</code> 0.0 <= <code>h['p_flood'] <= 1.0</code>	Pass	0.025s
Once water exceeds severe, P(flood) = 1.0 until knock-out blanks it.	<code>resp.status_code == 200; found_one (+1 more)</code>	Pass	0.037s
P(flood) for non-severe gauges should be w/s ratio.	<code>resp.status_code == 200;</code> 0.0 <= <code>g['p_flood'] <= 1.0</code>	Pass	0.028s
Custom gauge basket size	<code>cdm.gauge.basket_size == 10</code>	Pass	0.000s
Default gauge basket size	<code>cdm.gauge.basket_size == 20</code>	Pass	0.000s
Lines 333-334: exception in create_mapping raises ValueError.	—	Pass	0.000s
Verify all sections of create_mapping produce correct keys.	<code>mapping["swap_id"] == "PRS-1";</code> <code>mapping["notional"] == 1000000</code> (+3 more)	Pass	0.000s
validate({}) returns errors.	<code>isinstance(errors, dict)</code>	Pass	0.000s
Lines 255-256: Empty GaugeBasket.	<code>"GaugeSet" in errors;</code> <code>any("GaugeBasket" in e for e in errors["GaugeSet"])</code>	Pass	0.000s
Lines 263-264: exception returns validation_error.	<code>"validation_error" in result;</code> <code>isinstance(result["validation_error"], list)</code> (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 258-259: gauge errors collected.	"GaugeSet" in errors	Pass	0.000s
Lines 244-245: header errors collected.	"Header" in errors; len(errors["Header"]) >= 2	Pass	0.000s
Line 241-242: Missing CatchmentID.	"Header" in errors; any("CatchmentID" in e for e in errors["Header"]) (+2 more)	Pass	0.000s
Line 251-252: Missing GaugeSetID.	"GaugeSet" in errors; any("GaugeSetID" in e for e in errors["GaugeSet"])	Pass	0.000s
Line 238-239: Missing SwapID.	"Header" in errors; any("SwapID" in e for e in errors["Header"])	Pass	0.000s
Line 261: valid data returns empty dict.	prs_cdm.validate(data) == {}	Pass	0.000s
buildPRSControls function exists.	'buildPRSControls' in prs_js	Pass	0.000s
Counterparty selector present.	'prs-counterparty' in prs_js	Pass	0.000s
Payer/Receiver direction selector present.	'payer' in prs_js.lower(); 'receiver' in prs_js.lower() (+1 more)	Pass	0.000s
Maturity/tenor selector present.	'prs-maturity' in prs_js	Pass	0.000s
Notional input field present.	'prs-notional' in prs_js	Pass	0.000s
Trigger level selector present.	'prs-trigger' in prs_js	Pass	0.000s
ghc_prs.get_js() returns valid JS.	len(prs_js) > 1000	Pass	0.000s
Fetches yield curve from /api/v1/trading/yield-curve.	'/api/v1/trading/yield-curve' in prs_js	Pass	0.000s
Each trade has physical swap root	not bad	Pass	0.011s
Each trade has swap id	not bad	Pass	0.005s
Prs directory exists	PRS_DIR.exists()	Pass	0.000s
Swap id matches filename	not bad	Pass	0.005s
Thames Central book has 16 trades.	len(prs_files) >= 16	Pass	0.000s
Trade statuses are valid	not bad	Pass	0.004s
Trades are present	len(prs_files) >= 1	Pass	0.000s
Trades have gauge set	not bad	Pass	0.005s
Book thames uses prs prefix	'PRS-' in src	Pass	0.001s
Book thames uses uuid	'uuid' in src	Pass	0.000s
uuid4().hex[:8].upper() — the book generator pattern — always matches.	PRS_ID_RE.match(swap_id)	Pass	0.000s
Some paths may produce lowercase — also accepted.	PRS_ID_RE.match('PRS-a8b3c4d5'); PRS_ID_RE.match('PRS-ffffffff')	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
book.py uses uuid4().hex[:8].upper() → uppercase hex.	PRS_ID_RE.match('PRS-A8B3C4D5'); PRS_ID_RE.match('PRS-FFFFFFF') (+1 more)	Pass	0.000s
PRS-TEST-001 style IDs used in test fixtures are NOT production format.	not PRS_ID_RE.match('PRS-TEST-001'); not PRS_ID_RE.match('PRS-VAUXHALL')	Pass	0.000s
Port src all does not include book symbols	not overlap	Pass	0.000s
The package __init__.py must not contain 'from .book import'.	"from .book import" not in src	Pass	0.001s
Package __init__.py must not expose generate_thames_central_book.	not hasattr(pkg, "generate_thames_central_book")	Pass	0.000s
Contains claim ref paragraph	len(tables) > 0	Pass	0.001s
No flood events still renders	len(result) > 0	Pass	0.001s
Coordinates that are not floats should not raise.	isinstance(result, list)	Pass	0.001s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s
Stats reflect events	any(isinstance(e, Paragraph) for e in result)	Pass	0.001s
Without mortgage	isinstance(result, list); len(result) > 0	Pass	0.001s
Events with no sequence_id (None) should render without error.	isinstance(result, list)	Pass	0.001s
No flood events	isinstance(result, list); len(result) > 0 (+2 more)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s
Stats bar present	len(paragraphs) > 0	Pass	0.001s
Table included	any(isinstance(e, Table) for e in result)	Pass	0.001s
Events with sequence_id not in lookup default to 'isolated'.	isinstance(result, list)	Pass	0.001s
Contains tables	len(tables) >= 2	Pass	0.001s
Events with damage ratio ≥ 5% trigger red background rows.	isinstance(result, list)	Pass	0.001s
Multiple sequences grouped	len(tables) >= 3	Pass	0.001s
No flood events	isinstance(result, list); len(result) > 0 (+2 more)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Zero property value should not raise a ZeroDivisionError.	<code>isinstance(result, list)</code>	Pass	0.001s
Contains tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
High damage + large mortgage triggers negative equity highlighting.	<code>isinstance(result, list); any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
No flood events with mortgage	<code>isinstance(result, list)</code>	Pass	0.001s
With mortgage	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Without mortgage	<code>isinstance(result, list); any('No mortgage' in t for t in texts)</code> (+2 more)	Pass	0.000s
Contains reference table	<code>len(tables) >= 2</code>	Pass	0.001s
Assessed damage = prop_value * max damage_ratio per sequence.	<code>isinstance(result, list)</code>	Pass	0.001s
When damage exceeds property value, LTV is very high.	<code>isinstance(result, list)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Signature block present	<code>len(paragraphs) > 3</code>	Pass	0.001s
Without mortgage	<code>isinstance(result, list); any('No mortgage' in t for t in texts)</code> (+2 more)	Pass	0.001s
sp-panel-title element ID must be referenced in the JS.	<code>'sp-panel-title' in table_js</code>	Pass	0.000s
Title must start with 'Portfolio Storm Impact'.	<code>'Portfolio Storm Impact' in table_js</code>	Pass	0.000s
Panel title must use options[selectedIndex].textContent.	<code>'selectedIndex' in table_js; 'textContent' in table_js</code>	Pass	0.000s
Title assignment must NOT directly concatenate bare stormId.	<code>"Portfolio Storm Impact \{\}\u2014 + stormId" not in table_js</code>	Pass	0.000s
Fat tail higher exceedance	<code>p_fat > p_thin</code>	Pass	0.000s
Pareto above threshold between 0 and 1	<code>0 < p < 1</code>	Pass	0.000s
Pareto at threshold is one	<code>d._pareto_exceedance(d.params.tail_threshold) == 1.0</code>	Pass	0.000s
Pareto below threshold is one	<code>d._pareto_exceedance(d.params.tail_threshold - 5) == 1.0</code>	Pass	0.000s
Empty file	<code>metadata == {}; flows == []</code>	Pass	0.000s
Flow values are floats	<code>isinstance(f["flow_cumeecs"], float)</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Flows have date and flow	<code>len(flows) == 5; "date" in f (+1 more)</code>	Pass	0.001s
Flows have date and flow cumecs	<code>len(flows) > 0; "date" in flows[0] (+1 more)</code>	Pass	0.007s
Invalid rows skipped	<code>len(flows) == 2</code>	Pass	0.001s
Metadata contains station id	<code>"station_id" in metadata; metadata["station_id"] == "39001"</code>	Pass	0.003s
Metadata contains station name	<code>metadata.get("station_name") == "My Test Gauge"</code>	Pass	0.007s
Metadata contains station name	<code>metadata.get("station_name") == "Test River"</code>	Pass	0.002s
Metadata station id	<code>metadata.get("station_id") == "40007"</code>	Pass	0.006s
Returns metadata and flows	<code>isinstance(metadata, dict); isinstance(flows, list)</code>	Pass	0.006s
Returns tuple	<code>isinstance(metadata, dict); isinstance(flows, list)</code>	Pass	0.007s
Short row skipped	<code>len(flows) == 2</code>	Pass	0.001s
Lines with fewer than 2 columns are skipped.	<code>len(flows) == 1</code>	Pass	0.001s
All metadata categories parsed	<code>metadata.get("file.timestamp") == "2024-01-01"; metadata.get("database_id") == "7" (+4 more)</code>	Pass	0.001s
Flow row with non numeric value skipped	<code>len(flows) == 2</code>	Pass	0.001s
Metadata row with no value uses empty string	<code>metadata.get("station_name") == ""; metadata.get("station_id") == "39001" (+1 more)</code>	Pass	0.001s
Metadata row with three columns stores value	<code>metadata.get("dataType.units") == "m3/s"</code>	Pass	0.001s
Add participant auto generates id	<code>r.status_code == 200; new_p["id"].startswith("P-")</code>	Pass	0.002s
Add participant unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Delete participant	<code>r.status_code == 200; pid not in remaining</code>	Pass	0.003s
Delete participant unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update missing participant returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update participant	<code>r.status_code == 200; updated["status"] == "Attended"</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Add participant auto id	"P-001" in ids; "P-002" in ids	Pass	0.002s
Add participant missing meeting returns 404	r.status_code == 404	Pass	0.004s
Add participant returns 200	r.status_code == 200; len(meeting["participants"]) == 2	Pass	0.003s
Delete participant missing meeting returns 404	r.status_code == 404	Pass	0.002s
Delete participant returns 200	r.status_code == 200; len(r.get_json()["meeting"]["participants"]) == 0	Pass	0.002s
Update participant not found returns 404	r.status_code == 404	Pass	0.002s
Update participant returns 200	r.status_code == 200; p["role"] == "CFO"	Pass	0.002s
All holiday fields shown	isinstance(result, list)	Pass	0.000s
Holidays taken shown	isinstance(result, list)	Pass	0.000s
Last holiday date shown	isinstance(result, list)	Pass	0.000s
Without holiday fields, section should not appear.	not any("Holiday" in t for t in texts)	Pass	0.000s
Total holidays shown	isinstance(result, list)	Pass	0.000s
Arrears balance shown	isinstance(result, list)	Pass	0.000s
Five missed payments poor	isinstance(result, list)	Pass	0.000s
Four missed payments concerning	isinstance(result, list)	Pass	0.000s
Highest arrears shown	isinstance(result, list)	Pass	0.000s
In arrears flag true	isinstance(result, list)	Pass	0.000s
In arrears score 5	isinstance(result, list)	Pass	0.000s
Many missed payments over 3	isinstance(result, list)	Pass	0.001s
No missed payments good	isinstance(result, list)	Pass	0.000s
One missed payment good	isinstance(result, list)	Pass	0.000s
Some missed payments 1 to 3	isinstance(result, list)	Pass	0.000s
Three missed payments concerning	isinstance(result, list)	Pass	0.000s
Two missed payments good	isinstance(result, list)	Pass	0.000s
Zero missed payments excellent	isinstance(result, list)	Pass	0.000s
Documentation pdf known model no file 404	r.status_code == 404	Pass	0.000s
Documentation pdf unknown model 404	r.status_code == 404	Pass	0.000s
Mrc tor pdf responds	r.status_code in (200, 404)	Pass	0.001s
Parameter inventory pdf responds	r.status_code in (200, 404)	Pass	0.000s
Results pdf known model no file 404	r.status_code == 404	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Results pdf unknown model 404	<code>r.status_code == 404</code>	Pass	0.000s
Line 323: valid model dir but PDF file missing → 404.	<code>r.status_code == 404; "not found" in r.get_json()["message"].lower()</code>	Pass	0.001s
Line 325: model documentation PDF served when file exists.	<code>r.status_code == 200</code>	Pass	0.002s
Line 357: MRC ToR PDF missing → 404.	<code>r.status_code == 404</code>	Pass	0.000s
Line 359: MRC ToR PDF served.	<code>r.status_code == 200</code>	Pass	0.002s
Line 337: valid model dir but test_results.pdf missing → 404.	<code>r.status_code == 404</code>	Pass	0.000s
Line 339: test results PDF served when file exists.	<code>r.status_code == 200</code>	Pass	0.002s
STORM-SEVERE-001 (peak 6.5m) should come before STORM-MODERATE-002 (4.8m).	<code>severe_idx < moderate_idx</code>	Pass	0.004s
GET /trading/stress/storms returns storms sorted by peak_level_m DESC.	<code>len(storms) >= 2; peaks == sorted(peaks, reverse=True)</code>	Pass	0.003s
storms[0] must have the highest peak_level_m.	<code>storms[0]['peak_level_m'] >= storms[-1]['peak_level_m']</code>	Pass	0.004s
When seg_start == seg_end, norm ~ 0 -j degenerate fallback path.	<code>abs(lon - (-0.30)) < 1e-9</code>	Pass	0.000s
Offset moves point	<code>dist >= PropertyPortfolioGenerator.MIN_OFFSET_M * 0.5</code>	Pass	0.000s
Returns two floats	<code>isinstance(lat, float); isinstance(lon, float)</code>	Pass	0.000s
Persistent all events have readings	<code>"flood_depth_m" in event; "damage_ratio" in event (+2 more)</code>	Pass	0.166s
Persistent four events recorded	<code>result["summary"]["floods_at_nearest_gauge"] == 4</code>	Pass	0.165s
Create mapping returns flat dict	<code>isinstance(stormts_cdm.create_mapping(data, dict)); isinstance(prs_cdm.create_mapping(data), dict)</code>	Pass	0.000s
List all fields has gauge set	<code>any("GaugeSet" in f for f in prs_cdm.list_all_fields())</code>	Pass	0.000s
Required fields include swap id	<code>any("SwapID" in f for f in prs_cdm.get_required_fields())</code>	Pass	0.000s
Schema has root	<code>isinstance(stormts_cdm.schema, dict); len(stormts_cdm.schema) > 0 (+2 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
FAIL if any output from STEP_IO is missing or empty on disk.	—	Pass	0.496s
At least one trained classifier must be documented in training_summary.	stress_storms_dir.exists(); summary_path.exists() (+1 more)	Skip	0.001s
Directories that exist but are empty are just as broken as missing.	not empty	Pass	0.040s
Line 48: fmt_gbp(0) returns em-dash.	isinstance(result, list)	Pass	0.000s
After an EOD snap, series has one entry.	len(data['series']) == 1; 'date' in entry (+4 more)	Pass	0.040s
Returns empty series when no EOD snapshots exist.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.001s
Missing positions key returns drawing	isinstance(result, Drawing)	Pass	0.000s
Negative gauge P&L -i bar drawn to the left.	isinstance(result, Drawing)	Pass	0.000s
No positions returns drawing	isinstance(result, Drawing)	Pass	0.000s
Positions exist but all running_pnl = 0 -i gauge_pnl has values.	isinstance(result, Drawing)	Pass	0.000s
In -all mode, resolve_prerequisites should not be called.	run_all is True	Pass	0.000s
Running -propertyts with stale pre-reqs should enable their flags.	args.gauges is True; args.properties is True (+3 more)	Pass	0.000s
In -strict mode, resolve_prerequisites should not be called.	not run_all; args.strict is True	Pass	0.000s
JS must POST to /api/v1/trading/stress/portfolio-run.	'/api/v1/trading/stress/portfolio-run' in ps_js	Pass	0.000s
JS must fetch from /api/v1/trading/stress/portfolio-storms.	'/api/v1/trading/stress/portfolio-storms' in ps_js	Pass	0.000s
portfolio-run endpoint must use POST method.	'POST' in ps_js	Pass	0.000s
Full Detail button must navigate to Tab 7 via switchTab('stress').	"switchTab('stress')" in ps_js	Pass	0.000s
'Full Detail' link button must be present — navigates to Tab 7 gauge view.	'Full Detail' in ps_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
_psRenderGaugeTable must be defined — renders per-gauge trade rows.	'_psRenderGaugeTable' in ps_js	Pass	0.000s
_psRenderGaugePnlTab must be defined.	'_psRenderGaugePnlTab' in ps_js	Pass	0.000s
tdStressGaugeHint must be set — passes selected gauge to Tab 7 pre-selection.	'tdStressGaugeHint' in ps_js	Pass	0.000s
_stressStormHint must be set — passes selected storm to Tab 7 auto-selection.	'_stressStormHint' in ps_js	Pass	0.000s
ps- IDs must not collide with Tab 7's td-stress-gauge ID.	'td-stress-gauge' not in ps_js	Pass	0.000s
Content area uses ps-content ID.	'ps-content' in ps_js	Pass	0.000s
Storm selector uses ps- prefix (not td-stress-*).	'ps-storm-sel' in ps_js	Pass	0.000s
Sub-tab button IDs are built using ps-tab- prefix.	"ps-tab-" in ps_js or "'ps-tab-' +" in ps_js or 'ps-tab-...; "'pflood'" in ps_js (+3 more)	Pass	0.000s
Rendered full JS must be of substantial length — sanity check that	len(full_js) > 200000	Pass	0.000s
loadPortStressData() must be called in the portstress switchTab branch.	'loadPortStressData' in full_js	Pass	0.000s
psResult must survive f-string rendering — absent if brace escaping broke.	'psResult' in full_js	Pass	0.000s
'Port Stress' tab label must appear in the rendered trading desk.	'Port Stress' in full_js	Pass	0.000s
portStressView variable must appear — panel appends it to DOM.	'portStressView' in full_js	Pass	0.000s
createPortStressView() call must appear in panel construction.	'createPortStressView' in full_js	Pass	0.000s
switchTab must handle tab === 'portstress' branch.	"tab === 'portstress'" in full_js	Pass	0.000s
tabs array must include the portstress entry.	"id: 'portstress'" in full_js	Pass	0.000s
switchTab views array must include 'portstress'.	"'portstress'" in full_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
hidePanel must call psCleanupCharts() to destroy chart instances.	'psCleanupCharts' in full_js	Pass	0.000s
psResult state variable must appear inside the IIFE, not after it.	idx > 0; idx < iife_close	Pass	0.000s
P(flood) tab contains the heatmap canvas and chart area container.	'ps-heatmap-canvas' in ps_js; 'ps-pflood-chart-area' in ps_js	Pass	0.000s
_psRenderPFloodTab must be defined.	'_psRenderPFloodTab' in ps_js	Pass	0.000s
Threshold bar colours must be present: severe red, warning orange, alert amber.	'#c62828' in ps_js; '#e65100' in ps_js (+1 more)	Pass	0.000s
P(flood) tab creates a Chart.js instance.	'Chart(' in ps_js	Pass	0.000s
Canvas element uses ps-portpnl-canvas ID.	'ps-portpnl-canvas' in ps_js	Pass	0.000s
Portfolio P&L tab uses the shared fmtGBP formatter.	'fmtGBP' in ps_js	Pass	0.000s
_psRenderPortPnlTab must be defined.	'_psRenderPortPnlTab' in ps_js	Pass	0.000s
Horizontal bar chart needs index-Axis: 'y' in Chart.js options.	'indexAxis' in ps_js	Pass	0.000s
Severity rows must navigate to Gauge P&L sub-tab via psSwitchSubTab.	'psSwitchSubTab' in ps_js	Pass	0.000s
All four severity group labels must be present in the JS output.	'SEVERE' in ps_js; 'WARNING' in ps_js (+2 more)	Pass	0.000s
_psRenderSeverityTab must be defined.	'_psRenderSeverityTab' in ps_js	Pass	0.000s
Severity row click must set psSelectedGaugeId before switching sub-tab.	'psSelectedGaugeId' in ps_js	Pass	0.000s
Severe group must use the #ffebee background colour.	ps_js.lower().find('#ffebee') >= 0	Pass	0.000s
All four sub-tab render functions must be present.	'_psRenderPFloodTab' in ps_js; '_psRenderPortPnlTab' in ps_js (+2 more)	Pass	0.000s
'psCleanupCharts' must be defined — destroys Chart.js instances.	'psCleanupCharts' in ps_js	Pass	0.000s
'createPortStressView' must be defined — builds the Tab 8 DOM.	'createPortStressView' in ps_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'loadPortStressData' must be defined — fetches storm list on tab open.	'loadPortStressData' in ps_js	Pass	0.000s
'psStormChanged' must be defined — handles storm dropdown selection.	'psStormChanged' in ps_js	Pass	0.000s
'psSwitchSubTab' must be defined — controls the 4 sub-tabs.	'psSwitchSubTab' in ps_js	Pass	0.000s
port_stress.get_js() returns non-empty string without errors.	len(ps_js) > 0	Pass	0.000s
Module-level state variables must be declared.	'psResult' in ps_js; 'psActiveSubTab' in ps_js (+1 more)	Pass	0.000s
Return value still has the correct structure after classifier training.	result["num_sequences"] == 20;	Pass	18.229s
train_classifier=True without gauge_id covers lines 364-384.	"type_counts" in result result["num_gauges"] == 3; stressm_dir.exists() (+1 more)	Pass	18.660s
Print summary stats for the flood portfolio.	—	Pass	0.104s
Verify properties receive the expected number of storm events.	—	Pass	0.069s
Known storm returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s
Mortgaged property has ltv fields	len(mortgaged) >= 1; "outstanding_balance" in p (+3 more)	Pass	0.004s
No pts dir returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.000s
Options returns ok	r.status_code == 200; r.status_code == 200	Pass	0.000s
Portfolio damage pct non negative	pct >= 0	Pass	0.005s
Portfolio totals count	port["properties_affected"] == len(r.get_json()["properti...	Pass	0.004s
Properties sorted by damage descending	amounts == sorted(amounts, reverse=True); amounts == sorted(amounts, reverse=True)	Pass	0.005s
Property entry has financial fields	"property_id" in prop; "property_value" in prop (+9 more)	Pass	0.005s
Response has portfolio	"portfolio" in data; "total_properties" in port (+4 more)	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Response has properties list	"properties" in data; len(data["properties"]) >= 1 (+2 more)	Pass	0.005s
Response has storm id	r.get_json()["storm_id"] == sid	Pass	0.005s
Unknown storm returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.005s
No pts dir returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.000s
Options returns 200	r.status_code == 200	Pass	0.000s
Unknown storm returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.004s
Mortgage enrichment present	entry["has_mortgage"] is True; entry["outstanding_balance"] == pytest.approx(280_000) (+2 more)	Pass	0.004s
Property entry has damage fields	entry["property_id"] == "PROP-001"; entry["flood_depth_m"] == pytest.approx(0.5) (+2 more)	Pass	0.004s
Response has portfolio key	"portfolio" in data; key in portfolio	Pass	0.004s
Response has properties list	"properties" in data; len(props) >= 1	Pass	0.004s
Storm id in response	data["storm_id"] == "STORM-001"	Pass	0.004s
Valid storm returns 200	r.status_code == 200; data["status"] == "success"	Pass	0.004s
API must not return name == storm_id (produces 'ID (ID)' in UI).	s['name']	Pass	0.002s
At least one storm must have a human-readable name (not a raw STORM-xxx id).	named	Pass	0.002s
In gauge_results, severe gauges appear before warning gauges.	levels == sorted(levels)	Pass	0.026s
Warning gauges appear before alert gauges in results.	levels[i] <= levels[i + 1]	Pass	0.029s
Gauges with num_trades > 0 have non-empty trades list.	len(g['trades']) > 0	Pass	0.028s
Each trade has swap_id, trigger, notional, mtm, cash_price, stress_pnl,	found.trade; 'swap_id' in t (+8 more)	Pass	0.026s
Exception in _load_stress_storms causes 500.	resp.status_code == 500	Pass	0.001s
When two storms have equal gauges_severe, the one with	storms[0]['intensity_category'] == 'catastrophic'	Pass	0.000s
patch _get_engines to raise RuntimeError -> 500.	resp.status_code == 500	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
No stress_storms/ + cache cleared -j portfolio-run returns 404.	resp.status_code == 404	Pass	0.001s
POST with no body returns 400 or 500.	resp.status_code in (400, 500)	Pass	0.001s
Payer (is_payer=True) has positive notional in trade details.	t['notional'] > 0	Pass	0.036s
portfolio_stress_pnl == sum(g['stress_pnl'] for g in gauges).	abs(data['portfolio_stress_pnl'] - expected.total) < 0.01	Pass	0.032s
Receiver (is_payer=False) has negative notional in trade details.	t['notional'] < 0	Pass	0.030s
When peak_level_m i= severe_level, p_flood should be 1.0.	gauge.001 is not None; gauge.001['p_flood'] == 1.0	Pass	0.025s
stress_pnl = cash_price - mtm; cash_price = signed_notional * p_flood.	data['status'] == 'success'; abs(t['stress_pnl'] - (t['cash_price'] - t['mtm'])) < 0.01	Pass	0.029s
Gauge not in storm's gauge_responses has p_flood=0.0 and impacted=False.	lambeth['p_flood'] == 0.0; lambeth['impacted'] is False	Pass	0.033s
Missing sequences message mentions doublet	"storm_sequences" in msg or "not found" in msg	Pass	0.028s
Missing sequences returns 404	r.status_code == 404	Pass	0.027s
No pts dir returns 404	r.status_code == 404	Pass	0.000s
No pts dir status error	pts_client.no_data.get(URL).get_json()["status"] == "error"	Pass	0.000s
Options returns ok	r.status_code == 200	Pass	0.000s
Missing mortgage json returns 200	client.get(URL).status_code == 200	Pass	0.120s
Missing mortgage json zero portfolio mortgages	client.get(URL).get_json()["total_portfolio_mortgages"] == ...	Pass	0.149s
Missing property json returns 200	client.get(URL).status_code == 200	Pass	0.122s
Missing property json status success	client.get(URL).get_json()["status"] == "success"	Pass	0.120s
Missing property json zero portfolio value	client.get(URL).get_json()["total_portfolio_value"] == 0.0	Pass	0.122s
Mortgage impairment max is positive	mi["max"] > 0	Pass	0.094s
Mortgage impairment value	mi["max"] == pytest.approx(140000.0, rel=1e-3)	Pass	0.094s
Tail storm has mortgage impairment	len(tail) >= 1; tail[0]["mortgage_impairment"] > 0	Pass	0.096s

Test Description	Acceptance Criteria	Result	Time
Prob loss pct is 50	client_two_storms.get(URL).get_json()["prob_loss_pct"] == ...	Pass	0.094s
Storm count is two	client_two_storms.get(URL).get_json()["storm_count"] == 2	Pass	0.093s
Storms with damage is one	client_two_storms.get(URL).get_json()["storms_with_damage"]	Pass	0.095s
Storms zero damage is one	client_two_storms.get(URL).get_json()["storms_zero_damage"]	Pass	0.093s
Tail storms contains the damaged storm	"STORM-0001" in storm_ids	Pass	0.093s
Tail storms limited to 50	len(client_two_storms.get(URL).get_json()["tail_storms"])	Pass	0.093s
No mortgage impairment when above water	mi["max"] == 0.0	Pass	0.097s
Prob loss pct is 100	pts_env["client"].get(URL).get_json()["prob_loss_pct"] == ...	Pass	0.098s
Property damage cond mean positive	pts_env["client"].get(URL).get_json()["property_damage"]	Pass	0.095s
Property damage max is positive	pts_env["client"].get(URL).get_json()["property_damage"]	Pass	0.098s
Storm count is one	pts_env["client"].get(URL).get_json()["storm_count"] == 1	Pass	0.096s
Storms with damage is one	pts_env["client"].get(URL).get_json()["storms_with_damage"]	Pass	0.098s
Storms zero plus with damage equals total	data["storms_with_damage"] + data["storms_zero_damage"] == ...	Pass	0.096s
Total portfolio mortgages	pts_env["client"].get(URL).get_json()["total_portfolio_mortgages"]	Pass	0.097s
Total portfolio value	pts_env["client"].get(URL).get_json()["total_portfolio_value"]	Pass	0.098s
Histogram bin has lo hi count	"lo" in bin0 and "hi" in bin0 and "count" in bin0	Pass	0.098s
Mort histogram has 50 bins	len(pts_env["client"].get(URL).get_json()["mort_histogram"])	Pass	0.099s
Mortgage impairment sub keys	key in mi	Pass	0.097s
Prop histogram has 50 bins	len(pts_env["client"].get(URL).get_json()["prop_histogram"])	Pass	0.098s
Property damage sub keys	key in pd	Pass	0.099s
Returns 200	pts_env["client"].get(URL).status_code == 200	Pass	0.102s
Status success	pts_env["client"].get(URL).get_json()["status"] == "success"	Pass	0.098s
Tail storm has required fields	len(storms) >= 1; f in s	Pass	0.098s
Tail storms is list	isinstance(pts_env["client"].get(URL).get_json()["tail_storms"], list)	Pass	0.098s
Tail storms sorted descending	damages == sorted(damages, reverse=True)	Pass	0.097s
Top level keys present	key in data	Pass	0.099s
Portfolio value from known property	client_unknown_prop.get(URL).get_json()["total_portfolio_value"]	Pass	0.093s
Unknown prop id is skipped	data["storms_with_damage"] == 0	Pass	0.093s
Zero depth cond mean is zero	client_zero_depth.get(URL).get_json()["property_damage"]	Pass	0.095s

Test Description	Acceptance Criteria	Result	Time
Zero depth prob loss is zero	<code>client_zero_depth.get(URL).get_json()["prob_loss_pct"] == ...</code>	Pass	0.091s
Zero depth property damage max is zero	<code>client_zero_depth.get(URL).get_json()["property_damage"]</code>	Pass	0.093s
Zero depth storms with damage is zero	<code>client_zero_depth.get(URL).get_json()["storms_with_damage"]</code>	Pass	0.093s
trading/preloader.py must set <code>window._tdPreloadDone</code> (not bare assignment).	<code>'window._tdPreloadDone = true' in src</code>	Pass	0.000s
startup.py must initialise via <code>window._tdPreloadDone</code> (not bare var).	<code>'window._tdPreloadDone = false' in src; 'var _tdPreloadDone = false' not in src</code>	Pass	0.001s
startup.py must set <code>window._tdPreloadDone = true</code> after all fetches settle.	<code>'window._tdPreloadDone = true' in src</code>	Pass	0.000s
tradingdesk.py <code>showPanel()</code> must read <code>window._tdPreloadDone</code> , not bare <code>_tdPreloadDone</code> .	<code>'window._tdPreloadDone' in js</code>	Pass	0.000s
All three tabs must fetch from <code>/trading/stress/storms</code> .	<code>'/trading/stress/storms' in js</code>	Pass	0.000s
Gauge Stress tab auto-selects <code>storms[0]</code> (worst case).	<code>'storms[0]' in ghc_stress_js or 'storms.length > 0' in gh...</code>	Pass	0.000s
Gauge Stress tab storm dropdown uses all required storm fields.	<code>field in ghc_stress_js</code>	Pass	0.000s
Historical tab storm list uses all required storm fields.	<code>field in hist_js</code>	Pass	0.000s
Trading Desk storm dropdown includes <code>peak_level_m</code> in the label.	<code>'peak_level_m' in td_stress_js</code>	Pass	0.000s
Trading Desk Stress tab also auto-selects worst case storm.	<code>'withTrades' in td_stress_js or \{\}</code> <code>'storms....</code>	Pass	0.000s
Trading Desk Stress tab storm dropdown uses all required storm fields.	<code>field in td_stress_js</code>	Pass	0.000s
Alert trigger	<code>result["trigger_level"] == "alert";</code> <code>result["trigger_threshold_m"] == 4.0</code>	Pass	0.001s
Custom notional	<code>result["notional"] == 5.000.000</code>	Pass	0.000s
Flat hazard curve	<code>"fair_spread_bps" in result;</code> <code>result["use_term_structure"] is False</code>	Pass	0.008s
Gauge not in hazard returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Invalid trigger level returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing gauge id returns 400	<code>r.status_code == 400</code>	Pass	0.000s
No hazard file returns 404	<code>r.status_code == 404; "not available"</code> <code>in r.get_json()["message"].lower()</code> (+1 more)	Pass	0.000s
No json returns 400	<code>r.status_code in (400, 500)</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.000s
Result has fair spread bps	<code>"fair_spread_bps" in result;</code> <code>result["fair_spread_bps"] > 0</code>	Pass	0.000s
Result has npv	<code>"npv" in result;</code> <code>isinstance(result["npv"], float)</code>	Pass	0.001s
Result has survival probabilities	<code>len(sp) == 3; "1yr" in sp</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.014s
Severe trigger	<code>result["trigger_level"] == "severe";</code> <code>result["trigger_threshold_m"] == 5.0</code>	Pass	0.001s
Term structure true	<code>result["use_term_structure"] is True</code>	Pass	0.000s
Annual hazard rate matches input	<code>r["annual_hazard_rate"] ==</code> <code>gauge["annual_hazard_rate_warn...</code>	Pass	0.000s
Gauge id in result	<code>r["gauge_id"] == gauge["gauge_id"]</code>	Pass	0.000s
Gauge name in result	<code>r["gauge_name"] ==</code> <code>gauge["gauge_name"]</code>	Pass	0.000s
Severe annual hazard rate matches input	<code>r["annual_hazard_rate"] ==</code> <code>gauge["annual_hazard_rate_seve...</code>	Pass	0.000s
hazard.py lines 174-176: exception during pricing -i 500.	<code>r.status_code == 500</code>	Pass	0.031s
hazard.py lines 146-147: gauge not in hazard data -i 404.	<code>r.status_code == 404</code>	Pass	0.030s
hazard.py lines 139-140: no gaugehc.json -i 404.	<code>r.status_code == 404</code>	Pass	0.028s
hazard.py line 123: no JSON body -i 400.	<code>r.status_code in (400, 500)</code>	Pass	0.028s
hazard.py lines 121-123: JSON null body -i 400.	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.027s
All trigger levels work: alert, warning, severe.	<code>r.status_code == 200</code>	Pass	0.121s
hazard.py lines 133-172: successful PRS pricing.	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+1 more)</code>	Pass	0.121s
hazard.py: PRS pricing with default params.	<code>r.status_code == 200</code>	Pass	0.119s
Npv is sum of legs	<code>r["npv"] == pytest.approx(</code> <code>r["protection_leg...</code>	Pass	0.000s
Premium leg negative	<code>r["premium_leg_npv"] < 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Protection leg positive	<code>r["protection_leg_npv"] > 0</code>	Pass	0.000s
Nonzero recovery rate stored	<code>r["recovery_rate"] == pytest.approx(0.4)</code>	Pass	0.000s
Recovery rate affects fair spread	<code>r0["fair_spread_bps"] > r40["fair_spread_bps"]</code>	Pass	0.000s
Higher risk free rate changes npv	<code>r_low["npv"] != pytest.approx(r_high["npv"], rel=1e-4)</code>	Pass	0.000s
Risk free rate not in output	<code>"risk_free_rate" not in r</code>	Pass	0.000s
Fair spread is float	<code>isinstance(r["fair_spread"], float)</code>	Pass	0.000s
Fair upfront is float	<code>isinstance(r["fair_upfront"], float)</code>	Pass	0.000s
Npv is float	<code>isinstance(r["npv"], float)</code>	Pass	0.000s
Running spread bps identity	<code>r["running_spread_bps"] == pytest.approx(r["running_sprea...</code>	Pass	0.000s
Survival probs all in zero one	<code>0.0 < val <= 1.0</code>	Pass	0.000s
Tenor 1yr gives one survival entry	<code>len(r["survival_probabilities"]) == 1; "1yr" in r["survival_probabilities"]</code>	Pass	0.000s
Use term structure stored false	<code>r["use_term_structure"] is False</code>	Pass	0.000s
Use term structure stored true	<code>r["use_term_structure"] is True</code>	Pass	0.000s
Not trained no metrics printed	<code>"AUC" not in out</code>	Pass	0.000s
Not trained status	<code>"insufficient_data" in out; "GAUGE-bad" in out (+1 more)</code>	Pass	0.000s
Trained shows feature importance	<code>"log_h_s" in out; "log_t_end" in out</code>	Pass	0.000s
Trained shows label info	<code>"severe_warning" in out; "5.50" in out</code>	Pass	0.000s
Trained status prints metrics	<code>"trained" in out; "0.9200" in out (+1 more)</code>	Pass	0.000s
Percentile between alert and warn- ing -i '← ALERT' marker (line 480).	<code>"ALERT" in out</code>	Pass	0.000s
All sequence types reported	<code>"isolated" in out; "doublet" in out (+1 more)</code>	Pass	0.000s
Categories with zero peaks are skipped via 'continue' (line 493).	<code>"moderate" in out; "catastrophic" not in out</code>	Pass	0.000s
Output contains gauge id	<code>"GAUGE-test-pgp" in out</code>	Pass	0.000s
Percentile i= severe -i '← SE- VERE' marker.	<code>"SEVERE" in out</code>	Pass	0.000s
Percentile between warning and se- vere -i '← WARNING' marker.	<code>"WARNING" in out</code>	Pass	0.000s
Summary with full data does not crash	—	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Summary with no data does not crash	—	Pass	0.000s
Summary with partial data does not crash	—	Pass	0.000s
Logs gauge name	<code>isinstance(result["gauge_name"], str)</code>	Pass	0.001s
Logs without error	<code>len(caplog.records) >= 0</code>	Pass	0.001s
Alert trigger in log	<code>"ALERT" in combined</code>	Pass	0.000s
All survival years in log	<code>key in combined</code>	Pass	0.000s
Contract terms header in log	<code>"Contract Terms" in combined</code>	Pass	0.000s
Fair spread in log	<code>"Fair Spread" in combined</code>	Pass	0.000s
Gauge id in log	<code>result["gauge_id"] in combined</code>	Pass	0.000s
Gauge name in log	<code>result["gauge_name"] in combined</code>	Pass	0.000s
Npv value in log	<code>"NPV" in combined</code>	Pass	0.000s
Premium leg in log	<code>"Premium Leg" in combined</code>	Pass	0.000s
Protection leg in log	<code>"Protection Leg" in combined</code>	Pass	0.000s
Recovery rate in log	<code>"Recovery Rate" in combined</code>	Pass	0.000s
Severe trigger in log	<code>"SEVERE" in combined</code>	Pass	0.000s
Survival curve label in log	<code>"Survival Curve" in combined</code>	Pass	0.000s
Trigger level in log	<code>"WARNING" in combined</code>	Pass	0.000s
Empty directory returns empty list	<code>result == []</code>	Pass	0.000s
Non matching files skipped	<code>result == []</code>	Pass	0.000s
Output dir none uses input dir	<code>isinstance(result, list); any("gaugehd.39999" in r for r in result)</code>	Pass	0.015s
Output files created	<code>all(Path(p).exists() for p in result)</code>	Pass	0.015s
Process directory error continues	<code>isinstance(result, list)</code>	Pass	0.015s
Processes matching files	<code>len(result) == 2</code>	Pass	0.030s
Line 61/80: custom glob pattern selects different files.	<code>len(result) == 1</code>	Pass	0.002s
Line 87-88: error on one file doesn't stop processing others.	<code>len(result) >= 1</code>	Pass	0.003s
Multiple CSV files in directory are all processed.	<code>len(result) == 2</code>	Pass	0.003s
Line 81: station_id extracted by stripping _gdf from stem.	<code>len(result) == 1; result[0]</code>	Pass	0.002s
Line 288: empty gauge_lookup -i no nearest -i None.	<code>result is None</code>	Pass	0.165s
Line 283: empty prop_id -i None.	<code>result is None</code>	Pass	0.164s
Line 283: prop_lat == 0 -i None.	<code>result is None</code>	Pass	0.164s

Test Description	Acceptance Criteria	Result	Time
Non flooded events excluded from depth count	result["flood_count"] == 4	Pass	0.218s
Zero flooded events uses floor pricing	result["has_gev"] is False; result["pricing_method"] == "floor" (+1 more)	Pass	0.091s
Exactly min events triggers gev	result["flood_count"] == MIN_EVENTS_FOR_GEV	Pass	0.220s
Many events enables gev	result["flood_count"] == 10; result["gev_params"] is not None or result["has_gev"] is ...	Pass	0.194s
One below min events uses floor	result["has_gev"] is False; result["pricing_method"] == "floor"	Pass	0.091s
Max depth positive for flooded property	result["summary"]["max_depth_m"] > 0; result["summary"]["mean_depth_m"] > 0	Pass	0.215s
Transmission rate zero when no gauge floods	result["nearest_gauges"][0]["flood_transmission_rate"] == ...	Pass	0.091s
Zero depths for non flooded	result["summary"]["max_depth_m"] == 0.0; result["summary"]["mean_depth_m"] == 0.0	Pass	0.091s
Property with elevation > gauge peak -> depth 0.	result["summary"]["floods_at_property"] == 0	Pass	0.165s
Gauge response with exceeded_alert=False -> 0 gauge storms.	result["summary"]["floods_at_nearest_gauge"] == 0	Pass	0.165s
Summary dict has floods_at_nearest_gauge etc.	"property_id" in s; "floods_at_nearest_gauge" in s (+2 more)	Pass	0.165s
Full processing writes a JSON file for the property.	result is not None; (pts_dir / "PROP-001.json").exists()	Pass	0.165s
If a single property raises during generation, failed_properties	result["processing_stats"]["failed_properties"] >= 1; result["processing_stats"]["successful_properties"] >= 2	Pass	0.532s
getSampleStyleSheet() includes 'Title' by default, so line 65 branch	'Title' in page.styles	Pass	0.000s
Trade with property_id computes basis_delta_bps and basis_dv01.	enriched['property_id'] == 'PROP-001'; 'basis_delta_bps' in enriched (+2 more)	Pass	0.003s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Required fields not empty	<code>len(property_cdm.get_required_fields())</code> <code>> 0</code>	Pass	0.000s
Schema has property root	<code>len(list(property_cdm.schema.keys()))</code> <code>> 0</code>	Pass	0.000s
Validate valid property	<code>isinstance(property_cdm.validate(data), dict)</code>	Pass	0.000s
Existing property returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code> (+3 more)	Pass	0.003s
Include readings false strips readings	<code>"readings" not in event</code>	Pass	0.003s
Include readings true keeps readings	<code>"readings" in</code> <code>data["flood_events"][0];</code> <code>len(data["flood_events"][0]["readings"])</code> <code>== 168</code>	Pass	0.003s
Missing property returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.000s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code> (+1 more)	Pass	0.000s
GET /api/v1/properties/{id}/hazard returns hazard data for property with curves.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.002s
GET /api/v1/properties/{id}/hazard returns 404 for unknown property.	<code>response.status_code == 404</code>	Pass	0.002s
GET /api/v1/properties/{id}/hazard returns 404 for property without curves.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code> (+1 more)	Pass	0.002s
GET /api/v1/propertyhc/basis returns basis table.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+5 more)	Pass	0.002s
GET /api/v1/propertyhc/summary returns portfolio hazard summary.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.002s
Data contains hazard curve	<code>"hazard_curve" in</code> <code>r.get_json()["data"]</code>	Pass	0.002s
Data contains nearest gauges	<code>"nearest_gauges" in</code> <code>r.get_json()["data"]</code>	Pass	0.002s
Data contains property id	<code>r.get_json()["data"]["property_id"]</code> <code>== "PROP-001"</code>	Pass	0.002s
Data contains summary	<code>"summary" in r.get_json()["data"]</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Known property returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Known property status success	<code>r.get_json()["status"] == "success"</code>	Pass	0.002s
No data returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.000s
No data status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Options returns 200	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.000s
Options status ok	<code>r.get_json()["status"] == "ok";</code> <code>r.get_json()["status"] == "ok"</code>	Pass	0.000s
Response has data key	<code>"data" in r.get_json();</code> <code>"data" in r.get_json()</code>	Pass	0.002s
Second property also works	<code>r.status_code == 200;</code> <code>r.get_json()["data"]["property_id"] == "PROP-002"</code>	Pass	0.002s
Unknown property message contains id	<code>"PROP-GHOST" in r.get_json()["message"]</code>	Pass	0.002s
Unknown property returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Unknown property status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.003s
configure(panel_width, panel_height) updates both.	<code>obj.panel_width == "1000px";</code> <code>obj.panel_height == "800px"</code>	Pass	0.000s
configure() with no args leaves values unchanged.	<code>obj.panel_width == original_width;</code> <code>obj.panel_height == original_height</code>	Pass	0.000s
Lines 303-304: configure(panel_height=...) updates panel_height.	<code>obj.panel_height == "700px"</code>	Pass	0.000s
Lines 301-302: configure(panel_width=...) updates panel_width.	<code>obj.panel_width == "900px"</code>	Pass	0.000s
Line 308: get_statistics() returns dict with panel_width and panel_height.	<code>stats["panel_width"] == "750px";</code> <code>stats["panel_height"] == "550px"</code>	Pass	0.000s
get_statistics() always returns a dict.	<code>isinstance(stats, dict); "panel_width" in stats (+1 more)</code>	Pass	0.000s
PropertyID must be populated in Header (not just PropertyAttributes).	<code>len(empty_header_ids) == 0</code>	Pass	0.003s
property.json must contain at least one property.	<code>len(ids) > 0</code>	Pass	0.004s
Property IDs in propertyhc.json must exist in property.json.	<code>not orphaned</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Properties with hazard curves should also have timeseries data.	not missing	Pass	0.001s
propertyts/ files must reference property IDs from property.json.	len(missing) == 0	Pass	1.879s
Property IDs in propertyts/ files must exist in property.json.	not orphaned	Pass	0.004s
Generator does not use sequential format	'GAUGE-{i:}' not in src; 'GAUGE-{index}' not in src (+3 more)	Pass	0.000s
Generator source uses prop prefix	'PROP-' in src	Pass	0.001s
Generator source uses uuid	'uuid' in src; 'uuid' in src (+1 more)	Pass	0.000s
Uuid4 produces protocol matching ids	GAUGE_ID_RE.match(gauge_id); PROP_ID_RE.match(prop_id) (+2 more)	Pass	0.000s
Accepts valid	PROP_ID_RE.match('PROP-a3f7bc12'); PROP_ID_RE.match('PROP-00000000') (+6 more)	Pass	0.000s
Rejects sequential	not PROP_ID_RE.match('PROP-001'); not PROP_ID_RE.match('PROP-1234') (+3 more)	Pass	0.000s
Rejects uppercase	not PROP_ID_RE.match('PROP-A3F7BC12'); not STORM_ID_RE.match('STORM-C7F4B8E2')	Pass	0.000s
Test total portfolio value calculation.	total == 2050000	Pass	0.002s
Test value aggregation by state.	'FL' in values; 'TX' in values (+2 more)	Pass	0.002s
Custom filename	PropertyLoader(tmp_path, filename="my_props.json").count(...	Pass	0.003s
Load all returns list	len(PropertyLoader(tmp_path).load_all()) == 3	Pass	0.003s
Missing file empty	PropertyLoader(tmp_path).load_all() == []	Pass	0.000s
Test PropertyID extraction from nested structure.	prop_id is not None; prop_id.startswith("PROP-")	Pass	0.001s
Test property summary generation.	len(summaries) == 3; 'propertyId' in summary (+4 more)	Pass	0.001s
Test loading property portfolio.	len(properties) == 3	Pass	0.002s
Test getting coordinates.	coords is not None; lat == pytest.approx(25.7617, rel=1e-4) (+1 more)	Pass	0.001s
Test getting coordinates for non-existent property.	coords is None	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test getting location data.	location is not None; location['City'] == "Miami" (+1 more)	Pass	0.001s
Test getting location for non-existent property.	location is None	Pass	0.001s
Test finding properties within radius.	len(nearby) >= 1; len(nearby) == 2 (+1 more)	Pass	0.001s
Find by id	PropertyLoader(tmp_path).find_by_id("PROP-001") is not None	Pass	0.002s
List all has property id	"propertyId" in summaries[0]	Pass	0.001s
Test finding property by address.	prop is not None; "PROP-001" == property_loader.get_entity_id(prop)	Pass	0.001s
Test address search is case insensitive.	prop is not None	Pass	0.001s
Test address search with no match.	prop is None	Pass	0.001s
Test finding property by ID.	prop is not None; prop['PropertyHeader']['Location']['City'] == "Miami"	Pass	0.001s
Test finding properties by state.	len(fl_props) == 2; len(tx_props) == 1	Pass	0.001s
Test state search is case insensitive.	len(props) == 2	Pass	0.001s
Test finding properties by zip code.	len(props) == 1; property_loader.get_entity_id(props[0]) == "PROP-001"	Pass	0.001s
Test finding multiple properties in same zip.	len(props) == 1	Pass	0.001s
Passing an unhandled type triggers super().default() → TypeError.	—	Pass	0.000s
Lines 62-64: ground_level falls back to default_elevation.	mapping["ground_level_meters"] == 10.0; mapping["elevation"] == 10.0	Pass	0.000s
Lines 136-137: exception in create_mapping raises ValueError.	—	Pass	0.000s
Found returns mortgage	r.status_code == 200; data["status"] == "success" (+2 more)	Pass	0.001s
Loader exception returns 500	r.status_code == 500	Pass	0.001s
Not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.001s
Options returns ok	r.status_code == 200; r.status_code == 200	Pass	0.000s
All properties have nearest gauges	len(missing) == 0	Pass	0.000s
Each property should have at most 1 synthetic gauge.	len(bad) == 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Every nearest gauge should have gauge_elevation_m.	<code>len(bad) == 0</code>	Pass	0.001s
Line 258: continue when prop_id not in prop_values → no properties → 404.	<code>r.status_code == 404</code>	Pass	0.004s
Line 193: break when prop_id not in prop_values → no properties → 404.	<code>r.status_code == 404</code>	Pass	0.003s
Output json contains generation metadata	<code>"generated_at" in meta; "catchment" in meta (+1 more)</code>	Pass	0.535s
Output json contains properties key	<code>"properties" in data</code>	Pass	0.800s
Property header has property id	<code>"PropertyHeader" in prop; "PropertyAttributes" in prop["PropertyHeader"]</code>	Pass	0.798s
Result data contains locations	<code>len(result["data"]["locations"]) == 3</code>	Pass	0.850s
Full property+mortgage report produces a valid PDF file.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.028s
Mortgage-focused report produces a valid PDF.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.021s
Output directory is created automatically if it doesn't exist.	<code>new_dir.exists(); report_path.exists()</code>	Pass	0.019s
Generated filename includes the property ID.	<code>'PROP-test0001' in report_path.name</code>	Pass	0.020s
Full report PDF should be non-trivial in size (multi-page).	<code>report_path.stat().st_size > 10000</code>	Pass	0.028s
Generated file is a valid PDF (starts with %PDF).	<code>header == b'%PDF-'</code>	Pass	0.028s
Property-only report (no mortgage) produces a valid PDF.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.020s
Report handles minimal/sparse property data without crashing.	<code>report_path.exists(); report_path.stat().st_size > 0</code>	Pass	0.014s
Risk-focused report produces a valid PDF.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.015s
Auto-select includes mortgage pages when mortgage data present.	<code>'mortgage_overview' in pages; 'mortgage_details' in pages</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Auto-select excludes mortgage pages when no mortgage data.	'title_overview' in pages; 'mortgage_overview' not in pages (+1 more)	Pass	0.002s
Generator initialises with output directory.	gen.output_dir == tmp_path	Pass	0.002s
Generator lists all registered page modules.	'title_overview' in pages; 'location' in pages (+2 more)	Pass	0.002s
Validates known page names.	'title_overview' in valid; 'location' in valid (+1 more)	Pass	0.002s
Line 174-175: mortgage_data -i includes mortgage pages.	"mortgage_overview" in pages	Pass	0.002s
Line 174 (else): no mortgage_data -i no mortgage pages.	"mortgage_overview" not in pages	Pass	0.002s
Lines 214-216: exception in page -i logged, continue.	isinstance(elements, list)	Pass	0.002s
Lines 198-199: unknown page -i skip.	isinstance(elements, list)	Pass	0.002s
Lines 184-185: missing PropertyID -i 'unknown'.	"unknown" in name	Pass	0.002s
Lines 257-264: mortgage-focused report.	path.exists()	Pass	0.016s
Lines 251-255: property-only report.	path.exists()	Pass	0.014s
Lines 266-276: risk-focused report without mortgage data.	path.exists()	Pass	0.009s
Lines 266-276: risk-focused report with mortgage data.	path.exists()	Pass	0.011s
Line 313: get_page_categories.	"property" in cats; "mortgage" in cats	Pass	0.002s
Line 285: list_available_pages.	isinstance(pages, list); "title_overview" in pages	Pass	0.002s
Lines 69-70: output_dir=None -i uses config.get_property_reports_dir().	gen.output_dir == prop_dir	Pass	0.002s
Line 315: validate_pages.	"title_overview" in valid; "bogus_page" in invalid	Pass	0.002s
Categories dict initialized	"property" in gen.categories; "mortgage" in gen.categories (+1 more)	Pass	0.002s
Explicit output dir path	isinstance(gen.output_dir, Path)	Pass	0.002s
Explicit output dir string	gen.output_dir == tmp_path	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
No output dir uses config	<code>gen.output_dir == prop_dir</code>	Pass	0.002s
Output dir created	<code>new_dir.exists()</code>	Pass	0.002s
Property pages dict initialized	<code>expected <= set(gen.pages.keys())</code>	Pass	0.002s
Test POST <code>/api/v1/properties/report</code> without body.	<code>response.status_code == 400</code>	Pass	0.000s
Test POST <code>/api/v1/properties/report</code> without <code>propertyId</code> .	<code>response.status_code == 400; 'Property ID is required' in data['message']</code>	Pass	0.000s
Test POST <code>/api/v1/properties/report</code> with invalid property.	<code>response.status_code == 404</code>	Pass	0.002s
Test GET <code>/api/v1/properties/{id}</code> .	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
Test GET <code>/api/v1/properties/{id}</code> with invalid ID.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.002s
Test legacy POST <code>/api/v1/generate_property_report</code> endpoint.	<code>response.status_code == 404</code>	Pass	0.002s
Test GET <code>/api/v1/properties</code> .	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.002s
Test OPTIONS preflight request.	<code>response.status_code == 200</code>	Pass	0.000s
Shd has term structure	<code>"term_structure" in pc; "any_flood" in pc["term_structure"]</code>	Pass	0.228s
Shd output file is propertyshd json	<code>(output_dir / "propertyshd.json").exists();</code> <code>not (output_dir / "propertyhc.json").exists()</code>	Pass	0.225s
shd mode should look for propertytsd/ not propertyts/.	—	Pass	0.000s
She has term structure	<code>"term_structure" in pc; "any_flood" in pc["term_structure"]</code>	Pass	0.228s
She output file is propertyshe json	<code>(output_dir / "propertyshe.json").exists()</code>	Pass	0.225s
she mode should look for propertytse/ not propertyts/.	—	Pass	0.000s
Existing property returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code> (+3 more)	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Flood events tagged with sequence type	<code>len(events) >= 1; "sequence_type" in events[0]</code>	Pass	0.004s
Missing property returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.000s
Nearest gauges enriched with flood stages	<code>len(gauges) >= 1; "flood_stages" in gauges[0]</code>	Pass	0.005s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code> (+1 more)	Pass	0.000s
Response has flood events	<code>"flood_events" in data;</code> <code>len(data["flood_events"]) >= 1</code>	Pass	0.004s
Response has nearest gauges	<code>"nearest_gauges" in data</code>	Pass	0.004s
Response has property info	<code>"property_info" in data; "elevation_m" in data["property_info"]</code>	Pass	0.005s
Lines 157-158: gauge.json missing triggers except pass.	<code>r.status_code == 200;</code> <code>ng["flood_stages"] == {}</code>	Pass	0.030s
Lines 134-135: storm_sequences.json missing triggers except pass.	<code>r.status_code == 200; data["status"] == "success"</code> (+1 more)	Pass	0.030s
Property trace includes mortgage	<code>"mortgages" in steps</code>	Pass	0.002s
Property trace includes propertyhc	<code>"propertyhc" in steps</code>	Pass	0.003s
GET /api/v1/propertyts/storms returns storms with correct structure.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+8 more)	Pass	0.009s
Storm list must only include storms with property damage.	<code>len(non_flooding) == 0</code>	Pass	0.008s
GET /api/v1/properties/jid_/floods returns flood events for known property.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.002s
Property with few flood events should still return data from propertyts.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
GET /api/v1/properties/jid_/floods returns 404 for unknown property.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
GET /api/v1/properties/jid_/storms returns storm analysis data.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+4 more)	Pass	0.004s
GET /api/v1/properties/jid_/storms returns 404 for unknown property.	<code>response.status_code == 404</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Property with zero flood events should return empty array, not error.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+4 more)	Pass	0.004s
GET /api/v1/propertyts/summary returns portfolio flood summary.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
Generates per property files	<code>pts_dir.exists();</code> (pts_dir / "portfolio_flood_summary.json").exists()	Pass	0.000s
Per property files have flood data	"property_id" in data; "nearest_gauges" in data (+1 more)	Pass	0.001s
Portfolio summary has statistics	"total_properties" in s; s["total_properties"] == N_PROPERTIES (+1 more)	Pass	0.002s
np.float64 is converted to Python float by encoder.	<code>isinstance(result, float); abs(result - 3.14) < 1e-10</code>	Pass	0.000s
Lines 69-70: exception returns validation_error dict.	"validation_error" in result; <code>isinstance(result["validation_error"], list)</code> (+2 more)	Pass	0.000s
get_required_fields returns expected paths.	<code>len(fields) == 4;</code> "PropertyHeader.Header.PropertyID" in fields (+1 more)	Pass	0.000s
Line 65: location_errors appended when non-empty.	"Location" in errors; <code>len(errors["Location"]) == 2</code>	Pass	0.000s
Line 60: Missing LatitudeDegrees.	"Location" in errors; <code>any("LatitudeDegrees" in e for e in errors["Location"])</code>	Pass	0.000s
Line 62: Missing LongitudeDegrees.	"Location" in errors; <code>any("LongitudeDegrees" in e for e in errors["Location"])</code>	Pass	0.000s
Valid data returns no errors.	<code>property.validate(data) == {}</code>	Pass	0.000s
Close to water increases score	<code>near['vulnerability_score'] > far['vulnerability_score']</code>	Pass	0.000s
Flooded depth computed	<code>r['flood_depth'] == pytest.approx(1.0);</code> <code>r['vulnerability_score'] > 0</code>	Pass	0.000s
High risk recommendations present	<code>any("flood" in rec.lower() for rec in r['recommendations'])</code>	Pass	0.000s
No flood	<code>r['flood_depth'] == 0.0;</code> <code>r['vulnerability_score'] == 0</code>	Pass	0.000s
None elevation returns unknown	<code>r['risk_level'] == 'Unknown';</code> <code>r['flood_depth'] is None</code> (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None flood level returns unknown	<code>r['risk_level'] == 'Unknown'</code>	Pass	0.000s
Result dict keys	<code>set(r.keys()) == {'flood_depth', 'risk_level', 'vulnerabi...</code>	Pass	0.000s
Score capped at 100	<code>r['vulnerability_score'] <= 100</code>	Pass	0.000s
No mortgage returns zero fill	<code>r.status_code == 200;</code> <code>prop["has_mortgage"] is False</code> (+4 more)	Pass	0.004s
No mortgage sequence	<code>r.status_code == 200;</code> <code>prop["has_mortgage"] is False</code>	Pass	0.004s
Basis entry has avg basis bps	<code>"avg_basis_bps" in entry</code>	Pass	0.002s
Basis entry has flood count	<code>"flood_count" in entry</code>	Pass	0.002s
Basis entry has nearest gauges	<code>"nearest_gauges" in entry</code>	Pass	0.002s
Basis entry has property id	<code>"property_id" in entry</code>	Pass	0.002s
Basis table count matches	<code>data["count"] ==</code> <code>len(data["basis_table"])</code>	Pass	0.002s
Basis table length	<code>r.get_json()["count"] == 2</code>	Pass	0.002s
Results must be sorted highest avg_basis_bps first.	<code>bases == sorted(bases, reverse=True)</code>	Pass	0.002s
Nearest gauge has distance km	<code>"distance_km" in</code> <code>entry["nearest_gauges"][0]</code>	Pass	0.002s
Nearest gauge has gauge id	<code>"gauge_id" in</code> <code>entry["nearest_gauges"][0]</code>	Pass	0.002s
No data returns 404	<code>r.status_code == 404</code>	Pass	0.000s
No data status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Options returns 200	<code>r.status_code == 200</code>	Pass	0.000s
Options status ok	<code>r.get_json()["status"] == "ok"</code>	Pass	0.000s
Response has basis table	<code>"basis_table" in r.get_json()</code>	Pass	0.002s
Response has count	<code>"count" in r.get_json()</code>	Pass	0.002s
Returns 200 with data	<code>r.status_code == 200</code>	Pass	0.002s
Status is success	<code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Empty basis table is list	<code>isinstance(r.get_json()["basis_table"],</code> <code>list)</code>	Pass	0.002s
Empty count is zero	<code>r.get_json()["count"] == 0</code>	Pass	0.002s
Empty returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Distribution avg basis bps	<code>"avg_basis_bps" in dist;</code> <code>dist["avg_basis_bps"] >= 0</code>	Pass	0.002s
Distribution avg flood count	<code>"avg_flood_count" in dist;</code> <code>dist["avg_flood_count"] > 0</code>	Pass	0.002s
Distribution max depth m	<code>"max_depth_m" in dist;</code> <code>dist["max_depth_m"] > 0</code>	Pass	0.002s
Distribution num properties	<code>dist["num_properties"] == 2</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
No data message mentions command	"port" in r.get_json()["message"].lower() or "propertyhc"...	Pass	0.001s
No data returns 404	r.status_code == 404; r.status_code == 404	Pass	0.000s
No data status is error	r.get_json()["status"] == "error"	Pass	0.000s
Options returns 200	r.status_code == 200; r.status_code == 200	Pass	0.000s
Options status ok	r.get_json()["status"] == "ok"; r.get_json()["status"] == "ok"	Pass	0.000s
Response has data key	"data" in r.get_json(); "data" in r.get_json()	Pass	0.002s
Response has distribution	"distribution" in r.get_json()["data"]	Pass	0.002s
Response has metadata	"metadata" in r.get_json()["data"]	Pass	0.002s
Response has summary	"summary" in r.get_json()["data"]	Pass	0.002s
Returns 200 with data	r.status_code == 200	Pass	0.002s
Status is success	r.get_json()["status"] == "success"	Pass	0.002s
Empty curves avg flood count is zero	r.get_json()["data"]["distribution"]["avg_flood_count"] == 0	Pass	0.002s
Empty curves num properties is zero	r.get_json()["data"]["distribution"]["num_properties"] == 0	Pass	0.002s
Empty curves returns 200	r.status_code == 200	Pass	0.002s
When no natural measures, recommendation should appear.	isinstance(result, list)	Pass	0.000s
Natural measures section rendered	any("Natural" in t for t in texts)	Pass	0.000s
Empty property returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Empty protection measures dict shows fallback	any("No protection" in t for t in texts)	Pass	0.000s
No protection measures shows fallback	any("No protection" in t or "Protection" in t for t in te...	Pass	0.000s
Full protection fewer recommendations	isinstance(result, list)	Pass	0.001s
Generate protection recommendations returns dict	isinstance(result, dict)	Pass	0.000s
Missing critical measures in recommendations	isinstance(result, list)	Pass	0.000s
Recommendations all natural false	"Natural Solutions" in result	Pass	0.000s
Recommendations flood re eligible	"Insurance" in result	Pass	0.000s
Recommendations missing critical	"Priority Installations" in result	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Recommendations section always rendered	<code>any("Recommendation" in t for t in texts)</code>	Pass	0.000s
All installed excellent rating	<code>any("Resilience" in t or "Protection" in t for t in texts)</code>	Pass	0.000s
Building measures listed	<code>isinstance(result, list)</code>	Pass	0.000s
8 of 10 = 80% → Excellent.	<code>isinstance(result, list)</code>	Pass	0.000s
4 of 10 = 40% → Fair.	<code>isinstance(result, list)</code>	Pass	0.000s
6 of 10 = 60% → Good.	<code>isinstance(result, list)</code>	Pass	0.000s
2 of 10 = 20% → Limited.	<code>isinstance(result, list)</code>	Pass	0.000s
0 of 10 = 0% → Poor.	<code>isinstance(result, list)</code>	Pass	0.000s
Critical measures listed	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Emergency measures listed	<code>isinstance(result, list)</code>	Pass	0.000s
Uncategorised measure still shown	<code>isinstance(result, list)</code>	Pass	0.000s
Excess amount shown	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Insurance premium shown	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Other risk fields shown	<code>isinstance(result, list); len(result) > 1</code>	Pass	0.000s
Recommendations include flood re	<code>isinstance(result, list)</code>	Pass	0.000s
Risk assessment section rendered	<code>any("Insurance" in t for t in texts)</code>	Pass	0.000s
All entity ID suffixes are exactly 8 characters.	<code>all(v == 8 for v in suffix.lengths.values())</code>	Pass	0.000s
<code>str(uuid.uuid4())[8]</code> always yields lowercase hex.	<code>suffix == suffix.lower(); re.match(r'^[0-9a-f]{8}\$', suffix)</code>	Pass	0.001s
All four entity types use <code>str(uuid4())[8]</code> — same derivation, same format.	<code>pattern.match(entity_id)</code>	Pass	0.000s
All exports	<code>'ClaimReportGenerator' in pkg.__all__</code>	Pass	0.000s
Import from package	<code>ClaimReportGenerator is not None</code>	Pass	0.000s
Current exceeds original is capped	<code>result["Mortgage"]["LoanDetails"]["CurrentBalance"] <= 40...</code>	Pass	0.000s
Interest over 15 capped	<code>result["Mortgage"]["LoanDetails"]["InterestRate"] == 12.0</code>	Pass	0.000s
Interest under 1 raised	<code>result["Mortgage"]["LoanDetails"]["InterestRate"] == 2.0</code>	Pass	0.000s
Ltv over 100 capped at 95	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 95</code>	Pass	0.000s
Ltv under 10 set to 60	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 60</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Valid data unchanged	<pre>result["Mortgage"]["LoanDetails"]["CurrentBalance"] == 35...; result["Mortgage"]["LoanDetails"]["LTV"] == 80 (+1 more)</pre>	Pass	0.000s
Current exceeds original is capped to 95pct	<pre>result["Mortgage"]["LoanDetails"]["CurrentBalance"] <= 30...</pre>	Pass	0.000s
Current within original unchanged	<pre>result["Mortgage"]["LoanDetails"]["CurrentBalance"] == 35...</pre>	Pass	0.000s
Delegates to random module when method present	result is sentinel	Pass	0.000s
Ltv over 100 set to 95	<pre>result["Mortgage"]["LoanDetails"]["LTV"] == 95</pre>	Pass	0.000s
Ltv under 10 set to 60	<pre>result["Mortgage"]["LoanDetails"]["LTV"] == 60</pre>	Pass	0.000s
Valid ltv unchanged	<pre>result["Mortgage"]["LoanDetails"]["LTV"] == 75</pre>	Pass	0.000s
Get raci matrix	<pre>response.status_code == 200; data["status"] == "success" (+3 more)</pre>	Pass	0.001s
Get raci matrix file missing	<pre>response.status_code == 404</pre>	Pass	0.000s
Update raci activity	<pre>response.status_code == 200; data["status"] == "success" (+3 more)</pre>	Pass	0.005s
Update raci activity invalid role	<pre>response.status_code == 400</pre>	Pass	0.002s
Update raci escalation	<pre>response.status_code == 200; data["status"] == "success" (+3 more)</pre>	Pass	0.004s
Update raci role	<pre>response.status_code == 200; data["status"] == "success" (+3 more)</pre>	Pass	0.004s
Update raci role not found	<pre>response.status_code == 404</pre>	Pass	0.003s
No raci data returns 404	<pre>r.status_code == 404; r.status_code == 404</pre>	Pass	0.000s
Save raci failure returns 500	<pre>r.status_code == 500; r.get_json()["status"] == "error" (+4 more)</pre>	Pass	0.003s
Tier emphasis updated	<pre>r.status_code == 200; activities[0]["tier.emphasis"] == "Tier 1 focus"</pre>	Pass	0.003s
No raci data returns 404	<pre>r.status_code == 404; r.status_code == 404</pre>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.002s
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.002s
Remaining zero uses base amplitude	<code>isinstance(level, float)</code>	Pass	0.000s
Failure metadata covers key tests	<code>name in dlmod.FAILURE.METADATA;</code> 'principle' in meta (+2 more)	Pass	0.000s
Recon table has principle column	'BCBS Principle(s)' in header_row	Pass	0.000s
Record and reload	"gaugehd" in manifest["steps"]; <code>manifest["steps"]["gaugehd"]["run_id"]</code> <code>== "run-test-001"</code> (+4 more)	Pass	0.009s
Record with auto run id	<code>entry["run_id"].startswith("run-")</code>	Pass	0.003s
Empty EndDate returns default tenor of 5.	<code>result == 5</code>	Pass	0.000s
Invalid date format returns default tenor of 5 (ValueError path).	<code>result == 5</code>	Pass	0.000s
Missing EndDate key returns default tenor of 5.	<code>result == 5</code>	Pass	0.000s
None EndDate returns default tenor of 5 (TypeError path).	<code>result == 5</code>	Pass	0.000s
Valid far-future EndDate returns positive tenor.	<code>result >= 1</code>	Pass	0.000s
Compliant run is suitable	'suitable for regulatory risk reporting' in texts	Pass	0.000s
Issues run not suitable	'not suitable for regulatory risk reporting' in texts; 'COMPLIANT' not in texts.replace('PARTIALLY ...	Pass	0.001s
Remediation lists stale steps	'Stale data' in texts; 'hazard' in texts	Pass	0.001s
When lineage_results has a known failure, remediation cites it.	'PARTIALLY COMPLIANT' in texts or 'NON-COMPLIANT' in texts	Pass	0.001s
Shows strengths and weaknesses	'Strengths' in texts; 'Weaknesses' in texts	Pass	0.001s
Steps with empty output directories are skipped.	"propertyts" in result["skipped"]	Pass	0.021s
Repair with no existing manifest creates entries for all steps.	<code>len(result["repaired"]) ==</code> <code>len(STEP.IO);</code> <code>result["skipped"]</code> <code>== []</code> (+2 more)	Pass	0.032s

Test Description	Acceptance Criteria	Result	Time
Repaired hashes must match current file content.	<code>recorded_hash == hash_file(gauge_file)</code>	Pass	0.006s
Running repair twice produces identical hashes.	<code>out_info["hash"] == data2["steps"][step]["outputs"][out_n...</code>	Pass	0.037s
Input hashes recorded by repair should match the producer's output hash.	<code>gauges_out == props_in</code>	Pass	0.024s
Repair keeps run_id, timestamp, generator from existing entries.	<code>"gauges" in result["repaired"]; gauges_entry["run_id"] == "run-original" (+3 more)</code>	Pass	0.025s
Repair uses repair-YYYYMMDD-HHMMSS as run_id for new entries.	<code>gauges_entry["run_id"].startswith("repair-")</code>	Pass	0.003s
Steps whose outputs don't exist on disk are skipped.	<code>"gauges" in result["repaired"]; "properties" in result["skipped"] (+1 more)</code>	Pass	0.002s
Repair adds a runs entry listing all repaired steps.	<code>len(repair_runs) == 1; set(data["runs"][repair_runs[0]]) == set(result["repaired"])</code>	Pass	0.034s
Default report_type (no -report-type flag) hits the else branch	—	Pass	0.007s
Lines 349-351: success-logging block executes without error.	—	Pass	0.004s
Lines 444-445: monitoring without timeseries_data → condition False → else.	—	Pass	0.005s
Lines 442-443: -report-type analysis → generate_analysis_report path.	—	Pass	0.004s
Lines 344-345: -report-type analysis → generate_analysis_report path executed.	—	Pass	0.004s
Lines 438-439: -report-type basic → generate_basic_report path.	—	Pass	0.005s
Lines 338-339: -report-type basic → generate_basic_report path executed.	—	Pass	0.004s
Lines 340-341: -report-type detailed → generate_detailed_report path executed.	—	Pass	0.004s
Lines 346-347: unmapped report_type → generate_report(pages_to_include=args.pages).	—	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Lines 444-445: <code>-report-type full</code> → (not basic/monitoring/analysis) → else branch.	—	Pass	0.005s
Lines 440-441: <code>-report-type monitoring + timeseries</code> → monitoring path.	—	Pass	0.005s
Lines 499-500: <code>-report-type mortgage-focused + mortgage file</code> → focused report.	—	Pass	0.006s
Lines 499 condition False (no mortgage_data) → falls to else branch	—	Pass	0.005s
Lines 497-498: <code>-report-type property-only</code> → generate_property_only_report.	—	Pass	0.005s
Lines 501-502: <code>-report-type risk-focused</code> → generate_risk_focused_report.	—	Pass	0.004s
Lines 342-343: <code>-report-type summary</code> → generate_summary_report path executed.	—	Pass	0.004s
Lines 447-449: success-logging block runs after generation.	—	Pass	0.005s
Lines 506-508: success-logging block runs after a successful generation.	—	Pass	0.004s
reports.py lines 87-88: gaugehd file read error -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.031s
reports.py lines 135-140: general Exception -i 500.	<code>r.status_code == 500; "disk full" in r.get_json()["message"]</code>	FAIL	0.030s
reports.py lines 100-101: hazard file read error -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.029s
reports.py lines 128-133: ImportError -i 500.	<code>r.status_code == 500; "not available" in r.get_json()["message"].lower()</code>	FAIL	0.029s
reports.py lines 70-72: storm_responses loaded -i timeseries_data set.	<code>r.status_code == 200</code>	Pass	0.029s
reports.py lines 73-74: timeseries load failure -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.031s
Field is dict[overall risk rating] [field='overall_risk_rating']	<code>field in m; isinstance(m[field], dict)</code>	Pass	0.000s
Field is dict[coverage] [field='test_coverage']	<code>field in m; isinstance(m[field], dict)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Field is list[assumptions] [field='assumptions']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is list[downstream models] [field='downstream_models']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is list[limitations] [field='limitations']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is list[upstream models] [field='upstream_models']	field in m; isinstance(m[field], list)	Pass	0.000s
Field is string[category] [field='category']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[description] [field='description']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[name] [field='name']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[owner] [field='owner']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[status] [field='status']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[version] [field='version']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Case insensitive	resolve_model_id("GEV") == "MKM-GH-001"	Pass	0.000s
Depth damage maps to dd	resolve_model_id("depth_damage") == "MKM-DD-001"	Pass	0.000s
Distribution maps to si	resolve_model_id("distribution") == "MKM-SI-001"	Pass	0.000s
Mkm prefix returned as is	resolve_model_id("MKM-GH-001") == "MKM-GH-001"	Pass	0.001s
Shorthand gev resolved	resolve_model_id("gev") == "MKM-GH-001"	Pass	0.000s
Shorthand intensity resolved	resolve_model_id("intensity") == "MKM-SI-001"	Pass	0.000s
Shorthand mortgage resolved	resolve_model_id("mortgage") == "MKM-MP-001"	Pass	0.000s
Shorthand prs resolved	resolve_model_id("prs") == "MKM-PR-001"	Pass	0.000s
Spatial maps to sp	resolve_model_id("spatial") == "MKM-SP-001"	Pass	0.000s
Unknown shorthand returned as is	resolve_model_id("unknown_model") == "unknown_model"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
If all prerequisites are fresh, returns empty list.	<code>result == []</code>	Pass	0.002s
Upstream never recorded but outputs exist -i skip it.	<code>"gauges" not in result</code>	Pass	0.001s
Upstream never recorded and outputs missing -i needs to run.	<code>"gauges" in result</code>	Pass	0.001s
Multiple targets: prerequisites are union of both.	<code>"gauges" in result; "counterparties" in result</code>	Pass	0.001s
Without data_dir, missing manifest entries -i prerequisite needed.	<code>"gauges" in result</code>	Pass	0.000s
Root steps (gauges) have no prerequisites.	<code>result == []</code>	Pass	0.001s
Upstream recorded but inputs stale -i needs to run.	<code>"properties" in result</code>	Pass	0.002s
Target steps themselves should never appear in prerequisites.	<code>"propertyts" not in result</code>	Pass	0.001s
Prerequisites are returned in valid topological order.	<code>result.index("gauges") < result.index("properties"); result.index("gauges") < result.index("gaugehd") (+1 more)</code>	Pass	0.001s
Deep chain: if gauges missing, all downstream prereqs needed.	<code>"gauges" in result; "properties" in result (+4 more)</code>	Pass	0.001s
Unknown step returns empty list.	<code>result == []</code>	Pass	0.000s
Retention mentions reproducibility	<code>'Principle 5/6' in texts; 'Reproducibility' in texts</code>	Pass	0.001s
100yr greater than 10yr	<code>i100 > i10</code>	Pass	0.000s
Ordering 10 50 100	<code>i10 < i50 < i100</code>	Pass	0.000s
Result in bounds	<code>d.params.min_intensity <= v <= d.params.max_intensity</code>	Pass	0.000s
Storms per year affects result	<code>many > few</code>	Pass	0.000s
Returns dict with total storms	<code>isinstance(result, dict); "total_storms" in result (+1 more)</code>	Pass	0.002s
Returns elapsed s	<code>"elapsed_s" in result; result["elapsed_s"] >= 0</code>	Pass	0.002s
revalue_all(trades, None) loads market state internally.	<code>len(enriched) == 1; enriched[0]['swap_id'] == 'PRS-TEST001' (+1 more)</code>	Pass	0.007s
Combined mode with mortgage	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.001s
Empty property does not crash	<code>isinstance(self._page().generate_elements(), list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has risk header	<code>any("Risk" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
Property only mode	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(max_property=1), list)</code>	Pass	0.000s
Canal distance shown	<code>isinstance(result, list)</code>	Pass	0.001s
Empty property does not crash	<code>isinstance(self._page().generate_elements(1), list)</code>	Pass	0.000s
Flood risk type shown	<code>isinstance(result, list)</code>	Pass	0.001s
Has risk header	<code>any("Risk" in t for t in texts)</code>	Pass	0.001s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Lake distance shown	<code>isinstance(result, list)</code>	Pass	0.001s
Last flood date shown	<code>isinstance(result, list)</code>	Pass	0.000s
No defence scheme	<code>isinstance(result, list)</code>	Pass	0.000s
No ea zone	<code>isinstance(result, list)</code>	Pass	0.000s
No last flood date	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(max_property=1), list)</code>	Pass	0.001s
Line 257: non-numeric → delegates to <code>_format_value</code> .	<code>page._format.count(None) == "Not specified"</code>	Pass	0.000s
Line 256: numeric → comma-formatted.	<code>"1,234,567" in result</code>	Pass	0.000s
Line 239: non-numeric → delegates to <code>_format_value</code> .	<code>result == "Not specified"</code>	Pass	0.000s
Line 238: numeric → £ formatted.	<code>"£" in result; "1,234,567" in result</code>	Pass	0.000s
Line 251: non-numeric → delegates to <code>_format_value</code> .	<code>page._format.depth("N/A") == "N/A"</code>	Pass	0.000s
Line 250: numeric → formatted with 'm'.	<code>"1.50m" in result</code>	Pass	0.000s
Lines 204-215: camelCase → 'Camel Case'.	<code>"Risk" in result</code>	Pass	0.000s
Lines 207-213: abbreviation replacements applied.	<code>"ID" in result</code>	Pass	0.000s
Line 245: non-numeric → delegates to <code>_format_value</code> .	<code>page._format.percentage(None) == "Not specified"</code>	Pass	0.000s
Line 244: numeric → formatted with %.	<code>"%" in result; "12.3" in result</code>	Pass	0.000s
Line 222: False → 'No'.	<code>page._format.value(False) == "No"</code>	Pass	0.000s
Line 222: True → 'Yes'.	<code>page._format.value(True) == "Yes"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 230-231: blank string → 'Not specified'.	<code>page._format_value(" ") == "Not specified"</code>	Pass	0.000s
Lines 226-227: float with fractional part → 2dp string.	<code>result == "3.14"</code>	Pass	0.000s
Lines 224-225: float with no fractional part → int string.	<code>page._format_value(5.0) == "5"</code>	Pass	0.000s
Lines 228-229: integer → plain string.	<code>page._format_value(42) == "42"</code>	Pass	0.000s
Lines 232-233: non-empty string → passed through.	<code>page._format_value("hello") == "hello"</code>	Pass	0.000s
Line 220: None → 'Not specified'.	<code>page._format_value(None) == "Not specified"</code>	Pass	0.000s
High risk	<code>classify_risk_level(3.0) == "HIGH"</code>	Pass	0.000s
Low risk	<code>classify_risk_level(0.3) == "LOW"</code>	Pass	0.000s
Medium risk	<code>classify_risk_level(1.0) == "MEDIUM"</code>	Pass	0.000s
Minimal risk	<code>classify_risk_level(0.0) == "MINIMAL"</code>	Pass	0.000s
Get risk rating calculation	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+5 more)	Pass	0.002s
Risk rating clear override	<code>response.status_code == 200;</code> <code>rr["mrc_override"] is None</code> (+1 more)	Pass	0.006s
Risk rating override	<code>response.status_code == 200;</code> <code>rr["mrc_override"] == "Unacceptable"</code> (+3 more)	Pass	0.005s
Risk rating override invalid rating	<code>response.status_code == 400</code>	Pass	0.002s
Risk rating override requires reason	<code>response.status_code == 400</code>	Pass	0.002s
Line 210: inventory not found → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Lines 126-134: <code>_auto_select_pages</code> returns known pages.	<code>isinstance(pages, list); len(pages) > 0</code>	Pass	0.001s
Empty gauge data	<code>RiskReportGenerator(output_dir).generate_basic_report()</code>	Pass	0.015s
Lines 162-164: page raises → continue to next.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 148-149: unknown page → warning, skipped.	<code>isinstance(elements, list)</code>	Pass	0.001s
Line 265: <code>get_page_categories</code> .	<code>isinstance(cats, dict)</code>	Pass	0.001s
High risk portfolio report	<code>RiskReportGenerator(output_dir).generate_data_report()</code>	Pass	0.022s
Line 261: <code>list_available_pages</code> .	<code>isinstance(pages, list); len(pages) > 0</code>	Pass	0.001s
Minimal data report	<code>RiskReportGenerator(output_dir).generate_basic_report()</code>	Pass	0.014s

Test Description	Acceptance Criteria	Result	Time
Missing mortgage data	<code>RiskReportGenerator(output_dir).generate_report()</code>	Pass	0.021s
Lines 60-62: <code>output_dir=None</code> → uses <code>config.get_risk_reports_dir()</code> .	<code>gen.output_dir == risk_dir</code>	Pass	0.000s
Lines 270-336: <code>validate_pages</code> .	"title" in valid; "nonexistent" in invalid	Pass	0.001s
Analysis report generation	<code>report_path.exists()</code> ; <code>report_path.stat().st_size > 0</code>	Pass	0.016s
Basic report generation	<code>report_path.exists()</code> ; <code>report_path.suffix == ".pdf"</code> (+1 more)	Pass	0.021s
Custom filename	<code>report_path.name == custom_name</code> ; <code>report_path.exists()</code>	Pass	0.016s
Custom page selection	<code>report_path.exists()</code>	Pass	0.015s
Detailed report generation	<code>report_path.exists()</code> ; <code>report_path.stat().st_size > 0</code>	Pass	0.022s
Summary report generation	<code>report_path.exists()</code> ; <code>report_path.stat().st_size > 0</code>	Pass	0.009s
Categories dict initialized	"overview" in <code>gen.categories</code> ; "analysis" in <code>gen.categories</code> (+1 more)	Pass	0.001s
Explicit output dir path	<code>isinstance(gen.output_dir, Path)</code>	Pass	0.001s
Explicit output dir string	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
<code>output_dir=None</code> → falls back to <code>config.get_reports_dir('risk')</code> .	<code>gen.output_dir == risk_dir</code>	Pass	0.001s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pages dict initialized	<code>expected <= set(gen.pages.keys())</code>	Pass	0.001s
Get page categories	<code>isinstance(categories, dict)</code> ; key in categories	Pass	0.001s
List available pages	<code>isinstance(pages, list)</code> ; key in pages	Pass	0.001s
Validate pages invalid	"title" in valid; "nonexistent_page" in invalid	Pass	0.001s
Validate pages valid	<code>len(valid) == 2</code> ; <code>len(invalid) == 0</code>	Pass	0.001s
Complete workflow all types	<code>p.exists()</code> ; <code>p.stat().st_size > 0</code>	Pass	0.061s
Complete workflow basic	<code>report_path.exists()</code> ; <code>report_path.suffix == ".pdf"</code> (+1 more)	Pass	0.016s
High risk label	"High Risk" in <code>str(elements)</code>	Pass	0.000s
Low risk label	"Low Risk" in <code>str(elements)</code>	Pass	0.000s
Moderate risk label	"Moderate Risk" in <code>str(elements)</code>	Pass	0.000s
Non numeric score formatted	<code>isinstance(elements, list)</code>	Pass	0.000s
Very high risk label	"Very High Risk" in <code>str(elements)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Clay soil adds 1	result["score"] >= 1	Pass	0.000s
Close river adds 1	result["score"] >= 1	Pass	0.000s
High flood risk adds 3	result["score"] >= 3	Pass	0.000s
High score level	result["level"] == "High Risk"	Pass	0.000s
Low elevation adds 2	result["score"] >= 2	Pass	0.000s
Low flood risk adds 1	result["score"] >= 1	Pass	0.000s
Low medium score level	result["level"] in ("Medium Risk", "Low-Medium Risk")	Pass	0.000s
Low risk level	result["level"] == "Low Risk"	Pass	0.000s
Medium flood risk adds 2	result["score"] >= 2	Pass	0.000s
Medium score level	"Medium" in result["level"] or result["score"] >= 4	Pass	0.000s
Moderate elevation adds 1	result["score"] >= 1	Pass	0.000s
No risk factors message	"No major" in result["primary_factors"]	Pass	0.000s
Peat soil adds 2	result["score"] >= 2	Pass	0.000s
Returns all keys	k in result	Pass	0.000s
Very close river adds 2	result["score"] >= 2	Pass	0.000s
Very high flood risk adds 4	result["score"] >= 4	Pass	0.000s
Very high score level	result["level"] == "Very High Risk"	Pass	0.000s
Very low elevation adds 3	result["score"] >= 3	Pass	0.000s
Close 100 to 500m	isinstance(result, list)	Pass	0.001s
Good distance over 1000m	isinstance(result, list)	Pass	0.001s
Moderate 500 to 1000m	isinstance(result, list)	Pass	0.001s
Very close under 100m	isinstance(result, list)	Pass	0.001s
GET /governance/data-lineage gracefully handles _check_staleness error.	resp.status_code == 200; data["pipeline_steps"] == []	Pass	0.001s
GET /governance/data-lineage/staleness returns 500 on error.	resp.status_code == 500; data["status"] == "error"	Pass	0.000s
GET /governance/data-lineage/trace returns 500 on _trace_data error.	resp.status_code == 500; data["status"] == "error" (+1 more)	FAIL	0.001s
Appends started header	any("=" * 10 in ln for ln in lines); any("Audit run complete" in ln for ln in lines)	Pass	0.001s
Error line appended on exception	any("ERROR" in ln for ln in lines)	Pass	0.001s
Handles exception gracefully	tr_mod.running is False	Pass	0.001s
Sets running false on completion	tr_mod.running is False	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Setting <code>_batch_job</code> to <code>None</code> mid-run stops processing.	<code>call_count == 1; cl_mod._batch_job is None</code>	Pass	0.000s
Failed gauge training is recorded as 'failed' in results.	<code>cl_mod._batch_job["status"] == "complete"; results[0]["status"] == "trained" (+2 more)</code>	Pass	0.000s
Batch trains gauges and records timings.	<code>cl_mod._batch_job["status"] == "complete"; cl_mod._batch_job["completed"] == 2 (+5 more)</code>	Pass	0.002s
Each gauge has <code>gauge_id</code> , <code>gauge_name</code> , <code>p_flood</code> , <code>p_flood_pct</code> , <code>threshold</code> ,	<code>'gauge_id' in g; 'gauge_name' in g (+8 more)</code>	Pass	0.030s
Response has <code>gauges_severe</code> as list of <code>gauge_ids</code> ; for <code>STORM_PORT_SEVERE</code>	<code>'gauges_severe' in data; isinstance(data['gauges_severe'], list) (+2 more)</code>	Pass	0.032s
<code>gauges_warning</code> list includes <code>GAUGE-002</code> .	<code>'gauges_warning' in data; isinstance(data['gauges_warning'], list) (+2 more)</code>	Pass	0.017s
Response has 'gauges' list.	<code>'gauges' in data; isinstance(data['gauges'], list)</code>	Pass	0.039s
Response has <code>portfolio_stress_pnl</code> , <code>portfolio_mtm</code> , <code>num_gauges</code> .	<code>'portfolio_stress_pnl' in data; 'portfolio_mtm' in data (+1 more)</code>	Pass	0.025s
POST with non-existent <code>storm_id</code> returns 404.	<code>resp.status_code == 404</code>	Pass	0.003s
POST with no body or empty <code>storm_id</code> returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
POST <code>STORM-PORT-001</code> returns 200 with <code>status=success</code> .	<code>resp.status_code == 200; data['status'] == 'success'</code>	Pass	0.033s
Each hour has <code>water_level</code> , <code>p_flood</code> , <code>portfolio</code> fields.	<code>'hour' in h; 'water_level' in h (+4 more)</code>	Pass	0.036s
Non-existent storm returns 404.	<code>resp.status_code == 404</code>	Pass	0.001s
Severe storm triggers knock-out ($P(\text{flood})=100\%$).	<code>data['hourly'][first_breach]['p_flood'] == 1.0; h['p_flood'] is None</code>	Pass	0.030s
Missing <code>gauge_id</code> or <code>storm_id</code> returns 400.	<code>resp.status_code == 400</code>	Pass	0.001s
No JSON body returns error.	<code>resp.status_code in (400, 500)</code>	Pass	0.001s
Response includes portfolio-level stress summary.	<code>'num_trades' in summary; 'total_notional' in summary (+5 more)</code>	Pass	0.035s
Response includes probability surface grid.	<code>'probability_surface' in data; 'water_levels' in surface (+7 more)</code>	Pass	0.037s

Test Description	Acceptance Criteria	Result	Time
POST returns 168-hour forecast array.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.034s
Response includes per-trade summary.	<code>'trades' in data; len(data['trades']) == 2</code> (+4 more)	Pass	0.032s
Surface water levels cap at severe – no rows above severe.	<code>max(surface['water_levels']) <= severe</code>	Pass	0.035s
Surface must cover full 168h storm horizon regardless of KO.	<code>max(surface['hours']) >= 164</code>	Pass	0.034s
Empty gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
No open trades at gauge returns 404.	<code>resp.status_code == 404</code>	Pass	0.001s
Null JSON body returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Gaugets file present uses hydrograph built from real readings.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.026s
Already running message	<code>data["status"] == "running";</code> <code>"message" in data</code> (+1 more)	Pass	0.000s
Already running returns 202	<code>resp.status_code == 202</code>	Pass	0.000s
Response has started status	<code>data["status"] == "started"</code>	Pass	0.001s
Starts run returns 202	<code>resp.status_code == 202</code>	Pass	0.001s
Empty running pnl returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
All positive	<code>np.all(M > 0.0)</code>	Pass	0.000s
Empirical pairwise correlation approximately matches model correlation for large samples.	<code>abs(emp_corr[i, j] - model_corr[i, j]) < 0.15</code>	Pass	0.006s
Higher intensity -i longer range -i more spatially coherent (lower variance).	<code>np.mean(vars_extreme) < np.mean(vars_moderate)</code>	Pass	0.008s
Normalisation ensures catchment mean is preserved.	<code>M.mean() == pytest.approx(1.0, abs=1e-10)</code>	Pass	0.000s
Pre-normalisation, $E[M] = \exp(\sigma^2/2) / \exp(\sigma^2/2) = 1$ theoretically.	<code>np.mean(pre_norms) == pytest.approx(1.0, abs=0.05)</code>	Pass	0.002s
Reproducible with seed	<code>np.allclose(M1, M2)</code>	Pass	0.000s
Shape	<code>M.shape == (small_model.n_gauges,)</code>	Pass	0.000s
When rng is None, falls back to np.random.randn (line 251).	<code>M.shape == (model.n_gauges,); M.mean() == pytest.approx(1.0, abs=1e-10)</code> (+1 more)	Pass	0.000s
Catastrophic weights: 15% doublet, 45% cluster, 40% persistent.	<code>doublets < 150</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Defined categories[catastrophic] [cat='catastrophic']	result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...	Pass	0.000s
Defined categories[extreme] [cat='extreme']	result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...	Pass	0.000s
Defined categories[moderate] [cat='moderate']	result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...	Pass	0.000s
Defined categories[severe] [cat='severe']	result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...	Pass	0.000s
Returns sequence type	isinstance(result, SequenceType); result in [SequenceType.DOUBLET, SequenceType.CLUSTER, Se...	Pass	0.000s
Unknown category uses DE- FAULT_TYPE.WEIGHTS.	isinstance(result, SequenceType)	Pass	0.000s
Lines 122-123: 30% chance subse- quent storm goes down.	below_base > 10	Pass	0.000s
Storm index 0 has downward varia- tion (up to -20%).	all(r <= base + 0.001 for r in results)	Pass	0.001s
First storm returns positive	result > 0	Pass	0.000s
Result should be within +/-20% of base for first storm.	all(r >= lower - 0.001 for r in results); all(r <= upper + 0.001 for r in results)	Pass	0.001s
70% chance of maintaining/increas- ing subsequent storm intensity.	above_base > 100	Pass	0.000s
Subsequent storm positive	result > 0	Pass	0.000s
max(0.1, ...) prevents zero or nega- tive intensity.	result >= 0.1	Pass	0.000s
Different seeds different output	d1.sample(10) != d2.sample(10)	Pass	0.000s
Sample n returns correct length	len(samples) == 100	Pass	0.000s
Sample single	d.params.min_intensity <= v <= d.params.max_intensity	Pass	0.000s
Samples within bounds	all(d.params.min_intensity <= s <= d.params.max_intensity...	Pass	0.001s
Seeded reproducibility	s1 == s2	Pass	0.000s
Bool passed through	result["flag"] is True	Pass	0.000s
Empty params	result == {}	Pass	0.000s
Float passed through	result["rate"] == 0.05	Pass	0.000s
Int passed through	result["n"] == 42	Pass	0.000s
Long list summarised	isinstance(result["items"], str); "15 items" in result["items"]	Pass	0.000s
None passed through	result["x"] is None	Pass	0.000s
Object converted to string	result["obj"] == "my-object"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Short list converted to str	<code>isinstance(result["items"], list);</code> <code>len(result["items"]) == 3</code>	Pass	0.000s
String passed through	<code>result["name"] == "test"</code>	Pass	0.000s
Tuple treated like list	<code>isinstance(result["t"], list)</code>	Pass	0.000s
Identity no antecedent	<code>compute_saturation_factor(0.0) == 1.0</code>	Pass	0.000s
Known value	<code>compute_saturation_factor(100.0) ==</code> <code>pytest.approx(expected)</code>	Pass	0.000s
Monotonic	<code>1.0 < s1 < s2 < s3</code>	Pass	0.000s
Negative precip	<code>compute_saturation_factor(-10.0) ==</code> <code>1.0</code>	Pass	0.000s
Saves and returns response	<code>resp is not None</code>	Pass	0.032s
Returns false on oerror	<code>result is False; _save_audit_log([])</code> <code>is False (+1 more)</code>	Pass	0.000s
Saves entries	<code>result is True;</code> <code>json.loads(p.read_text())[0]["event"]</code> <code>== "created"</code>	Pass	0.001s
Returns false on oerror	<code>_save_bcbs239({}) is False;</code> <code>_save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves data	<code>_save_bcbs239({"principles": []}) is</code> <code>True; _save_raci({"roles": []}) is</code> <code>True</code>	Pass	0.000s
Returns false on oerror	<code>_save_bcbs239({}) is False;</code> <code>_save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves bibliography	<code>_save_bibliography({"references":</code> <code>[], "categories": []}) ...</code>	Pass	0.000s
Save error is reraised	—	Pass	0.002s
Creates gauge file	<code>(tmp_path / "gaugets" /</code> <code>"GAUGE-001.json").exists()</code>	Pass	0.000s
If gauge file already exists, merge storm_responses into it.	<code>"flood_simulation" in data;</code> <code>"storm_responses" in data</code>	Pass	0.003s
Multiple gauges	<code>(gaugets_dir /</code> <code>"GAUGE-001.json").exists();</code> <code>(gaugets_dir /</code> <code>"GAUGE-002.json").exists()</code>	Pass	0.000s
Saved file has responses	<code>"storm_responses" in data;</code> <code>len(data["storm_responses"]["responses"])</code> <code>== 3</code>	Pass	0.001s
Returns false on oerror	<code>_save_bcbs239({}) is False;</code> <code>_save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves documents	<code>_save_gov_documents([{"doc_id":</code> <code>"D1"}]) is True</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Creates file	<code>output_path.exists();</code> <code>result ==</code>	Pass	0.000s
	<code>output_path</code>		
Creates parent dirs	<code>output_path.exists()</code>	Pass	0.000s
File has hazard curves	<code>"GAUGE-001" in data["hazard_curves"]</code>	Pass	0.001s
File has metadata	<code>"metadata" in data;</code> <code>data["metadata"]["catchment_id"]</code> <code>== "thames"</code>	Pass	0.002s
Metadata merged	<code>data["metadata"]["num_storms"] == 100</code>	Pass	0.002s
Returns false on oserror	<code>result is False;</code> <code>_save_audit_log([])</code> <code>is False (+1 more)</code>	Pass	0.000s
Saves data	<code>result is True;</code> <code>json.loads(p.read_text())["models"]</code> <code>== []</code>	Pass	0.001s
Creates parent dirs	<code>out.exists()</code>	Pass	0.008s
Load missing file raises	—	Pass	0.000s
Load returns correct count	<code>len(loaded) == len(small_batch)</code>	Pass	0.021s
Load wrong schema raises	—	Pass	0.001s
Loaded sequences still valid	<code>result["invalid"] == 0</code>	Pass	0.021s
Round trip num storms	<code>orig.num_storms == back.num_storms</code>	Pass	0.020s
Round trip precipitation	<code>abs(orig.total_precipitation_mm -</code> <code>back.total_precipitatio...</code>	Pass	0.020s
Round trip sequence type	<code>orig.sequence_type ==</code> <code>back.sequence_type</code>	Pass	0.021s
Round trip storm fields	<code>os_.storm_index == bs_.storm_index;</code> <code>abs(os_.duration_hours -</code> <code>bs_.duration_hours) < 0.01</code> (+1 more)	Pass	0.023s
Round trip total duration	<code>abs(orig.total_duration_hours -</code> <code>back.total_duration_hours...</code>	Pass	0.023s
Save creates file	<code>out.exists()</code>	Pass	0.008s
Schema version in file	<code>raw["schema_version"] ==</code> <code>SCHEMA_VERSION</code>	Pass	0.020s
Save cleans up on failure	<code>len(list(tmp_path.glob("*.tmp"))) ==</code> <code>0</code>	Pass	0.002s
Save creates file	<code>result == data</code>	Pass	0.036s
Save overwrites existing	<code>result == new_data</code>	Pass	0.009s
Returns false on oserror	<code>result is False;</code> <code>_save_audit_log([])</code> <code>is False (+1 more)</code>	Pass	0.000s
Saves meetings	<code>result is True;</code> <code>json.loads(p.read_text())[0]["id"] ==</code> <code>"M1"</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Returns false on oserror	<code>_save.bcbs239({}) is False;</code>	Pass	0.000s
Saves data	<code>_save_raci({}) is False (+2 more)</code> <code>_save.bcbs239({"principles": []}) is True;</code> <code>_save_raci({"roles": []}) is True</code>	Pass	0.000s
Creates file	<code>out.exists()</code>	Pass	0.000s
Duration stats present	<code>d["min"] > 0; d["max"] <= 156 (+1 more)</code>	Pass	0.001s
Num sequences matches	<code>data["num_sequences"] == len(small.batch)</code>	Pass	0.001s
Precipitation stats present	<code>p["min"] > 0; p["max"] >= p["min"] (+1 more)</code>	Pass	0.001s
Schema version	<code>data["schema_version"] == SCHEMA.VERSION</code>	Pass	0.002s
Type counts sum to total	<code>sum(data["sequence_type_counts"].values()) == len(small.b...</code>	Pass	0.001s
Type fractions sum to one	<code>abs(total.frac - 1.0) < 0.001</code>	Pass	0.001s
Above max depth returns one	<code>scalar_depth_damage(100.0) == pytest.approx(1.0)</code>	Pass	0.000s
Between control points interpolated	<code>0.25 < d < 0.40</code>	Pass	0.000s
Damage between 0 and 1	<code>0 <= scalar_depth_damage(depth) <= 1.0</code>	Pass	0.000s
Half meter damage	<code>d == pytest.approx(DAMAGE_POINTS[2], abs=1e-6)</code>	Pass	0.000s
Max depth returns one	<code>scalar_depth_damage(DEPTH_POINTS[-1]) == pytest.approx(1.0)</code>	Pass	0.000s
Monotonically increasing	<code>all(damages[i] <= damages[i + 1] for i in range(len(damag...</code>	Pass	0.000s
Negative depth returns zero	<code>scalar_depth_damage(-1.0) == 0.0;</code> <code>scalar_depth_damage(-100.0) == 0.0</code>	Pass	0.000s
One meter damage	<code>d == pytest.approx(DAMAGE_POINTS[3], abs=1e-6)</code>	Pass	0.000s
Returns float	<code>isinstance(scalar_depth_damage(0.75), float)</code>	Pass	0.000s
Small depth returns small damage	<code>d == pytest.approx(DAMAGE_POINTS[1], abs=1e-9)</code>	Pass	0.000s
Zero depth returns zero	<code>scalar_depth_damage(0.0) == 0.0</code>	Pass	0.000s
Every control point must return a value in [0, 1].	<code>0.0 <= val <= 1.0</code>	Pass	0.000s
Very small positive depth (between 0 and first control point).	<code>0.0 < d < 0.05</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'base.level.m' field — used in Stress tab storm info bar.	'base.level.m' in s	Pass	0.002s
'duration.hours' field — used in Stress tab storm info bar.	'duration.hours' in s	Pass	0.002s
'effective.precipitation.mm' field — shown in storm row.	'effective.precipitation.mm' in s	Pass	0.002s
'gauges.severe' field — severity indicator in storm row.	'gauges.severe' in s	Pass	0.003s
'intensity.category' field — colour-coded in storm row.	'intensity.category' in s	Pass	0.004s
'level.change.m' field — used in Stress tab storm info bar.	'level.change.m' in s	Pass	0.002s
'max.trigger' field — used for trigger colour coding in Historical list.	'max.trigger' in s	Pass	0.002s
'name' field — shown in storm row title.	'name' in s	Pass	0.002s
'peak.level.m' field — primary sort key and shown in Trading Desk label.	'peak.level.m' in s	Pass	0.002s
'peak.position' field — used in hydrograph synthesis.	'peak.position' in s	Pass	0.004s
Hour label element must be present to display current hour.	'sp-sim-hour-label' in sim_js	Pass	0.000s
Scrubber element must have the expected DOM ID.	'sp-sim-scrubber' in sim_js	Pass	0.000s
scrubber.max must equal STORM_SIMULATION_HOURS - 1 (0-indexed).	f"scrubber.max = '{expected}'" in sim_js	Pass	0.000s
Regression guard: the old wrong value '59' must not be present.	"scrubber.max = '59'" not in sim_js	Pass	0.000s
scrubber.min must be '0' so the timeline starts at hour 0.	"scrubber.min = '0'" in sim_js	Pass	0.000s
Scrubber element must be an input[type=range].	"scrubber.type = 'range'" in sim_js	Pass	0.000s
Heading	.has_paragraph_containing(els, '7. Property Flood Time Se...; .has_paragraph_containing(els, '9. Counterparties') (+2 more)	Pass	0.000s
Kv table	.has_table(els)	Pass	0.000s
Returns list	isinstance(els, list); isinstance(els, list) (+2 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Cover healthy	<code>len(story) > 0</code>	Pass	0.000s
Cover issues	<code>len(story) > 0</code>	Pass	0.000s
Exec summary healthy	<code>len(story) > 0</code>	Pass	0.001s
Exec summary issues	<code>len(story) > 0</code>	Pass	0.001s
Quality metrics healthy	<code>len(story) > 0</code>	Pass	0.001s
Quality metrics with stale details	<code>len(story) > 0</code>	Pass	0.001s
Reconciliation no results	<code>len(story) > 0</code>	Pass	0.000s
Reconciliation with failures	<code>len(story) > 0</code>	Pass	0.001s
Reconciliation with results	<code>len(story) > 0</code>	Pass	0.000s
Remediation compliant	<code>len(story) > 0</code>	Pass	0.000s
Remediation with issues	<code>len(story) > 2</code>	Pass	0.001s
Retention policy	<code>len(story) > 0</code>	Pass	0.001s
Source documentation	<code>len(story) > 0</code>	Pass	0.001s
Step with no parameters should still render.	<code>len(story) > 0</code>	Pass	0.001s
Topology	<code>len(story) > 0</code>	Pass	0.000s
Handles Counterparty key instead of CounterpartySet.	<code>.has_table(els)</code>	Pass	0.000s
Empty message	<code>.has_paragraph.containing(els, 'No counterparties generat...</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '7. Property Flood Time Se...; .has_paragraph.containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.000s
Returns list	<code>isinstance(els, list); isinstance(els, list) (+2 more)</code>	Pass	0.000s
Table present	<code>.has_table(els)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages'); .has_paragraph.containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
No baselines message	<code>.has_paragraph.containing(els, '5 gaugehd files')</code>	Pass	0.000s
Range computed	<code>.has_paragraph.containing(els, 'Seasonal range')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list); isinstance(els, list) (+4 more)</code>	Pass	0.000s
Seasonal averages	<code>.has_paragraph.containing(els, 'Avg winter baseline')</code>	Pass	0.000s
Table when baselines	<code>.has_table(els)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Empty gauges message	<code>.has_paragraph.containing(els, 'No gauges generated');</code> not <code>.has_table(els)</code>	Pass	0.000s
Multiple gauges	<code>.has_paragraph.containing(els, '2 gauges')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Section heading	<code>.has_paragraph.containing(els, '1. Gauge Network')</code>	Pass	0.000s
Summary line counts	<code>.has_paragraph.containing(els, '5 time series');</code> <code>.has_paragraph.containing(els, '3 historical daily')</code>	Pass	0.000s
Table present	<code>.has_table(els); .has_table(els)</code>	Pass	0.000s
Handles exceedance_probabilities + return_levels format.	<code>.has_table(els)</code>	Pass	0.000s
Non-dict gauge curve entry should produce dashes, not crash.	<code>.has_table(els)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages');</code> <code>.has_paragraph.containing(els, '4. Historical Gauge Data')</code> (+2 more)	Pass	0.000s
No curves message	<code>.has_paragraph.containing(els, 'No hazard curves available')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table with curves	<code>.has_table(els);</code> <code>.has_paragraph.containing(els, '1 property hazard curves')</code>	Pass	0.000s
Count in summary	<code>.has_paragraph.containing(els, '2 mortgages linked')</code>	Pass	0.000s
Empty mortgages message	<code>.has_paragraph.containing(els, 'No mortgages generated')</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages');</code> <code>.has_paragraph.containing(els, '4. Historical Gauge Data')</code> (+2 more)	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table present	<code>.has_table(els); .has_table(els)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Empty properties message	<code>.has_paragraph.containing(els, 'No properties generated')</code>	Pass	0.000s
Heading present	<code>.has_paragraph.containing(els, '2. Properties')</code>	Pass	0.000s
Property count in summary	<code>.has_paragraph.containing(els, '2 properties')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table with properties	<code>.has_table(els)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '7. Property Flood Time Se...;</code> <code>.has_paragraph.containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.000s
No phc section when empty	<code>not .has_paragraph.containing(els, '8. Property Hazard')</code>	Pass	0.000s
Phc section added	<code>.has_paragraph.containing(els, '8. Property Hazard Curves');</code> <code>.has_paragraph.containing(els, '2 property hazard curves')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+2 more)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages');</code> <code>.has_paragraph.containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
Kv table present	<code>.has_table(els)</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
With full summary	<code>.has_table(els)</code>	Pass	0.000s
If input_dir is a real path, data size is appended.	<code>.has_table(els)</code>	Pass	0.001s
Heading	<code>.has_paragraph.containing(els, '7. Property Flood Time Se...;</code> <code>.has_paragraph.containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.001s
Kv table present	<code>.has_table(els)</code>	Pass	0.001s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+2 more)</code>	Pass	0.001s
All builders exported	<code>hasattr(sections_mod, name);</code> <code>callable(getattr(sections_mod, name))</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All list	<code>len(sections.mod._all_) == 12</code>	Pass	0.000s
Case insensitive	<code>seq_type_color('DOUBLET') == colors.lightyellow</code>	Pass	0.000s
Cluster	<code>seq_type_color('cluster') == colors.lightsalmon</code>	Pass	0.000s
Doublet	<code>seq_type_color('doublet') == colors.lightyellow</code>	Pass	0.000s
Isolated	<code>seq_type_color('isolated') == colors.lightblue</code>	Pass	0.000s
None returns white	<code>seq_type_color(None) == colors.white</code>	Pass	0.000s
Persistent	<code>seq_type_color('persistent') == colors.mistyrose</code>	Pass	0.000s
Unknown returns white	<code>seq_type_color('unknown') == colors.white</code>	Pass	0.000s
Response declares the max_depth damage model.	<code>data["damage_model"] == "max_depth"</code>	Pass	0.005s
Each property entry includes num_sequence_floods.	<code>prop.a["num_sequence_floods"] >= 1</code>	Pass	0.006s
Response includes num_storms_in_sequence.	<code>"num_storms_in_sequence" in data; data["num_storms_in_sequence"] >= 1</code>	Pass	0.006s
Damage is max depth, not $0.10 + 0.18 = 0.28$.	<code>prop.a["damage_ratio"] < 0.20</code>	Pass	0.005s
PROP-A: second storm (0.65m) is worst — sequence damage uses 0.18 ratio.	<code>prop.a["damage_ratio"] == pytest.approx(0.18); prop.a["damage_amount"] == pytest.approx(350_000 * 0.18)</code> (+1 more)	Pass	0.006s
PROP-B: first storm depth=0 so excluded, second storm 0.55m -j included.	<code>"PROP-B" in prop.ids</code>	Pass	0.006s
PROP-C is flooded by STORM-other, not STORM-test1 — must not appear.	<code>"PROP-C" not in prop.ids</code>	Pass	0.007s
Sequence total damage j sum of individual storm damages (not additive).	<code>seq.damage < dmg.d1a + dmg.d1b</code>	Pass	0.009s
Sequence endpoint options	<code>r.status_code == 200</code>	Pass	0.000s
Sequence endpoint returns 200	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.005s
Sequence id in response	<code>data["sequence_id"] == "STORM-test1"</code>	Pass	0.005s
Unknown sequence returns 404	<code>r.status_code == 404</code>	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Worst storm (17% damage on 300k -i 249k i 280k outstanding -i negative equity.	<code>data["portfolio"]["mortgages_in_negative_equity"] == 1; prop["negative_equity"] is True</code>	Pass	0.004s
Sequence num floods is four	<code>data["properties"][0]["num_sequence_floods"] == 4</code>	Pass	0.004s
Sequence damage uses storm p3 (1.8m, ratio=0.17), not p1 or p2.	<code>prop["worst_storm_id"] == "STORM-p3"; prop["damage_ratio"] == pytest.approx(0.17)</code>	Pass	0.004s
Querying seqA1 does not return seqB damage.	<code>dmg_a != dmg_b; dmg_a != dmg_a + dmg_b</code>	Pass	0.005s
Seqa first storm returns only its damage	<code>prop["damage_amount"] == pytest.approx(400_000 * 0.12)</code>	Pass	0.004s
Seqb storm returns only seqb damage	<code>prop["damage_amount"] == pytest.approx(400_000 * 0.06)</code>	Pass	0.004s
Known sequence returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.005s
No pts dir returns 404	<code>r.status_code == 404; r.get_json()["status"] == "error"</code> (+2 more)	Pass	0.000s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.000s
Properties sorted by damage descending	<code>amounts == sorted(amounts, reverse=True); amounts == sorted(amounts, reverse=True)</code>	Pass	0.005s
Property entry has financial fields	<code>"property_id" in prop; "property_value" in prop</code> (+9 more)	Pass	0.005s
Property entry has num sequence floods	<code>"num_sequence_floods" in prop; prop["num_sequence_floods"] >= 1</code>	Pass	0.004s
Property entry has worst storm id	<code>"worst_storm_id" in prop</code>	Pass	0.005s
Response has damage model	<code>r.get_json()["damage_model"] == "max_depth"</code>	Pass	0.004s
Response has num storms	<code>"num_storms_in_sequence" in r.get_json(); r.get_json()["num_storms_in_sequence"] >= 1</code>	Pass	0.005s
Response has portfolio	<code>"portfolio" in data; "total_properties" in port</code> (+4 more)	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Response has properties list	"properties" in data; len(data["properties"]) >= 1 (+2 more)	Pass	0.005s
Response has sequence id	r.get_json()["sequence_id"] == seq_id	Pass	0.005s
Unknown sequence returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.005s
Describe returns string	isinstance(desc, str); "base_mean" in desc.lower() or "Base mean" in desc	Pass	0.074s
Params roundtrip	recovered.base_mean == 52; recovered.name == "custom"	Pass	0.000s
Tail probability matches internal	d.to_dict()['tail_probability'] == pytest.approx(d._tail...	Pass	0.000s
To dict keys	'parameters' in result; 'tail_probability' in result	Pass	0.000s
Returns 404 when file missing	r.status_code in (200, 404, 500)	Pass	0.001s
Lines 33-35: send_file when HTML file actually exists.	r.status_code in (200, 404, 500)	Pass	0.030s
Returns json error or html	r.status_code in (200, 404, 500)	Pass	0.000s
No coverage dir returns 404	r.status_code == 404	Pass	0.000s
With coverage index returns 200	r.status_code == 200	Pass	0.003s
The response body is valid JSON with an error status.	r.status_code in (500, 503); data is not None (+1 more)	Pass	0.001s
Without gauge.json, visualization fails with 500.	r.status_code in (500, 503)	Pass	0.001s
No gauge data returns error status	data["status"] == "error"	Pass	0.001s
Lines 97-99: exception in serve_visualization_for_catchment → 500.	r.status_code in (302, 500)	Pass	0.029s
Matching is case-insensitive.	r.status_code == 302	Pass	0.000s
'thames' catchment redirects to main visualization route.	r.status_code == 302	Pass	0.000s
Unknown catchment returns 400	r.status_code == 400; data["status"] == "error" (+1 more)	Pass	0.000s
Unsupported catchment message	r.status_code == 400; "thames" in r.get_json()["message"].lower()	Pass	0.000s
Lines 59-65: ImportError → 503.	r.status_code in (500, 503)	Pass	0.027s
Lines 50-57: mock TCEventVisualization to return existing file.	r.status_code in (200, 500)	Pass	0.029s
main() calls app.run() with configured host/port/debug.	len(run_calls) == 1; run_calls[0]["host"] == config.SERVER_HOST (+1 more)	Pass	0.203s

Test Description	Acceptance Criteria	Result	Time
server.main() is callable (test by importing, not running).	callable(main)	Pass	0.000s
Simulate what routes/-gauges.py:generate_report() does.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.024s
Test with actual Thames gauge data if available.	report_path.exists(); report_path.stat().st_size > 5000	Pass	0.026s
Simulate what routes/properties.py:generate_report() does.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.028s
Test with actual Thames portfolio data if available.	report_path.exists(); report_path.stat().st_size > 10000	Pass	0.041s
Case insensitive thames	r.status_code == 200	Pass	0.000s
Missing catchment id returns 400	r.status_code == 400	Pass	0.000s
No json returns 400	r.status_code in (400, 415, 500)	Pass	0.000s
Line 64: non-empty body but null/empty catchment → 400.	r.status_code == 400; "Catchment ID is required" in data["message"]	Pass	0.000s
Options returns 200	r.status_code == 200	Pass	0.000s
Unknown catchment returns 400	r.status_code == 400; data["status"] == "error"	Pass	0.000s
Valid thames returns success	r.status_code == 200; data["status"] == "success" (+2 more)	Pass	0.000s
Existing mortgage dict updated	data["Mortgage"]["Header"]["ExistingFieldID"] == "keep"; data["Mortgage"]["Header"]["MortgageID"] == "MORT-new"	Pass	0.000s
Initialises header key when absent	"Header" in data["Mortgage"]	Pass	0.000s
Initialises mortgage key when absent	"Mortgage" in data	Pass	0.000s
Missing property id key defaults empty string	data["Mortgage"]["Header"]["PropertyID"] == ""	Pass	0.000s
Sets catchment id	data["Mortgage"]["Header"]["CatchmentID"] == "thames"	Pass	0.000s
Sets loan details fields	loan["OriginalLoanAmount"] == fd["loan.amount"]; loan["CurrentBalance"] == fd["current.balance"] (+3 more)	Pass	0.000s
Sets mortgage id	data["Mortgage"]["Header"]["MortgageID"] == "MORT-abc12"	Pass	0.000s
Sets property id in header	data["Mortgage"]["Header"]["PropertyID"] == "PROP-xyz"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Catchment id set in attrs	<code>data["PropertyHeader"]["PropertyAttributes"]</code>	Pass	0.000s
Elevation sets ground level	<code>loc["RiskAssessment"]["GroundLevelMeters"]</code>	Pass	0.000s
Empty reference gauge indices no ref key	<code>"ReferenceGauges" not in data.get("PropertyHeader", {})</code>	Pass	0.000s
Lat lon set in location	<code>loc["LatitudeDegrees"]</code> <code>== pytest.approx(51.45);</code> <code>loc["LongitudeDegrees"] ==</code> <code>pytest.approx(-0.31)</code>	Pass	0.000s
No elevation in location does not set ground level	<code>"RiskAssessment" not in loc</code>	Pass	0.000s
No reference gauge indices no ref key	<code>"ReferenceGauges" not in data.get("PropertyHeader", {})</code>	Pass	0.000s
Property id set in attrs	<code>data["PropertyHeader"]["PropertyAttributes"]</code>	Pass	0.000s
Reference gauges fallback when not in map	<code>ref == ["GAUGE-001", "GAUGE-002", "GAUGE-003"]</code>	Pass	0.000s
Reference gauges set from gauge id map	<code>ref == ["GAUGE-abc", "GAUGE-def", "GAUGE-ghi"]</code>	Pass	0.001s
Adds all components	<code>mock.html.add_child.call_count > 0</code>	Pass	0.072s
Copyright element added	<code>len(calls) > 0</code>	Pass	0.072s
Returns self	<code>result is mgr</code>	Pass	0.075s
Body style font size	<code>styled.body_style.fontSize == 9</code>	Pass	0.000s
Kv style font size	<code>styled.kv_style.fontSize == 9</code>	Pass	0.000s
Kv style left indent	<code>styled.kv_style.leftIndent == 12</code>	Pass	0.000s
Required keys	<code>key in styles</code>	Pass	0.000s
Returns stylesheet	<code>isinstance(styles, StyleSheet1)</code>	Pass	0.000s
Section style font size	<code>styled.section_style.fontSize == 13</code>	Pass	0.000s
Section style text color	<code>styled.section_style.textColor ==</code> <code>DARK.BLUE</code>	Pass	0.000s
Styles are paragraph styles	<code>isinstance(styles[key],</code> <code>ParagraphStyle)</code>	Pass	0.000s
Subsection style font size	<code>styled.subsection_style.fontSize ==</code> <code>10</code>	Pass	0.000s
Subsection style text color	<code>styled.subsection_style.textColor ==</code> <code>BLUE</code>	Pass	0.000s
Subtitle style font size	<code>styled.subtitle_style.fontSize == 10</code>	Pass	0.000s
Subtitle style text color	<code>styled.subtitle_style.textColor ==</code> <code>GREY</code>	Pass	0.000s
Title style font name	<code>styled.title_style.fontName ==</code> <code>'Helvetica-Bold'</code>	Pass	0.000s
Title style font size	<code>styled.title_style.fontSize == 18</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Title style text color	<code>styled.title.style.textColor == DARK.BLUE</code>	Pass	0.000s
In shd mode the property elevation should match the gauge,	<code>result is not None;</code> <code>data["elevation_m"] <= 4.0</code>	Pass	0.167s
In she mode all gauge distances should be 0.	<code>result is not None; ng["distance_m"] == 0.0</code>	Pass	0.166s
Mode shd should write PROP-*.json into propertytsd/ not propertyts/.	<code>gen.MODE_DIRS["shd"] == "propertytsd"</code>	Pass	0.000s
She writes to propertytse dir	<code>gen.MODE_DIRS["she"] == "propertytse"</code>	Pass	0.164s
All defined categories	<code>isinstance(result, bool)</code>	Pass	0.000s
Catastrophic has 85% chance — over many trials, majority should be True.	<code>sum(results) > 140</code>	Pass	0.000s
Minimal has 5% chance — most should be False.	<code>sum(results) < 30</code>	Pass	0.000s
Returns bool	<code>isinstance(result, bool)</code>	Pass	0.000s
Unknown category uses default 0.15 probability.	<code>50 < sum(results) < 350</code>	Pass	0.001s
<code>sp_sim.get_js()</code> must return a non-empty string.	<code>len(sim_js) > 100</code>	Pass	0.000s
<code>spSeekTo()</code> must be defined — called by scrubber oninput.	<code>'spSeekTo' in sim_js</code>	Pass	0.000s
<code>spSetSpeed()</code> must be defined — called by speed buttons.	<code>'spSetSpeed' in sim_js</code>	Pass	0.000s
<code>spStopAnim()</code> must be defined — cleans up animation interval.	<code>'spStopAnim' in sim_js</code>	Pass	0.000s
Business days is three months	<code>60 <= NUM.BUSINESS.DAYS <= 66</code>	Pass	0.000s
Daily vol is small	<code>0.0001 <= DAILY_HAZARD.VOL <= 0.001</code>	Pass	0.000s
Random walk floors at 0.0001 — vol must not exceed that floor.	<code>DAILY_HAZARD.VOL > 0; MAX_TOTAL.MOVE > 0</code>	Pass	0.000s
Cumulative cap should allow meaningful drift.	<code>MAX_TOTAL.MOVE >= 5 * DAILY_HAZARD.VOL</code>	Pass	0.000s
Max move bounds vol	<code>MAX_TOTAL.MOVE > DAILY_HAZARD.VOL;</code> <code>MAX_TOTAL.MOVE <= 0.01</code>	Pass	0.000s
Test complete gauge analysis workflow.	<code>results['success'] is True;</code> <code>results['gauge']['gauge_id'] == "THAMES.TEDDINGTON" (+2 more)</code>	Pass	0.004s
Handle non-existent gauge gracefully.	<code>results['success'] is False;</code> <code>len(results['errors']) > 0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Analysis should include flood status.	'status' in results['flood_analysis']; results['flood_analysis']['status'] in ["NORMAL", "ALERT"...	Pass	0.003s
Test loading gauge metadata from JSON.	gauges is not None; len(gauges) == 4 (+2 more)	Pass	0.002s
Test loading gauge time series.	readings is not None; "THAMES_TEDDINGTON" in readings (+1 more)	Pass	0.002s
All mortgages fail returns empty list	result["processing_stats"]["failed_mortgages"] == 2; result["data"]["mortgages"] == []	Pass	0.002s
When _generate_single_mortgage raises, the generator continues and	result["processing_stats"]["failed_mortgages"] == 1; result["processing_stats"]["successful_mortgages"] == 2 (+1 more)	Pass	0.003s
Find nearest gauge	gauge_id == "THAMES_TEDDINGTON"; distance < 1.0	Pass	0.000s
Full analysis high risk property	results["success"] is True; results["property"]["property_id"] == "THAMES_TEST_002" (+1 more)	Pass	0.004s
Full analysis low risk property	results["success"] is True; results["property"]["property_id"] == "THAMES_TEST_003" (+2 more)	Pass	0.004s
Load gauge data	gauge_meta is not None; len(gauge_meta) == 3 (+2 more)	Pass	0.002s
Load property data	properties is not None; len(properties) == 3 (+3 more)	Pass	0.002s
Clay medium high	"Medium" in r or "high" in r.lower()	Pass	0.000s
Peat high risk	"High" in r	Pass	0.000s
Rock keyword	"Low" in r	Pass	0.000s
Rock low risk	"Low" in r	Pass	0.000s
Sand medium risk	"Medium" in r	Pass	0.000s
Unknown soil	"Assessment" in r or "chalk" in r	Pass	0.000s
STORM-cccccccc (alert-only, no warning/severe) must be last.	sorted_storms[-1]["storm_id"] == "STORM-cccccccc"	Pass	0.000s
STORM-bbbbbbbb (2 severe) must rank before all others.	sorted_storms[0]["storm_id"] == "STORM-bbbbbbbb"	Pass	0.000s
gauges_severe must be non-increasing.	severe_counts == sorted(severe_counts, reverse=True)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Defaults	p.base_range_km == 40.0; p.nugget == 0.05 (+2 more)	Pass	0.000s
From dict	p.base_range_km == 50.0; p.nugget == 0.10 (+1 more)	Pass	0.000s
Load from file	p.base_range_km == 40.0; p.nugget == 0.05	Pass	0.002s
Detailed report uses more pages than basic, so should produce larger file.	detailed.stat().st_size >= basic.stat().st_size	Pass	0.030s
Generate analysis report custom filename	path.name == "analysis.pdf"	Pass	0.003s
Generate analysis report custom filename	path.name == "analysis.pdf"	Pass	0.010s
Generate analysis report exists	gen.generate_analysis_report(gauge_data).exists()	Pass	0.003s
Generate analysis report exists	gen.generate_analysis_report(minimal_flood_data).exists()	Pass	0.012s
Generate analysis report with time-series	path.exists()	Pass	0.003s
Generate basic report custom filename	path.name == "basic.pdf"	Pass	0.022s
Generate basic report exists	gen.generate_basic_report(gauge_data).exists()	Pass	0.022s
Generate basic report exists	gen.generate_basic_report(minimal_flood_data).exists()	Pass	0.027s
Generate basic report non empty	path.stat().st_size > 0	Pass	0.022s
Generate basic report non empty	path.stat().st_size > 0	Pass	0.020s
Generate basic with timeseries	path.exists()	Pass	0.023s
Generate detailed report exists	gen.generate_detailed_report(minimal_flood_data).exists()	Pass	0.015s
Detailed report includes mortgage analysis — verify call reaches that page.	—	Pass	0.020s
Generate monitoring report custom filename	path.name == "mon.pdf"	Pass	0.003s
Generate monitoring report exists	gen.generate_monitoring_report(gauge_data, ts_data).exists()	Pass	0.003s
Generate monitoring report no timeseries	path.exists()	Pass	0.003s
Generate mortgage focused report custom filename	path.name == "mort_focused.pdf"	Pass	0.016s
Generate mortgage focused report exists	gen.generate_mortgage_focused_report(prop_data, mort_data...)	Pass	0.016s
Generate property only report custom filename	path.name == "prop_only.pdf"	Pass	0.015s
Generate property only report exists	gen.generate_property_only_report(prop_data).exists()	Pass	0.015s

Test Description	Acceptance Criteria	Result	Time
Generate risk focused report custom filename	<code>path.name == "risk_only.pdf"</code>	Pass	0.009s
Generate risk focused report with mortgage	<code>path.exists()</code>	Pass	0.011s
Generate risk focused report without mortgage	<code>path.exists()</code>	Pass	0.009s
Generate summary report custom filename	<code>path.name == "summary.pdf"</code>	Pass	0.008s
Generate summary report exists	<code>gen.generate_summary_report(minimal_flood_data).exists()</code>	Pass	0.008s
Mortgage focused includes mortgage context pages	—	Pass	0.016s
Risk focused with mortgage includes current status	—	Pass	0.011s
Risk focused without mortgage excludes current status	—	Pass	0.010s
Only gauge_GAUGE-*_hd.json files are removed, not other files.	<code>other.exists()</code>	Pass	0.194s
Multiple stale files are all removed.	<code>not s.exists()</code>	Pass	0.197s
Lines 37-39: old gauge_GAUGE-*_hd.json files are removed.	<code>stale.exists(); not stale.exists()</code>	Pass	0.194s
After clear-all, every gauge should show null metrics.	<code>resp.get_json()["status"] == "success"; g["has_model"] is False (+2 more)</code>	Pass	0.005s
Gauge with both .joblib AND summary entry should show metrics.	<code>gauge["has_model"] is True; gauge["status"] == "trained" (+2 more)</code>	Pass	0.004s
Gauge with summary entry but NO .joblib should show null metrics.	<code>gauge["has_model"] is False; gauge["status"] == "not_trained" (+4 more)</code>	Pass	0.004s
All fresh full health	<code>data["health_pct"] == 100.0</code>	Pass	0.003s
All missing zero health	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
Has as of	<code>"as_of" in data</code>	Pass	0.001s
Partial health	<code>data["health_pct"] == pytest.approx(7.1, abs=0.1)</code>	Pass	0.001s
Stale does not count as fresh	<code>data["health_pct"] == 0.0</code>	Pass	0.001s
Every dataset key must appear in _startupDetail – no silent blanks.	<code>f"key == '{k}'" in src</code>	Pass	0.000s
Blotter stat uses trades length	<code>"key == '_tdPreBlotter'" in src; "data.trades.length + 'trades'" in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Eod history stat uses history length	"key === '_tdPreEodHistory'" in src; "data.history.length + ' snapshots'" in src	Pass	0.000s
Gauge hist stat uses count	"key === '_preGaugeHist'" in src; 'data.count' in src	Pass	0.000s
Gauges stat uses gauges length	"key === '_tdPreGauges'" in src; "data.gauges.length + ' gauges'" in src	Pass	0.001s
Gov audit stat uses events length	"key === '_preGovAudit'" in src; "data.total_entries + ' events'" in src	Pass	0.000s
Gov bib stat uses references length	"key === '_preGovBib'" in src; "data.references.length + ' refs'" in src	Pass	0.000s
Gov docs stat uses documents length	"key === '_tdPreGovDocs'" in src; "data.documents.length + ' docs'" in src	Pass	0.000s
Market stat uses object keys gauges	"key === '_tdPreMarket'" in src; "Object.keys(data.gauges).length" in src (+1 more)	Pass	0.000s
Mortgages stat uses mortgages length	"key === '_preMortgages'" in src; "data.mortgages" in src	Pass	0.000s
Port storms stat uses storms length	"key === '_tdPrePortStorms'" in src; "data.storms.length + ' storms'" in src	Pass	0.000s
Pre storms stat uses storms length	"key === '_preStorms'" in src; "data.storms.length + ' storms'" in src	Pass	0.000s
Property ts stat uses total properties	"key === '_prePropertyTS'" in src; 'data.data.summary.properties.with_floods' in src (+1 more)	Pass	0.000s
Stress storms stat uses storms length	"key === '_tdPreStressStorms'" in src; "data.storms.length + ' scenarios'" in src	Pass	0.000s
Yield curve stat uses object keys	"key === '_tdPreYieldCurve'" in src; "Object.keys(data.yield_curve).length" in src (+1 more)	Pass	0.000s
Add to map calls add child	—	Pass	0.001s
Add to map output contains script	'<script>' in rendered; 'window._tdPreloadDone' in rendered	Pass	0.001s
Add to map method defined	'def add_to_map' in src	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All fourteen endpoints present	ep in js	Pass	0.000s
Must NOT defer to a button click – runs on DOMContentLoaded.	'DOMContentLoaded' in js	Pass	0.000s
'Market state' was renamed to 'Hazard curves'.	'Hazard curves' in js; "'Market state'" not in js and "'Market state'" not in js	Pass	0.000s
Sets window._tdPreloadDone so any IIFE can read it via global scope.	'window._tdPreloadDone = true' in	Pass	0.000s
Shows progress popup	_src('src/visual/intera... 'startup-preloader-popup' in js; 'startup-pre-bar' in js	Pass	0.000s
Startup preloader class defined	'class StartupPreloader' in src	Pass	0.000s
Declares pre gauge hist	'window._preGaugeHist' in _src('src/visual/interactivity/...	Pass	0.000s
Declares pre gov audit	'window._preGovAudit' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares pre gov bib	'window._preGovBib' in _src('src/visual/interactivity/sta...	Pass	0.000s
Declares pre property ts	'window._prePropertyTS' in _src('src/visual/interactivity...	Pass	0.000s
Declares pre storms	'window._preStorms' in _src('src/visual/interactivity/sta...	Pass	0.000s
Declares td pre blotter	'window._tdPreBlotter' in _src('src/visual/interactivity/...	Pass	0.000s
Declares td pre eod history	'window._tdPreEodHistory' in _src('src/visual/interactivi...	Pass	0.000s
Declares td pre gauges	'window._tdPreGauges' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares td pre gov docs	'window._tdPreGovDocs' in _src('src/visual/interactivity/...	Pass	0.000s
Declares td pre market	'window._tdPreMarket' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares td pre port storms	'window._tdPrePortStorms' in _src('src/visual/interactivi...	Pass	0.000s
Declares td pre stress storms	'window._tdPreStressStorms' in _src('src/visual/interacti...	Pass	0.000s
Declares td pre yield curve	'window._tdPreYieldCurve' in _src('src/visual/interactivi...	Pass	0.000s
Line 46: GET /apple-touch-icon.png returns the PNG.	r.status_code == 200; "image/png" in r.content_type	Pass	0.001s
Line 51: GET /apple-touch-icon-precomposed.png returns the PNG.	r.status_code == 200; "image/png" in r.content_type	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Line 41: GET /favicon.ico returns the icon file.	<code>r.status_code == 200;</code> <code>r.content_type in ("image/x-icon", "image/vnd.microsoft.i...</code>	Pass	0.001s
Stats bar spread should use adjustedPropSpread.	<code>idx_spread > idx_bar</code>	Pass	0.000s
Zone tag only shown when selected zone differs from actual.	<code>'selectedZone !== actualZone' in js</code>	Pass	0.000s
Zone tag present	<code>'zoneTag' in js</code>	Pass	0.000s
Zone tag should show 'vs' the actual zone.	<code>'(vs ' in js</code>	Pass	0.000s
avg_auc/avg_accuracy are None when results have no metrics.	<code>data["avg_auc"] is None;</code> <code>data["avg_accuracy"] is None</code>	Pass	0.001s
Status computes avg auc and accuracy	<code>data["avg_auc"] == 0.85;</code> <code>data["avg_accuracy"] == 0.9</code>	Pass	0.001s
Click handler defined	<code>'_navigateToStress' in hist_js</code>	Pass	0.000s
Click handler iife safe	<code>'addEventListener' in hist_js;</code> <code>'hist-storm-row' in hist_js</code>	Pass	0.000s
Navigates to tab 5	<code>'switchTab(5)' in hist_js;</code> <code>'switchTab(4)' not in hist_js.replace('switc...</code>	Pass	0.000s
Sets stress storm hint	<code>'window._stressStormHint' in hist_js</code>	Pass	0.000s
Storm hint set before switch tab	<code>idx_hint > 0; idx_switch > 0 (+1 more)</code>	Pass	0.000s
Storm id passed to navigate	<code>'data-storm-id' in hist_js;</code> <code>'getAttribute' in hist_js</code>	Pass	0.000s
Every gauge in gaugehc.json should have a trained classifier.	<code>not missing</code>	Skip	0.000s
Every gauge referenced in stress_storms should have a trained classifier.	<code>not missing</code>	Skip	0.000s
Every gauge in stress_storms should have a hazard curve in gaugehc.json.	<code>not missing</code>	Skip	0.000s
Storm IDs in stress_storms must overlap with storm IDs in properties/.	<code>len(overlap) > 0</code>	Skip	0.000s
Every storm_id in stress_storms.json must exist in gaugets/GAUGE-*.json.	<code>not missing</code>	Skip	0.000s
Every storm dropdown must show the storm_id in the option text.	<code>not violations</code>	Pass	0.001s
All dropdown option builders must use sentinel or pipe separators.	<code>not violations</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
The storm display format is centralised in config/format.py.	' ' in js; 'storm_id' in js (+2 more)	Pass	0.000s
'precipitation' as a label suffix must not appear.	not violations	Pass	0.001s
'severe levels' (old space-separated format) must not appear.	not violations	Pass	0.004s
port_stress/setup.py uses sentinel with show_warning=True.	'_storm_opt' in src; 'show_warning=True' in src	Pass	0.000s
sp_table.py delegates storm label to config.format via sentinel.	'_storm_opt' in src; '_STORM_OPT_' in src (+1 more)	Pass	0.000s
Custom variable name is used throughout — gsa_timeline uses 'r'.	js.startswith('(r.name'); 's.storm_id'	Pass	0.000s
show_peak=True adds peak water level after mm.	not in js 'peak' in js_peak	Pass	0.000s
show_warning=True adds gauges_warning count between severe and mm.	'warn' in js_warn; 'warn' not in js_base	Pass	0.000s
trading/stress/setup.py uses sentinel with show_peak=True.	'_storm_opt' in src; 'show_peak=True' in src	Pass	0.000s
Visual files must not contain hard-coded storm display format strings.	pat not in src	Pass	0.001s
Lines 255-256: exception in create_mapping -i raises ValueError.	—	Pass	0.000s
Lines 213-256: create_mapping with all sections populated.	mapping["storm_event_id"] == "STORM-001"; mapping["storm_name"] == "Eunice" (+1 more)	Pass	0.000s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s
Line 258-260: get_required_fields() returns list with StormEventID.	isinstance(fields, list); any("StormEventID" in f for f in fields)	Pass	0.000s
Required fields include storm id	any("StormEventID" in f for f in storm.cdm.get_required_f...	Pass	0.000s
Schema has storm root	len(list(storm.cdm.schema.keys())) > 0	Pass	0.000s
validate({}) returns errors for missing fields.	isinstance(errors, dict)	Pass	0.000s
Lines 192-193: exception in validate -i {'validation_error': [...]}.	isinstance(result, dict); "validation_error" in result	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
validate() with missing CatchmentID returns Header errors.	"Header" in errors; any("CatchmentID" in e for e in errors["Header"])	Pass	0.000s
Lines 175-193: validate() with missing StormEventID returns Header errors.	"Header" in errors; any("StormEventID" in e for e in errors["Header"])	Pass	0.000s
validate() with valid data returns empty dict.	storm_cdm.validate(data) == {}	Pass	0.000s
Unknown intensity profile falls to else: intensity = peak * t_frac.	storm.storm_id.startswith("STORM-"); len(storm.track) == 5 (+1 more)	Pass	0.000s
Effective precipitation mm consistent	'effective_precipitation_mm' in hist_js	Pass	0.000s
Gauges severe consistent	'gauges_severe' in hist_js	Pass	0.000s
Intensity category consistent	'intensity_category' in hist_js	Pass	0.000s
Peak level m consistent	'peak_level_m' in hist_js	Pass	0.000s
Storm id consistent	'storm_id' in hist_js	Pass	0.000s
Storm IDs in gaugets/ must come from storm_sequences.json.	len(overlap) > 0	Pass	0.416s
Storm IDs in propertyts must come from storm_sequences.json.	len(overlap) > 0	Pass	2.043s
storm_multi.make_storm_id() produces STORM-{8hex} IDs.	STORM_ID.RE.match(sid)	Pass	0.000s
storm generator must NOT use STORM-{i:03d} or STORM-{i:04d}.	'STORM-{i:' not in src; 'STORM-{i+' not in src	Pass	0.000s
Single storm generator uses storm prefix	'STORM-' in src or 'STORM_ID_PREFIX' in src	Pass	0.001s
Single storm generator uses uuid	'uuid' in src	Pass	0.000s
Uuid4 produces protocol matching ids	GAUGE_ID.RE.match(gauge_id); PROP_ID.RE.match(prop_id) (+2 more)	Pass	0.000s
Accepts valid	PROP_ID.RE.match('PROP-a3f7bc12'); PROP_ID.RE.match('PROP-00000000') (+6 more)	Pass	0.000s
Human-readable names like STORM-FLOOD are not protocol-compliant.	not STORM_ID.RE.match('STORM-FLOOD'); not STORM_ID.RE.match('STORM-SAFE') (+1 more)	Pass	0.000s
STORM-001, STORM-0001 violate the agreed protocol.	not GAUGE_ID.RE.match('GAUGE-001'); not GAUGE_ID.RE.match('GAUGE-002') (+5 more)	Pass	0.000s
Rejects uppercase	not PROP_ID.RE.match('PROP-A3F7BC12'); not STORM_ID.RE.match('STORM-C7F4B8E2')	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
STORM-PORT-001 uses a compound prefix — not protocol-compliant.	not STORM.ID.RE.match('STORM-PORT-001'); not STORM.ID.RE.match('STORM-PORT-002')	Pass	0.000s
Storm from list is runnable	resp.status_code == 200; len(data['storms']) > 0 (+2 more)	Pass	0.014s
Worst storm auto selection is runnable	run_resp.status_code == 200	Pass	0.007s
Storm list endpoint must be /api/v1/propertyts/storms.	'/api/v1/propertyts/storms' in table.js	Pass	0.000s
Empty storm list must display a user-readable message.	'No flooding storms found' in table.js	Pass	0.000s
JS must check window._preStorms cache before fetching.	'_preStorms' in table.js	Pass	0.000s
Shows overflow count	'more storms' in hist.js or '+ ' in hist.js	Pass	0.000s
Shows top 30 storms	'30' in hist.js	Pass	0.000s
Sorted by peak level	'sorted by peak level' in hist.js or \{\} 'pe...	Pass	0.000s
Storm with empty name falls back to storm_id.	resp.status_code == 200; s['name'] == s['storm_id']	Pass	0.031s
Apply storm list function exists	'_applyStormList' in src	Pass	0.000s
Checks pre storms cache	'window._preStorms' in src	Pass	0.000s
Cache var should be nulled after consuming to allow refresh.	'window._preStorms = null' in src; 'window._tdPreGovDocs = null' in src	Pass	0.000s
Uses effective precipitation	'effective_precipitation_mm' in hist.js	Pass	0.000s
Uses gauges severe	'gauges_severe' in hist.js	Pass	0.000s
Uses intensity category	'intensity_category' in hist.js	Pass	0.000s
Uses max trigger for colour	'max_trigger' in hist.js	Pass	0.000s
Uses peak level m	'peak_level_m' in hist.js	Pass	0.000s
Uses storm id	'storm_id' in hist.js	Pass	0.000s
Uses storm name field	's.name' in hist.js or 'storm.name' in hist.js	Pass	0.000s
Historical tab must NOT use /gauges/{id}/storms for the storm list.	'_loadStormScenarios' in hist.js; fn.idx >= 0 (+1 more)	Pass	0.000s
_loadStormScenarios function must be defined.	'_loadStormScenarios' in hist.js	Pass	0.000s
Storm list renders in hist-storms-list element.	'hist-storms-list' in hist.js; 'hist-storms-panel' in hist.js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Storm list must be loaded from the same endpoint as Stress tab.	<code>"/api/v1/trading/stress/storms" in hist_js</code>	Pass	0.000s
Sorts by peak level for auto-selection.	<code>'peak_level_m' in stress_js</code>	Pass	0.000s
Storm select element present.	<code>'stress-storm-select' in stress_js</code>	Pass	0.000s
Lines 172-173: exception in create_mapping raises ValueError.	—	Pass	0.000s
Lines 150-170: create_mapping with full Parameters section.	<code>mapping["time_series_id"] == "TS-001"; mapping["time_step_minutes"] == 60</code>	Pass	0.000s
Create mapping returns flat dict	<code>isinstance(stormts_cdm.create_mapping(data, dict)); isinstance(prs_cdm.create_mapping(data), dict)</code>	Pass	0.000s
Line 185: create_reading_mapping returns flat dict.	<code>mapping["timestamp"] == "2022-02-18T06:00"; mapping["rainfall_mm"] == 12.5 (+1 more)</code>	Pass	0.000s
Lines 194-199: get_required_fields() returns list.	<code>isinstance(fields, list); any("TimeSeriesID" in f for f in fields)</code>	Pass	0.000s
Required fields include ts id	<code>any("TimeSeriesID" in f for f in stormts_cdm.get_required...</code>	Pass	0.000s
Schema has root	<code>isinstance(stormts_cdm.schema, dict); len(stormts_cdm.schema) > 0 (+2 more)</code>	Pass	0.000s
validate({}) returns errors for both required fields.	<code>isinstance(errors, dict); "Header" in errors</code>	Pass	0.000s
Lines 137-138: exception in validate -; {'validation_error': [...]}.	<code>isinstance(result, dict); "validation_error" in result</code>	Pass	0.000s
validate() with missing CatchmentID returns Header errors.	<code>"Header" in errors</code>	Pass	0.000s
Lines 120-138: validate() with missing TimeSeriesID returns Header errors.	<code>"Header" in errors; any("TimeSeriesID" in e for e in errors["Header"])</code>	Pass	0.000s
validate() with valid data returns empty dict.	<code>stormts_cdm.validate(data) == {}</code>	Pass	0.000s
Custom kernel	<code>d["decay_kernel"] == "exponential"</code>	Pass	0.000s
Decay kernel serialised as string	<code>isinstance(d["decay_kernel"], str); d["decay_kernel"] == "gaussian"</code>	Pass	0.000s
Has storm id	<code>storm.to_dict()["storm_id"] == "STORM-0001"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has track	"track" in d; len(d["track"]) == 2	Pass	0.000s
Intensity profile serialised as string	isinstance(d["intensity_profile"], str); d["intensity_profile"] == "triangular"	Pass	0.000s
Returns dict	isinstance(d, dict); isinstance(d, dict)	Pass	0.000s
Track has coords	"longitude" in point; "latitude" in point (+2 more)	Pass	0.000s
storms.py lines 91-92: corrupted gaugets file -i skipped in severe count loop.	r.status_code == 200	Pass	0.031s
storms.py line 80: gaugets dir doesn't exist -i skip severe counting.	r.status_code == 200	Pass	0.031s
storms.py line 61: storm_sequences.json doesn't exist -i skip enrichment.	r.status_code == 200; data["storm_responses"]["num_storms"] == 1	Pass	0.030s
storms.py lines 75-76: corrupted storm_sequences.json -i silently skipped.	r.status_code == 200	Pass	0.031s
storms.py lines 113-115: exception in storm loading -i 500.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.029s
Calls proc wait	—	Pass	0.000s
_stream_proc should push each line from proc.stdout into _output_lines.	"line one" in lines; "line two" in lines (+1 more)	Pass	0.000s
Strips newlines	"stripped" in lines; "stripped\{n" not in lines	Pass	0.000s
Hits /trading/stress/run.	'/trading/stress/run' in stress_js	Pass	0.000s
Hits /trading/stress/storms.	'/trading/stress/storms' in stress_js	Pass	0.000s
stress/run returns 500 on engine error.	resp.status_code == 500	Pass	0.003s
stress/gauges returns 500 when gauge loader raises.	resp.status_code == 500	Pass	0.002s
stress/storms returns 500 when storm loader raises.	resp.status_code == 500	Pass	0.001s
_tdPopulateGaugeDropdown must survive f-string rendering.	'_tdPopulateGaugeDropdown' in full_js	Pass	0.000s
tdStressGaugeChanged must survive f-string rendering in tradingdesk.py.	'tdStressGaugeChanged' in full_js	Pass	0.000s
Rendered JS must not have un-escaped f-string brace artifacts.	len(full_js) > 10000	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
td-stress-gauge element must be present for JS to find it.	"getElementById('td-stress-gauge')" in stress_js	Pass	0.000s
_tdPopulateGaugeDropdown must exist – builds gauge selector.	'_tdPopulateGaugeDropdown' in stress_js	Pass	0.000s
_tdPopulateStormDropdown must exist – builds storm list for selected gauge.	'_tdPopulateStormDropdown' in stress_js	Pass	0.000s
td-stress-storm element must be present for JS to find it.	"getElementById('td-stress-storm')" in stress_js	Pass	0.000s
Stress functions must be INSIDE the IIFE, not after it.	idx_gauge_changed > 0; idx_gauge_changed < iife_close	Pass	0.000s
gauge onchange must call tdStressGaugeChanged.	'tdStressGaugeChanged()' in stress_js	Pass	0.000s
tdStressGaugeChanged must exist – called when gauge is selected.	'function tdStressGaugeChanged' in stress_js	Pass	0.000s
storm onchange must call tdStressStormChanged.	'tdStressStormChanged()' in stress_js	Pass	0.000s
tdStressStormChanged must exist – called when storm is selected.	'function tdStressStormChanged' in stress_js	Pass	0.000s
'First with trades' fallback must only run when sel.value is still empty.	"if (!sel.value && tdStressGauges.length > 0)" in js	Pass	0.000s
Hint selection must happen before the 'first with trades' fallback.	idx_hint > 0; idx_fallback > idx_hint	Pass	0.000s
tdStressGaugeHint must be set to null after use to prevent stale hint.	'tdStressGaugeHint = null' in js	Pass	0.000s
When no market hint, tdBlotterFilters.gauge.id must be the fallback.	'tdBlotterFilters' in js; 'tdBlotterFilters.gauge.id' in js	Pass	0.000s
loadStressData must accept a gaugeHint parameter.	'function loadStressData(gaugeHint)' in js	Pass	0.000s
loadStressData must store gaugeHint in tdStressGaugeHint.	'if (gaugeHint) tdStressGaugeHint = gaugeHint' in js	Pass	0.000s
_tdPopulateGaugeDropdown must use tdStressGaugeHint for pre-selection.	'tdStressGaugeHint' in js; idx_hint.use > idx_populate	Pass	0.000s
tdStressGaugeHint state variable must exist in stress JS.	'tdStressGaugeHint' in js	Pass	0.000s
switchTab('stress') must use blotter filter as primary hint.	idx_blotter > 0; idx_market > 0 (+4 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
switchTab('stress') in tradingdesk must pass gauge hint to loadStressData.	"loadStressData(stressHint)" in js; "tdSelectedGauge" in js (+1 more)	Pass	0.000s
switchTab('stress') must fall back to first blotter trade gauge when no filter set.	"tdBlotterData" in js; "tdBlotterData[0].gauge_id" in js	Pass	0.000s
peak_position=0 uses decay-only path.	len(levels) == 10; all(isinstance(v, float) for v in levels)	Pass	0.000s
remaining=0 uses frac=1.0 path.	len(levels) == 5	Pass	0.000s
Both stress charts must show KO vertical annotation line.	'koLine' in js; 'first_trigger_hour' in js	Pass	0.000s
Stress table must show KO status per trade.	'triggered_hour' in js; 'KO H' in js	Pass	0.000s
Stats bar must show knock-out count.	'num_triggered' in js; 'Knocked Out' in js	Pass	0.000s
Storm id exact match required	resp.status_code == 200; resp.status_code == 404	Pass	0.009s
Storm list has all run inputs	data['gauge_id'] == 'GAUGE-001'; 'storm_id' in s	Pass	0.004s
Response includes trigger levels for threshold annotation on charts.	'alert_level' in data; 'warning_level' in data (+1 more)	Pass	0.007s
Response includes hydrograph_source string describing the data origin.	'hydrograph_source' in data	Pass	0.010s
Response includes storm_name and intensity_category for header display.	data['storm_name'] == 'Severe Storm Alpha'; data['intensity_category'] == 'severe'	Pass	0.005s
Hourly array must be 168 elements (7-day storm window).	len(data['hourly']) == 168	Pass	0.006s
Surface table must cover the full 168h window regardless of knock-out.	max(surface['hours']) >= 164	Pass	0.005s
If the index has not changed, the cached object is returned.	id(data1) == id(data2)	Pass	0.001s
Replacing stress_storms/_index.json on disk is picked up on next	len(data1['storms']) == 1; len(data2['storms']) == 2	Pass	0.015s
Thames catchment has 52 gauges; all must be represented.	len(gauge_ids) == 52	Pass	0.023s
All gauge_id values in gauge_responses must match GAUGE-/SYNTH-xxxx format.	not bad	Pass	0.027s

Test Description	Acceptance Criteria	Result	Time
All storm_id values must use STORM- prefix.	not bad	Pass	0.001s
At least one storm exceeds alert	any_alert	Pass	0.000s
Each storm has gauge responses	not empty	Pass	0.000s
Each storm has required fields	not missing	Pass	0.003s
File exists	—	Pass	0.000s
Gauge ids well formed	not bad	Pass	0.027s
Gauge responses have required fields	not missing	Pass	0.098s
Has storms	len(storms) > 0	Pass	4.519s
Intensity categories present	cats	Pass	0.001s
Minimum storm count	len(storms) >= MIN_STORM_COUNT	Pass	0.000s
Peak level exceeds base	not violations	Pass	0.034s
Peak levels positive	not violations	Pass	0.034s
Storm ids unique	not dupes	Pass	0.441s
Storm ids well formed	not bad	Pass	0.001s
Storms cover multiple gauges	len(gauges) >= 10	Pass	0.031s
Storms must be sorted: gauges_severe DESC, gauges_warning DESC.	severe_counts == sorted(severe_counts, reverse=True)	Pass	0.001s
Total storms key matches list length	data["total_storms"] == len(data["storms"])	Pass	0.032s
Trigger summary max trigger valid	not bad	Pass	0.001s
Every storm must have a fully-populated trigger_summary dict.	not missing	Pass	0.005s
No gauge id response has count	isinstance(data['count'], int); data['count'] > 0	Pass	0.002s
Startup preloader fetches without gauge_id – must not return 400.	r.status_code == 200	Pass	0.001s
All storms in file returned – not filtered by gauge.	'storms' in data; data['count'] == len(data['storms']) (+1 more)	Pass	0.001s
No gauge id returns success	data['status'] == 'success'	Pass	0.001s
gauge_id param still filters to matching storms.	data['status'] == 'success'; all(True for _ in data['storms'])	Pass	0.004s
When stress_storms.json is absent, returns 404.	resp.status_code == 404; 'not found' in data.get('message', '').lower()	Pass	0.000s
ghc_stress.get_js() returns valid JS.	len(stress_js) > 1000	Pass	0.000s
Chart canvas element must use td- prefixed ID.	'td-stress-chart-canvas' in js	Pass	0.000s
Chart sub-tabs must exist for Flood Probability, Stress P&L, and Surface.	'td-stress-ctab-0' in js; 'td-stress-ctab-1' in js (+3 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Stress tab must have both chart renderers.	'_tdRenderProbabilityChart' in js; '_tdRenderStressPnlChart' in js	Pass	0.000s
Stress tab must have cleanup function.	'tdCleanupStressCharts' in js	Pass	0.000s
Stress tab must have gauge selector dropdown.	'td-stress-gauge' in js; 'tdStressGaugeChanged' in js	Pass	0.000s
Stress tab must fetch from stress/-gauges endpoint.	'/api/v1/trading/stress/gauges' in js	Pass	0.000s
Stress tab must have createStressView and loadStressData.	'createStressView' in js; 'loadStressData' in js	Pass	0.000s
Charts must have KO annotation line.	'koLine' in js; 'first_trigger_hour' in js	Pass	0.000s
Stress tab must have Property Damage link.	'tdStressOpenDamage' in js; 'Property Damage' in js	Pass	0.000s
Stress tab must have Storm Simulation link.	'tdStressOpenGauge' in js; 'Storm Simulation' in js	Pass	0.000s
Stress sub-module should render without errors.	len(js) > 0	Pass	0.000s
Stress tab must have stats bar with KO info.	'_tdRenderStressStats' in js; 'td-stress-stats-bar' in js (+1 more)	Pass	0.000s
Stress tab must have storm selector dropdown.	'td-stress-storm' in js; 'tdStressStormChanged' in js	Pass	0.000s
Stress tab must render probability surface table.	'probability_surface' in js; 'td-stress-surface-wrap' in js (+2 more)	Pass	0.000s
Stress tab must have trade table renderer.	'_tdRenderStressTable' in js; 'td-stress-table-wrap' in js	Pass	0.000s
Surface table must be horizontally scrollable for 168h of columns.	'overflow:auto' in js; 'width:100%' not in snippet	Pass	0.000s
Should fetch from /api/v1/trading/stress/storms.	'/api/v1/trading/stress/storms' in js	Pass	0.000s
Should use cash pricing formula.	'cash_price' in js or 'cashPrice' in js or 'portfolio.cas...	Pass	0.000s
Should have two chart sub-tabs: Flood Probability and Stress P&L.	'Flood Probability' in js; 'Stress P' in js (+2 more)	Pass	0.000s
Should have storm selector dropdown.	'stress-storm-select' in js; 'populateStormSelect' in js	Pass	0.000s
Stress test JS should render without errors.	len(js) > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Should POST to <code>/api/v1/trading/stress/run</code> .	<code>'/api/v1/trading/stress/run' in js;</code> <code>'_runStressScenario' in js</code>	Pass	0.000s
Should show P(flood) in chart.	<code>'p_flood' in js</code>	Pass	0.000s
Should pick up <code>_stressStormHint</code> from Historical tab.	<code>'_stressStormHint' in js;</code> <code>'_stressStormHint = null' in js</code>	Pass	0.000s
Should render trade table at peak hour.	<code>'stress-table-wrap' in js;</code> <code>'_renderStressTable' in js</code>	Pass	0.000s
Chart tab clicks should use <code>addEventListener</code> (IIFE-safe).	<code>'addEventListener' in js</code>	Pass	0.000s
String with options picks from list	<code>result in ["Brick", "Stone", "Timber"]</code>	Pass	0.000s
String without options returns empty	<code>result == ""</code>	Pass	0.000s
Colour constants	<code>hasattr(styles_mod, name)</code>	Pass	0.000s
Get styles keys	<code>expected == set(S.keys())</code>	Pass	0.000s
Rag colour maps	<code>key in styles_mod.RAG_COLOURS; key in styles_mod.RAG_BG</code>	Pass	0.000s
Section rule appends flowables	<code>len(story) == 3</code>	Pass	0.000s
Tbl style returns tablestyle	<code>isinstance(ts, TableStyle)</code>	Pass	0.000s
No data returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200; r.status_code == 200 (+1 more)</code>	Pass	0.000s
With data returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
<code>avg_auc_roc</code> is None when no gauges are trained.	<code>data["avg_auc_roc"] is None</code>	Pass	0.007s
Verify all expected gauge fields are in the response.	<code>field in g</code>	Pass	0.005s
<code>avg_auc_roc</code> averages correctly over multiple trained gauges.	<code>data["num_trained"] == 2;</code> <code>data["avg_auc_roc"] == 0.85</code>	Pass	0.008s
Internal error → 500.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code>	Pass	0.001s
Gauge with <code>.joblib</code> but no <code>auc_roc</code> in summary still counted as trained.	<code>data["num_trained"] == 1;</code> <code>data["avg_auc_roc"] == 0.0</code>	Pass	0.011s
Exceedance probs decreasing	<code>stats['prob_exceed_60'] >= stats['prob_exceed_70'] >= ...</code>	Pass	0.000s
Fat tail higher p99 than thin	<code>fat['p99'] > thin['p99']</code>	Pass	0.149s
Mean in reasonable range	<code>30 < stats['mean'] < 70</code>	Pass	0.000s
Percentiles ordered	<code>stats['p10'] <= stats['p25'] <= stats['p50'] <= \{ } ...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Required keys present	<code>k in stats</code>	Pass	0.000s
Cap	<code>result[50] == pytest.approx(11.0)</code>	Pass	0.000s
Empty pulses	<code>len(result) == 168</code>	Pass	0.000s
Non overlapping sequential	<code>result[25] == pytest.approx(7.0);</code> <code>result[55] == pytest.approx(8.0) (+1 more)</code>	Pass	0.000s
Overlapping exceeds single	<code>result[55] == pytest.approx(9.0);</code> <code>result[45] == pytest.approx(7.0)</code>	Pass	0.000s
Single pulse	<code>result[55] == pytest.approx(8.0);</code> <code>result[0] == pytest.approx(5.0)</code>	Pass	0.000s
Surface footer references KO trimming.	<code>'trimmed at KO' in stress_js</code>	Pass	0.000s
Surface table reads probability_surface from data.	<code>'probability_surface' in stress_js</code>	Pass	0.000s
Renders an HTML table with monospace font.	<code>'border-collapse' in stress_js;</code> <code>'font-family:monospace' in stress_js</code>	Pass	0.000s
Surface table applies trigger-band background colours.	<code>'#FFEBEE' in stress_js;</code> <code>'#FFF3E0' in stress_js (+1 more)</code>	Pass	0.000s
Surface tab creates a wrapping div.	<code>'stress-surface-wrap' in stress_js</code>	Pass	0.000s
Lines 72-76: <code>water_level != severe_level</code> → no flooding.	—	Pass	0.000s
Line 96: <code>flood_depths[i] = min(depth, 5.0)</code> .	<code>np.all(depths <= 5.0)</code>	Pass	0.000s
Lines 89-92: <code>distance_factor</code> reduces depth proportionally.	<code>depths[0] > 0; depths[1] > 0</code>	Pass	0.000s
Lines 72: <code>len(gauge_data) == 0</code> .	—	Pass	0.000s
Lines 93-94: <code>distance != max_distance</code> → <code>depth = 0.0</code> .	<code>depths[0] == 0.0</code>	Pass	0.000s
Lines 72-96: <code>water_level != severe_level</code> , close to Thames.	<code>np.any(depths > 0)</code>	Pass	0.000s
Lines 72: <code>gauge_data</code> is None.	—	Pass	0.000s
<code>loadPortfolioImpact()</code> must be defined.	<code>'loadPortfolioImpact' in table_js</code>	Pass	0.000s
Portfolio impact fetch must use the correct endpoint path.	<code>'portfolio-impact' in table_js</code>	Pass	0.000s
Sort state variables must be initialised.	<code>'spSortCol' in table_js;</code> <code>'spSortAsc' in table_js</code>	Pass	0.000s
Summary card labels must be present.	<code>'Properties Affected' in table_js;</code> <code>'Total Damage' in table_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Alt rows amber	<code>len(ALT_ROWS_AMBER) == 1;</code> <code>ALT_ROWS_AMBER[0][0] ==</code> <code>'ROWBACKGROUNDS'</code>	Pass	0.000s
Alt rows blue	<code>len(ALT_ROWS_BLUE) == 1;</code> <code>ALT_ROWS_BLUE[0][0] ==</code> <code>'ROWBACKGROUNDS'</code>	Pass	0.000s
Alt rows green	<code>len(ALT_ROWS_GREEN) == 1;</code> <code>ALT_ROWS_GREEN[0][0] ==</code> <code>'ROWBACKGROUNDS'</code>	Pass	0.000s
Hdr style first command is back-ground	<code>HDR_STYLE[0][0] == 'BACKGROUND'</code>	Pass	0.000s
Hdr style has grid	<code>'GRID' in cmds; 'BOX' in cmds</code>	Pass	0.000s
Hdr style is list	<code>isinstance(HDR_STYLE, list);</code> <code>len(HDR_STYLE) > 0</code>	Pass	0.000s
any_flood has a lower threshold than severe -i higher or equal spread.	<code>any_flood_5yr >= severe_5yr - 1e-6</code>	Pass	0.205s
PRS spread should be non-negative for all tenors.	<code>all(s >= 0 for s in spreads)</code>	Pass	0.207s
Survival between zero and one	<code>0.0 <= s <= 1.0</code>	Pass	0.206s
Property Spread row should show adjustedPropSpread.	<code>'adjustedPropSpread.toFixed(1)' in</code> <code>js</code>	Pass	0.000s
Detail column should show the selected zone name.	<code>"selectedZone + '</td></tr>'" in js</code>	Pass	0.000s
Negative terrain delta (risk reduction) should be green.	<code>"#2E7D32" in js</code>	Pass	0.000s
Positive terrain delta (risk increase) should be orange.	<code>"#E65100" in js</code>	Pass	0.000s
Terrain delta variable	<code>'terrainDelta' in js</code>	Pass	0.000s
Terrain effect label	<code>'Terrain Effect' in js</code>	Pass	0.000s
Terrain row should have purple-tinted background.	<code>'#F3E5F5' in js</code>	Pass	0.000s
Terrain row should only appear when terrainDelta !== 0.	<code>'if (terrainDelta !== 0)' in js</code>	Pass	0.000s
terrainRow should be inserted in Path 1 (after Gauge Spread).	<code>idx_terrain1 < idx_distance1</code>	Pass	0.000s
terrainRow should be inserted in Path 2 (after header).	<code>idx_terrain2 < idx_elev2</code>	Pass	0.000s
Terrain grid has all zones	<code>set(grid['zones'].keys()) ==</code> <code>set(EA_FLOOD_ZONE_RATES.keys())</code>	Pass	0.496s
Terrain grid has distances	<code>'distances' in grid;</code> <code>len(grid['distances']) == 21</code>	Pass	0.501s

Test Description	Acceptance Criteria	Result	Time
Terrain grid has elevations	'elevations' in grid; len(grid['elevations']) == 11	Pass	0.494s
Terrain grid present	'terrain_grid' in data['metadata']	Pass	0.499s
Terrain grid zone has grid array	'grid' in zone_data; 'rate' in zone_data (+2 more)	Pass	0.496s
Moving from Zone 3b to Zone 1 should yield negative delta.	delta < 0	Pass	0.008s
Moving from Zone 1 to Zone 3b should yield positive delta.	delta > 0	Pass	0.008s
Delta between same zone should be exactly zero.	abs(s1 - s2) < 1e-12	Pass	0.008s
Ensure the Python reference produces known values at grid points.	val > 0; val > val1	Pass	0.009s
Actual zone from phcdata	'phcData.flood_zone' in js	Pass	0.000s
Avg distance computed from gauges	'avgDistM' in js; 'nearestGauges' in js	Pass	0.000s
Core bilinear formula should be present.	'v00 * (1 - td) * (1 - te)' in js	Pass	0.000s
When selectedZone === actualZone, terrainDelta should stay 0.	'selectedZone !== actualZone' in js	Pass	0.000s
Elevation diff computed	'avgElevDiff' in js; 'phcData.elevation_m' in js	Pass	0.000s
Distance and elevation should be clamped to grid bounds.	'Math.max(distances[0]' in js; 'Math.min(distance_m' in js	Pass	0.000s
Interpolate accepts terrain grid	'terrainGrid' in js	Pass	0.000s
Interpolate function present	'function interpolateTerrainSpread(' in js	Pass	0.000s
Return includes terrain fields	'terrainDelta: terrainDelta' in js; 'selectedZone: selectedZone' in js (+1 more)	Pass	0.000s
Selected zone read from dropdown	"getElementById('phc-ea-zone')" in js	Pass	0.000s
Terrain delta computed	'terrainDelta' in js	Pass	0.000s
Coverage booleans are bool	isinstance(val, bool)	Pass	0.000s
Coverage has required keys	key in tc	Pass	0.000s
Coverage has file	"test_file" in tc; isinstance(tc["test_file"], str)	Pass	0.000s
GAUGE-001, GAUGE-002, GAUGE-9042bd95 are backward-compat exceptions.	compat_ids == {'GAUGE-001', 'GAUGE-002', 'GAUGE-9042bd95'}	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
gauge.json and gaugehc.json gauge IDs must be identical sets.	<code>gauge_json_ids == gaugehc_ids</code>	Pass	0.000s
The new gauge entries in SAMPLE_GAUGEHC follow GAUGE-{8hex}.	<code>not violations</code>	Pass	0.000s
New gauge IDs added in conftest (GAUGE-{8hex}) follow the protocol.	<code>GAUGE_ID_RE.match(gid)</code>	Pass	0.000s
Gauge IDs in SAMPLE_STRESS_STORMS gauge_responses are from _data.	<code>not violations</code>	Pass	0.000s
_data.py STORM_PORT_* constants follow the protocol.	<code>STORM_ID_RE.match(STORM_PORT_SEVERE);</code> <code>STORM_ID_RE.match(STORM_PORT_ALERT)</code>	Pass	0.000s
All storm_id values in SAMPLE_PORT_STRESS_STORMS follow STORM-{8hex}.	<code>STORM_ID_RE.match(sid)</code>	Pass	0.000s
All storm_id values in SAMPLE_STRESS_STORMS follow STORM-{8hex}.	<code>STORM_ID_RE.match(sid)</code>	Pass	0.000s
_data.py STORM_SEVERE and STORM_WARNING follow the protocol.	<code>STORM_ID_RE.match(STORM_SEVERE);</code> <code>STORM_ID_RE.match(STORM_WARNING)</code>	Pass	0.000s
Has lines field	<code>"lines" in data;</code> <code>isinstance(data["lines"], list)</code>	Pass	0.001s
Has running field	<code>"running" in data;</code> <code>isinstance(data["running"], bool)</code>	Pass	0.000s
Lines includes appended	<code>"test line" in data["lines"]</code>	Pass	0.000s
Not running initially	<code>data["running"] is False</code>	Pass	0.000s
Returns 200	<code>resp.status_code == 200</code>	Pass	0.000s
Returns not found when no file	<code>data["status"] == "not_found"</code>	Pass	0.000s
Returns ok when file exists	<code>data["status"] == "ok"</code>	Pass	0.002s
Returns summary fields	<code>"summary" in data; "failures" in data</code> (+3 more)	Pass	0.002s
Running field is bool	<code>"running" in data;</code> <code>isinstance(data["running"], bool)</code>	Pass	0.000s
Historical high exceeds severe by less than 1m	<code>"Elevated risk" in str(elements)</code>	Pass	0.000s
Historical high exceeds severe by more than 1m	<code>"High risk" in str(elements)</code>	Pass	0.000s
Historical high within severe	<code>"within severe warning levels" in str(elements)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Moderate alert range	"Moderate alert range" in str(elements)	Pass	0.000s
Narrow alert range	"Narrow alert range" in str(elements)	Pass	0.000s
Wide alert range	"Wide alert range" in str(elements)	Pass	0.000s
Alert status	"ELEVATED RISK" in str(self._elements("Alert"))	Pass	0.000s
Normal status	"NORMAL" in str(self._elements("Normal"))	Pass	0.001s
Severe status	"CRITICAL RISK" in str(self._elements("Severe"))	Pass	0.000s
Timeseries with no level	isinstance(elements, list)	Pass	0.000s
Timeseries with no readings	isinstance(elements, list)	Pass	0.000s
Warning status	"HIGH RISK" in str(self._elements("Warning"))	Pass	0.001s
Test getting timeseries for a gauge from portfolio.	len(active_gauges) > 0; len(readings) > 0	Pass	0.003s
Test that timeseries gauge IDs exist in portfolio.	gauge is not None	Pass	0.002s
Count returns number of gauge files	TimeseriesLoader(tmp_path).count() == 2	Pass	0.001s
Get available gauge ids	"GAUGE-001" in ids; "GAUGE-002" in ids	Pass	0.001s
Get available gauge ids missing dir	TimeseriesLoader(tmp_path / "nonexistent").get_available...	Pass	0.000s
List all returns summaries	isinstance(TimeseriesLoader(tmp_path).list_all(), list)	Pass	0.002s
Load all from directory	len(TimeseriesLoader(tmp_path).load_all()) >= 1	Pass	0.004s
Missing dir returns empty	TimeseriesLoader(tmp_path / "nonexistent").load_all() == []	Pass	0.000s
Test that entity ID is the timestamp.	entity_id is not None; "2025-01-01" in entity_id	Pass	0.003s
Test timeseries summary generation.	len(summaries) == 3; 'timestamp' in summary (+3 more)	Pass	0.002s
Test loading timeseries data.	len(records) == 3	Pass	0.002s
Clear cache	not loader._cache_valid	Pass	0.001s
Force reload	"GAUGE-002" in loader.get_available_gauge_ids()	Pass	0.003s
Invalidate cache	not loader._cache_valid	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Test getting most recent reading.	latest is not None; latest['hour'] == 2 (+1 more)	Pass	0.002s
Test getting peak (highest) reading.	peak is not None; peak['level'] == 4.8	Pass	0.001s
Test getting readings for a specific gauge.	len(readings) == 3; 'timestamp' in reading (+1 more)	Pass	0.001s
Test getting readings using gauge name.	len(readings) == 3	Pass	0.001s
Test getting readings for non-existent gauge.	readings == []	Pass	0.000s
Readings with unparseable timestamps are skipped (all-gauges path).	len(result) == 1	Pass	0.002s
Readings with unparseable timestamps are skipped (gauge_id path).	len(result) == 1	Pass	0.002s
Get readings in range all gauges	isinstance(result, list)	Pass	0.001s
Get readings in range for gauge	isinstance(result, list)	Pass	0.002s
Get lareading	TimeseriesLoader(tmp_path).get_latest_reading("GAUGE-001")	Pass	0.001s
Get lareading missing returns none	TimeseriesLoader(tmp_path).get_latest_reading("GAUGE-999")	Pass	0.000s
Get peak reading	TimeseriesLoader(tmp_path).get_peak_reading("GAUGE-001")	Pass	0.001s
...	...		
Get peak reading missing returns none	TimeseriesLoader(tmp_path).get_peak_reading("GAUGE-999")	Pass	0.000s
...	...		
Get readings for gauge	isinstance(result, list) and len(result) >= 1	Pass	0.001s
Gauge ID not found — fallback to gauge_name search.	isinstance(result, list)	Pass	0.002s
Get readings missing gauge returns empty	TimeseriesLoader(tmp_path).get_readings_for_gauge("GAUGE-001")	Pass	0.000s
Get storm responses	len(responses) == 1; responses[0]["storm_id"] == "STORM-0001"	Pass	0.003s
Get storm responses missing gauge	TimeseriesLoader(tmp_path).get_storm_responses("GAUGE-999")	Pass	0.000s
Test getting list of gauge IDs in timeseries.	len(gauge_ids) == 2; "GAUGE-001" in gauge_ids (+1 more)	Pass	0.001s
Test calculating gauge statistics.	stats['gauge_id'] == "GAUGE-001"; stats['reading_count'] == 3 (+4 more)	Pass	0.002s
Get gauge statistics missing gauge	stats["reading_count"] == 0; "error" in stats	Pass	0.000s
Readings with no numeric level field return error in stats.	"error" in stats	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test statistics for non-existent gauge.	stats['reading_count'] == 0; 'error' in stats	Pass	0.000s
Get gauge statistics with data	"reading_count" in stats; stats["reading_count"] >= 1	Pass	0.001s
Exists by timestamp	loader.exists(result[0]["timestamp"]) is True	Pass	0.001s
Find by id not found returns none	TimeseriesLoader(tmp_path).find_by_id("1999-01-01T00:00:00")	Pass	0.001s
Get file status alias	"entity_name" in TimeseriesLoader(tmp_path).get_file_stat...	Pass	0.000s
Get status returns dict	"entity_name" in status; "exists" in status	Pass	0.001s
Test getting readings in time range.	len(readings) == 2	Skip	0.000s
Test getting readings in range for specific gauge.	len(readings) >= 2; reading.get('gaugeId') == "GAUGE-001" or 'level' in reading	Skip	0.000s
Bad gauge data is skipped	len(result["readings"]) >= 1	Pass	0.000s
Avg per gauge seconds	abs(result - 160 / 15) < 0.001	Pass	0.000s
Avg per gauge seconds empty	_avg_per_gauge_seconds({"runs": []}) == 0.0	Pass	0.000s
Load timings corrupt json	result == {"runs": []}	Pass	0.007s
Load timings missing file	result == {"runs": []}	Pass	0.000s
Load timings valid	len(result["runs"]) == 1; result["runs"][0]["num_gauges"] == 5	Pass	0.007s
Save timings truncates to 20	len(saved["runs"]) == 20; saved["runs"][0]["i"] == 10	Pass	0.002s
ConstructionYear triggers building age row in summary table.	isinstance(result, list); len(result) > 0	Pass	0.000s
Empty property does not crash	isinstance(result, list)	Pass	0.000s
Missing nested key falls back to 'Unknown Property'.	result == "Unknown Property"	Pass	0.000s
Get property id present	result == "PROP-001"	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.000s
Has title paragraph	any("Comprehensive Property Analysis Report" in t for t in ...)	Pass	0.000s
Property id in output	any("PROP-001" in t for t in texts)	Pass	0.000s
Property overview section header	any("Property Overview" in t for t in texts)	Pass	0.000s
Property summary section header	any("Property Summary" in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Unknown property id fallback	<code>any("Unknown Property" in t for t in texts)</code>	Pass	0.000s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Step owners covers all graph steps	<code>step in dl_mod.STEP_OWNERS</code>	Pass	0.000s
Topology renders owner	<code>len(tables) >= 1; 'Owner' in header_row</code>	Pass	0.000s
Gauge trace should find origin + derived + consumed steps.	<code>len(result) >= 3; "gauges" in steps (+1 more)</code>	Pass	0.003s
Each trace entry should have a context description.	<code>r.get("context")</code>	Pass	0.003s
Gauge with trained classifier should show classifiers step.	<code>"classifiers" in steps</code>	Pass	0.004s
Gauge referenced in PRS trades should show blotter step.	<code>len(consumed) >= 1</code>	Pass	0.003s
None lineage with no matching files returns empty.	<code>result == []</code>	Pass	0.003s
Non-existent gauge returns empty trace.	<code>result == []</code>	Pass	0.003s
Property trace should find origin and derived steps.	<code>len(result) >= 2; "properties" in steps</code>	Pass	0.001s
Trade trace should find the PRS file as origin.	<code>len(result) >= 1; result[0]["role"] == "origin"</code>	Pass	0.000s
Missing data id	<code>r.status_code == 400</code>	Pass	0.001s
Missing data type	<code>r.status_code == 400</code>	Pass	0.000s
Missing data.type or data.id returns 400.	<code>r.status_code == 400; "required" in r.get_json()["message"]</code>	Pass	0.000s
Fallback scan when no direct traces key matches.	<code>r.status_code == 200; data["found"] is True (+1 more)</code>	Pass	0.004s
No lineage file =, found=False, empty trace.	<code>r.status_code == 200; data["found"] is False</code>	Pass	0.001s
Trace not found	<code>r.status_code == 200; data["found"] is False (+1 more)</code>	Pass	0.003s
Valid trace	<code>r.status_code == 200; data["status"] == "success" (+4 more)</code>	Pass	0.005s
Whitespace only params	<code>r.status_code == 400</code>	Pass	0.001s
Gauge id chain	<code>len(chain) == 4; chain[0]["step"] == "gauges" (+4 more)</code>	Pass	0.000s
Property id chain	<code>len(chain) == 7; all(c["recorded"] is False for c in chain)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown data type	<code>chain == []</code>	Pass	0.000s
Posts to <code>/api/v1/prs/commit</code> .	<code>'/api/v1/prs/commit' in prs_js</code>	Pass	0.000s
Commit payload includes payer flag.	<code>'isPayer' in prs_js</code>	Pass	0.000s
Commit returns swap id	<code>data['status'] == 'success';</code> <code>data['swap_id'].startswith('PRS-')</code>	Pass	0.009s
Commit writes to temp dir	<code>trade_file.exists()</code>	Pass	0.011s
Trade trace includes eod	<code>any("eod" in r["file"] for r in blotter_steps)</code>	Pass	0.001s
Trade trace includes marks	<code>any("trade_marks" in r["file"] for r in blotter_steps)</code>	Pass	0.001s
Panel should add to a Folium map without error.	<code>len(html._children) > 0</code>	Pass	0.024s
Blotter sub-module should render with FS01 column.	<code>'createBlotterView' in js;</code> <code>'loadBlotterData' in js (+2 more)</code>	Pass	0.000s
EOD sub-module should render.	<code>'createEodView' in js;</code> <code>'loadEodData' in js</code>	Pass	0.000s
Aggregate View sub-module should render.	<code>'createMapView' in js;</code> <code>'loadMapData' in js (+2 more)</code>	Pass	0.000s
Market sub-module should render.	<code>'createMarketView' in js;</code> <code>'loadMarketData' in js</code>	Pass	0.000s
Ensure no unescaped single braces that could cause <code>NameError</code> .	<code>len(js) > 1000</code>	Pass	0.000s
Panel should contain all 7 tab IDs and labels.	<code>'blotter' in js;</code> <code>'market' in js (+7 more)</code>	Pass	0.000s
Panel should export <code>TradingDesk</code> to window.	<code>'window.TradingDesk' in js;</code> <code>'window.showTradingDesk' in js</code>	Pass	0.000s
Panel should contain the Pi button.	<code>'&Pi;' in js</code>	Pass	0.000s
<code>TradingDeskPanel JS</code> should render without errors.	<code>len(js) > 0;</code> <code>'<script>' in js (+1 more)</code>	Pass	0.000s
FS01 Matrix sub-module should render.	<code>'createRiskView' in js;</code> <code>'loadRiskData' in js (+1 more)</code>	Pass	0.000s
<code>get_statistics()</code> returns <code>panel_width</code> and <code>panel_height</code> .	<code>stats["panel_width"] == "420px";</code> <code>stats["panel_height"] == "600px"</code>	Pass	0.000s
Td preloader does not redeclare td pre blotter	<code>'window._tdPreBlotter = null' not in src</code>	Pass	0.000s
Td preloader does not redeclare td pre market	<code>'window._tdPreMarket = null' not in src</code>	Pass	0.000s
Td preloader does not redeclare td preload done	<code>'var _tdPreloadDone = false' not in src</code>	Pass	0.000s
POST train-all returns 500 when <code>config.get_classifiers_dir</code> raises.	<code>resp.status_code == 500;</code> <code>data["status"] == "error" (+1 more)</code>	FAIL	0.015s

Test Description	Acceptance Criteria	Result	Time
If training is already in progress, return training status.	<code>resp.status_code == 200;</code> <code>data["status"] == "training"</code> (+1 more)	Pass	0.000s
If joblib already exists, POST returns ready immediately.	<code>resp.status_code == 200;</code> <code>data["status"] == "ready"</code> (+1 more)	Pass	0.001s
Corrupt gauge.json = 500.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code> (+1 more)	Pass	0.002s
Gauge not in gauge.json = 404.	<code>resp.status_code == 404;</code> <code>data["status"] == "error"</code> (+1 more)	Pass	0.005s
Missing gauge.json = 404.	<code>resp.status_code == 404;</code> "gauge.json not found" in <code>data["message"]</code>	Pass	0.001s
Missing storm_sequences.json = 404.	<code>resp.status_code == 404;</code> "storm_sequences.json not found" in <code>data["message"]</code>	Pass	0.003s
A previously failed job can be restarted.	<code>resp.status_code == 200;</code> <code>data["status"] == "training"</code>	Pass	0.002s
Successful POST starts training and returns training status.	<code>resp.status_code == 200;</code> <code>data["status"] == "training"</code> (+4 more)	Pass	0.003s
severe_warning=100m ensures no events breach it - fallback to alert.	<code>result["label_threshold"] == "flood.alert"</code>	Pass	6.011s
Model file written	<code>stressm_dir.exists()</code>	Pass	6.181s
Result has gauge id	<code>result.get("gauge_id") == "GAUGE-clf001"</code>	Pass	6.109s
Result has label threshold	<code>"label_threshold" in result;</code> <code>result["label_threshold"] in ("severe_warning", "flood.al...</code>	Pass	6.096s
Returns result dict	<code>isinstance(result, dict)</code>	Pass	6.091s
severe_warning=0 exercises the else branch in log_hs computation.	<code>isinstance(result, dict)</code>	Pass	6.178s
Exception during training sets job status to 'failed'.	<code>job["status"] == "failed";</code> <code>job["error"] is not None</code> (+1 more)	Pass	0.002s
Successful training sets job status to 'ready'.	<code>job["status"] == "ready";</code> <code>job["error"] is None</code>	Pass	0.004s
Monthly rent and annual rent	<code>isinstance(result, list)</code>	Pass	0.000s
No transaction data	<code>isinstance(self.page().generate_elements(prop, list))</code>	Pass	0.000s
Rental yield computed	<code>isinstance(result, list)</code>	Pass	0.000s
Sale date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Sale price and appreciation	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Sales section rendered	<code>any("Transaction" in t for t in texts)</code>	Pass	0.000s
Assess yield average	<code>page._assess_yield(5.0) == "Average yield"</code>	Pass	0.000s
Assess yield below average	<code>page._assess_yield(3.0) == "Below average yield"</code>	Pass	0.000s
Assess yield excellent	<code>page._assess_yield(9.0) == "Excellent yield"</code>	Pass	0.000s
Assess yield good	<code>page._assess_yield(7.0) == "Good yield"</code>	Pass	0.000s
Assess yield poor	<code>page._assess_yield(1.0) == "Poor yield"</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Empty transactions	<code>isinstance(result, list)</code>	Pass	0.000s
Has transactions header	<code>any("Transaction" in t or "History" in t for t in texts)</code>	Pass	0.000s
Market analysis appreciation	<code>"Capital Appreciation" in result</code>	Pass	0.000s
Market analysis few vacancies	<code>"Good" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis many vacancies	<code>"Concerning" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis marketing above 30	<code>"Marketing Efficiency" in result; "Good" in result["Marketing Efficiency"]</code>	Pass	0.000s
Market analysis marketing above 90	<code>"Below average" in result["Marketing Efficiency"]</code>	Pass	0.000s
Market analysis never rented	<code>"Rental History" in result; "No rental history" in result["Rental History"]</code>	Pass	0.000s
Market analysis no vacancy	<code>"Rental Stability" in result; "Excellent" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis yield	<code>"Gross Rental Yield" in result</code>	Pass	0.000s
No transaction history	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Sales extended marketing	<code>isinstance(result, list)</code>	Pass	0.000s
Sales quick sale	<code>isinstance(result, list)</code>	Pass	0.000s
Sales very long marketing	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage data	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
With rental data	<code>isinstance(result, list); any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
With sales data	<code>isinstance(result, list); any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Flood arrival hour should increase with distance.	<code>len(arrivals) >= 2; arrivals[i][1] >= arrivals[i - 1][1]</code>	Pass	0.001s
More distant properties should have shorter flood duration	<code>flooded_durations[i][1] <= flooded_durations[i - 1][1]</code>	Pass	0.001s
Deeper water flows faster → shorter travel time.	<code>times[i] < times[i - 1]</code>	Pass	0.000s
Travel time must increase monotonically with distance.	<code>times[i] > times[i - 1]</code>	Pass	0.000s
Gauges alert count	<code>single_storm_data["trigger_summary"]["gauges_alert"] == 2</code>	Pass	0.000s
Gauges impacted matches alert	<code>ts["gauges_impacted"] == ts["gauges_alert"]</code>	Pass	0.000s
Gauges severe count	<code>single_storm_data["trigger_summary"]["gauges_severe"] == 1</code>	Pass	0.000s
Gauges warning count	<code>single_storm_data["trigger_summary"]["gauges_warning"] == 1</code>	Pass	0.000s
Max trigger is alert when alert only	<code>data["storms"][0]["trigger_summary"]["max_trigger"] == "a..."</code>	Pass	0.003s
Max trigger is severe	<code>single_storm_data["trigger_summary"]["max_trigger"] == "s..."</code>	Pass	0.000s
Max trigger is warning when no severe	<code>data["storms"][0]["trigger_summary"]["max_trigger"] == "w..."</code>	Pass	0.003s
Trigger summary present	<code>"trigger_summary" in single_storm_data</code>	Pass	0.000s
Assessment date updated	<code>r.get_json()["assessment"]["assessment_date"] is not None</code>	Pass	0.002s
No data file returns 404	<code>r.status_code == 404</code>	Pass	0.000s
Principle not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Score 1 derives non compliant status	<code>r.status_code == 200; p["status"] == "Non-compliant"</code>	Pass	0.002s
Score 4 derives fully compliant status	<code>p["status"] == "Fully Compliant"</code>	Pass	0.002s
Update evidence field	<code>r.status_code == 200; p["evidence"] == "New evidence gathered"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Update gaps and remediation	p["gaps"] == "Minor gap"; p["remediation"] == "Action plan created"	Pass	0.002s
Valid update returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.002s
Not found returns 404	r.status_code == 404	Pass	0.002s
Update changes field	ref["author"] == "New Author"	Pass	0.004s
Update returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.003s
Update with new category adds to list	"NewCat" in r.get_json()["categories"]	Pass	0.004s
Update sets updated at	r.get_json()["meeting"]["updated_at"] is not None	Pass	0.003s
Update title	r.status_code == 200; r.get_json()["meeting"]["title"] == "Updated Title"	Pass	0.003s
Update unknown id returns 404	r.status_code == 404	Pass	0.001s
Update action missing meeting re- turns 404	r.status_code == 404	Pass	0.002s
Update decision missing meeting re- turns 404	r.status_code == 404	Pass	0.002s
Update minute item missing meet- ing returns 404	r.status_code == 404	Pass	0.002s
Update participant missing meeting returns 404	r.status_code == 404	Pass	0.002s
Empty value returns 400	r.status_code == 400	Pass	0.002s
Invalid choice value returns 400	r.status_code == 400	Pass	0.002s
Invalid field returns 400	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.002s
Model not found returns 404	r.status_code == 404; r.status_code == 404 (+1 more)	Pass	0.002s
No reason returns 400	r.status_code == 400	Pass	0.002s
Response has audit entry	"audit_entry" in data; data["audit_entry"]["event_type"] == "field.update"	Pass	0.003s
Update lifecycle stage	r.status_code == 200	Pass	0.004s
Update validation status	r.status_code == 200	Pass	0.003s
Valid choice field update returns success	r.status_code == 200; r.get_json()["new_value"] == "Amber"	Pass	0.003s
Valid text field update returns suc- cess	r.status_code == 200; data["status"] == "success" (+2 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+3 more)	Pass	0.000s
Save failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Activity not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Invalid role id returns 400	<code>r.status_code == 400</code>	Pass	0.003s
Notes updated	<code>activities[0]["notes"] == "New note"</code>	Pass	0.003s
Setting C or I to None (null) is valid.	<code>r.status_code == 200</code>	Pass	0.004s
Valid activity update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
Escalation tier threshold updated	<code>triggers[0]["tier_threshold"]["1"] == "Immediate"</code>	Pass	0.004s
Response has audit entry	<code>"audit_entry" in r.get_json();</code> <code>"audit_entry" in r.get_json()</code>	Pass	0.003s
Trigger not found returns 404	<code>r.status_code == 404</code>	Pass	0.003s
Valid escalation update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.004s
Backup field updated	<code>owner["backup"] == "Owner B"</code>	Pass	0.003s
No raci file returns 404	<code>r.status_code == 404</code>	Pass	0.029s
Response has audit entry	<code>"audit_entry" in r.get_json();</code> <code>"audit_entry" in r.get_json()</code>	Pass	0.003s
Role not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Valid role update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
When all gauges are skipped, avg_auc_roc is 0.	<code>summary["num_trained"] == 0;</code> <code>summary["avg_auc_roc"] == 0.0</code>	Pass	0.002s
Creates training_summary.json when it does not exist.	<code>summary_path.exists();</code> <code>summary["num_gauges"] == 1</code> (+5 more)	Pass	0.007s
Merges a new gauge result into an existing summary.	<code>summary["num_gauges"] == 2;</code> <code>summary["num_trained"] == 2</code> (+2 more)	Pass	0.003s
Re-training a gauge replaces its entry, not duplicates it.	<code>summary["num_gauges"] == 1;</code> <code>summary["num_trained"] == 1</code> (+2 more)	Pass	0.002s
A 'skipped' gauge does not contribute to avg_auc_roc.	<code>summary["num_gauges"] == 2;</code> <code>summary["num_trained"] == 1</code> (+2 more)	Pass	0.007s
All valid statuses	<code>r.status_code == 200</code>	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Invalid status returns 400	<code>r.status_code == 400;</code>	Pass	0.002s
	<code>r.get_json()["status"] == "error"</code>		
Model not found returns 404	<code>r.status_code == 404;</code>	Pass	0.002s
	<code>r.get_json()["status"] == "error"</code>		
	(+1 more)		
Question not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Risk rating recalculated	<code>rr["last_calculated"] is not None</code>	Pass	0.003s
Valid update has model and audit entry	<code>"model" in data; "audit_entry" in data</code>	Pass	0.003s
Valid update returns success	<code>r.status_code == 200;</code>	Pass	0.003s
	<code>r.get_json()["status"] == "success"</code>		
update_yield_curve creates yield_curve from default when missing.	<code>'1' in updated['yield_curve'];</code>	Pass	0.002s
	<code>updated['yield_curve']['1'] == 0.055</code>		
Empty filename returns 400	<code>r.status_code == 400</code>	Pass	0.001s
No file returns 400	<code>r.status_code == 400; data["status"]</code>	Pass	0.000s
	<code>== "error"</code>		
Upload appears in list	<code>len(data["documents"]) == 1</code>	Pass	0.003s
Upload response has id	<code>"id" in data["document"]</code>	Pass	0.002s
Upload stores description	<code>data["document"]["description"] ==</code>	Pass	0.002s
	<code>"My description"</code>		
Valid upload returns 200	<code>r.status_code == 200; data["status"]</code>	Pass	0.003s
	<code>== "success" (+1 more)</code>		
Upload save failure returns 500	<code>r.status_code == 500; data["status"]</code>	Pass	0.030s
	<code>== "error" (+1 more)</code>		
_add with file outside input_dir falls back to absolute path.	<code>len(eod_entries) >= 1</code>	Pass	0.002s
_search_dir_files matches entity_id in filename stem — exercised	<code>len(eod_entries) >= 1</code>	Pass	0.002s
_search_dir_files with nonexistent dir returns [] — exercised by	<code>isinstance(result, list)</code>	Pass	0.002s
_search_json with unreadable file returns False — exercised by	<code>isinstance(result, list)</code>	Pass	0.002s
Get page categories contains expected keys	<code>key in cats</code>	Pass	0.001s
Get page categories contains expected keys	<code>key in cats</code>	Pass	0.001s
Get page categories returns copy	<code>"_new_key_" not in gen.categories</code>	Pass	0.001s
Get page categories returns copy	<code>"_new_key_" not in gen.categories</code>	Pass	0.002s
Mutating the returned dict must not affect the generator's internal state.	<code>"_new_key_" not in gen.categories</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Get page categories returns dict	<code>isinstance(cats, dict)</code>	Pass	0.001s
Get page categories returns dict	<code>isinstance(cats, dict)</code>	Pass	0.002s
Get page categories returns dict	<code>isinstance(cats, dict)</code>	Pass	0.001s
List available pages contains all expected	<code>expected <= set(pages)</code>	Pass	0.002s
List available pages contains all expected	<code>expected <= set(pages)</code>	Pass	0.001s
List available pages contains expected	<code>expected <= set(pages)</code>	Pass	0.001s
List available pages non empty	<code>len(gen.list_available_pages()) > 0</code>	Pass	0.001s
List available pages non empty	<code>len(gen.list_available_pages()) > 0</code>	Pass	0.001s
List available pages returns list	<code>isinstance(pages, list)</code>	Pass	0.001s
List available pages returns list	<code>isinstance(pages, list)</code>	Pass	0.002s
List available pages returns list	<code>isinstance(pages, list)</code>	Pass	0.001s
Validate pages all invalid	<code>valid == []; "bogus_one" in invalid</code> (+1 more)	Pass	0.001s
Validate pages all invalid	<code>valid == []; "no_such_page" in invalid</code> (+1 more)	Pass	0.002s
Validate pages all invalid	<code>valid == []; "bogus_one" in invalid</code> (+1 more)	Pass	0.001s
Validate pages all valid	<code>"title_overview" in valid;</code> <code>"sensor_details" in valid</code> (+1 more)	Pass	0.001s
Validate pages all valid	<code>"title_overview" in valid;</code> <code>"data_summary" in valid</code> (+1 more)	Pass	0.002s
Validate pages all valid	<code>"title" in valid; "appendix" in valid</code> (+1 more)	Pass	0.001s
Validate pages empty list	<code>valid == []; invalid == []</code>	Pass	0.001s
Validate pages empty list	<code>valid == []; invalid == []</code>	Pass	0.002s
Validate pages empty list	<code>valid == []; invalid == []</code>	Pass	0.001s
Validate pages mixed	<code>"title_overview" in valid;</code> <code>"nonexistent_page" in invalid</code>	Pass	0.001s
Validate pages mixed	<code>"title_overview" in valid;</code> <code>"nonexistent_page" in invalid</code>	Pass	0.002s
Validate pages mixed	<code>"title" in valid; "nonexistent_page"</code> <code>in invalid</code>	Pass	0.001s
The error message should be a string representation of the exception.	<code>"validation_error" in result;</code> <code>isinstance(result["validation_error"][0],</code> <code>str)</code>	Pass	0.000s
Another path to trigger the except branch.	<code>"validation_error" in result</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 251-252: passing data that causes an exception in the try	"validation.error" in result; isinstance(result["validation.error"], list) (+1 more)	Pass	0.000s
Consistent chain	result["is_consistent"]; result["stale_steps"] == [] (+1 more)	Pass	0.002s
Empty manifest	not result["is_consistent"]; len(result["missing_steps"]) == 15	Pass	0.000s
Stale step detected	not result["is_consistent"]; "properties" in result["stale_steps"]	Pass	0.000s
Alt key structure	validate_gauge_exists("GAUGE-002", gauge_file) is True	Pass	0.001s
Existing gauge returns true	validate_gauge_exists("GAUGE-001", gauge_file) is True	Pass	0.001s
Missing file returns false	validate_gauge_exists("GAUGE-001", tmp_path / "missing.js...	Pass	0.000s
Nonexistent gauge returns false	validate_gauge_exists("GAUGE-XXX", gauge_file) is False	Pass	0.001s
Binary file returns false	result is False	Pass	0.001s
Corrupt json returns false	result is False	Pass	0.001s
Zero validation errors across the whole batch.	result["invalid"] == 0	Pass	0.000s
Medium batch all valid	result["invalid"] == 0	Pass	0.001s
No negative durations	storm.duration_hours > 0	Pass	0.000s
No negative precipitation	seq.total.precipitation_mm > 0; storm.precipitation_mm > 0	Pass	0.000s
Last storm precipitation must end by hour 156 (1e-9 FP tolerance).	last_end <= MAX_PRECIP_END_HOUR + _FP_TOL	Pass	0.000s
Line 196: audit log overflow during VQ update.	r.status_code == 200	Pass	0.040s
Line 130: inventory not found → 404.	r.status_code == 404	Pass	0.001s
Line 176: save failure → 500.	r.status_code == 500	Pass	0.003s
Update triggers risk recalculation	rr["calculated_score"] is not None; rr["calculated_rating"] in ["Acceptable", "Conditional", ... (+1 more)	Pass	0.005s
Update validation question	response.status_code == 200; data["status"] == "success" (+5 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Update validation question invalid status	<code>response.status_code == 400</code>	Pass	0.003s
Update validation question not found	<code>response.status_code == 404</code>	Pass	0.002s
Base pct wins when higher than depth factor	<code>var == pytest.approx(350.000)</code>	Pass	0.000s
Depth 1 to 2m	<code>var == pytest.approx(500.000)</code>	Pass	0.000s
Depth half to 1m	<code>var == pytest.approx(250.000)</code>	Pass	0.000s
Depth over 2m	<code>var == pytest.approx(800.000)</code>	Pass	0.000s
Depth under half m	<code>var == pytest.approx(100.000)</code>	Pass	0.000s
Negative property value	<code>RiskAssessor.calculate_value_at_risk(-100.000, "High") == ...</code>	Pass	0.000s
Risk level percentages	<code>var == pytest.approx(1.000.000 * pct)</code>	Pass	0.000s
Zero depth uses base pct	<code>var == pytest.approx(150.000)</code>	Pass	0.000s
Zero property value	<code>RiskAssessor.calculate_value_at_risk(0, "High") == 0.0</code>	Pass	0.000s
When verbose=False, the per-counterparty log lines are absent.	<code>"[1/2]" not in caplog.text; "Wrote 2 counterparties" not in caplog.text</code>	Pass	0.000s
Lines 169-170: when verbose=True, each counterparty is logged.	<code>len(result["data"]) == 3; "[1/3]" in caplog.text (+2 more)</code>	Pass	0.001s
Line 187: verbose=True logs final summary with count and path.	<code>"Wrote 2 counterparties" in caplog.text</code>	Pass	0.000s
<code>create_visualization()</code> returns a <code>TCEventVisualization</code> instance.	<code>isinstance(viz, TCEventVisualization)</code>	Pass	0.000s
All addressed	<code>_vq_summary(model) == "3/3"</code>	Pass	0.000s
Empty questions	<code>_vq_summary(model) == "0/0"</code>	Pass	0.000s
None addressed	<code>_vq_summary(model) == "0/2"</code>	Pass	0.000s
Some not applicable	<code>_vq_summary(model) == "1/2"</code>	Pass	0.000s
<code>_walk_upstream</code> should not infinite loop on revisited nodes.	<code>result.count("gauges") == 1</code>	Pass	0.000s
Deep chain	<code>"gauges" in result; "propertyhc" in result</code>	Pass	0.000s
Mid chain	<code>"gauges" in result; result.index("gauges") < result.index("properties")</code>	Pass	0.000s
Root has no upstream	<code>result == ["gauges"]</code>	Pass	0.000s
GET returns <code>yield_curve</code> dict.	<code>resp.status_code == 200; data['status'] == 'success' (+1 more)</code>	Pass	0.002s
Default yield curve has standard tenor points.	<code>len(yc) > 0</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Tenor outside 1-30 returns 400.	resp.status_code == 400	Pass	0.000s
POST without JSON body returns error.	resp.status_code in (400, 500)	Pass	0.002s
POST updates one tenor point.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Commit returns affected_trades and P&L impact fields.	resp.status_code == 200; data['status'] == 'success' (+4 more)	Pass	0.023s
Commit should affect all open trades.	data['affected_trades'] == 16	Pass	0.026s
Empty rates dict returns 400.	resp.status_code == 400	Pass	0.000s
No JSON body returns error.	resp.status_code in (400, 500)	Pass	0.001s
Reset returns to default shape.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.005s
All zone options present	zone in js	Pass	0.000s
The change listener array must include the zone dropdown ID.	"'phc-ea-zone'" in js	Pass	0.000s
Default selection reads from phc-Data.flood_zone.	'phcData.flood_zone' in js	Pass	0.000s
Label present	'EA Zone:' in js	Pass	0.000s
Select element present	'id="phc-ea-zone"' in js	Pass	0.000s
Zones should appear in risk order: 3b, 3a, 3, 2, 1.	idx_3b < idx_3a < idx_3 < idx_2 < idx_1	Pass	0.000s

Failed Test Details

test_no_stale_inputs File: tests/data/test_id_consistency_pipeline_part2.py

```

1 tests/data/test_id_consistency_pipeline_part2.py:81: in test_no_stale_inputs
2     assert len(stale) == 0, (
3 E   AssertionError: 2 pipeline steps have stale inputs: ['propertyshd', 'propertyshe']. Run:
    python app.py port to regenerate.
4 E   assert 2 == 0
5 E     + where 2 = len(['propertyshd', 'propertyshe'])

```

test_generator_source_uses_uuid File: tests/naming-conventions/generators.py

```

1 tests/naming_conventions/generators.py:34: in test_generator_source_uses_uuid
2     assert 'uuid' in src, "gauge_random must use uuid for gauge IDs"
3 E   AssertionError: gauge_random must use uuid for gauge IDs

```

test_windows_calls_start File: tests/reports/utls/open_pdf.py

```
1 tests/reports/utils/open_pdf.py:61: in test_windows_calls_start
2     assert mock_run.call_args[0][0][0] == "start"
3 E     AssertionError
```

test_import_error_returns_500 File: tests/routes/gauges/test_reports.py

```
1 tests/routes/gauges/test_reports.py:125: in test_import_error_returns_500
2     assert "not available" in r.get_json()["message"].lower()
3 E     AssertionError: assert 'not available' in 'internal server error'
4 E     +   where 'internal server error' = <built-in method lower of str object at 0x371ab8530>()
5 E     +   where <built-in method lower of str object at 0x371ab8530> = 'Internal server error'
        .lower
```

test_general_exception_returns_500 File: tests/routes/gauges/test_reports.py

```
1 tests/routes/gauges/test_reports.py:144: in test_general_exception_returns_500
2     assert "disk full" in r.get_json()["message"]
3 E     AssertionError: assert 'disk full' in 'Internal server error'
```

test_days_param_zero_returns_all File: tests/routes/gauges_history.py

```
1 tests/routes/gauges_history.py:199: in test_days_param_zero_returns_all
2     assert len(data["daily_observations"]) == 12
3 E     KeyError: 'daily_observations'
```

test_trace_error_returns_500 File: tests/routes/governance/test_lineage_coverage_part2.py

```
1 tests/routes/governance/test_lineage_coverage_part2.py:90: in test_trace_error_returns_500
2     assert "trace boom" in data["message"]
3 E     AssertionError: assert 'trace boom' in 'Internal server error'
```

test_get_yield_curve_error_returns_500 File: tests/routes/trading/curves_routes_part2.py

```
1 tests/routes/trading/curves_routes_part2.py:140: in test_get_yield_curve_error_returns_500
2     assert resp.status_code == 500
3 E     AssertionError
```

test_update_yield_curve_error_returns_500 File: tests/routes/trading/curves_routes_part2.py

```
1 tests/routes/trading/curves_routes_part2.py:148: in test_update_yield_curve_error_returns_500
2     assert resp.status_code == 500
3 E     AssertionError
```

test_get_hazard_ts_error_returns_500 File: tests/routes/trading/curves_routes_part2.py

```
1 tests/routes/trading/curves_routes_part2.py:155: in test_get_hazard_ts_error_returns_500
2     assert resp.status_code == 500
3 E     AssertionError
```

test_reset_yield_curve_error_returns_500 File: tests/routes/trading/curves_routes_part2.py

```
1 tests/routes/trading/curves_routes_part2.py:163: in test_reset_yield_curve_error_returns_500
2     assert resp.status_code == 500
3 E     AssertionError
```

test_commit_hazard_ts_error_returns_500 File: tests/routes/trading/curves_routes_part2.py

```
1 tests/routes/trading/curves_routes_part2.py:173: in test_commit_hazard_ts_error_returns_500
2     assert resp.status_code == 500
3 E     AssertionError
```

test_reset_hazard_ts_error_returns_500 File: tests/routes/trading/curves_routes_part2.py

```
1 tests/routes/trading/curves_routes_part2.py:182: in test_reset_hazard_ts_error_returns_500
2     assert resp.status_code == 500
3 E     AssertionError
```

test_readiness_error File: tests/routes/trading/test_classifiers_batch.py

```
1 tests/routes/trading/test_classifiers_batch.py:224: in test_readiness_error
2     assert "boom" in data["message"]
3 E     AssertionError: assert 'boom' in 'Internal server error'
```

test_train_all_returns_500_on_setup_error File: tests/routes/trading/test_classifiers_coverage.py

```
1 tests/routes/trading/test_classifiers_coverage.py:69: in
2     test_train_all_returns_500_on_setup_error
3     assert "disk error" in data["message"]
3 E     AssertionError: assert 'disk error' in 'Internal server error'
```