



PRS Pricing Model — Test Results

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 01-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

1 Test Results — PRS Pricing Model (MKM-PR-001)

Tests run on **01 April 2026 at 10:24:44.**

Table 1: Test Results Summary — PRS Pricing Model (MKM-PR-001)

Total Tests	56
Passed	56
Failed	0
Skipped	0
Duration	13.07s

Table 2: Detailed Test Results — PRS Pricing Model

Test Description	Acceptance Criteria	Result	Time
1Y from Feb 2026 = last Friday May 2027.	<code>mat == last_friday_of_month(2027, 5)</code>	Pass	0.000s
3Y from Feb 2026 = last Friday May 2029.	<code>mat == last_friday_of_month(2029, 5);</code> <code>mat.month == 5 (+1 more)</code>	Pass	0.000s
Jan 2027 uses Aug 2026 roll → Nov 2029 maturity.	<code>mat == last_friday_of_month(2029, 11)</code>	Pass	0.000s
3Y from Sep 2026 = last Friday Nov 2029 (Aug roll).	<code>mat == last_friday_of_month(2029, 11);</code> <code>mat.month == 11</code>	Pass	0.000s
5Y from Feb 2026 = last Friday May 2031.	<code>mat == last_friday_of_month(2031, 5)</code>	Pass	0.000s
5Y from Sep 2026 = last Friday Nov 2031.	<code>mat == last_friday_of_month(2031, 11)</code>	Pass	0.000s
All maturities should fall on a Friday.	<code>mat.weekday() == 4</code>	Pass	0.000s
3Y maturity jumps from May to Nov at the Aug roll.	<code>may_mat.month == 5; nov_mat.month == 11 (+1 more)</code>	Pass	0.000s
Aug onwards uses Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8</code>	Pass	0.000s
December uses the same year's Aug roll.	<code>roll.month == 8; roll.year == 2026</code>	Pass	0.000s
Feb-Jul uses Feb roll.	<code>roll == last_friday_of_month(2026, 2);</code> <code>roll.month == 2</code>	Pass	0.000s
January uses the previous year's Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8 (+1 more)</code>	Pass	0.000s
July is the last month of the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s
March is still in the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
compute_maturity_date with no ref_date uses today.	<code>isinstance(mat, date); mat.weekday() == 4</code>	Pass	0.000s
current_roll_date(None) uses today and returns a valid date.	<code>isinstance(roll, date); roll.weekday() == 4</code>	Pass	0.000s
maturity_table with no ref_date uses today.	<code>len(table) == 5;</code> <code>all(isinstance(e['maturity_date'], date) for e in table)</code>	Pass	0.000s
Empty propertyts dir	<code>stats["total_properties"] == 0;</code> <code>stats["properties_with_gev"] == 0</code>	Pass	0.002s
Generator should still work without gauge hazard curves (empty basis).	<code>stats["properties_with_gev"] == 2;</code> <code>stats["properties_with_floor"] == 1</code> (+1 more)	Pass	0.567s
No propertyts dir	—	Pass	0.000s
Aug 2026: 31st is Monday, last Friday = 28th.	<code>last_friday_of_month(2026, 8) == date(2026, 8, 28)</code>	Pass	0.000s
Feb 2026: 28th is Saturday, last Friday = 27th.	<code>last_friday_of_month(2026, 2) == date(2026, 2, 27)</code>	Pass	0.000s
May 2029: 31st is Thursday, last Friday = 25th.	<code>last_friday_of_month(2029, 5) == date(2029, 5, 25)</code>	Pass	0.000s
Nov 2029: 30th is Friday.	<code>last_friday_of_month(2029, 11) == date(2029, 11, 30)</code>	Pass	0.000s
Result should always be a Friday (weekday=4).	<code>d.weekday() == 4</code>	Pass	0.000s
Actual years should be strictly increasing.	<code>years[i] > years[i - 1]</code>	Pass	0.000s
All maturities should be in May for the Feb roll.	<code>e['maturity_date'].month == 5</code>	Pass	0.000s
All maturities should be in November for the Aug roll.	<code>e['maturity_date'].month == 11</code>	Pass	0.000s
Maturity string should be formatted as 'DD Mon YYYY'.	<code>len(e['maturity_str']) > 8;</code> 'May' <code>in e['maturity_str'] or 'Nov' in e['maturity_str']</code>	Pass	0.000s
Default table has 5 entries (1Y through 5Y).	<code>len(table) == 5</code>	Pass	0.000s
Tenors should be 1, 2, 3, 4, 5.	<code>tenors == [1, 2, 3, 4, 5]</code>	Pass	0.000s
Positive spread	<code>spread > 0; 50 < spread < 500</code>	Pass	0.000s
Spread increases with hazard	<code>spread_high > spread_low</code>	Pass	0.000s
Spread values at different tenors	<code>s > 0</code>	Pass	0.000s
Zero hazard rate	<code>spread == 0.0</code>	Pass	0.000s
Basis calculation	<code>len(nearest) > 0;</code> <code>ng0["gauge_id"] == "GAUGE-001"</code> (+5 more)	Pass	0.478s

Test Description	Acceptance Criteria	Result	Time
Depth thresholds	"any_flood" in thresholds; "moderate" in thresholds (+4 more)	Pass	0.474s
Generate produces output	output_path.exists(); "metadata" in data (+2 more)	Pass	0.528s
Gev params structure	"shape" in gev; "loc" in gev (+2 more)	Pass	0.488s
High transmission rate	prop3["summary"]["flood_transmission_rate"] == 1.0	Pass	0.484s
Output structure	"PROP-001" in curves; "PROP-002" in curves (+14 more)	Pass	0.507s
Properties with gev	stats["properties_with_gev"] == 2; stats["properties_with_floor"] == 1 (+1 more)	Pass	0.551s
Survival decreases with tenor	survival[i] <= survival[i - 1]	Pass	0.472s
Term structure	ts["tenors"] == TENORS; threshold_name in ts (+3 more)	Pass	0.474s
Recovery rates by trigger	len(spreads) > 0	Pass	0.468s
Recovery reduces spread	spread_with_recovery < spread_no_recovery	Pass	0.000s
After attach_spread_decomposition, propertyhc.json has decomposition.	"spread_decomposition" in pc; "gauge_spread_bps" in sd (+5 more)	Pass	1.547s
At least one effect per path must be non-zero when gauge != property.	df["distance_effect_bps"] != 0.0 or df["elevation_effect..."; ef["elevation_effect_bps"] != 0.0 or ef["distance_effect...]	Pass	1.721s
Both decomposition paths should arrive at the property spread.	abs(path1 - prop) < 0.1; abs(path2 - prop) < 0.1	Pass	2.245s
With shd/she files present, decomposition values must be non-zero.	sd["property_spread_bps"] != 0.0; sd["shd_spread_bps"] != 0.0 (+1 more)	Pass	1.517s
Without shd/she files, decomposition still works (zeros).	n > 0; sd["shd_spread_bps"] == 0.0 (+1 more)	Pass	0.543s
_get_5yr_any_flood_spread must return index 4 when available.	PropertyHazardCurveGenerator._get_5yr_any_flood_spread(4)	Pass	0.000s
_get_5yr_any_flood_spread must return 0.0 for empty/missing data.	PropertyHazardCurveGenerator._get_5yr_any_flood_spread(0); PropertyHazardCurveGenerator._get_5yr_any_flood_spread(... (+1 more)	Pass	0.000s
All tenors should round-trip through maturity and back.	tenor_from_maturity(mat, ref) == t	Pass	0.000s
A date not in the table returns the closest tenor.	result in [1, 2, 3, 4, 5]	Pass	0.000s

Exact maturity date returns correct	<code>tenor_from_maturity(mat, date(2026,</code>	Pass	0.000s
tenor.	<code>2, 24)) == 3</code>		

1.1 Test Document History

Date	Version	Description	Author
05-Mar-2026	1.0	Initial test suite (30 tests)	D. Kelly
07-Mar-2026	1.1	57 test(s) added; 30 test(s) removed (total: 57)	D. Kelly
07-Mar-2026	1.2	30 test(s) added (total: 87)	D. Kelly
18-Mar-2026	1.3	4 test(s) added (total: 91)	D. Kelly
27-Mar-2026	1.4	30 test(s) removed (total: 61)	D. Kelly
30-Mar-2026	1.5	3 test(s) added; 12 test(s) removed (total: 52)	D. Kelly
01-Apr-2026	1.6	4 test(s) added (total: 56)	D. Kelly