



Model Test Results Report

Automated Test Documentation for Model Governance

MKM Research Labs

Version 1.0 — 01-April-2026

David K Kelly

CONFIDENTIAL — PROPRIETARY

Legal Notice

PROPRIETARY AND CONFIDENTIAL

This document, including all algorithms, models, methodology, formulas, calculations, and intellectual concepts contained herein, constitutes the exclusive intellectual property and confidential trade secrets of MKM Research Labs (“MKM”).

Any usage, reproduction, distribution, modification, or disclosure of this document or any portion thereof, without the express prior written authorisation from MKM Research Labs is strictly prohibited and constitutes an infringement of intellectual property rights.

The document is provided on an “as is” basis. MKM Research Labs makes no representations or warranties of any kind, express or implied, regarding its accuracy, reliability, or suitability for any particular purpose.

All rights reserved. © 2021–2026 MKM Research Labs.

Governed by the laws of the United Kingdom.

Contents

1	Executive Summary	3
1.1	Test Environment	3
1.2	Results by Model	3
2	Test Traceability Matrix	4
3	Flood Risk (Depth-Damage) (MKM-DD-001)	162
4	Flood Polynomial Model (MKM-FPO-001)	165
5	GEV Hazard Model (MKM-GH-001)	167
6	GaugeHD Synthetic (MKM-GHD-001)	169
7	Insurance Premium (MKM-IP-001)	173
8	Mortgage Pricer (MKM-MP-001)	175
9	PRS Pricing Model (MKM-PR-001)	179
10	Property Valuation (MKM-PV-001)	183
11	Storm-Gauge Response Model (MKM-SG-001)	186
12	Storm Intensity Distribution (MKM-SI-001)	189
13	Spatial Interpolation (MKM-SP-001)	193
14	Storm Sequence Generator (MKM-SS-001)	195
15	Stress Test Pipeline (MKM-ST-001)	197
16	Trading Desk (MKM-TD-001)	203
17	CDM Schema Validation (CDM-ALL)	214
18	End-to-End Browser Tests (E2E-ALL)	217
A	Platform Infrastructure Tests	268

1 Executive Summary

This report documents the results of automated model tests run on **01 April 2026 at 10:24:44**.

Table 1: Overall Test Results

Total Tests	6913
Passed	6583
Failed	314
Skipped	16
Pass Rate	95.2%
Total Duration	349.27s

1.1 Test Environment

Platform	macOS-26.3.1-arm64-arm-64bit-Mach-O
Python	3.13.1
pytest	8.3.4
Coverage	98.7%
Git Commit	c3213ffcd5ca

1.2 Results by Model

Table 2: Test Results by Model

Model ID	Model Name	Total	Pass	Fail	Skip	Time (s)
MKM-DD-001	Flood Risk (Depth-Damage)	32	32	0	0	0.00
MKM-FPO-001	Flood Polynomial Model	33	33	0	0	0.00
MKM-GH-001	GEV Hazard Model	16	16	0	0	0.26
MKM-GHD-001	GaugeHD Synthetic	62	62	0	0	8.19
MKM-IP-001	Insurance Premium	36	36	0	0	0.00
MKM-MP-001	Mortgage Pricer	67	67	0	0	0.05
MKM-PR-001	PRS Pricing Model	56	56	0	0	13.07
MKM-PV-001	Property Valuation	55	55	0	0	16.69
MKM-SG-001	Storm-Gauge Response Model	41	41	0	0	0.03
MKM-SI-001	Storm Intensity Distribution	63	63	0	0	0.01
MKM-SP-001	Spatial Interpolation	41	41	0	0	0.01
MKM-SS-001	Storm Sequence Generator	17	17	0	0	0.00
MKM-ST-001	Stress Test Pipeline	107	107	0	0	19.80
MKM-TD-001	Trading Desk	212	212	0	0	1.25
CDM-ALL	CDM Schema Validation	33	33	0	0	0.00
E2E-ALL	End-to-End Browser Tests	313	0	313	0	15.60
PLATFORM	Platform Infrastructure	5729	5712	1	16	195.22

2 Test Traceability Matrix

The following table maps every executed test to its assigned model component, providing evidence of coverage required under SR 11-7 §4.2 and SS1/23.

Model	Module	Test Name	Status
MKM-DD-001	velocity.py::TestBuildPropertyHydrograph	test_high_hours_present	Pass
	velocity.py::TestBuildPropertyHydrograph	test_depth_never_negative	Pass
	velocity.py::TestBuildPropertyHydrograph	test_each_entry_has_required_keys	Pass
	velocity.py::TestBuildPropertyHydrograph	test_empty_readings	Pass
	velocity.py::TestBuildPropertyHydrograph	test_high_floor_prevents_flooding	Pass
	velocity.py::TestBuildPropertyHydrograph	test_no_flooding_before_arrival	Pass
	velocity.py::TestBuildPropertyHydrograph	test_output_length_matches_input	Pass
	velocity.py::TestBuildPropertyHydrograph	test_peak_produces_flooding	Pass
	velocity.py::TestComputeSlope	test_basic_slope	Pass
	velocity.py::TestComputeSlope	test_min_slope_clamp	Pass
	velocity.py::TestComputeSlope	test_slope_is_absolute	Pass
	velocity.py::TestComputeSlope	test_zero_distance	Pass
	velocity.py::TestManningVelocity	test_deeper_water_faster	Pass
	velocity.py::TestManningVelocity	test_negative_depth_returns_zero	Pass
	velocity.py::TestManningVelocity	test_negative_slope_uses_abs	Pass
	velocity.py::TestManningVelocity	test_positive_depth_and_slope	Pass
	velocity.py::TestManningVelocity	test_slope_clamped_to_min	Pass
	velocity.py::TestManningVelocity	test_steeper_slope_faster	Pass
	velocity.py::TestManningVelocity	test_zero_depth_returns_zero	Pass
	velocity.py::TestManningVelocity	test_zero_roughness_returns_zero	Pass
	velocity.py::TestRetention	test_at_length_scale	Pass
	velocity.py::TestRetention	test_backwards_compat_alias	Pass
	velocity.py::TestRetention	test_far_distance_near_zero	Pass
	velocity.py::TestRetention	test_near_river_high_retention	Pass
	velocity.py::TestRetention	test_negative_distance	Pass
	velocity.py::TestRetention	test_one_km_retention	Pass
	velocity.py::TestRetention	test_zero_distance_full_strength	Pass
	velocity.py::TestRetention	test_zero_length	Pass
	velocity.py::TestTravelTime	test_basic_travel_time	Pass
	velocity.py::TestTravelTime	test_farther_takes_longer	Pass
	velocity.py::TestTravelTime	test_zero_depth_infinite	Pass
	velocity.py::TestTravelTime	test_zero_distance	Pass
MKM-FPO-001	flood_poly.py::TestConfigIntegration	test_coefficients_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_fit_metadata_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_log_eps_from_config	Pass
	flood_poly.py::TestConfigIntegration	test_storm_hours_from_config	Pass
	flood_poly.py::TestModelCard	test_coefficients_count	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	flood_poly.py::TestModelCard	test_fit_quality_has_metrics	Pass
	flood_poly.py::TestModelCard	test_has_required_fields	Pass
	flood_poly.py::TestModelCard	test_model_id_matches_config	Pass
	flood_poly.py::TestModelCard	test_returns_dict	Pass
	flood_poly.py::TestPFloodPoly	test_extreme_water_near_one	Pass
	flood_poly.py::TestPFloodPoly	test_high_water_high_probability	Pass
	flood_poly.py::TestPFloodPoly	test_hour_boundary_167	Pass
	flood_poly.py::TestPFloodPoly	test_hour_boundary_zero	Pass
	flood_poly.py::TestPFloodPoly	test_hour_zero_lower_than_mid_storm	Pass
	flood_poly.py::TestPFloodPoly	test_in_range	Pass
	flood_poly.py::TestPFloodPoly	test_low_water_low_probability	Pass
	flood_poly.py::TestPFloodPoly	test_monotonic_in_water_level	Pass
	flood_poly.py::TestPFloodPoly	test_negative_severe_returns_zero	Pass
	flood_poly.py::TestPFloodPoly	test_returns_float	Pass
	flood_poly.py::TestPFloodPoly	test_very_low_water_near_zero	Pass
	flood_poly.py::TestPFloodPoly	test_zero_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSeries	test_all_in_range	Pass
	flood_poly.py::TestPFloodSeries	test_correct_length	Pass
	flood_poly.py::TestPFloodSeries	test_empty_list	Pass
	flood_poly.py::TestPFloodSeries	test_returns_list	Pass
	flood_poly.py::TestPFloodSimple	test_above_severe_capped_at_one	Pass
	flood_poly.py::TestPFloodSimple	test_at_severe_equals_one	Pass
	flood_poly.py::TestPFloodSimple	test_in_range	Pass
	flood_poly.py::TestPFloodSimple	test_negative_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSimple	test_ratio_calculation	Pass
	flood_poly.py::TestPFloodSimple	test_returns_float	Pass
	flood_poly.py::TestPFloodSimple	test_zero_severe_returns_zero	Pass
	flood_poly.py::TestPFloodSimple	test_zero_water	Pass
MKM-GH-001	hazard_builder.py::TestGEVFit	test_exceedance_probability_in_range	Pass
	hazard_builder.py::TestGEVFit	test_fit_returns_three_floats	Pass
	hazard_builder.py::TestGEVFit	test_force_gumbel_sets_shape_zero	Pass
	hazard_builder.py::TestGEVFit	test_higher_threshold_lower_probability	Pass
	hazard_builder.py::TestGEVFit	test_return_level_increases_with_period	Pass
	hazard_builder.py::TestGaugeResponseModel	test_all_responses_returns_dict	Pass
	hazard_builder.py::TestGaugeResponseModel	test_single_response_returns_gauge_response	Pass
	hazard_builder.py::TestGaugeResponseModel	test_response_threshold_flags	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_all_flood_probabilities_in_range	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_build_returns_dict_of_curves	Pass
	hazard_builder.py::TestHazardCurveBuilder	test_build_curve_is_gauge_hazard_curve	Pass
	hazard_builder.py::TestTermStructure	test_cumulative_prob_increasing	Pass
	hazard_builder.py::TestTermStructure	test_probabilities_sum_to_one	Pass
	hazard_builder.py::TestTermStructure	test_returns_correct_length	Pass
	hazard_builder.py::TestTermStructure	test_returns_term_structure_points	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
MKM-GHD-001	hazard_builder.py::TestTermStructure	testTermSurvivalProbDecreasing	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	testHistoricalHighInjectionHighInjectedPostLoop	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	testHistoricalHighInjectionHighNotInRangeSkipped	Pass
	test_synthetic_coverage.py::TestHistoricalHighInjection	testHistoricalHighInjectionHighDate	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesLevelsPositive	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesCorrectLengthApproximately	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesDatesAreSequential	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesDifferentSeedsDifferentOutput	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesEachObsHasDateAndLevel	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesTidalGaugeDataUsesDefaults	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesHistoricalHighDateInRange	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesHistoricalHighDateInvalidFormat	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesHistoricalHighDateOutOfRange	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesHistoricalHighInjectedWhenNotPlaced	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesMissingFloodStagesUsesDefaults	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesPartialTidalGaugeProducesOutput	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesReturnsList	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesReproducible	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesTidalGaugeProducesOutput	Pass
	synthetic.py::TestGenerateSyntheticFiles	testFilesTidalSpringNeapModulation	Pass
	test_gaugehd_module.py::TestGenerateAllGaugeHistories	testGenerateAllGaugeHistories	Pass
	test_gaugehd_module.py::TestGenerateAllGaugeHistories	testGenerateAllGaugeHistoriesErrorContinues	Continues
	test_gaugehd_module.py::TestLoadAllGaugePortfolio	testLoadAllGaugePortfolioFileNotFound	Pass
	test_gaugehd_module.py::TestLoadAllGaugePortfolio	testLoadAllGaugePortfolioSuccess	Pass
	test_gaugehd_module.py::TestProcessAllGaugeData	testProcessAllGaugeDataDirectoryBadCsvContent	Times
	test_gaugehd_module.py::TestProcessAllGaugeData	testProcessAllGaugeDataDirectoryBasic	Pass
	test_gaugehd_module.py::TestProcessAllGaugeData	testProcessAllGaugeDataDirectoryDefaultOutput	Pass
	test_gaugehd_module.py::TestProcessAllGaugeData	testProcessAllGaugeDataDirectoryEmptyDir	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorGaugeJson	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorGauges	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGenerator	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorBeyondPolyline	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorElevation	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorFloodStages	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorReturnsZero	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorReturnsZero	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorHasCdmStructure	Pass
	test_synthetic_gauge.py::TestSyntheticGaugeGenerator	testSyntheticGaugeGeneratorOnRiverCentreline	Pass
	test_synthetic_gauge_coverage.py::TestDegenerateRiverSegment	testDegenerateRiverSegmentSkipped	Pass
	test_synthetic_gauge_coverage.py::TestFlankingChannelMissing	testFlankingChannelMissingGaugeReturnsNone	Pass
	test_synthetic_gauge_coverage.py::TestEmptyGaugePoint	testEmptyGaugePointReturnsZero	Pass
	test_synthetic_gauge_coverage.py::TestNonGaugePoint	testNonGaugePointReturnsZero	Pass
	test_synthetic_gauge_coverage.py::TestNoActivePolyline	testNoActivePolylineReturnsNoneWhenNoCache	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_synthetic_gauge_coverage.py::TestIsNativePolylineGauges	test_synthetic_gauge_coverage.py::TestIsNativePolylineGauges_original.when_passed.polyline	Pass
	test_synthetic_gauge_coverage.py::TestPropertyAsAPolylineStart	test_synthetic_gauge_coverage.py::TestPropertyAsAPolylineStart_returns_none	None
	test_synthetic_gauge_coverage.py::TestExistingGaugeSkipped	test_synthetic_gauge_coverage.py::TestExistingGaugeSkipped_already_added_to_gauge_point	Pass
	test_synthetic_gauge_coverage.py::TestZeroPropertyInit	test_synthetic_gauge_coverage.py::TestZeroPropertyInit_zero_point.skipped	Pass
	test_synthetic_gauge_coverage.py::TestZeroPropertyInit	test_synthetic_gauge_coverage.py::TestZeroPropertyInit_zero_point.skipped	Pass
	test_synthetic_gauge_lineage.py::TestPropertyH6WithSyntheticMeasure	test_synthetic_gauge_lineage.py::TestPropertyH6WithSyntheticMeasure_nearest_gauges	Pass
	test_synthetic_gauge_lineage.py::TestPropertyH6WithSyntheticMeasure	test_synthetic_gauge_lineage.py::TestPropertyH6WithSyntheticMeasure_gauge_basis	Pass
	test_synthetic_gauge_lineage.py::TestPropertyP6PartiallyContainedInSyntheticGauge	test_synthetic_gauge_lineage.py::TestPropertyP6PartiallyContainedInSyntheticGauge	Pass
	test_synthetic_gauge_lineage.py::TestPropertyP6PartiallyContainedInSyntheticGauges	test_synthetic_gauge_lineage.py::TestPropertyP6PartiallyContainedInSyntheticGauges_to_false	Pass
	test_synthetic_gauge_lineage.py::TestPropertyP6PartiallyContainedInSyntheticGauges	test_synthetic_gauge_lineage.py::TestPropertyP6PartiallyContainedInSyntheticGauges_to_true	Pass
	test_synthetic_gauge_lineage.py::TestGaugeEventFilter	test_synthetic_gauge_lineage.py::TestGaugeEventFilter_reach_property_events	Pass
	test_synthetic_gauge_lineage.py::TestSomePropertiesActuallyFlood	test_synthetic_gauge_lineage.py::TestSomePropertiesActuallyFlood	Pass
	test_synthetic_gauge_lineage.py::TestGaugesIfSonHasSyntheticGauges	test_synthetic_gauge_lineage.py::TestGaugesIfSonHasSyntheticGauges	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesAndGaugesInCdmFields	test_synthetic_gauge_lineage.py::TestSyntheticGaugesAndGaugesInCdmFields	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInCharges	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInCharges	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInStructure	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInStructure	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInCharges	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInCharges_positive	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInCharges	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInCharges_negative	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInAlerts	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInAlerts_seeded_alerts	Pass
	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInAlerts	test_synthetic_gauge_lineage.py::TestSyntheticGaugesInAlerts_term_responses	Pass
MKM-IP-001	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_all_factors_applied	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_basic_calculation	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_claims_factor_increases_premium	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_claims_factor_limited_to_max	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_claims_factor_limited_to_min	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_contents_premium_added	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_high_flood_risk_increases_premium	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_returns_float	Pass
	insurance.py::TestApplyInsuranceFactors	insurance.py::TestApplyInsuranceFactors_security_factor_reduces_premium	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_100_years_is_heritage	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_10_years_is_modern	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_30_years_is_established	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_current_year	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_established	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_actually_29_years_modern	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_actually_99_years_established	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_actually_9_years_new_build	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_heritage_old	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_modern	Pass
	insurance.py::TestGetAgePremium	insurance.py::TestGetAgePremium_defaults_to_new_build	Pass
	insurance.py::TestGetAreaPremium	insurance.py::TestGetAreaPremium_factor_100_third_band	Pass
	insurance.py::TestGetAreaPremium	insurance.py::TestGetAreaPremium_factor_50_second_band	Pass
	insurance.py::TestGetAreaPremium	insurance.py::TestGetAreaPremium_factor_below_100_second_band	Pass
	insurance.py::TestGetAreaPremium	insurance.py::TestGetAreaPremium_factor_below_50_first_band	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_fourth_band	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_second_band	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_tuple	Pass
	insurance.py::TestGetAreaPremiumFactorRange	test_fast_range_area_first_band	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_premium_factors_all_positive	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_area_bands_are_sorted	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_rate_range	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_construction_type_factors_present	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_flood_risk_factors_increase_with_rate	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_flood_risk_factors_present	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_max_premium_bounds	Pass
	insurance.py::TestInsuranceFactorEstimate	test_base_property_type_factors_present	Pass
MKM-MP-001	credit.py::TestCreditSpread	test_custom_tax_rate	Pass
	credit.py::TestCreditSpread	test_floor_at_10bps	Pass
	credit.py::TestCreditSpread	test_higher_affordability_higher_spread	Pass
	credit.py::TestCreditSpread	test_negative_income_fallback	Pass
	credit.py::TestCreditSpread	test_spread_bounded_by_schedule	Pass
	credit.py::TestCreditSpread	test_zero_income_fallback	Pass
	credit.py::TestFloodRiskFactor	test_batch_passes_flood_risk	Pass
	credit.py::TestFloodRiskFactor	test_case_insensitive	Pass
	credit.py::TestFloodRiskFactor	test_flood_factor_in_result	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_increases_spread	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[High-1.4]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Low-1.05]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Medium-1.2]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Very High-1.75]	Pass
	credit.py::TestFloodRiskFactor	test_flood_risk_multipliers[Very Low-1.0]	Pass
	credit.py::TestFloodRiskFactor	test_no_flood_risk_defaults_to_unity	Pass
	credit.py::TestFloodRiskFactor	test_none_returns_unity	Pass
	credit.py::TestFloodRiskFactor	test_unknown_category_returns_unity	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.5-1.0]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.8-1.0]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.85-1.1]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.9-1.1]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.91-1.3]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.95-1.3]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[0.96-1.5]	Pass
	credit.py::TestLTVRiskFactor	test_ltv_thresholds[1.0-1.5]	Pass
	credit.py::TestLTVRiskFactor	test_zero_property_value	Pass
	payment.py::TestMonthlyPayment	test_higher_rate_higher_payment	Pass
	payment.py::TestMonthlyPayment	test_shorter_term_higher_payment	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	payment.py::TestMonthlyPayment	test_standard_mortgage	Pass
	payment.py::TestMonthlyPayment	test_zero_rate	Pass
	payment.py::TestTotalCost	test_positive_rate_exceeds_principal	Pass
	payment.py::TestTotalCost	test_zero_rate_equals_principal	Pass
	pricing.py::TestBatchPricing	test_default_ids_assigned	Pass
	pricing.py::TestBatchPricing	test_error_isolation	Pass
	pricing.py::TestBatchPricing	test_prices_multiple_mortgages	Pass
	pricing.py::TestConstructor	test_custom_tax_rate	Pass
	pricing.py::TestConstructor	test_default_tax_rate	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_also_in_credit_spread	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_true_does_not_crash	Pass
	pricing.py::TestDebugAndEdgeCases	test_debug_with_zero_income	Pass
	pricing.py::TestDebugAndEdgeCases	test_flood_risk_none_with_debug	Pass
	pricing.py::TestDebugAndEdgeCases	test_zero_interest_rate	Pass
	pricing.py::TestPortfolioMetrics	test_all_errors_returns_error	Pass
	pricing.py::TestPortfolioMetrics	test_high_risk_count	Pass
	pricing.py::TestPortfolioMetrics	test_mixed_results_exclude_errors	Pass
	pricing.py::TestPortfolioMetrics	test_valid_results	Pass
	pricing.py::TestPriceMortgage	test_balance_converges_to_zero	Pass
	pricing.py::TestPriceMortgage	test_expected_losses_non_negative	Pass
	pricing.py::TestPriceMortgage	test_fair_value_less_than_par	Pass
	pricing.py::TestPriceMortgage	test_hazard_rates_positive	Pass
	pricing.py::TestPriceMortgage	test_high_ltv_increases_spread	Pass
	pricing.py::TestPriceMortgage	test_higher_haircut_more_loss	Pass
	pricing.py::TestPriceMortgage	test_input_validation_clamps	Pass
	pricing.py::TestPriceMortgage	test_ltv_factor_in_result	Pass
	pricing.py::TestPriceMortgage	test_raises_on_invalid_types	Pass
	pricing.py::TestPriceMortgage	test_recovery_haircut_zero_low_ltv	Pass
	pricing.py::TestPriceMortgage	test_survival_first_period_less_than_one	Pass
	pricing.py::TestPriceMortgage	test_survival_monotonically_decreasing	Pass
	mortgage_generator.py::TestMortgageGeneratorHasIdProperty	test_each_mortgage_has_id_property_id	Pass
	mortgage_generator.py::TestMortgageGeneratorDataQuality	test_processing_data_quality	Pass
	mortgage_generator.py::TestMortgageGeneratorFileExists	test_output_file_exists	Pass
	mortgage_generator.py::TestMortgageGeneratorFileValidJson	test_output_file_is_valid_json	Pass
	mortgage_generator.py::TestMortgageGeneratorReturnsExpectedKeys	test_generator_returns_expected_keys	Pass
	mortgage_generator.py::TestMortgageGeneratorOutputMatchesProperties	test_mortgage_output_matches_properties	Pass
	mortgage_generator.py::TestMortgageGeneratorIdFormat	test_mortgage_id_format	Pass
	mortgage_generator.py::TestMortgageGeneratorIdUnique	test_mortgage_ids_unique	Pass
MKM-PR-001	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_jan_2027	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_sep_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_feb_2026	Pass
	maturity.py::TestComputeMaturityDate	test_date_from_sep_2026	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	maturity.py::TestComputeMaturityDates	test_maturity_is_friday	Pass
	maturity.py::TestComputeMaturityDates	test_roll_jump_at_august	Pass
	maturity.py::TestCurrentRollDate	test_aug_period	Pass
	maturity.py::TestCurrentRollDate	test_dec_uses_aug	Pass
	maturity.py::TestCurrentRollDate	test_feb_period	Pass
	maturity.py::TestCurrentRollDate	test_jan_uses_prev_aug	Pass
	maturity.py::TestCurrentRollDate	test_jul_still_feb_roll	Pass
	maturity.py::TestCurrentRollDate	test_mar_still_feb_roll	Pass
	maturity.py::TestDefaultDates	test_compute_maturity_default	Pass
	maturity.py::TestDefaultDates	test_current_roll_date_default	Pass
	maturity.py::TestDefaultDates	test_maturity_table_default	Pass
	maturity.py::TestLastFridayOfMonth	test_aug_2026	Pass
	maturity.py::TestLastFridayOfMonth	test_feb_2026	Pass
	maturity.py::TestLastFridayOfMonth	test_may_2029	Pass
	maturity.py::TestLastFridayOfMonth	test_nov_2029	Pass
	maturity.py::TestLastFridayOfMonth	test_result_is_friday	Pass
	maturity.py::TestMaturityTable	test_actual_years_increasing	Pass
	maturity.py::TestMaturityTable	test_all_may_for_feb_roll	Pass
	maturity.py::TestMaturityTable	test_all_nov_for_aug_roll	Pass
	maturity.py::TestMaturityTable	test_maturity_str_format	Pass
	maturity.py::TestMaturityTable	test_table_has_5_entries	Pass
	maturity.py::TestMaturityTable	test_tenors_sequential	Pass
	maturity.py::TestTenorFromMaturity	test_all_tenors_round_trip	Pass
	maturity.py::TestTenorFromMaturity	test_closest_match_fallback	Pass
	maturity.py::TestTenorFromMaturity	test_exact_match	Pass
	basis.py::TestEdgeCases	test_empty_propertyts_dir	Pass
	basis.py::TestEdgeCases	test_no_gauge_hazard_curves	Pass
	basis.py::TestEdgeCases	test_no_propertyts_dir	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_attached_after_post_processing	Processing
	basis.py::TestSpreadDecomposition	test_decomposition_effects_not_all_zero	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_paths_sum_correctly	Pass
	basis.py::TestSpreadDecomposition	test_decomposition_values_nonzero_with_synthetic_files	Synthetic files
	basis.py::TestSpreadDecomposition	test_decomposition_without_synthetic_files	Pass
	basis.py::TestSpreadDecomposition	test_get_5yr_any_flood_spread_returns_correct_value	Correct value
	basis.py::TestSpreadDecomposition	test_get_5yr_any_flood_spread_returns_zero_for_empty	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_basis_calculation	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_depth_thresholds	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_generator_produces_output	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_generator_parameters_structure	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_high_transmission_rate	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_generator_structure	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_properties_with_gev	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_surge_critical_decreases_with_tenor	Pass
	generator.py::TestPropertyHazardCurveGenerator	test_generator_structure	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	pricing.py::TestPRSSpreadComp	test_positive_spread	Pass
	pricing.py::TestPRSSpreadComp	test_spread_increases_with_hazard	Pass
	pricing.py::TestPRSSpreadComp	test_spread_values_at_different_tenors	Pass
	pricing.py::TestPRSSpreadComp	test_zero_hazard_rate	Pass
	pricing.py::TestRecoveryRates	test_recovery_rates_by_trigger	Pass
	pricing.py::TestRecoveryRates	test_recovery_reduces_spread	Pass
MKM-PV-001	property_generator.py::TestBuild	test_non_dict_schema_returns_empty	Pass
	property_generator.py::TestBuild	test_skips_type_field	Pass
	property_generator.py::TestDate	test_date_to_isoformat	Pass
	property_generator.py::TestDate	test_float_to_isoformat	Pass
	property_generator.py::TestDate	test_int_to_isoformat	Pass
	property_generator.py::TestDate	test_datetime_to_isoformat	Pass
	property_generator.py::TestDate	test_unknown_type_raises	Pass
	property_generator.py::TestGenerate	test_generate_raises_key_error	Pass
	property_generator.py::TestGenerate	test_generate_returns_correct_count	Pass
	property_generator.py::TestGenerate	test_generate_returns_elevation	Pass
	property_generator.py::TestGenerate	test_generate_properties_basic	Pass
	property_generator.py::TestGenerate	test_generate_properties_output_file_created	Pass
	property_generator.py::TestProperties	test_generate_properties_range	Pass
	property_generator.py::TestProperties	test_generate_properties_quality	Pass
	property_generator.py::TestProperties	test_generate_properties_exists	Pass
	property_generator.py::TestProperties	test_generate_properties_is_valid_json	Pass
	property_generator.py::TestProperties	test_generate_properties_count	Pass
	property_generator.py::TestProperties	test_generate_properties_returns_expected_keys	Pass
	property_generator.py::TestProperties	test_generate_properties_output_format	Pass
	property_generator.py::TestProperties	test_generate_properties_unique	Pass
	property_generator.py::TestProperties	test_generate_grid_reference_format	Pass
	property_generator.py::TestProperties	test_generate_owner_name_two_words	Pass
	property_generator.py::TestProperties	test_generate_past_date_format	Pass
	property_generator.py::TestProperties	test_generate_past_date_range	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_insurance_premium_flood_high	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_insurance_premium_no_area	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_insurance_premium_no_value	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_monthly_payment_all_types	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_monthly_payment_no_area	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_monthly_payment_no_value	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_monthly_payment_positive	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_area_all_types	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_invalid_date	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_no_current_value	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_positive	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_with_sale_date_1_to_2_years	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_with_sale_date_2_to_3_years	Pass
	rand_property_mortgage.py::TestGenerate	test_generate_no_payment_with_sale_date_recent	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	rand_property_mortgage.py::TestMortgageFinancials	TestMortgageFinancials.mortgage_financials_return_dict	Pass
	rand_property_mortgage.py::TestMortgageFinancialDataKeys	TestMortgageFinancialDataKeys.mortgage_financial_data_keys	Pass
	rand_property_mortgage.py::TestMortgageEstimateRange	TestMortgageEstimateRange.mortgage_estimate_range	Pass
	rand_property_mortgage.py::TestMortgageFinancialLessThanValue	TestMortgageFinancialLessThanValue.mortgage_financial_less_than_value	Pass
	rand_property_mortgage.py::TestMortgageFinancialFormat	TestMortgageFinancialFormat.mortgage_financial_format	Pass
	rand_property_mortgage.py::TestMortgageFinancialConsistencyCheck	TestMortgageFinancialConsistencyCheck.mortgage_financial_consistency_check	Pass
	rand_property_mortgage.py::TestMortgageInsurancePremiumPositive	TestMortgageInsurancePremiumPositive.mortgage_insurance_premium_positive	Pass
	rand_property_mortgage.py::TestMortgagePropertyAreaPositive	TestMortgagePropertyAreaPositive.mortgage_property_area_positive	Pass
	rand_property_mortgage.py::TestMortgagePropertyValueInRange	TestMortgagePropertyValueInRange.mortgage_property_value_in_range	Pass
	rand_property_mortgage.py::TestMortgageBedroomsDetached	TestMortgageBedroomsDetached.mortgage_bedrooms_detached	Pass
	rand_property_mortgage.py::TestMortgageBedroomsFlat	TestMortgageBedroomsFlat.mortgage_bedrooms_flat	Pass
	rand_property_mortgage.py::TestMortgageOptionsCodeFormat	TestMortgageOptionsCodeFormat.mortgage_options_code_format	Pass
	rand_property_mortgage.py::TestMortgageFlatValueFieldDecimal	TestMortgageFlatValueFieldDecimal.mortgage_flat_value_field_value_decimal	Pass
	rand_property_mortgage.py::TestMortgageFlatValueFieldText	TestMortgageFlatValueFieldText.mortgage_flat_value_field_value_text	Pass
	rand_property_mortgage.py::TestMortgageConstructionYearInRange	TestMortgageConstructionYearInRange.mortgage_construction_year_in_range	Pass
	rand_property_mortgage.py::TestMortgagePropertyLithFormat	TestMortgagePropertyLithFormat.mortgage_property_lith_format	Pass
	rand_property_mortgage.py::TestMortgageMinsDictWithRequiredKeys	TestMortgageMinsDictWithRequiredKeys.mortgage_mins_dict_with_required_keys	Pass
MKM-SG-001	gauge_generator.py::TestDateTimeEncoder	TestDateTimeEncoder.datetime_encoder_datetime	Pass
	gauge_generator.py::TestDateTimeEncoder	TestDateTimeEncoder.datetime_encoder_numpy_float32	Pass
	gauge_generator.py::TestDateTimeEncoder	TestDateTimeEncoder.datetime_encoder_numpy_floating	Pass
	gauge_generator.py::TestDateTimeEncoder	TestDateTimeEncoder.datetime_encoder_numpy_integer	Pass
	gauge_generator.py::TestDateTimeEncoder	TestDateTimeEncoder.datetime_encoder_numpy_ndarray	Pass
	gauge_generator.py::TestDateTimeEncoder	TestDateTimeEncoder.datetime_encoder_raises_for_unknown	Pass
	gauge_generator.py::TestGaugeGeneratorDataAggOrdering	TestGaugeGeneratorDataAggOrdering.gauge_generator_data_agg_ordering	Pass
	gauge_generator.py::TestGaugeGeneratorPassingStats	TestGaugeGeneratorPassingStats.gauge_generator_passing_stats	Pass
	gauge_generator.py::TestGaugeGeneratorExceptionPropagation	TestGaugeGeneratorExceptionPropagation.gauge_generator_exception_propagation	Pass
	gauge_generator.py::TestGaugeGeneratorHitsEndTimeBranch	TestGaugeGeneratorHitsEndTimeBranch.gauge_generator_hits_end_time_branch	Pass
	gauge_generator.py::TestGaugeGeneratorBuildSectionNonDictSchemaReturnEmpty	TestGaugeGeneratorBuildSectionNonDictSchemaReturnEmpty.gauge_generator_build_section_non_dict_schema_return_empty	Pass
	gauge_generator.py::TestGaugeGeneratorBuildSectionSkipsMetadataKeys	TestGaugeGeneratorBuildSectionSkipsMetadataKeys.gauge_generator_build_section_skips_metadata_keys	Pass
	gauge_generator.py::TestGaugeGeneratorEdgesAvailablePointsCapped	TestGaugeGeneratorEdgesAvailablePointsCapped.gauge_generator_edges_available_points_capped	Pass
	gauge_generator.py::TestGaugeGeneratorEdgesRaisesValueError	TestGaugeGeneratorEdgesRaisesValueError.gauge_generator_edges_raises_value_error	Pass
	gauge_generator.py::TestGaugeGeneratorEdgeGaugesConvenienceFunction	TestGaugeGeneratorEdgeGaugesConvenienceFunction.gauge_generator_edge_gauges_convenience_function	Pass
	gauge_generator.py::TestGaugeGeneratorEdgeSingleGaugeFailureCount	TestGaugeGeneratorEdgeSingleGaugeFailureCount.gauge_generator_edge_single_gauge_failure_count	Pass
	gauge_generator.py::TestGaugeGeneratorEdgeNodeWorks	TestGaugeGeneratorEdgeNodeWorks.gauge_generator_edge_node_works	Pass
	gauge_generator.py::TestGaugeGeneratorEdgeChisValuesCreatesMissingSections	TestGaugeGeneratorEdgeChisValuesCreatesMissingSections.gauge_generator_edge_chis_values_creates_missing_sections	Pass
	gauge_generator.py::TestGaugeGeneratorEdgeFalseSetsWarningLevel	TestGaugeGeneratorEdgeFalseSetsWarningLevel.gauge_generator_edge_false_sets_warning_level	Pass
	gauge_generator.py::TestGaugeGeneratorOutFileExists	TestGaugeGeneratorOutFileExists.gauge_generator_out_file_exists	Pass
	gauge_generator.py::TestGaugeGeneratorOutFileIsValidJson	TestGaugeGeneratorOutFileIsValidJson.gauge_generator_out_file_is_valid_json	Pass
	gauge_generator.py::TestGaugeGeneratorOutFileJsonHasCorrectCount	TestGaugeGeneratorOutFileJsonHasCorrectCount.gauge_generator_out_file_json_has_correct_count	Pass
	gauge_generator.py::TestGaugeGeneratorMainMock	TestGaugeGeneratorMainMock.gauge_generator_main_mock	Pass
	gauge_generator.py::TestGaugeGeneratorIdFormat	TestGaugeGeneratorIdFormat.gauge_generator_id_format	Pass
	gauge_generator.py::TestGaugeGeneratorIdsUnique	TestGaugeGeneratorIdsUnique.gauge_generator_ids_unique	Pass
	gauge_generator.py::TestGaugeGeneratorOutputCorrectCount	TestGaugeGeneratorOutputCorrectCount.gauge_generator_output_correct_count	Pass
	gauge_generator.py::TestGaugeGeneratorOutputReturnsExpectedKeys	TestGaugeGeneratorOutputReturnsExpectedKeys.gauge_generator_output_returns_expected_keys	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge_generator.py::TestGaugeGeneratorOptions	test_location_options_have_coordinates	Pass
	rand_gauge.py::TestFloodRiskAssessment	test_choose_to_thames_high_risk	Pass
	rand_gauge.py::TestFloodRiskAssessment	test_choose_to_thames_lower_risk	Pass
	rand_gauge.py::TestGenerateFieldValues	test_date_field_returns_date_string	Pass
	rand_gauge.py::TestGenerateFieldValues	test_decimal_field_returns_float	Pass
	rand_gauge.py::TestGenerateFieldValues	test_gauge_name_includes_area	Pass
	rand_gauge.py::TestGenerateFieldValues	test_menu_field_returns_valid_option	Pass
	rand_gauge.py::TestGenerateFieldValues	test_text_field_returns_string	Pass
	rand_gauge.py::TestGenerateGaugesMetadata	test_location_name_stored	Pass
	rand_gauge.py::TestGenerateGaugesMetadata	test_flood_stage_ordering	Pass
	rand_gauge.py::TestGenerateGaugesMetadata	test_gauge_id_format	Pass
	rand_gauge.py::TestGenerateGaugesMetadata	test_historical_high_level_range	Pass
	rand_gauge.py::TestGenerateGaugesMetadata	test_install_date_format	Pass
	rand_gauge.py::TestGenerateGaugesMetadata	test_returns_dict_with_required_keys	Pass
MKM-SI-001	storm_duration.py::TestDurationTestCases	test_all_categories_defined	Pass
	storm_duration.py::TestDurationTestCases	test_catastrophic_extended	Pass
	storm_duration.py::TestDurationTestCases	test_each_tier_doubles_approx	Pass
	storm_duration.py::TestDurationTestCases	test_extreme_extended	Pass
	storm_duration.py::TestDurationTestCases	test_moderate_extended	Pass
	storm_duration.py::TestDurationTestCases	test_severe_extended	Pass
	storm_duration.py::TestHelpers	test_get_duration_range	Pass
	storm_duration.py::TestHelpers	test_get_max_duration	Pass
	storm_duration.py::TestSampleDuration	test_invalid_category	Pass
	storm_duration.py::TestSampleDuration	test_mode_is_most_common	Pass
	storm_duration.py::TestSampleDuration	test_rng_uses_default	Pass
	storm_duration.py::TestSampleDuration	test_reproducibility	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[baseline]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[catastrophic]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[extreme]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[minimal]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[moderate]	Pass
	storm_duration.py::TestSampleDuration	test_within_bounds[severe]	Pass
	storm_gap.py::TestFitsInWindow	test_constants	Pass
	storm_gap.py::TestFitsInWindow	test_exact_boundary	Pass
	storm_gap.py::TestFitsInWindow	test_exceeds_window	Pass
	storm_gap.py::TestFitsInWindow	test_simple_doublet_fits	Pass
	storm_gap.py::TestFitsInWindow	test_single_storm	Pass
	storm_gap.py::TestGapParams	test_long_gaps	Pass
	storm_gap.py::TestGapParams	test_medium_gaps	Pass
	storm_gap.py::TestGapParams	test_short_gaps	Pass
	storm_gap.py::TestGetGapRange	test_doublet_medium	Pass
	storm_gap.py::TestGetGapRange	test_isolated_zero	Pass
	storm_gap.py::TestSampleGap	test_doublet_uses_medium	Pass
	storm_gap.py::TestSampleGap	test_isolated_returns_zero	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm_gap.py::TestSampleGap	test_no_rng_uses_default	Pass
	storm_gap.py::TestSampleGap	test_persistent_uses_short	Pass
	storm_gap.py::TestSampleGap	test_reproducibility	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.CLUSTER]	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.DOUBLET]	Pass
	storm_gap.py::TestSampleGap	test_within_bounds[SequenceType.PERSISTENT]	PASS
	storm_gap.py::TestValidation	test_duration_mismatch	Pass
	storm_gap.py::TestValidation	test_exceeds_precip_window	Pass
	storm_gap.py::TestValidation	test_invalid_intensity_category	Pass
	storm_gap.py::TestValidation	test_invalid_sequence_type	Pass
	storm_gap.py::TestValidation	test_overlapping_storms	Pass
	storm_gap.py::TestValidation	test_storm_count_mismatch	Pass
	storm_gap.py::TestValidation	test_too_many_storms	Pass
	storm_gap.py::TestValidation	test_valid_doublet	Pass
	storm_sequence.py::TestEnums	test_gap_types	Pass
	storm_sequence.py::TestEnums	test_sequence_gap_mapping	Pass
	storm_sequence.py::TestEnums	test_sequence_types	Pass
	storm_sequence.py::TestEnums	test_storm_count_ranges	Pass
	storm_sequence.py::TestIDGenerators	test_ids_unique	Pass
	storm_sequence.py::TestIDGenerators	test_id_sequence_id_format	Pass
	storm_sequence.py::TestIDGenerators	test_id_sequence_ids_unique	Pass
	storm_sequence.py::TestIDGenerators	test_id_storm_id_format	Pass
	storm_sequence.py::TestSequenceSets	test_create_basic	Pass
	storm_sequence.py::TestSequenceSets	test_from_dict_round_trip	Pass
	storm_sequence.py::TestSequenceSets	test_precipitation_rounding	Pass
	storm_sequence.py::TestSequenceSets	test_no_dict	Pass
	storm_sequence.py::TestStormSequenceSets	test_create_defaults	Pass
	storm_sequence.py::TestStormSequenceSets	test_create_doublet	Pass
	storm_sequence.py::TestStormSequenceSets	test_from_dict_round_trip	Pass
	storm_sequence.py::TestStormSequenceSets	test_isolated_no_gaps	Pass
	storm_sequence.py::TestStormSequenceSets	test_spatial_correlation_defaults	Pass
	storm_sequence.py::TestStormSequenceSets	test_spatial_correlation_enabled	Pass
	storm_sequence.py::TestStormSequenceSets	test_to_dict	Pass
MKM-SP-001	spatial.py::TestBuildCorrelationMatrix	test_diagonal_is_one	Pass
	spatial.py::TestBuildCorrelationMatrix	test_off_diagonal_between_zero_and_one	Pass
	spatial.py::TestBuildCorrelationMatrix	test_shape_is_n_by_n	Pass
	spatial.py::TestBuildCorrelationMatrix	test_symmetric	Pass
	spatial.py::TestBuildSpatialIndex	test_empty_dataframe_returns_none	Pass
	spatial.py::TestBuildSpatialIndex	test_none_gauge_data_returns_none	Pass
	spatial.py::TestBuildSpatialIndex	test_with_gauges_returns_kdtree	Pass
	spatial.py::TestHaversineDistance	test_equatorial_degree_approx_111km	Pass
	spatial.py::TestHaversineDistance	test_london_paris_approx_340km	Pass
	spatial.py::TestHaversineDistance	test_north_south_degree_approx_111km	Pass
	spatial.py::TestHaversineDistance	test_returns_float	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	spatial.py::TestHaversineDistance	test_same_point_is_zero	Pass
	spatial.py::TestHaversineDistance	test_symmetry	Pass
	spatial.py::TestIDWInterpolate	test_all_zero_weights_returns_zero	Pass
	spatial.py::TestIDWInterpolate	test_closer_gauge_has_higher_weight	Pass
	spatial.py::TestIDWInterpolate	test_empty_list_returns_zero	Pass
	spatial.py::TestIDWInterpolate	test_equal_distance_gauges_averages_wse	Pass
	spatial.py::TestIDWInterpolate	test_near_gauge_returns_wse_directly	Pass
	spatial.py::TestIDWInterpolate	test_power_one_changes_result	Pass
	spatial.py::TestIDWInterpolate	test_single_far_gauge	Pass
	spatial.py::TestSpatialInterpolateWSE	test_far_gauge_location_returns_wse_directly	Pass
	spatial.py::TestSpatialInterpolateWSE	test_empty_gauge_data_returns_zero	Pass
	spatial.py::TestSpatialInterpolateWSE	test_idw_returns_weighted_value	Pass
	spatial.py::TestSpatialInterpolateWSE	test_single_gauge	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_matrix_correlation_increases_off_diagonal	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_matrix_correlation_increases_correlation	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_matrix_positivity	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_matrix_covariance	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_matrix_symmetry	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_radians	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_builds_tree	Pass
	test_spatial_coverage.py::TestBuildCoverage	test_build_coverage_frame_returns_kdtree	Pass
	test_spatial_coverage.py::TestIDWCoverage	test_idw_coverage_cases	Pass
	test_spatial_coverage.py::TestIDWCoverage	test_idw_coverage_zero	Pass
	test_spatial_coverage.py::TestIDWCoverage	test_idw_coverage_exact_min_distance	Pass
	test_spatial_coverage.py::TestIDWCoverage	test_idw_coverage_weighted	Pass
	test_spatial_coverage.py::TestIDWCoverage	test_idw_coverage_returns_directly	Pass
	test_spatial_coverage.py::TestSpatialCoverage	test_spatial_coverage_location_returns_wse	Pass
	test_spatial_coverage.py::TestSpatialCoverage	test_spatial_coverage_returns_zero	Pass
	test_spatial_coverage.py::TestSpatialCoverage	test_spatial_coverage_average	Pass
MKM-SS-001	sequence_gen.py::TestBuildIsolated	test_isolated_duration.clamped	Pass
	sequence_gen.py::TestBuildIsolated	test_isolated_has_one_storm	Pass
	sequence_gen.py::TestSequenceGenerator	test_sequence_generator_stats	Pass
	sequence_gen.py::TestSequenceGenerator	test_attachment_id_in_storms	Pass
	sequence_gen.py::TestSequenceGenerator	test_attach_to_sequence	Pass
	sequence_gen.py::TestSequenceGenerator	test_attach_to_force	Pass
	sequence_gen.py::TestSequenceGenerator	test_attach_to_force	Pass
	sequence_gen.py::TestSequenceGenerator	test_attach_to_category Often isolated	Pass
	sequence_gen.py::TestSequenceGenerator	test_attach_to_calls	Pass
	sequence_gen.py::TestSequenceGenerator	test_append_to_sequence	Pass
	sequence_gen.py::TestSequenceGenerator	test_returns_storm_sequence	Pass
	sequence_gen.py::TestSequenceGenerator	test_sequence_fits_in_window	Pass
	sequence_gen.py::TestSequenceGenerator	test_store_schema_correct_fields	Pass
	sequence_gen.py::TestSequenceGenerator	test_store_catchment	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	sequence_gen.py::TestSequenceGenerator	test_default_catchment	Pass
	sequence_gen.py::TestSequenceGenerator	test_added_reproducibility	Pass
	sequence_gen.py::TestSequenceGenerator	test_unknown_catchment_defaults_to_35	Pass
MKM-ST-001	test_batch_train.py::TestBatchTrainClassifier	test_already_trained	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_not_printed_after_first_gauge	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_missing_gauge_json	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_missing_sequences	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_invalid_gauges	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_parallel_training	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_successful_training	Pass
	test_batch_train.py::TestBatchTrainClassifier	test_training_failure_is_caught	Pass
	test_batch_train.py::TestUpdateTestingStatuses	test_new_summary	Pass
	test_batch_train.py::TestUpdateTestingStatuses	test_summary_to_existing	Pass
	test_batch_train.py::TestUpdateTestingStatuses	test_replaces_existing_gauge	Pass
	test_batch_train.py::TestUpdateTestingStatuses	test_skipped_gauge_not_counted_as_trained	Pass
	test_gauge_parser.py::TestLoadGaugeMetadata	test_no_dir_file_skipped	Pass
	test_gauge_parser.py::TestLoadGaugeMetadata	test_no_dir_directory	Pass
	test_gauge_parser.py::TestLoadGaugeMetadata	test_no_dir_no_directory	Pass
	test_gauge_parser.py::TestLoadGaugeMetadata	test_no_dir_mean_level_skipped	Pass
	test_gauge_parser.py::TestLoadGaugeMetadata	test_no_dir_no_gauges	Pass
	test_gauge_parser.py::TestLoadGaugeMetadata	test_no_dir_no_gaugehd_files	Pass
	test_gauge_parser.py::TestParseGaugeWithBaseline	test_without_monthly_means	Pass
	test_gauge_parser.py::TestParseGaugeWithBaseline	test_with_baseline	Pass
	test_gauge_parser.py::TestParseGaugeWithBaseline	test_without_baseline_uses_heuristic	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_empty_monthly_means	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_lasting_month_falls_back	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_no_monthly_means	Pass
	test_gauge_parser.py::TestSeasonalBaseline	test_no_dir_monthly_means	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_dir_written	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_gauge_ids	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_num_gauges	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_schema_version	Pass
	test_generate.py::TestGenerateSummary	test_gauge_summary_sequence_count	Pass
	test_generate.py::TestGenerateSummary	test_sequences_file_loadable	Pass
	test_generate.py::TestGenerateSummary	test_sequences_json_written	Pass
	test_generate.py::TestGenerateSummary	test_summary_json_written	Pass
	test_generate.py::TestGenerateSummary	test_summary_count_non_negative	Pass
	test_generate.py::TestGenerateSummary	test_summary_positive	Pass
	test_generate.py::TestGenerateSummary	test_sum_gauges	Pass
	test_generate.py::TestGenerateSummary	test_sum_sequences	Pass
	test_generate.py::TestGenerateSummary	test_returns_dict	Pass
	test_generate.py::TestGenerateSummary	test_severe_warning	Pass
	test_generate.py::TestGenerateSummary	test_type_annotations_present	Pass
	test_generate.py::TestGenerateSummary	test_warning_alert	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generate.py::TestMissingGauges	test_no_crash_when_gauge_json_absent	Pass
	test_generate.py::TestMissingGauges	test_num_gauges_zero_without_gauge_json	Pass
	test_generate.py::TestMissingGauges	test_sequences_still_written_without_gauge_json	Pass
	test_generate.py::TestNoValidGauges	test_returns_gracefully_when_all_gauges_invalid	Pass
	test_generate.py::TestNoValidGauges	test_sequences_still_written_when_all_gauges_invalid	Pass
	test_generate.py::TestVerboseProgress	test_verbose_false_no_mid_loop_output_at_small_count	Pass
	test_generate.py::TestVerboseProgress	test_verbose_run_completes	Pass
	test_helpers.py::TestBuildSummary	test_counts_default_to_zero	Pass
	test_helpers.py::TestBuildSummary	test_num_gauges	Pass
	test_helpers.py::TestBuildSummary	test_num_sequences	Pass
	test_helpers.py::TestBuildSummary	test_returns_required_keys	Pass
	test_helpers.py::TestExtractGauges	test_dict_format	Pass
	test_helpers.py::TestExtractGauges	test_empty_list	Pass
	test_helpers.py::TestExtractGauges	test_list_format	Pass
	test_helpers.py::TestExtractGauges	test_missing_key_returns_empty	Pass
	test_helpers.py::TestParseGauge	test_base_level_derived_from_alert	Pass
	test_helpers.py::TestParseGauge	test_flood_alert	Pass
	test_helpers.py::TestParseGauge	test_flood_warning	Pass
	test_helpers.py::TestParseGauge	test_gauge_id	Pass
	test_helpers.py::TestParseGauge	test_lat_lon	Pass
	test_helpers.py::TestParseGauge	test_missing_alert_returns_none	Pass
	test_helpers.py::TestParseGauge	test_missing_gauge_id_returns_none	Pass
	test_helpers.py::TestParseGauge	test_missing_lat_returns_none	Pass
	test_helpers.py::TestParseGauge	test_severe_warning	Pass
	test_helpers.py::TestParseGauge	test_valid_record_returns_dict	Pass
	test_helpers.py::TestParseGauge	test_warning_defaults_when_absent	Pass
	test_helpers.py::TestStormResponse	test_base_level_matches_gauge_params	Pass
	test_helpers.py::TestStormResponse	test_flag_a_values	Pass
	test_helpers.py::TestStormResponse	test_flag_b_values	Pass
	test_helpers.py::TestStormResponse	test_level_change_is_peak_minus_base	Pass
	test_helpers.py::TestStormResponse	test_response_has_base_level_m	Pass
	test_helpers.py::TestStormResponse	test_response_has_level_change_m	Pass
	test_pipeline.coverage.py::TestClassifier	test_classifier_does_not_crash_pipeline	Pass
	test_pipeline.coverage.py::TestGauge	test_gauge_provided_from_gaugehd	Pass
	test_pipeline.coverage.py::TestLegacyFile	test_legacy_summary_file_removed	Pass
	test_pipeline.coverage.py::TestMissingSequences	test_missing_sequences_start_defaults_to_month	Pass
	test_pipeline.coverage.py::TestMissingSequences	test_missing_sequences_start_handled	Pass
	test_pipeline.coverage.py::TestNoVerboseProgress	test_eta_line_at_2000	Pass
	test_records.py::TestIntensityCategory	test_batch_generator_populates_category	Pass
	test_records.py::TestIntensityCategory	test_from_dict_missing_category_default_empty	Pass
	test_records.py::TestIntensityCategory	test_from_dict_round_trip	Pass
	test_records.py::TestIntensityCategory	test_periad_trip_sequences_have_category	Pass
	test_records.py::TestIntensityCategory	test_round_trip_includes_intensity_category	Pass
	test_records.py::TestSequenceRecord	test_seq_has_intensity_category	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_records.py::TestSequenceRecords	testSequenceRecordsHaveSequenceId	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsHaveSequenceType	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsHaveTotalPrecip	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsGaugesFileCountMatchesNumGauges	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsHoursInValidRange	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsSpeakersPositive	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsPerGaugeRecordsHaveAlertFlags	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsPerGaugeRecordsHavePeak	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsPerGaugeRecordsHavePeakHour	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsPerGaugeSequenceCount	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsSeverityImpliesWarning	Pass
	test_records.py::TestSequenceRecords	testSequenceRecordsStartingImpliesAlert	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelMessageListsAvailableIds	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelInvalidGaugeIdRaises	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelFileGaugeIds	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelFilePeaksLengthOne	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelFileSchemaVersion	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelFileSequenceCount	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelOutputFileWritten	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelNumGaugesIsOne	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelWithClassifierResultDict	Pass
	test_single_gauge.py::TestSingleGaugeModel	testSingleGaugeModelWithClassifierTrainClassifier	Pass
MKM-TD-001	leg_pvs.py::TestComputeLegPV	test_higher_spread_means_higher_premium	Pass
	leg_pvs.py::TestComputeLegPV	test_positive_hazard_rate	Pass
	leg_pvs.py::TestComputeLegPV	test_zero_hazard_rate	Pass
	market_making.py::TestGenerateBook	testBookBalancedBook	Pass
	market_making.py::TestGenerateBook	testBookBalancedNotional	Pass
	market_making.py::TestGenerateBook	testBookCounterpartiesDistributed	Pass
	market_making.py::TestGenerateBook	testBookFilesSaved	Pass
	market_making.py::TestGenerateBook	testBookPayerTradesBelowFair	Pass
	market_making.py::TestGenerateBook	testBookReceiverTradesAboveFair	Pass
	market_making.py::TestGenerateBook	testBookReproducibleWithSeed	Pass
	market_making.py::TestGenerateBook	testBookSmallMtm	Pass
	market_making.py::TestGenerateBook	testBookValidCdmStructure	Pass
	market_making.py::TestPrintBook	testPrintBookSummaryRuns	Pass
	market_making.py::TestTradeSpreadBookmaking	testTradeSpreadBookmakingSpreadsAreIntegers	Pass
	market_making.py::TestTradeSpreadBookmaking	testTradeSpreadBookmakingCentralSpreadsAreIntegers	Pass
	thames_central.py::TestThamesCentralBook	testThamesCentralBookSaved	Pass
	thames_central.py::TestThamesCentralBook	testThamesCentralBookCalendarSpreads	Pass
	thames_central.py::TestThamesCentralBook	testThamesCentralBookReproducibleWithSeed	Pass
	thames_central.py::TestThamesCentralBook	testThamesCentralBookCount	Pass
	thames_central.py::TestThamesCentralBook	testThamesCentralBookCentralGauges	Pass
	thames_central.py::TestThamesCentralBook	testThamesCentralBookValidCdmStructure	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	thames.central.py::TestThamesCentralBook	test_thames_central_book_inster_is_net_short	Pass
	engine.py::TestDeltaEngine	test_build_risk_grid	Pass
	engine.py::TestDeltaEngine	test_enrich_receiver_trade_negative_dv01	Pass
	engine.py::TestDeltaEngine	test_enrich_trade	Pass
	engine.py::TestDeltaEngine	test_payer_receiver_dv01_opposite	Pass
	engine.py::TestHazardCurveReversion	test_hazard_curve_change_moves_fair_spread	Pass
	engine.py::TestHazardCurveReversion	test_hazard_curve_change_moves_mtm	Pass
	engine.py::TestHazardCurveReversion	test_hazard_curve_change_pnl_consistent_with_fair	Pass
	engine.py::TestHazardCurveReversion	test_hazard_curve_change_produces_daily_pnl	Pass
	formulas.py::TestBasisDelta	test_basis_delta_positive	Pass
	formulas.py::TestBasisDelta	test_basis_delta_similar_to_gauge_delta	Pass
	formulas.py::TestGaugeDelta	test_delta_spread_approximately_one	Pass
	formulas.py::TestGaugeDelta	test_higher_notional_means_higher_dv01	Pass
	formulas.py::TestGaugeDelta	test_positive_dv01_for_long_position	Pass
	formulas.py::TestGaugeDelta	test_zero_hazard_rate_gives_zero_delta	Pass
	formulas.py::TestMarkToMarket	test_mtm_calculation_correct	Pass
	formulas.py::TestMarkToMarket	test_mtm_negative_when_spread_widens_for_seller	Pass
	formulas.py::TestMarkToMarket	test_mtm_positive_when_spread_widens_for_buyer	Pass
	formulas.py::TestMarkToMarket	test_mtm_zero_when_spreads_equal	Pass
	formulas.py::TestRiskyAnnuity	test_longer_tenor_means_higher_annuity	Pass
	formulas.py::TestRiskyAnnuity	test_positive_hazard_rate_reduces_annuity	Pass
	formulas.py::TestRiskyAnnuity	test_reasonable_range	Pass
	formulas.py::TestRiskyAnnuity	test_zero_hazard_rate	Pass
	market_state.py::TestEffectiveRates	test_effective_rates_include_all_gauges	Pass
	market_state.py::TestEffectiveRates	test_effective_rates_mark_adjusted	Pass
	market_state.py::TestEffectiveRates	test_effective_rates_merge_correctly	Pass
	market_state.py::TestMarketState	test_load_base_rates_match_gaugehc	Pass
	market_state.py::TestMarketState	test_load_initial_load_creates_state	Pass
	market_state.py::TestMarketState	test_load_persists	Pass
	market_state.py::TestMarketState	test_reset_all	Pass
	market_state.py::TestMarketState	test_reset_single_gauge	Pass
	market_state.py::TestMarketState	test_update_effective_rate_with_adjustment	Pass
	market_state.py::TestMarketState	test_update_adjusted_gauge_returns_base	Pass
	market_state.py::TestMarketState	test_update_gauge_rate	Pass
	market_state.py::TestMissingCoverage	test_get_commit_yield_curve	Pass
	market_state.py::TestMissingCoverage	test_get_yield_rate_above_max_tenor	Pass
	market_state.py::TestMissingCoverage	test_get_yield_rate_below_min_tenor	Pass
	market_state.py::TestMissingCoverage	test_get_yield_rate_exact_tenor	Pass
	market_state.py::TestMissingCoverage	test_get_yield_rate_interpolated	Pass
	market_state.py::TestMissingCoverage	test_load_base_curves_gauge_with_no_id_skipped	Skipped
	market_state.py::TestMissingCoverage	test_load_base_curves_gauges_key	Pass
	market_state.py::TestMissingCoverage	test_load_base_curves_no_file	Pass
	market_state.py::TestMissingCoverage	test_load_base_curves_unknown_format	Pass
	market_state.py::TestMissingCoverage	test_reset_yield_curve	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market_state.py::TestMissingCoverage	test_update_gauge_rate_with_notes	Pass
	daily_pnl.py::TestDailyPnL	test_closed_trades_excluded	Pass
	daily_pnl.py::TestDailyPnL	test_daily_pnl_without_previous_eod	Pass
	daily_pnl.py::TestDailyPnL	test_pnl_decomposition_sums	Pass
	daily_pnl.py::TestDailyPnL	test_running_pnl_calculation	Pass
	daily_pnl.py::TestPhantomPnLFt	test_market_pnl_nonzero_with_eod_mark	Pass
	daily_pnl.py::TestPhantomPnLFt	test_market_pnl_zero_for_missing_eod_trades	Pass
	daily_pnl.py::TestPhantomPnLFt	test_new_trade_has_inception_pnl	Pass
	daily_pnl.py::TestPhantomPnLFt	test_pnl_decomposition_with_prev_eod	Pass
	eod.py::TestEodSnapshot	test_eod_history	Pass
	eod.py::TestEodSnapshot	test_generate_snapshot	Pass
	eod.py::TestEodSnapshot	test_idempotent_snapshot	Pass
	eod.py::TestEodSnapshot	test_pnl_series	Pass
	eod.py::TestEodSnapshot	test_snapshot_persists	Pass
	marks.py::TestTradeMarks	test_close_trade	Pass
	marks.py::TestTradeMarks	test_load_empty_marks	Pass
	marks.py::TestTradeMarks	test_update_and_load_mark	Pass
	stress.hydrograph.py::TestStressKest	test_cash_price_stays_at_notional_after_pos	Pass
	stress.hydrograph.py::TestStressKest	test_off_limit_triggers_ko_independently	Pass
	stress.hydrograph.py::TestStressKest	test_ko_in_limit_below_trigger	Pass
	stress.hydrograph.py::TestStressKest	test_cash_level_ko_cash_is_negative	Pass
	stress.hydrograph.py::TestStressKest	test_cash_level_ko_clocks_out_at_trigger	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_base	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_1m_hours	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_rise	Pass
	stress.hydrograph.py::TestSynth	test_peak_level	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_after_peak	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_168_hours	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_storm	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_base_level	Pass
	stress.hydrograph.py::TestSynth	test_hydrograph_fall	Pass
	eod_routes.py::TestEODErrorHandle	test_eod_history_engine_error_returns_500	Pass
	eod_routes.py::TestEODErrorHandle	test_get_eod_pdf_error_returns_500	Pass
	eod_routes.py::TestEODErrorHandle	test_submit_eod_engine_error_returns_500	Pass
	eod_routes.py::TestEODHistory	test_eod_history_after_snap	Pass
	eod_routes.py::TestEODHistory	test_eod_history_empty	Pass
	eod_routes.py::TestEODHistory	test_multiple_eod_snaps	Pass
	eod_routes.py::TestEODNoDateBody	test_submit_eod_no_json_uses_today	Pass
	eod_routes.py::TestEODPdf	test_eod_pdf_found_serves_file	Pass
	eod_routes.py::TestEODPdf	test_eod_pdf_not_found	Pass
	eod_routes.py::TestEODPdfGenerate	test_submit_eod_import_error_still_succeeds	Pass
	eod_routes.py::TestEODPdfGenerate	test_submit_eod_pdf_exception_still_succeeds	Pass
	eod_routes.py::TestPnLResetAfterEOD	test_pnl_uses_eod_as_baseline	Pass
	eod_routes.py::TestSubmitEOD	test_eod_idempotent_same_day	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	eod_routes.py::TestSubmitEOD	test_submit_eod	Pass
	eod_routes.py::TestSubmitEOD	test_submit_eod_returns_summary	Pass
	eod_routes.py::TestSubmitEOD	test_submit_eod_saves_snapshot_file	Pass
	eod_routes.py::TestSubmitEOD	test_submit_eod_snapshot_has_market_state	Pass
	eod_routes.py::TestSubmitEOD	test_submit_eod_snapshot_has_positions	Pass
	market_state_routes.py::TestGetMarketState	test_get_market_state	Pass
	market_state_routes.py::TestGetMarketState	test_get_market_state_has_effective_rates	Pass
	market_state_routes.py::TestGetMarketState	test_get_market_state_initial_load_creates_defaults	Pass
	market_state_routes.py::TestMarketStateEngineError	test_market_state_engine_error_returns_500	Pass
	market_state_routes.py::TestMarketStateEngineError	test_market_state_engine_error_returns_500	Pass
	market_state_routes.py::TestMarketStateNullBody	test_market_state_null_body_returns_400	Pass
	market_state_routes.py::TestResetMarketState	test_reset_market_state_all	Pass
	market_state_routes.py::TestResetMarketState	test_reset_market_state_single_gauge	Pass
	market_state_routes.py::TestUpdateMarketState	test_update_market_state_persists	Pass
	market_state_routes.py::TestUpdateMarketState	test_update_market_state	Pass
	market_state_routes.py::TestUpdateMarketState	test_update_market_state_missing_gauge	Pass
	market_state_routes.py::TestUpdateMarketState	test_update_market_state_no_body	Pass
	market_state_routes.py::TestUpdateMarketState	test_update_market_state_returns_pnl_impact	Pass
	risk_routes.py::TestRiskErrorHandling	test_risk_grid_engine_error_returns_500	Pass
	risk_routes.py::TestRiskErrorHandling	test_trade_map_engine_error_returns_500	Pass
	risk_routes.py::TestRiskGrid	test_risk_grid_has_gauges	Pass
	risk_routes.py::TestRiskGrid	test_risk_grid_returns_grid	Pass
	risk_routes.py::TestRiskGrid	test_risk_grid_with_no_trades	Pass
	risk_routes.py::TestTradeMap	test_trade_map_fs01_by_tenor	Pass
	risk_routes.py::TestTradeMap	test_trade_map_gauge_has_coordinates	Pass
	risk_routes.py::TestTradeMap	test_trade_map_includes_fs01	Pass
	risk_routes.py::TestTradeMap	test_trade_map_includes_notional	Pass
	risk_routes.py::TestTradeMap	test_trade_map_includes_pnl	Pass
	risk_routes.py::TestTradeMap	test_trade_map_num_trades	Pass
	risk_routes.py::TestTradeMap	test_trade_map_returns_positions	Pass
	risk_routes.py::TestTradeMap	test_trade_map_with_no_trades	Pass
	risk_routes.py::TestTradeMapWithProperties	test_trade_map_gauge_not_in_gaugehc_loaded_from_gauge_json	Pass
	risk_routes.py::TestTradeMapWithProperties	test_trade_map_loads_property_locations	Pass
	risk_routes.py::TestTradeMapWithProperties	test_trade_map_skips_closed_trades	Pass
	blotter_detail.py::TestBlotterEndpoints	test_blotter_fetches_correct_endpoint	Pass
	blotter_detail.py::TestBlotterEndpoints	test_close_endpoint	Pass
	blotter_detail.py::TestFilterBar	test_clear_filters	Pass
	blotter_detail.py::TestFilterBar	test_external_filter_api	Pass
	blotter_detail.py::TestFilterBar	test_filter_function_exists	Pass
	blotter_detail.py::TestFilterBar	test_get_filtered_trades	Pass
	blotter_detail.py::TestFilterBar	test_remove_single_filter	Pass
	blotter_detail.py::TestHazardRateArrow	test_down_arrow	Pass
	blotter_detail.py::TestHazardRateArrow	test_prev_fair_spread_comparison	Pass
	blotter_detail.py::TestHazardRateArrow	test_up_arrow	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	blotter_detail.py::TestMarketPnlEstimator	test_market_pnl_column	Pass
	blotter_detail.py::TestMarketPnlEstimator	test_market_pnl_label	Pass
	blotter_detail.py::TestPnlBar	test_pnl_bar_daily	Pass
	blotter_detail.py::TestPnlBar	test_pnl_bar_from_market	Pass
	blotter_detail.py::TestPnlBar	test_pnl_bar_net_notional	Pass
	blotter_detail.py::TestPnlBar	test_pnl_bar_running	Pass
	blotter_detail.py::TestSignedNotional	test_signed_payer_referenced	Pass
	blotter_detail.py::TestSignedNotional	test_signed_notional_direction	Pass
	blotter_detail.py::TestSortAndNavigation	test_sort_toggle	Pass
	blotter_detail.py::TestSortAndNavigation	test_make_view_click	Pass
	blotter_detail.py::TestTableStructure	test_gauge_fs01_column	Pass
	blotter_detail.py::TestTableStructure	test_maturity_formatting	Pass
	eod_detail.py::TestEODEndpoint	test_eod_blotter_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_history_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_pnl_series_fetch	Pass
	eod_detail.py::TestEODEndpoint	test_eod_submit_endpoint	Pass
	eod_detail.py::TestEODFunction	test_attribution_section	Pass
	eod_detail.py::TestEODFunction	test_chart_rendering	Pass
	eod_detail.py::TestEODFunction	test_cleanup_function	Pass
	eod_detail.py::TestEODFunction	test_download_pdf_function	Pass
	eod_detail.py::TestEODFunction	test_submit_function	Pass
	eod_detail.py::TestEODUIStructure	test_attribution_wrap	Pass
	eod_detail.py::TestEODUIStructure	test_cards_container	Pass
	eod_detail.py::TestEODUIStructure	test_date_input	Pass
	eod_detail.py::TestEODUIStructure	test_history_wrap	Pass
	eod_detail.py::TestEODUIStructure	test_submit_button	Pass
	market_detail.py::TestActionButton	test_button_font_matches_tabs	Pass
	market_detail.py::TestActionButton	test_button_padding_matches_tabs	Pass
	market_detail.py::TestActionButton	test_buttons_in_shared_container	Pass
	market_detail.py::TestActionButton	test_commit_button_blue	Pass
	market_detail.py::TestActionButton	test_history_button_grey_not_blue	Pass
	market_detail.py::TestActionButton	test_individual_border_radius_on_buttons	Pass
	market_detail.py::TestActionButton	test_refresh_button_grey_not_blue	Pass
	market_detail.py::TestActionButton	test_reset_button_grey	Pass
	market_detail.py::TestCommitButton	test_commit_button_calls_function	Pass
	market_detail.py::TestCommitButton	test_commit_button_id_present	Pass
	market_detail.py::TestCommitButton	test_commit_button_not_hidden	Pass
	market_detail.py::TestCommitButton	test_commit_function_defined	Pass
	market_detail.py::TestCommitEndpoint	test_commit_posts_hazard_ts	Pass
	market_detail.py::TestCommitEndpoint	test_commit_posts_yield_curve	Pass
	market_detail.py::TestCommitEndpoint	test_commit_shows_pnl_impact	Pass
	market_detail.py::TestCommitEndpoint	test_commit_switches_to_blotter	Pass
	market_detail.py::TestDirtyState	test_hazard_dirty_keys	Pass
	market_detail.py::TestDirtyState	test_rolling_committed_label	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market_detail.py::TestDirtyState	test_kingld_dirty_flag	Pass
	market_detail.py::TestMarketUI	test_cleanup_function	Pass
	market_detail.py::TestMarketUI	test_gauge_list_function	Pass
	market_detail.py::TestMarketUI	test_market_canvas	Pass
	market_detail.py::TestMarketUI	test_mode_selector	Pass
	market_detail.py::TestNewTradeButton	test_new_trade_button_grey	Pass
	market_detail.py::TestNewTradeButton	test_new_trade_button_label	Pass
	market_detail.py::TestNewTradeButton	test_new_trade_button_present	Pass
	market_detail.py::TestNewTradeButton	test_new_trade_calls_function	Pass
	market_detail.py::TestNewTradeButton	test_new_trade_function_opens_prs	Pass
	market_detail.py::TestNewTradeButton	test_new_trade_left_of_history	Pass
	market_detail.py::TestNewTradeButton	test_no_border_radius_on_new_trade_btn	Pass
	market_detail.py::TestResetEndpoint	test_reset_function_exists	Pass
	market_detail.py::TestResetEndpoint	test_reset_hazard_ts_endpoint	Pass
	market_detail.py::TestResetEndpoint	test_reset_yield_curve_endpoint	Pass
CDM-ALL	gauge_mapping.py	test_all_cdm_fields_present	Pass
	gauge_mapping.py	test_all_types_valid	Pass
	gauge_mapping.py	test_all_values_valid	Pass
	mortgage_mapping.py	test_all_cdm_fields_present	Pass
	mortgage_mapping.py	test_all_types_valid	Pass
	mortgage_mapping.py	test_all_values_valid	Pass
	property_mapping.py	test_all_cdm_fields_present	Pass
	property_mapping.py	test_all_types_valid	Pass
	property_mapping.py	test_all_values_valid	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[prc_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_required_fields_returns_list[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[prc_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_all_fields_returns_paths[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_repr_returns_string[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_repr_returns_string[mortgage_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_repr_returns_string[property_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_repr_returns_string[prc_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_repr_returns_string[storm_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_repr_returns_string[stormts_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_schema_returns_non_empty_dict[gauge_cdm]	Pass
	schema_basics.py::TestCDMSchema	test_get_schema_returns_non_empty_dict[mortgage_cdm]	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	schema.basics.py::TestCDMSchema	test_basics_schema_returns_non_empty_dict[properties_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_basics_schema_returns_non_empty_dict[prs_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_basics_schema_returns_non_empty_dict[storm_cdm]	Pass
	schema.basics.py::TestCDMSchema	test_basics_schema_returns_non_empty_dict[storm_cdm]	Pass
E2E-ALL	TestContextMenuNavigation.py	test_hazard_curve_item_opens_gauge_panel[chromium]	FAIL
	TestGaugeContextMenu.py	test_click_away_closes_menu[chromium]	FAIL
	TestGaugeContextMenu.py	test_context_menu_has_header[chromium]	FAIL
	TestGaugeContextMenu.py	test_context_menu_has_items[chromium]	FAIL
	TestGaugeContextMenu.py	test_right_click_gauge_shows_menu[chromium]	FAIL
	TestCounterpartyAPI.py	test_counterparty_summary_fields[chromium]	FAIL
	TestCounterpartyAPI.py	test_counterparty_types_diverse[chromium]	FAIL
	TestCounterpartyAPI.py	test_get_counterparty_detail[chromium]	FAIL
	TestCounterpartyAPI.py	test_list_counterparties_returns_data[chromium]	FAIL
	TestCounterpartyAPI.py	test_nonexistent_counterparty_returns_404[chromium]	FAIL
	TestCounterpartyInPRS.py	test_counterparty_dropdown_has_options[chromium]	FAIL
	TestCounterpartyInPRS.py	test_counterparty_options_show_rating[chromium]	FAIL
	TestCounterpartyInPRS.py	test_prs_has_counterparty_dropdown[chromium]	FAIL
	TestCounterpartyInPRS.py	test_selecting_counterparty_updates_price[chromium]	FAIL
	TestFS01ToBlotter.py	test_fs01_cell_click_filters_blotter[chromium]	FAIL
	TestFS01ToBlotter.py	test_fs01_tab_shows_risk_grid[chromium]	FAIL
	TestGaugeBlotterFlow.py	test_gauge_panel_blotter_link_opens_trading_desk[chromium]	FAIL
	TestGaugeBlotterFlow.py	test_trading_desk_blotter_visible_after_gauge_link[chromium]	FAIL
	TestContextMenuToTradingDesk.py	test_gauge_blotter_menu_item_opens_trading_desk[chromium]	FAIL
	TestContextMenuToTradingDesk.py	test_right_click_gauge_shows_context_menu[chromium]	FAIL
	TestHistoricalToStress.py	test_historical_tab_has_content[chromium]	FAIL
	TestHistoricalToStress.py	test_storm_scenario_click_activates_stress_tab[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_gauge_panel_loads_data_not_error[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_hazard_api_returns_success[chromium]	FAIL
	TestHazardCurveDataLoads.py	test_hazard_curve_tab_has_real_data[chromium]	FAIL
	TestNoErrorNotifications.py	test_no_error_notifications_after_clear_page[chromium]	FAIL
	TestStressStormDataLoads.py	test_portfolio_storms_api_returns_data[chromium]	FAIL
	TestStressStormDataLoads.py	test_stress_storms_api_returns_data[chromium]	FAIL
	TestPropertyDataLoads.py	test_property_panel_loads_without_error[chromium]	FAIL
	TestPropertyDataLoads.py	test_property_storm_api_returns_data[chromium]	FAIL
	TestPropertyDataLoads.py	test_propertyts_summary_api_returns_data[chromium]	FAIL
	TestTradingDataLoads.py	test_blotter_api_returns_trades[chromium]	FAIL
	TestTradingDataLoads.py	test_market_state_api_returns_data[chromium]	FAIL
	TestTradingDataLoads.py	test_risk_grid_api_returns_data[chromium]	FAIL
	TestInvalidGaugeId.py	test_nonexistent_gauge_does_not_crash_page[chromium]	FAIL
	TestInvalidGaugeId.py	test_nonexistent_gauge_shows_error[chromium]	FAIL
	TestInvalidPropertyId.py	test_nonexistent_property_does_not_crash_page[chromium]	FAIL
	TestInvalidPropertyId.py	test_nonexistent_property_shows_error[chromium]	FAIL
	TestEscapeKeyClosesPanels.py	test_escape_closes_gauge_panel[chromium]	FAIL
	TestEscapeKeyClosesPanels.py	test_escape_closes_governance_panel[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestEscapeKeyClosesPanels.py	test_escape_closes_trading_desk[chromium]	FAIL
	TestMapLayerControls.py	test_layer_control_exists[chromium]	FAIL
	TestMapLayerControls.py	test_layer_toggle_changes_markers[chromium]	FAIL
	TestFloodProbabilityTab.py	test_chart_rendered[chromium]	FAIL
	TestFloodProbabilityTab.py	test_content_shows_probability_data[chromium]	FAIL
	TestHazardCurveTab.py	test_chart_canvas_rendered[chromium]	FAIL
	TestHazardCurveTab.py	test_stats_bar_shows_data[chromium]	FAIL
	TestHazardCurveTab.py	test_tab_title_updates[chromium]	FAIL
	TestReturnPeriodTab.py	test_chart_rendered[chromium]	FAIL
	TestReturnPeriodTab.py	test_content_shows_return_period_data[chromium]	FAIL
	TestHistoricalTab.py	test_content_loads_with_timeseries_data[chromium]	FAIL
	TestHistoricalTab.py	test_content_mentions_historical_context[chromium]	FAIL
	TestHistoricalTab.py	test_storm_scenarios_list_exists[chromium]	FAIL
	TestStressTestTab.py	test_auto_selects_worst_case_storm[chromium]	FAIL
	TestStressTestTab.py	test_charts_render[chromium]	FAIL
	TestStressTestTab.py	test_content_mentions_stress_concepts[chromium]	FAIL
	TestStressTestTab.py	test_storm_dropdown_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_chart_canvas_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_commit_button_exists[chromium]	FAIL
	TestPRSPricingTab.py	test_controls_exist[chromium]	FAIL
	TestPRSPricingTab.py	test_direction_dropdown_options[chromium]	FAIL
	TestPRSPricingTab.py	test_trigger_change_updates_display[chromium]	FAIL
	TestPRSPricingTab.py	test_trigger_dropdown_options[chromium]	FAIL
	TestGaugePanelBlotterLink.py	test_blotter_link_exists[chromium]	FAIL
	TestGaugePanelBlotterLink.py	test_blotter_link_opens_trading_desk[chromium]	FAIL
	TestGaugePanelOpens.py	test_open_gauge_panel_via_js[chromium]	FAIL
	TestGaugePanelOpens.py	test_panel_has_tab_bar[chromium]	FAIL
	TestGaugePanelOpens.py	test_panel_title_shows_gauge_name[chromium]	FAIL
	TestGaugePanelTabs.py	test_hazard_curve_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_historical_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_prs_tab_renders[chromium]	FAIL
	TestGaugePanelTabs.py	test_stress_tab_renders[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_edit_buttons_on_principles[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_edit_opens_modal[chromium]	FAIL
	TestBCBS239PrincipleEdit.py	test_modal_has_confirm_cancel[chromium]	FAIL
	TestBibliographyExport.py	test_bibtex_export_button[chromium]	FAIL
	TestBibliographyExport.py	test_reference_table_sortable[chromium]	FAIL
	TestDocumentUploadDownload.py	test_document_list_renders[chromium]	FAIL
	TestDocumentUploadDownload.py	test_download_buttons_clickable[chromium]	FAIL
	TestDocumentUploadDownload.py	test_upload_area_exists[chromium]	FAIL
	TestDataLineageAPI.py	test_lineage_api_returns_data[chromium]	FAIL
	TestDataLineageAPI.py	test_staleness_api_returns_data[chromium]	FAIL
	TestDataLineageTab.py	test_content_mentions_lineage_keywords[chromium]	FAIL
	TestDataLineageTab.py	test_has_pipeline_steps[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestDataLineageTab.py	test_has_staleness_info[chromium]	FAIL
	TestDataLineageTab.py	test_tab_content_loads[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_gauge_returns_steps[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_missing_params_returns_400[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_nonexistent_returns_empty[chromium]	FAIL
	TestProvenanceTraceAPI.py	test_trace_property_returns_steps[chromium]	FAIL
	TestAuditReportsAPI.py	test_audit_reports_api_returns_files[chromium]	FAIL
	TestAuditReportsAPI.py	test_test_summary_api[chromium]	FAIL
	TestAuditReportsTab.py	test_content_mentions_audit_keywords[chromium]	FAIL
	TestAuditReportsTab.py	test_has_artefact_files[chromium]	FAIL
	TestAuditReportsTab.py	test_has_test_summary_or_file_cards[chromium]	FAIL
	TestAuditReportsTab.py	test_tab_content_loads[chromium]	FAIL
	TestFieldLineageAPI.py	test_field_lineage_api_returns_data[chromium]	FAIL
	TestFieldLineageAPI.py	test_field_search_api[chromium]	FAIL
	TestFieldLineageTab.py	test_content_mentions_field_keywords[chromium]	FAIL
	TestFieldLineageTab.py	test_has_report_cards_or_search[chromium]	FAIL
	TestFieldLineageTab.py	test_shows_field_counts[chromium]	FAIL
	TestFieldLineageTab.py	test_tab_content_loads[chromium]	FAIL
	TestModelWorkstreamDetail.py	test_back_button_returns_to_list[chromium]	FAIL
	TestModelWorkstreamDetail.py	test_model_row_opens_detail[chromium]	FAIL
	TestMRCAgendaCRUD.py	test_add_agenda_item[chromium]	FAIL
	TestMRCAgendaCRUD.py	test_delete_agenda_item[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_list_meetings_returns_data[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_meeting_detail_returns_full_object[chromium]	FAIL
	TestMRCMeetingsAPI.py	test_meeting_summary_has_fields[chromium]	FAIL
	TestMRCActionsCRUD.py	test_add_action[chromium]	FAIL
	TestMRCActionsCRUD.py	test_delete_action[chromium]	FAIL
	TestMRCDecisionsCRUD.py	test_add_decision[chromium]	FAIL
	TestMRCDecisionsCRUD.py	test_delete_decision[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_detail_has_tabs[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_detail_shows_metadata[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_list_has_rows[chromium]	FAIL
	TestMRCMeetingDetailUI.py	test_meeting_row_clickable[chromium]	FAIL
	TestMRCParticipantsCRUD.py	test_add_participant[chromium]	FAIL
	TestMRCParticipantsCRUD.py	test_delete_participant[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_add_button_opens_form[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_add_meeting_button_exists[chromium]	FAIL
	TestMRCMeetingCRUD.py	test_meeting_list_renders[chromium]	FAIL
	TestRACIMatrixInteraction.py	test_cells_interactive[chromium]	FAIL
	TestRACIMatrixInteraction.py	test_matrix_grid_renders[chromium]	FAIL
	TestAuditTab.py	test_content_mentions_audit[chromium]	FAIL
	TestAuditTab.py	test_tab_content_loads[chromium]	FAIL
	TestBCBS239Tab.py	test_content_mentions_bcbs[chromium]	FAIL
	TestBCBS239Tab.py	test_tab_content_loads[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestBibliographyTab.py	test_content_mentions_bibliography[chromium]	FAIL
	TestBibliographyTab.py	test_tab_content_loads[chromium]	FAIL
	TestDocumentsTab.py	test_content_area_exists[chromium]	FAIL
	TestDocumentsTab.py	test_tab_content_loads[chromium]	FAIL
	TestGovernancePanelOpens.py	test_has_content_area[chromium]	FAIL
	TestGovernancePanelOpens.py	test_has_tab_buttons[chromium]	FAIL
	TestGovernancePanelOpens.py	test_panel_is_visible[chromium]	FAIL
	TestMRCTab.py	test_content_mentions_mrc[chromium]	FAIL
	TestMRCTab.py	test_tab_content_loads[chromium]	FAIL
	TestModelInventoryTab.py	test_content_mentions_model[chromium]	FAIL
	TestModelInventoryTab.py	test_tab_content_loads[chromium]	FAIL
	TestRACITab.py	test_content_mentions_raci[chromium]	FAIL
	TestRACITab.py	test_tab_content_loads[chromium]	FAIL
	TestCloseOutTradePL.py	test_01_open_blotter_and_count_trades[chromium]	FAIL
	TestCloseOutTradePL.py	test_02_click_close_button_opens_modal[chromium]	FAIL
	TestCloseOutTradePL.py	test_03_enter_closeout_spread_and_confirm[chromium]	FAIL
	TestCloseOutTradePL.py	test_04_verify_closed_trade_in_blotter[chromium]	FAIL
	TestEODSnapAndHistory.py	test_01_open_eod_tab_count_history[chromium]	FAIL
	TestEODSnapAndHistory.py	test_02_submit_eod[chromium]	FAIL
	TestEODSnapAndHistory.py	test_03_verify_new_snapshot_in_history[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_01_open_prs_and_verify_controls[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_02_select_counterparty[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_03_set_trade_parameters[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_04_commit_trade[chromium]	FAIL
	TestGaugePRSBookTrade.py	test_05_new_trade_appears_in_blotter[chromium]	FAIL
	TestMarketUpdatePL.py	test_01_open_market_tab_record_yield[chromium]	FAIL
	TestMarketUpdatePL.py	test_02_change_yield_curve_value[chromium]	FAIL
	TestMarketUpdatePL.py	test_03_commit_market_changes[chromium]	FAIL
	TestMarketUpdatePL.py	test_04_verify_pnl_after_curve_change[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_01_open_property_prs_and_verify_controls[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_02_set_property_trade_parameters[chromium]	FAIL
	TestPropertyPRSBookTrade.py	test_03_commit_property_trade[chromium]	FAIL
	TestCoreControls.py	test_governance_button_exists[chromium]	FAIL
	TestCoreControls.py	test_pi_button_exists[chromium]	FAIL
	TestCoreControls.py	test_startup_preloader_completed[chromium]	FAIL
	TestMapLoads.py	test_leaflet_container_exists[chromium]	FAIL
	TestMapLoads.py	test_map_tiles_loaded[chromium]	FAIL
	TestMapLoads.py	test_zoom_controls_present[chromium]	FAIL
	TestMarkers.py	test_marker_count_reasonable[chromium]	FAIL
	TestMarkers.py	test_markers_present[chromium]	FAIL
	TestDocsTabStructure.py	test_core_docs_section_visible_by_default[chromium]	FAIL
	TestDocsTabStructure.py	test_docs_tab_exists[chromium]	FAIL
	TestDocsTabStructure.py	test_docs_tab_has_three_sections[chromium]	FAIL
	TestDocsTabStructure.py	test_switching_to_analysis[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestDocsTabStructure.py	test_switching_to_test_results[chromium]	FAIL
	TestDocsTabStructure.py	test_test_results_section_hidden_by_default[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_all_models_have_doc_directory[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_basis_analysis_pdf_endpoint_exists[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_documentation_pdf_endpoint_exists[chromium]	FAIL
	TestModelDocumentationAvailability.py	test_test_results_pdf_endpoint_exists[chromium]	FAIL
	TestPropertyContextMenu.py	test_menu_has_property_items[chromium]	FAIL
	TestPropertyContextMenu.py	test_menu_header_shows_property_info[chromium]	FAIL
	TestPropertyContextMenu.py	test_right_click_property_shows_menu[chromium]	FAIL
	TestPropertyContextMenu.py	test_storm_scenarios_opens_panel[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_has_chart[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_has_stats[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_renders[chromium]	FAIL
	TestPropertyFloodHistory.py	test_history_table_has_rows[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_claim_report_api_returns_pdf[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_insurance_tab_exists[chromium]	FAIL
	TestPropertyInsuranceReport.py	test_tab_mentions_insurance[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_has_chart[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_has_stats[chromium]	FAIL
	TestPropertyMortgageImpact.py	test_mortgage_impact_renders[chromium]	FAIL
	TestMortgageDetail.py	test_mortgage_content_shows_data[chromium]	FAIL
	TestMortgageDetail.py	test_mortgage_panel_opens[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_chart_exists[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_has_selector[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_has_stats[chromium]	FAIL
	TestPropertyFloodTimeline.py	test_timeline_renders[chromium]	FAIL
	TestPropertyHazardPanel.py	test_basis_analysis_tab_shows_content[chromium]	FAIL
	TestPropertyHazardPanel.py	test_hazard_curve_chart_renders[chromium]	FAIL
	TestPropertyHazardPanel.py	test_panel_has_four_tabs[chromium]	FAIL
	TestPropertyHazardPanel.py	test_panel_opens_with_title[chromium]	FAIL
	TestPropertyHazardPanel.py	test_prs_pricing_tab_has_controls[chromium]	FAIL
	TestPropertyStormPanel.py	test_distribution_tab_has_content[chromium]	FAIL
	TestPropertyStormPanel.py	test_panel_has_tab_buttons[chromium]	FAIL
	TestPropertyStormPanel.py	test_panel_opens_with_title[chromium]	FAIL
	TestPropertyStormPanel.py	test_status_bar_shows_flood_counts[chromium]	FAIL
	TestPropertyStormPanel.py	test_worst_storms_tab_shows_data[chromium]	FAIL
	TestSPSimTab.py	test_has_leaflet_or_canvas[chromium]	FAIL
	TestSPSimTab.py	test_has_map_container[chromium]	FAIL
	TestSPSimTab.py	test_has_play_button[chromium]	FAIL
	TestSPSimTab.py	test_sim_view_visible[chromium]	FAIL
	TestSPTableTab.py	test_content_has_keywords[chromium]	FAIL
	TestSPTableTab.py	test_has_property_table[chromium]	FAIL
	TestSPTableTab.py	test_has_summary_cards[chromium]	FAIL
	TestSPTableTab.py	test_table_view_visible[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestSPVisualTab.py	test.filter_has_controls[chromium]	FAIL
	TestSPVisualTab.py	test.has_chart_canvas[chromium]	FAIL
	TestSPVisualTab.py	test.has_filter_row[chromium]	FAIL
	TestSPVisualTab.py	test.vis.view_visible[chromium]	FAIL
	TestStormPortfolioOpens.py	test.has_four_tab_buttons[chromium]	FAIL
	TestStormPortfolioOpens.py	test.has_storm_selector[chromium]	FAIL
	TestStormPortfolioOpens.py	test.panel_opens[chromium]	FAIL
	TestStormPortfolioOpens.py	test.stats_bar_present[chromium]	FAIL
	TestSPVaRTab.py	test.has_histogram_canvas[chromium]	FAIL
	TestSPVaRTab.py	test.has_metrics[chromium]	FAIL
	TestSPVaRTab.py	test.has_toggle_buttons[chromium]	FAIL
	TestSPVaRTab.py	test.metrics_keywords[chromium]	FAIL
	TestSPVaRTab.py	test.var_view_visible[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test.animate_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test.portfolio_impact_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test.portfolio_var_api_returns_data[chromium]	FAIL
	TestStormPortfolioDataLoads.py	test.storms_api_returns_data[chromium]	FAIL
	TestBlotterTab.py	test.blotter_filter_dropdowns_exist[chromium]	FAIL
	TestBlotterTab.py	test.blotter_has_trade_rows[chromium]	FAIL
	TestBlotterTab.py	test.blotter_shows_net_notional[chromium]	FAIL
	TestBlotterTab.py	test.blotter_view_visible[chromium]	FAIL
	TestBlotterTradeInteraction.py	test.trade_row_click_highlights[chromium]	FAIL
	TestTradingDeskOpens.py	test.click_pi_opens_panel[chromium]	FAIL
	TestTradingDeskOpens.py	test.close_button_hides_panel[chromium]	FAIL
	TestTradingDeskOpens.py	test.panel_has_tab_bar[chromium]	FAIL
	TestClassifierAvailability.py	test.classifier_summary_api_returns_data[chromium]	FAIL
	TestClassifierAvailability.py	test.trained_classifiers_loadable_in_stress_tab[chromium]	FAIL
	TestClassifiersTab.py	test.classifiers_view_visible[chromium]	FAIL
	TestClassifiersTab.py	test.has_detail_pane[chromium]	FAIL
	TestClassifiersTab.py	test.has_summary_stats[chromium]	FAIL
	TestClassifiersTab.py	test.has_table_pane[chromium]	FAIL
	TestClassifiersTab.py	test.has_train_all_button[chromium]	FAIL
	TestClassifiersTab.py	test.progress_bar_hidden_initially[chromium]	FAIL
	TestClassifiersTab.py	test.row_click_populates_detail[chromium]	FAIL
	TestClassifiersTab.py	test.summary_table_has_rows[chromium]	FAIL
	TestClassifiersTab.py	test.table_has_action_buttons[chromium]	FAIL
	TestPortStressPFlood.py	test.pflood_has_chart_or_data[chromium]	FAIL
	TestPortStressPFlood.py	test.pflood_has_content[chromium]	FAIL
	TestPortStressTab.py	test.has_content_area[chromium]	FAIL
	TestPortStressTab.py	test.has_stats_bar[chromium]	FAIL
	TestPortStressTab.py	test.has_storm_selector[chromium]	FAIL
	TestPortStressTab.py	test.has_sub_tab_buttons[chromium]	FAIL
	TestPortStressTab.py	test.portstress_view_visible[chromium]	FAIL
	TestPortStressTab.py	test.storm_selector_has_options[chromium]	FAIL

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	TestPortStressDataLoads.py	test_classifier_readiness_api[chromium]	FAIL
	TestPortStressDataLoads.py	test_portfolio_run_api[chromium]	FAIL
	TestPortStressDataLoads.py	test_portfolio_storms_api[chromium]	FAIL
	TestPortStressGaugePnL.py	test_gaugepnl_has_content[chromium]	FAIL
	TestPortStressGaugePnL.py	test_gaugepnl_has_gauge_selector_or_table[chromium]	FAIL
	TestPortStressPortPnL.py	test_portpnl_has_content[chromium]	FAIL
	TestPortStressPortPnL.py	test_portpnl_mentions_pnl_keywords[chromium]	FAIL
	TestPortStressSeverity.py	test_severity_has_content[chromium]	FAIL
	TestPortStressSeverity.py	test_severity_mentions_threshold_keywords[chromium]	FAIL
	TestAggregateTab.py	test_has_leaflet_or_svg[chromium]	FAIL
	TestAggregateTab.py	test_map_view_visible[chromium]	FAIL
	TestFS01Tab.py	test_content_mentions_risk_keywords[chromium]	FAIL
	TestFS01Tab.py	test_has_risk_grid[chromium]	FAIL
	TestFS01Tab.py	test_risk_view_visible[chromium]	FAIL
	TestMarketTab.py	test_has_charts_or_inputs[chromium]	FAIL
	TestMarketTab.py	test_has_hazard_term_structure[chromium]	FAIL
	TestMarketTab.py	test_has_yield_curve_content[chromium]	FAIL
	TestMarketTab.py	test_market_view_visible[chromium]	FAIL
	TestCurvesTab.py	test_curves_view_visible[chromium]	FAIL
	TestCurvesTab.py	test_has_chart_or_curve_content[chromium]	FAIL
	TestEODTab.py	test_content_mentions_eod_keywords[chromium]	FAIL
	TestEODTab.py	test_eod_view_visible[chromium]	FAIL
	TestEODTab.py	test_has_history_list_or_table[chromium]	FAIL
	TestStressTab.py	test_has_gauge_dropdown[chromium]	FAIL
	TestStressTab.py	test_has_storm_dropdown[chromium]	FAIL
	TestStressTab.py	test_stress_view_visible[chromium]	FAIL
	TestCloseoutFormValidation.py	test_close_button_opens_modal[chromium]	FAIL
	TestCloseoutFormValidation.py	test_negative_closeout_spread_handling[chromium]	FAIL
	TestMarketFormValidation.py	test_negative_rate_handling[chromium]	FAIL
	TestMarketFormValidation.py	test_non_numeric_tenor_input[chromium]	FAIL
	TestPRSFormValidation.py	test_empty_counterparty_disables_commit[chromium]	FAIL
	TestPRSFormValidation.py	test_negative_spread_handling[chromium]	FAIL
	TestPRSFormValidation.py	test_zero_notional_disables_commit[chromium]	FAIL
	TestTradeCloseOut.py	test_blotter_has_close_button[chromium]	FAIL
	TestTradeCloseOut.py	test_close_button_opens_dialog[chromium]	FAIL
	TestTradeCloseOut.py	test_confirm_closeout_posts[chromium]	FAIL
	TestTradeCloseOut.py	test_spread_input_updates_settlement[chromium]	FAIL
	TestEODSubmit.py	test_eod_history_has_pdf_link[chromium]	FAIL
	TestEODSubmit.py	test_eod_submit_button_exists[chromium]	FAIL
	TestEODSubmit.py	test_eod_submit_creates_snapshot[chromium]	FAIL
	TestGaugePRSCcommit.py	test_commit_triggers_response[chromium]	FAIL
	TestGaugePRSCcommit.py	test_counterparty_dropdown_has_options[chromium]	FAIL
	TestGaugePRSCcommit.py	test_fill_notional_and_spread[chromium]	FAIL
	TestGaugePRSCcommit.py	test_selecting_counterparty_enables_commit[chromium]	FAIL

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_duplication_report.py::TestAnalyse	test_analyse_largest_sorted_descending	Pass
	test_duplication_report.py::TestAnalyse	test_analyse_sum_clones_correct	Pass
	test_duplication_report.py::TestAnalyse	test_analyse_returns_dict	Pass
	test_duplication_report.py::TestAnalyse	test_analyse_total_present	Pass
	test_duplication_report.py::TestAnalyse	test_analyse_worst_populated	Pass
	test_duplication_report.py::TestMain	test_main_handles_jscpd_error	Pass
	test_duplication_report.py::TestMain	test_main_prints_stats	Pass
	test_duplication_report.py::TestMain	test_main_produces_pdf	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_rating_for_low_pct	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_high_rating_report	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_header	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_nonempty	Pass
	test_duplication_report.py::TestMakePdf	test_make_pdf_returns_bytes	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_basic	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_bcbs	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_tests	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_with_bcbs	Pass
	test_model_risk_report_cover.py::TestBuildCover	test_build_cover_with_tests	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_pass	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_failures	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_coverage	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_no_tests	Pass
	test_model_risk_report_cover.py::TestBuildSummary	test_build_summary_renders	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_empty	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_no_risk_ratings	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_tag_colours	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_renders	Pass
	test_model_risk_report_cover.py::TestBuildInventory	test_build_inventory_risk_ratings	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_all_reviewers_assigned	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_high_assumptions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_no_assumptions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_no_questions	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_peer_reviewer_gaps	Pass
	test_model_risk_report_cover.py::TestBuildValidation	test_build_validation_renders	Pass
	test_model_risk_report_evidence.py::TestBuildAudit	test_build_audit_date_range	Pass
	test_model_risk_report_evidence.py::TestBuildAudit	test_build_audit_empty	Pass
	test_model_risk_report_evidence.py::TestBuildAudit	test_build_audit_timestamps	Pass
	test_model_risk_report_evidence.py::TestBuildAudit	test_build_audit_renders	Pass
	test_model_risk_report_evidence.py::TestBuildDesc	test_build_desc_empty	Pass
	test_model_risk_report_evidence.py::TestBuildDesc	test_build_desc_findings	Pass
	test_model_risk_report_evidence.py::TestBuildDesc	test_build_desc_renders	Pass
	test_model_risk_report_evidence.py::TestBuildRelations	test_build_relations_additional_clean	Pass
	test_model_risk_report_evidence.py::TestBuildRelations	test_build_relations_actions_at_risk	Pass
	test_model_risk_report_evidence.py::TestBuildRelations	test_build_relations_actions_remediation	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
test_model_risk_report_evidence.py::TestBuildRelations	relations	reviewer_gap	Pass
test_model_risk_report_evidence.py::TestBuildRelations	relations	backup_gaps	Pass
test_model_risk_report_evidence.py::TestBuildRelations	relations	headers	Pass
test_model_risk_report_evidence.py::TestBuildRelations	relations	failures	Pass
test_model_risk_report_evidence.py::TestBuildRelations	relations	validation_gap	Pass
test_model_risk_report_evidence.py::TestBuildTestEvidence			Pass
test_model_risk_report_evidence.py::TestBuildTestEvidence		sensitivity_generators	Pass
test_model_risk_report_evidence.py::TestBuildTestEvidence		coverage	Pass
test_model_risk_report_evidence.py::TestBuildTestEvidence		confidence	Pass
test_model_risk_report_evidence.py::TestBuildTestEvidence		coverage	Pass
test_model_risk_report_evidence.py::TestBuildTestEvidence		sensitivity_generators	Pass
test_model_risk_report_mrc.py::TestBuildCS23230		compliant	Pass
test_model_risk_report_mrc.py::TestBuildCS23230		risk	Pass
test_model_risk_report_mrc.py::TestBuildCS23230		principles	Pass
test_model_risk_report_mrc.py::TestBuildCS23230		headers	Pass
test_model_risk_report_mrc.py::TestBuildVHC		completed_actions_excluded	Pass
test_model_risk_report_mrc.py::TestBuildVHC		decisions	Pass
test_model_risk_report_mrc.py::TestBuildVHC		meetings	Pass
test_model_risk_report_mrc.py::TestBuildVHC		open_actions	Pass
test_model_risk_report_mrc.py::TestBuildVHC		headers	Pass
test_model_risk_report_mrc.py::TestBuildVHC		decisions	Pass
test_model_risk_report_mrc.py::TestBuildRAG		escalation_triggers_dict	Pass
test_model_risk_report_mrc.py::TestBuildRAG		escalation_triggers_string	Pass
test_model_risk_report_mrc.py::TestBuildRAG		missing_backup	Pass
test_model_risk_report_mrc.py::TestBuildRAG		roles	Pass
test_model_risk_report_mrc.py::TestBuildRAG		headers	Pass
test_model_risk_report_mrc.py::TestBuildRAG		activities	Pass
test_model_risk_report_mrc.py::TestBuildMediation		all_completed	Pass
test_model_risk_report_mrc.py::TestBuildMediation		empty	Pass
test_model_risk_report_mrc.py::TestBuildMediation		overdue_highlighted	Pass
test_model_risk_report_mrc.py::TestBuildMediation		priority_sorting	Pass
test_model_risk_report_mrc.py::TestBuildMediation		renders	Pass
test_model_risk_report_pdf.py::TestCreatePDFReport		fallback	Pass
test_model_risk_report_pdf.py::TestCreatePDFReport		audit_dir	Pass
test_model_risk_report_pdf.py::TestCreatePDFReport		pdf	Pass
test_model_risk_report_pdf.py::TestCreatePDFReport		empty_data	Pass
test_model_risk_report_pdf.py::TestCreatePDFReport		summary	Pass
test_model_risk_report_pdf.py::TestCreatePDFReport		real_collect	Pass
test_model_risk_report_pdf.py::TestBuildCase		log_single_event	Pass
test_model_risk_report_pdf.py::TestBuildCase		zero_max_score	Pass
test_model_risk_report_pdf.py::TestBuildCase		no_coverage	Pass
test_model_risk_report_pdf.py::TestBuildCase		with_long_name	Pass
test_model_risk_report_pdf.py::TestBuildCase		with_no_name	Pass
test_model_risk_report_pdf.py::TestBuildCase		actions_with_missing_fields	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_model_risk_report_pdf.py::TestBridge	TestBridgeSimple models_risk_ratings	Pass
	test_model_risk_report_pdf.py::TestBridge	TestBridgeCano_activities_no_triggers	Pass
	test_model_risk_report_pdf.py::TestBridge	TestBridgeCada null_due_date	Pass
	test_model_risk_report_pdf.py::TestBridge	TestBridgeCada question_question.no_short_label	Pass
	test_model_risk_report_pdf.py::TestSection	TestSectionBuilders_exported	Pass
	test_model_risk_report_pdf.py::TestSection	TestSectionList	Pass
	test_model_risk_report_styles.py::TestCollection	TestCollectionKeys	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits_files	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits_files_missing_dir	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits_generators	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits_generators_no_dir	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits_log	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits_log_dict_fallback	Pass
	test_model_risk_report_styles.py::TestData	TestDataCredits	Pass
	test_model_risk_report_styles.py::TestData	TestDataCoverage	Pass
	test_model_risk_report_styles.py::TestData	TestDataCoverage_corrupt	Pass
	test_model_risk_report_styles.py::TestData	TestDataCoverage_missing	Pass
	test_model_risk_report_styles.py::TestData	TestDataInventory	Pass
	test_model_risk_report_styles.py::TestData	TestDataInventory_bad_json	Pass
	test_model_risk_report_styles.py::TestData	TestDataInventory_missing	Pass
	test_model_risk_report_styles.py::TestData	TestDataJudits	Pass
	test_model_risk_report_styles.py::TestData	TestDataJudits_corrupt	Pass
	test_model_risk_report_styles.py::TestData	TestDataJudits_missing	Pass
	test_model_risk_report_styles.py::TestData	TestDataMedtrings	Pass
	test_model_risk_report_styles.py::TestData	TestDataMedtrings_dict_fallback	Pass
	test_model_risk_report_styles.py::TestData	TestDataReaders	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyleColour_constants	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyleStyles_keys	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyleColour_maps	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyleSection_rule_appends_flowables	Pass
	test_model_risk_report_styles.py::TestStyle	TestStyleStyle_returns_tablestyle	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataPoints_present	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataGauge_has_required_fields	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataExists	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataTrigger_ordering	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataAccount_at_least_40	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataAids_are_well_formed	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataHazard_curves_key	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataRate_ordering	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataRates_positive	Pass
	test_blotter_data_part1.py::TestGauge	TestGaugeDataStructure_present	Pass
	test_blotter_data_part1.py::TestMarket	TestMarketBaseData_not_empty	Pass
	test_blotter_data_part1.py::TestMarket	TestMarketBaseData_exists	Pass
	test_blotter_data_part1.py::TestMarket	TestMarketBaseData_required_keys	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_blotter_data_part1.py::TestMasterHazardData	term_structure_has_triggers	Pass
	test_blotter_data_part1.py::TestMasterHazardData	term_structure_not_empty	Pass
	test_blotter_data_part1.py::TestMasterHazardData	status_updated_present	Pass
	test_blotter_data_part1.py::TestMasterHazardData	tenors_have_all_tenors	Pass
	test_blotter_data_part1.py::TestMasterHazardData	tenors_have_rates_in_range	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	are_business_days	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	directory_exists	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	are_valid_json	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	has_required_keys	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	pdf_data_match_json	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	has_snapshot_count	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	swap_data_exists	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trade_has_physical_swap_root	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trade_has_swap_id	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trade_directory_exists	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	swap_data_matches_filename	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trade_count_thames_central	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trade_statuses_are_valid	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trades_are_present	Pass
	test_blotter_data_part2.py::TestHODSnapsheetData	trades_have_gauge_set	Pass
	test_id_consistency_gauges.py::TestClassifiers	exists_gauge_ids_match	Pass
	test_id_consistency_gauges.py::TestClassifiers	exists_summary_exists	Skip
	test_id_consistency_gauges.py::TestGauges	JSON has gauges	Pass
	test_id_consistency_gauges.py::TestGauges	Consistent gauges	Pass
	test_id_consistency_gauges.py::TestGauges	HDC consistent match gauges	Pass
	test_id_consistency_gauges.py::TestGauges	HDC consistent subset of gauges	Pass
	test_id_consistency_gauges.py::TestGauges	trade gauges exist in gauge_json	Pass
	test_id_consistency_gauges.py::TestGauges	trade gauges have hazard_curves	Pass
	test_id_consistency_gauges.py::TestProperties	consistent header	Pass
	test_id_consistency_gauges.py::TestProperties	consistent has properties	Pass
	test_id_consistency_gauges.py::TestProperties	consistent files match properties	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	completes exist	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	completes match to data	Skip
	test_id_consistency_pipeline_part1.py::TestPipeline	completes directories	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	sequences from sequences	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	sequences from sequences	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	complete	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	exists	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	links	FAIL
	test_id_consistency_pipeline_part1.py::TestPipeline	current	Pass
	test_id_consistency_pipeline_part1.py::TestPipeline	is deterministic	Skip
	test_lineage_manifest.py::TestGet	from manifest	Pass
	test_lineage_manifest.py::TestHash	artifact directory	Pass
	test_lineage_manifest.py::TestHash	artifact file	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lineage_query.py::TestOutput	test_stop_known_outputs	Pass
	test_lineage_query.py::TestTrace	test_range_id_chain	Pass
	test_lineage_query.py::TestTrace	test_point_property_id_chain	Pass
	test_lineage_query.py::TestTrace	test_point_known_data_type	Pass
	test_lineage_query.py::TestWalkUpstream	test_cycle_safety	Pass
	test_lineage_query.py::TestWalkUpstream	test_deep_chain	Pass
	test_lineage_query.py::TestWalkUpstream	test_mid_chain	Pass
	test_lineage_query.py::TestWalkUpstream	test_root_has_no_upstream	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_empty_dir_skipped	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_from_scratch	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_hashes_are_current	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_idempotent	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_inputs_hashed_correctly	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_preserves_existing_metadata	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_run_id_format	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_skips_missing_outputs	Pass
	test_lineage_repair.py::TestRepairManifest	test_repair_updates_runs_index	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_consistent_fresh_no_hash_for_input	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_consistent_fresh_run	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_fresh_when_freshes_match	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_producers_refreshed_for_producer_output	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_producers_refresh_run	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_hook_steps_always_fresh	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_stack_when_freshes_differ	Pass
	test_lineage_validation_part1.py::TestConsistentFresh	test_unknown_inputs_fresh	Pass
	test_lineage_validation_part1.py::TestCheckStepPrerequisites	test_check_step_prerequisites	Pass
	test_lineage_validation_part1.py::TestCheckStepPrerequisites	test_missing_inputs_prerequisites	Pass
	test_lineage_validation_part1.py::TestCheckStepPrerequisites	test_get_state_offset_many	Pass
	test_lineage_validation_part1.py::TestCheckStepPrerequisites	test_clear_state_beyond_downstream	Pass
	test_lineage_validation_part1.py::TestCheckStepPrerequisites	test_clear_state_downstream	Pass
	test_lineage_validation_part2.py::TestCompletePipelineComplete	test_complete_pipeline_complete	Pass
	test_lineage_validation_part2.py::TestCompletePipelineComplete	test_empty_pipeline_complete	Pass
	test_lineage_validation_part2.py::TestCompletePipelineComplete	test_missing_pipeline_complete	Pass
	test_lineage_validation_part2.py::TestCompletePipelineComplete	test_black_pipeline_complete	Pass
	test_lineage_validation_part2.py::TestDependencyGraphIntegrity	test_dependency_graph_integrity_in_transitive_deps	Pass
	test_lineage_validation_part2.py::TestDependencyGraphIntegrity	test_dependency_graph_integrity_detected	Pass
	test_lineage_validation_part2.py::TestVerifyFullChain	test_verify_full_chain	Pass
	test_lineage_validation_part2.py::TestVerifyFullChain	test_verify_partial_chain	Pass
	test_lineage_validation_part2.py::TestVerifyFullChain	test_verify_partial_chain	Pass
	test_lineage_validation_part2.py::TestVerifyFullChain	test_verify_partial_chain	Pass
	test_storm_data_classifiers.py::TestGaugeData	test_gauge_data_has_required_keys	Pass
	test_storm_data_classifiers.py::TestGaugeData	test_gauge_data_simulation_has_readings	Pass
	test_storm_data_classifiers.py::TestGaugeData	test_gauge_data_field_matches_filename	Pass
	test_storm_data_classifiers.py::TestGaugeData	test_gauge_data_dir_exists	Pass
	test_storm_data_classifiers.py::TestGaugeData	test_gauge_data_gauge_id_format	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
storm	test_storm_data_classifiers.py::TestGaugesData	testGaugesDataNotEmpty	Pass
	test_storm_data_classifiers.py::TestGaugesData	testGaugesDataCountMatchesSimulationHours	Pass
	test_storm_data_consistency.py::TestStormDataConsistency	testStormDataConsistencyGaugehcGauges	Skip
	test_storm_data_consistency.py::TestStormDataConsistency	testStormDataConsistencyForStressGauges	Skip
	test_storm_data_consistency.py::TestStormDataConsistency	testStormDataConsistencyGaugesInGaugehc	Skip
	test_storm_data_consistency.py::TestStormDataConsistency	testStormDataConsistencyOverlapProperty	Skip
	test_storm_data_consistency.py::TestStormDataConsistency	testStormDataConsistencySubsetOfGaugets	Skip
	test_storm_data_storms.py::TestStorms	testStormsFileGaugeIdsInResponses	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileGaugeIdsUseGaugePrefix	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileGaugeIdsUseValidPrefix	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileOneStormExceedsAlert	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileHasGaugeResponses	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileHasRequiredFields	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileHasFiles	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileWellFormed	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileResponsesHaveRequiredFields	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileHasIntFiles	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileIntensityCategoriesPresent	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileStormCount	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileExceedsBase	Pass
	test_storm_data_storms.py::TestStorms	testStormsFilePositive	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileUnique	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileWellFormed	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileCoverMultipleGauges	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileSortedBySeverityDescending	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileFormsKeyMatchesListLength	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileSummaryMaxTriggerValid	Pass
	test_storm_data_storms.py::TestStorms	testStormsFileSummaryPopulatedForAllStorms	Pass
	test_flood_propagation_diagnostic.py::TestGaugeTest	testGaugeTestGaugeFloodSimulation	Pass
	test_flood_propagation_diagnostic.py::TestGaugeTest	testGaugeTestGaugeStormResponses	Pass
	test_flood_propagation_diagnostic.py::TestSlope	testSlopeTestGaugesSeedStorms	Pass
	test_flood_propagation_diagnostic.py::TestSynth	testSynthTestGaugesHaveResponses	Pass
	test_flood_propagation_diagnostic.py::TestAllProperties	testAllPropertiesHaveNearFastGauges	Pass
	test_flood_propagation_diagnostic.py::TestAtProtest	testAtProtestSynthNearGauges	Pass
	test_flood_propagation_diagnostic.py::TestNearTest	testNearTestGaugesHaveNearGauges	Pass
	test_flood_propagation_diagnostic.py::TestDepth	testDepthTestPartlyHydrographProducesDepth	Pass
	test_flood_propagation_diagnostic.py::TestFlood	testFloodTestFloodPropagExpectedFlood	Pass
	test_flood_propagation_diagnostic.py::TestFlood	testFloodTestFloodPropagMath	Pass
	test_flood_propagation_diagnostic.py::TestFlood	testFloodTestFloodPropagAlertStorm	Pass
	test_flood_propagation_diagnostic.py::TestFlood	testFloodTestFloodPropagFloodStats	Pass
test_flood_propagation_diagnostic.py::TestGaugeTest	testGaugeTestPartOfFloodPropertyEventCount	Pass	
test_gauge_loader.py::TestGaugeLoader	testGaugeLoaderBasic	Pass	
test_gauge_loader.py::TestGaugeLoader	testGaugeLoaderBooGaugesKeyAlsoWorks	Pass	
test_gauge_loader.py::TestGaugeLoader	testGaugeLoaderRadialReturnsList	Pass	

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_missing_file_returns_empty	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_caching_works	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_cache	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_cache_reload	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_listsup_false	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_listsup_true	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_find_by_id_missing_returns_none	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_find_by_id_returns_entity	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_list_all_returns_summaries	Pass
	test_gauge_loader.py::TestGaugeLoader	test_gauge_loader.py::TestGaugeLoader::test_get_status_returns_dict	Pass
	test_mortgage_loader.py::TestMortgageLoader	test_mortgage_loader.py::TestMortgageLoader::test_all_returns_summaries	Pass
	test_mortgage_loader.py::TestMortgageLoader	test_mortgage_loader.py::TestMortgageLoader::test_all_returns_list	Pass
	test_mortgage_loader.py::TestMortgageLoader	test_mortgage_loader.py::TestMortgageLoader::test_find_by_lookup	Pass
	test_mortgage_loader.py::TestMortgageLoader	test_mortgage_loader.py::TestMortgageLoader::test_find_by_property_nested_structure	Pass
	test_mortgage_loader.py::TestMortgageLoader	test_mortgage_loader.py::TestMortgageLoader::test_get_loading_lookups_none	Pass
	test_property_county.py::TestFindByCounty	test_property_county.py::TestFindByCounty::test_by_county_case_insensitive	Pass
	test_property_county.py::TestFindByCounty	test_property_county.py::TestFindByCounty::test_by_county_empty_portfolio	Pass
	test_property_county.py::TestFindByCounty	test_property_county.py::TestFindByCounty::test_by_county_exact_match	Pass
	test_property_county.py::TestFindByCounty	test_property_county.py::TestFindByCounty::test_by_county_missing_county_field	Pass
	test_property_county.py::TestFindByCounty	test_property_county.py::TestFindByCounty::test_by_county_no_match	Pass
	test_property_county.py::TestFindByCounty	test_property_county.py::TestFindByCounty::test_by_county_partial_match	Pass
	test_property_loader.py::TestPropertyLoader	test_property_loader.py::TestPropertyLoader::test_by_filename	Pass
	test_property_loader.py::TestPropertyLoader	test_property_loader.py::TestPropertyLoader::test_all_returns_list	Pass
	test_property_loader.py::TestPropertyLoader	test_property_loader.py::TestPropertyLoader::test_loading_file_empty	Pass
	test_property_loader.py::TestPropertyLoader	test_property_loader.py::TestPropertyLoader::test_find_by_lookup	Pass
	test_property_loader.py::TestPropertyLoader	test_property_loader.py::TestPropertyLoader::test_load_all_has_property_id	Pass
	test_registry.py::TestCreateRegistry	test_registry.py::TestCreateRegistry::test_creates_registry	Pass
	test_registry.py::TestCreateRegistry	test_registry.py::TestCreateRegistry::test_with_file_overrides	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_clear_all_caches	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_all_status	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_clear_all_caches	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_data_files_all_missing	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_data_files_present	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_data_file_overrides	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_data_dir	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_available_loaders	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_gauge_loader	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_loader_by_name	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_loader_unknown_name_returns_none	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_mortgage_loader	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_property_loader	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_storm_loader	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_get_timeseries_loader	Pass
	test_registry.py::TestLoaderRegistry	test_registry.py::TestLoaderRegistry::test_loader_cached_on_repeated_access	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lookups_gauge_property.py::	TestBuildGaugeWithFloodInfo	Pass
	test_lookups_gauge_property.py::	TestBuildGaugeFromFloodInfo	Pass
	test_lookups_gauge_property.py::	TestBuildGaugeFromFloodInfoPrecedence	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesFromEmpty	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesFromDataWhenNotInPhc	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesFromHazardData	Pass
	test_lookups_gauge_property.py::	TestBuildPropertiesFromInfoOverPropertyData	Pass
	test_lookups_gauge_property.py::	TestClassifyHighlyRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyThresholdRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyLowestRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyLowestRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyLowestRisk	Pass
	test_lookups_gauge_property.py::	TestClassifyLowestRisk	Pass
	test_lookups_ids.py::	TestAnalyzeRelationshipsReturnsZeros	Pass
	test_lookups_ids.py::	TestAnalyzeRelationshipsMatchData	Pass
	test_lookups_ids.py::	TestAnalyzeRelationshipsPortgagesCounted	Pass
	test_lookups_ids.py::	TestAnalyzeRelationshipsPropertiesOverlap	Pass
	test_lookups_ids.py::	TestAnalyzeRelationshipsRequiredKeys	Pass
	test_lookups_ids.py::	TestExtractGaugesExtractsIds	Pass
	test_lookups_ids.py::	TestExtractGaugesMissingGaugeIdSkipped	Pass
	test_lookups_ids.py::	TestExtractGaugesReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractMortgagesExtractsIds	Pass
	test_lookups_ids.py::	TestExtractMortgagesReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractMortgagesPropertiesPropertyIdsFromMortgage	Pass
	test_lookups_ids.py::	TestExtractMortgagesPropertiesReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractPropertiesItemsReturnsEmptySet	Pass
	test_lookups_ids.py::	TestExtractPropertiesExtractsIds	Pass
	test_lookups_ids.py::	TestExtractPropertiesMissingPropertyIdSkipped	Pass
	test_lookups_ids.py::	TestExtractPropertiesReturnsEmptySet	Pass
	test_lookups_mortgage.py::	TestBuildAllLookupsReturnsEmptyDicts	Pass
	test_lookups_mortgage.py::	TestBuildAllLookupsReturnsFourKeys	Pass
	test_lookups_mortgage.py::	TestBuildAllLookupsPopulatesLookups	Pass
	test_lookups_mortgage.py::	TestBuildEmptyLookupsReturnsEmpty	Pass
	test_lookups_mortgage.py::	TestBuildMortgageFromLoanDetailsFallback	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupOutPropertyIdSkipped	Pass
	test_lookups_mortgage.py::	TestBuildMortgageFromMortgages	Pass
	test_lookups_mortgage.py::	TestBuildMortgagesLookupReturnsEmpty	Pass
	test_lookups_mortgage.py::	TestBuildMortgagesLookupEmpty	Pass
	test_lookups_mortgage.py::	TestBuildMortgageLookupMortgage	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfo	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskMortgageOrPropertyIdSkipped	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfoUsesUnknown	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfoReturnsEmptyStructure	Pass
	test_lookups_mortgage.py::	TestBuildMortgageRiskInfoCalculation	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_timeseries_loader.py::TestTimeSeriesLoaderBasic	test_time_series_loader_basics_number_of_gauge_files	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderBasic	test_time_series_loader_basics_gauge_ids	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderBasic	test_time_series_loader_basics_gauge_ids_missing_dir	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderBasic	test_time_series_loader_basics_returns_summaries	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderBasic	test_time_series_loader_basics_load_directory	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderBasic	test_time_series_loader_basics_returns_empty	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderCache	test_time_series_loader_cache	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderCache	test_time_series_loader_cache_load	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderCache	test_time_series_loader_cache_cache	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStamp	test_time_series_loader_stamp_skipped_all_gauges_path	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStamp	test_time_series_loader_stamp_skipped_gauge_path	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderRange	test_time_series_loader_range_all_gauges	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderRange	test_time_series_loader_range_for_gauge	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderReading	test_time_series_loader_reading	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderReading	test_time_series_loader_reading_missing_returns_none	None
	test_timeseries_loader.py::TestTimeSeriesLoaderReading	test_time_series_loader_reading	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderReading	test_time_series_loader_reading_missing_returns_none	None
	test_timeseries_loader.py::TestTimeSeriesLoaderRange	test_time_series_loader_range_for_gauge	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderRange	test_time_series_loader_range_gauge_by_name_fallback	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderRange	test_time_series_loader_range_missing_gauge_returns_empty	Empty
	test_timeseries_loader.py::TestTimeSeriesLoaderResponses	test_time_series_loader_responses	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderResponses	test_time_series_loader_responses_missing_gauge	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStatistics	test_time_series_loader_statistics_missing_gauge	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStatistics	test_time_series_loader_statistics_no_numeric_level	False
	test_timeseries_loader.py::TestTimeSeriesLoaderStatistics	test_time_series_loader_statistics_with_data	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStamp	test_time_series_loader_stamp	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStamp	test_time_series_loader_stamp_not_found_returns_none	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStatus	test_time_series_loader_status_alias	Pass
	test_timeseries_loader.py::TestTimeSeriesLoaderStatus	test_time_series_loader_status_returns_dict	Pass
audit.py::TestLogModelUsage		test_appends_entry	Pass
audit.py::TestLogModelUsage		test_bad_audit_path_does_not_raise	Pass
audit.py::TestLogModelUsage		test_corrupted_file_restarted	Pass
audit.py::TestLogModelUsage		test_creates_audit_file	Pass
audit.py::TestLogModelUsage		test_entry_has_required_keys	Pass
audit.py::TestLogModelUsage		test_existing_file_appended	Pass
audit.py::TestLogModelUsage		test_multiple_calls_accumulate	Pass
audit.py::TestResolveModelId		test_case_insensitive	Pass
audit.py::TestResolveModelId		test_depth_damage_maps_to_dd	Pass
audit.py::TestResolveModelId		test_distribution_maps_to_si	Pass
audit.py::TestResolveModelId		test_mkm_prefix_returned_as_is	Pass
audit.py::TestResolveModelId		test_shorthand_gev_resolved	Pass
audit.py::TestResolveModelId		test_shorthand_intensity_resolved	Pass
audit.py::TestResolveModelId		test_shorthand_mortgage_resolved	Pass
audit.py::TestResolveModelId		test_shorthand_prs_resolved	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	audit.py::TestResolveModelId	test_spatial_maps_to_sp	Pass
	audit.py::TestResolveModelId	test_unknown_shorthand_returned_as_is	Pass
	audit.py::TestSanitiseParams	test_bool_passed_through	Pass
	audit.py::TestSanitiseParams	test_empty_params	Pass
	audit.py::TestSanitiseParams	test_float_passed_through	Pass
	audit.py::TestSanitiseParams	test_int_passed_through	Pass
	audit.py::TestSanitiseParams	test_long_list_summarised	Pass
	audit.py::TestSanitiseParams	test_none_passed_through	Pass
	audit.py::TestSanitiseParams	test_object_converted_to_string	Pass
	audit.py::TestSanitiseParams	test_short_list_converted_to_str	Pass
	audit.py::TestSanitiseParams	test_string_passed_through	Pass
	audit.py::TestSanitiseParams	test_tuple_treated_like_list	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_severe_level_some_positive	Pass
	depth_damage.py::TestCalculateFloodDamage	test_damage_severe_level_returns_zeros	Pass
	depth_damage.py::TestCalculateFloodDamage	test_depths_capped_at_5m	Pass
	depth_damage.py::TestCalculateFloodDamage	test_depth_gauge_data_returns_zeros	Pass
	depth_damage.py::TestCalculateFloodDamage	test_depth_gauge_data_returns_zeros	Pass
	depth_damage.py::TestCalculateFloodDamage	test_depths_correct_length	Pass
	depth_damage.py::TestDepthDamage	test_damage_higher_damage_than_residual	Potential
	depth_damage.py::TestDepthDamage	test_flood_level_reduces_damage	Pass
	depth_damage.py::TestDepthDamage	test_flood_depth_all_near_one	Pass
	depth_damage.py::TestDepthDamage	test_flood_depth_clipped_to_0_1	Pass
	depth_damage.py::TestDepthDamage	test_flood_depths_array_same_length	Pass
	depth_damage.py::TestDepthDamage	test_flood_depths_all_zero_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_max_depth_returns_one	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_between_control_points_interpolated	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_between_0_and_1	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_meter_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_max_depth_returns_one	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_monotonically_increasing	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_negative_depth_returns_zero	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_meter_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_returns_float	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_small_depth_returns_small_damage	Pass
	depth_damage.py::TestScalarDepthDamage	test_damage_zero_depth_returns_zero	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_construction	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_correlation_matrix_built	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_correlation_params	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_elevation_warns_and_defaults	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_floor_level_defaults_to_zero	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_geometry_raises	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_property_id_auto_assigned	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_property_type_warns_and_defaults	Pass
	flood_risk_model.py::TestFloodRiskModel	test_model_missing_value_raises	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	flood_risk_model.py::	TestFloodRiskModelProperties_copied	Pass
	flood_risk_model.py::	TestFloodRiskModelIn_gauge_data	Pass
	flood_risk_model.py::	TestFloodRiskModelMethods_clusters_returns_df	Pass
	flood_risk_model.py::	TestFloodRiskModelAnalyse_spatial_concentration_returns_df	Pass
	flood_risk_model.py::	TestFloodRiskModelAdvanced_metrics_returns_dict	Pass
	flood_risk_model.py::	TestFloodRiskModelDirect_impacts_returns_array	Pass
	flood_risk_model.py::	TestFloodRiskModelFlood_depths_returns_array	Pass
	flood_risk_model.py::	TestFloodRiskModelDistance_delegate	Pass
	flood_risk_model.py::	TestFloodRiskModelPortfolio_impact_returns_dict	Pass
	test_depth_damage_coverage.py::	TestCatchlagFloodDataNegativeNestToSynthesize	Pass
	test_depth_damage_coverage.py::	TestDepthDamageFactors100CFactor	Pass
	test_depth_damage_coverage.py::	TestDepthDamageAdjustmentCoverage	Pass
	test_depth_damage_coverage.py::	TestDepthDamageFunctionReturnsCorrectLength	Pass
	test_depth_damage_coverage.py::	TestDepthDamageFactors100CFactor	Pass
	test_depth_damage_coverage.py::	TestDepthDamageFunctionFitInterval	Pass
	test_depth_damage_coverage.py::	TestDepthDamageTypeDefaultCoverage	Pass
	test_depth_damage_coverage.py::	TestDepthDamageFailureCoverage	Pass
	test_depth_damage_coverage.py::	TestSaturationDamageFallback	Pass
	test_depth_damage_coverage.py::	TestJustDepthDamageFallbackDepth	Pass
	test_depth_damage_coverage.py::	TestYellowisFloodReturnsZeros	Pass
	test_depth_damage_coverage.py::	TestSyntheticFloodDataIs	Pass
	test_depth_damage_coverage.py::	TestSyntheticFloodDataIsApplied	Pass
	test_depth_damage_coverage.py::	TestSyntheticFloodDataIsZeros	Pass
	test_depth_damage_coverage.py::	TestSyntheticFloodDataGetsZero	Pass
	test_depth_damage_coverage.py::	TestSyntheticFloodDataProducesPositiveDepth	Pass
	test_depth_damage_coverage.py::	TestSyntheticFloodDataIsZeros	Pass
	test_hydrograph_part1.py::	TestPeakBaseLagWhenNoExceedance	Pass
	test_hydrograph_part1.py::	TestPeakBaseLagExpectedHour	Pass
	test_hydrograph_part1.py::	TestPeakBaseLagHydrograph	Pass
	test_hydrograph_part1.py::	TestGammaAsymmetricForSmallAlpha	Pass
	test_hydrograph_part1.py::	TestGammaValidAlpha	Pass
	test_hydrograph_part1.py::	TestGammaShapeOne[0.3]	Pass
	test_hydrograph_part1.py::	TestGammaShapeOne[0.7]	Pass
	test_hydrograph_part1.py::	TestGammaShapeOne[1.0]	Pass
	test_hydrograph_part1.py::	TestGammaShapeFive_u	Pass
	test_hydrograph_part1.py::	TestGammaShapeAlphaSquared[0.3]	Pass
	test_hydrograph_part1.py::	TestGammaShapeAlphaSquared[0.5]	Pass
	test_hydrograph_part1.py::	TestGammaShapeAlphaSquared[0.7]	Pass
	test_hydrograph_part1.py::	TestGammaShapeAlphaSquared[1.0]	Pass
	test_hydrograph_part1.py::	TestGammaShapeZero	Pass
	test_hydrograph_part1.py::	TestGammaShapeBeyondOne	Pass
	test_hydrograph_part1.py::	TestGammaShapeAsScalar	Pass
	test_hydrograph_part1.py::	TestGammaShapeOutsideWindow	Pass
	test_hydrograph_part1.py::	TestGammaFullyImpervious	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_hydrograph_part1.py::TestIntegrator	test_integrator_reduces_depth	Pass
	test_hydrograph_part1.py::TestIntegrator	test_integrator_saturates	Pass
	test_hydrograph_part1.py::TestIntegrator	test_integrator_no_depth	Pass
	test_hydrograph_part1.py::TestStationDefinition	test_station_definition_no_antecedent	Pass
	test_hydrograph_part1.py::TestStationDefinition	test_station_definition_value	Pass
	test_hydrograph_part1.py::TestStationDefinition	test_station_definition	Pass
	test_hydrograph_part1.py::TestStationDefinition	test_station_definition_precip	Pass
	test_hydrograph_part1.py::TestStimulus	test_stimulus_pulses	Pass
	test_hydrograph_part1.py::TestStimulus	test_stimulus_empty_pulses	Pass
	test_hydrograph_part1.py::TestStimulus	test_stimulus_overlap_sequential	Pass
	test_hydrograph_part1.py::TestStimulus	test_stimulus_overlap_exceeds_single	Pass
	test_hydrograph_part1.py::TestStimulus	test_stimulus_single_pulse	Pass
	test_hydrograph_part2.py::TestBulkClusterPropertyHandling	test_bulk_cluster_property_handling_worst_performances	Pass
	test_hydrograph_part2.py::TestBulkClusterPropertyHandling	test_bulk_cluster_property_handling_hydrograph	Pass
	test_hydrograph_part2.py::TestBulkClusterPropertyHandling	test_bulk_cluster_property_handling_hydrograph	Pass
	test_hydrograph_part2.py::TestBulkClusterPropertyHandling	test_bulk_cluster_property_handling_hydrograph	Pass
	test_hydrograph_part2.py::TestBulkClusterPropertyHandling	test_bulk_cluster_property_handling_hydrograph	Pass
	test_builder_coverage.py::TestBuilder	test_builder_expand_capping_at_001	Pass
	test_builder_coverage.py::TestBuilder	test_builder_verbose_false_no_log	Pass
	test_builder_coverage.py::TestBuilder	test_builder_verbose_true_emits_log	Pass
	test_builder_coverage.py::TestBuilder	test_builder_progress_log_every_10_gauges	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_one_returns_pos_inf	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_returns_neg_inf	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_pos_inf	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_neg_inf	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_high_p	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_high_0_98	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_high_0_95	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_high_0_9	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_high_0_5	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_high_0_1	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_pdf_at_zero	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_pdf_decreases_from_center	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_pdf_positive	Pass
	test_distribution_coverage.py::TestNormalEdge	test_normal_edge_pdf_symmetric	Pass
	test_io_coverage.py::TestBuildHazard	test_build_hazard_missing_data_raises	Pass
	test_io_coverage.py::TestBuildHazard	test_build_hazard_missing_sequences_raises	Pass
	test_io_coverage.py::TestBuildHazard	test_build_hazard_verbose_no_log	Pass
	test_io_coverage.py::TestBuildHazard	test_build_hazard_verbose_logs_messages	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_edges	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_edges	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass
	test_prs_analytical_coverage.py::TestCompuLink	test_compu_link_spawn_returns_zero	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
test_prs_analytical_coverage.py::TestInterpolateModelByTreeEdges		test_interpolate_model_by_tree_edges_last	Pass
test_prs_analytical_coverage.py::TestInterpolateKeyPathEdges		test_interpolate_key_path_edges_last	Pass
cli.py::TestCompareScenarios		test_contains_header	Pass
cli.py::TestCompareScenarios		test_contains_scenario_names	Pass
cli.py::TestCompareScenarios		test_none_uses_all_scenarios	Pass
cli.py::TestCompareScenarios		test_returns_string	Pass
cli.py::TestCompareScenarios		test_single_scenario	Pass
cli.py::TestCompareScenarios		test_two_scenarios	Pass
cli.py::TestMain		test_compare_mode	Pass
cli.py::TestMain		test_default_describe_mode	Pass
cli.py::TestMain		test_exceedance_json_mode	Pass
cli.py::TestMain		test_exceedance_mode	Pass
cli.py::TestMain		test_json_default_mode	Pass
cli.py::TestMain		test_return_period_json_mode	Pass
cli.py::TestMain		test_return_period_mode	Pass
cli.py::TestMain		test_samples_json_mode	Pass
cli.py::TestMain		test_samples_mode	Pass
cli.py::TestMain		test_scenario_mode	Pass
cli.py::TestMain		test_seed_reproducible	Pass
distribution_part1.py::TestConstructCustomParameters		test_construct_custom_parameters	Pass
distribution_part1.py::TestConstructDefaultParameters		test_construct_default_parameters	Pass
distribution_part1.py::TestConstructFromParamsObject		test_construct_from_params_object	Pass
distribution_part1.py::TestConstructFromScenarioBaseline		test_construct_from_scenario_baseline	Pass
distribution_part1.py::TestConstructFromScenarioUnknownRaises		test_construct_from_scenario_unknown_raises	Pass
distribution_part1.py::TestConstructSeedGivesDeterministicOutput		test_construct_seed_gives_deterministic_output	Pass
distribution_part1.py::TestConstructTailProbBetween0and1		test_construct_tail_prob_between_0_and_1	Pass
distribution_part1.py::TestExceedanceProbabilityIsZero		test_exceedance_probability_is_zero	Pass
distribution_part1.py::TestExceedanceProbabilityThresholdUsesPareto		test_exceedance_probability_threshold_uses_pareto	Pass
distribution_part1.py::TestExceedanceProbabilityDensityIsZero		test_exceedance_probability_density_is_zero	Pass
distribution_part1.py::TestExceedanceProbabilityDensityIsOne		test_exceedance_probability_density_is_one	Pass
distribution_part1.py::TestExceedanceThresholdContinuous		test_exceedance_threshold_continuous	Pass
distribution_part1.py::TestExceedanceThresholdDiscrete		test_exceedance_threshold_discrete	Pass
distribution_part1.py::TestExceedanceThresholdUsesNormal		test_exceedance_threshold_uses_normal	Pass
distribution_part1.py::TestExceedanceProbabilityDecreasing		test_exceedance_probability_decreasing	Pass
distribution_part1.py::TestInverseEstimateProbReturnsMin		test_inverse_estimate_prob_returns_min	Pass
distribution_part1.py::TestInverseEstimateResultInBounds		test_inverse_estimate_result_in_bounds	Pass
distribution_part1.py::TestInverseEstimateTripAboveThreshold		test_inverse_estimate_trip_above_threshold	Pass
distribution_part1.py::TestInverseEstimateTripBelowThreshold		test_inverse_estimate_trip_below_threshold	Pass
distribution_part1.py::TestInverseEstimateProbReturnsMax		test_inverse_estimate_prob_returns_max	Pass
distribution_part1.py::TestParetoEstimateTailHigherExceedance		test_pareto_estimate_tail_higher_exceedance	Pass
distribution_part1.py::TestParetoEstimateAboveThresholdBetween0and1		test_pareto_estimate_above_threshold_between_0_and_1	Pass
distribution_part1.py::TestParetoEstimateAtThresholdIsOne		test_pareto_estimate_at_threshold_is_one	Pass
distribution_part1.py::TestParetoEstimateBelowThresholdIsOne		test_pareto_estimate_below_threshold_is_one	Pass
distribution_part1.py::TestSampleHighDifferentSeedsDifferentOutput		test_sample_high_different_seeds_different_output	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	distribution_part1.py::TestSample	test_sample_n_returns_correct_length	Pass
	distribution_part1.py::TestSample	test_sample_single	Pass
	distribution_part1.py::TestSample	test_samples_within_bounds	Pass
	distribution_part1.py::TestSample	test_seeded_reproducibility	Pass
	distribution_part2.py::TestReturnPeriod	test_id00yr_greater_than_10yr	Pass
	distribution_part2.py::TestReturnPeriod	test_ordering_10_50_100	Pass
	distribution_part2.py::TestReturnPeriod	test_result_in_bounds	Pass
	distribution_part2.py::TestReturnPeriod	test_norms_per_year_affects_result	Pass
	distribution_part2.py::TestSerialisation	test_describe_returns_string	Pass
	distribution_part2.py::TestSerialisation	test_params_roundtrip	Pass
	distribution_part2.py::TestSerialisation	test_tail_probability_matches_internal	Pass
	distribution_part2.py::TestSerialisation	test_to_dict_keys	Pass
	distribution_part2.py::TestSummaryStatistics	test_extreme_probs_decreasing	Pass
	distribution_part2.py::TestSummaryStatistics	test_thin_higher_p99_than_thin	Pass
	distribution_part2.py::TestSummaryStatistics	test_mediation_reasonable_range	Pass
	distribution_part2.py::TestSummaryStatistics	test_percentiles_ordered	Pass
	distribution_part2.py::TestSummaryStatistics	test_required_keys_present	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_hazard_curve_counter	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_hazard_curve_and_quote	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_custom_event_hazard	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_event_hazard	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_event_hazard_start	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_event_hazard	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_event_hazard_rate	Pass
	prs_hazard_curve.py::TestCreateEventHazardCurve	test_event_hazard_rate	Pass
	prs_hazard_curve.py::TestLoadHazardCurve	test_load_data_has_gauge	Pass
	prs_hazard_curve.py::TestLoadHazardCurve	test_load_from_file	Pass
	prs_hazard_curve.py::TestPricePricing	test_alert_trigger	Pass
	prs_hazard_curve.py::TestPricePricing	test_custom_notional	Pass
	prs_hazard_curve.py::TestPricePricing	test_flat_hazard_curve	Pass
	prs_hazard_curve.py::TestPricePricing	test_result_has_fair_spread_bps	Pass
	prs_hazard_curve.py::TestPricePricing	test_result_has_npv	Pass
	prs_hazard_curve.py::TestPricePricing	test_result_has_survival_probabilities	Pass
	prs_hazard_curve.py::TestPricePricing	test_returns_dict	Pass
	prs_hazard_curve.py::TestPricePricing	test_severe_trigger	Pass
	prs_hazard_curve.py::TestPricePricing	test_term_structure_true	Pass
	prs_hazard_curve.py::TestPrintPricing	test_print_gauge_name	Pass
	prs_hazard_curve.py::TestPrintPricing	test_print_without_error	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurve	test_create_flat_hazard_curve_accepted	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurve	test_create_flat_hazard_curve_additional	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurve	test_create_flat_hazard_curve_additional_input	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurve	test_create_flat_hazard_curve_additional_formula	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurve	test_create_flat_hazard_curve_additional_survival	Pass
	test_load_and_curves.py::TestCreateFlatHazardCurve	test_create_flat_hazard_curve_additional_survival	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_load_and_curves.py::TestCreateSurvivalCurve	test_simple_hazard_formula	Pass
	test_load_and_curves.py::TestCreateSurvivalCurve	test_simple_hazard_formula_positive_hazard	Pass
	test_load_and_curves.py::TestCreateSurvivalCurve	test_single_point_additional_risks	Pass
	test_load_and_curves.py::TestCreateSurvivalCurve	test_single_point_additional_structure	Pass
	test_load_and_curves.py::TestCreateSurvivalCurve	test_survival_curve_additional_positive	Pass
	test_load_and_curves.py::TestLoadHazardCurves	test_hazard_curves_from_object_returns_empty_dict	Pass
	test_load_and_curves.py::TestLoadHazardCurves	test_hazard_curves_from_raises_json_decoder_error	Fail
	test_load_and_curves.py::TestLoadHazardCurves	test_hazard_curves_from_raises_file_not_found	Pass
	test_load_and_curves.py::TestLoadHazardCurves	test_hazard_curves_from_structure	Pass
	test_price_prs.py::TestPricePrsGauge	test_passing_hazard_rate_matches_input	Pass
	test_price_prs.py::TestPricePrsGauge	test_passing_in_result	Pass
	test_price_prs.py::TestPricePrsGauge	test_passing_in_result	Pass
	test_price_prs.py::TestPricePrsGauge	test_passing_annual_hazard_rate_matches_input	Fail
	test_price_prs.py::TestPricePrsLegSign	test_npv_is_sum_of_legs	Pass
	test_price_prs.py::TestPricePrsLegSign	test_premium_leg_negative	Pass
	test_price_prs.py::TestPricePrsLegSign	test_protection_leg_positive	Pass
	test_price_prs.py::TestPricePrsRecoveryRate	test_zero_recovery_rate_stored	Pass
	test_price_prs.py::TestPricePrsRecoveryRate	test_recovery_rate_affects_fair_spread	Pass
	test_price_prs.py::TestPricePrsRiskFreeRate	test_higher_risk_free_rate_changes_npv	Pass
	test_price_prs.py::TestPricePrsRiskFreeRate	test_risk_free_rate_not_in_output	Pass
	test_price_prs.py::TestPricePrsType	test_fair_spread_is_float	Pass
	test_price_prs.py::TestPricePrsType	test_fair_upfront_is_float	Pass
	test_price_prs.py::TestPricePrsType	test_npv_is_float	Pass
	test_price_prs.py::TestPricePrsType	test_running_spread_bps_identity	Pass
	test_price_prs.py::TestPricePrsType	test_survival_probs_all_in_zero_one	Pass
	test_price_prs.py::TestPricePrsType	test_tenor_1yr_gives_one_survival_entry	Pass
	test_price_prs.py::TestPricePrsType	test_use_term_structure_stored_false	Pass
	test_price_prs.py::TestPricePrsType	test_use_term_structure_stored_true	Pass
	test_print_and_cli.py::TestMain	test_custom_notional_and_spread	Pass
	test_print_and_cli.py::TestMain	test_default_gauge_selection_returns_zero	Pass
	test_print_and_cli.py::TestMain	test_explicit_gauge_returns_zero	Pass
	test_print_and_cli.py::TestMain	test_flat_flag_dispatches_flat_mode	Pass
	test_print_and_cli.py::TestMain	test_list_flag_logs_gauge_names	Pass
	test_print_and_cli.py::TestMain	test_list_flag_returns_zero	Pass
	test_print_and_cli.py::TestMain	test_missing_gauge_logs_available_gauge	Pass
	test_print_and_cli.py::TestMain	test_missing_gauge_logs_error	Pass
	test_print_and_cli.py::TestMain	test_missing_gauge_returns_one	Pass
	test_print_and_cli.py::TestMain	test_trigger_alert_explicit	Pass
	test_print_and_cli.py::TestMain	test_trigger_severe_explicit	Pass
	test_print_and_cli.py::TestMain	test_trigger_warning_explicit	Pass
	test_print_and_cli.py::TestPrintResults	test_results_gauges_in_log	Pass
	test_print_and_cli.py::TestPrintResults	test_results_tenors_in_log	Pass
	test_print_and_cli.py::TestPrintResults	test_results_terms_header_in_log	Pass
	test_print_and_cli.py::TestPrintResults	test_results_center_in_log	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_print_and_cli.py::TestPrintPrintResultsContentLog	testPrintPrintResultsContentLog	Pass
	test_risk_assessor_core.py::TestConstantRiskScore100	testConstantRiskScore100	Pass
	test_risk_assessor_core.py::TestConstantRiskScore100	testConstantRiskScore100	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreReturnsFloat	testConstantRiskScoreReturnsFloat	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreConcreteLower	testConstantRiskScoreConcreteLower	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreSteelLowest	testConstantRiskScoreSteelLowest	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreTimberHigher	testConstantRiskScoreTimberHigher	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreWoodEqualsTimber	testConstantRiskScoreWoodEqualsTimber	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreMultiplier	testConstantRiskScoreMultiplier	Pass
	test_risk_assessor_core.py::TestConstantRiskScore80Multiplier	testConstantRiskScore80Multiplier	Pass
	test_risk_assessor_core.py::TestConstantRiskScore95Multiplier	testConstantRiskScore95Multiplier	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreMultiplier	testConstantRiskScoreMultiplier	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreConstructionType	testConstantRiskScoreConstructionType	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreFloodLevel	testConstantRiskScoreFloodLevel	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreFloodCapped	testConstantRiskScoreFloodCapped	Pass
	test_risk_assessor_core.py::TestConstantRiskScoreFloodLowestScore	testConstantRiskScoreFloodLowestScore	Pass
	test_risk_assessor_core.py::TestFloodRiskHighThreshold	testFloodRiskHighThreshold	Pass
	test_risk_assessor_core.py::TestFloodRiskLowThreshold	testFloodRiskLowThreshold	Pass
	test_risk_assessor_core.py::TestFloodRiskMediumThreshold	testFloodRiskMediumThreshold	Pass
	test_risk_assessor_core.py::TestFloodRiskBelowLowThreshold	testFloodRiskBelowLowThreshold	Pass
	test_risk_assessor_core.py::TestFloodRiskInRange	testFloodRiskInRange	Pass
	test_risk_assessor_core.py::TestFloodRiskInRange	testFloodRiskInRange	Pass
	test_risk_assessor_core.py::TestFloodRiskAboveDepth	testFloodRiskAboveDepth	Pass
	test_risk_assessor_core.py::TestFloodRiskNegativeReturnsUnknown	testFloodRiskNegativeReturnsUnknown	Pass
	test_risk_assessor_core.py::TestFloodRiskBelowReturnsUnknown	testFloodRiskBelowReturnsUnknown	Pass
	test_risk_assessor_core.py::TestFloodRiskVeryHigh	testFloodRiskVeryHigh	Pass
	test_risk_assessor_core.py::TestFloodRiskBelowVeryLow	testFloodRiskBelowVeryLow	Pass
	test_risk_assessor_core.py::TestLTVRiskHighBoundary	testLTVRiskHighBoundary	Pass
	test_risk_assessor_core.py::TestLTVRiskLowBoundary	testLTVRiskLowBoundary	Pass
	test_risk_assessor_core.py::TestLTVRiskModerateBoundary	testLTVRiskModerateBoundary	Pass
	test_risk_assessor_core.py::TestLTVRiskInitialLTV	testLTVRiskInitialLTV	Pass
	test_risk_assessor_core.py::TestLTVRiskHighLTV	testLTVRiskHighLTV	Pass
	test_risk_assessor_core.py::TestLTVRiskLowLTV	testLTVRiskLowLTV	Pass
	test_risk_assessor_core.py::TestLTVRiskModerateLTV	testLTVRiskModerateLTV	Pass
	test_risk_assessor_core.py::TestLTVRiskNoneReturnsUnknown	testLTVRiskNoneReturnsUnknown	Pass
	test_risk_assessor_core.py::TestLTVRiskNormalises95Pct	testLTVRiskNormalises95Pct	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_risk_assessor_core.py::TestLTVRiskNormalisesPercentageInput	test_risk_assessor_core.py::TestLTVRiskNormalisesPercentageInput	Pass
	test_risk_assessor_core.py::TestMediumRiskLTVMediumFlood	test_risk_assessor_core.py::TestMediumRiskLTVMediumFlood	Pass
	test_risk_assessor_core.py::TestHighRiskFloodOverrides	test_risk_assessor_core.py::TestHighRiskFloodOverrides	Pass
	test_risk_assessor_core.py::TestMediumRiskLTVMediumFlood	test_risk_assessor_core.py::TestMediumRiskLTVMediumFlood	Pass
	test_risk_assessor_core.py::TestMediumRiskFloodRisk	test_risk_assessor_core.py::TestMediumRiskFloodRisk	Pass
	test_risk_assessor_core.py::TestMediumRiskFloodDefault	test_risk_assessor_core.py::TestMediumRiskFloodDefault	Pass
	test_risk_assessor_core.py::TestMediumRiskAlRisk	test_risk_assessor_core.py::TestMediumRiskAlRisk	Pass
	test_risk_assessor_core.py::TestMediumRiskActiveValueCritical	test_risk_assessor_core.py::TestMediumRiskActiveValueCritical	Pass
	test_risk_assessor_core.py::TestMediumRiskActiveValueHigh	test_risk_assessor_core.py::TestMediumRiskActiveValueHigh	Pass
	test_risk_assessor_core.py::TestMediumRiskActiveValueModerate	test_risk_assessor_core.py::TestMediumRiskActiveValueModerate	Pass
	test_risk_assessor_core.py::TestMediumRiskLTVNoCrash	test_risk_assessor_core.py::TestMediumRiskLTVNoCrash	Pass
	test_risk_assessor_core.py::TestMediumRiskHighFloodOverrides	test_risk_assessor_core.py::TestMediumRiskHighFloodOverrides	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityIncreasesScore	test_risk_assessor_core.py::TestProbabilityModestabilityIncreasesScore	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityComputed	test_risk_assessor_core.py::TestProbabilityModestabilityComputed	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityRecommendationsPresent	test_risk_assessor_core.py::TestProbabilityModestabilityRecommendationsPresent	Pass
	test_risk_assessor_core.py::TestProbabilityModestability	test_risk_assessor_core.py::TestProbabilityModestability	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityReturnsUnknown	test_risk_assessor_core.py::TestProbabilityModestabilityReturnsUnknown	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityLevelReturnsUnknown	test_risk_assessor_core.py::TestProbabilityModestabilityLevelReturnsUnknown	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityKeys	test_risk_assessor_core.py::TestProbabilityModestabilityKeys	Pass
	test_risk_assessor_core.py::TestProbabilityModestabilityAt100	test_risk_assessor_core.py::TestProbabilityModestabilityAt100	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactorMax	test_risk_assessor_factors.py::TestDistanceRiskFactorMax	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactor	test_risk_assessor_factors.py::TestDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactor	test_risk_assessor_factors.py::TestDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactor	test_risk_assessor_factors.py::TestDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactorIncrease	test_risk_assessor_factors.py::TestDistanceRiskFactorIncrease	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactor	test_risk_assessor_factors.py::TestDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactorReturnsDefault	test_risk_assessor_factors.py::TestDistanceRiskFactorReturnsDefault	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactorDefault	test_risk_assessor_factors.py::TestDistanceRiskFactorDefault	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactor	test_risk_assessor_factors.py::TestDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::TestDistanceRiskFactor	test_risk_assessor_factors.py::TestDistanceRiskFactor	Pass
	test_risk_assessor_factors.py::TestEstimatedReliability15	test_risk_assessor_factors.py::TestEstimatedReliability15	Pass
	test_risk_assessor_factors.py::TestEstimatedReliability30	test_risk_assessor_factors.py::TestEstimatedReliability30	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityOperational	test_risk_assessor_factors.py::TestEstimatedReliabilityOperational	Pass
	test_risk_assessor_factors.py::TestEstimatedReliability5	test_risk_assessor_factors.py::TestEstimatedReliability5	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityRequired	test_risk_assessor_factors.py::TestEstimatedReliabilityRequired	Pass
	test_risk_assessor_factors.py::TestEstimatedReliability50	test_risk_assessor_factors.py::TestEstimatedReliability50	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityNoAdjustment	test_risk_assessor_factors.py::TestEstimatedReliabilityNoAdjustment	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityKeys	test_risk_assessor_factors.py::TestEstimatedReliabilityKeys	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityAtZero	test_risk_assessor_factors.py::TestEstimatedReliabilityAtZero	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityOffline	test_risk_assessor_factors.py::TestEstimatedReliabilityOffline	Pass
	test_risk_assessor_factors.py::TestEstimatedReliabilityStatus	test_risk_assessor_factors.py::TestEstimatedReliabilityStatus	Pass
	test_risk_assessor_factors.py::TestEstimatedReliability30	test_risk_assessor_factors.py::TestEstimatedReliability30	Pass
	test_risk_assessor_factors.py::TestGenerateItemsAreStrings	test_risk_assessor_factors.py::TestGenerateItemsAreStrings	Pass
	test_risk_assessor_factors.py::TestGenerateItemsAreInts	test_risk_assessor_factors.py::TestGenerateItemsAreInts	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	data_structures.py::TestDecayKernel	test_linear_value	Pass
	data_structures.py::TestGaugeCoefficients	test_has_benefit_calculated	Pass
	data_structures.py::TestGaugeCoefficients	test_from_test_gauge_config	Pass
	data_structures.py::TestGaugeCoefficients	test_deferred_solve_when_no_flood_stages	Pass
	data_structures.py::TestGaugeCoefficients	test_from_gauge_data	Pass
	data_structures.py::TestGaugeCoefficients	test_flood_benefit_set	Pass
	data_structures.py::TestGaugeCoefficients	test_gauge_benefit	Pass
	data_structures.py::TestGaugeCoefficients	test_from_benefit_high_set	Pass
	data_structures.py::TestGaugeRequests	test_extends_timeseries_when_requested	Pass
	data_structures.py::TestGaugeRequests	test_filter_is_bool	Pass
	data_structures.py::TestGaugeRequests	test_has_required_keys	Pass
	data_structures.py::TestGaugeRequests	test_extends_timeseries_by_default	Pass
	data_structures.py::TestGaugeRequests	test_returns_dict	Pass
	data_structures.py::TestGaugeRequests	test_value_is_rounded	Pass
	data_structures.py::TestIntensityProfile	test_beta_value	Pass
	data_structures.py::TestIntensityProfile	test_gaussian_value	Pass
	data_structures.py::TestIntensityProfile	test_triangular_value	Pass
	data_structures.py::TestStormTotal	test_custom_kernel	Pass
	data_structures.py::TestStormTotal	test_decay_kernel_serialised_as_string	Pass
	data_structures.py::TestStormTotal	test_has_storm_id	Pass
	data_structures.py::TestStormTotal	test_has_track	Pass
	data_structures.py::TestStormTotal	test_intensity_profile_serialised_as_string	Pass
	data_structures.py::TestStormTotal	test_returns_dict	Pass
	data_structures.py::TestStormTotal	test_track_has_coords	Pass
	forward_model.part1.py::TestCoefficients	test_all_kernels_decrease_with_distance	Pass
	forward_model.part1.py::TestCoefficients	test_all_kernels_in_0.1_range	Pass
	forward_model.part1.py::TestCoefficients	test_exponential_at_half	Pass
	forward_model.part1.py::TestCoefficients	test_exponential_at_one_lambda	Pass
	forward_model.part1.py::TestCoefficients	test_gaussian_at_one_sigma	Pass
	forward_model.part1.py::TestCoefficients	test_gaussian_at_two_sigma	Pass
	forward_model.part1.py::TestCoefficients	test_linear_beyond_cutoff_is_zero	Pass
	forward_model.part1.py::TestCoefficients	test_linear_midpoint	Pass
	forward_model.part1.py::TestCoefficients	test_zero_distance_returns_one_all_kernels	Pass
	forward_model.part1.py::TestFiniteDifference	test_nearest_neighbour_positive	Pass
	forward_model.part1.py::TestFiniteDifference	test_nearest_neighbour_test_of_three	Pass
	forward_model.part1.py::TestFiniteDifference	test_nearest_neighbour_track_point	Pass
	forward_model.part1.py::TestHaversine	test_equatorial_degree_approx_111km	Pass
	forward_model.part1.py::TestHaversine	test_london_to_paris_approx_340km	Pass
	forward_model.part1.py::TestHaversine	test_same_point_is_zero	Pass
	forward_model.part1.py::TestHaversine	test_symmetric	Pass
	forward_model.part2.py::TestCoefficients	test_all_responses_match	Pass
	forward_model.part2.py::TestCoefficients	test_AHR_gauges_higher_response	Pass
	forward_model.part2.py::TestCoefficients	test_AHR_response_per_gauge	Pass
	forward_model.part2.py::TestCoefficients	test_intensity_at_gauge_point	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	forward_model.part2.py::TestCon	test_at_peak_intensity_is_monotonic	Pass
	forward_model.part2.py::TestCon	test_deflection_at_gauges_first_point	Pass
	forward_model.part2.py::TestCon	test_intensity_at_gauges_returns_zero	Pass
	forward_model.part2.py::TestCon	test_intensity_at_gauges_is_lower	Pass
	forward_model.part2.py::TestCon	test_accumulation_nonnegative	Pass
	forward_model.part2.py::TestCon	test_direction_nonnegative	Pass
	forward_model.part2.py::TestCon	test_flooded_flag_correct	Pass
	forward_model.part2.py::TestCon	test_high_intensity_storm_floods	Pass
	forward_model.part2.py::TestCon	test_response_level_at_least_base	Pass
	forward_model.part2.py::TestCon	test_response_level_is_max_of_series	Pass
	forward_model.part2.py::TestCon	test_response_ids_match	Pass
	forward_model.part2.py::TestCon	test_responses_length	Pass
	forward_model.part2.py::TestCon	test_response_roundtrip	Pass
	forward_model.part2.py::TestCon	test_response_without_timeseries	Pass
	forward_model.part2.py::TestInte	test_monotonic_increasing	Pass
	forward_model.part2.py::TestInte	test_negative_intensity_returns_zero	Pass
	forward_model.part2.py::TestInte	test_positive_intensity_positive_level	Pass
	forward_model.part2.py::TestInte	test_intensity_scales_output	Pass
	forward_model.part2.py::TestInte	test_use_historical_high_when_set	Pass
	forward_model.part2.py::TestInte	test_zero_intensity_returns_zero	Pass
	storm_factory.py::TestCreateSto	test_auto_generated_id_starts_with_storm	Pass
	storm_factory.py::TestCreateSto	test_decay_kernel_stored	Pass
	storm_factory.py::TestCreateSto	test_decay_parameter_stored	Pass
	storm_factory.py::TestCreateSto	test_default_num_track_points	Pass
	storm_factory.py::TestCreateSto	test_default_start_time_is_recent	Pass
	storm_factory.py::TestCreateSto	test_duration_hours_stored	Pass
	storm_factory.py::TestCreateSto	test_explicit_id_preserved	Pass
	storm_factory.py::TestCreateSto	test_explicit_name	Pass
	storm_factory.py::TestCreateSto	test_explicit_start_time	Pass
	storm_factory.py::TestCreateSto	test_footprint_km_stored	Pass
	storm_factory.py::TestCreateSto	test_num_track_points	Pass
	storm_factory.py::TestCreateSto	test_peak_intensity_stored	Pass
	storm_factory.py::TestCreateSto	test_returns_storm_object	Pass
	storm_factory.py::TestCreateSto	test_speed_is_positive	Pass
	storm_factory.py::TestCreateSto	test_track_end_time_equals_duration	Pass
	storm_factory.py::TestCreateSto	test_track_longitude_moves_from_start_to_end	Pass
	storm_factory.py::TestCreateSto	test_track_points_are_trackpoint_instances	Pass
	storm_factory.py::TestCreateSto	test_track_start_time_is_zero	Pass
	storm_factory.py::TestCreateSto	test_track_time_increases	Pass
	storm_factory.py::TestIntensityP	test_all_profiles_produce_valid_storm	Pass
	storm_factory.py::TestIntensityP	test_beta_profile_creates_storm	Pass
	storm_factory.py::TestIntensityP	test_gaussian_profile_peak_near_midpoint	Pass
	storm_factory.py::TestIntensityP	test_triangular_max_equals_peak_intensity	Pass
	storm_factory.py::TestIntensityP	test_triangular_profile_peak_near_midpoint	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	storm_factory.py::TestLoadGauges	test_empty_portfolio_returns_empty_list	Pass
	storm_factory.py::TestLoadGauges	test_load_gauge_from_portfolio	Pass
	flood_classifier.py::TestFloodClassifier	test_training_gauge_creates_joblib_file	Pass
	flood_classifier.py::TestFloodClassifier	test_training_gauge_has_metrics	Pass
	flood_classifier.py::TestFloodClassifier	test_training_gauge_returns_dict	Pass
	flood_classifier.py::TestFloodClassifier	test_training_gauge_single_class_skipped	Pass
	flood_classifier.py::TestFloodClassifier	test_training_gauge_status_trained	Pass
	flood_classifier.py::TestFloodPredictor	test_travailable_gauges	Pass
	flood_classifier.py::TestFloodPredictor	test_travailable_gauges_empty_dir	Pass
	flood_classifier.py::TestFloodPredictor	test_load_summary	Pass
	flood_classifier.py::TestFloodPredictor	test_load_summary_cached	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_caches_model	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_high_level_higher_probability	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_in_range	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_missing_model_raises	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_returns_float	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_all_in_range	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_default_derivatives	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_returns_list	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_series_with_derivatives	Pass
	flood_classifier.py::TestFloodPredictor	test_predict_surface_returns_grid	Pass
	test_flood_propagation_sensitivity	test_FloodDepthPropertyFloods	Pass
	test_flood_propagation_sensitivity	test_FloodDepthPropertyDoesNotFlood	Pass
	test_flood_propagation_sensitivity	test_FloodDepthDecreasesWithDistance	Pass
	test_flood_propagation_sensitivity	test_FloodDistanceSensitivityKeyDistances	Pass
	test_flood_propagation_sensitivity	test_FloodDistanceSensitivityRealistic	Pass
	test_flood_propagation_sensitivity	test_FloodElevationThresholdBoundary	Pass
	test_flood_propagation_sensitivity	test_FloodDepthIncreasesWithElevation	Pass
	test_flood_propagation_sensitivity	test_FloodElevationIncreasesWithThreshold	Pass
	test_flood_propagation_sensitivity	test_HighElevationDoesNotFlood	Pass
	test_flood_propagation_sensitivity	test_TestElevationFloods	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[100-6.0-0.3-8.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[1000-6.5-0.5-9.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[200-8.0-0.3-10.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[2000-6.0-0.3-7.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[3000-7.5-0.0-10.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[500-5.5-0.8-6.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[5000-7.0-0.3-10.0]	Pass
	test_flood_propagation_sensitivity	test_TestFractionHypsographicHydrography[50000-6.0-0.0-12.0]	Pass
	test_flood_propagation_sensitivity	test_TestTravelTimeSensitivityDistance	Pass
	test_flood_propagation_sensitivity	test_FloodDepthIncreasesWithDistance	Pass
	test_flood_propagation_sensitivity	test_TestTravelTimeSensitivityDepth	Pass
	test_flood_propagation_sensitivity	test_TestTravelTimeSensitivityDistance	Pass
	test_hazard_pricing.py::TestCreateEngines	test_CreateEnginesEngine	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	property_value.py::TestFactorTable	test_epc_factors_a_highest	Pass
	property_value.py::TestFactorTable	test_flood_risk_factors_decrease_with_risk	Pass
	property_value.py::TestFactorTable	test_min_max_value_bounds	Pass
	property_value.py::TestFactorTable	test_proximity_zones_have_range_key	Pass
	property_value.py::TestFactorTable	test_rent_per_sqm_all_present	Pass
	property_value.py::TestFactorTable	test_rental_yield_rates_all_present	Pass
	property_value.py::TestGetAgeBased	test_100_years_is_heritage	Pass
	property_value.py::TestGetAgeBased	test_10_years_is_modern	Pass
	property_value.py::TestGetAgeBased	test_25_years_is_established	Pass
	property_value.py::TestGetAgeBased	test_50_years_is_period	Pass
	property_value.py::TestGetAgeBased	test_default_current_year	Pass
	property_value.py::TestGetAgeBased	test_established	Pass
	property_value.py::TestGetAgeBased	test_exactly_24_years_is_modern	Pass
	property_value.py::TestGetAgeBased	test_exactly_49_years_is_established	Pass
	property_value.py::TestGetAgeBased	test_exactly_99_years_is_period	Pass
	property_value.py::TestGetAgeBased	test_exactly_9_years_is_new_build	Pass
	property_value.py::TestGetAgeBased	test_heritage_old	Pass
	property_value.py::TestGetAgeBased	test_modern	Pass
	property_value.py::TestGetAgeBased	test_new_build	Pass
	property_value.py::TestGetAgeBased	test_period	Pass
	property_value.py::TestGetProximityZone	test_close_high_risk_high	Pass
	property_value.py::TestGetProximityZone	test_close_high_risk_medium	Pass
	property_value.py::TestGetProximityZone	test_close_high_risk_very_high	Pass
	property_value.py::TestGetProximityZone	test_close_low_risk_low	Pass
	property_value.py::TestGetProximityZone	test_close_low_risk_very_low	Pass
	property_value.py::TestGetProximityZone	test_exactly_200m_is_medium_zone	Pass
	property_value.py::TestGetProximityZone	test_exactly_500m_is_far	Pass
	property_value.py::TestGetProximityZone	test_far_zone	Pass
	property_value.py::TestGetProximityZone	test_medium_zone	Pass
	property_value.py::TestGetProximityZone	test_medium_zone_upper_bound	Pass
	display.py::TestBlotterTradeExistence	test_blotter_glob_pattern_matches_prsid_protocol	Pass
	display.py::TestBlotterTradeExistence	test_blotter_returns_trades_with_fixtures	Pass
	display.py::TestStormDisplayFormat	test_all_files_include_storm_id_in_label	Pass
	display.py::TestStormDisplayFormat	test_all_files_use_sentinel_or_pipe_separator	Pass
	display.py::TestStormDisplayFormat	test_canonical_format_defined_in_config	Pass
	display.py::TestStormDisplayFormat	test_no_file_uses_old_precipitation_label	Pass
	display.py::TestStormDisplayFormat	test_no_file_uses_old_severe_levels_format	Pass
	display.py::TestStormDisplayFormat	test_port_stress_uses_sentinel_with_warning	Pass
	display.py::TestStormDisplayFormat	test_sp_table_uses_sentinel_pattern	Pass
	display.py::TestStormDisplayFormat	test_storm_option_js_custom_var	Pass
	display.py::TestStormDisplayFormat	test_storm_option_js_peak_variant	Pass
	display.py::TestStormDisplayFormat	test_storm_option_js_warning_variant	Pass
	display.py::TestStormDisplayFormat	test_trading_stress_uses_sentinel_with_peak	Pass
	display.py::TestStormDisplayFormat	test_visual_files_use_sentinel_not_hardcoded_format	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	fixtures.py::TestProtocolUniformity	test_all_entity_suffixes_have_same_length	Pass
	fixtures.py::TestProtocolUniformity	test_all_uuid4_suffixes_produce_lower_case_hex	Pass
	fixtures.py::TestProtocolUniformity	test_gauge_prop_mort_storm_share_same_suffix_derivation	Pass
	fixtures.py::TestTestFixtureGaugeID	test_backward_compat_gauge_ids_are_documented	Pass
	fixtures.py::TestTestFixtureGaugeID	test_gauge_json_and_gaugehc_ids_are_consistent	Pass
	fixtures.py::TestTestFixtureGaugeID	test_gaugehc_new_entries_follow_protocol	Pass
	fixtures.py::TestTestFixtureGaugeID	test_new_conf_test_gauge_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureGaugeID	test_stress_storm_gauge_ids_are_in_known_set	Pass
	fixtures.py::TestTestFixtureStormID	test_port_stress_routes_storm_constants_match_protocol	Pass
	fixtures.py::TestTestFixtureStormID	test_sample_port_stress_storms_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureStormID	test_sample_stress_storms_storm_ids_match_protocol	Pass
	fixtures.py::TestTestFixtureStormID	test_stress_routes_storm_constants_match_protocol	Pass
	generators.py::TestGaugeIDGenerator	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestGaugeIDGenerator	test_generator_source_uses_gauge_prefix	Pass
	generators.py::TestGaugeIDGenerator	test_generator_source_uses_uuid	Pass
	generators.py::TestGaugeIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestMortgageIDGenerator	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestMortgageIDGenerator	test_generator_source_uses_mort_prefix	Pass
	generators.py::TestMortgageIDGenerator	test_generator_source_uses_uuid	Pass
	generators.py::TestMortgageIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestPRSTradeIDGenerator	test_thames_uses_prs_prefix	Pass
	generators.py::TestPRSTradeIDGenerator	test_thames_uses_uuid	Pass
	generators.py::TestPRSTradeIDGenerator	test_uuid4_hex_upper_produces_protocol_matching_ids	Pass
	generators.py::TestPropertyIDGenerator	test_generator_does_not_use_sequential_format	Pass
	generators.py::TestPropertyIDGenerator	test_generator_source_uses_prop_prefix	Pass
	generators.py::TestPropertyIDGenerator	test_generator_source_uses_uuid	Pass
	generators.py::TestPropertyIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	generators.py::TestStormIDGenerator	test_multi_storm_make_storm_id_follows_protocol	Pass
	generators.py::TestStormIDGenerator	test_single_storm_generator_does_not_use_sequential_format	Pass
	generators.py::TestStormIDGenerator	test_single_storm_generator_uses_storm_prefix	Pass
	generators.py::TestStormIDGenerator	test_single_storm_generator_uses_uuid	Pass
	generators.py::TestStormIDGenerator	test_uuid4_produces_protocol_matching_ids	Pass
	patterns.py::TestGaugeIDPattern	test_accepts_valid_uuid_derived_ids	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_non_hex_chars	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_sequential_integers	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_uppercase_hex	Pass
	patterns.py::TestGaugeIDPattern	test_rejects_wrong_length	Pass
	patterns.py::TestMortgageIDPattern	test_accepts_valid	Pass
	patterns.py::TestMortgageIDPattern	test_rejects_sequential	Pass
	patterns.py::TestPRSTradeIDPattern	test_accepts_lowercase	Pass
	patterns.py::TestPRSTradeIDPattern	test_accepts_uppercase	Pass
	patterns.py::TestPRSTradeIDPattern	test_rejects_non_hex_suffix	Pass
	patterns.py::TestPropertyIDPattern	test_accepts_valid	Pass
	patterns.py::TestPropertyIDPattern	test_rejects_sequential	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	patterns.py::TestPropertyIDPattern	test_rejects_uppercase	Pass
	patterns.py::TestStormIDPattern	test_accepts_valid	Pass
	patterns.py::TestStormIDPattern	test_rejects_descriptive_labels	Pass
	patterns.py::TestStormIDPattern	test_rejects_sequential_integers	Pass
	patterns.py::TestStormIDPattern	test_rejects_uppercase	Pass
	patterns.py::TestStormIDPattern	test_rejects_wrong_prefix_format	Pass
	test_book_common_coverage_b6.py::TestBulkGatherFromValidlyLogged	test_bulk_gather_from_validly_logged	Pass
	test_book_common_coverage_b6.py::TestEmptyCounterpartyFileUsesFallback	test_empty_counterparty_file_uses_fallback	Pass
	test_book_common_coverage_b6.py::TestHeadGatherFromUsesFallback	test_head_gather_from_uses_fallback	Pass
	test_book_common_coverage_b6.py::TestCouldGetFilePartiesFallbackWithData	test_could_get_file_parties_fallback_with_data	Pass
	test_book_coverage.py::TestEmptyGivesRaisesValueError	test_empty_gives_raises_value_error	Pass
	test_book_coverage.py::TestFallbackEmptyCounterpartyFileUsesFallback	test_fallback_empty_counterparty_file_uses_fallback	Pass
	test_book_coverage.py::TestFallbackMissingCounterpartyFileUsesFallback	test_fallback_missing_counterparty_file_uses_fallback	Pass
	test_book_coverage.py::TestGeneratePartyFailureReturnsEmptyList	test_generate_party_failure_returns_empty_list	Pass
	test_book_coverage.py::TestGeneratePartyFailureReturnsSuccessfulOnly	test_generate_party_failure_returns_successful_only	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateFromFieldsExtracted	test_ctpy_counterparty_cbm_create_from_fields_extracted	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateFromMappingPresent	test_ctpy_counterparty_cbm_create_from_mapping_present	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateFromMappingDict	test_ctpy_counterparty_cbm_create_from_mapping_dict	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateFromMappingFlatDict	test_ctpy_counterparty_cbm_create_from_mapping_flat_dict	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateFromMappingRaisesValueError	test_ctpy_counterparty_cbm_create_from_mapping_raises_value_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMCreateFromMappingExcludes	test_ctpy_counterparty_cbm_create_from_mapping_excludes	Pass
	ctpy_mapping.py::TestCounterpartyCBMGetRequiredFieldsReturnsList	test_ctpy_counterparty_cbm_get_required_fields_returns_list	Pass
	ctpy_mapping.py::TestCounterpartyCBMGetSchemaDict	test_ctpy_counterparty_cbm_get_schema_dict	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartiesAddsError	test_ctpy_counterparty_cbm_validate_counterparties_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateDataReturnsErrors	test_ctpy_counterparty_cbm_validate_data_returns_errors	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyRoleAddsError	test_ctpy_counterparty_cbm_validate_counterparty_role_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateCounterpartyRoleAddsError	test_ctpy_counterparty_cbm_validate_counterparty_role_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidatePartyIdAddsError	test_ctpy_counterparty_cbm_validate_party_id_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidatePartyNameAddsError	test_ctpy_counterparty_cbm_validate_party_name_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidatePartyRefAddsError	test_ctpy_counterparty_cbm_validate_party_ref_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateSameRoleAddsError	test_ctpy_counterparty_cbm_validate_same_role_adds_error	Pass
	ctpy_mapping.py::TestCounterpartyCBMValidateDataNoErrors	test_ctpy_counterparty_cbm_validate_data_no_errors	Pass
	class_attrs.py::TestClassAttributeMetadataCategoriesContainsExpectedKeys	test_metadata_categories_contains_expected_keys	Pass
	class_attrs.py::TestClassAttributeMetadataCategoriesStationHasRequiredSubkeys	test_metadata_categories_station_has_required_subkeys	Pass
	class_attrs.py::TestClassAttributeSchemaVersionIsString	test_schema_version_is_string	Pass
	class_attrs.py::TestGaugeHistoricalDataInAvailableFlagIsBool	test_gauge_historical_data_in_available_flag_is_bool	Pass
	directory_main.py::TestMain	test_main_skips_bad_file_without_raising	Pass
	directory_main.py::TestMain	test_main_with_csv_files_runs_without_error	Pass
	directory_main.py::TestMain	test_main_with_no_csv_files_runs_without_error	Pass
	filter.py::TestFilterByYears	test_empty_flows_returns_empty	Pass
	filter.py::TestFilterByYears	test_filter_1_year_keeps_only_recent	Pass
	filter.py::TestFilterByYears	test_filter_keeps_recent	Pass
	filter.py::TestFilterByYears	test_none_years_returns_all	Pass
	filter.py::TestFilterByYearsBoundaries	test_all_dates_within_range_kept	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	filter.py::TestFilterByYearsBound	test_zero_years_returns_only_most_recent_year	Pass
	generate.py::TestGenerate	test_daily_flows_filtered_by_years	Pass
	generate.py::TestGenerate	test_explicit_gauge_id_overrides_metadata	Pass
	generate.py::TestGenerate	test_output_file_written	Pass
	generate.py::TestGenerate	test_returns_dict_with_required_keys	Pass
	generate.py::TestGenerateUsesInstanceDefault	test_instance_default_years_overrides_instance_default	Pass
	generate.py::TestGenerateUsesInstanceDefault	test_instance_default_years_used_when_no_years_provided	Pass
	generate.py::TestGenerateWithNoOutputDir	test_with_no_output_dir_the_output_path_none_uses_config_input_dir	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_expected_keys	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_data_quality_notes	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_nested_keys_present	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys_always_none	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys_from_station_metadata	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys_m3_per_s	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys_quality_notes_when_no_description	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys_source_returns_none	Pass
	metadata.py::TestGetNrfaMetadataForColumns	test_for_columns_missing_keys_return_none	Pass
	parse_csv.py::TestParseNrfaCsv	test_flow_values_are_floats	Pass
	parse_csv.py::TestParseNrfaCsv	test_flows_have_date_and_flow_cumeecs	Pass
	parse_csv.py::TestParseNrfaCsv	test_invalid_rows_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_contains_station_name	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_station_id	Pass
	parse_csv.py::TestParseNrfaCsv	test_returns_metadata_and_flows	Pass
	parse_csv.py::TestParseNrfaCsv	test_short_row_skipped	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	parse_csv.py::TestParseNrfaCsv	test_metadata_empty_data_categories_parsed	Pass
	process_directory.py::TestProcessDirectory	test_empty_directory_returns_empty_list	Pass
	process_directory.py::TestProcessDirectory	test_no_matching_files_skipped	Pass
	process_directory.py::TestProcessDirectory	test_output_dir_none_uses_input_dir	Pass
	process_directory.py::TestProcessDirectory	test_output_files_created	Pass
	process_directory.py::TestProcessDirectory	test_process_directory_error_continues	Pass
	process_directory.py::TestProcessDirectory	test_processes_matching_files	Pass
	statistics.py::TestCalculateStatistics	test_annual_maxima_present	Pass
	statistics.py::TestCalculateStatistics	test_basic_stats_keys	Pass
	statistics.py::TestCalculateStatistics	test_empty_returns_empty_dict	Pass
	statistics.py::TestCalculateStatistics	test_extreme_events_above_p99	Pass
	statistics.py::TestCalculateStatistics	test_mean_correct	Pass
	statistics.py::TestCalculateStatistics	test_min_max_correct	Pass
	statistics.py::TestCalculateStatistics	test_monthly_means_present	Pass
	statistics.py::TestCalculateStatistics	test_percentiles_present	Pass
	statistics.py::TestCalculateStatistics	test_single_flow_no_std_dev_error	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	statistics.py::TestCalculateStatistics	testEdgeCasesPercentile_keys_present	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesmaxima_events_capped_at_ten	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesevents_top_10_capped	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesflow_date_correctly_identified	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesequals_p95	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesequals_p5	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesstart_and_end_match_data	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesyear_annual_maxima_std_dev_zero	Zero
	statistics.py::TestCalculateStatistics	testEdgeCasesyears_approximate	Pass
	statistics.py::TestCalculateStatistics	testEdgeCasesstd_dev_non_zero	Pass
	schemas_part1.py::TestFloodGaugesCDM	testCreate_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestFloodGaugesCDM	testCreate_mapping_with_empty_input	Pass
	schemas_part1.py::TestFloodGaugesCDM	testGet_field_info_for_gauge_id	Pass
	schemas_part1.py::TestFloodGaugesCDM	testRequired_fields_include_gauge_id	Pass
	schemas_part1.py::TestFloodGaugesCDM	testSchema_has_flood_gauge_root	Pass
	schemas_part1.py::TestFloodGaugesCDM	testSchema_has_header_section	Pass
	schemas_part1.py::TestFloodGaugesCDM	testValidate_empty_data_returns_errors	Pass
	schemas_part1.py::TestFloodGaugesCDM	testValidate_valid_gauge_data	Pass
	schemas_part1.py::TestMortgagesCDM	testCreate_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestMortgagesCDM	testRequired_fields_include_mortgage_id	Pass
	schemas_part1.py::TestMortgagesCDM	testSchema_has_mortgage_root	Pass
	schemas_part1.py::TestMortgagesCDM	testValidate_valid_mortgage	Pass
	schemas_part1.py::TestPropertiesCDM	testCreate_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestPropertiesCDM	testRequired_fields_not_empty	Pass
	schemas_part1.py::TestPropertiesCDM	testSchema_has_property_root	Pass
	schemas_part1.py::TestPropertiesCDM	testValidate_valid_property	Pass
	schemas_part1.py::TestStormEventsCDM	testCreate_mapping_exception_raises	Pass
	schemas_part1.py::TestStormEventsCDM	testCreate_mapping_full_data	Pass
	schemas_part1.py::TestStormEventsCDM	testCreate_mapping_returns_flat_dict	Pass
	schemas_part1.py::TestStormEventsCDM	testGet_required_fields_returns_list	Pass
	schemas_part1.py::TestStormEventsCDM	testRequired_fields_include_storm_id	Pass
	schemas_part1.py::TestStormEventsCDM	testSchema_has_storm_root	Pass
	schemas_part1.py::TestStormEventsCDM	testValidate_empty_data	Pass
	schemas_part1.py::TestStormEventsCDM	testValidate_exception_returns_error_dict	Pass
	schemas_part1.py::TestStormEventsCDM	testValidate_missing_catchment_id	Pass
	schemas_part1.py::TestStormEventsCDM	testValidate_missing_storm_id	Pass
	schemas_part1.py::TestStormEventsCDM	testValidate_valid_storm	Pass
	schemas_part2.py::TestPhysicalRisksCDM	testCreate_mapping_returns_flat_dict	Pass
	schemas_part2.py::TestPhysicalRisksCDM	testSchema_fields_has_gauge_set	Pass
	schemas_part2.py::TestPhysicalRisksCDM	testRequired_fields_include_swap_id	Pass
	schemas_part2.py::TestPhysicalRisksCDM	testSchema_has_root	Pass
	schemas_part2.py::TestStormTimestepsCDM	testCreate_mapping_exception_raises_value_error	Pass
	schemas_part2.py::TestStormTimestepsCDM	testCreate_mapping_full_data	Pass
	schemas_part2.py::TestStormTimestepsCDM	testCreate_mapping_returns_flat_dict	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	schemas_part2.py::TestStormTint	testStrictCDM_reading_mapping	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_required_fields_returns_list	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_required_fields_include_ts_id	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_has_root	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_empty_data	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_exception_returns_error_d	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_missing_catchment_id	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_missing_ts_id	Pass
	schemas_part2.py::TestStormTint	testStrictCDM_valid_data	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_get_required_fields_default	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_leaf_returns_dict	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_not_found_returns_none	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_partial_path_returns_none	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_returns_none_for_non_dict_leaf	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_fields_nested_metadata_key	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_fields_prs	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_fields_returns_nested_path	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_include_info_fields_skips_metadata_keys	Pass
	test_block1.coverage_base.py::Test	testBaseCDM_Coverage	Pass
	test_block1.coverage_base.py::Test	testGaugeValidator_returns_validation_error	Pass
	test_block1.coverage_base.py::Test	testGaugeValidator_menu_value_produces_sensor_error	Pass
	test_block1.coverage_base.py::Test	testGaugeValidator_invalid_menu_values	Pass
	test_block1.coverage_base.py::Test	testGaugeValidator_menu_values_no_sensor_errors	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_gauge_basket_size	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_init_gauge_basket_size	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_validate_returns_validation_error	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_validate_fields	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_validate_errors_collected	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_validate_latitude	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_validate_longitude	Pass
	test_block1.coverage_base.py::Test	testBSGCDM_validate_returns_empty	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_exception_raises_validation_error	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_returns_empty	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_returns_validation_error	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_errors_collected	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_catchment_id	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_gauge_id	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_loan	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_property_id	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_validate_validation_collected	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_apply_mapping_exception_raises_validation_error	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_apply_mapping_data	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_apply_validation	Pass
	test_block1.coverage_validation.py::Test	testBaseCDM_apply_gauge_basket	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_block1_coverage_validation.py::TestPRSCHEMValidation	returns_error_dPass	Pass
	test_block1_coverage_validation.py::TestPRSCHEMValidation	errors_appended	Pass
	test_block1_coverage_validation.py::TestPRSCHEMValidation	errors_appended	Pass
	test_block1_coverage_validation.py::TestPRSCHEMValidation	attachment_id	Pass
	test_block1_coverage_validation.py::TestPRSCHEMValidation	gauge_set_id	Pass
	test_block1_coverage_validation.py::TestPRSCHEMValidation	swap_id	Pass
	test_block1_coverage_validation.py::TestPRSCHEMValidation	returns_empty	Pass
	test_block2_cdm_coverage.py::TestStageMappingCoverage	exception_raisedPass	Pass
	test_block2_cdm_coverage.py::TestStageMappingCoverage	returns_expected_lPass	Pass
	test_block2_cdm_coverage.py::TestStageInDirectoryCoverage		Pass
	test_block2_cdm_coverage.py::TestStageInDirectoryCoverage		Pass
	test_block2_cdm_coverage.py::TestStageDissectionCoverage	default_output	Pass
	test_block2_cdm_coverage.py::TestStageDissectionCoverage	file_error_logged	Pass
	test_block2_cdm_coverage.py::TestStageMappingCoverage	default_elementPass	Pass
	test_block2_cdm_coverage.py::TestStageMappingCoverage	exception_raisedPass	Pass
	test_ctpy_coverage_b6.py::TestValidationException	message_is_string	Pass
	test_ctpy_coverage_b6.py::TestValidationException	with_integer_returns_validation_error	Pass
	test_ctpy_coverage_b6.py::TestValidationException	with_non_dict_returns_validation_error	Pass
	counterparty_generator.py::TestCounterpartyGenerator	output_file	Pass
	counterparty_generator.py::TestCounterpartyGenerator	generate	Pass
	counterparty_generator.py::TestCounterpartyGenerator	uses_all_counterparties	Pass
	counterparty_generator.py::TestCounterpartyGenerator	pathlib_path	Pass
	counterparty_generator.py::TestCounterpartyGenerator	total_generated	Pass
	counterparty_generator.py::TestCounterpartyGenerator	file_is_valid_json	Pass
	counterparty_generator.py::TestCounterpartyGenerator	dict_with_required_keys	Pass
	counterparty_generator.py::TestCounterpartyGenerator	returns_empty	Pass
	counterparty_generator.py::TestCounterpartyGenerator	unexpectedFunction	Pass
	counterparty_generator.py::TestCounterpartyGenerator	unexpectedFunction	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_csa	Pass
	counterparty_generator.py::TestCounterpartyGenerator	two_parties_list_has_two_parties	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_counterparty_set	Pass
	counterparty_generator.py::TestCounterpartyGenerator	is_master_agreement_is_true	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_accounts	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_contact_info	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_id	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_name	Pass
	counterparty_generator.py::TestCounterpartyGenerator	has_natural_person	Pass
	counterparty_generator.py::TestCounterpartyGenerator	platform_has_credit_rating	Pass
	counterparty_generator.py::TestCounterpartyGenerator	unique_party_ids	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	no_per_counterparty_logs	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	logs_per_counterparty	Pass
	test_counterparty_coverage_b6.py::TestVerboseLogging	logs_summary	Pass
	business_days.py::TestBusinessDays	chronological_order	Pass
	business_days.py::TestBusinessDays	ends_before_start	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	business_days.py::TestBusinessDays	test_large_count	Pass
	business_days.py::TestBusinessDays	test_last_day_is_day_before_start	Pass
	business_days.py::TestBusinessDays	test_no_weekends	Pass
	business_days.py::TestBusinessDays	test_returns_correct_count	Pass
	business_days.py::TestBusinessDays	test_single_day	Pass
	business_days.py::TestBusinessDays	test_start_on_monday_skips_weekend	Pass
	business_days.py::TestBusinessDays	test_start_on_wednesday	Pass
	business_days.py::TestSimulation	test_business_days_is_three_months	Pass
	business_days.py::TestSimulation	test_daily_vol_is_small	Pass
	business_days.py::TestSimulation	test_filters_is_positive	Pass
	business_days.py::TestSimulation	test_move_at_least_ten_daily_vols	Pass
	business_days.py::TestSimulation	test_move_bounds_vol	Pass
	history_files_part1.py::TestGenerator	test_empty_dir_produces_no_file	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_file_date	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_file_tenors	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_by_gauge	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_by_trigger	Pass
	history_files_part1.py::TestGenerator	test_has_metadata_generated_at	Pass
	history_files_part1.py::TestGenerator	test_has_metadata_in_snapshots	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_file_metadata	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_file_produce_multiple_entries	Pass
	history_files_part1.py::TestGenerator	test_has_metadata_and_history	Pass
	history_files_part1.py::TestGenerator	test_has_6hr_entries_file_creates_file	Pass
	history_files_part2.py::TestGenerator	test_empty_dir_produces_no_file	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_structure	Pass
	history_files_part2.py::TestGenerator	test_has_metadata_generated_at	Pass
	history_files_part2.py::TestGenerator	test_has_metadata_in_snapshots	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_builds_history_vector	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_in_snapshot	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_metadata_and_trades	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_swap_id_is_skipped	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_creates_file	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_swap_id	Pass
	history_files_part2.py::TestGenerator	test_has_6hr_entries_file_fields	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_simulation_hours_is_168	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_default_argument_is_168	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_gauges_function_default_is_168	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_max_within_simulation_window	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_min_less_than_max	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_produces_more_readings_than_60	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_known_param	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_unknown_param_ignored	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_168_hours_produces_168_readings	Pass
	gauges_part1.py::TestGaugeTimeSeries	test_defaults_60_hours_stores_60_in_metadata	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
		test_gaugehd_synthetic.py::TestGenerateHistoricalPeaks	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalDiagrams_explicit	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalDiagrams_none	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalEnrion_gauge_portfolio_explicit_years	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalEnrion_gauge_portfolio_via_class	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalEnrion_nrfa_uses_default_years	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalEnrion_nrfa_via_class	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalSynthetic_timeseries_via_class	Pass
		test_gaugehd_synthetic.py::TestGenerateHistoricalDaily_via_class	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio_generated	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio_extracted	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio_data	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio_dataframe	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio	Pass
		test_gaugehd_synthetic.py::TestGenerateFromGaugePortfolio	Pass
		test_gaugets_random_coverage.py::TestExplicitNoneParallelDefaultParams	Pass
		test_gaugets_random_coverage.py::TestNoneParallelUsesDefaultParams	Pass
		test_gaugets_random_coverage.py::TestDefaultParallelProduces_data	Pass
		test_gaugets_random_coverage.py::TestStringStarttimeStringParsedTime	Pass
		test_gaugets_random_coverage.py::TestGaugereadingReadingsDefaultfields	Pass
		test_gaugets_random_coverage.py::TestGaugereadingReadingBindingDefaulttimestamp	Pass
		test_gaugets_random_coverage.py::TestGenerateReturnsSeriesAsStructure	Pass
		test_gaugets_random_coverage.py::TestRemissingZeroingZero_base_amplitude	Pass
		test_gaugets_random_coverage.py::TestBindinggaugeReadingsEsKipped	Pass
		test_nrfa_parsing.py::TestFilterByYear5_year_filter	Pass
		test_nrfa_parsing.py::TestFilterByYearempty_list_returns_empty	Pass
		test_nrfa_parsing.py::TestFilterByYearlarge_years_returns_all	Pass
		test_nrfa_parsing.py::TestFilterByYearone_years_returns_all	Pass
		test_nrfa_parsing.py::TestGenerateFromNrfaoutput_path	Pass
		test_nrfa_parsing.py::TestGenerateFromNrfaes_json_file	Pass
		test_nrfa_parsing.py::TestGenerateFromNrfa_id_override	Pass
		test_nrfa_parsing.py::TestGenerateFromNrfaas_dict	Pass
		test_nrfa_parsing.py::TestGenerateFromNrfa_version_in_output	Pass
		test_nrfa_parsing.py::TestGenerateFromNrfaon_metadata_extracted	Pass
		test_nrfa_parsing.py::TestParseNrfaEmpty_file	Pass
		test_nrfa_parsing.py::TestParseNrfaflows_have_date_and_flow	Pass
		test_nrfa_parsing.py::TestParseNrfaMetadata_contains_station_id	Pass
		test_nrfa_parsing.py::TestParseNrfaMetadata_contains_station_name	Pass
		test_nrfa_parsing.py::TestParseNrfaReturns_tuple	Pass
		test_nrfa_parsing.py::TestParseNrfaSkips_short_rows	Pass
		test_stress_storms_core.py::TestGenerateHugeTidpresent_in_all_responses	Pass
		test_stress_storms_core.py::TestGenerateMultiplegauges_have_correct_ids	Pass
		test_stress_storms_core.py::TestGenerateStormsFound_when_gaugets_empty	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	hazard.io_part1.py::TestLoadGauges	test_gauge_without_gauge_id_raises	Pass
	hazard.io_part1.py::TestLoadGauges	test_loads_gauges	Pass
	hazard.io_part1.py::TestLoadStorage	test_file_not_found_raises	Pass
	hazard.io_part1.py::TestLoadStorage	test_loads_list	Pass
	hazard.io_part1.py::TestLoadStorage	test_storm_has_id	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_gauge_file	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_with_existing_file	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_gauges	Pass
	hazard.io_part2.py::TestSaveGauges	test_store_response_file_has_responses	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_create_file	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_create_parent_dirs	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_curve_has_hazard_curves	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_curve_has_metadata	Pass
	hazard.io_part2.py::TestSaveHazardCurves	test_metadata_merged	Pass
	business.days.py::TestBusinessDays	test_all_days_before_start	Pass
	business.days.py::TestBusinessDays	test_returns_ascending_order	Pass
	business.days.py::TestBusinessDays	test_returns_business_days_only	Pass
	business.days.py::TestBusinessDays	test_returns_correct_count	Pass
	business.days.py::TestBusinessDays	test_single_day	Pass
	business.days.py::TestBusinessDays	test_skips_weekends	Pass
	business.days.py::TestBusinessDays	test_zero_days	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_days_are_weekdays	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_existing_eod_files	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_eod_dir	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_returns_zero	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_instrument_failure_is_skipped	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_trades_adds_more_snapshots	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_integer	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_reproducible	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_trade_generates_snapshots	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_trade_writes_eod_files	Pass
	eod_series.py::TestGenerateHistory	test_EODSeries_trade_writes_history_files	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_output_file	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_has_date	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_lists_gauges	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_lists_gauges	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_returns_early	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_has_history	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_has_metadata	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_traded_numerically	Pass
	hazard.history.py::TestGenerateHistory	test_create_history_history_has_two_history_entries	Pass
	pnl.history.py::TestGenerateTradePnLHistory	test_create_trade_pnl_history_output_file	Pass
	pnl.history.py::TestGenerateTradePnLHistory	test_create_trade_pnl_history_entry_has_required_keys	Pass
	pnl.history.py::TestGenerateTradePnLHistory	test_create_trade_pnl_history_multiple_eods_accumulate	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	pnl_history.py::TestGenerateTradeBnHistory	Multiple trades in same eod	Pass
	pnl_history.py::TestGenerateTradeBnHistory	Hosted files returns early	Pass
	pnl_history.py::TestGenerateTradeBnHistory	Snapshots in metadata	Pass
	pnl_history.py::TestGenerateTradeBnHistory	History has metadata	Pass
	pnl_history.py::TestGenerateTradeBnHistory	History has trades	Pass
	pnl_history.py::TestGenerateTradeBnHistory	Position without swap_id skipped	Pass
	pnl_history.py::TestGenerateTradeBnHistory	Header has history	Pass
	pnl_history.py::TestGenerateTradeBnHistory	Header metadata preserved	Pass
	test_mortgage_builder.py::TestBuildEmptySchema	Empty schema returns empty dict	Pass
	test_mortgage_builder.py::TestBuildEmptyDictWithoutTypeRecurse	Empty dict without type recurses	Pass
	test_mortgage_builder.py::TestBuildEmptyDictSchemaReturnsEmptyDict	Empty dict schema returns empty dict	Pass
	test_mortgage_builder.py::TestBuildEmptySchemaReturnsEmptyDict	Empty schema returns empty dict	Pass
	test_mortgage_builder.py::TestBuildEmptyValueFromGenerateFieldValuesExcluded	Empty value from generate field values excluded	Pass
	test_mortgage_builder.py::TestBuildReservedKeyDescriptionSkipped	Reserved key description skipped	Pass
	test_mortgage_builder.py::TestBuildReservedKeyOptionsSkipped	Reserved key options skipped	Pass
	test_mortgage_builder.py::TestBuildReservedKeyTypeSkipped	Reserved key type skipped	Pass
	test_mortgage_builder.py::TestBuildReservedKeyValuesSkipped	Reserved key values skipped	Pass
	test_mortgage_builder.py::TestQualityConsistencyCheckOriginalIsCappedTo95Pct	Quality consistency check original is capped to 95 pct	Pass
	test_mortgage_builder.py::TestQualityConsistencyCheckOriginalUnchanged	Quality consistency check original unchanged	Pass
	test_mortgage_builder.py::TestQualityConsistencyCheckFallbackMethodPresent	Quality consistency check fallback module when method present	Pass
	test_mortgage_builder.py::TestQualityConsider10WeekFail95k	Quality consider 10 week fail 95k	Pass
	test_mortgage_builder.py::TestQualityConsider10WeekFail60k	Quality consider 10 week fail 60k	Pass
	test_mortgage_builder.py::TestQualityCalculateYieldChangedBack	Quality calculate yield changed back	Pass
	test_mortgage_builder.py::TestSetSpecificMortgagePackageDictUpdated	Set specific mortgage package dict updated	Pass
	test_mortgage_builder.py::TestSetSpecificMortgageVheaderKeyWhenAbsent	Set specific mortgage vheader key when absent	Pass
	test_mortgage_builder.py::TestSetSpecificMortgageVmortgageKeyWhenAbsent	Set specific mortgage vmortgage key when absent	Pass
	test_mortgage_builder.py::TestSetSpecificMortgagePropertyIdKeyDefaultsEmptyString	Set specific mortgage property id key defaults empty string	Pass
	test_mortgage_builder.py::TestSetSpecificMortgageValid	Set specific mortgage valid	Pass
	test_mortgage_builder.py::TestSetSpecificMortgageDetailsFields	Set specific mortgage details fields	Pass
	test_mortgage_builder.py::TestSetSpecificMortgageValid	Set specific mortgage valid	Pass
	test_mortgage_builder.py::TestSetSpecificMortgageValidInHeader	Set specific mortgage valid in header	Pass
	test_mortgage_coverage.py::TestSetFailureErrorIsReraised	Set failure error is reraised	Pass
	test_mortgage_coverage.py::TestSingleMortgagePagesFailReturnsEmptyList	Single mortgage pages fail returns empty list	Pass
	test_mortgage_coverage.py::TestSingleFailedPageIsCountedAndSkipped	Single failed page is counted and skipped	Pass
	test_mortgage_encoder_extractor.py::TestDateTimeEncodedAsIsoformat	Test datetime encoded as isoformat	Pass
	test_mortgage_encoder_extractor.py::TestTimestampEncoded	Test timestamp encoded	Pass
	test_mortgage_encoder_extractor.py::TestTimestamp32Encoded	Test timestamp 32 encoded	Pass
	test_mortgage_encoder_extractor.py::TestTimestamp64EncodedAsFloat	Test timestamp 64 encoded as float	Pass
	test_mortgage_encoder_extractor.py::TestTimestamp32Encoded	Test timestamp 32 encoded	Pass
	test_mortgage_encoder_extractor.py::TestTimestamp64EncodedAsInt	Test timestamp 64 encoded as int	Pass
	test_mortgage_encoder_extractor.py::TestTimestampArrayEncodedAsList	Test timestamp array encoded as list	Pass
	test_mortgage_encoder_extractor.py::TestTimestampTypeRaisesTypeError	Test timestamp type raises type error	Pass
	test_mortgage_encoder_extractor.py::TestStructPropertyExtracted	Test struct property extracted	Pass
	test_mortgage_encoder_extractor.py::TestStructPropertyNotExtracted	Test struct property not extracted	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	generators.py::TestNostressFlag	test_nostress_skips_stressm_when_all	Pass
	generators.py::TestPropertyTimeSeries	test_generates_per_property_files	Pass
	generators.py::TestPropertyTimeSeries	test_per_property_files_have_flood_data	Pass
	generators.py::TestPropertyTimeSeries	test_portfolio_summary_has_statistics	Pass
	integration.py::TestDependencyChain	test_gaugehd_references_gauges	Pass
	integration.py::TestDependencyChain	test_gaugets_reads_gauge	Pass
	integration.py::TestDependencyChain	test_hazard_reads_gauge_and_storms	Pass
	integration.py::TestDependencyChain	test_mortgage_reads_property	Pass
	integration.py::TestDependencyChain	test_propertyhc_references_properties	Pass
	integration.py::TestDependencyChain	test_propertyts_uses_nearest_gauges	Pass
	integration.py::TestEndToEndPipeline	test_full_pipeline_generates_all_output	Pass
	integration.py::TestEndToEndPipeline	test_gauge_count_propagates	Pass
	integration.py::TestEndToEndPipeline	test_pipeline_output_file_integrity	Pass
	integration.py::TestEndToEndPipeline	test_property_count_propagates	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_area_gives_larger_energy	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_returns_positive_value	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_uses_default_area_when_missing	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_handles_exceptions	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_structured_areas_tends_to_give_larger_energy	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_structured_areas_returns_positive_value	Pass
	property_energy.py::TestCalculateAnnualEnergy	test_structured_areas_defaults_when_missing	Pass
	property_energy.py::TestCalculateEnergyBill	test_calculation	Pass
	property_energy.py::TestCalculateEnergyBill	test_returns_bill	Pass
	property_energy.py::TestCalculateEnergyBill	test_returns_positive_value	Pass
	property_energy.py::TestCalculateEnergyBill	test_returns_defaults_when_missing	Pass
	property_energy.py::TestCalculateEnergyBill	test_usage_returns_zero	Pass
	property_energy.py::TestCalculateEnergyBill	test_usage_less_than_remaining_energy	Pass
	property_energy.py::TestCalculateEnergyBill	test_usage_negative_when_electricity_exceeds_total	Pass
	property_energy.py::TestCalculateEnergyBill	test_usage_returns_non_negative	Pass
	property_energy.py::TestCalculateEnergyBill	test_usage_defaults_when_missing	Pass
	property_energy.py::TestCalculateGridFraction	test_fraction_of_total	Pass
	property_energy.py::TestCalculateGridFraction	test_returns_positive_value	Pass
	property_energy.py::TestCalculateGridFraction	test_returns_default_energy_when_missing	Pass
	property_energy.py::TestCalculateSolarGeneration	test_returns_zero	Pass
	property_energy.py::TestCalculateSolarGeneration	test_returns_positive	Pass
	property_energy.py::TestCalculateSolarGeneration	test_returns_zero	Pass
	property_energy.py::TestCalculateSolarGeneration	test_returns_zero	Pass
	property_energy.py::TestCalculateSolarGeneration	test_returns_positive	Pass
	property_energy.py::TestCalculateSolarGeneration	test_returns_default_area_when_missing	Pass
	test_geometry.py::TestEnsureOffset	test_close_point_pushed_away	Pass
	test_geometry.py::TestEnsureOffset	test_far_point_unchanged	Pass
	test_geometry.py::TestEnsureOffset	test_returns_tuple_of_two_floats	Pass
	test_geometry.py::TestHaversine	test_approximate_one_degree_lat	Pass
	test_geometry.py::TestHaversine	test_approximate_one_degree_lon_at_equator	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_geometry.py::TestHaversine	test_same_point_returns_zero	Pass
	test_geometry.py::TestHaversine	test_symmetry	Pass
	test_geometry.py::TestMinRiverDistance	test_distant_point_returns_larger_distance	Pass
	test_geometry.py::TestMinRiverDistance	test_point_on_gauge_returns_small_distance	Pass
	test_geometry.py::TestMinRiverDistance	test_returns_float	Pass
	test_geometry.py::TestNearestOnSegment	test_generate_segment_returns_start	Pass
	test_geometry.py::TestNearestOnSegment	test_distance_is_non_negative	Pass
	test_geometry.py::TestNearestOnSegment	test_midpoint_projects_to_midpoint	Pass
	test_geometry.py::TestNearestOnSegment	test_point_before_start_clamps_to_start	Pass
	test_geometry.py::TestNearestOnSegment	test_point_past_end_clamps_to_end	Pass
	test_geometry.py::TestPerpendicularOffset	test_generate_segment_falls_back_to_parallel_offset	Pass
	test_geometry.py::TestPerpendicularOffset	test_offset_moves_point	Pass
	test_geometry.py::TestPerpendicularOffset	test_returns_two_floats	Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValue		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetBuildAreaBoundaryValues		Pass
	test_location_coverage_b6.py::TestGetHouseBedroomsHousePaths_1_or_2		Pass
	test_location_coverage_b6.py::TestGetHouseBedroomsHousePaths_2_or_3		Pass
	test_location_coverage_b6.py::TestGetHouseBedroomsHousePaths_2_or_3		Pass
	test_locations.py::TestGenerateLocations	test_each_location_has_required_keys	Pass
	test_locations.py::TestGenerateLocations	test_elevation_is_non_negative	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_fewer_than_3_gauge_points	Pass
	test_locations.py::TestGenerateLocations	test_fallback_used_when_no_gauge_points	Pass
	test_locations.py::TestGenerateLocations	test_primary_idx_zero_uses_gauges_012	Pass
	test_locations.py::TestGenerateLocations	test_reference_gauge_indices_sorted	Pass
	test_locations.py::TestGenerateLocations	test_reference_gauge_indices_three_elements	Pass
	test_locations.py::TestGenerateLocations	test_returns_correct_count	Pass
	test_locations.py::TestGenerateLocations	test_random_fallback_no_floating_elevation_used	Pass
	test_multi_storm_cluster.py::TestClusterStorms	test_max_depth_is_from_highest_storm	Pass
	test_multi_storm_cluster.py::TestClusterStorms	test_produces_three_flood_events	Pass
	test_multi_storm_cluster.py::TestClusterStorms	test_three_distinct_storm_ids_in_events	Pass
	test_multi_storm_cluster.py::TestMergeQuarant	test_storms_create_flood_events	Pass
	test_multi_storm_cluster.py::TestMergeQuarant	test_storms_not_in_flood_events	Pass
	test_multi_storm_cluster.py::TestPersistSequential	test_all_events_have_reading	Pass
	test_multi_storm_cluster.py::TestPersistSequential	test_four_events_recorded	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_each_event_has_independent_damage	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_events_have_distinct_storm_ids	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_produces_two_flood_events	Pass
	test_multi_storm_doublet.py::TestDoubletSequence	test_counts_all_doublet_floods	Pass
	test_multi_storm_portfolio.py::TestGenerateWithNoStorms	test_generate_zero_floods	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultipleStorms	test_all_sequential_storms	Pass
	test_multi_storm_portfolio.py::TestGenerateWithMultipleStorms	test_generate_floods_for_clusters	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_property_random_coverage.py	TestGenerationExceptionFallsThroughFastType	Pass
	test_property_random_coverage.py	TestIntegerTypeReturnsInt	Pass
	test_property_random_coverage.py	TestNumberTypeReturnsFloat	Pass
	test_property_random_coverage.py	TestStringWithOptionsPicksFromList	Pass
	test_property_random_coverage.py	TestStringWithOptionsReturnsEmpty	Pass
	test_property_values.py::TestGauges	TestGaugesDoesNotCrashWhenGaugeJSONDoesNotCrash	Pass
	test_property_values.py::TestGauges	TestGaugesDoesNotLoadEmptyMapWhenNoGaugeJSONPresent	Pass
	test_property_values.py::TestGauges	TestGaugesDoesLoadMapWhenGaugeJSONPresent	Pass
	test_property_values.py::TestGauges	TestGaugesDoesLoadMapWorksWithGaugesKey	Pass
	test_property_values.py::TestLogMethod	TestLogMethodDebugDoesNotRaise	Pass
	test_property_values.py::TestLogMethod	TestLogMethodErrorDoesNotRaise	Pass
	test_property_values.py::TestLogMethod	TestLogMethodInfoDoesNotRaise	Pass
	test_property_values.py::TestLogMethod	TestLogMethodSuccessFallsBackGracefully	Pass
	test_property_values.py::TestLogMethod	TestLogMethodWarningDoesNotRaise	Pass
	test_property_values.py::TestProperty	TestPropertyStatePropertyIsTracked	Pass
	test_property_values.py::TestProperty	TestPropertyOutputJSONContainsGenerationMetadata	Pass
	test_property_values.py::TestProperty	TestPropertyOutputJSONContainsPropertiesKey	Pass
	test_property_values.py::TestProperty	TestPropertyOutputJSONContainsPropertyID	Pass
	test_property_values.py::TestProperty	TestPropertyOutputJSONContainsLocations	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesSetInAttrs	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesGroundLevel	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesGaugeIndicesNoRefKey	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesLocation	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesLocationDoesNotSetGroundLevel	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesGaugeIndicesNoRefKey	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesSetInAttrs	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesFallbackWhenNotInMap	Pass
	test_property_values.py::TestSet	TestSetSpecificPropertyValuesSetFromGaugeIDMap	Pass
	test_propertyhc_generate.py::TestGenerate	TestGenerateAggregatesStats	Pass
	test_propertyhc_generate.py::TestGenerate	TestGenerateAggregatesStatsRateBetween0and1	Pass
	test_propertyhc_generate.py::TestGenerate	TestGenerateAggregatesStats	Pass
	test_propertyhc_generate.py::TestGenerate	TestGenerateAggregatesStatsCounted	Pass
	test_propertyhc_generate.py::TestLogMethod	TestLogMethodDoesNotRaise	Pass
	test_propertyhc_generate.py::TestLogMethod	TestLogMethodWithEmptyString	Pass
	test_propertyhc_generate.py::TestTestability	TestTestabilityFloodSpreadabilityLessThanSeven	Pass
	test_propertyhc_generate.py::TestTestability	TestTestabilitySpreadIncreasesWithLongerTermOrNonDecreasing	Pass
	test_propertyhc_generate.py::TestTestability	TestTestabilitySurvivalRateBetween0andOne	Pass
	test_propertyhc_helpers.py::TestGetMissing	TestGetMissingKeyDefaultsToZeroRate	Pass
	test_propertyhc_helpers.py::TestGetMissing	TestGetMissingSprateReturnsAllZeros	Pass
	test_propertyhc_helpers.py::TestGetMissing	TestGetMissingSprateReturnsPositiveSprate	Pass
	test_propertyhc_helpers.py::TestGetMissing	TestGetMissingSprateHasOneEntryPerTenor	Pass
	test_propertyhc_helpers.py::TestGetMissing	TestGetMissingSprateReturnsAllZeros	Pass
	test_propertyhc_helpers.py::TestGetMissing	TestGetMissingSprateReturnsNoneWhenQuantLibUnavailable	Pass
	test_propertyhc_helpers.py::TestTestDefault	TestTestDefaultTimeEncodedAsISOFormat	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	batch_generator_part1.py::TestValidation	test_validation_constraint	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_dirs	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_file_raises	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_correct_count	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_schema_raises	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_sequences_still_valid	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_num_storms	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_precipitation	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_sequence_type	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_storm_fields	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_total_duration	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_file	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_version_in_file	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_creates_file	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_stats_present	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_sequences_matches	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_precipitation_stats_present	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_schema_version	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_type_counts_sum_to_total	Pass
	batch_generator_part2.py::TestSaveAndLoad	test_save_and_load_tripent_type_fractions_sum_to_one	Pass
	storm_intensity.py::TestGetStorm	test_get_storm_cluster_returns_3_or_4	Pass
	storm_intensity.py::TestGetStorm	test_get_storm_doublet_returns_2	Pass
	storm_intensity.py::TestGetStorm	test_get_storm_isolated_returns_1	Pass
	storm_intensity.py::TestGetStorm	test_get_storm_persistent_returns_4_or_5	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_type_tends_toward_cluster_persistent	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_categories[catastrophic]	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_categories[extreme]	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_categories[moderate]	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_categories[severe]	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_type_sequence_type	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_category_uses_default_weight	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_increasing_path_subsequent_storm	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_intensity_storm_downward_variation	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_intensity_storm_returns_positive	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_intensity_within_20_percent_range	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_intensities_subsequent_storm_mostly_up	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_intensities_subsequent_storm_positive	Pass
	storm_intensity.py::TestSampleStorm	test_sample_storm_deferred_intensity_low_base_clamped_to_01	Pass
	storm_intensity.py::TestShouldGenerateStorm	test_should_generate_storm_defined_categories	Pass
	storm_intensity.py::TestShouldGenerateStorm	test_should_generate_storm_catastrophic_high_probability	Pass
	storm_intensity.py::TestShouldGenerateStorm	test_should_generate_storm_severe_low_probability	Pass
	storm_intensity.py::TestShouldGenerateStorm	test_should_generate_storm_isolated	Pass
	storm_intensity.py::TestShouldGenerateStorm	test_should_generate_storm_persistent_category_defaults_to_015	Pass
	test_classifier_part1.py::TestPrintClassificationResults	test_print_classification_results_no_metrics_printed	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Hydro	test_sequence_response_hydro.py::TestPyroFirstGroupingSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstGroupingSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstComponentsSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstComponentsSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstCovarianceSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstCovarianceSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstAboveThresholdSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstAboveThresholdSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstNegativeSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstNegativeSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstCointegrationSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstCointegrationSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstShapeSequenceGaugeResponse	test_sequence_response_hydro.py::TestPyroFirstShapeSequenceGaugeResponse	Pass
	test_sequence_response_hydro.py::TestPyroFirstGroupingBaselineHighResponse	test_sequence_response_hydro.py::TestPyroFirstGroupingBaselineHighResponse	Pass
Spatial	test_spatial_correlation_matrix.py::TestCholesky_cache_key_rounding	test_spatial_correlation_matrix.py::TestCholesky_cache_key_rounding	Pass
	test_spatial_correlation_matrix.py::TestCholesky_cached	test_spatial_correlation_matrix.py::TestCholesky_cached	Pass
	test_spatial_correlation_matrix.py::TestCholesky_lower_triangular	test_spatial_correlation_matrix.py::TestCholesky_lower_triangular	Pass
	test_spatial_correlation_matrix.py::TestCholesky_reconstruction	test_spatial_correlation_matrix.py::TestCholesky_reconstruction	Pass
	test_spatial_correlation_matrix.py::TestCholesky_cholesky_reconstruction	test_spatial_correlation_matrix.py::TestCholesky_cholesky_reconstruction	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrix	test_spatial_correlation_matrix.py::TestCovarianceMatrix	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrixHigher_correlation	test_spatial_correlation_matrix.py::TestCovarianceMatrixHigher_correlation	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrixOff_diagonal	test_spatial_correlation_matrix.py::TestCovarianceMatrixOff_diagonal	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrixMain_diagonal	test_spatial_correlation_matrix.py::TestCovarianceMatrixMain_diagonal	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrixIndefinite	test_spatial_correlation_matrix.py::TestCovarianceMatrixIndefinite	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrix	test_spatial_correlation_matrix.py::TestCovarianceMatrix	Pass
	test_spatial_correlation_matrix.py::TestCovarianceMatrixIndefinite	test_spatial_correlation_matrix.py::TestCovarianceMatrixIndefinite	Pass
	test_spatial_correlation_matrix.py::TestHighIntensity_longer_range	test_spatial_correlation_matrix.py::TestHighIntensity_longer_range	Pass
	test_spatial_correlation_matrix.py::TestHighIntensity_no_reduction	test_spatial_correlation_matrix.py::TestHighIntensity_no_reduction	Pass
	test_spatial_correlation_matrix.py::TestHighIntensity_equals_base	test_spatial_correlation_matrix.py::TestHighIntensity_equals_base	Pass
	test_spatial_correlation_matrix.py::TestHighIntensity_with_rho	test_spatial_correlation_matrix.py::TestHighIntensity_with_rho	Pass
	test_spatial_coverage_b6.py::TestCholeskyFallback_callback_adds_jitter	test_spatial_coverage_b6.py::TestCholeskyFallback_callback_adds_jitter	Pass
	test_spatial_coverage_b6.py::TestFromGroupGaugesToPortfolio_file	test_spatial_coverage_b6.py::TestFromGroupGaugesToPortfolio_file	Pass
	test_spatial_coverage_b6.py::TestSpatialMultipliersWithNoRng	test_spatial_coverage_b6.py::TestSpatialMultipliersWithNoRng	Pass
	test_spatial_multipliers.py::TestApplyToSequenceNegative	test_spatial_multipliers.py::TestApplyToSequenceNegative	Pass
test_spatial_multipliers.py::TestApplyToSequenceMean_preserved_per_hour	test_spatial_multipliers.py::TestApplyToSequenceMean_preserved_per_hour	Pass	
test_spatial_multipliers.py::TestApplyToSequenceShape	test_spatial_multipliers.py::TestApplyToSequenceShape	Pass	
test_spatial_multipliers.py::TestApplyToSequenceVariation_present	test_spatial_multipliers.py::TestApplyToSequenceVariation_present	Pass	
test_spatial_multipliers.py::TestApplyToSequencePrecipitation_conserved	test_spatial_multipliers.py::TestApplyToSequencePrecipitation_conserved	Pass	
test_spatial_multipliers.py::TestApplyToSequencePrecip_hours_remain_zero	test_spatial_multipliers.py::TestApplyToSequencePrecip_hours_remain_zero	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersInit	test_spatial_multipliers.py::TestSpatialMultipliersInit	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersCorrelation_consistent_with_model	test_spatial_multipliers.py::TestSpatialMultipliersCorrelation_consistent_with_model	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersIntensity_lower_variance	test_spatial_multipliers.py::TestSpatialMultipliersIntensity_lower_variance	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersMean	test_spatial_multipliers.py::TestSpatialMultipliersMean	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersLognormal_mean	test_spatial_multipliers.py::TestSpatialMultipliersLognormal_mean	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersCovariance_with_seed	test_spatial_multipliers.py::TestSpatialMultipliersCovariance_with_seed	Pass	
test_spatial_multipliers.py::TestSpatialMultipliersShape	test_spatial_multipliers.py::TestSpatialMultipliersShape	Pass	
test_spatial_params_distance.py::TestConfigFile_constants_valid	test_spatial_params_distance.py::TestConfigFile_constants_valid	Pass	
test_spatial_params_distance.py::TestConfigFile_structure	test_spatial_params_distance.py::TestConfigFile_structure	Pass	
test_spatial_params_distance.py::TestConfigFile_trip_params	test_spatial_params_distance.py::TestConfigFile_trip_params	Pass	
test_spatial_params_distance.py::TestConfigFile_creates_file	test_spatial_params_distance.py::TestConfigFile_creates_file	Pass	

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	classification.py::TestFloodDuration	test_no_duration_normal_readings	Pass
	classification.py::TestGaugeLevelAnalysis	test_current_level	Pass
	classification.py::TestGaugeLevelAnalysis	test_level_trend_falling	Pass
	classification.py::TestGaugeLevelAnalysis	test_level_trend_rising	Pass
	classification.py::TestGaugeLevelAnalysis	test_level_trend_stable	Pass
	classification.py::TestGaugeLevelAnalysis	test_peak_level_detection	Pass
	classification.py::TestGaugeLevelAnalysis	test_peak_timing	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	classification.py::TestGaugeStatusClassification	test_classification_thresholds	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	classification.py::TestGaugeStatusClassification	test_classification_status	Pass
	cli.py::TestErrorHandling	test_bad_gauge_file_exits_with_1	Pass
	cli.py::TestErrorHandling	test_invalid_json_exits_with_1	Pass
	cli.py::TestListCategories	test_list_categories_does_not_open_gauge_file	Pass
	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass
	cli.py::TestListPages	test_list_pages_does_not_open_gauge_file	Pass
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestOptionalLoading	test_gauge_id_filters_data	Pass
	cli.py::TestOptionalLoading	test_timeseries_file_is_loaded	Pass
	cli.py::TestReportGeneration	test_monitoring_without_timeseries_hits	Pass
	cli.py::TestReportGeneration	test_report_type_analysis	Pass
	cli.py::TestReportGeneration	test_report_type_basic	Pass
	cli.py::TestReportGeneration	test_report_type_full_hits_else_branch	Pass
	cli.py::TestReportGeneration	test_report_type_monitoring_with_timeseries	Pass
	cli.py::TestReportGeneration	test_success_logging_executes	Pass
	convenience.py::TestEdgeCases	test_completely_empty_gauge_data	Pass
	convenience.py::TestEdgeCases	test_gauge_data_with_hazard_curve_and_timeseries	Pass
	convenience.py::TestEdgeCases	test_none_flood_gauge_header	Pass
	convenience.py::TestEdgeCases	test_output_is_non_empty_bytes	Pass
	convenience.py::TestEdgeCases	test_report_with_all_pages	Pass
	convenience.py::TestEdgeCases	test_single_page_report	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_without_known_key_raises	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_first_gauge	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_last_gauge	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_not_found_raises	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_input_raises	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_input_used_directly	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestFindGaugeByAdditionalKey	test_additional_key_missing_flood_gauge_key_skipped	Pass
	convenience.py::TestGenerateGaugeReportModuleFails	test_generate_analytic_module_fails	Pass
	convenience.py::TestGenerateGaugeReportModuleFails	test_generate_analytic_module_fails	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	convenience.py::TestGenerateGaugeReportModuleFunction	test_handles_exception	Pass
	convenience.py::TestGenerateGaugeReportModuleFunction	test_open_succeeds	Pass
	convenience.py::TestGenerateGaugeReportModuleFunction	test_generate_basic	Pass
	convenience.py::TestGenerateGaugeReportModuleFunction	test_monitoring_type_with_timeseries_calls_monitoring	Pass
	convenience.py::TestGenerateGaugeReportModuleFunction	test_monitoring_with_unknown_timeseries_falls_back	Pass
	convenience.py::TestGenerateGaugeReportModuleFunction	test_returns_path	Pass
	convenience.py::TestGenerateGaugeReportModuleFunction	test_generate_report	Pass
	elements.py::TestGenerateElement	test_empty_page_list_returns_empty	Pass
	elements.py::TestGenerateElement	test_exception_in_page_continues	Pass
	elements.py::TestGenerateElement	test_first_page_no_page_break	Pass
	elements.py::TestGenerateElement	test_mixed_valid_and_unknown_pages	Pass
	elements.py::TestGenerateElement	test_multiple_pages_have_page_break	Pass
	elements.py::TestGenerateElement	test_none_timeseries_passed_to_page	Pass
	elements.py::TestGenerateElement	test_returns_list	Pass
	elements.py::TestGenerateElement	test_timeseries_passed_to_page	Pass
	elements.py::TestGenerateElement	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_all_unknown_pages_still_creates_pdf	Pass
	elements.py::TestGenerateReport	test_auto_select_called_when_pages_none	Pass
	elements.py::TestGenerateReport	test_auto_select_not_called_when_pages_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_gauge_data	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_is_bytes	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	elements.py::TestGenerateReport	test_with_timeseries_data	Pass
	init.py::TestAutoSelectPages	test_all_pages_exist	Pass
	init.py::TestAutoSelectPages	test_always_includes_gauge_info_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_operational_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_summary_pages	Pass
	init.py::TestAutoSelectPages	test_returns_list	Pass
	init.py::TestAutoSelectPages	test_with_hazard_curve_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_with_timeseries_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_without_timeseries_or_hazard_no_analysis_pages	Pass
	init.py::TestGaugeReportGenerator	test_categories_dict_initialized	Pass
	init.py::TestGaugeReportGenerator	test_explicit_output_dir_path	Pass
	init.py::TestGaugeReportGenerator	test_explicit_output_dir_string	Pass
	init.py::TestGaugeReportGenerator	test_output_dir_uses_config	Pass
	init.py::TestGaugeReportGenerator	test_output_dir_created	Pass
	init.py::TestGaugeReportGenerator	test_pages_dict_initialized	Pass
	init.py::TestGenerateFilename	test_contains_gauge_id	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	init.py::TestGenerateFilename	test_missing_gauge_id_uses_unknown	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_gauge_id	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_header	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_timestamp_in_filename	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_confidential_footer	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_header_strings	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_analysis_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_analysis_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_analysis_report_with_timeseries	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_basic_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_basic_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_basic_report_non_empty	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_basic_with_timeseries	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_monitoring_report_custom_filename	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_monitoring_report_exists	Pass
	specialised.py::TestSpecialisedReportGenerate	test_generate_monitoring_report_no_timeseries	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_contains_expected_keys	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_non_empty	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	metrics.py::TestGaugeMetrics	test_level_range	Pass
	metrics.py::TestGaugeMetrics	test_max_level	Pass
	metrics.py::TestGaugeMetrics	test_mean_level	Pass
	metrics.py::TestGaugeMetrics	test_min_level	Pass
	metrics.py::TestGaugeMetrics	test_rate_of_rise	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_gauge_overview_page_does_not_crash	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_empty_data_does_not_crash	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_gauge_invalid_output	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_gauge_overview_page_section_header	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_gauge_summary_page_section_header	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_missing_gauge_id	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_present_gauge_id	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_has_callbacks	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_initialisation_page_calculated	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_hold_overview_page_does_not_crash	Pass
	page_01_title_overview.py::TestGaugeOverviewPage	test_has_one_list	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_01_title_overview.py::TestGaugeTitleOverviewPage	TestTitleOverviewPagePresent	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	TestTitleOverviewPageFallback	Pass
	page_01_title_overview.py::TestGaugeTitleOverviewPage	TestTitleOverviewPageDoesNotCrash	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageDoesNotCrash	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageTitle	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageInformationSection	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageMissing	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPagePresent	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPage	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageForStatisticsSection	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageInformationSection	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageConfigurationSection	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageDoesNotCrash	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPage	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPage	Pass
	page_02_sensor_details.py::TestGaugeSensorDetailsPage	TestSensorDetailsPageDoesNotCrash	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageCloseToThames	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageZeroOnThames	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageDataDoesNotCrash	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageRiskSection	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageGraphicCoordinatesSection	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageTables	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageCentralLondon	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageNorthLondon	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageSouthLondon	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageThamesInfoDoesNotCrash	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPagePigeoningSummarySection	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageList	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageCategoryInLocationProfile	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageScoreFormattedAsOutOf10	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPageContextSection	Pass
	page_03_location.py::TestGaugeLocationPage	TestLocationPagePresent	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageDoesNotCrash	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageListDoesNotCrash	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageMissing	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPagePresent	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPage	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageStatisticsSection	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageConfigurationSection	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageShowsMessage	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageStatusSection	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPage	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPage	Pass
	page_04_measurements.py::TestGaugeMeasurementsPage	TestMeasurementsPageHasExtraTable	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_04_measurements.py::TestGate	testMeasurementsPageShowsCurrentReadings	Pass
	page_05_flood_stages.py::TestGate	testFloodStagesPageAtAlert	Pass
	page_05_flood_stages.py::TestGate	testFloodStagesPageAtSevere	Pass
	page_05_flood_stages.py::TestGate	testFloodStagesPageAtWarning	Pass
	page_05_flood_stages.py::TestGate	testFloodStagesPageBelowAlertIsNormal	Pass
	page_05_flood_stages.py::TestGate	testEmptyStagePageDoesNotCrash	Pass
	page_05_flood_stages.py::TestGate	testGetStagePageMissing	Pass
	page_05_flood_stages.py::TestGate	testGetStagePagePresent	Pass
	page_05_flood_stages.py::TestGate	testHasStagePage	Pass
	page_05_flood_stages.py::TestGate	testHistoryPageExceedanceSection	Pass
	page_05_flood_stages.py::TestGate	testFloodStagesPageShowsMessage	Pass
	page_05_flood_stages.py::TestGate	testFloodStagesPage	Pass
	page_05_flood_stages.py::TestGate	testFloodStagePageAnalysisSection	Pass
	page_05_flood_stages.py::TestGate	testFloodStagePageDifferencesComputed	Pass
	page_05_flood_stages.py::TestGate	testFloodStagePage	Pass
	page_05_flood_stages.py::TestGate	testFloodStagePageSection	Pass
	page_05_flood_stages.py::TestGate	testFloodStagePageShowsCurrentStatusSection	Pass
	page_06_risk_assessment_part1.py::test	testDisasterRiskLabel	Pass
	page_06_risk_assessment_part1.py::test	testDisasterRiskHighestRisk	Pass
	page_06_risk_assessment_part1.py::test	testFourExceedanceLevelHigh	Pass
	page_06_risk_assessment_part1.py::test	testOneExceedance	Pass
	page_06_risk_assessment_part1.py::test	testTwoExceedanceModerate	Pass
	page_06_risk_assessment_part1.py::test	testZeroExceedance	Pass
	page_06_risk_assessment_part1.py::test	testGenerateRiskAssessmentPageBasic	Pass
	page_06_risk_assessment_part1.py::test	testGenerateRiskAssessmentPageBuilder	Pass
	page_06_risk_assessment_part1.py::test	testGenerateRiskAssessmentPageBasic	Pass
	page_06_risk_assessment_part1.py::test	testExceedanceHighLabel	Pass
	page_06_risk_assessment_part1.py::test	testHistoricalHighLevel	Pass
	page_06_risk_assessment_part1.py::test	testRiskScoreBranches	Pass
	page_06_risk_assessment_part1.py::test	testRiskScoreBranches	Pass
	page_06_risk_assessment_part1.py::test	testRiskScoreBranchLabel	Pass
	page_06_risk_assessment_part1.py::test	testRiskScoreBranchesFormatted	Pass
	page_06_risk_assessment_part1.py::test	testRiskScoreBranchLabel	Pass
	page_06_risk_assessment_part2.py::test	testGetCaptionHandlingKey	Pass
	page_06_risk_assessment_part2.py::test	testHandleCaptionHandlingDataReturnsErrorElement	Pass
	page_06_risk_assessment_part2.py::test	testLastDateOfDingGracefullySkipped	Pass
	page_06_risk_assessment_part2.py::test	testModelForecastDontActivity	Pass
	page_06_risk_assessment_part2.py::test	testForecastDontActivity	Pass
	page_06_risk_assessment_part2.py::test	testForecastDontActivityWithin1Year	Pass
	page_06_risk_assessment_part2.py::test	testThresholdAnalysisExceedsSevereByLessThan1m	Pass
	page_06_risk_assessment_part2.py::test	testThresholdAnalysisExceedsSevereByMoreThan1m	Pass
	page_06_risk_assessment_part2.py::test	testThresholdAnalysisWithinSevere	Pass
	page_06_risk_assessment_part2.py::test	testThresholdAnalysisRange	Pass
	page_06_risk_assessment_part2.py::test	testThresholdAnalysis	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status		
page_06_risk_assessment_part2.py::TestTideAlertAnchors		testTideAlertAnchors	Pass		
		testTideseriesAlertStatus	Pass		
		testTidalSeriesAlertStatus	Pass		
		testTideseriesAlertStatus	Pass		
		testTimeseriesAlertWithInoulevel	Pass		
		testTimeseriesAlertWithInouseadings	Pass		
		testTimingAlertStatus	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageConclusion	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageNotCrash	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageSignificance	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageSignificance	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageExceedancesConclusion	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageSignificance	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageSummarySection	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageSigning	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPagePresent	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageMissing	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPagePresent	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPage	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPage	Pass		
page_07_data_summary.py::TestGenerateDataSummaryPageSevereSignificance		testGenerateDataSummaryPageSevereSignificance	Fail		
		testGenerateDataSummaryPageSignificance	Pass		
		testGenerateDataSummaryPageSummarySection	Pass		
		testGenerateDataSummaryPageSigning	Pass		
		testGenerateDataSummaryPagePresent	Pass		
		testGenerateDataSummaryPageMissing	Pass		
		testGenerateDataSummaryPagePresent	Pass		
		testGenerateDataSummaryPage	Pass		
		testGenerateDataSummaryPage	Pass		
		testGenerateDataSummaryPageSevereSignificance	Fail		
		testGenerateDataSummaryPageSignificance	Pass		
		testGenerateDataSummaryPageSummarySection	Pass		
		testGenerateDataSummaryPageSigning	Pass		
		testGenerateDataSummaryPagePresent	Pass		
		testGenerateDataSummaryPageMissing	Pass		
		testGenerateDataSummaryPagePresent	Pass		
		testGenerateDataSummaryPage	Pass		
		testGenerateDataSummaryPage	Pass		
		page_07_data_summary.py::TestGenerateDataSummaryPageSevereSignificance		testGenerateDataSummaryPageSevereSignificance	Fail
				testGenerateDataSummaryPageSignificance	Pass
testGenerateDataSummaryPageSummarySection	Pass				
testGenerateDataSummaryPageSigning	Pass				
testGenerateDataSummaryPagePresent	Pass				
testGenerateDataSummaryPageMissing	Pass				
testGenerateDataSummaryPagePresent	Pass				
testGenerateDataSummaryPage	Pass				
testGenerateDataSummaryPage	Pass				
testGenerateDataSummaryPageSevereSignificance	Fail				
testGenerateDataSummaryPageSignificance	Pass				
testGenerateDataSummaryPageSummarySection	Pass				
testGenerateDataSummaryPageSigning	Pass				
testGenerateDataSummaryPagePresent	Pass				
testGenerateDataSummaryPageMissing	Pass				
testGenerateDataSummaryPagePresent	Pass				
testGenerateDataSummaryPage	Pass				
testGenerateDataSummaryPage	Pass				
page_08_flood_history.py::TestGenerateFloodHistoryPageNoDatesFallback				testGenerateFloodHistoryPageNoDatesFallback	Pass
				testGenerateFloodHistoryPageThresholds	Pass
		testGenerateFloodHistoryPageResponsesShowsMessage	Pass		
		testGenerateFloodHistoryPageDataShowsNoDataMessage	Pass		
		testGenerateFloodHistoryPageNoExceedances	Pass		
		testGenerateFloodHistoryPageWithExceedances	Pass		
		testGenerateFloodHistoryPage	Pass		
		testGenerateFloodHistoryPage	Fail		
		testGenerateFloodHistoryPageResponsesIncludesTable	Pass		
		testGenerateFloodHistoryPageSeverityClassification	Pass		

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_08_flood_history.py::TestGauge	testFloorHistoryPageable.top.10	Pass
	page_09_hazard_curves.py::TestGauge	testEmptyCurvesPeriod.levels.no.extra.table	Pass
	page_09_hazard_curves.py::TestGauge	testHazardCurvesPageshows.fallback	Pass
	page_09_hazard_curves.py::TestGauge	testHazardCurvesPage	Pass
	page_09_hazard_curves.py::TestGauge	testHazardCurvesPage.basic	Pass
	page_09_hazard_curves.py::TestGauge	testHazardCurvesPeriod.levels.render.table	Pass
	page_10_prs_pricing.py::TestGauge	testPRSPricingPagecurve.shows.fallback	Pass
	page_10_prs_pricing.py::TestGauge	testPRSPricingPage	Pass
	page_10_prs_pricing.py::TestGauge	testPRSPricingPagezero.rates.render.spreads	Pass
	page_10_prs_pricing.py::TestGauge	testPRSPricingPagezero.rates.render.na	Pass
	page_11_current_risk.py::TestGauge	testEmptyRiskPage	Pass
	page_11_current_risk.py::TestGauge	testCurrentRiskPage.data.shows.fallback	Pass
	page_11_current_risk.py::TestGauge	testCurrentRiskPage	Pass
	page_11_current_risk.py::TestGauge	testCurrentRiskPage.sections.includes.content	Skip
	page_11_current_risk.py::TestGauge	testCurrentRiskPage.sections.returns.elements	Skip
	page_12_trading_part1.py::TestBuild	testBlotterSection.returns.message	Pass
	page_12_trading_part1.py::TestBuild	testBlotterSection.trade.direction	Pass
	page_12_trading_part1.py::TestBuild	testBlotterSection.capitalized	Pass
	page_12_trading_part1.py::TestBuild	testBlotterSection.returns.table	Pass
	page_12_trading_part1.py::TestBuild	testBlotterSection.shows.count	Pass
	page_12_trading_part1.py::TestBuild	testMarketMakerSection.returns.message	Pass
	page_12_trading_part1.py::TestBuild	testMarketMakerSection.none.rates	Pass
	page_12_trading_part1.py::TestBuild	testMarketMakerSection.returns.extra.table	Pass
	page_12_trading_part1.py::TestBuild	testMarketMakerSection.returns.table	Pass
	page_12_trading_part1.py::TestTest	testBoth.missing.returns.na	Pass
	page_12_trading_part1.py::TestTest	testFive.year.tenor	Pass
	page_12_trading_part1.py::TestTest	testInvalid.date.format.returns.na	Pass
	page_12_trading_part1.py::TestTest	testMissing.end.returns.na	Pass
	page_12_trading_part1.py::TestTest	testMissing.start.returns.na	Pass
	page_12_trading_part1.py::TestTest	testInvalid.dates.returns.years	Pass
	page_12_trading_part1.py::TestGauge	testAndEgauge.id.key.returns.message	Pass
	page_12_trading_part1.py::TestGauge	testAndEgauge.id	Pass
	page_12_trading_part1.py::TestGauge	testAndEgauge.id.returns.trading.header	Pass
	page_12_trading_part2.py::TestLoad	testGauge.Reports.dir.raises.fallback	Pass
	page_12_trading_part2.py::TestLoad	testGauge.Trade.not.exist.returns.empty	Pass
	page_12_trading_part2.py::TestLoad	testGauge.Matching.gauge.id.appended	Pass
	page_12_trading_part2.py::TestLoad	testGauge.Matching.gauge.skipped	Pass
	page_12_trading_part2.py::TestLoad	testMarketState.exception.returns.empty	Pass
	test_base_page_format.py::TestFormat	testCoordinate.coordinate.six.decimals	Pass
	test_base_page_format.py::TestFormat	testCoordinate.coordinate	Pass
	test_base_page_format.py::TestFormat	testNone.delegates.to.format.value	Pass
	test_base_page_format.py::TestFormat	testHidden.replacements	Pass
	test_base_page_format.py::TestFormat	testFieldName.split	Pass
	test_base_page_format.py::TestFormat	testFor.numeric.delegates	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_base_page_format.py::TestFormatPositive	testPositive returns times	Pass
	test_base_page_format.py::TestFormatEmpty	testEmpty returns never	Pass
	test_base_page_format.py::TestFormatInteger	testInteger value	Pass
	test_base_page_format.py::TestFormatNonnumeric	testNonnumeric delegates to format_value	Pass
	test_base_page_format.py::TestFormatMetricValueWithCustomUnit	testMetricValueWithCustomUnit	Pass
	test_base_page_format.py::TestFormatMetricValueWithDefaultUnit	testMetricValueWithDefaultUnit	Pass
	test_base_page_format.py::TestFormatEmptyString	testEmptyString returns not_specified	Pass
	test_base_page_format.py::TestFormatFalse	testFalse returns no	Pass
	test_base_page_format.py::TestFormatFloat	testFloat whole number strips decimal	Pass
	test_base_page_format.py::TestFormatFloatWithDecimals	testFloatWithDecimals formatted	Pass
	test_base_page_format.py::TestFormatIntegerReturnsStr	testInteger returns str	Pass
	test_base_page_format.py::TestFormatNone	testNone returns not_specified	Pass
	test_base_page_format.py::TestFormatNormalString	testNormalString returned	Pass
	test_base_page_format.py::TestFormatValue	testValue returns yes	Pass
	test_current_risk.py::TestCurrentRiskEmptyFileObserverEdgeCases	testEmptyFileObserverEdgeCases key	Pass
	test_current_risk.py::TestCurrentRiskEmptyFileObserverEdgeCases	testEmptyFileObserverEdgeCases	Pass
	test_current_risk.py::TestCurrentRiskGenerateElements	testGenerateElements returns Elements	Pass
	test_current_risk.py::TestCurrentRiskGenerateElementsHistoricalLoop	testGenerateElementsHistoricalLoop	Pass
	test_current_risk.py::TestCurrentRiskGenerateElementsFlagStates	testGenerateElementsFlagStates	Pass
	test_current_risk.py::TestCurrentRiskGenerateElementsEdgeCasesAllLevels	testGenerateElementsEdgeCasesAllLevels	Pass
	test_current_risk.py::TestCurrentRiskGenerateElementsEdgeCases	testGenerateElementsEdgeCases	Pass
	test_current_risk.py::TestCurrentRiskGenerateElementsEdgeCases	testGenerateElementsEdgeCases	Pass
	test_flood_history.py::TestBuildPredictedFloodClassification	testPredictedFloodClassification	Pass
	test_flood_history.py::TestBuildPredictedFloodDateInExceedanceSkipped	testPredictedFloodDateInExceedanceSkipped	Pass
	test_flood_history.py::TestBuildPredictedFloodDayEventUpdatesPeak	testPredictedFloodDayEventUpdatesPeak	Pass
	test_flood_history.py::TestBuildPredictedFloodRangeDateFormat	testPredictedFloodRangeDateFormat	Pass
	test_flood_history.py::TestBuildPredictedFloodEventsReturnsMessage	testPredictedFloodEventsReturnsMessage	Pass
	test_flood_history.py::TestBuildPredictedFloodsClassification	testPredictedFloodsClassification	Pass
	test_flood_history.py::TestBuildPredictedFloodDayEventDateFormat	testPredictedFloodDayEventDateFormat	Pass
	test_flood_history.py::TestBuildPredictedFloodSeparateEvents	testPredictedFloodSeparateEvents	Pass
	test_flood_history.py::TestBuildPredictedFloodsClassification	testPredictedFloodsClassification	Pass
	test_gauge_generator_extras.py::TestAutoOpenCalled	testAutoOpenCalled	Pass
	test_gauge_generator_extras.py::TestAutoOpenFalseDoesNotRaise	testAutoOpenFalseDoesNotRaise	Pass
	test_gauge_generator_extras.py::TestAutoOpenSuccess	testAutoOpenSuccess	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListFloodGaugesList	testFindGaugesByListFloodGaugesList	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListFloodGaugesKey	testFindGaugesByListFloodGaugesKey	Pass
	test_gauge_generator_extras.py::TestFindGaugesByList	testFindGaugesByList	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListGaugeObject	testFindGaugesByListGaugeObject	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListRaisesValueError	testFindGaugesByListRaisesValueError	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListRaisesValueError	testFindGaugesByListRaisesValueError	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListRaisesValueError	testFindGaugesByListRaisesValueError	Pass
	test_gauge_generator_extras.py::TestFindGaugesByListRaisesValueError	testFindGaugesByListRaisesValueError	Pass
	test_generator_direct.py::TestFindGaugesByListGaugesKeyFound	testFindGaugesByListGaugesKeyFound	Pass
	test_generator_direct.py::TestFindGaugesByListDictStructureRaises	testFindGaugesByListDictStructureRaises	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_generator_direct.py::TestFindGaugeById	test_generator_direct.py::TestFindGaugeById.type.raises	Pass
	test_generator_direct.py::TestFindGaugeByInput	test_generator_direct.py::TestFindGaugeByInput.found	Pass
	test_generator_direct.py::TestFindGaugeById	test_generator_direct.py::TestFindGaugeById.found_gauge_entry_skipped	Pass
	test_generator_direct.py::TestFindGaugeByInput	test_generator_direct.py::TestFindGaugeByInput.found.raises.value.error	Pass
	test_generator_direct.py::TestFindGaugeById	test_generator_direct.py::TestFindGaugeById.gauge_dict_returns_self	Pass
	test_generator_direct.py::TestGenerateReportDirect	test_generator_direct.py::TestGenerateReportDirect.report_direct	Pass
	test_generator_direct.py::TestGenerateReportFnAnalysis	test_generator_direct.py::TestGenerateReportFnAnalysis.report_fn_analysis	Pass
	test_generator_direct.py::TestGenerateReportFnAutoOpen	test_generator_direct.py::TestGenerateReportFnAutoOpen.report_fn_auto_open	True
	test_generator_direct.py::TestGenerateReportFnBasic	test_generator_direct.py::TestGenerateReportFnBasic.report_fn_basic	Pass
	test_generator_direct.py::TestGenerateReportFnFallback	test_generator_direct.py::TestGenerateReportFnFallback.report_fn_fallback	Pass
	test_generator_direct.py::TestGenerateReportFnMonitoring	test_generator_direct.py::TestGenerateReportFnMonitoring.report_fn_monitoring	Pass
	test_generator_direct.py::TestGenerateReportNoPagesUsesAutoSelect	test_generator_direct.py::TestGenerateReportNoPagesUsesAutoSelect.no_pages_uses_auto_select	Select
	test_generator_direct.py::TestGenerateReportReturnsFalse	test_generator_direct.py::TestGenerateReportReturnsFalse.no_analysis.data	Pass
	test_generator_direct.py::TestGenerateReportWithHazard	test_generator_direct.py::TestGenerateReportWithHazard.with_hazard	Pass
	test_generator_direct.py::TestGenerateReportWithReport	test_generator_direct.py::TestGenerateReportWithReport.generate_report	Pass
	test_generator_direct.py::TestGenerateReportWithExceptionContinues	test_generator_direct.py::TestGenerateReportWithExceptionContinues.generate_report.exception_continues	Pass
	test_generator_direct.py::TestGenerateReportWithUnknownPage	test_generator_direct.py::TestGenerateReportWithUnknownPage.generate_report.skips_unknown_page	Pass
	test_generator_direct.py::TestGenerateReportWithNoGaugeId	test_generator_direct.py::TestGenerateReportWithNoGaugeId.generate_report.no_gauge_id	Pass
	test_generator_direct.py::TestGenerateReportWithGaugeId	test_generator_direct.py::TestGenerateReportWithGaugeId.generate_report.with_gauge_id	Pass
	test_generator_direct.py::TestGenerateReportMonitoringReport	test_generator_direct.py::TestGenerateReportMonitoringReport.generate_report.monitoring_report	Pass
	test_generator_direct.py::TestGenerateReportPages	test_generator_direct.py::TestGenerateReportPages.generate_report.pages	Pass
	test_generator_direct.py::TestGenerateReportAvailablePages	test_generator_direct.py::TestGenerateReportAvailablePages.generate_report.available_pages	Pass
	test_generator_direct.py::TestGenerateReportDirDoesConfig	test_generator_direct.py::TestGenerateReportDirDoesConfig.generate_report.dir_does_config	Pass
	test_generator_direct.py::TestGenerateReportPagesInvalid	test_generator_direct.py::TestGenerateReportPagesInvalid.generate_report.pages_invalid	Pass
	test_generator_direct.py::TestGenerateReportPagesWithInvalid	test_generator_direct.py::TestGenerateReportPagesWithInvalid.generate_report.pages_with_invalid	Pass
	test_integrator.py::TestGenerateReportForKeyStructureWorks	test_integrator.py::TestGenerateReportForKeyStructureWorks.generate_report_for_key_structure_works	Pass
	test_integrator.py::TestGenerateReportForGaugeReturnsPath	test_integrator.py::TestGenerateReportForGaugeReturnsPath.generate_report_for_gauge_returns_path	Pass
	test_integrator.py::TestGenerateReportForGaugeNotFoundReturnsNone	test_integrator.py::TestGenerateReportForGaugeNotFoundReturnsNone.generate_report_for_gauge_not_found_returns_none	Pass
	test_integrator.py::TestGenerateReportForGaugeFileReturnsNone	test_integrator.py::TestGenerateReportForGaugeFileReturnsNone.generate_report_for_gauge_file_returns_none	Pass
	test_integrator.py::TestGenerateReportForGaugeContainsGaugeId	test_integrator.py::TestGenerateReportForGaugeContainsGaugeId.generate_report_for_gauge_contains_gauge_id	Pass
	test_integrator.py::TestGenerateReportForGaugeDirCreated	test_integrator.py::TestGenerateReportForGaugeDirCreated.generate_report_for_gauge_dir_created	Pass
	test_integrator.py::TestGenerateReportForGaugeFileCreated	test_integrator.py::TestGenerateReportForGaugeFileCreated.generate_report_for_gauge_file_created	Pass
	test_integrator.py::TestGetAvailableGaugesUsingFileReturnsEmptyList	test_integrator.py::TestGetAvailableGaugesUsingFileReturnsEmptyList.get_available_gauges_using_file_returns_empty_list	Pass
	test_integrator.py::TestGetAvailableGaugesReturnsAllIds	test_integrator.py::TestGetAvailableGaugesReturnsAllIds.get_available_gauges_returns_all_ids	Pass
	test_integrator.py::TestGetAvailableGaugesReturnsCorrectId	test_integrator.py::TestGetAvailableGaugesReturnsCorrectId.get_available_gauges_returns_correct_id	Pass
	test_integrator.py::TestGetAvailableGaugesReturnsList	test_integrator.py::TestGetAvailableGaugesReturnsList.get_available_gauges_returns_list	Pass
	test_integrator.py::TestValidateGaugeExistsKeyStructure	test_integrator.py::TestValidateGaugeExistsKeyStructure.validate_gauge_exists_key_structure	Pass
	test_integrator.py::TestValidateGaugeExistsGaugeReturnsTrue	test_integrator.py::TestValidateGaugeExistsGaugeReturnsTrue.validate_gauge_exists_gauge_returns_true	Pass
	test_integrator.py::TestValidateGaugeExistsFileReturnsFalse	test_integrator.py::TestValidateGaugeExistsFileReturnsFalse.validate_gauge_exists_file_returns_false	Pass
	test_integrator.py::TestValidateGaugeExistsGaugeReturnsFalse	test_integrator.py::TestValidateGaugeExistsGaugeReturnsFalse.validate_gauge_exists_gauge_returns_false	Pass
	test_integrator_exception.py::TestGenerateReportForGaugeException	test_integrator_exception.py::TestGenerateReportForGaugeException.generate_report_for_gauge_exception	Pass
	test_integrator_exception.py::TestGenerateReportForGaugeFileException	test_integrator_exception.py::TestGenerateReportForGaugeFileException.generate_report_for_gauge_file_exception	Pass
	test_integrator_exception.py::TestGetAvailableGaugesException	test_integrator_exception.py::TestGetAvailableGaugesException.get_available_gauges_exception	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_pdf_starts_with_pdf_header	Pass
	gauge_pdf.py::TestGaugePdfGenerator	test_gauge_report_with_minimal_data	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_report_generator_initialises	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_report_available_pages	Pass
	gauge_pdf.py::TestGaugeReportGenerator	test_report_validate_pages	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_full_report_property_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_mortgage_focused_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_dir_created_if_missing	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_filename_contains_property_id	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_has_reasonable_size	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_starts_with_pdf_header	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_only_report_generates_pdf	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_report_with_minimal_property_data	Pass
	property_pdf.py::TestPropertyPdfGenerator	test_risk_focused_report_generates_pdf	Pass
	property_pdf.py::TestPropertyReportGenerator	test_report_select_pages_with_mortgage	Pass
	property_pdf.py::TestPropertyReportGenerator	test_report_select_pages_without_mortgage	Pass
	property_pdf.py::TestPropertyReportGenerator	test_report_generator_initialises	Pass
	property_pdf.py::TestPropertyReportGenerator	test_report_available_pages	Pass
	property_pdf.py::TestPropertyReportGenerator	test_report_validate_pages_valid	Pass
	server_flow.py::TestServerReportTest	test_gauge_report_via_route_function	Pass
	server_flow.py::TestServerReportTest	test_gauge_report_with_real_data	Pass
	server_flow.py::TestServerReportTest	test_property_report_via_route_function	Pass
	server_flow.py::TestServerReportTest	test_property_report_with_real_data	Pass
	test_data_loader_mixin.py::TestLoader	test_all_classifier_count	Pass
	test_data_loader_mixin.py::TestLoader	test_all_od_count_defaults_zero_on_import	Error
	test_data_loader_mixin.py::TestLoader	test_all_gaugehd_baselines_loaded	Pass
	test_data_loader_mixin.py::TestLoader	test_all_gaugehd_count	Pass
	test_data_loader_mixin.py::TestLoader	test_all_gaugets_count	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_counterparties	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_gaugehc	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_gauges	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_mortgages	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_properties	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_propertyhc	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_seq_summary	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_stress_storms_index	Pass
	test_data_loader_mixin.py::TestLoader	test_all_loads_stress_storms_legacy_fallback	Pass
	test_data_loader_mixin.py::TestLoader	test_all_missing_files_return_empty	Pass
	test_data_loader_mixin.py::TestLoader	test_all_propertyts_count	Pass
	test_data_loader_mixin.py::TestLoader	test_all_stress_storms_empty_when_neither_exists	Pass
	test_data_loader_mixin.py::TestLoader	test_all_trade_count_defaults_zero_on_import	Error
	test_data_loader_mixin.py::TestLoader	test_all_training_summary	Pass
	test_data_loader_mixin.py::TestLoader	test_gaugeshd_baselines_mean	Pass
	test_data_loader_mixin.py::TestLoader	test_gaugeshd_baselines_mean	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_data_loader_mixin.py::TestLoadChargedBaselines	test_load_charged_baselines_monthly_means	Pass
	test_data_loader_mixin.py::TestLoadGaugesBaselines	test_load_gauges_baselines	Pass
	test_data_loader_mixin.py::TestLoadRegulrBaselines	test_load_regulr_baselines_for_nonexistent_dir	Pass
	test_data_loader_mixin.py::TestLoadGaugesBaselines	test_load_gauges_baselines_without_mean_level	Pass
	test_data_loader_mixin.py::TestLoadGaugesBaselines	test_load_gauges_baselines_files	Pass
	test_data_loader_primitives.py::TestCoreDir	test_core_dir_matching_files	Pass
	test_data_loader_primitives.py::TestCoreDir	test_core_dir_directory	Pass
	test_data_loader_primitives.py::TestCoreDir	test_core_dir_zero_for_no_matches	Pass
	test_data_loader_primitives.py::TestCoreDir	test_core_dir_zero_for_none_dir	Pass
	test_data_loader_primitives.py::TestCoreDir	test_core_dir_zero_for_nonexistent_dir	Pass
	test_data_loader_primitives.py::TestLoadads	test_loadads_list_json	Pass
	test_data_loader_primitives.py::TestLoadads	test_loadads_nested_json	Pass
	test_data_loader_primitives.py::TestLoadads	test_loadads_valid_json	Pass
	test_data_loader_primitives.py::TestLoad	test_load_returns_empty_dict_for_directory	Pass
	test_data_loader_primitives.py::TestLoad	test_load_returns_empty_dict_for_invalid_json	Pass
	test_data_loader_primitives.py::TestLoad	test_load_returns_empty_dict_for_missing_file	Pass
	test_generator_part1.py::TestGenerate	test_generate_catchment_name_from_input_dir	Pass
	test_generator_part1.py::TestGenerate	test_generate_with_empty_data	Pass
	test_generator_part1.py::TestGenerate	test_generate_with_minimal_data	Pass
	test_generator_part1.py::TestGenerate	test_generate_output_path_creates_parent_dirs	Pass
	test_generator_part1.py::TestGenerate	test_generate_pdf_has_multiple_pages	Pass
	test_generator_part1.py::TestGenerate	test_generate_pdf_starts_with_magic_bytes	Pass
	test_generator_part1.py::TestGenerate	test_generate_produces_pdf_file	Pass
	test_generator_part1.py::TestGenerate	test_generate_returns_path	Pass
	test_generator_part1.py::TestInit	test_init_test_input_dir_accepts_string	Pass
	test_generator_part1.py::TestInit	test_init_test_input_dir_set	Pass
	test_generator_part1.py::TestInit	test_init_test_output_path_explicit	Pass
	test_generator_part1.py::TestInit	test_init_test_styles_initialised	Pass
	test_generator_part2.py::TestEdges	test_edges_gauge_with_dash_values	Pass
	test_generator_part2.py::TestEdges	test_edges_mortgage_with_none_fields	Pass
	test_generator_part2.py::TestEdges	test_edges_property_with_none_value	Pass
	test_generator_part2.py::TestMixins	test_mixin_has_no_table	Pass
	test_generator_part2.py::TestMixins	test_mixin_has_no_load_all	Pass
	test_generator_part2.py::TestMixins	test_mixin_has_no_make_table	Pass
	test_generator_part2.py::TestMixins	test_mixin_has_no_section_methods	Pass
	test_generator_part2.py::TestMixins	test_mixin_has_no_load_all_and_sections_compatible	Pass
	test_sections_gauges.py::TestSections	test_sections_heading	Pass
	test_sections_gauges.py::TestSections	test_sections_no_baselines_message	Pass
	test_sections_gauges.py::TestSections	test_sections_no_data_computed	Pass
	test_sections_gauges.py::TestSections	test_sections_returns_list	Pass
	test_sections_gauges.py::TestSections	test_sections_no_sectional_averages	Pass
	test_sections_gauges.py::TestSections	test_sections_no_table_when_baselines	Pass
	test_sections_gauges.py::TestSections	test_sections_no_gauges_message	Pass
	test_sections_gauges.py::TestSections	test_sections_multiple_gauges	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_styles.py::TestColourConstants	test_light_amber	Pass
	test_styles.py::TestColourConstants	test_light_blue	Pass
	test_styles.py::TestColourConstants	test_light_green	Pass
	test_styles.py::TestColourConstants	test_light_red	Pass
	test_styles.py::TestKvTable	test_custom_label_width	Pass
	test_styles.py::TestKvTable	test_default_label_width	Pass
	test_styles.py::TestKvTable	test_multiple_pairs	Pass
	test_styles.py::TestKvTable	test_returns_table	Pass
	test_styles.py::TestKvTable	test_value_converted_to_string	Pass
	test_styles.py::TestMakeTable	test_col_widths_propagated	Pass
	test_styles.py::TestMakeTable	test_custom_alt_color	Pass
	test_styles.py::TestMakeTable	test_default_alt_color_is_blue	Pass
	test_styles.py::TestMakeTable	test_empty_rows	Pass
	test_styles.py::TestMakeTable	test_repeat_rows_set	Pass
	test_styles.py::TestMakeTable	test_returns_table	Pass
	test_styles.py::TestMakeTable	test_table_has_correct_row_count	Pass
	test_styles.py::TestSetupStyles	test_body_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_kv_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_kv_style_left_indent	Pass
	test_styles.py::TestSetupStyles	test_section_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_section_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_subsection_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_subsection_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_subtitle_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_subtitle_style_text_color	Pass
	test_styles.py::TestSetupStyles	test_title_style_font_name	Pass
	test_styles.py::TestSetupStyles	test_title_style_font_size	Pass
	test_styles.py::TestSetupStyles	test_title_style_text_color	Pass
	test_styles.py::TestTableStyleConstants	test_alt_rows_amber	Pass
	test_styles.py::TestTableStyleConstants	test_alt_rows_blue	Pass
	test_styles.py::TestTableStyleConstants	test_alt_rows_green	Pass
	test_styles.py::TestTableStyleConstants	test_hdr_style_first_command_is_background	Pass
	test_styles.py::TestTableStyleConstants	test_hdr_style_has_grid	Pass
	test_styles.py::TestTableStyleConstants	test_hdr_style_is_list	Pass
	analysis.py::TestSinglePropertyAnalysis	test_find_nearest_gauge	Pass
	analysis.py::TestSinglePropertyAnalysis	test_full_analysis_high_risk_property	Pass
	analysis.py::TestSinglePropertyAnalysis	test_full_analysis_low_risk_property	Pass
	analysis.py::TestSinglePropertyAnalysis	test_load_gauge_data	Pass
	analysis.py::TestSinglePropertyAnalysis	test_load_property_data	Pass
	calculations.py::TestDamageRatio	test_commercial_higher_damage	Pass
	calculations.py::TestDamageRatio	test_damage_capped	Pass
	calculations.py::TestDamageRatio	test_damage_increases_with_depth	Pass
	calculations.py::TestDamageRatio	test_no_damage_no_flood	Pass
	calculations.py::TestDistanceCalculation	test_haversine_known_distance	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	calculations.py::TestDistanceCalculation	test_haversine_same_point	Pass
	calculations.py::TestDistanceCalculation	test_haversine_teddington_to_richmond	Pass
	calculations.py::TestFloodDepthCalculation	test_flood_above_trigger	Pass
	calculations.py::TestFloodDepthCalculation	test_flood_attenuates_with_distance	Pass
	calculations.py::TestFloodDepthCalculation	test_high_elevation_no_flood	Pass
	calculations.py::TestFloodDepthCalculation	test_low_flood_below_trigger	Pass
	calculations.py::TestRiskClassification	test_high_risk	Pass
	calculations.py::TestRiskClassification	test_low_risk	Pass
	calculations.py::TestRiskClassification	test_medium_risk	Pass
	calculations.py::TestRiskClassification	test_minimal_risk	Pass
	formatters.py::TestConstants	test_margin_positive	Pass
	formatters.py::TestConstants	test_page_dimensions	Pass
	formatters.py::TestFmtGbp	test_large_value	Pass
	formatters.py::TestFmtGbp	test_negative	Pass
	formatters.py::TestFmtGbp	test_non_numeric_fallback	Pass
	formatters.py::TestFmtGbp	test_none_fallback	Pass
	formatters.py::TestFmtGbp	test_positive_float	Pass
	formatters.py::TestFmtGbp	test_zero	Pass
	formatters.py::TestLayouts	test_body_style_alignment	Pass
	formatters.py::TestLayouts	test_body_style_bold	Pass
	formatters.py::TestLayouts	test_body_style_default	Pass
	formatters.py::TestLayouts	test_build_header_footer_callable	Pass
	formatters.py::TestLayouts	test_white_hdr_style_returns_paragraph_style	Pass
	formatters.py::TestSeqTypeColor	test_case_insensitive	Pass
	formatters.py::TestSeqTypeColor	test_cluster	Pass
	formatters.py::TestSeqTypeColor	test_doublet	Pass
	formatters.py::TestSeqTypeColor	test_isolated	Pass
	formatters.py::TestSeqTypeColor	test_none_returns_white	Pass
	formatters.py::TestSeqTypeColor	test_persistent	Pass
	formatters.py::TestSeqTypeColor	test_unknown_returns_white	Pass
	formatters.py::TestSetupStyles	test_required_keys	Pass
	formatters.py::TestSetupStyles	test_returns_stylesheet	Pass
	formatters.py::TestSetupStyles	test_styles_are_paragraph_styles	Pass
	generator.py::TestClaimReportGenerator	test_claim_ref_contains_prop_id_suffix	Pass
	generator.py::TestClaimReportGenerator	test_generate_empty_sequence_lookup	Pass
	generator.py::TestClaimReportGenerator	test_generate_returns_bytes	Pass
	generator.py::TestClaimReportGenerator	test_generate_without_mortgage	Pass
	generator.py::TestClaimReportGenerator	test_minimal_prop_data	Pass
	generator.py::TestClaimReportGenerator	test_output_is_valid_pdf	Pass
	generator.py::TestClaimReportGenerator	test_pdf_size_reasonable	Pass
	generator.py::TestCompatShim	test_shim_class_is_same	Pass
	generator.py::TestCompatShim	test_shim_imports_generator	Pass
	generator.py::TestPublicAPI	test_all_exports	Pass
	generator.py::TestPublicAPI	test_import_from_package	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	pages1.3.py::TestPage1Cover	test_contains_claim_ref_paragraph	Pass
	pages1.3.py::TestPage1Cover	test_no_flood_events_still_renders	Pass
	pages1.3.py::TestPage1Cover	test_non_float_coordinates	Pass
	pages1.3.py::TestPage1Cover	test_returns_list	Pass
	pages1.3.py::TestPage1Cover	test_stats_reflect_events	Pass
	pages1.3.py::TestPage1Cover	test_without_mortgage	Pass
	pages1.3.py::TestPage2Chronology	test_events_with_no_sequence_id	Pass
	pages1.3.py::TestPage2Chronology	test_no_flood_events	Pass
	pages1.3.py::TestPage2Chronology	test_returns_list	Pass
	pages1.3.py::TestPage2Chronology	test_stats_bar_present	Pass
	pages1.3.py::TestPage2Chronology	test_table_included	Pass
	pages1.3.py::TestPage2Chronology	test_unknown_sequence_id_handled	Pass
	pages1.3.py::TestPage3Damage	test_contains_tables	Pass
	pages1.3.py::TestPage3Damage	test_high_damage_rows_highlighted	Pass
	pages1.3.py::TestPage3Damage	test_multiple_sequences_grouped	Pass
	pages1.3.py::TestPage3Damage	test_no_flood_events	Pass
	pages1.3.py::TestPage3Damage	test_returns_list	Pass
	pages1.3.py::TestPage3Damage	test_zero_property_value	Pass
	pages4.5.py::TestPage4Mortgage	test_contains_tables	Pass
	pages4.5.py::TestPage4Mortgage	test_negative_equity_highlights_row	Pass
	pages4.5.py::TestPage4Mortgage	test_no_flood_events_with_mortgage	Pass
	pages4.5.py::TestPage4Mortgage	test_with_mortgage	Pass
	pages4.5.py::TestPage4Mortgage	test_without_mortgage	Pass
	pages4.5.py::TestPage5Determination	test_contains_reference_table	Pass
	pages4.5.py::TestPage5Determination	test_damage_calculation	Pass
	pages4.5.py::TestPage5Determination	test_negative_equity_flag	Pass
	pages4.5.py::TestPage5Determination	test_returns_list	Pass
	pages4.5.py::TestPage5Determination	test_signature_block_present	Pass
	pages4.5.py::TestPage5Determination	test_without_mortgage	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_build_page_calculated	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_empty_property_does_not_crash	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_get_property_id_missing_nested_key	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_get_property_id_present	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_has_title	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_has_title_paragraph	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_properly_id_in_output	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_properly_overview_section_header	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_properly_summary_section_header	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_returns_list	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_unknown_property_id_fallback	Pass
	page_01_title_overview.py::TestTitleOverviewPage	test_with_no_page_data_does_not_crash	Pass
	page_02_location.py::TestLocationPage	test_address_subsection_header	Pass
	page_02_location.py::TestLocationPage	test_administrative_subsection_header	Pass
	page_02_location.py::TestLocationPage	test_area_classification_subsection_header	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_02_location.py::TestLocation	test_density_high	Pass
	page_02_location.py::TestLocation	test_density_low	Pass
	page_02_location.py::TestLocation	test_density_low_medium	Pass
	page_02_location.py::TestLocation	test_density_medium	Pass
	page_02_location.py::TestLocation	test_density_very_high	Pass
	page_02_location.py::TestLocation	test_empty_property_does_not_crash	Pass
	page_02_location.py::TestLocation	test_geographic_subsection_header	Pass
	page_02_location.py::TestLocation	test_has_section_header	Pass
	page_02_location.py::TestLocation	test_has_tables	Pass
	page_02_location.py::TestLocation	test_no_coordinates_skips_geo_rows	Pass
	page_02_location.py::TestLocation	test_returns_list	Pass
	page_02_location.py::TestLocation	test_with_mortgage_data_does_not_crash	Pass
	page_03_attributes.py::TestAttribute	test_age_contemporary	Pass
	page_03_attributes.py::TestAttribute	test_age_historic	Pass
	page_03_attributes.py::TestAttribute	test_age_mature	Pass
	page_03_attributes.py::TestAttribute	test_age_modern	Pass
	page_03_attributes.py::TestAttribute	test_basic_info_subsection	Pass
	page_03_attributes.py::TestAttribute	test_bidding_age_subsection	Pass
	page_03_attributes.py::TestAttribute	test_condition_fair_recommendation	Pass
	page_03_attributes.py::TestAttribute	test_condition_good_recommendation	Pass
	page_03_attributes.py::TestAttribute	test_condition_poor_recommendation	Pass
	page_03_attributes.py::TestAttribute	test_condition_unknown_falls_back	Pass
	page_03_attributes.py::TestAttribute	test_empty_property_does_not_crash	Pass
	page_03_attributes.py::TestAttribute	test_external_features_subsection	Pass
	page_03_attributes.py::TestAttribute	test_has_section_header	Pass
	page_03_attributes.py::TestAttribute	test_has_tables	Pass
	page_03_attributes.py::TestAttribute	test_age_construction_year_skips_age	Pass
	page_03_attributes.py::TestAttribute	test_physical_dimensions_subsection	Pass
	page_03_attributes.py::TestAttribute	test_returns_list	Pass
	page_03_attributes.py::TestAttribute	test_room_composition_subsection	Pass
	page_03_attributes.py::TestAttribute	test_high_mortgage_data_does_not_crash	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_empty_time_series_returns_short_list	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_name_in_title	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_gauge_name_does_not_crash	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_no_time_series_message_included	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_time_series_returns_short_list	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_returns_list	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_time_series_mixed_statuses	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_time_series_with_thresholds	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_time_series_returns_more_elements	Pass
	page_03_gauge_time_series.py::TestGaugeTimeSeries	test_time_series_table_included	Pass
	page_04_construction.py::TestConstructionPage	test_basic_year_shown	Pass
	page_04_construction.py::TestConstructionPage	test_empty_page_does_not_crash	Pass
	page_04_construction.py::TestConstructionPage	test_year_shown	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_1	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_1	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk_adds_3	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_level	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_2	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk_adds_1	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_score_level	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_level	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk_adds_2	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_level	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_1	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_message	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_2	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_keys	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_2	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk_adds_4	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_level	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_adds_3	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_500m	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_1000m	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_1000m	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_100m	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_high	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_keyword	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk	Pass
	page_05_risk_assessment.py::TestRiskScoreCalculation	TestRiskScoreCalculation_risk	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_property_does_not_crash	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_header	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_value	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_value_per_sqm	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_value	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_valuation_data	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_valuation_field_with_value_in_name	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_valuation_field_without_value_in_name	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_list	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_non_empty_list	Pass
	page_06_financial.py::TestFinancialPageBasic	TestFinancialPageBasic_per_sqm_shown_when_area_present	Pass
	page_06_financial.py::TestInvestmentRating	TestInvestmentRating_average_2_to_4pct	Pass
	page_06_financial.py::TestInvestmentRating	TestInvestmentRating_lent_over_8pct	Pass
	page_06_financial.py::TestInvestmentRating	TestInvestmentRating_4_to_6pct	Pass
	page_06_financial.py::TestInvestmentRating	TestInvestmentRating_6_to_8pct	Pass
	page_06_financial.py::TestInvestmentRating	TestInvestmentRating_under_2pct	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_06_financial.py::TestMarketSegmentAnalysis	test_under_250k	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	test_mid_half_250k_to_500k	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	test_upper_half_over_1m	Pass
	page_06_financial.py::TestMarketSegmentAnalysis	test_applicable_500k_to_1m	Pass
	page_06_financial.py::TestTransactMonthly	test_rent_and_annual_rent	Pass
	page_06_financial.py::TestTransactMonthly	test_transaction_data	Pass
	page_06_financial.py::TestTransactMonthly	test_fields_computed	Pass
	page_06_financial.py::TestTransactMonthly	test_sale_date_shown	Pass
	page_06_financial.py::TestTransactMonthly	test_sale_price_and_appreciation	Pass
	page_06_financial.py::TestTransactMonthly	test_sales_section_rendered	Pass
	page_07_protection.py::TestProtectPhyNatural	test_natural_homes_recommendation	Pass
	page_07_protection.py::TestProtectPhyNatural	test_natural_homes_section_rendered	Pass
	page_07_protection.py::TestProtectPhyNoProp	test_no_property_returns_list	Pass
	page_07_protection.py::TestProtectPhyNoProp	test_no_data_section_measures_dict_shows_fallback	Pass
	page_07_protection.py::TestProtectPhyNoProp	test_no_data_section_measures_shows_fallbacks	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_recommendations	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_returns_dict	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_measures_in_recommendations	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_natural_false	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_religible	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_missing_critical	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_section_always_rendered	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_resident_rating	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_results_listed	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_excellent_80pct	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_fair_40pct	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_good_60pct	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_mixed_20pct	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_poor_0pct	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_results_listed	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_results_listed	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_still_shown	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_shown	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_premium_shown	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_all_fields_shown	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_include_flood_re	Pass
	page_07_protection.py::TestProtectPhyProhibitFlow	test_prohibit_flow_section_rendered	Pass
	page_08_energy.py::TestEnergyPage	test_analyze_epc_rating_all_bands	Pass
	page_08_energy.py::TestEnergyPage	test_analyze_epc_rating_case_insensitive	Pass
	page_08_energy.py::TestEnergyPage	test_analyze_epc_rating_unknown	Pass
	page_08_energy.py::TestEnergyPage	test_energy_intensity_calculation	Pass
	page_08_energy.py::TestEnergyPage	test_full_data_no_crash	Pass
	page_08_energy.py::TestEnergyPage	test_no_energy_data_fallback_message	Pass
	page_08_energy.py::TestEnergyPage	test_returns_list	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_08_energy.py::TestEnergyPage	test_with_building_fabric	Pass
	page_08_energy.py::TestEnergyPage	test_with_energy_usage	Pass
	page_08_energy.py::TestEnergyPage	test_with_ratings_data	Pass
	page_08_energy.py::TestEnergyPage	test_with_ratings_includes_table	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_active_subidence	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_high_env	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_low_env	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_minor_subidence	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_moderate_env	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_moderate_flood	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_no_flood_damage	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_severe_flood	Pass
	page_09_history_part1.py::TestHistoryPage	test_historical_risks_stable_ground	Pass
	page_09_history_part1.py::TestHistoryPage	test_built_flood_history_bad_json	Pass
	page_09_history_part1.py::TestHistoryPage	test_built_flood_history_no_flood_days	Pass
	page_09_history_part1.py::TestHistoryPage	test_built_flood_history_no_hd_file	Pass
	page_09_history_part1.py::TestHistoryPage	test_built_flood_history_no_reference_gauges	Pass
	page_09_history_part1.py::TestHistoryPage	test_built_flood_history_with_flood_data	Pass
	page_09_history_part1.py::TestHistoryPage	test_empty_flood_events	Pass
	page_09_history_part1.py::TestHistoryPage	test_empty_property_does_not_crash	Pass
	page_09_history_part1.py::TestHistoryPage	test_history_header	Pass
	page_09_history_part1.py::TestHistoryPage	test_flood_history	Pass
	page_09_history_part1.py::TestHistoryPage	test_returns_list	Pass
	page_09_history_part1.py::TestHistoryPage	test_with_environmental_issues	Pass
	page_09_history_part1.py::TestHistoryPage	test_with_fire_incidents	Pass
	page_09_history_part1.py::TestHistoryPage	test_with_ground_conditions	Pass
	page_09_history_part1.py::TestHistoryPage	test_with_mortgage_data	Pass
	page_10_transactions.py::TestTransactionPage	test_class_avg_yield_average	Pass
	page_10_transactions.py::TestTransactionPage	test_class_avg_yield_below_average	Pass
	page_10_transactions.py::TestTransactionPage	test_class_avg_yield_excellent	Pass
	page_10_transactions.py::TestTransactionPage	test_class_avg_yield_good	Pass
	page_10_transactions.py::TestTransactionPage	test_class_avg_yield_poor	Pass
	page_10_transactions.py::TestTransactionPage	test_temp_page_property_does_not_crash	Pass
	page_10_transactions.py::TestTransactionPage	test_temp_page_transactions	Pass
	page_10_transactions.py::TestTransactionPage	test_class_transactions_header	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_appreciation	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_few_vacancies	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_many_vacancies	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_marketing_above_30	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_marketing_above_90	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_never_rented	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_no_vacancy	Pass
	page_10_transactions.py::TestTransactionPage	test_market_page_analysis_yield	Pass
	page_10_transactions.py::TestTransactionPage	test_class_transactions_history	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_10_transactions.py::TestTransactionsPage	test_transactions_list	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_extended_marketing	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_quick_sale	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_very_long_marketing	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_page_data	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_rental_data	Pass
	page_10_transactions.py::TestTransactionsPage	test_transactions_pages_data	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_when_default	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_when_not_default	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_does_not_crash	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_accepted	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_loan_and_purchase	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_identification_subsection	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_returns_message	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_returns_message	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page_data	Pass
	page_11_mortgage_overview.py::TestMortgageOverviewPage	test_mortgage_overview_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_field	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_subsection	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_higher_risk	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_subsection	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_of_purchase_calculation	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_risk	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_returns_message	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_returns_message	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_with_data	Pass
	page_11a_mortgage_details.py::TestMortgageDetailsPage	test_mortgage_details_page_header_present	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	test_mortgage_costs_page_subsection	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	test_mortgage_costs_page	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	test_mortgage_costs_page	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_high_burden	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_analysis	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_dict_does_not_crash	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_reduces_net_cost	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_terms_returns_message	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_data_returns_message	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_setup_subsection	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_subsection	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_with_data	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_present	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_percentage_of_loan	Pass
	page_11b_mortgage_costs.py::TestMortgageCostsPage	testMortgageCostsPage_overview_subsection	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_together	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_handled_gracefully	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_mortgage_structure	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_flag	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_purpose_false	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_purpose_true	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_returns_elements	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_reference_number	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_regulatory_flags	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_minimal_fields	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_rate_spread_formatted	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_creates_table	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_advice_rejection_reason	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_all_fields_returns_list	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_section_creates_tables	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_with_minimal_fields	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_mortgage_message	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_returns_list	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_regulatory_returns_message	Pass
	page_11c_regulatory.py::TestContentSection	testContentSection_returns_list	Pass
	page_12_current_status.py::TestContentSection	testContentSection_basics	Pass
	page_12_current_status.py::TestContentSection	testContentSection_payments_shown	Pass
	page_12_current_status.py::TestContentSection	testContentSection_page_header	Pass
	page_12_current_status.py::TestContentSection	testContentSection_page_basics	Pass
	page_12_current_status.py::TestContentSection	testContentSection_page_basics_shown	Pass
	page_12_current_status.py::TestContentSection	testContentSection_payments_basics_shown	Pass
	page_12_current_status.py::TestContentSection	testContentSection_page_basics_shown	Pass
	page_12_current_status.py::TestContentSection	testContentSection_page_basics_shown	Pass
	page_12_current_status.py::TestContentSection	testContentSection_page_basics_returns_message	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
page_12_current_status.py::TestCurrentStatusPageBasics	CurrentStatusPageBasics	TestCurrentStatusPageBasics_returns_message	Pass
page_12_current_status.py::TestCurrentStatusPageBalance	CurrentStatusPageBalance	TestCurrentStatusPageBalance_shown	Pass
page_12_current_status.py::TestCurrentStatusPageBasics	CurrentStatusPageBasics	TestCurrentStatusPageBasics_shown	Pass
page_12_current_status.py::TestCurrentStatusPageBasics	CurrentStatusPageBasics	TestCurrentStatusPageBasics_shown	Pass
page_12_current_status.py::TestCurrentStatusPageBasics	CurrentStatusPageBasics	TestCurrentStatusPageBasics_returns_list	Pass
page_12_current_status.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_percentage_not_decimal	Pass
page_12_current_status.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_60_low_medium	Pass
page_12_current_status.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_70_medium	Pass
page_12_current_status.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_80_medium_high	Pass
page_12_current_status.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_90_high_risk	Pass
page_12_current_status.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_60_low_risk	Pass
page_12_current_status.py::TestPresentHolidayFields	PresentHolidayFields	TestPresentHolidayFields_fields_shown	Pass
page_12_current_status.py::TestPresentHolidayFields	PresentHolidayFields	TestPresentHolidayFields_staken_shown	Pass
page_12_current_status.py::TestPresentHolidayFields	PresentHolidayFields	TestPresentHolidayFields_date_shown	Pass
page_12_current_status.py::TestPresentHolidayFields	PresentHolidayFields	TestPresentHolidayFields_data_no_section	Pass
page_12_current_status.py::TestPresentHolidayFields	PresentHolidayFields	TestPresentHolidayFields_days_shown	Pass
page_12_current_status.py::TestPresentPerformanceBasics	PresentPerformanceBasics	TestPresentPerformanceBasics_shown	Pass
page_12_current_status.py::TestPresentPerformanceBasics	PresentPerformanceBasics	TestPresentPerformanceBasics_pymnts_poor	Pass
page_12_current_status.py::TestPresentPerformanceBasics	PresentPerformanceBasics	TestPresentPerformanceBasics_pymnts_concerning	Pass
page_12_current_status.py::TestPresentPerformanceBasics	PresentPerformanceBasics	TestPresentPerformanceBasics_pymnts_good	Pass
page_12_current_status.py::TestPresentPerformanceBasics	PresentPerformanceBasics	TestPresentPerformanceBasics_pymnts_excellent	Pass
page_13_risk_analysis_part1.py::TestCreditRiskBranches	CreditRiskBranches	TestCreditRiskBranches_credit_800_plus	Pass
page_13_risk_analysis_part1.py::TestCreditRiskBranches	CreditRiskBranches	TestCreditRiskBranches_credit_580_to_669	Pass
page_13_risk_analysis_part1.py::TestCreditRiskBranches	CreditRiskBranches	TestCreditRiskBranches_credit_670_to_739	Pass
page_13_risk_analysis_part1.py::TestCreditRiskBranches	CreditRiskBranches	TestCreditRiskBranches_credit_under_580	Pass
page_13_risk_analysis_part1.py::TestCreditRiskBranches	CreditRiskBranches	TestCreditRiskBranches_credit_740_to_799	Pass
page_13_risk_analysis_part1.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_95	Pass
page_13_risk_analysis_part1.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_70	Pass
page_13_risk_analysis_part1.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_70_to_80	Pass
page_13_risk_analysis_part1.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_80_to_90	Pass
page_13_risk_analysis_part1.py::TestLTVRiskBranches	LTVRiskBranches	TestLTVRiskBranches_lower_90_to_95	Pass
page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	PaymentPerformanceBranches	TestPaymentPerformanceBranches_score	Pass
page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	PaymentPerformanceBranches	TestPaymentPerformanceBranches_payment_3	Pass
page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	PaymentPerformanceBranches	TestPaymentPerformanceBranches_payment_3_good	Pass
page_13_risk_analysis_part1.py::TestPaymentPerformanceBranches	PaymentPerformanceBranches	TestPaymentPerformanceBranches_payment_3_bad	Pass
page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	RiskAnalysisPageBasics	TestRiskAnalysisPageBasics_not_crash	Pass
page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	RiskAnalysisPageBasics	TestRiskAnalysisPageBasics_defaults	Pass
page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	RiskAnalysisPageBasics	TestRiskAnalysisPageBasics_defaults	Pass
page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	RiskAnalysisPageBasics	TestRiskAnalysisPageBasics_defaults	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
Risk Analysis	page_13_risk_analysis_part1.py::TestRiskAnalysisPageBasics	TestRiskAnalysisPageBasics	Pass
	page_13_risk_analysis_part2.py::TestDTBbadattheunder_28	TestDTBbadattheunder_28	Pass
	page_13_risk_analysis_part2.py::TestDTBbadatthe36_to_43	TestDTBbadatthe36_to_43	Pass
	page_13_risk_analysis_part2.py::TestDTBbadatdti_28_to_36	TestDTBbadatdti_28_to_36	Pass
	page_13_risk_analysis_part2.py::TestDTBbadatdti_unknown	TestDTBbadatdti_unknown	Pass
	page_13_risk_analysis_part2.py::TestDTBbadatdti_over_43	TestDTBbadatdti_over_43	Pass
	page_13_risk_analysis_part2.py::TestHgenetahomonitoring_high_score	TestHgenetahomonitoring_high_score	Pass
	page_13_risk_analysis_part2.py::TestHgenetahomonitoring_low_score	TestHgenetahomonitoring_low_score	Pass
	page_13_risk_analysis_part2.py::TestHgenetahomonitoring_medium_score	TestHgenetahomonitoring_medium_score	Pass
	page_13_risk_analysis_part2.py::TestHgenetahorecommendations_high_score	TestHgenetahorecommendations_high_score	Pass
	page_13_risk_analysis_part2.py::TestHgenetahorecommendations_low_score	TestHgenetahorecommendations_low_score	Pass
	page_13_risk_analysis_part2.py::TestHgenetahorecommendations_medium_score	TestHgenetahorecommendations_medium_score	Pass
	page_13_risk_analysis_part2.py::TestHelpentifykey_factors_high_risk	TestHelpentifykey_factors_high_risk	Pass
	page_13_risk_analysis_part2.py::TestHelpentifykey_factors_medium_risk	TestHelpentifykey_factors_medium_risk	Pass
	page_13_risk_analysis_part2.py::TestInterevaledBataceto_7	TestInterevaledBataceto_7	Pass
	page_13_risk_analysis_part2.py::TestInhighRateBuarhies	TestInhighRateBuarhies	Pass
	page_13_risk_analysis_part2.py::TestInlowRateBuarhies	TestInlowRateBuarhies	Pass
	page_13_risk_analysis_part2.py::TestInmoderateRateBataceto_5	TestInmoderateRateBataceto_5	Pass
	page_13_risk_analysis_part2.py::TestInnoRateBuarhies	TestInnoRateBuarhies	Pass
	page_13_risk_analysis_part2.py::TestOveritPialRisk.scenario	TestOveritPialRisk.scenario	Pass
	page_13_risk_analysis_part2.py::TestOvalRisk.scenario	TestOvalRisk.scenario	Pass
	page_13_risk_analysis_part2.py::TestOpropertlyLowly_high_flood_risk	TestOpropertlyLowly_high_flood_risk	Pass
	page_13_risk_analysis_part2.py::TestOpropertlyLowly_very_low_flood_risk	TestOpropertlyLowly_very_low_flood_risk	Pass
	page_14_borrower_profile.py::TestAgeHighBranching_retirement_over_55	TestAgeHighBranching_retirement_over_55	Pass
	page_14_borrower_profile.py::TestAgeRiskByacareer_under_25	TestAgeRiskByacareer_under_25	Pass
	page_14_borrower_profile.py::TestAgeRiskByyears_25_to_55	TestAgeRiskByyears_25_to_55	Pass
	page_14_borrower_profile.py::TestAssesBoriskadpkoaching_retirement	TestAssesBoriskadpkoaching_retirement	Pass
	page_14_borrower_profile.py::TestAssesBoriskedaily_career	TestAssesBoriskedaily_career	Pass
	page_14_borrower_profile.py::TestAssesBoriskprik_years	TestAssesBoriskprik_years	Pass
	page_14_borrower_profile.py::TestAssesBoriskhigh_for_poor_score	TestAssesBoriskhigh_for_poor_score	Pass
	page_14_borrower_profile.py::TestAssesBorisklow_for_high_score	TestAssesBorisklow_for_high_score	Pass
	page_14_borrower_profile.py::TestAssesBorisklow_medium_for_good_score	TestAssesBorisklow_medium_for_good_score	Pass
	page_14_borrower_profile.py::TestAssesBorisklow_medium_for_fair_score	TestAssesBorisklow_medium_for_fair_score	Pass
	page_14_borrower_profile.py::TestAssesBoriskestablished_2_to_5	TestAssesBoriskestablished_2_to_5	Pass
	page_14_borrower_profile.py::TestAssesBoriskrecent_under_2	TestAssesBoriskrecent_under_2	Pass
	page_14_borrower_profile.py::TestAssesBoriskstable_5_plus	TestAssesBoriskstable_5_plus	Pass
	page_14_borrower_profile.py::TestAssesBorisklow_for_high_income	TestAssesBorisklow_for_high_income	Pass
	page_14_borrower_profile.py::TestAssesBorisklow_medium_adequate	TestAssesBorisklow_medium_adequate	Pass
	page_14_borrower_profile.py::TestAssesBoriskmedium_limited	TestAssesBoriskmedium_limited	Pass
	page_14_borrower_profile.py::TestAssesBoriskofRisk	TestAssesBoriskofRisk	Pass
page_14_borrower_profile.py::TestBorfamilyProfilePageBasics	TestBorfamilyProfilePageBasics	Pass	
page_14_borrower_profile.py::TestBorfamilyProfilePageBasics	TestBorfamilyProfilePageBasics	Pass	
page_14_borrower_profile.py::TestBorfamilyProfilePageBasics	TestBorfamilyProfilePageBasics	Pass	
page_14_borrower_profile.py::TestBorfamilyProfilePageBasics	TestBorfamilyProfilePageBasics	Pass	

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics	TestBorrowerProfilePageBasics	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics	TestBorrowerProfilePageBasics	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics_returns_early	TestBorrowerProfilePageBasics_returns_early	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics_message	TestBorrowerProfilePageBasics_message	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics	TestBorrowerProfilePageBasics	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics	TestBorrowerProfilePageBasics	Pass
	page_14_borrower_profile.py::TestBorrowerProfilePageBasics_returns_list	TestBorrowerProfilePageBasics_returns_list	Pass
	page_14_borrower_profile.py::TestCreditScoreBand60plus	TestCreditScoreBand60plus	Pass
	page_14_borrower_profile.py::TestCreditScoreBand60to69	TestCreditScoreBand60to69	Pass
	page_14_borrower_profile.py::TestCreditScoreBand70to79	TestCreditScoreBand70to79	Pass
	page_14_borrower_profile.py::TestCreditScoreBand80to89	TestCreditScoreBand80to89	Pass
	page_14_borrower_profile.py::TestCreditScoreBand90to99	TestCreditScoreBand90to99	Pass
	page_14_borrower_profile.py::TestEmploymentStabilityBranches	TestEmploymentStabilityBranches	Pass
	page_14_borrower_profile.py::TestPaymentHistoryBranches	TestPaymentHistoryBranches	Pass
	page_14_borrower_profile.py::TestPaymentStatusBranches	TestPaymentStatusBranches	Pass
	page_14_borrower_profile.py::TestPropertyMortgageBranches	TestPropertyMortgageBranches	Pass
	page_14_borrower_profile.py::TestLoanAnalysis80kto50k	TestLoanAnalysis80kto50k	Pass
	page_14_borrower_profile.py::TestLoanAnalysis50kto100k	TestLoanAnalysis50kto100k	Pass
	page_14_borrower_profile.py::TestLoanAnalysisover100k	TestLoanAnalysisover100k	Pass
	page_14_borrower_profile.py::TestUnfundedSavingsUnder30k	TestUnfundedSavingsUnder30k	Pass
	page_14_borrower_profile.py::TestNoAnalysisSecondary	TestNoAnalysisSecondary	Pass
	page_15_data_summary.py::TestAnalyzeDataCompleteness_computed	AnalyzeDataCompleteness_computed	Pass
	page_15_data_summary.py::TestAnalyzeDataCompleteness_excluded	AnalyzeDataCompleteness_excluded	Pass
	page_15_data_summary.py::TestAnalyzeDataCompleteness_included	AnalyzeDataCompleteness_included	Pass
	page_15_data_summary.py::TestAnalyzeDataCompleteness_section_present	AnalyzeDataCompleteness_section_present	Pass
	page_15_data_summary.py::TestAnalyzeDataCompleteness	AnalyzeDataCompleteness	Pass
	page_15_data_summary.py::TestAnalyzeDataCompleteness_excluded	AnalyzeDataCompleteness_excluded	Pass
	page_15_data_summary.py::TestAssessDataQuality_worst_sections_shown	AssessDataQuality_worst_sections_shown	Pass
	page_15_data_summary.py::TestAssessDataQuality_completeness_high	AssessDataQuality_completeness_high	Pass
	page_15_data_summary.py::TestAssessDataQuality_completeness_low	AssessDataQuality_completeness_low	Pass
	page_15_data_summary.py::TestAssessDataQuality_completeness_medium	AssessDataQuality_completeness_medium	Pass
	page_15_data_summary.py::TestAssessDataQuality_over_90	AssessDataQuality_over_90	Pass
	page_15_data_summary.py::TestAssessDataQuality_75	AssessDataQuality_75	Pass
	page_15_data_summary.py::TestAssessDataQuality_90	AssessDataQuality_90	Pass
	page_15_data_summary.py::TestAssessDataQuality_40_to_60	AssessDataQuality_40_to_60	Pass
	page_15_data_summary.py::TestAssessDataQuality_40	AssessDataQuality_40	Pass
	page_15_data_summary.py::TestEmptyPageBasics	EmptyPageBasics	Pass
	page_15_data_summary.py::TestEmptyPageBasics_does_not_crash	EmptyPageBasics_does_not_crash	Pass
	page_15_data_summary.py::TestHasDataPageBasics	HasDataPageBasics	Pass
	page_15_data_summary.py::TestHasSummaryPageBasics	HasSummaryPageBasics	Pass
	page_15_data_summary.py::TestHasSummaryPageBasics_property	HasSummaryPageBasics_property	Pass
	page_15_data_summary.py::TestReturnsPageBasics	ReturnsPageBasics	Pass
	page_15_data_summary.py::TestReturnsPageEmpty	ReturnsPageEmpty	Pass
	page_15_data_summary.py::TestWithAnyPageBasics	WithAnyPageBasics	Pass

(continued on next page)

(continued from previous page)

[illegible]

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	elements.py::TestGenerateElement	test_multiple_pages_have_page_breaks	Pass
	elements.py::TestGenerateElement	test_returns_list	Pass
	elements.py::TestGenerateElement	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_all_unknown_pages_still_creates_pdf	Pass
	elements.py::TestGenerateReport	test_auto_select_called_when_pages_none	Pass
	elements.py::TestGenerateReport	test_auto_select_not_called_when_pages_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_property_data	Pass
	elements.py::TestGenerateReport	test_full_data_report	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	elements.py::TestGenerateReport	test_with_mortgage_data	Pass
	finders.py::TestEdgeCases	test_completely_empty_property_data	Pass
	finders.py::TestEdgeCases	test_negative_value_property	Pass
	finders.py::TestEdgeCases	test_pdf_content_is_bytes	Pass
	finders.py::TestEdgeCases	test_property_data_with_none_header	Pass
	finders.py::TestEdgeCases	test_report_with_all_pages	Pass
	finders.py::TestEdgeCases	test_zero_value_property	Pass
	finders.py::TestFindMortgageByPropertyId	test_dict_with_mortgages_found	Pass
	finders.py::TestFindMortgageByPropertyId	test_dict_with_mortgages_not_found_returns_none	Pass
	finders.py::TestFindMortgageByPropertyId	test_dict_without_mortgages_key_returns_data_itself	Pass
	finders.py::TestFindMortgageByPropertyId	test_empty_mortgages_list_returns_none	Pass
	finders.py::TestFindMortgageByPropertyId	test_invalid_type_returns_data_as_is	Pass
	finders.py::TestFindMortgageByPropertyId	test_list_input_found	Pass
	finders.py::TestFindMortgageByPropertyId	test_list_input_not_found_returns_none	Pass
	finders.py::TestFindPropertyById	test_dict_without_list_key_wraps_itself	Pass
	finders.py::TestFindPropertyById	test_empty_properties_list_raises	Pass
	finders.py::TestFindPropertyById	test_invalid_type_raises_value_error	Pass
	finders.py::TestFindPropertyById	test_list_input_found	Pass
	finders.py::TestFindPropertyById	test_list_not_found_raises	Pass
	finders.py::TestFindPropertyById	test_none_raises_value_error	Pass
	finders.py::TestFindPropertyById	test_not_found_raises_value_error	Pass
	finders.py::TestFindPropertyById	test_portfolio_key_found	Pass
	finders.py::TestFindPropertyById	test_properties_key_found	Pass
	finders.py::TestOpenPdfFile	test_darwin_success	Pass
	finders.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	finders.py::TestOpenPdfFile	test_linux_success	Pass
	finders.py::TestOpenPdfFile	test_subprocess_called_process_error_returns_false	Pass
	finders.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	finders.py::TestOpenPdfFile	test_windows_case_insensitive	Pass
	finders.py::TestOpenPdfFile	test_windows_success	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	init.py::TestAutoSelectPages	test_always_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_always_includes_property_pages	Pass
	init.py::TestAutoSelectPages	test_empty_property_data	Pass
	init.py::TestAutoSelectPages	test_with_mortgage_includes_mortgage_pages	Pass
	init.py::TestAutoSelectPages	test_without_mortgage_excludes_mortgage_pages	Pass
	init.py::TestGenerateFilename	test_contains_property_id	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_missing_property_id_uses_unknown	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_header	Pass
	init.py::TestGenerateFilename	test_partial_path_missing_property_id	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_timestamp_in_filename	Pass
	init.py::TestPropertyReportGenerator	test_initial_categories_dict_initialized	Pass
	init.py::TestPropertyReportGenerator	test_explicit_output_dir_path	Pass
	init.py::TestPropertyReportGenerator	test_explicit_output_dir_string	Pass
	init.py::TestPropertyReportGenerator	test_explicit_output_dir_uses_config	Pass
	init.py::TestPropertyReportGenerator	test_output_dir_created	Pass
	init.py::TestPropertyReportGenerator	test_initial_property_pages_dict_initialized	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_confidential	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_mortgage_focused_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_mortgage_focused_report_exists	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_property_only_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_property_only_report_exists	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_with_mortgage	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_generate_risk_focused_report_without_mortgage	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_mortgage_focused_includes_mortgage_context_pages	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_method_focused_with_mortgage_includes_current_status	Pass
	specialised.py::TestSpecialisedRequestGenerator	test_method_focused_without_mortgage_excludes_current_status	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_all_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	test_base_page_coverage.py::TestAbstractPageClass	test_abstract_page_class_returns_empty_list	Pass
	test_base_page_coverage.py::TestFormalPageClass	test_formal_page_class_returns_not_specified	Pass
	test_base_page_coverage.py::TestFormalPageClass	test_formal_page_class_returns_not_specified	Pass
	test_base_page_coverage.py::TestFormalPageClass	test_formal_page_class_returns_not_specified	Pass
	test_base_page_coverage.py::TestFormalPageClass	test_formal_page_class_returns_not_specified	Pass
	test_base_page_coverage.py::TestFormalPageClass	test_formal_page_class_returns_not_specified	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
test_base_page_coverage.py::TestFindMortgagesByDict	test_base_page_coverage.py::TestFindMortgagesByDict	test_find_mortgages_by_dict_returns_not_specified	Fail
test_base_page_coverage.py::TestFindMortgagesByDict	test_base_page_coverage.py::TestFindMortgagesByDict	test_find_mortgages_by_dict_returns_not_specified	Pass
test_base_page_coverage.py::TestFindPropertyByDict	test_base_page_coverage.py::TestFindPropertyByDict	test_find_property_by_dict_exists	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_exception_does_not_raise	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_false_skips	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_true_tries	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_focused_type	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_reply_type	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_report_type	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_type_falls_back	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_select_page_direct_with_mortgage	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_select_page_direct_without_mortgage	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_exception_continues	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_skips_unknown	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_unknown_id	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_mortgage_focused_report	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_property_only_report	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_risk_of_direct_report_no_mortgage	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_risk_of_direct_report_with_mortgage	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_page_direct	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_available_pages	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_direct_config	Pass
test_generator_direct.py::TestGenerateReport	test_generator_direct.py::TestGenerateReport	test_generate_report_page_direct	Pass
test_helpers.py::TestFindMortgagesByDict	test_helpers.py::TestFindMortgagesByDict	test_find_mortgages_by_dict_with_mortgages_found	Pass
test_helpers.py::TestFindMortgagesByDict	test_helpers.py::TestFindMortgagesByDict	test_find_mortgages_by_dict_with_mortgages_not_found_returns_none	Pass
test_helpers.py::TestFindMortgagesByDict	test_helpers.py::TestFindMortgagesByDict	test_find_mortgages_by_dict_returns_data	Pass
test_helpers.py::TestFindMortgagesByDict	test_helpers.py::TestFindMortgagesByDict	test_find_mortgages_by_dict_not_found	Pass
test_helpers.py::TestFindPropertyByDict	test_helpers.py::TestFindPropertyByDict	test_find_property_by_dict_without_properties_wraps_in_list	Pass
test_helpers.py::TestFindPropertyByDict	test_helpers.py::TestFindPropertyByDict	test_find_property_by_dict_invalid_type_raises	Pass
test_helpers.py::TestFindPropertyByDict	test_helpers.py::TestFindPropertyByDict	test_find_property_by_dict_input	Pass
test_helpers.py::TestFindPropertyByDict	test_helpers.py::TestFindPropertyByDict	test_find_property_by_dict_not_found_raises	Pass
test_helpers.py::TestFindPropertyByDict	test_helpers.py::TestFindPropertyByDict	test_find_property_by_dict_portfolio_key	Pass
test_helpers.py::TestFindPropertyByDict	test_helpers.py::TestFindPropertyByDict	test_find_property_by_dict_properties_key	Pass
test_helpers.py::TestOpenPdfFile	test_helpers.py::TestOpenPdfFile	test_darwin_success	Pass
test_helpers.py::TestOpenPdfFile	test_helpers.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
test_helpers.py::TestOpenPdfFile	test_helpers.py::TestOpenPdfFile	test_linux_success	Pass
test_helpers.py::TestOpenPdfFile	test_helpers.py::TestOpenPdfFile	test_subprocess_failure_returns_false	Pass
test_helpers.py::TestOpenPdfFile	test_helpers.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
test_helpers.py::TestOpenPdfFile	test_helpers.py::TestOpenPdfFile	test_windows_success	Pass
test_integrator.py::TestGenerateReport	test_integrator.py::TestGenerateReport	test_generate_report_property_returns_path	Pass
test_integrator.py::TestGenerateReport	test_integrator.py::TestGenerateReport	test_generate_report_property_file_returns_none	Pass
test_integrator.py::TestGenerateReport	test_integrator.py::TestGenerateReport	test_generate_report_page_file_still_generates	Pass
test_integrator.py::TestGenerateReport	test_integrator.py::TestGenerateReport	test_generate_report_report_contains_property_id	Pass
test_integrator.py::TestGenerateReport	test_integrator.py::TestGenerateReport	test_generate_report_report_created	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_integrator.py::TestGenerateReportFromProfile	test_report_profile_created	Pass
	test_integrator.py::TestGenerateReportFromProfile	test_report_profile_not_found_returns_none	Pass
	test_integrator_exception.py::TestGenerateReportFromProfile	test_report_profile_exception_returns_none	Pass
	test_integrator_exception.py::TestGenerateReportFromProfile	test_report_profile_exception_returns_none	Pass
	generation.py::TestGenerateRiskReport	test_report_analysis_type	Pass
	generation.py::TestGenerateRiskReport	test_report_basic_type	Pass
	generation.py::TestGenerateRiskReport	test_report_detailed_type	Pass
	generation.py::TestGenerateRiskReport	test_report_summary_type	Pass
	generation.py::TestGenerateRiskReport	test_report_unknown_type_fallback	Pass
	generation.py::TestRiskReportEdgeCases	test_report_select_pages_returns_list	Pass
	generation.py::TestRiskReportEdgeCases	test_report_empty_gauge_data	Pass
	generation.py::TestRiskReportEdgeCases	test_report_generate_elements_exception_continues	Pass
	generation.py::TestRiskReportEdgeCases	test_report_generate_elements_skips_unknown	Pass
	generation.py::TestRiskReportEdgeCases	test_report_set_page_categories	Pass
	generation.py::TestRiskReportEdgeCases	test_report_high_risk_portfolio_report	Pass
	generation.py::TestRiskReportEdgeCases	test_report_list_available_pages	Pass
	generation.py::TestRiskReportEdgeCases	test_report_minimal_data_report	Pass
	generation.py::TestRiskReportEdgeCases	test_report_missing_mortgage_data	Pass
	generation.py::TestRiskReportEdgeCases	test_report_no_output_dir_uses_config	Pass
	generation.py::TestRiskReportEdgeCases	test_report_validate_pages_valid_and_invalid	Pass
	generation.py::TestRiskReportGeneration	test_report_analysis_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_report_basic_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_report_custom_filename	Pass
	generation.py::TestRiskReportGeneration	test_report_custom_page_selection	Pass
	generation.py::TestRiskReportGeneration	test_report_detailed_report_generation	Pass
	generation.py::TestRiskReportGeneration	test_report_summary_report_generation	Pass
	cli.py::TestErrorHandling	test_bad_flood_file_exits_with_1	Pass
	cli.py::TestErrorHandling	test_invalid_json_exits_with_1	Pass
	cli.py::TestListCategories	test_list_categories_iterates_all_categories	Pass
	cli.py::TestListCategories	test_list_categories_runs_without_error	Pass
	cli.py::TestListPages	test_list_pages_does_not_open_flood_file	Pass
	cli.py::TestListPages	test_list_pages_runs_without_error	Pass
	cli.py::TestReportGeneration	test_logging_after_generation	Pass
	cli.py::TestReportGeneration	test_report_type_analysis	Pass
	cli.py::TestReportGeneration	test_report_type_basic	Pass
	cli.py::TestReportGeneration	test_report_type_detailed	Pass
	cli.py::TestReportGeneration	test_report_type_else_branch	Pass
	cli.py::TestReportGeneration	test_report_type_summary	Pass
	convenience.py::TestEdgeCases	test_all_unknown_pages_still_creates_pdf	Pass
	convenience.py::TestEdgeCases	test_completely_empty_flood_data	Pass
	convenience.py::TestEdgeCases	test_large_property_risk_dataset	Pass
	convenience.py::TestEdgeCases	test_missing_summary_key	Pass
	convenience.py::TestEdgeCases	test_negative_values_in_summary	Pass
	convenience.py::TestEdgeCases	test_none_gauge_data_key	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	convenience.py::TestEdgeCases	test_report_with_all_pages	Pass
	convenience.py::TestEdgeCases	test_single_page_report	Pass
	convenience.py::TestEdgeCases	test_zero_properties_at_risk	Pass
	convenience.py::TestGenerateRiskReport	test_report_analysis_type_returns_path	Pass
	convenience.py::TestGenerateRiskReport	test_report_basic_type_returns_path	Pass
	convenience.py::TestGenerateRiskReport	test_report_fault_report_type_returns_basic	Pass
	convenience.py::TestGenerateRiskReport	test_report_fault_type_returns_path	Pass
	convenience.py::TestGenerateRiskReport	test_report_output_dir_as_string	Pass
	convenience.py::TestGenerateRiskReport	test_report_csv_nonempty_bytes_on_disk	Pass
	convenience.py::TestGenerateRiskReport	test_report_csv_type_returns_path	Pass
	convenience.py::TestGenerateRiskReport	test_report_unknown_type_falls_back_to_generate_report	Pass
	elements.py::TestGenerateElement	test_empty_page_list	Pass
	elements.py::TestGenerateElement	test_exception_in_page_continues	Pass
	elements.py::TestGenerateElement	test_first_page_no_page_break	Pass
	elements.py::TestGenerateElement	test_mixed_valid_and_unknown_pages	Pass
	elements.py::TestGenerateElement	test_multiple_pages_inserts_page_breaks	Pass
	elements.py::TestGenerateElement	test_returns_list	Pass
	elements.py::TestGenerateElement	test_unknown_page_skipped	Pass
	elements.py::TestGenerateReport	test_auto_select_pages_when_none	Pass
	elements.py::TestGenerateReport	test_auto_select_skipped_when_provided	Pass
	elements.py::TestGenerateReport	test_custom_output_filename	Pass
	elements.py::TestGenerateReport	test_custom_pages_to_include	Pass
	elements.py::TestGenerateReport	test_empty_flood_data	Pass
	elements.py::TestGenerateReport	test_full_data_report	Pass
	elements.py::TestGenerateReport	test_pdf_exists	Pass
	elements.py::TestGenerateReport	test_pdf_non_empty	Pass
	elements.py::TestGenerateReport	test_pdf_suffix	Pass
	elements.py::TestGenerateReport	test_returns_path	Pass
	init.py::TestAutoSelectPages	test_all_pages_exist	Pass
	init.py::TestAutoSelectPages	test_always_includes_appendix	Pass
	init.py::TestAutoSelectPages	test_empty_flood_data	Pass
	init.py::TestAutoSelectPages	test_includes_analysis_pages	Pass
	init.py::TestAutoSelectPages	test_includes_overview_pages	Pass
	init.py::TestAutoSelectPages	test_returns_list	Pass
	init.py::TestGenerateFilename	test_contains_flood_risk_report	Pass
	init.py::TestGenerateFilename	test_contains_timestamp	Pass
	init.py::TestGenerateFilename	test_ends_with_pdf	Pass
	init.py::TestGenerateFilename	test_returns_string	Pass
	init.py::TestGenerateFilename	test_two_calls_produce_string_names	Pass
	init.py::TestRiskReportGenerator	test_categories_dict_initialized	Pass
	init.py::TestRiskReportGenerator	test_explicit_output_dir_path	Pass
	init.py::TestRiskReportGenerator	test_explicit_output_dir_string	Pass
	init.py::TestRiskReportGenerator	test_no_output_dir_uses_config	Pass
	init.py::TestRiskReportGenerator	test_output_dir_created	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	init.py::TestRiskReportGenerator	test_pages_dict_initialized	Pass
	specialised.py::TestHeaderFooter	test_header_footer_callable	Pass
	specialised.py::TestHeaderFooter	test_header_footer_draws_strings	Pass
	specialised.py::TestSpecialisedRequestMethods	test_methods_detailed_page_counts	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_analysis_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_analysis_report_exists	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_basic_report_exists	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_basic_report_non_empty	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_detailed_report_exists	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_detailed_report_includes_report_page_page	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_summary_report_custom_filename	Pass
	specialised.py::TestSpecialisedRequestMethods	test_generate_summary_report_exists	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_contains_expected_keys	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_copy	Pass
	specialised.py::TestUtilityMethods	test_get_page_categories_returns_dict	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_contains_all_expected	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_non_empty	Pass
	specialised.py::TestUtilityMethods	test_list_available_pages_returns_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_invalid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_all_valid	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_empty_list	Pass
	specialised.py::TestUtilityMethods	test_validate_pages_mixed	Pass
	utilities.py::TestConvenienceFunctions	test_generate_risk_report_basic	Pass
	utilities.py::TestConvenienceFunctions	test_generate_risk_report_default	Pass
	utilities.py::TestConvenienceFunctions	test_generate_risk_report_detailed	Pass
	utilities.py::TestRiskBasePageFormat	test_format_count_non_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_count_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_currency_non_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_currency_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_depth_non_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_depth_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_field_name_camel_case	Pass
	utilities.py::TestRiskBasePageFormat	test_format_field_name_replacements	Pass
	utilities.py::TestRiskBasePageFormat	test_format_percentage_non_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_percentage_numeric	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_bool_false	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_bool_true	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_empty_string	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_float_decimal	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_float_integer	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_int	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_non_empty_string	Pass
	utilities.py::TestRiskBasePageFormat	test_format_value_none	Pass
	utilities.py::TestRiskReportUtilities	test_get_page_categories	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	utilities.py::TestRiskReportUtilities	test_list_available_pages	Pass
	utilities.py::TestRiskReportUtilities	test_validate_pages_invalid	Pass
	utilities.py::TestRiskReportUtilities	test_validate_pages_valid	Pass
	utilities.py::TestRiskReportWorkflow	test_complete_workflow_all_types	Pass
	utilities.py::TestRiskReportWorkflow	test_complete_workflow_basic	Pass
	eod_pages_part1.py::TestEODPositions	test_page_gauge_id_truncated	Pass
	eod_pages_part1.py::TestEODPositions	test_page_gauges_grouped	Pass
	eod_pages_part1.py::TestEODPositions	test_page_positions_shows_message	Pass
	eod_pages_part1.py::TestEODPositions	test_page_returns_list	Pass
	eod_pages_part1.py::TestEODPositions	test_page_position	Pass
	eod_pages_part1.py::TestEODPositions	test_page_positions_creates_table	Pass
	eod_pages_part1.py::TestEODPositions	test_page_pnl_renders_dash	Pass
	eod_pages_part1.py::TestEODSummary	test_date_appears_in_paragraph	Pass
	eod_pages_part1.py::TestEODSummary	test_empty_summary	Pass
	eod_pages_part1.py::TestEODSummary	test_in_paragraph_and_table	Pass
	eod_pages_part1.py::TestEODSummary	test_negative_pnl_snapshot	Pass
	eod_pages_part1.py::TestEODSummary	test_page_returns_list	Pass
	eod_pages_part2.py::TestEODCharts	test_page_insufficient_data_message	Pass
	eod_pages_part2.py::TestEODCharts	test_page_returns_list	Pass
	eod_pages_part2.py::TestEODCharts	test_page_entry_insufficient	Pass
	eod_pages_part2.py::TestEODCharts	test_page_insufficient_data_creates_content	Pass
	eod_pages_part2.py::TestEODPnLDetails	test_page_market_movers_top_20	Pass
	eod_pages_part2.py::TestEODPnLDetails	test_page_move_pnl_creates_table	Pass
	eod_pages_part2.py::TestEODPnLDetails	test_page_trade_pnl_creates_table	Pass
	eod_pages_part2.py::TestEODPnLDetails	test_page_positions_shows_messages	Pass
	eod_pages_part2.py::TestEODPnLDetails	test_page_returns_list	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_id_in_filename	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_empty_snapshot	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_report_returns_path	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_report_without_pnl_series	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_output_dir_uses_config	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_output_dir_created	Pass
	eod_pages_part2.py::TestEODReportGenerator	test_report_pdf_not_empty	Pass
	eod_pages_part2.py::TestPnLDetails	test_frozen_pnl_returns_dash	Pass
	test_eod_charts_coverage.py::TestDailyEmptyChartFlypyData	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyPnLChartPositiveNegative	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyRegimeChartDailyPnL	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyByGaugingChartReturns	test_key_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyByGaugingChartPage	test_page_gauge_renders_correctly	Pass
	test_eod_charts_coverage.py::TestDailyByGaugingChartReturns	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyByGaugingChartReturns	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyByGaugingChartReturns	test_returns_drawing	Pass
	test_eod_charts_coverage.py::TestDailyByGaugingChartReturns	test_returns_drawing	Pass
	open_pdf.py::TestOpenPdfFile	test_called_process_error_returns_false	Pass
	open_pdf.py::TestOpenPdfFile	test_darwin_calls_open	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	open_pdf.py::TestOpenPdfFile	test_generic_exception_returns_false	Pass
	open_pdf.py::TestOpenPdfFile	test_linux_calls_xdg_open	Pass
	open_pdf.py::TestOpenPdfFile	test_unknown_platform_uses_webbrowser	Pass
	open_pdf.py::TestOpenPdfFile	test_windows_calls_start	Pass
	catchment.py::TestCatchmentExceptionSelectorException	test_selector_exception_returns_500	Pass
	catchment.py::TestCatchmentExceptionSelectorException	test_selector_exception_returns_500	Pass
	catchment.py::TestServeCatchmentSelector	test_selector_returns_404_when_file_missing	Pass
	catchment.py::TestServeCatchmentSelector	test_selector_returns_html_when_file_exists	Pass
	catchment.py::TestServeCatchmentSelector	test_selector_returns_json_error_or_html	Pass
	catchment.py::TestSetCatchment	test_case_insensitive_thames	Pass
	catchment.py::TestSetCatchment	test_missing_catchment_id_returns_400	Pass
	catchment.py::TestSetCatchment	test_no_json_returns_400	Pass
	catchment.py::TestSetCatchment	test_null_catchment_id_returns_400	Pass
	catchment.py::TestSetCatchment	test_options_returns_200	Pass
	catchment.py::TestSetCatchment	test_unknown_catchment_returns_400	Pass
	catchment.py::TestSetCatchment	test_valid_thames_returns_success	Pass
	counterparty.py::TestCounterpartyError	test_get_counterparty_error_returns_500	Pass
	counterparty.py::TestCounterpartyError	test_list_counterparties_error_returns_500	Pass
	counterparty.py::TestGetCounterparty	test_found_returns_200	Pass
	counterparty.py::TestGetCounterparty	test_found_second_counterparty	Pass
	counterparty.py::TestGetCounterparty	test_not_found_returns_404	Pass
	counterparty.py::TestListCounterparties	test_no_file_returns_empty_list	Pass
	counterparty.py::TestListCounterparties	test_summary_fields	Pass
	counterparty.py::TestListCounterparties	test_with_data_returns_summary	Pass
	cross_entity.py::TestCrossEntityConsistencyAPI	test_huges_have_timeseries	Pass
	cross_entity.py::TestCrossEntityConsistencyAPI	test_huges_hazard_no_500	Pass
	cross_entity.py::TestCrossEntityConsistencyAPI	test_properties_have_flood_data	Pass
	cross_entity.py::TestInteractivity	test_dashboard_menus_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_hazard_curve_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_pdf_panel_renders	Pass
	cross_entity.py::TestInteractivity	test_dashboard_storm_analysis_renders	Pass
	cross_entity.py::TestInteractivity	test_notifications_renders	Pass
	cross_entity.py::TestInteractivity	test_property_hazard_curve_renders	Pass
	cross_entity.py::TestInteractivity	test_property_pdf_panel_renders	Pass
	cross_entity.py::TestInteractivity	test_property_storm_analysis_renders	Pass
	cross_entity.py::TestInteractivity	test_property_storm_js_guards_empty_event	Pass
	gauge.py::TestDataFormatValidation	test_gaugehc_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_gaugets_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_propertyhc_file_structure	Pass
	gauge.py::TestDataFormatValidation	test_propertyts_file_structure	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_existing	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_gev_params	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_nonexistent_gauge	Pass
	gauge.py::TestGaugeHazardRoutes	test_gauge_hazard_not_found	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge.py::TestGaugeHazardRoutes	test_gauge_storms_existing	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugehc_ids_match_gauge_portfolio	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugets_ids_match_gauge_portfolio	Pass
	gauge.py::TestGaugeIDConsistency	test_gaugets_internal_id_matches_filename	Pass
	property.py::TestMissingDataHandling	test_property_hazard_no_file	Pass
	property.py::TestMissingDataHandling	test_propertyhc_summary_no_file	Pass
	property.py::TestMissingDataHandling	test_propertyts_summary_no_dir	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_existing	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_nonexistent	Pass
	property.py::TestPropertyHCRoutes	test_property_hazard_not_in_curves	Pass
	property.py::TestPropertyHCRoutes	test_propertyhc_basis	Pass
	property.py::TestPropertyHCRoutes	test_propertyhc_summary	Pass
	property.py::TestPropertyIDConsistency	test_propertyhc_ids_match_property_portfolio	Pass
	property.py::TestPropertyIDConsistency	test_propertyhc_ids_subset_of_propertyts	Pass
	property.py::TestPropertyIDConsistency	test_propertyts_ids_match_property_portfolio	Pass
	property.py::TestPropertyTSRoutes	test_list_flood_storms	Pass
	property.py::TestPropertyTSRoutes	test_list_flood_storms_only_returns_damage	Pass
	property.py::TestPropertyTSRoutes	test_property_floods_existing	Pass
	property.py::TestPropertyTSRoutes	test_property_floods_few_events	Pass
	property.py::TestPropertyTSRoutes	test_property_floods_not_found	Pass
	property.py::TestPropertyTSRoutes	test_property_storms_existing	Pass
	property.py::TestPropertyTSRoutes	test_property_storms_not_found	Pass
	property.py::TestPropertyTSRoutes	test_property_storms_zero_floods	Pass
	property.py::TestPropertyTSRoutes	test_propertyts_summary	Pass
	financial.py::TestPortfolioImpactNoData	test_pts_dir_returns_404	Pass
	financial.py::TestPortfolioImpactOptions	test_options_returns_200	Pass
	financial.py::TestPortfolioImpactStormNotFound	test_no_found_storm_returns_404	Pass
	financial.py::TestPortfolioImpactStorms	test_storm_enrichment_present	Pass
	financial.py::TestPortfolioImpactStorms	test_property_entry_has_damage_fields	Pass
	financial.py::TestPortfolioImpactStorms	test_response_has_portfolio_key	Pass
	financial.py::TestPortfolioImpactStorms	test_response_has_properties_list	Pass
	financial.py::TestPortfolioImpactStorms	test_storm_id_in_response	Pass
	financial.py::TestPortfolioImpactStorms	test_valid_storm_returns_200	Pass
	test_crud.py::TestCrudGetGauge	test_get_gauge_not_found	Pass
	test_crud.py::TestCrudGetGauge	test_get_gauge_success	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_error_returns_500	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_legacy_route	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_options	Pass
	test_crud.py::TestCrudListGauges	test_list_gauges_returns_200	Pass
	test_hazard.py::TestHazardErrorPaths	test_get_gauge_hazard_corrupted_file_returns_500	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_exception_returns_500	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_gauge_not_in_hazard	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_no_hazard_file	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_no_json_body	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_null_json_body	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_severe_trigger	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_success	Pass
	test_hazard.py::TestPricePrsHappyPath	test_price_prs_with_defaults	Pass
	test_history.py::TestHistoryErrorTests	test_get_gauge_history_corrupted_file_returns_500	Pass
	test_history.py::TestHistoryErrorTests	test_get_gauge_statistics_exception_returns_500	Pass
	test_history.py::TestHistoryErrorTests	test_get_gaugets_exception_returns_500	Pass
	test_reports.py::TestReportsErrorTests	test_gaugehd_load_error_warning	Pass
	test_reports.py::TestReportsErrorTests	test_general_exception_returns_500	Pass
	test_reports.py::TestReportsErrorTests	test_hazard_load_error_warning	Pass
	test_reports.py::TestReportsErrorTests	test_import_error_returns_500	Pass
	test_reports.py::TestReportsErrorTests	test_timeseries_load_success_with_storm_responses	Pass
	test_reports.py::TestReportsErrorTests	test_timeseries_load_warning	Pass
	test_storms.py::TestStormsErrorTests	test_gaugets_dir_corrupted_file_continues	Pass
	test_storms.py::TestStormsErrorTests	test_no_gaugets_dir	Pass
	test_storms.py::TestStormsErrorTests	test_no_storm_sequences_file	Pass
	test_storms.py::TestStormsErrorTests	test_storm_sequences_corrupted_continues	Pass
	test_storms.py::TestStormsErrorTests	test_storms_exception_returns_500	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_gauge_not_found_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_and_curve_for_gauge_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_and_hazard_file_returns_404	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_annual_flood_probs	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_curve_points	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_flood_stages	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_gauge_id	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_gev_parameters	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_response_has_term_structures	Pass
	gauges_hazard.py::TestGetGaugeHazard	test_valid_hazard_returns_200	Pass
	gauges_hazard.py::TestPricePrs	test_gauge_not_in_hazard_returns_404	Pass
	gauges_hazard.py::TestPricePrs	test_invalid_trigger_level_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_missing_gauge_id_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_no_hazard_file_returns_404	Pass
	gauges_hazard.py::TestPricePrs	test_no_json_returns_400	Pass
	gauges_hazard.py::TestPricePrs	test_options_returns_ok	Pass
	gauges_history.py::TestGaugeHistoryResponse	test_response_has_count_and_gauges_keys	Pass
	gauges_history.py::TestGaugeHistoryResponse	test_returns_200_with_no_gaugehd_files	Pass
	gauges_history.py::TestGaugeHistoryResponse	test_returns_correct_count_when_files_present	Pass
	gauges_history.py::TestGetGaugeHistory	test_days_larger_than_available_returns_all	Pass
	gauges_history.py::TestGetGaugeHistory	test_days_param_limits_observations	Pass
	gauges_history.py::TestGetGaugeHistory	test_days_param_zero_returns_all	Pass
	gauges_history.py::TestGetGaugeHistory	test_no_history_file_returns_404	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_daily_observations	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_flood_stages	Pass
	gauges_history.py::TestGetGaugeHistory	test_response_has_gauge_metadata	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauges.history.py::TestGetGaugeHistory	test_response_has_statistics	Pass
	gauges.history.py::TestGetGaugeHistory	test_valid_history_returns_200	Pass
	gauges.history.py::TestGetGaugeHistory	test_invalid_gauge_not_found_returns_404	Pass
	gauges.history.py::TestGetGaugeHistory	test_valid_gauge_returns_success	Pass
	gauges.history.py::TestGetGaugeHistory	test_gauge_not_found_returns_404	Pass
	gauges.history.py::TestGetGaugeHistory	test_response_has_count_and_readings	Pass
	gauges.history.py::TestGetGaugeHistory	test_valid_gauge_returns_success	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_gauge_not_found_returns_404	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_legacy_route_alias	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_reporting_gauge_id_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_json_body_returns_400	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_options_returns_ok	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_has_file_path	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_response_has_pdf_base64	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_valid_report_gauge_generates_report	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_gaugehd_file_present	Pass
	gauges_reports.py::TestGenerateGaugeReport	test_report_hazard_file_present	Pass
	gauges_storms.py::TestGetGaugeStorm	test_gauge_not_found_returns_404	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_flood_simulation	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_flood_stages	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_gauge_id	Pass
	gauges_storms.py::TestGetGaugeStorm	test_response_has_storm_responses	Pass
	gauges_storms.py::TestGetGaugeStorm	test_storm_enrichment_from_storms_json	Pass
	gauges_storms.py::TestGetGaugeStorm	test_invalid_gauge_returns_200	Pass
	gauges_storms.py::TestGetGaugeStorm	test_with_severe_exceeded_counts_gauges	Pass
	audit_part1.py::TestGetAuditTrail	test_after_log_entry_appears	Pass
	audit_part1.py::TestGetAuditTrail	test_empty_trail_returns_200	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_event_type	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_model_id	Pass
	audit_part1.py::TestGetAuditTrail	test_filter_by_model_id_no_match	Pass
	audit_part1.py::TestGetAuditTrail	test_has_returned_field	Pass
	audit_part1.py::TestGetAuditTrail	test_limit_parameter	Pass
	audit_part1.py::TestLogModelUsage	test_defaults_applied_when_no_json	Pass
	audit_part1.py::TestLogModelUsage	test_entry_has_expected_fields	Pass
	audit_part1.py::TestLogModelUsage	test_model_not_found_returns_404	Pass
	audit_part1.py::TestLogModelUsage	test_parameters_stored	Pass
	audit_part1.py::TestLogModelUsage	test_valid_model_returns_200	Pass
	audit_part1.py::TestUpdateValidQuestion	test_invalid_statuses	Pass
	audit_part1.py::TestUpdateValidQuestion	test_invalid_status_returns_400	Pass
	audit_part1.py::TestUpdateValidQuestion	test_model_not_found_returns_404	Pass
	audit_part1.py::TestUpdateValidQuestion	test_question_not_found_returns_404	Pass
	audit_part1.py::TestUpdateValidQuestion	test_question_recalculated	Pass
	audit_part1.py::TestUpdateValidQuestion	test_question_update_has_model_and_audit_entry	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	audit_part1.py::TestUpdateValidations	test_validation_update_returns_success	Pass
	audit_part2.py::TestGetRiskRating	test_model_not_found_returns_404	Pass
	audit_part2.py::TestGetRiskRating	test_response_has_risk_rating	Pass
	audit_part2.py::TestGetRiskRating	test_risk_rating_has_component_scores	Pass
	audit_part2.py::TestGetRiskRating	test_valid_model_returns_success	Pass
	audit_part2.py::TestOverrideRiskRating	test_no_override_with_null	Pass
	audit_part2.py::TestOverrideRiskRating	test_invalid_rating_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_model_not_found_returns_404	Pass
	audit_part2.py::TestOverrideRiskRating	test_no_reason_field_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_no_reason_returns_400	Pass
	audit_part2.py::TestOverrideRiskRating	test_override_stored_in_model	Pass
	audit_part2.py::TestOverrideRiskRating	test_response_has_audit_entry	Pass
	audit_part2.py::TestOverrideRiskRating	test_invalid_override_returns_success	Pass
	audit_part2.py::TestPdfEndpoint	test_documentation_pdf_known_model_no_file	Pass 404
	audit_part2.py::TestPdfEndpoint	test_documentation_pdf_unknown_model	Pass 404
	audit_part2.py::TestPdfEndpoint	test_mrc_tor_pdf_responds	Pass
	audit_part2.py::TestPdfEndpoint	test_parameter_inventory_pdf_responds	Pass
	audit_part2.py::TestPdfEndpoint	test_test_results_pdf_known_model_no_file	Pass 404
	audit_part2.py::TestPdfEndpoint	test_test_results_pdf_unknown_model	Pass 404
	audit_reports.py::TestDownloadAuditReport	test_report_not_found_returns_404	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_pdf_served_as_attachment	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_traversal_returns_403	Pass
	audit_reports.py::TestDownloadAuditReport	test_report_pdf_served_inline	Pass
	audit_reports.py::TestListAuditReports	test_coverage_available_false_when_no_index	Index
	audit_reports.py::TestListAuditReports	test_coverage_available_true_when_index_present	Index
	audit_reports.py::TestListAuditReports	test_empty_dir_returns_empty_list	Pass
	audit_reports.py::TestListAuditReports	test_file_has_size_and_modified	Pass
	audit_reports.py::TestListAuditReports	test_file_type_label_json	Pass
	audit_reports.py::TestListAuditReports	test_file_type_label_pdf	Pass
	audit_reports.py::TestListAuditReports	test_file_type_label_unknown	Pass
	audit_reports.py::TestListAuditReports	test_no_dir_returns_empty_list	Pass
	audit_reports.py::TestListAuditReports	test_pdf_file_listed	Pass
	audit_reports.py::TestListAuditReports	test_subdirectories_not_listed	Pass
	audit_reports.py::TestServeCoverageIndex	test_no_coverage_dir_returns_404	Pass
	audit_reports.py::TestServeCoverageIndex	test_with_coverage_index_returns_200	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_appears_in_list	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_assigns_id	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_no_json_body_uses_defaults	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_returns_200	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_returns_reference	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_same_category_twice_no_duplicates	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_stores_all_fields	Pass
	bibliography.py::TestAddBibliographyRef	test_ref_with_category_updates_category	Pass
	bibliography.py::TestDeleteBibliographyRef	test_delete_nonexistent_still_returns_success	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	bibliography.py::TestDeleteBibliographyRef	test_delete_ref_returns_success	Pass
	bibliography.py::TestDeleteBibliographyRef	test_delete_ref_ref_not_in_list	Pass
	bibliography.py::TestGetBibliographyRef	test_get_ref_empty_references	Pass
	bibliography.py::TestGetBibliographyRef	test_get_ref_has_categories_key	Pass
	bibliography.py::TestGetBibliographyRef	test_get_ref_returns_200	Pass
	bibliography.py::TestGetBibliographyRef	test_get_ref_returns_success_status	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_ref_not_found_returns_404	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_ref_changes_field	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_ref_returns_success	Pass
	bibliography.py::TestUpdateBibliographyRef	test_update_ref_with_new_category_adds_to_list	Pass
	compliance_part1.py::TestGetBcb239	test_get_bcb239_no_data_returns_404	Pass
	compliance_part1.py::TestGetBcb239	test_get_bcb239_principles_count	Pass
	compliance_part1.py::TestGetBcb239	test_get_bcb239_response_has_assessment	Pass
	compliance_part1.py::TestGetBcb239	test_get_bcb239_with_data_returns_200	Pass
	compliance_part1.py::TestGetBcb239	test_get_bcb239_pdf_responds	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_date_updated	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_returns_404	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_not_found_returns_404	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_derives_non_compliant_status	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_derives_fully_compliant_status	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_evidence_field	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_and_remediation	Pass
	compliance_part1.py::TestUpdateBcb239Principle	test_update_bcb239_principle_returns_200	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_role_id_returns_400	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_updated	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_extra_allowed	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_update_returns_success	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_extreme_threshold_updated	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_has_audit_entry	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_not_found_returns_404	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_update_returns_success	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_field_updated	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_role_id_returns_404	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_response_has_audit_entry	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_role_id_returns_404	Pass
	compliance_part2.py::TestUpdateBcb239Activity	test_update_bcb239_activity_role_id_update_returns_success	Pass
	documents_part1.py::TestDeleteDocument	test_delete_doc_not_in_list	Pass
	documents_part1.py::TestDeleteDocument	test_delete_doc_not_found_returns_404	Pass
	documents_part1.py::TestDeleteDocument	test_delete_doc_id_delete_returns_success	Pass
	documents_part1.py::TestDownloadDocument	test_download_doc_not_found_returns_404	Pass
	documents_part1.py::TestDownloadDocument	test_download_doc_valid_download_returns_200	Pass
	documents_part1.py::TestGetDocuments	test_get_docs_empty_list_returns_success	Pass
	documents_part1.py::TestUploadDocument	test_upload_doc_empty_filename_returns_400	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	documents_part1.py::TestUploadDocument	test_upload_file_returns_400	Pass
	documents_part1.py::TestUploadDocument	test_upload_appears_in_list	Pass
	documents_part1.py::TestUploadDocument	test_upload_response_has_id	Pass
	documents_part1.py::TestUploadDocument	test_upload_stores_description	Pass
	documents_part1.py::TestUploadDocument	test_valid_upload_returns_200	Pass
	documents_part2.py::TestDeleteSetMetadata	test_delete_file_failure_returns_500	Pass
	documents_part2.py::TestDownloadFile	test_file_missing_from_disk_returns_404	Pass
	documents_part2.py::TestUploadSetMetadata	test_upload_file_failure_returns_500	Pass
	inventory.py::TestInventorySummary	test_get_models_includes_risk_fields	Pass
	inventory.py::TestRiskRating	test_get_risk_rating_calculation	Pass
	inventory.py::TestRiskRating	test_risk_rating_clear_override	Pass
	inventory.py::TestRiskRating	test_risk_rating_override	Pass
	inventory.py::TestRiskRating	test_risk_rating_override_invalid_rating	Pass
	inventory.py::TestRiskRating	test_risk_rating_override_requires_reason	Pass
	inventory.py::TestValidationQuestion	test_update_triggers_risk_recalculation	Pass
	inventory.py::TestValidationQuestion	test_update_validation_question	Pass
	inventory.py::TestValidationQuestion	test_update_validation_question_invalid_status	Pass
	inventory.py::TestValidationQuestion	test_update_validation_question_not_found	Pass
	models.py::TestGetEditableFields	test_has_fields	Pass
	models.py::TestGetEditableFields	test_returns_200	Pass
	models.py::TestGetEditableFields	test_returns_success_status	Pass
	models.py::TestGetModelDetail	test_model_has_validation_questions	Pass
	models.py::TestGetModelDetail	test_model_not_found_returns_404	Pass
	models.py::TestGetModelDetail	test_response_has_audit_entries	Pass
	models.py::TestGetModelDetail	test_valid_model_returns_success	Pass
	models.py::TestGetModels	test_category_distribution	Pass
	models.py::TestGetModels	test_model_has_review_status	Pass
	models.py::TestGetModels	test_model_has_risk_rating	Pass
	models.py::TestGetModels	test_model_has_validation_coverage	Pass
	models.py::TestGetModels	test_response_has_metadata	Pass
	models.py::TestGetModels	test_returns_200	Pass
	models.py::TestGetModels	test_returns_models_list	Pass
	models.py::TestGetModels	test_returns_success_status	Pass
	models.py::TestGetModels	test_tier_distribution	Pass
	models.py::TestUpdateModelField	test_empty_value_returns_400	Pass
	models.py::TestUpdateModelField	test_invalid_choice_value_returns_400	Pass
	models.py::TestUpdateModelField	test_invalid_field_returns_400	Pass
	models.py::TestUpdateModelField	test_model_not_found_returns_404	Pass
	models.py::TestUpdateModelField	test_no_reason_returns_400	Pass
	models.py::TestUpdateModelField	test_response_has_audit_entry	Pass
	models.py::TestUpdateModelField	test_update_lifecycle_stage	Pass
	models.py::TestUpdateModelField	test_update_validation_status	Pass
	models.py::TestUpdateModelField	test_valid_choice_field_update_returns_success	Pass
	models.py::TestUpdateModelField	test_valid_text_field_update_returns_success	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	mrc_crud_actions.py::TestActions	test_add_action_auto_id	Pass
	mrc_crud_actions.py::TestActions	test_add_action_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestActions	test_add_action_returns_200	Pass
	mrc_crud_actions.py::TestActions	test_delete_action_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestActions	test_delete_action_returns_200	Pass
	mrc_crud_actions.py::TestActions	test_update_action_not_found_returns_404	Pass
	mrc_crud_actions.py::TestActions	test_update_action_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_auto_id	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestParticipants	test_add_participant_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_delete_participant_missing_meeting_returns_404	Pass
	mrc_crud_actions.py::TestParticipants	test_delete_participant_returns_200	Pass
	mrc_crud_actions.py::TestParticipants	test_update_participant_not_found_returns_404	Pass
	mrc_crud_actions.py::TestParticipants	test_update_participant_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_item_increments_count	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_add_agenda_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestAgenda	test_delete_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestAgenda	test_delete_agenda_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestAgenda	test_update_agenda_item_not_found_returns_404	Pass
	mrc_crud_agenda.py::TestAgenda	test_update_agenda_item_returns_200	Pass
	mrc_crud_agenda.py::TestDecisions	test_add_decision_auto_ids	Pass
	mrc_crud_agenda.py::TestDecisions	test_add_decision_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestDecisions	test_add_decision_returns_200	Pass
	mrc_crud_agenda.py::TestDecisions	test_delete_decision_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestDecisions	test_delete_decision_returns_200	Pass
	mrc_crud_agenda.py::TestDecisions	test_update_decision_not_found_returns_404	Pass
	mrc_crud_agenda.py::TestDecisions	test_update_decision_returns_200	Pass
	mrc_crud_agenda.py::TestMinutes	test_add_minutes_missing_meeting_returns_404	Pass
	mrc_crud_agenda.py::TestMinutes	test_add_minutes_returns_200	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_add_minute_item_missing_meeting_returns_404	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_add_minute_item_returns_200	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_delete_minute_item_legacy_format_returns_400	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_delete_minute_item_missing_meeting_returns_404	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_delete_minute_item_returns_200	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_update_minute_item_legacy_format_returns_400	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_update_minute_item_not_found_returns_404	Pass
	mrc_crud_edge_part1.py::TestMinutes	test_update_minute_item_returns_200	Pass
	mrc_crud_edge_part2.py::TestMalformedAction	test_add_action_with_malformed_existing_id	Pass
	mrc_crud_edge_part2.py::TestMalformedDecision	test_add_decision_with_malformed_existing_id	Pass
	mrc_crud_edge_part2.py::TestMalformedParticipant	test_add_participant_with_malformed_existing_id	Pass
	mrc_crud_edge_part2.py::TestMinutes	test_adding_to_list_conversion_minutes_is_string	Pass
	mrc_crud_edge_part2.py::TestUpdateMessageAction	test_update_message_action_missing_meeting_returns_404	Pass
	mrc_crud_edge_part2.py::TestUpdateMessageAction	test_update_message_action_missing_meeting_returns_404	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
mrc_crud_edge_part2.py::TestUpdateMeeting	test_missing_meeting_item_missing_meeting	test_missing_meeting_item_missing_meeting	Pass
mrc_crud_edge_part2.py::TestUpdateMeeting	test_missing_meeting_participant_missing_meeting	test_missing_meeting_participant_missing_meeting	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_all_sections	test_all_sections	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_buffer_not_empty	test_buffer_not_empty	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_actions	test_meeting_with_actions	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_agenda	test_meeting_with_agenda	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_decisions	test_meeting_with_decisions	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_minutes	test_meeting_with_minutes	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_no_optional_fields	test_meeting_with_no_optional_fields	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_meeting_with_participants	test_meeting_with_participants	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_minimal_meeting	test_minimal_meeting	Pass
mrc_pdf.py::TestBuildMeetingPdf	test_returns_bytesio	test_returns_bytesio	Pass
mrc_pdf.py::TestGetMeetingPdf	test_meeting_not_found_returns_404	test_meeting_not_found_returns_404	Pass
mrc_pdf.py::TestGetMeetingPdf	test_valid_meeting_content_type_pdf	test_valid_meeting_content_type_pdf	Pass
mrc_pdf.py::TestGetMeetingPdf	test_valid_meeting_returns_bytes	test_valid_meeting_returns_bytes	Pass
mrc_pdf.py::TestGetMeetingPdf	test_valid_meeting_returns_pdf	test_valid_meeting_returns_pdf	Pass
raci.py::TestRACIMatrix	test_get_raci_matrix	test_get_raci_matrix	Pass
raci.py::TestRACIMatrix	test_get_raci_matrix_file_missing	test_get_raci_matrix_file_missing	Pass
raci.py::TestRACIMatrix	test_update_raci_activity	test_update_raci_activity	Pass
raci.py::TestRACIMatrix	test_update_raci_activity_invalid_role	test_update_raci_activity_invalid_role	Pass
raci.py::TestRACIMatrix	test_update_raci_escalation	test_update_raci_escalation	Pass
raci.py::TestRACIMatrix	test_update_raci_role	test_update_raci_role	Pass
raci.py::TestRACIMatrix	test_update_raci_role_not_found	test_update_raci_role_not_found	Pass
test_bibliography_coverage.py::TestBuildBibliography	test_build_bibliography_save_failure	test_build_bibliography_save_failure	Pass
test_bibliography_coverage.py::TestBuildBibliography	test_build_bibliography_save_failure	test_build_bibliography_save_failure	Pass
test_bibliography_coverage.py::TestBuildBibliography	test_build_bibliography_save_failure	test_build_bibliography_save_failure	Pass
test_block2_coverage_part1.py::TestVrcCreateMeeting	test_vrc_create_meeting_save_failure	test_vrc_create_meeting_save_failure	Pass
test_block2_coverage_part1.py::TestVrcGetDocument	test_vrc_get_meeting_document_not_found	test_vrc_get_meeting_document_not_found	Pass
test_block2_coverage_part1.py::TestVrcGetDocument	test_vrc_get_meeting_document_success	test_vrc_get_meeting_document_success	Pass
test_block2_coverage_part1.py::TestVrcUploadDocument	test_vrc_upload_document_empty_filename	test_vrc_upload_document_empty_filename	Pass
test_block2_coverage_part1.py::TestVrcUploadDocument	test_vrc_upload_document_meeting_not_found	test_vrc_upload_document_meeting_not_found	Pass
test_block2_coverage_part1.py::TestVrcUploadDocument	test_vrc_upload_document_no_file	test_vrc_upload_document_no_file	Pass
test_block2_coverage_part1.py::TestVrcUploadDocument	test_vrc_upload_document_save_failure	test_vrc_upload_document_save_failure	Pass
test_block2_coverage_part1.py::TestVrcUploadDocument	test_vrc_upload_document_success	test_vrc_upload_document_success	Pass
test_block2_coverage_part1.py::TestVrcUploadDocument	test_vrc_upload_document_upload_documents_keylist	test_vrc_upload_document_upload_documents_keylist	Pass
test_block2_coverage_part1.py::TestVrcUpdateMeeting	test_vrc_update_meeting_save_failure	test_vrc_update_meeting_save_failure	Pass
test_block2_coverage_part2.py::TestAuditLogHelpCase	test_audit_log_help_case_audit_overflow_trim	test_audit_log_help_case_audit_overflow_trim	Pass
test_block2_coverage_part2.py::TestAuditLogHelpCase	test_audit_log_help_case_inventory_not_found	test_audit_log_help_case_inventory_not_found	Pass
test_block2_coverage_part2.py::TestAuditLogHelpCase	test_audit_log_help_case_save_failure	test_audit_log_help_case_save_failure	Pass
test_block2_coverage_part2.py::TestOverrideRiskRating	test_override_risk_rating_overflow_flow	test_override_risk_rating_overflow_flow	Pass
test_block2_coverage_part2.py::TestOverrideRiskRating	test_override_risk_rating_not_found	test_override_risk_rating_not_found	Pass
test_block2_coverage_part2.py::TestOverrideRiskRating	test_override_risk_rating_save_failure	test_override_risk_rating_save_failure	Pass
test_block2_coverage_part2.py::TestPdfServing	test_pdf_serving_doc_pdf_not_found	test_pdf_serving_doc_pdf_not_found	Pass
test_block2_coverage_part2.py::TestPdfServing	test_pdf_serving_doc_pdf_served	test_pdf_serving_doc_pdf_served	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_helpers.io.py::TestSaveAuditlog	test_saves_entries	Pass
	test_helpers.io.py::TestSaveInventory	test_returns_false_on_oserror	Pass
	test_helpers.io.py::TestSaveInventory	test_saves_data	Pass
	test_helpers.io.py::TestSaveMeetings	test_returns_false_on_oserror	Pass
	test_helpers.io.py::TestSaveMeetings	test_saves_meetings	Pass
	test_helpers_risk.py::TestCalculateRiskConditioning	test_is_additional_rating_middle_range	Pass
	test_helpers_risk.py::TestCalculateRiskConditioning	test_is_half_score_gives_half_score	Pass
	test_helpers_risk.py::TestCalculateRiskConditioning	test_is_flawless_review_gives_full_score	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_assumptions_penalised	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_coverage_acceptable	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_high_limitations_penalised	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_coverage_unacceptable	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_review_date_gives_zero	Pass
	test_helpers_risk.py::TestCalculateRiskRating	test_low_review_review_gives_zero_score	Pass
	test_helpers_risk.py::TestCalculateRiskRatings	test_ratings_dict_with_required_keys	Pass
	test_helpers_risk.py::TestCalculateRiskScore	test_score_is_float	Pass
	test_helpers_risk.py::TestVqSummary	test_all_addressed	Pass
	test_helpers_risk.py::TestVqSummary	test_empty_questions	Pass
	test_helpers_risk.py::TestVqSummary	test_none_addressed	Pass
	test_helpers_risk.py::TestVqSummary	test_some_not_applicable	Pass
	test_inventory_integrity_part1.py::TestFileExists	test_file_exists	Pass
	test_inventory_integrity_part1.py::TestFileIsWritable	test_is_writable	Pass
	test_inventory_integrity_part1.py::TestInventoryExistsFromModel	test_inventory_exists_from_model	Pass
	test_inventory_integrity_part1.py::TestInventoryExistsFromData	test_inventory_exists_from_data	Pass
	test_inventory_integrity_part1.py::TestInventoryExistsFromIndex	test_inventory_exists_from_index	Pass
	test_inventory_integrity_part1.py::TestInventoryExistsFromKey	test_inventory_exists_from_key	Pass
	test_inventory_integrity_part1.py::TestAllModelsHaveModelId	test_all_models_have_model_id	Pass
	test_inventory_integrity_part1.py::TestModelIdsAreUnique	test_model_ids_are_unique	Pass
	test_inventory_integrity_part1.py::TestModelIdsFollowNamingConvention	test_model_ids_follow_naming_convention	Pass
	test_inventory_integrity_part1.py::TestOverallRiskRatingIsValid	test_overall_risk_rating_is_valid	Pass
	test_inventory_integrity_part1.py::TestOverallRiskRatingSingleHasComponentScores	test_overall_risk_rating_single_has_component_scores	Fail
	test_inventory_integrity_part1.py::TestOverallRiskRatingSingleHasRequiredKeys	test_overall_risk_rating_single_has_required_keys	Pass
	test_inventory_integrity_part1.py::TestRequiredDictOfOverallRiskRating]	test_required_dict_of_overall_risk_rating]	Pass
	test_inventory_integrity_part1.py::TestRequiredDictOfTestCoverage]	test_required_dict_of_test_coverage]	Pass
	test_inventory_integrity_part1.py::TestTestCoverageSubBooleansAreBool	test_test_coverage_sub_booleans_are_bool	Pass
	test_inventory_integrity_part1.py::TestTestCoverageSubHasRequiredKeys	test_test_coverage_sub_has_required_keys	Pass
	test_inventory_integrity_part1.py::TestTestCoverageSubHasTestFile	test_test_coverage_sub_has_test_file	Pass
	test_inventory_integrity_part2.py::TestADPDependencyAnnotationReturns200	test_adp_dependency_annotation_returns_200	Pass
	test_inventory_integrity_part2.py::TestADPInventoryEndpointSucceeds	test_adp_inventory_endpoint_succeeds	Pass
	test_inventory_integrity_part2.py::TestADPInventoryAvailabilityCountMatchesFile	test_adp_inventory_availability_count_matches_file	Fail
	test_inventory_integrity_part2.py::TestRequiredListOfAssumptions]	test_required_list_of_assumptions]	Pass
	test_inventory_integrity_part2.py::TestRequiredListOfDownstreamModels]	test_required_list_of_downstream_models]	Pass
	test_inventory_integrity_part2.py::TestRequiredListOfLimitations]	test_required_list_of_limitations]	Pass
	test_inventory_integrity_part2.py::TestRequiredListOfUpstreamModels]	test_required_list_of_upstream_models]	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_inventory_integrity_part2.py::TestFieldRequiredStringField[category]		Pass
	test_inventory_integrity_part2.py::TestFieldRequiredStringField[description]		Pass
	test_inventory_integrity_part2.py::TestFieldRequiredStringField[name]		Pass
	test_inventory_integrity_part2.py::TestFieldRequiredStringField[owner]		Pass
	test_inventory_integrity_part2.py::TestFieldRequiredStringField[status]		Pass
	test_inventory_integrity_part2.py::TestFieldRequiredStringField[version]		Pass
	test_lineage_coverage_part1.py::TestCounterpartyNotFoundReturnsEmpty		Pass
	test_lineage_coverage_part1.py::TestCounterpartyTraceFindsMasterRecord		Pass
	test_lineage_coverage_part1.py::TestCounterpartyTraceFindsPrsTrade		Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPathClassifierSummary		Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPathGaugehd		Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPathMarketState		Pass
	test_lineage_coverage_part1.py::TestGaugeTraceSecondaryPathSequenceGauge		Pass
	test_lineage_coverage_part1.py::TestSequenceGaugeFallback		Pass
	test_lineage_coverage_part1.py::TestSequenceGaugeLegacyFallback		Pass
	test_lineage_coverage_part2.py::TestPropertyLookupIncludesMortgage		Pass
	test_lineage_coverage_part2.py::TestPropertyLookupIncludesPropertyholdings		Pass
	test_lineage_coverage_part2.py::TestRouteFindInHagellistReturnsEmpty		Pass
	test_lineage_coverage_part2.py::TestRouteFindInHagellistReturns500		Pass
	test_lineage_coverage_part2.py::TestRouteErrorHandlerReturns500		Pass
	test_lineage_coverage_part2.py::TestTradeSubTradeIncludesEod		Pass
	test_lineage_coverage_part2.py::TestTradeSubTradeIncludesMarks		Pass
	test_lineage_coverage_part2.py::TestUtilityFallbackErrorFallsBackToAbsolute		Pass
	test_lineage_coverage_part2.py::TestUtilityFindInFilesFilenameStemMatch		Pass
	test_lineage_coverage_part2.py::TestUtilityFindInFilesMissingDir		Pass
	test_lineage_coverage_part2.py::TestUtilityFindInFilesExceptionReturnsFalse		Pass
	test_lineage_data_routes.py::TestDataLineage		Pass
	test_lineage_data_routes.py::TestDataDegradedHealth		Pass
	test_lineage_data_routes.py::TestDataHasLineage		Pass
	test_lineage_data_routes.py::TestDataIndexStatuses		Pass
	test_lineage_data_routes.py::TestDataWithManifest		Pass
	test_lineage_data_routes.py::TestDeleteLineageRoute		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteType		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteHost		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteHosts		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteHostsCan		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteHostsFirst		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteHostsRound		Pass
	test_lineage_data_routes.py::TestDeleteLineageRoute		Pass
	test_lineage_data_routes.py::TestDeleteLineageRouteParams		Pass
	test_lineage_field.py::TestFieldLineageLookupFound		Pass
	test_lineage_field.py::TestFieldLineageLookupNotFound		Pass
	test_lineage_field.py::TestFieldLineageLookupWrongReport		Pass
	test_lineage_field.py::TestFieldLineageLookupWrongSection		Pass
	test_lineage_field.py::TestFieldLineageLookupParams400		Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_registry_404	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_by_cdm_path	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_by_source_field	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_case_insensitive	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_finds_matches	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_no_results	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_result_structure	Pass
	test_lineage_field.py::TestFieldLineageLookup	test_lineage_lookup_takes_priority_over_partialExact	Exact
	test_lineage_field.py::TestGetFieldLineageFilter	test_lineage_filter_by_report	Pass
	test_lineage_field.py::TestGetFieldLineageFilter	test_lineage_filter_unknown_report_404	Pass
	test_lineage_field.py::TestGetFieldLineageFilter	test_lineage_filter_registry	Pass
	test_lineage_field.py::TestGetFieldLineageFilter	test_lineage_filter_registry_404	Pass
	test_lineage_field.py::TestGetFieldLineageFilter	test_lineage_filter_summary_contents	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_missing	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_directory_step_fresh	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_directory_step_stale	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_directory_is_missing	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_fresh_file	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_hidden_files_ignored_in_directory	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_manifest_last_run_not_overwrittenBy runtime	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_manifest_last_run_used	Pass
	test_lineage_helpers.py::TestCheckStaleness	test_lineage_staleness_file	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_gauge_trace_finds_multiple_steps	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_gauge_trace_has_context	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_gauge_trace_includes_classifier	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_gauge_trace_includes_prs_trades	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_none_lineage_returns_empty	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_nonexistent_gauge_returns_empty	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_property_trace_finds_steps	Pass
	test_lineage_helpers.py::TestTraceData	test_lineage_trade_trace_finds_origin	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness_refresh_full_health	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness_missing_zero_health	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness_hours_of	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness_partial health	Pass
	test_lineage_staleness.py::TestStaleness	test_lineage_staleness_stale_does_not_count_as_fresh	Pass
	test_models_coverage.py::TestAuditTrail	test_lineage_audit_trail_truncated_to_10000	Pass
	test_models_coverage.py::TestGetModelDetails	test_lineage_model_details_by_name_returns_404	Pass
	test_models_coverage.py::TestGetModelDetails	test_lineage_model_details_by_id_returns_404	Pass
	test_models_coverage.py::TestGetModelDetails	test_lineage_model_details_scheduled review status	Pass
	test_models_coverage.py::TestGetModelDetails	test_lineage_model_details_under review status	Pass
	test_models_coverage.py::TestUpdateModelInventory	test_lineage_model_inventory_returns_404	Pass
	test_models_coverage.py::TestUpdateModelInventory	test_lineage_model_inventory_returns_500	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_lineage_agenda_item	Pass
	test_mrc_agenda_minutes.py::TestAgenda	test_lineage_agenda_unknown_meeting_returns_404	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMultipleItemsIncrementsNumber	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDAgendaItemRenumbers	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDAgendaUnknownMeetingReturns404	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDAgendaItem	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDAgendaUnknownMeetingReturns404	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMissingItemReturns404	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDDeleteItem	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMinuteItemLegacyFormatReturns400	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMinuteItemLegacyFormatReturns400	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMinuteItemNotFoundReturns404	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMinutesText	Pass
	test_mrc_agenda_minutes.py::TestAgendaCRUD	AgendaCRUDMinutesUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestActionCRUD	ActionCRUDAutoGeneratesId	Pass
	test_mrc_decisions_actions.py::TestActionCRUD	ActionCRUDUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestActionCRUD	ActionCRUDAction	Pass
	test_mrc_decisions_actions.py::TestActionCRUD	ActionCRUDActionUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestActionCRUD	ActionCRUDActionStatus	Pass
	test_mrc_decisions_actions.py::TestActionCRUD	ActionCRUDMissingActionReturns404	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDAutoGeneratesId	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDDecision	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDDecisionUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDDecisionIncrementsId	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDDecision	Pass
	test_mrc_decisions_actions.py::TestDecisionCRUD	DecisionCRUDPendingDecisionReturns404	Pass
	test_mrc_decisions_actions.py::TestParticipantCRUD	ParticipantCRUDAutoGeneratesId	Pass
	test_mrc_decisions_actions.py::TestParticipantCRUD	ParticipantCRUDUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestParticipantCRUD	ParticipantCRUDParticipant	Pass
	test_mrc_decisions_actions.py::TestParticipantCRUD	ParticipantCRUDParticipantUnknownMeetingReturns404	Pass
	test_mrc_decisions_actions.py::TestParticipantCRUD	ParticipantCRUDParticipant	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingAutoGeneratesId	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingReturnsMeeting	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingAttendeesBecomeParticipant	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingTitleUsed	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingDefaultChairPopulated	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingDefaultParticipantsCreated	Pass
	test_mrc_meetings.py::TestCreateMeeting	CreateMeetingJsonBodyUsesDefaults	Pass
	test_mrc_meetings.py::TestGetMeeting	GetMeetingGetCreatedMeeting	Pass
	test_mrc_meetings.py::TestGetMeeting	GetMeetingUnknownIdReturns404	Pass
	test_mrc_meetings.py::TestListMeetings	ListMeetingsCreatedMeetingAppearsInList	Pass
	test_mrc_meetings.py::TestListMeetings	ListMeetingsEmptyListReturnsSuccess	Pass
	test_mrc_meetings.py::TestListMeetings	ListMeetingsSummaryHasRequiredKeys	Pass
	test_mrc_meetings.py::TestListMeetings	ListMeetingsSortedByDateDesc	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_mrc_meetings.py::TestMeeting	test_mrc_meetings.py::TestMeetingDoesn't return missing document returns 404	Pass
	test_mrc_meetings.py::TestMeeting	test_mrc_meetings.py::TestMeetingDoesn't upload empty filename returns 400	Pass
	test_mrc_meetings.py::TestMeeting	test_mrc_meetings.py::TestMeetingDoesn't upload no file returns 400	Pass
	test_mrc_meetings.py::TestMeeting	test_mrc_meetings.py::TestMeetingDoesn't upload not found meeting returns 404	Pass
	test_mrc_meetings.py::TestUpdate	test_mrc_meetings.py::TestUpdateSets updated_at	Pass
	test_mrc_meetings.py::TestUpdate	test_mrc_meetings.py::TestUpdateSets title	Pass
	test_mrc_meetings.py::TestUpdate	test_mrc_meetings.py::TestUpdateUnknown id returns 404	Pass
	test_report_routes_part1.py::TestAppend	test_report_routes_part1.py::TestAppendCan append	Pass
	test_report_routes_part1.py::TestAppend	test_report_routes_part1.py::TestAppendCan't append	Pass
	test_report_routes_part1.py::TestAppend	test_report_routes_part1.py::TestAppendOn buffer at 2000	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportOne's field	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportOmitting field	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportIncludes appended	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportOmitting initially	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportOn 200	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportSame not found when no file	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportSame when file exists	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportSame summary fields	Pass
	test_report_routes_part1.py::TestReport	test_report_routes_part1.py::TestReportSame is bool	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendStarted header	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendSave line appended on exception	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendSave exception gracefully	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendSave running false on completion	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendReady running message	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendReady running returns 202	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendResponse has started status	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendReportin returns 202	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendProc wait	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendProc stdout into buffer	Pass
	test_report_routes_part2.py::TestAppend	test_report_routes_part2.py::TestAppendProc newlines	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms	Storm
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms individually queryable	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms storm has most damage	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms from sequence return 404	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms computed correctly	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms flags set on property	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms damage > 100 pct	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms negative equity	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms no contamination	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms returns only its damage	Pass
	test_cluster_and_isolation.py::TestCluster	test_cluster_and_isolation.py::TestClusterIndividual Storms returns only seqB damage	Pass
	test_doublet_storms.py::TestDoublet	test_doublet_storms.py::TestDoubletFirst Storm damage is independent of second	Pass
	test_doublet_storms.py::TestDoublet	test_doublet_storms.py::TestDoubletFirst Storm returns only flooded properties	Pass
	test_doublet_storms.py::TestDoublet	test_doublet_storms.py::TestDoubletFirst Storm totals differ between storms	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
test_doublet_storms.py::TestDoubletStorms	test_doublet_storms.py::TestDoubletStorms	testDoubletStorms_larger_damage_for_property	Pass
test_doublet_storms.py::TestDoubletStorms	test_doublet_storms.py::TestDoubletStorms	testDoubletStorms_returns_both_properties	Pass
test_doublet_storms.py::TestDoubletStorms	test_doublet_storms.py::TestDoubletStorms	testDoubletStorms_response_matches_query	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_is_max_depth	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_per_property_reported	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_in_sequence_reported	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_double_counted	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_max_depth_event	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_included_via_second_storm	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_included_from_different_sequence	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_damage_less_than_sum_of_storms	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_options	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_returns_200	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_id_in_response	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_sequence_returns_404	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_negative_equity_from_worst_storm	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_negative_equity_four	Pass
test_sequence_endpoint.py::TestSequenceEndpoint	test_sequence_endpoint.py::TestSequenceEndpoint	testSequenceEndpoint_negative_equity_storm	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_report_exception_returns_500	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_report_success	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_missing_property_id_returns_400	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_no_body_returns_400	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_returns_error	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_returns_ok	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_not_found_returns_404	Pass
properties_core.py::TestGenerateReport	properties_core.py::TestGenerateReport	testGenerateReport_report_error_returns_500	Pass
properties_core.py::TestGetProperty	properties_core.py::TestGetProperty	testGetProperty_found_returns_property	Pass
properties_core.py::TestGetProperty	properties_core.py::TestGetProperty	testGetProperty_not_found_returns_404	Pass
properties_core.py::TestListProperties	properties_core.py::TestListProperties	testListProperties_loader_exception_returns_500	Pass
properties_core.py::TestListProperties	properties_core.py::TestListProperties	testListProperties_success_empty_list	Pass
properties_core.py::TestListProperties	properties_core.py::TestListProperties	testListProperties_success_with_properties	Pass
properties_core.py::TestNoJsonBodyEdgeReport	properties_core.py::TestNoJsonBodyEdgeReport	testNoJsonBodyEdgeReport_null_json_returns_400	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_report_exception_returns_500	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_report_success	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_missing_property_id_returns_400	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_not_found_returns_404	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_no_body_returns_400	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_returns_error	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_returns_ok	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_not_found_returns_404	Pass
properties_mortgage.py::TestGenerateMortgageReport	properties_mortgage.py::TestGenerateMortgageReport	testGenerateMortgageReport_report_error_returns_500	Pass
properties_mortgage.py::TestListMortgages	properties_mortgage.py::TestListMortgages	testListMortgages_mortgages_empty	Pass
properties_mortgage.py::TestListMortgages	properties_mortgage.py::TestListMortgages	testListMortgages_mortgages_exception_returns_500	Pass
properties_mortgage.py::TestListMortgages	properties_mortgage.py::TestListMortgages	testListMortgages_mortgages_success	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	properties_mortgage.py::TestNoBaseEntryEdgeAloneReportReport	testNoBaseEntryEdgeAloneReportReport returns 400s	Fail
	properties_mortgage.py::TestPropertyMortgage	testPropertyMortgage returns mortgage	Pass
	properties_mortgage.py::TestPropertyMortgageException	testPropertyMortgageException returns 500	Pass
	properties_mortgage.py::TestPropertyMortgageAnd	testPropertyMortgageAnd returns 404	Pass
	properties_mortgage.py::TestPropertyMortgage	testPropertyMortgage returns ok	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData contains hazard_curve	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData contains nearest_gauges	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData contains property_id	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData contains summary	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData returns 200	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData status success	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData returns 404	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData status error	Pass
	propertyhc_part1.py::TestPropertyHazardOptions	testPropertyHazardOptions returns 200	Pass
	propertyhc_part1.py::TestPropertyHazardOptions	testPropertyHazardOptions status ok	Pass
	propertyhc_part1.py::TestPropertyHazardResponse	testPropertyHazardResponse has data key	Pass
	propertyhc_part1.py::TestPropertyHazardResponse	testPropertyHazardResponse second property also works	Pass
	propertyhc_part1.py::TestPropertyHazardUnknown	testPropertyHazardUnknown property message contains Id	Pass
	propertyhc_part1.py::TestPropertyHazardUnknown	testPropertyHazardUnknown property returns 404	Pass
	propertyhc_part1.py::TestPropertyHazardUnknown	testPropertyHazardUnknown property status error	Pass
	propertyhc_part1.py::TestPropertyHazardDistribution	testPropertyHazardDistribution avg_basis_bps	Pass
	propertyhc_part1.py::TestPropertyHazardDistribution	testPropertyHazardDistribution avg_flood_count	Pass
	propertyhc_part1.py::TestPropertyHazardDistribution	testPropertyHazardDistribution max_depth_m	Pass
	propertyhc_part1.py::TestPropertyHazardDistribution	testPropertyHazardDistribution num_properties	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData message mentions command	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData returns 404	Pass
	propertyhc_part1.py::TestPropertyHazardData	testPropertyHazardData status is error	Pass
	propertyhc_part1.py::TestPropertyHazardOptions	testPropertyHazardOptions returns 200	Pass
	propertyhc_part1.py::TestPropertyHazardOptions	testPropertyHazardOptions status ok	Pass
	propertyhc_part1.py::TestPropertyHazardResponse	testPropertyHazardResponse has data key	Pass
	propertyhc_part1.py::TestPropertyHazardResponse	testPropertyHazardResponse has distribution	Pass
	propertyhc_part1.py::TestPropertyHazardResponse	testPropertyHazardResponse has metadata	Pass
	propertyhc_part1.py::TestPropertyHazardResponse	testPropertyHazardResponse has summary	Pass
	propertyhc_part1.py::TestPropertyHazardReturns	testPropertyHazardReturns 200 with data	Pass
	propertyhc_part1.py::TestPropertyHazardStatus	testPropertyHazardStatus is success	Pass
	propertyhc_part1.py::TestPropertyHazardEmpty	testPropertyHazardEmpty avg_flood_count is zero	Pass
	propertyhc_part1.py::TestPropertyHazardEmpty	testPropertyHazardEmpty num_properties is zero	Pass
	propertyhc_part1.py::TestPropertyHazardEmpty	testPropertyHazardEmpty returns 200	Pass
	propertyhc_part2.py::TestPropertyBasisEntry	testPropertyBasisEntry has avg_basis_bps	Pass
	propertyhc_part2.py::TestPropertyBasisEntry	testPropertyBasisEntry has flood_count	Pass
	propertyhc_part2.py::TestPropertyBasisEntry	testPropertyBasisEntry has nearest_gauges	Pass
	propertyhc_part2.py::TestPropertyBasisEntry	testPropertyBasisEntry has property_id	Pass
	propertyhc_part2.py::TestPropertyBasisTable	testPropertyBasisTable count matches	Pass
	propertyhc_part2.py::TestPropertyBasisTable	testPropertyBasisTable length	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	propertyhc_part2.py::TestPropertyhc	testBasis.table.sorted.desc.by.basis	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.rest_gauge.has.distance_km	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.rest_gauge.has.gauge_id	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.data_returns.404	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.data_status_error	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.options_returns.200	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.options_status.ok	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.response.has.basis.table	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.response.has.count	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.returns.200.with.data	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.status.is.success	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.table.basis.table.is.list	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.count.is.zero	Pass
	propertyhc_part2.py::TestPropertyhc	testBasis.returns.200	Pass
	claim_part1.py::TestClaimReport	testGeneration.error.has.message	Pass
	claim_part1.py::TestClaimReport	testGeneration.error.returns.500	Pass
	claim_part1.py::TestClaimReport	testGeneration.error.status.is.error	Pass
	claim_part1.py::TestClaimReport	testHeader.content.length.header.set	Pass
	claim_part1.py::TestClaimReport	testHeader.name.contains.prop.id	Pass
	claim_part1.py::TestClaimReport	testResponse.body.is.pdf.bytes	Pass
	claim_part1.py::TestClaimReport	testResponse.has.content.disposition	Pass
	claim_part1.py::TestClaimReport	testResponse.is.pdf.content.type	Pass
	claim_part1.py::TestClaimReport	testSuccess.returns.200	Pass
	claim_part1.py::TestClaimReport	testDir.dir.message.mentions.property.ts	Pass
	claim_part1.py::TestClaimReport	testDir.dir.returns.404	Pass
	claim_part1.py::TestClaimReport	testDir.dir.status.error	Pass
	claim_part1.py::TestClaimReport	testFlood.floods.message.mentions.events	Pass
	claim_part1.py::TestClaimReport	testFlood.floods.returns.404	Pass
	claim_part1.py::TestClaimReport	testFlood.floods.status.error	Pass
	claim_part1.py::TestClaimReport	testFlood.floods.property.message.contains.ts	Pass
	claim_part1.py::TestClaimReport	testFlood.floods.property.returns.404	Pass
	claim_part1.py::TestClaimReport	testFlood.floods.property.status.error	Pass
	claim_part2.py::TestClaimReport	testException.sequences.file.handled	Pass
	claim_part2.py::TestClaimReport	testMissing.mortgage.json.still.generates	Pass
	claim_part2.py::TestClaimReport	testMissing.property.json.still.generates	Pass
	claim_part2.py::TestClaimReport	testMissing.sequences.file.still.generates	Pass
	core_enrichment_filtering.py::TestEnrichment	testStart.date.enrichment.readFiltering.continues	Pass
	core_enrichment_filtering.py::TestEnrichment	testStop.openly.enrichment.readFiltering.continues	Pass
	core_enrichment_filtering.py::TestEnrichment	testStop.openly.enrichment.filtered.skipped	Pass
	core_enrichment_filtering.py::TestEnrichment	testStop.from.depth.skipped	Pass
	core_enrichment_storms.py::TestEnrichment	testGauges.enrichment.storms.continues	Pass
	core_enrichment_storms.py::TestEnrichment	testProperties.enrichment.storms	Pass
	core_enrichment_storms.py::TestEnrichment	testStorms.empty.storms.id.skipped	Pass
	core_enrichment_storms.py::TestEnrichment	testStorms.metadata.storms.json	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	core.enrichment.storms.py::TestListStorms	test_storms_severity_classification_all_levels	Pass
	core.storms.py::TestListFloodStorms	test_no_storms_file_returns_404	Pass
	core.storms.py::TestListFloodStorms	test_options_returns_ok	Pass
	core.storms.py::TestListFloodStorms	test_storm_has_expected_fields	Pass
	core.storms.py::TestListFloodStorms	test_storm_name_from_intensity_category	Pass
	core.storms.py::TestListFloodStorms	test_storms_list_count	Pass
	core.storms.py::TestListFloodStorms	test_storms_sorted_by_gauges_severe	Pass
	core.storms.py::TestListFloodStorms	test_with_data_returns_success	Pass
	core.storms.py::TestPropertyStorms	test_missing_file_without_gauge_json	Pass
	core.storms.py::TestPropertyStorms	test_missing_file_without_storm_sequences_json	Pass
	core.summary.py::TestPropertyStorms	test_existing_property_returns_success	Pass
	core.summary.py::TestPropertyStorms	test_include_readings_false_strips_readings	Pass
	core.summary.py::TestPropertyStorms	test_include_readings_true_keeps_readings	Pass
	core.summary.py::TestPropertyStorms	test_missing_property_returns_404	Pass
	core.summary.py::TestPropertyStorms	test_options_returns_ok	Pass
	core.summary.py::TestPropertyStorms	test_existing_property_returns_success	Pass
	core.summary.py::TestPropertyStorms	test_flood_events_tagged_with_sequence_type	Pass
	core.summary.py::TestPropertyStorms	test_missing_property_returns_404	Pass
	core.summary.py::TestPropertyStorms	test_nearest_gauges_enriched_with_flood_stages	Pass
	core.summary.py::TestPropertyStorms	test_options_returns_ok	Pass
	core.summary.py::TestPropertyStorms	test_response_has_flood_events	Pass
	core.summary.py::TestPropertyStorms	test_response_has_nearest_gauges	Pass
	core.summary.py::TestPropertyStorms	test_response_has_property_info	Pass
	core.summary.py::TestSummary	test_no_data_returns_404	Pass
	core.summary.py::TestSummary	test_options_returns_ok	Pass
	core.summary.py::TestSummary	test_with_data_returns_success	Pass
	financial.py::TestPortfolioImpact	test_known_storm_returns_success	Pass
	financial.py::TestPortfolioImpact	test_mortgaged_property_has_ltv_fields	Pass
	financial.py::TestPortfolioImpact	test_no_pts_dir_returns_404	Pass
	financial.py::TestPortfolioImpact	test_options_returns_ok	Pass
	financial.py::TestPortfolioImpact	test_portfolio_damage_pct_non_negative	Pass
	financial.py::TestPortfolioImpact	test_portfolio_totals_count	Pass
	financial.py::TestPortfolioImpact	test_properties_sorted_by_damage_descending	Pass
	financial.py::TestPortfolioImpact	test_property_entry_has_financial_fields	Pass
	financial.py::TestPortfolioImpact	test_response_has_portfolio	Pass
	financial.py::TestPortfolioImpact	test_response_has_properties_list	Pass
	financial.py::TestPortfolioImpact	test_response_has_storm_id	Pass
	financial.py::TestPortfolioImpact	test_unknown_storm_returns_404	Pass
	financial.py::TestSequencePortfolioImpact	test_known_sequence_returns_success	Pass
	financial.py::TestSequencePortfolioImpact	test_no_pts_dir_returns_404	Pass
	financial.py::TestSequencePortfolioImpact	test_options_returns_ok	Pass
	financial.py::TestSequencePortfolioImpact	test_properties_sorted_by_damage_descending	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_financial_fields	Pass
	financial.py::TestSequencePortfolioImpact	test_property_entry_has_num_sequence_floods	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	financial.py::TestSequencePortfolioInput	test_input_property_entry_has_worst_storm_id	Pass
	financial.py::TestSequencePortfolioInput	test_input_response_has_damage_model	Pass
	financial.py::TestSequencePortfolioInput	test_input_response_has_num_storms	Pass
	financial.py::TestSequencePortfolioInput	test_input_response_has_portfolio	Pass
	financial.py::TestSequencePortfolioInput	test_input_response_has_properties_list	Pass
	financial.py::TestSequencePortfolioInput	test_input_response_has_sequence_id	Pass
	financial.py::TestSequencePortfolioInput	test_input_unknown_sequence_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtr	test_missing_sequences_message_mentions_doublet	Pass
	risk_part1.py::TestPortfolioVarEtr	test_missing_sequences_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtr	test_no_pts_dir_returns_404	Pass
	risk_part1.py::TestPortfolioVarEtr	test_no_pts_dir_status_error	Pass
	risk_part1.py::TestPortfolioVarEtr	test_options_returns_ok	Pass
	risk_part1.py::TestPortfolioVarNt	test_no_mortgage_impairment_when_above_water	Pass
	risk_part1.py::TestPortfolioVarNt	test_prob_loss_pct_is_100	Pass
	risk_part1.py::TestPortfolioVarNt	test_property_damage_cond_mean_positive	Pass
	risk_part1.py::TestPortfolioVarNt	test_property_damage_max_is_positive	Pass
	risk_part1.py::TestPortfolioVarNt	test_storm_count_is_one	Pass
	risk_part1.py::TestPortfolioVarNt	test_storms_with_damage_is_one	Pass
	risk_part1.py::TestPortfolioVarNt	test_storms_zero_plus_with_damage_equals_total	Pass
	risk_part1.py::TestPortfolioVarNt	test_total_portfolio_mortgages	Pass
	risk_part1.py::TestPortfolioVarNt	test_total_portfolio_value	Pass
	risk_part1.py::TestPortfolioVarSt	test_histogram_bin_has_lo_hi_count	Pass
	risk_part1.py::TestPortfolioVarSt	test_mort_histogram_has_50_bins	Pass
	risk_part1.py::TestPortfolioVarSt	test_mortgage_impairment_sub_keys	Pass
	risk_part1.py::TestPortfolioVarSt	test_prop_histogram_has_50_bins	Pass
	risk_part1.py::TestPortfolioVarSt	test_property_damage_sub_keys	Pass
	risk_part1.py::TestPortfolioVarSt	test_returns_200	Pass
	risk_part1.py::TestPortfolioVarSt	test_status_success	Pass
	risk_part1.py::TestPortfolioVarSt	test_stail_storm_has_required_fields	Pass
	risk_part1.py::TestPortfolioVarSt	test_stail_storms_is_list	Pass
	risk_part1.py::TestPortfolioVarSt	test_stail_storms_sorted_descending	Pass
	risk_part1.py::TestPortfolioVarSt	test_stop_level_keys_present	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_mortgage_json_returns_200	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_mortgage_json_zero_portfolio_mortgages	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_property_json_returns_200	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_property_json_status_success	Pass
	risk_part2.py::TestPortfolioVarM	test_missing_property_json_zero_portfolio_value	Pass
	risk_part2.py::TestPortfolioVarM	test_mortgage_impairment_max_is_positive	Pass
	risk_part2.py::TestPortfolioVarM	test_mortgage_impairment_value	Pass
	risk_part2.py::TestPortfolioVarM	test_mortgage_has_mortgage_impairment	Pass
	risk_part2.py::TestPortfolioVarM	test_prob_loss_pct_is_50	Pass
	risk_part2.py::TestPortfolioVarM	test_storm_count_is_two	Pass
	risk_part2.py::TestPortfolioVarM	test_storms_with_damage_is_one	Pass
	risk_part2.py::TestPortfolioVarM	test_storms_zero_damage_is_one	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_animate_storm_basic.py::TestAnimateStormSuccessAffectedIsOne	test_animate_storm_basic.py::TestAnimateStormSuccessAffectedIsOne	Pass
	test_animate_storm_basic.py::TestAnimateStormSuccessAccess	test_animate_storm_basic.py::TestAnimateStormSuccessAccess	Pass
	test_animate_storm_basic.py::TestAnimateStormSuccess	test_animate_storm_basic.py::TestAnimateStormSuccess	Pass
	test_animate_storm_basic.py::TestAnimateStormSuccessResponse	test_animate_storm_basic.py::TestAnimateStormSuccessResponse	Pass
	test_animate_storm_state.py::TestAnimateStormHasRequiredFields	test_animate_storm_state.py::TestAnimateStormHasRequiredFields	Pass
	test_animate_storm_state.py::TestAnimateStormConnectState	test_animate_storm_state.py::TestAnimateStormConnectState	Pass
	test_animate_storm_state.py::TestAnimateStormGasGetStateWhenAboveAlert	test_animate_storm_state.py::TestAnimateStormGasGetStateWhenAboveAlert	Pass
	test_animate_storm_state.py::TestAnimateStormGasGetNormalWhenBelowAlert	test_animate_storm_state.py::TestAnimateStormGasGetNormalWhenBelowAlert	Pass
	test_animate_storm_state.py::TestAnimateStormGasGetState	test_animate_storm_state.py::TestAnimateStormGasGetState	Pass
	test_animate_storm_state.py::TestAnimateStormGasGetTiming	test_animate_storm_state.py::TestAnimateStormGasGetTiming	Pass
	test_animate_storm_state.py::TestAnimateStormChallengesLikeKeyFallback	test_animate_storm_state.py::TestAnimateStormChallengesLikeKeyFallback	Pass
	test_animate_storm_state.py::TestAnimateStormChallengeReadingsDefaultsToZero	test_animate_storm_state.py::TestAnimateStormChallengeReadingsDefaultsToZero	Pass
	test_animate_storm_state.py::TestAnimateStormChallengeFromReadings	test_animate_storm_state.py::TestAnimateStormChallengeFromReadings	Pass
	test_animate_storm_state.py::TestAnimateStormDiffersBeforeArrivalTime	test_animate_storm_state.py::TestAnimateStormDiffersBeforeArrivalTime	Pass
	test_animate_storm_state.py::TestAnimateStormDiffersAfterArrivalTime	test_animate_storm_state.py::TestAnimateStormDiffersAfterArrivalTime	Pass
	test_animate_storm_state.py::TestAnimateStormBeyondReadingsDefaultsToZero	test_animate_storm_state.py::TestAnimateStormBeyondReadingsDefaultsToZero	Pass
	test_animate_storm_state.py::TestAnimateStormHasRequiredFields	test_animate_storm_state.py::TestAnimateStormHasRequiredFields	Pass
	test_animate_storm_state.py::TestAnimateStormPropertyState	test_animate_storm_state.py::TestAnimateStormPropertyState	Pass
	test_animate_storm_state.py::TestAnimateStormFloodedCountsNonNormal	test_animate_storm_state.py::TestAnimateStormFloodedCountsNonNormal	Pass
	test_animate_storm_state.py::TestAnimateStormFloodedZeroWhenNormal	test_animate_storm_state.py::TestAnimateStormFloodedZeroWhenNormal	Pass
	test_animate_storm_state.py::TestAnimateStormFloodedIsPositiveEarly	test_animate_storm_state.py::TestAnimateStormFloodedIsPositiveEarly	Pass
	test_animate_storm_state.py::TestAnimateStormDepthNonNegative	test_animate_storm_state.py::TestAnimateStormDepthNonNegative	Pass
	test_financial_coverage.py::TestLoanMortgageLoanMortgageEpsilonStillReturnsData	test_financial_coverage.py::TestLoanMortgageLoanMortgageEpsilonStillReturnsData	Pass
	test_financial_coverage.py::TestLoanMissingPropertyJsonReturns404	test_financial_coverage.py::TestLoanMissingPropertyJsonReturns404	Pass
	test_financial_coverage.py::TestLoanMissingPropertyJsonSequenceReturns404	test_financial_coverage.py::TestLoanMissingPropertyJsonSequenceReturns404	Pass
	test_financial_coverage.py::TestReportSequenceOfPharmPropertyReturns404	test_financial_coverage.py::TestReportSequenceOfPharmPropertyReturns404	Pass
	test_financial_coverage.py::TestReportNonPharmPropertyReturns404	test_financial_coverage.py::TestReportNonPharmPropertyReturns404	Pass
	test_financial_coverage.py::TestReportWithNoMortgageReturnsZeroFill	test_financial_coverage.py::TestReportWithNoMortgageReturnsZeroFill	Pass
	test_financial_coverage.py::TestReportWithNoMortgageSequence	test_financial_coverage.py::TestReportWithNoMortgageSequence	Pass
	routes_part1.py::TestCORS test_cors_headers_on_get	routes_part1.py::TestCORS test_cors_headers_on_get	Pass
	routes_part1.py::TestCORS test_options_returns_ok	routes_part1.py::TestCORS test_options_returns_ok	Pass
	routes_part1.py::TestGaugeRoute test_generate_report_missing_gauge_id	routes_part1.py::TestGaugeRoute test_generate_report_missing_gauge_id	Pass
	routes_part1.py::TestGaugeRoute test_get_gauge	routes_part1.py::TestGaugeRoute test_get_gauge	Pass
	routes_part1.py::TestGaugeRoute test_get_gauge_not_found	routes_part1.py::TestGaugeRoute test_get_gauge_not_found	Pass
	routes_part1.py::TestGaugeRoute test_get_gauge_statistics	routes_part1.py::TestGaugeRoute test_get_gauge_statistics	Pass
	routes_part1.py::TestGaugeRoute test_get_gaugets	routes_part1.py::TestGaugeRoute test_get_gaugets	Pass
	routes_part1.py::TestGaugeRoute test_legacy_list_gauges	routes_part1.py::TestGaugeRoute test_legacy_list_gauges	Pass
	routes_part1.py::TestGaugeRoute test_list_gauges	routes_part1.py::TestGaugeRoute test_list_gauges	Pass
	routes_part1.py::TestHealthRoute test_detailed_health_check	routes_part1.py::TestHealthRoute test_detailed_health_check	Pass
	routes_part1.py::TestHealthRoute test_health_check	routes_part1.py::TestHealthRoute test_health_check	Pass
	routes_part1.py::TestHealthRoute test_root_redirects	routes_part1.py::TestHealthRoute test_root_redirects	Pass
	routes_part1.py::TestPropertyRoute test_generate_report_missing_body	routes_part1.py::TestPropertyRoute test_generate_report_missing_body	Pass
	routes_part1.py::TestPropertyRoute test_generate_report_missing_property_id	routes_part1.py::TestPropertyRoute test_generate_report_missing_property_id	Pass
	routes_part1.py::TestPropertyRoute test_generate_report_property_not_found	routes_part1.py::TestPropertyRoute test_generate_report_property_not_found	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	routes_part1.py::TestPropertyRoutes	test_get_property	Pass
	routes_part1.py::TestPropertyRoutes	test_get_property_not_found	Pass
	routes_part1.py::TestPropertyRoutes	test_legacy_generate_property_report	Pass
	routes_part1.py::TestPropertyRoutes	test_list_properties	Pass
	routes_part1.py::TestPropertyRoutes	test_options_preflight	Pass
	routes_part2.py::TestErrorHandler	test_invalid_json	Pass
	routes_part2.py::TestErrorHandler	test_missing_content_type	Pass
	routes_part2.py::TestGaugeCrud	test_create_gauges_error_returns_500	Pass
	routes_part2.py::TestGaugeCrud	test_create_gauges_options	Pass
	routes_part2.py::TestServerMaint	test_main_calls_app_run	Pass
	consistency.py::TestStormIdConsistency	test_storm_from_list_is_runnable	Pass
	consistency.py::TestStormIdConsistency	test_worst_storm_auto_selection_is_runnable	Pass
	consistency.py::TestStressRunInputs	test_storm_id_exact_match_required	Pass
	consistency.py::TestStressRunInputs	test_storm_list_has_all_run_inputs	Pass
	hydrograph.py::TestActualHydrograph	test_actual_function_decays_after_peak	Pass
	hydrograph.py::TestActualHydrograph	test_actual_function_reaches_peak	Pass
	hydrograph.py::TestActualHydrograph	test_actual_function_returns_168_hours	Pass
	hydrograph.py::TestActualHydrograph	test_actual_function_starts_at_base	Pass
	hydrograph.py::TestActualHydrograph	test_peak_hour_matches_peak_position	Pass
	hydrograph.py::TestGaugetsHydrograph	test_gauges_water_level_field_fallback	Pass
	hydrograph.py::TestGaugetsHydrograph	test_gauges_water_level_field	Pass
	hydrograph.py::TestGaugetsHydrograph	test_historical_gauges_returns_404	Pass
	ordering.py::TestPeakOrdering	test_severe_storm_alpha_is_first	Pass
	ordering.py::TestPeakOrdering	test_storms_sorted_worst_first	Pass
	ordering.py::TestPeakOrdering	test_worst_storm_is_first	Pass
	presentation.py::TestPresentation	test_stress_tree_use_same_storms_endpoint	Pass
	presentation.py::TestPresentation	test_stress_stress_auto_selects_worst_case	Pass
	presentation.py::TestPresentation	test_stress_stress_tab_uses_all_required_fields	Pass
	presentation.py::TestPresentation	test_historical_tab_uses_all_required_fields	Pass
	presentation.py::TestPresentation	test_peak_level_min_trading_stress_label	Pass
	presentation.py::TestPresentation	test_trading_stress_auto_selects_worst_case	Pass
	presentation.py::TestPresentation	test_trading_stress_tab_uses_all_required_fields	Pass
	response_fields.py::TestStressRunResponseFields	test_alert_warning_severe_levels	Pass
	response_fields.py::TestStressRunResponseFields	test_hydrograph_source_info	Pass
	response_fields.py::TestStressRunResponseFields	test_storm_name_and_category	Pass
	response_fields.py::TestStressRunResponseFields	test_run_count_is_168	Pass
	response_fields.py::TestStressRunResponseFields	test_probability_surface_has_full_168h	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_response_has_count	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_returns_200_not_400	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_returns_all_storms	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_returns_success	Pass
	response_fields.py::TestStressStormResponseFields	test_no_gauge_id_still_filters	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_base_level_m	Pass
	scenario_fields.py::TestScenarioVisitesFields	test_fields_list_has_duration_hours	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	scenario_fields.py::TestScenarioVisitesField	test_has_effective_precipitation_mm	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_gauges_severe	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_intensity_category	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_level_change_m	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_max_trigger	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_name	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_peak_level_m	Pass
	scenario_fields.py::TestScenarioVisitesField	test_has_peak_position	Pass
	test_health_coverage.py::TestStateIcon	test_apple_touch_icon	Pass
	test_health_coverage.py::TestStateIcon	test_apple_touch_icon_precomposed	Pass
	test_health_coverage.py::TestStateIcon	test_android_favicon_ico	Pass
	test_prs_basic.py::TestCommitTrade	test_commit_with_cashflows	Pass
	test_prs_basic.py::TestCommitTrade	test_commit_with_explicit_maturity	Pass
	test_prs_basic.py::TestCommitTrade	test_empty_json_returns_400	Pass
	test_prs_basic.py::TestCommitTrade	test_minimal_valid_commit	Pass
	test_prs_basic.py::TestCommitTrade	test_no_json_returns_error	Pass
	test_prs_basic.py::TestGetTradePDF	test_existing_pdf_served	Pass
	test_prs_basic.py::TestGetTradePDF	test_missing_pdf_returns_404	Pass
	test_prs_basic.py::TestListTrades	test_empty_dir_returns_zero_count	Pass
	test_prs_basic.py::TestListTrades	test_returns_trades_list_key	Pass
	test_prs_basic.py::TestListTradesWithFiles	test_returns_trades_from_json_files	Pass
	test_prs_generate_part1.py::TestGeneratePDF	test_generate_pdf_payable_direction	Pass
	test_prs_generate_part1.py::TestGeneratePDF	test_generate_pdf_no_cashflows	Pass
	test_prs_generate_part1.py::TestGeneratePDF	test_generate_pdf_with_cashflows	Pass
	test_prs_generate_part1.py::TestGeneratePDF	test_generate_pdf_with_close_out	Pass
	test_prs_generate_part1.py::TestGeneratePDF	test_generate_pdf_with_close_out_date	Pass
	test_prs_generate_part2.py::TestGeneratePDF	test_generate_pdf_close_out_path_exercised	Pass
	test_prs_generate_part2.py::TestGeneratePDF	test_generate_pdf_validation_fails_returns_400	Pass
	test_prs_generate_part2.py::TestGeneratePDF	test_generate_pdf_no_prime_file_returns_500	Pass
	blotter_routes.part1.py::TestBlotterClosedTrades	test_closed_trades_by_default	Pass
	blotter_routes.part1.py::TestBlotterClosedTrades	test_closed_trades	Pass
	blotter_routes.part1.py::TestCloseOut	test_close_trade_has_final_pnl	Pass
	blotter_routes.part1.py::TestCloseOut	test_close_trade_marks_closed	Pass
	blotter_routes.part1.py::TestCloseOut	test_close_trade_not_found	Pass
	blotter_routes.part1.py::TestCloseOut	test_close_trade_requires_closeout_spread	Pass
	blotter_routes.part1.py::TestCloseOut	test_close_trade_settlement_uses_closeout_spread	Pass
	blotter_routes.part1.py::TestCloseOut	test_close_trade_success	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_empty_when_no_trades	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_fs01_sign_payer_positive	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_fs01_sign_receiver_negative	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_gauge_name_injected	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_has_pnl_fields	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_has_prev_fair_spread	Pass
	blotter_routes.part1.py::TestGetBlotter	test_get_blotter_has_required_fields	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	blotter_routes_part1.py::TestGetBlotter	testBlotterSummaryFields	Pass
	blotter_routes_part1.py::TestGetBlotter	testGetBlotterReturnsTrades	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugesWithTradesAreReturned	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugesEmptyBlotterReturnsEmptyList	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugeWithoutTradeIsNotReturned	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugeBothAppearsWhenItHasAnOpenTrade	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugeExcludedAfterItsTradeIsClosed	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugesUnaffectedByLambethPulseout	Pass
	blotter_routes_part2.py::TestActingGauges	testActingGaugesResponseIsSorted	Pass
	blotter_routes_part2.py::TestBlotterErrors	testBlotterErrorsHugeGaugesCorruptFileSkipped	Pass
	blotter_routes_part2.py::TestBlotterErrors	testBlotterErrorsHardEngineErrorReturns500	Pass
	blotter_routes_part2.py::TestBlotterErrors	testBlotterErrorsHardTradeEngineErrorReturns500	Pass
	blotter_routes_part2.py::TestBlotterErrors	testBlotterErrorsHardTradePdfRegenExceptionCaught	Pass
	blotter_routes_part2.py::TestBlotterErrors	testBlotterErrorsGaugeNameNotIntentionedWhenMissing	Pass
	curves_routes_part1.py::TestHazard	testESCommitHazardTs	Pass
	curves_routes_part1.py::TestHazard	testESCommitHazardTsMissingGauge	Pass
	curves_routes_part1.py::TestHazard	testESCommitHazardTsMissingRates	Pass
	curves_routes_part1.py::TestHazard	testESCommitHazardTsOnlyAffectsTargetGauge	Pass
	curves_routes_part1.py::TestHazard	testESResetHazardTsAll	Pass
	curves_routes_part1.py::TestHazard	testESResetHazardTsSingleGauge	Pass
	curves_routes_part1.py::TestHazard	testESResetHazardTermStructure	Pass
	curves_routes_part1.py::TestHazard	testESUpdateHazardTsInvalidTenor	Pass
	curves_routes_part1.py::TestHazard	testESUpdateHazardTsMissingGauge	Pass
	curves_routes_part1.py::TestHazard	testESUpdateHazardTsSinglePoint	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveGetYieldCurve	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveGetYieldCurveDefaultShape	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveUpdateYieldCurveInvalidTenor	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveUpdateYieldCurveNoBody	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveUpdateYieldCurveSingleTenor	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveCommitYieldCurve	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveCommitYieldCurveAffectedCount	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveCommitYieldCurveEmptyRates	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveCommitYieldCurveNoBody	Pass
	curves_routes_part1.py::TestYieldCurve	testYieldCurveResetYieldCurve	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryEmptyWhenNoEods	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryRequiresGaugeId	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryWithEod	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryHazardTsErrorReturns500	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryHardHistoryErrorReturns500	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryHazardTsErrorReturns500	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryYieldCurveErrorReturns500	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryHardHistoryErrorReturns500	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryHazardTsErrorReturns500	Pass
	curves_routes_part2.py::TestCurveHistory	testCurveHistoryYieldCurveErrorReturns500	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	curves_routes_part2.py::TestCurveThrottle	testThrottleInitiallyIdle_curve_error_returns_500	Pass
	curves_routes_part2.py::TestCurveThrottle	testThrottleNo_hazard_ts_null_body	Pass
	curves_routes_part2.py::TestCurveThrottle	testThrottleNo_yield_curve_null_body	Pass
	curves_routes_part2.py::TestCurveThrottle	testThrottleNo_hazard_ts_null_body	Pass
	curves_routes_part2.py::TestCurveThrottle	testThrottleNo_yield_curve_null_body	Pass
	curves_routes_part2.py::TestPnLSeries	testPnLSeries_pnl_series_after_eod	Pass
	curves_routes_part2.py::TestPnLSeries	testPnLSeries_pnl_series_empty	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_eta_fallback_from_elapsed	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_eta_none_when_zero_completed	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_all_already_trained	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_all_already_running	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_all_complete_includes_result	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_all_starts	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_all_status_fields	Pass
	test_classifiers_batch.py::TestBatchTraining	testBatchTraining_all_status_idle	Pass
	test_classifiers_batch.py::TestClassifiersReadiness	testClassifiersReadiness_all_trained	Pass
	test_classifiers_batch.py::TestClassifiersReadiness	testClassifiersReadiness_error	Pass
	test_classifiers_batch.py::TestClassifiersReadiness	testClassifiersReadiness_no_models	Pass
	test_classifiers_batch.py::TestClassifiersReadiness	testClassifiersReadiness_partial	Pass
	test_classifiers_batch.py::TestCleaner	testCleaner_if_empty	Pass
	test_classifiers_batch.py::TestCleaner	testCleaner_if_error	Pass
	test_classifiers_batch.py::TestCleaner	testCleaner_if_moves_models	Pass
	test_classifiers_coverage.py::TestBatchController	testBatchControllerIfCancellation_returns_early	Pass
	test_classifiers_coverage.py::TestBatchController	testBatchControllerBeforeTimeChange_called_before_start	Pass
	test_classifiers_coverage.py::TestBatchReader	testBatchReaderIfBatch_reads_metrics_from_summary	Pass
	test_classifiers_coverage.py::TestClassifiersAllErrors	testClassifiersAllErrors_callback_with_import_error	Pass
	test_classifiers_coverage.py::TestStatusReporting	testStatusReporting_Aggregates_when_no_metrics	Pass
	test_classifiers_coverage.py::TestStatusReporting	testStatusReporting_Aggregates_avg_auc_and_accuracy	Pass
	test_classifiers_coverage.py::TestTestAllStatusErrors	testTestAllStatusErrors_returns_500_on_setup_error	Pass
	test_classifiers_helpers.py::TestStatusGauge	testStatusGaugeIfNo_trained	Pass
	test_classifiers_helpers.py::TestStatusGauge	testStatusGaugeIfFields_present	Pass
	test_classifiers_helpers.py::TestStatusGauge	testStatusGaugeIfTrained_avg_auc	Pass
	test_classifiers_helpers.py::TestStatusGauge	testStatusGaugeIfError	Pass
	test_classifiers_helpers.py::TestStatusGauge	testStatusGaugeIfWithout_auc	Pass
	test_classifiers_helpers.py::TestTrainingHelpers	testTrainingHelpers_gauge_seconds	Pass
	test_classifiers_helpers.py::TestTrainingHelpers	testTrainingHelpers_gauge_seconds_empty	Pass
	test_classifiers_helpers.py::TestTrainingHelpers	testTrainingHelpers_corrupt_json	Pass
	test_classifiers_helpers.py::TestTrainingHelpers	testTrainingHelpers_missing_file	Pass
	test_classifiers_helpers.py::TestTrainingHelpers	testTrainingHelpers_valid	Pass
	test_classifiers_helpers.py::TestTrainingHelpers	testTrainingHelpers_truncates_to_20	Pass
	test_classifiers_summary.py::TestClassifiersSummary	testClassifiersSummary_computed	Pass
	test_classifiers_summary.py::TestClassifiersSummary	testClassifiersSummary_fields	Pass
	test_classifiers_summary.py::TestClassifiersSummary	testClassifiersSummary_reported_by_longitude	Pass
	test_classifiers_summary.py::TestClassifiersSummary	testClassifiersSummary_initialized	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_classifiers_summary.py::TestClassifiersSummaryGauges	Classifiers Summary gauges	Pass
	test_classifiers_summary.py::TestClassifiersSummarySuccess	Classifiers Summary success	Pass
	test_classifiers_summary.py::TestClassifiersSummaryRangeShowsMetrics	Classifiers Summary range shows metrics	Pass
	test_classifiers_summary.py::TestClassifiersSummaryRemoveAllMetrics	Classifiers Summary removes all metrics	Pass
	test_classifiers_summary.py::TestClassifiersSummaryResetShowsMetrics	Classifiers Summary reset shows metrics	Pass
	test_classifiers_summary.py::TestClassifiersSummaryPrunesStaleMetrics	Classifiers Summary prunes stale metrics	Pass
	test_classifiers_training.py::TestPuesBatchChainCancelledMidRun	Pues Batch Chain cancelled mid run	Pass
	test_classifiers_training.py::TestPuesBatchChainWithFailure	Pues Batch Chain with failure	Pass
	test_classifiers_training.py::TestPuesBatchChainFinishedBatch	Pues Batch Chain finished batch	Pass
	test_port_stress_coverage.py::TestAlertAlertsThresholdClassification	Alert Alerts threshold classification	Pass
	test_port_stress_coverage.py::TestAlertAlertsExcludeFromStress	Alert Alerts exclude from stress	Pass
	test_port_stress_coverage.py::TestEnterpriseStormIdReturns400	Enterprise Storm id returns 400	Pass
	test_port_stress_coverage.py::TestHydrographFromGaugeFallsBack	Hydrograph from gauge falls back	Pass
	test_port_stress_coverage.py::TestHydrographFromGaugeEnoughReadings	Hydrograph from gauge enough readings	Pass
	test_port_stress_coverage.py::TestTopOfSlopeLessRatio	Top of slope less ratio	Pass
	test_port_stress_coverage.py::TestPortFloodStormsRetries500	Port flood storms retries 500	Pass
	test_port_stress_coverage.py::TestStormNormalizedNameUsesStormId	Storm normal name uses storm id	Pass
	test_port_stress_infra.py::TestPortFloodSignsErrorReturns500	Port flood signs error returns 500	Pass
	test_port_stress_infra.py::TestPortFloodSignsFileReturns404	Port flood signs file returns 404	Pass
	test_port_stress_infra.py::TestPortFloodSignsInBodyReturnsError	Port flood signs in body returns error	Pass
	test_port_stress_infra.py::TestStormCrackGaugeReloadedWhenMtimeUnchanged	Storm crack gauge reloaded when mtime unchanged	Pass
	test_port_stress_infra.py::TestStormCrackGaugeReloadedWhenMtimeChange	Storm crack gauge reloaded when mtime change	Pass
	test_port_stress_run.py::TestPortFloodSpillsCalculationNotional	Port flood spills calculation notional	Pass
	test_port_stress_run.py::TestPortFloodPortfolioCalculationSumOfGauges	Port flood portfolio calculation sum of gauges	Pass
	test_port_stress_run.py::TestPortFloodPortfolioCalculationNotional	Port flood portfolio calculation notional	Pass
	test_port_stress_run.py::TestPortFloodPortfolioCalculationSevereP_FloodTo100Pct	Port flood portfolio calculation severe p_flood to 100 pct	Pass
	test_port_stress_run.py::TestPortFloodPortfolioCalculationFormula	Port flood portfolio calculation formula	Pass
	test_port_stress_run.py::TestPortFloodPortfolioCalculationHasZeroP_Flood	Port flood portfolio calculation has zero p_flood	Pass
	test_port_stress_run.py::TestRunPortfolioStressGaugeResultsFields	Run portfolio stress gauge results fields	Pass
	test_port_stress_run.py::TestRunPortfolioStressRunGaugesSevereList	Run portfolio stress run gauges severe list	Pass
	test_port_stress_run.py::TestRunPortfolioStressRunGaugesWarningList	Run portfolio stress run gauges warning list	Pass
	test_port_stress_run.py::TestRunPortfolioStressRunHasGaugeResults	Run portfolio stress run has gauge results	Pass
	test_port_stress_run.py::TestRunPortfolioStressRunHasPortfolioTotals	Run portfolio stress run has portfolio totals	Pass
	test_port_stress_run.py::TestRunPortfolioStressPortfolioInvalidStorm	Run portfolio stress portfolio invalid storm	Pass
	test_port_stress_run.py::TestRunPortfolioStressPortfolioMissingStormId	Run portfolio stress portfolio missing storm id	Pass
	test_port_stress_run.py::TestRunPortfolioStressPortfolioReturnsSuccess	Run portfolio stress portfolio returns success	Pass
	test_port_stress_storms.py::TestGetPortfolioStressPortfolioStormsHasStorms	Get portfolio stress portfolio storms has storms	Pass
	test_port_stress_storms.py::TestGetPortfolioStressPortfolioStormsSuccess	Get portfolio stress portfolio storms success	Pass
	test_port_stress_storms.py::TestGetPortfolioStressPortfolioStormsHasRequiredFields	Get portfolio stress portfolio storms has required fields	Pass
	test_port_stress_storms.py::TestGetPortfolioStressPortfolioStormsNoData	Get portfolio stress portfolio storms no data	Pass
	test_port_stress_storms.py::TestGetPortfolioStressPortfolioStormsSecondarySort	Get portfolio stress portfolio storms secondary sort	Pass
	test_port_stress_storms.py::TestGetPortfolioStressPortfolioStormsSortedBySeverity	Get portfolio stress portfolio storms sorted by severity	Pass
	test_port_stress_storms.py::TestPortfolioStormNameEqualsStormId	Portfolio storm name equals storm id	Pass
	test_port_stress_storms.py::TestPortfolioStormNameDisplayLabelNotId	Portfolio storm name display label not id	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_port_stress_storms.py::TestPortfolioStressResults	test_portfolio_stress_results_severe_before_warning	Pass
	test_port_stress_storms.py::TestPortfolioStressResults	test_portfolio_stress_results_warning_before_alert	Pass
	test_port_stress_storms.py::TestPortfolioStressGrades	test_portfolio_stress_grades_have_trade_details	Pass
	test_port_stress_storms.py::TestPortfolioStressFields	test_portfolio_stress_fields	Pass
	test_port_stress_storms.py::TestPortfolioStressFields	test_portfolio_stress_fields_moderate_with_equal_severe_count	Pass
	test_stress_infra_part1.py::TestHydrographZtilyExert	test_hydrograph_ztily_exert	Pass
	test_stress_infra_part1.py::TestLossStressOSE	test_loss_stress_ose_returns_cached	Pass
	test_stress_infra_part1.py::TestLossStressOSE	test_loss_stress_ose_returns_none_when_no_data	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_run_stress_edge_cases_empty_gauge_id_returns_400	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_run_stress_edge_cases_no_open_trades_returns_404	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_run_stress_edge_cases_null_body_returns_400	Pass
	test_stress_infra_part1.py::TestRunStressEdgeCases	test_run_stress_edge_cases_gauges_hydrograph	Pass
	test_stress_infra_part1.py::TestStressErrorHandler	test_stress_error_handler_engine_error_returns_500	Pass
	test_stress_infra_part1.py::TestStressErrorHandler	test_stress_error_handler_gauges_engine_error_returns_500	Pass
	test_stress_infra_part1.py::TestStressErrorHandler	test_stress_error_handler_storms_engine_error_returns_500	Pass
	test_stress_infra_part1.py::TestStressHydrographZtilyExert	test_stress_hydrograph_ztily_exert_peak_at_zero	Pass
	test_stress_infra_part1.py::TestStressHydrographZtilyExert	test_stress_hydrograph_ztily_exert_remaining_zero	Pass
	test_stress_infra_part2.py::TestLegacyHydrographCache	test_legacy_hydrograph_cache_reuse	Pass
	test_stress_infra_part2.py::TestLegacyHydrographCache	test_legacy_hydrograph_cache_loaded_when_no_index	Pass
	test_stress_infra_part2.py::TestLegacyHydrographCache	test_legacy_hydrograph_cache_error_returns_cache	Pass
	test_stress_infra_part2.py::TestLegacyHydrographCache	test_legacy_hydrograph_cache_log_legacy_file	Pass
	test_stress_run.py::TestRunStress	test_run_stress_hourly_fields	Pass
	test_stress_run.py::TestRunStress	test_run_stress_invalid_storm	Pass
	test_stress_run.py::TestRunStress	test_run_stress_knock_out	Pass
	test_stress_run.py::TestRunStress	test_run_stress_missing_params	Pass
	test_stress_run.py::TestRunStress	test_run_stress_no_body	Pass
	test_stress_run.py::TestRunStress	test_run_stress_portfolio_summary	Pass
	test_stress_run.py::TestRunStress	test_run_stress_probability_surface	Pass
	test_stress_run.py::TestRunStress	test_run_stress_returns_hourly	Pass
	test_stress_run.py::TestRunStress	test_run_stress_trade_summary	Pass
	test_stress_run.py::TestRunStress	test_surface_caps_at_severe	Pass
	test_stress_run.py::TestRunStress	test_surface_shows_full_168h	Pass
	test_stress_scenario_coverage.py::TestHydrographPadding	test_hydrograph_padding_returns_404	Pass
	test_stress_scenario_coverage.py::TestHydrographPadding	test_hydrograph_padding_added_to_storm_hourly	Pass
	test_stress_scenario_coverage.py::TestModelAndNoise	test_model_and_noise_returns_404	Pass
	test_stress_scenario_coverage.py::TestNgaugenthrushAtGauges	test_ngaugenthrush_at_gauges_returns_404	Pass
	test_stress_scenario_coverage.py::TestPffloodPolyline	test_pfflood_polyline_in_range	Pass
	test_stress_scenario_coverage.py::TestPffloodPolyline	test_pfflood_polyline_latches_to_one	Pass
	test_stress_scenario_coverage.py::TestStressStormsNotFormed	test_stress_storms_not_formed_file	Pass
	test_stress_storms.py::TestGetStorms	test_get_storms_has_peak_level	Pass
	test_stress_storms.py::TestGetStorms	test_get_storms_has_storm_fields	Pass
	test_stress_storms.py::TestGetStorms	test_get_storms_no_data	Pass
	test_stress_storms.py::TestGetStorms	test_get_storms_no_gauge_id_returns_all_storms	Pass
	test_stress_storms.py::TestGetStorms	test_get_storms_no_matching_gauge	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	base_loader.py::TestBaseLoader	TestEnforce_reload_bypasses_cache	Pass
	base_loader.py::TestBaseLoader	TestInvalidate_cache	Pass
	base_loader.py::TestBaseLoader	TestAbstract_methods_enforced	Pass
	base_loader.py::TestBaseLoader	TestSubclass_must_implement_get_entity	Pass
	base_loader.py::TestBaseLoader	TestSubclass_must_implement_get_entity_summary	Pass
	base_loader.py::TestBaseLoader	TestLoading_exists_check	Skip
	base_loader.py::TestBaseLoader	TestLoading_alternative_container_key	Pass
	base_loader.py::TestBaseLoader	TestLoading_dict_with_container_key	Pass
	base_loader.py::TestBaseLoader	TestLoading_list_format	Pass
	base_loader.py::TestBaseLoader	TestLoading_missing_file	Pass
	base_loader.py::TestBaseLoader	TestLoading_single_object	Pass
	base_loader.py::TestBaseLoader	Queries count	Pass
	base_loader.py::TestBaseLoader	Queries exists	Pass
	base_loader.py::TestBaseLoader	Queries find.by_id	Pass
	base_loader.py::TestBaseLoader	Queries find.by_id.not_found	Pass
	base_loader.py::TestBaseLoader	Queries get.ids	Skip
	base_loader.py::TestBaseLoader	Queries get.status	Skip
	base_loader.py::TestBaseLoader	Queries list.all	Pass
	gauge_loader.py::TestGaugeLoader	TestBasic_entity_id_extraction	Pass
	gauge_loader.py::TestGaugeLoader	TestBasic_entity_summary	Pass
	gauge_loader.py::TestGaugeLoader	TestBasic_load_gauges	Pass
	gauge_loader.py::TestGaugeLoader	TestHelpers_active_gauges	Pass
	gauge_loader.py::TestGaugeLoader	TestHelpers_coordinates	Pass
	gauge_loader.py::TestGaugeLoader	TestHelpers_flood_stages	Pass
	gauge_loader.py::TestGaugeLoader	TestHelpers_gauge_name	Pass
	gauge_loader.py::TestGaugeLoader	TestHelpers_gauge_name_not_found	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_id	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_name	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_name_case_insensitive	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_owner	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_status_active	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_status_inactive	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_type_river	Pass
	gauge_loader.py::TestGaugeLoader	TestQuery_find_by_type_tidal	Pass
	gauge_loader.py::TestGaugeLoader	TestSpatial_gauges_in_radius	Pass
	gauge_loader.py::TestGaugeLoader	TestSpatial_gauges_in_radius_none_found	Pass
	loader_registry.py::TestCreateRegistry	TestCreate_registry	Pass
	loader_registry.py::TestCreateRegistry	TestCreate_registry_with_overrides	Pass
	loader_registry.py::TestLoaderRegistry	TestBasic_registry	Pass
	loader_registry.py::TestLoaderRegistry	TestGet_available_loaders	Pass
	loader_registry.py::TestLoaderRegistry	TestCleaning_all_caches	Pass
	loader_registry.py::TestLoaderRegistry	TestDifferent_loaders_separate_instances	Pass
	loader_registry.py::TestLoaderRegistry	TestLoading_instances_cached	Pass
	loader_registry.py::TestLoaderRegistry	TestFile Overrides	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	loader_registry.py::TestLoaderRegistryGetLoaderByName	test_loader_registry_get_loader_by_name	Pass
	loader_registry.py::TestLoaderRegistryGetLoaderByUnknownType	test_loader_registry_get_loader_by_unknown_type	Pass
	loader_registry.py::TestLoaderRegistryStacksDataFiles	test_loader_registry_stacks_data_files	Pass
	loader_registry.py::TestLoaderRegistrySetAllStatus	test_loader_registry_set_all_status	Skip
	loader_registry.py::TestLoaderRegistryGetAggregatesLoader	test_loader_registry_get_aggregates_loader	Pass
	loader_registry.py::TestLoaderRegistryGetMortgagesLoader	test_loader_registry_get_mortgages_loader	Pass
	loader_registry.py::TestLoaderRegistryGetPropertiesLoader	test_loader_registry_get_properties_loader	Pass
	loader_registry.py::TestLoaderRegistryGetPortfolioLoader	test_loader_registry_get_portfolio_loader	Pass
	loader_registry.py::TestLoaderRegistryGetTimeSeriesLoader	test_loader_registry_get_time_series_loader	Pass
	mortgage_loader.py::TestMortgageLoaderAggregateMortgages	test_mortgage_loader_aggregate_mortgages	Pass
	mortgage_loader.py::TestMortgageLoaderAggregationByLender	test_mortgage_loader_aggregation_by_lender	Pass
	mortgage_loader.py::TestMortgageLoaderAggregateMortgagesWithMortgages	test_mortgage_loader_aggregate_mortgages_with_mortgages	Pass
	mortgage_loader.py::TestMortgageLoaderAggregateMortgagesExposure	test_mortgage_loader_aggregate_mortgages_exposure	Pass
	mortgage_loader.py::TestMortgageLoaderBasicExtraction	test_mortgage_loader_basic_extraction	Pass
	mortgage_loader.py::TestMortgageLoaderBasicSummary	test_mortgage_loader_basic_summary	Pass
	mortgage_loader.py::TestMortgageLoaderBasicMortgages	test_mortgage_loader_basic_mortgages	Pass
	mortgage_loader.py::TestMortgageLoaderFindById	test_mortgage_loader_find_by_id	Pass
	mortgage_loader.py::TestMortgageLoaderFindByLender	test_mortgage_loader_find_by_lender	Pass
	mortgage_loader.py::TestMortgageLoaderFindByLenderCaseInsensitive	test_mortgage_loader_find_by_lender_case_insensitive	Pass
	mortgage_loader.py::TestMortgageLoaderFindByPropertyId	test_mortgage_loader_find_by_property_id	Pass
	mortgage_loader.py::TestMortgageLoaderFindByPropertyIdNotFound	test_mortgage_loader_find_by_property_id_not_found	Pass
	mortgage_loader.py::TestMortgageLoaderFindByStatusActive	test_mortgage_loader_find_by_status_active	Pass
	mortgage_loader.py::TestMortgageLoaderFindByStatusDelinquent	test_mortgage_loader_find_by_status_delinquent	Pass
	mortgage_loader.py::TestMortgageLoaderFindPortfoliosLinksToProperty	test_mortgage_loader_find_portfolios_links_to_property	Pass
	mortgage_loader.py::TestMortgageLoaderFindPropertiesWithMortgage	test_mortgage_loader_find_properties_with_mortgage	Pass
	property_loader.py::TestPropertyLoaderAggregateValue	test_property_loader_aggregate_value	Pass
	property_loader.py::TestPropertyLoaderAggregateByState	test_property_loader_aggregate_by_state	Pass
	property_loader.py::TestPropertyLoaderBasicExtraction	test_property_loader_basic_extraction	Pass
	property_loader.py::TestPropertyLoaderBasicSummary	test_property_loader_basic_summary	Pass
	property_loader.py::TestPropertyLoaderBasicProperties	test_property_loader_basic_properties	Pass
	property_loader.py::TestPropertyLoaderGetCoordinates	test_property_loader_get_coordinates	Pass
	property_loader.py::TestPropertyLoaderGetCoordinatesNotFound	test_property_loader_get_coordinates_not_found	Pass
	property_loader.py::TestPropertyLoaderGetLocation	test_property_loader_get_location	Pass
	property_loader.py::TestPropertyLoaderGetLocationNotFound	test_property_loader_get_location_not_found	Pass
	property_loader.py::TestPropertyLoaderGetPropertiesInRadius	test_property_loader_get_properties_in_radius	Pass
	property_loader.py::TestPropertyLoaderFindByAddress	test_property_loader_find_by_address	Pass
	property_loader.py::TestPropertyLoaderFindByAddressCaseInsensitive	test_property_loader_find_by_address_case_insensitive	Pass
	property_loader.py::TestPropertyLoaderFindByAddressNotFound	test_property_loader_find_by_address_not_found	Pass
	property_loader.py::TestPropertyLoaderFindById	test_property_loader_find_by_id	Pass
	property_loader.py::TestPropertyLoaderFindByState	test_property_loader_find_by_state	Pass
	property_loader.py::TestPropertyLoaderFindByStateCaseInsensitive	test_property_loader_find_by_state_case_insensitive	Pass
	property_loader.py::TestPropertyLoaderFindByZip	test_property_loader_find_by_zip	Pass
	property_loader.py::TestPropertyLoaderFindByZipMultiple	test_property_loader_find_by_zip_multiple	Pass
	timeseries_loader.py::TestTimeSeriesLoaderGetTimeSeriesForPortfolioGauges	test_timeseries_loader_get_time_series_for_portfolio_gauges	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeIdsMatchPortfolio	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeIsTimestamp	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeSummary	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testLoadBasisSeries	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeGaugesReading	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugePeakReading	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeGaugesForGauge	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeGaugesForGaugeByName	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeGaugesForGaugeNotFound	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeStableGaugeIds	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeStageStatistics	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeStageStatisticsNotFound	Pass
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeEndOfRange	Skip
	timeseries_loader.py::TestTimeSeriesGauges	testGaugeEndOfRangeForGauge	Skip
	test_b10_quick_wins.py::TestAuditedFunctions	testFunctionsTruncatedAbove10000	Pass
	test_b10_quick_wins.py::TestEOBData	testDataNotNaN	Pass
	test_b10_quick_wins.py::TestGaugeData	testDataFoundationExists	Pass
	test_b10_quick_wins.py::TestInsuranceArea	testAreaFullyFallsThrough	Pass
	test_b10_quick_wins.py::TestIntensity	testIntensityModuleRuns	Pass
	test_b10_quick_wins.py::TestIntensity	testGetPathAndFullCountUnknownTypeReturnsNull	Pass
	test_b10_quick_wins.py::TestJSONFileGauges	testGetGaugesOnUnknownKey	Pass
	test_b10_quick_wins.py::TestJSONFileGauges	testGetGaugesKnownKey	Pass
	test_b10_quick_wins.py::TestLtvPercentages	testLtvPercentages	Pass
	test_b10_quick_wins.py::TestPropertyUnhandledType	testUnhandledTypeRaisesTypeError	Pass
	test_b10_quick_wins.py::TestPropertyUnhandledType	testUnhandledTypeEncodedAsFloat	Pass
	test_b10_quick_wins.py::TestServiceHook	testHookMainCallable	Pass
	test_b10_quick_wins.py::TestStorageEngine	testEngineBranchLinearFallback	Pass
	test_b10_quick_wins.py::TestTradingDeskStatistics	testGetStatisticsReturnsDimensions	Pass
	test_b10_quick_wins.py::TestVisualization	testCreateVisualizationReturnsInstance	Pass
	data_structures.py::TestDataValidation	testValidResultFields	Pass
	data_structures.py::TestDataValidation	testValidResultTuple	Pass
	data_structures.py::TestDataValidation	testValidResultUnpacking	Pass
	data_structures.py::TestDataValidation	testValidResultFields	Pass
	data_structures.py::TestLoadedData	testCanSetGaugeData	Pass
	data_structures.py::TestLoadedData	testCanSetMultipleFields	Pass
	data_structures.py::TestLoadedData	testCountsDefaultToZero	Pass
	data_structures.py::TestLoadedData	testDefaultsAreNone	Pass
	data_structures.py::TestLoadedData	testIsDataclass	Pass
	data_structures.py::TestLoadedData	testLookupDefaultsAreNone	Pass
	helpers.py::TestDataLoaderHelpers	testDataSummaryContainsErrorsCount	Pass
	helpers.py::TestDataLoaderHelpers	testDataSummaryContainsWarningsCount	Pass
	helpers.py::TestDataLoaderHelpers	testDataSummaryLoadedFlagFalseWhenNoFile	Pass
	helpers.py::TestDataLoaderHelpers	testDataSummaryLoadedFlagTrueForGauge	Pass
	helpers.py::TestDataLoaderHelpers	testGetDataSummaryEmptyBeforeLoad	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	helpers.py::TestDataLoaderHelp	test_get_data_summary_returns_dict	Pass
	helpers.py::TestDataLoaderHelp	test_get_validation_summary_empty_before_load	Fail
	helpers.py::TestDataLoaderHelp	test_get_validation_summary_is_copy	Pass
	helpers.py::TestDataLoaderHelp	test_get_validation_summary_returns_dict	Pass
	helpers.py::TestDataLoaderHelp	test_is_data_complete_depends_only_on_gauge	Fail
	helpers.py::TestDataLoaderHelp	test_is_data_complete_false_before_load	Pass
	helpers.py::TestDataLoaderHelp	test_is_data_complete_false_when_no_gauge	Pass
	helpers.py::TestDataLoaderHelp	test_is_data_complete_true_with_gauge	Pass
	helpers.py::TestDataLoaderHelp	test_validation_summary_has_gauge_key	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_full_data_does_not_crash	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_no_data_does_not_crash	Pass
	helpers.py::TestPrintLoadingSummary	test_summary_with_partial_data_does_not_crash	Crash
	init.py::TestDataLoaderInit	test_init_with_input_dir	Pass
	init.py::TestDataLoaderInit	test_init_with_string_path_converts_to_path	Fail
	init.py::TestDataLoaderInit	test_loaded_data_initialised	Pass
	init.py::TestDataLoaderInit	test_private_loaders_created	Pass
	init.py::TestDataLoaderInit	test_validation_results_empty_at_init	Pass
	load.all.py::TestDataLoaderLoad	test_counterparty_data_loaded	Pass
	load.all.py::TestDataLoaderLoad	test_empty_dir_returns_loaded_data	Pass
	load.all.py::TestDataLoaderLoad	test_gauge_data_count_matches_records	Pass
	load.all.py::TestDataLoaderLoad	test_gauge_data_has_items_key	Pass
	load.all.py::TestDataLoaderLoad	test_gaugehd_dir_counted	Pass
	load.all.py::TestDataLoaderLoad	test_gaugets_dir_counted	Pass
	load.all.py::TestDataLoaderLoad	test_gaugets_dir_multiple_files_counted	Pass
	load.all.py::TestDataLoaderLoad	test_hazard_curves_loaded	Pass
	load.all.py::TestDataLoaderLoad	test_lookups_built_after_load	Pass
	load.all.py::TestDataLoaderLoad	test_no_gaugehd_dir_count_stays_zero	Pass
	load.all.py::TestDataLoaderLoad	test_no_gaugets_dir_count_stays_zero	Pass
	load.all.py::TestDataLoaderLoad	test_no_propertyts_dir_count_stays_zero	Pass
	load.all.py::TestDataLoaderLoad	test_property_hazard_curves_loaded	Pass
	load.all.py::TestDataLoaderLoad	test_property_hazard_summary_fields_accessible	Pass
	load.all.py::TestDataLoaderLoad	test_propertyts_dir_counted	Pass
	load.all.py::TestDataLoaderLoad	test_storm_data_list_format	Pass
	load.all.py::TestDataLoaderLoad	test_storm_data_loaded_dict_format	Pass
	load.all.py::TestDataLoaderLoad	test_storm_data_unknown_format	Pass
	load.all.py::TestDataLoaderLoad	test_storm_data_with_items_key	Pass
	load.all.py::TestDataLoaderLoad	test_with_gauge_data_loaded	Pass
	load.all.py::TestDataLoaderLoad	test_with_mortgage_data_loaded	Pass
	load.all.py::TestDataLoaderLoad	test_with_property_data_loaded	Pass
	loaders.py::TestLoadCounterpartyData	test_corrupt_counterparty_file_leaves_data_none	Pass
	loaders.py::TestLoadCounterpartyData	test_missing_counterparty_file_leaves_data_none	Pass
	loaders.py::TestLoadCounterpartyData	test_valid_counterparty_file_loads	Pass
	loaders.py::TestLoadHazardCurves	test_corrupt_hazard_file_leaves_hazard_data_none	Pass
	loaders.py::TestLoadHazardCurves	test_corrupt_property_hazard_file_leaves_hazard_data_none	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	loaders.py::TestLoadHazardCurve	test_missing_hazard_file_leaves_hazard_data_none	Pass
	loaders.py::TestLoadHazardCurve	test_missing_property_hazard_file_leaves_data_none	Pass
	loaders.py::TestLoadHazardCurve	test_valid_hazard_file_populates_hazard_data	Pass
	loaders.py::TestLoadStormData	test_corrupt_storm_file_leaves_storm_data_none	Pass
	loaders.py::TestLoadStormData	test_missing_storm_file_leaves_storm_data_none	Pass
	loaders.py::TestLoadStormData	test_storms_dict_with_storms_key	Pass
	loaders.py::TestLoadStormData	test_storms_list_format	Pass
	loaders.py::TestLoadStormData	test_storms_other_type	Pass
	validation.py::TestLoadWithValidation	test_empty_data_list_records_invalid_records	Pass
	validation.py::TestLoadWithValidation	test_empty_data_list_returns_none	Pass
	validation.py::TestLoadWithValidation	test_exception_in_loader_returns_none	Pass
	validation.py::TestLoadWithValidation	test_exception_records_error_in_validation	Pass
	validation.py::TestLoadWithValidation	test_none_return_from_loader_returns_none	Pass
	validation.py::TestLoadWithValidation	test_successful_load_records_valid_results	Pass
	validation.py::TestLoadWithValidation	test_successful_load_returns_data_dict	Pass
	validation.py::TestLoadWithValidation	test_validation_summary_count_matches_items	Pass
	validation.py::TestLoadWithValidation	test_validation_summary_has_type_field	Pass
	gauge_panel.py::TestGaugeGraphHistogramConfig	test_gauge_panel_height	Pass
	gauge_panel.py::TestGaugeGraphHistogramConfig	test_gauge_panel_width	Pass
	gauge_panel.py::TestGaugeGraphHistogramConfig	test_get_histogram_stats	Pass
	gauge_panel.py::TestGaugeHazardCurveConfig	test_gauge_panel_height	Pass
	gauge_panel.py::TestGaugeHazardCurveConfig	test_gauge_panel_width	Pass
	gauge_panel.py::TestGaugeHazardCurveConfig	test_get_hazard_stats	Pass
	gauge_panel.py::TestGaugeStormAnalyticsConfig	test_gauge_panel_height	Pass
	gauge_panel.py::TestGaugeStormAnalyticsConfig	test_gauge_panel_width	Pass
	gauge_panel.py::TestGaugeStormAnalyticsConfig	test_get_storm_stats	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_fetches_gauge_history	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_fetches_stress_storms	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_has_storm_scenarios	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_has_time_series_chart	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_renders	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_renders_storm_list	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_shows_flood_stages	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_shows_trigger_colors	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_storm_click_navigates_to_stress	Pass
	gauge_panel.py::TestHistoricalTable	test_historical_uses_event_listeners	Pass
	gauge_panel.py::TestStressTestTab	test_stress_fetches_storms	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_cash_price_concept	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_chart_tabs	Pass
	gauge_panel.py::TestStressTestTab	test_stress_has_storm_selector	Pass
	gauge_panel.py::TestStressTestTab	test_stress_renders	Pass
	gauge_panel.py::TestStressTestTab	test_stress_runs_scenario	Pass
	gauge_panel.py::TestStressTestTab	test_stress_shows_p_flood	Pass
	gauge_panel.py::TestStressTestTab	test_stress_storm_hint_pickup	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	gauge_panel.py::TestStressTestTab	test_stress_trade_table	Pass
	gauge_panel.py::TestStressTestTab	test_stress_uses_event_listeners_for_tabs	Pass
	historical_detail_part1.py::TestHistoricalTabRuler	tab_renders	Pass
	historical_detail_part1.py::TestHistoricalTabRuler	tab_renders_length	Pass
	historical_detail_part1.py::TestHistoricalTabRuler	fetches_gauge_history	Pass
	historical_detail_part1.py::TestHistoricalTabRuler	fetches_gauge_id_variable	Pass
	historical_detail_part1.py::TestStressTestTab	shows_overflow_flow_count	Pass
	historical_detail_part1.py::TestStressTestTab	shows_top30_storms	Pass
	historical_detail_part1.py::TestStressTestTab	shows_peak_level	Pass
	historical_detail_part1.py::TestStressTestTab	shows_precipitation	Pass
	historical_detail_part1.py::TestStressTestTab	shows_severe	Pass
	historical_detail_part1.py::TestStressTestTab	shows_category	Pass
	historical_detail_part1.py::TestStressTestTab	figger_for_colour	Pass
	historical_detail_part1.py::TestStressTestTab	shows_peak_level_m	Pass
	historical_detail_part1.py::TestStressTestTab	shows_fields	Pass
	historical_detail_part1.py::TestStressTestTab	shows_frame_field	Pass
	historical_detail_part1.py::TestStressTestTab	shows_enough_gauge_storms_endpoint	Pass
	historical_detail_part1.py::TestStressTestTab	shows_scenarios	Pass
	historical_detail_part1.py::TestStressTestTab	shows_preloaders_in_panel	Pass
	historical_detail_part1.py::TestStressTestTab	shows_endpoint_stress_storms_endpoint	Pass
	historical_detail_part2.py::TestHistoricalChart	colour_amber	Pass
	historical_detail_part2.py::TestHistoricalChart	observations_field	Pass
	historical_detail_part2.py::TestHistoricalChart	historical_chart	Pass
	historical_detail_part2.py::TestHistoricalChart	colour_red	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_flood_alert_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_flood_warning_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_severe_flood_threshold	Pass
	historical_detail_part2.py::TestHistoricalChart	samples_observations	Pass
	historical_detail_part2.py::TestHistoricalChart	colour_orange	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_gauge_id	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_historical_data	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_data_on_revisit	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_bar_function	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_bar_flood_exceedances	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_bar_mean_level	Pass
	historical_detail_part2.py::TestHistoricalChart	shows_bar_record_years	Pass
	historical_detail_part2.py::TestStressTestTab	click_handler_defined	Pass
	historical_detail_part2.py::TestStressTestTab	click_handler_iife_safe	Pass
	historical_detail_part2.py::TestStressTestTab	click_navigation_to_tab_5	Pass
	historical_detail_part2.py::TestStressTestTab	click_navigation_storm_hint	Pass
	historical_detail_part2.py::TestStressTestTab	click_navigation_set_before_switch_tab	Pass
	historical_detail_part2.py::TestStressTestTab	click_navigation_passed_to_navigate	Pass
	historical_detail_part2.py::TestStressTestTab	fetches_previous_stress_tab_consistent	Pass
	historical_detail_part2.py::TestStressTestTab	fetches_severe_warnings	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	historical_detail_part2.py::TestStressDetailChartCategoryWithStressTab	test_field_consistency_category_with_stress_tab	Pass
	historical_detail_part2.py::TestStressDetailChartConsistencyWithStressTab	test_field_consistency_category_with_stress_tab	Pass
	historical_detail_part2.py::TestStressDetailChartConsistencyWithStressTab	test_field_consistency_category_with_stress_tab	Pass
	prs_detail.py::TestAnalyticalPrice	test_cashflow_computation	Pass
	prs_detail.py::TestAnalyticalPrice	test_survival_interpolation	Pass
	prs_detail.py::TestAnalyticalPrice	test_yield_rate_interpolation	Pass
	prs_detail.py::TestMaturityConversion	test_compute_maturity_date	Pass
	prs_detail.py::TestMaturityConversion	test_current_roll_date	Pass
	prs_detail.py::TestMaturityConversion	test_last_friday_of_month	Pass
	prs_detail.py::TestMaturityConversion	test_maturity_popup	Pass
	prs_detail.py::TestPRSControls	test_controls_function	Pass
	prs_detail.py::TestPRSControls	test_counterparty_dropdown	Pass
	prs_detail.py::TestPRSControls	test_direction_toggle	Pass
	prs_detail.py::TestPRSControls	test_maturity_selector	Pass
	prs_detail.py::TestPRSControls	test_notional_input	Pass
	prs_detail.py::TestPRSControls	test_trigger_selector	Pass
	prs_detail.py::TestPRSTabRenderers	test_prs_tab_renderers	Pass
	prs_detail.py::TestPRSTabRenderers	test_prs_yield_curve_fetch	Pass
	prs_detail.py::TestTradeCommit	test_commit_endpoint	Pass
	prs_detail.py::TestTradeCommit	test_payer_flag_in_commit	Pass
	stress_detail.py::TestChartSubTab	test_event_listeners_not_inline	Pass
	stress_detail.py::TestChartSubTab	test_flood_probability_tab	Pass
	stress_detail.py::TestChartSubTab	test_stress_pnl_tab	Pass
	stress_detail.py::TestChartSubTab	test_surface_tab	Pass
	stress_detail.py::TestKnockOutDisplay	test_first_trigger_hour	Pass
	stress_detail.py::TestKnockOutDisplay	test_ko_annotation_line	Pass
	stress_detail.py::TestKnockOutDisplay	test_ko_label	Pass
	stress_detail.py::TestKnockOutDisplay	test_triggered_hour_reference	Pass
	stress_detail.py::TestStormSelector	test_auto_selects_worst_storm	Pass
	stress_detail.py::TestStormSelector	test_storm_dropdown	Pass
	stress_detail.py::TestStressEndpoint	test_run_endpoint	Pass
	stress_detail.py::TestStressEndpoint	test_storms_endpoint	Pass
	stress_detail.py::TestStressTabRenderers	test_stress_tab_renderers	Pass
	stress_detail.py::TestSurfaceTable	test_surface_ko_trim	Pass
	stress_detail.py::TestSurfaceTable	test_surface_reads_probability_surface	Pass
	stress_detail.py::TestSurfaceTable	test_surface_renders_table	Pass
	stress_detail.py::TestSurfaceTable	test_surface_trigger_band_shading	Pass
	stress_detail.py::TestSurfaceTable	test_surface_wrap_element	Pass
	js_safety_part1.py::TestFullComponent	test_full_js_contains_iife	Pass
	js_safety_part1.py::TestFullComponent	test_full_js_contains_regulatory_button	Pass
	js_safety_part1.py::TestFullComponent	test_full_js_contains_render_audit_report	Pass
	js_safety_part1.py::TestFullComponent	test_full_js_contains_script_tags	Pass
	js_safety_part1.py::TestFullComponent	test_full_js_contains_show_mg_panel	Pass
	js_safety_part1.py::TestFullComponent	test_full_js_contains_terminal_popup	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	js_safety_part1.py::TestFullCompletion	test_full_js_is_str	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_non_empty	Pass
	js_safety_part1.py::TestFullCompletion	test_full_js_passes_node_syntax_check	Pass
	js_safety_part1.py::TestGetJsReturn	test_get_js_return_modules_non_empty	Pass
	js_safety_part1.py::TestGetJsReturn	test_get_js_return_modules_return_str	Pass
	js_safety_part1.py::TestNoLiteralNestingInJsStrings	test_no_literal_nesting_in_js_strings	Pass
	js_safety_part1.py::TestNoLiteralNestingInJsStrings	test_no_literal_nesting_in_js_strings	Pass
	js_safety_part1.py::TestNoLiteralNestingInJsStrings	test_no_literal_nesting_in_js_strings	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_terminal_refresh_exposed_on_window	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_download_button	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_output_endpoint	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_refresh_audit_tab_button	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_test_suite_exposed_on_window	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_test_suite_function	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_terminal_overlay_id	Pass
	js_safety_part2.py::TestAuditReporter	test_audit_reporter_toggle_failure_detail_exposed_on_window	Pass
	test_backend_handler.py::TestAddChild	test_add_to_map_calls_add_child	Pass
	test_backend_handler.py::TestBatchHandlerInit	test_batch_handler_init	Pass
	test_backend_handler.py::TestBatchHandlerInit	test_batch_handler_init_config	Pass
	test_backend_handler.py::TestBatchHandlerInit	test_batch_handler_init_config	Pass
	test_backend_handler.py::TestConfigure	test_configure_no_args_no_change	Pass
	test_backend_handler.py::TestConfigure	test_configure_updates_endpoints	Pass
	test_backend_handler.py::TestConfigure	test_configure_updates_server_url	Pass
	test_backend_handler.py::TestGetTest	test_contains_timeout	Pass
	test_backend_handler.py::TestGetTest	test_returns_script_tag	Pass
	test_backend_handler.py::TestGetTest	test_get_statistics_keys	Pass
	test_backend_handler.py::TestGetTest	test_get_statistics_single_endpoint	Pass
	test_context_menus.py::TestAddChild	test_add_to_map_calls_add_child	Pass
	test_context_menus.py::TestConfigure	test_configure_both_menus	Pass
	test_context_menus.py::TestConfigure	test_configure_gauge_menu	Pass
	test_context_menus.py::TestConfigure	test_configure_no_args_no_change	Pass
	test_context_menus.py::TestConfigure	test_configure_property_menu	Pass
	test_context_menus.py::TestContextMenus	test_context_menus	Pass
	test_context_menus.py::TestContextMenus	test_context_menus_init	Pass
	test_context_menus.py::TestGetStatistics	test_get_statistics	Pass
	test_context_menus.py::TestGetStatistics	test_get_statistics	Pass
	test_manager.py::TestConfigure	test_configure_menus	Pass
	test_manager.py::TestConfigure	test_configure_notification_position	Pass
	test_manager.py::TestConfigure	test_configure_notification_timeout	Pass
	test_manager.py::TestConfigure	test_configure_returns_self	Pass
	test_manager.py::TestConfigure	test_configure_server_url	Pass
	test_manager.py::TestGetStatistics	test_returns_dict_with_expected_keys	Pass
	test_manager.py::TestGetStatistics	test_statistics_are_dicts	Pass
	test_manager.py::TestSetupMap	test_setup_all_components	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_manager.py::TestSetupMap	test_activate_right_element_added	Pass
	test_manager.py::TestSetupMap	test_activate_self	Pass
	test_notifications.py::TestAddNotification	test_add_to_map	Pass
	test_notifications.py::TestAddNotification	test_notifications_notification_system	Pass
	test_notifications.py::TestAddToMap	test_add_to_map_calls_add_child	Pass
	test_notifications.py::TestBuildPosition	test_returns_position_function	Pass
	test_notifications.py::TestBuildTemplate	test_contains_all_types	Pass
	test_notifications.py::TestBuildTemplate	test_inherits_template_values	Pass
	test_notifications.py::TestBuildTemplate	test_returns_valid_json	Pass
	test_notifications.py::TestConfigure	test_configure_max_visible	Pass
	test_notifications.py::TestConfigure	test_configure_no_args_no_change	Pass
	test_notifications.py::TestConfigure	test_configure_position	Pass
	test_notifications.py::TestConfigure	test_configure_timeout	Pass
	test_notifications.py::TestCreateNotificationSystem	test_create_notification_system	Pass
	test_notifications.py::TestCreateNotificationSystem	test_create_notification_timeout	Pass
	test_notifications.py::TestCreateNotificationSystem	test_notification_position_defaults_to_top_right	Pass
	test_notifications.py::TestCreateNotificationSystem	test_notification_position	Pass
	test_notifications.py::TestGetStatistics	test_returns_expected_keys	Pass
	test_notifications.py::TestGetStatistics	test_statistics_reflect_config	Pass
	test_startup.py::TestGetPreloaderJS	test_get_preloader_js_matches_get_js	Pass
	test_startup.py::TestGetPreloaderJS	test_get_preloader_js_returns_string	Pass
	test_startup.py::TestStartupPreloaderAddToMap	test_add_to_map_calls_add_child	Pass
	test_startup.py::TestStartupPreloaderAddToMap	test_add_to_map_output_contains_script	Pass
	test_td_main_map_coverage.py::TestMainMapFS01CallsAddChild	test_main_map_fs01_calls_add_child	Pass
	test_td_main_map_coverage.py::TestMainMapFS01CallsScript	test_main_map_fs01_calls_script	Pass
	test_td_main_map_coverage.py::TestMainMapFS01GetStatistics	test_main_map_fs01_get_statistics	Pass
	property_panel.py::TestPropertyTreeConfigure	test_configure_configtree	Pass
	property_panel.py::TestPropertyTreeConfigure	test_configure_configtree_does_not_change	Pass
	property_panel.py::TestPropertyTreeConfigure	test_configure_configtree_height	Pass
	property_panel.py::TestPropertyTreeConfigure	test_configure_configtree_width	Pass
	property_panel.py::TestPropertyTreeConfigure	test_configure_configtree_use	Pass
	property_panel.py::TestPropertyTreeConfigure	test_configure_configtree_returns_dict	Pass
	sp_sim_detail.py::TestScrubberRange	test_hour_label_present	Pass
	sp_sim_detail.py::TestScrubberRange	test_scrubber_id_present	Pass
	sp_sim_detail.py::TestScrubberRange	test_scrubber_max_from_config	Pass
	sp_sim_detail.py::TestScrubberRange	test_scrubber_max_not_59	Pass
	sp_sim_detail.py::TestScrubberRange	test_scrubber_min_is_zero	Pass
	sp_sim_detail.py::TestScrubberRange	test_scrubber_type_is_range	Pass
	sp_sim_detail.py::TestSimFunctions	test_get_js_returns_nonempty	Pass
	sp_sim_detail.py::TestSimFunctions	test_spSeekTo_defined	Pass
	sp_sim_detail.py::TestSimFunctions	test_spSetSpeed_defined	Pass
	sp_sim_detail.py::TestSimFunctions	test_spStopAnim_defined	Pass
	sp_table_detail.py::TestPanelTitle	test_panel_title_id_present	Pass
	sp_table_detail.py::TestPanelTitle	test_panel_title_prefix	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	sp_table_detail.py::TestPanelTitle	test_title_reads_selected_option_text	Pass
	sp_table_detail.py::TestPanelTitle	test_title_uses_label_variable_not_bare_id	Fail
	sp_table_detail.py::TestStormList	test_loads_from_propertyts_storms	Pass
	sp_table_detail.py::TestStormList	test_loads_storms_message	Pass
	sp_table_detail.py::TestStormList	test_uses_preloaded_cache	Pass
	sp_table_detail.py::TestTableStructure	test_reload_portfolio_impact_defined	Pass
	sp_table_detail.py::TestTableStructure	test_report_portfolio_impact_endpoint	Pass
	sp_table_detail.py::TestTableStructure	test_sort_columns_defined	Pass
	sp_table_detail.py::TestTableStructure	test_summary_cards_present	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_refresh_main_map	Fail
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_apply_filter	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_export_cell_click	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_opening_panel_exports_window	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_01_exported	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_refresh_exports_window	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_refresh_exports_window_hint	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_refresh_exports_show_hide	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_create_panel_creates_blotter_view	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_display_flex	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_show_panel	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_exists	Pass
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_preload_done	Fail
	test_cross_iife_exports.py::TestCrossIIFECrossPanelExports	test_panel_open_section_on_open	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGovAudit]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGovBib]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preStorms]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preBlotter]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preEodHistory]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGauges]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preGovDocs]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preMarket]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_prePortStorms]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preStressStorms]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_on_window[_preYieldCurve]	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_no_bare_string_declarations_for_cache	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_no_bare_string_declarations_for_preload	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_window_startup_preload_slope_initialised	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_window_startup_preload_slope_set_after_settle	Fail
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_blockchain_consumers_after_consume	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_blockchain_consumers_pre_blotter	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_gov_docs_cache_consumers_after_consume	Pass
	test_cross_iife_ownership.py::TestCacheStartupOwnership	test_gov_docs_cache_consumers_pre_gov_docs	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	test_startup_preloader_part2.py::TestStartupPreloaderState	test_startup_preloader_state_uses_object_keys	Pass
	test_startup_preloader_part2.py::TestStartupPreloaderCache	test_startup_preloader_cache_function_exists	Pass
	test_startup_preloader_part2.py::TestStartupPreloaderCache	test_startup_preloader_cache_cache	Pass
	test_startup_preloader_part2.py::TestStartupPreloaderCache	test_startup_preloader_cache_after_use	Pass
	blotter.js.py::TestBlotterSignedNotional	test_blotter_signed_notional_in_pnl_bar	Pass
	blotter.js.py::TestBlotterSignedNotional	test_blotter_signed_notional_payer_negative	Pass
	blotter.js.py::TestMarketPnLDisplay	test_blotter_has_from_market_in_pnl_bar	Pass
	blotter.js.py::TestMarketPnLDisplay	test_blotter_has_market_pnl_column	Pass
	blotter.js.py::TestMarketPnLDisplay	test_commit_shows_pnl_impact	Pass
	blotter.js.py::TestMarketPnLDisplay	test_hazard_column_up_down_arrows	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_status_endpoint	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_summary_endpoint	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_train_all_endpoint	Pass
	classifiers.js.py::TestClassifiersEndpoint	test_train_endpoint	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_cleanup	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_in_views_array	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_switch_handler	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_tab_in_array	Pass
	classifiers.js.py::TestClassifiersInteract	test_classifiers_view_created	Pass
	classifiers.js.py::TestClassifiersState	test_classifiers_renders	Pass
	classifiers.js.py::TestClassifiersState	test_has_batch_training	Pass
	classifiers.js.py::TestClassifiersState	test_has_cleanup	Pass
	classifiers.js.py::TestClassifiersState	test_has_create_view	Pass
	classifiers.js.py::TestClassifiersState	test_has_feature_chart	Pass
	classifiers.js.py::TestClassifiersState	test_has_load_data	Pass
	classifiers.js.py::TestClassifiersState	test_has_metric_card	Pass
	classifiers.js.py::TestClassifiersState	test_has_progress_bar	Pass
	classifiers.js.py::TestClassifiersState	test_has_render_detail	Pass
	classifiers.js.py::TestClassifiersState	test_has_render_summary_table	Pass
	classifiers.js.py::TestClassifiersState	test_has_single_training	Pass
	classifiers.js.py::TestClassifiersState	test_has_state_vars	Pass
	market.js.py::TestCommitButtonInteract	test_commit_button_calls_commit_function	Pass
	market.js.py::TestCommitButtonInteract	test_commit_button_in_html	Pass
	market.js.py::TestCommitButtonInteract	test_commit_button_not_hidden	Pass
	market.js.py::TestCommitButtonInteract	test_commit_function_exists	Pass
	market.js.py::TestCommitButtonInteract	test_commit_posts_to_endpoint	Pass
	market.js.py::TestCommitButtonInteract	test_commit_refreshes_blotter	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_all_gauges_chart	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_has_trigger_selector	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_hsl_colours	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_renders	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_strips_thames_prefix	Pass
	market.js.py::TestCurvesTabRedesign	test_curves_uses_market_state	Pass
	market.js.py::TestMapClickThrough	test_map_hides_trading_desk	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	market.js.py::TestMapClickThrough	test_map_new_trade_link	Pass
	market.js.py::TestMapClickThrough	test_map_view_hazard_curve	Pass
	panel.py::TestInteractivityManager	test_interactivity_manager_exports_trading_desk	Pass
	panel.py::TestInteractivityManager	test_interactivity_manager_has_trading_desk	Pass
	panel.py::TestPreloadDoneScoping	test_preloader_sets_window_preload_done	Pass
	panel.py::TestPreloadDoneScoping	test_startup_uses_window_preload_done_inits	Pass
	panel.py::TestPreloadDoneScoping	test_startup_uses_window_preload_done_sets	Pass
	panel.py::TestPreloadDoneScoping	test_tradingdesk_reads_window_preload_done	Pass
	panel.py::TestTradingDeskPanel	test_add_to_map	Pass
	panel.py::TestTradingDeskPanel	test_blotter_submodule	Pass
	panel.py::TestTradingDeskPanel	test_eod_submodule	Pass
	panel.py::TestTradingDeskPanel	test_map_submodule	Pass
	panel.py::TestTradingDeskPanel	test_market_submodule	Pass
	panel.py::TestTradingDeskPanel	test_no_unescaped_braces	Pass
	panel.py::TestTradingDeskPanel	test_panel_contains_all_tabs	Pass
	panel.py::TestTradingDeskPanel	test_panel_contains_global_export	Pass
	panel.py::TestTradingDeskPanel	test_panel_contains_pi_symbol	Pass
	panel.py::TestTradingDeskPanel	test_panel_renders	Pass
	panel.py::TestTradingDeskPanel	test_risk_submodule	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_portfolio_run_endpoint	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_portfolio_storms_endpoint	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_portfolio_method_used_for_run	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_confirmation_lists_with_stress_tab	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_prefixionscontent	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_prefixionsstorm_sel	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_id_prefixionstabs	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_canvas_id	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_header_function	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_threshold_colours	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_tabs_chartjs	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_canvas_id	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_title_gbp	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_header_function	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_pfflood_tabs_horizontal_bars	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_all_sub_tabs	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_cleanup	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_create_view	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_load_data	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_storm_changed	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.has_switch_subtab	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres_renders	Pass
	port_stress.js_part1.py::TestPortStressPortfolio	test_stormstres.state_vars	Pass
	port_stress.js_part2.py::TestPortStressGaugePanel	test_gaugepanel_tabs_switch_tab_stress	Pass
	port_stress.js_part2.py::TestPortStressGaugePanel	test_gaugepanel_tab1_detail_button	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
port_stress_js_part2.py::TestPortStressGaugePnlTab	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_gauge_table	Pass
port_stress_js_part2.py::TestPortStressGaugePnlTab	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_header_function	Pass
port_stress_js_part2.py::TestPortStressGaugePnlTab	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_gauge_hint	Pass
port_stress_js_part2.py::TestPortStressGaugePnlTab	port_stress_js_part2.py::TestPortStressGaugePnlTab	Tab_storm_hint	Pass
port_stress_js_part2.py::TestPortStressFullTradingDesk	port_stress_js_part2.py::TestPortStressFullTradingDesk	Valid_with_port_stress	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_called	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_facts	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_in_full_js	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_kiew_appended	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_kiew_created	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_switch_tab	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_tabs_array	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_views_array	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_hide_panel	Pass
port_stress_js_part2.py::TestPortStressIntradayDesk	port_stress_js_part2.py::TestPortStressIntradayDesk	Stress_data_life	Pass
port_stress_js_part2.py::TestPortStressSeverityFdgauge	port_stress_js_part2.py::TestPortStressSeverityFdgauge	pn1_link	Pass
port_stress_js_part2.py::TestPortStressSeverityFdgauge	port_stress_js_part2.py::TestPortStressSeverityFdgauge	Has_four_groups	Pass
port_stress_js_part2.py::TestPortStressSeverityFdgauge	port_stress_js_part2.py::TestPortStressSeverityFdgauge	Header_function	Pass
port_stress_js_part2.py::TestPortStressSeverityFdgauge	port_stress_js_part2.py::TestPortStressSeverityFdgauge	Stress_selected_gauge	Pass
port_stress_js_part2.py::TestPortStressSeverityFdgauge	port_stress_js_part2.py::TestPortStressSeverityFdgauge	Stress_severe_colour	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_contains_populate_gauge_dropdown	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_contains_stress_gauge_change	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_no_unclosed_template_literal	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_selector_element_id_present	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_populate_gauge_dropdown_function_defined	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_populate_storm_dropdown_function_defined	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_selector_element_id_present	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_functions_not_before_iife_closure	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_gauge_changed_binds_to_dropdown	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_gauge_changed_function_defined	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_storm_changed_binds_to_dropdown	Pass
stress.js_part1.py::TestStressGaugeFunctions	stress.js_part1.py::TestStressGaugeFunctions	js_storm_changed_function_defined	Pass
stress.js_part1.py::TestStressKnownIssues	stress.js_part1.py::TestStressKnownIssues	stress_ko_annotation_on_charts	Pass
stress.js_part1.py::TestStressKnownIssues	stress.js_part1.py::TestStressKnownIssues	stress_ko_status_in_table	Pass
stress.js_part1.py::TestStressKnownIssues	stress.js_part1.py::TestStressKnownIssues	stress_stats_bar_ko_info	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_fallback_only_when_hint_not_matched	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_applied_before_fallback	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_consumed_after_use	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_fallback_to_blotter_filter	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_load_stress_data_accepts_gauge_hint	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_load_stress_data_stores_hint	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_populate_gauge_dropdown_reads_hint	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_stress_gauge_hint_state_variable	Pass
stress.js_part2.py::TestStressGaugeHint	stress.js_part2.py::TestStressGaugeHint	Hint_switch_tab_stress_blotter_filter_facts	Pass

(continued on next page)

(continued from previous page)

Model	Module	Test Name	Status
	stress.js_part2.py::TestStressGaugesHist	switch_tab.stress.passes_gauge_hint	Pass
	stress.js_part2.py::TestStressGaugesHist	switch_tab.stress.uses_blotter_data	Fail
	stress.js_part2.py::TestStressTabCustom	studies.chart.canvas	Pass
	stress.js_part2.py::TestStressTabCustom	studies.chart.tabs	Pass
	stress.js_part2.py::TestStressTabCustom	studies.charts	Pass
	stress.js_part2.py::TestStressTabCustom	studies.cleanup	Pass
	stress.js_part2.py::TestStressTabCustom	studies.gauge_dropdown	Pass
	stress.js_part2.py::TestStressTabCustom	studies.gauges_endpoint	Pass
	stress.js_part2.py::TestStressTabCustom	studies.has_create_and_load	Pass
	stress.js_part2.py::TestStressTabCustom	studies.ko_annotation	Pass
	stress.js_part2.py::TestStressTabCustom	studies.link_property_damage	Pass
	stress.js_part2.py::TestStressTabCustom	studies.link_storm_simulation	Pass
	stress.js_part2.py::TestStressTabCustom	studies.renders	Pass
	stress.js_part2.py::TestStressTabCustom	studies.stats_bar	Pass
	stress.js_part2.py::TestStressTabCustom	studies.storm_dropdown	Pass
	stress.js_part2.py::TestStressTabCustom	studies.surface_table	Pass
	stress.js_part2.py::TestStressTabCustom	studies.trade_table	Pass
	stress.js_part2.py::TestStressTabCustom	surface_table.scrollable	Pass

3 Flood Risk (Depth-Damage) (MKM-DD-001)

Table 4: Test Results Summary — Flood Risk (Depth-Damage) (MKM-DD-001)

Total Tests	32
Passed	32
Failed	0
Skipped	0
Duration	0.00s

Table 5: Detailed Test Results — Flood Risk (Depth-Damage)

Test Description	Acceptance Criteria	Result	Time
Every hour from 0..n must be present in output, in order.	<code>hours == list(range(len(gauge_readings)))</code>	Pass	0.000s
Flood depth must be non-negative at every time step.	<code>r['depth_m'] >= 0.0</code>	Pass	0.000s
Each hydrograph entry must contain hour, wse_m, depth_m, and flooded.	<code>'hour' in r; 'wse_m' in r (+2 more)</code>	Pass	0.000s
Empty gauge readings must return empty property hydrograph.	<code>build_property_hydrograph([], 8.0, 1.0, 0.9, 6.0, 0.3) == []</code>	Pass	0.000s
When floor level exceeds peak WSE, no time step should be flooded.	<code>r['flooded'] is False</code>	Pass	0.000s
With travel time of 5 hours, first 5 hours must show zero flood depth.	<code>r['depth_m'] == 0.0; r['flooded'] is False</code>	Pass	0.000s
Property hydrograph must have same number of time steps as gauge input.	<code>len(result) == len(gauge_readings)</code>	Pass	0.000s
Low-elevation property at gauge location must flood at peak water level.	<code>max(peak_depths) > 0</code>	Pass	0.000s
Slope from 10m to 8m over 1000m should be 0.002 (2m/1000m).	<code>abs(s - 0.002) < 1e-6</code>	Pass	0.000s
Flat terrain (equal elevations) must return MIN_SLOPE, not zero.	<code>s == MIN_SLOPE</code>	Pass	0.000s
Slope must be the same regardless of flow direction (uses absolute value).	<code>s1 == s2</code>	Pass	0.000s
Zero horizontal distance must return MIN_SLOPE to avoid division by zero.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Monotonicity: deeper water must produce higher velocity at constant slope.	$v_2 > v_1$	Pass	0.000s
Negative depth is physically invalid; must return zero velocity.	<code>compute_manning_velocity(-1.0, 0.005) == 0.0</code>	Pass	0.000s
Negative slope (downhill in opposite direction) must use absolute value.	$v_{pos} == v_{neg}$	Pass	0.000s
Manning velocity at $d=1.0\text{m}$, $S=0.005$, $n=0.04$ should be $\sim 1.77\text{ m/s}$.	$1.5 < v < 2.0$	Pass	0.000s
Slopes below MIN_SLOPE must be clamped to MIN_SLOPE to avoid	$v == v_{min}$	Pass	0.000s
Monotonicity: steeper slope must produce higher velocity at constant depth.	$v_2 > v_1$	Pass	0.000s
Zero depth must produce zero velocity (no flow without water).	<code>compute_manning_velocity(0.0, 0.005) == 0.0</code>	Pass	0.000s
Zero roughness coefficient causes division by zero; must return 0.	<code>compute_manning_velocity(1.0, 0.005, roughness=0.0) == 0.0</code>	Pass	0.000s
At distance = characteristic length, factor must equal $1/e \approx 0.368$.	$\text{abs}(f - 1.0 / \text{math.e}) < 0.001$	Pass	0.000s
<code>compute_attenuation</code> is a backwards-compatible alias.	<code>compute_attenuation(800) == compute_retention(800)</code>	Pass	0.000s
At 5x the decay length, retention should be $\leq 1\%$.	$f < 0.01$	Pass	0.000s
At 800m with default 3km length scale, retention ≈ 0.77 .	$0.70 \leq f \leq 0.85$	Pass	0.000s
Negative distance is clamped to zero; must return 1.0.	<code>compute_retention(-100) == 1.0</code>	Pass	0.000s
At 1km with default 3km length scale, retention ≈ 0.72 .	$0.65 \leq f \leq 0.80$	Pass	0.000s
At zero distance, retention must be 1.0 (full signal).	<code>compute_retention(0) == 1.0</code>	Pass	0.000s
Zero decay length means instant decay; must return 0.0.	<code>compute_retention(100, 0) == 0.0</code>	Pass	0.000s
Travel time for 500m at $d=1.0\text{m}$, $S=0.005$ should be well under 1 hour.	$0 < t < 1.0$	Pass	0.000s
Monotonicity: greater distance must produce longer travel time.	$t_2 > t_1$	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Zero depth produces zero velocity, so travel time must be infinite.	<code>t == float('inf')</code>	Pass	0.000s
Zero distance must produce zero travel time.	<code>t == 0.0; s == MIN_SLOPE</code>	Pass	0.000s

4 Flood Polynomial Model (MKM-FPO-001)

Table 6: Test Results Summary — Flood Polynomial Model (MKM-FPO-001)

Total Tests	33
Passed	33
Failed	0
Skipped	0
Duration	0.00s

Table 7: Detailed Test Results — Flood Polynomial Model

Test Description	Acceptance Criteria	Result	Time
Coefficients used by model match config/models.py.	<code>hasattr(flood_poly_coeffs, 'a');</code> <code>hasattr(flood_poly_coeffs, 'f')</code> (+1 more)	Pass	0.000s
Fit metadata from config	<code>flood_poly_fit["model_id"] == "flood-poly-v1";</code> <code>flood_poly_fit["r_squared"] > 0.9</code>	Pass	0.000s
Log eps from config	<code>flood_poly_log_eps == 1e-8</code>	Pass	0.000s
Storm hours from config	<code>flood_poly_storm_hours == 168</code>	Pass	0.000s
Coefficients count	<code>card["num.parameters"] == 6</code>	Pass	0.000s
Fit quality has metrics	<code>"r_squared" in fq; "mae" in fq</code> (+1 more)	Pass	0.000s
Has required fields	<code>"model_id" in card; "version" in card</code> (+3 more)	Pass	0.000s
Model id matches config	<code>card["model_id"] == flood_poly_fit["model_id"]</code>	Pass	0.000s
Returns dict	<code>isinstance(card, dict)</code>	Pass	0.000s
Water far above severe at late hour should be near 1.0.	<code>p > 0.9</code>	Pass	0.000s
Water well above severe threshold should give high P(flood).	<code>p > 0.8</code>	Pass	0.000s
hour=167 (last storm hour) should not raise.	<code>0.0 <= p <= 1.0</code>	Pass	0.000s
hour=0 should not raise.	<code>0.0 <= p <= 1.0</code>	Pass	0.000s
P(flood) at hour 0 should be lower than mid-storm for moderate water.	<code>p_early < p_mid</code>	Pass	0.000s
In range	<code>0.0 <= result <= 1.0; result <= 1.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Water well below severe threshold should give low P(flood).	<code>p < 0.1</code>	Pass	0.000s
Higher water level should give higher P(flood) at same hour.	<code>p_low < p_mid < p_high</code>	Pass	0.000s
Negative severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=-1.0) ...;</code> <code>p_flood.simple(5.0, -1.0) == 0.0</code>	Pass	0.000s
Returns float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Near-zero water level should give near-zero P(flood).	<code>p < 0.01</code>	Pass	0.000s
Zero severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=0.0) ...;</code> <code>p_flood.simple(5.0, 0.0) == 0.0</code>	Pass	0.000s
All in range	<code>all(0.0 <= p <= 1.0 for p in result)</code>	Pass	0.000s
Correct length	<code>len(result) == 5</code>	Pass	0.000s
Empty list	<code>p_flood.series([], severe_level=6.58)</code> <code>== []</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
Above severe capped at one	<code>p_flood.simple(10.0, 6.58) == 1.0</code>	Pass	0.000s
At severe equals one	<code>p_flood.simple(6.58, 6.58) == 1.0</code>	Pass	0.000s
In range	<code>0.0 <= result <= 1.0; 0.0 <= result <= 1.0</code>	Pass	0.000s
Negative severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=-1.0) ...;</code> <code>p_flood.simple(5.0, -1.0) == 0.0</code>	Pass	0.000s
$P = \min(1, w/s)$.	<code>abs(p_flood.simple(3.29, 6.58) - 0.5)</code> <code>< 0.01</code>	Pass	0.000s
Returns float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Zero severe returns zero	<code>p_flood.poly(water_level=5.0, hour=48, severe_level=0.0) ...;</code> <code>p_flood.simple(5.0, 0.0) == 0.0</code>	Pass	0.000s
Zero water	<code>p_flood.simple(0.0, 6.58) == 0.0</code>	Pass	0.000s

5 GEV Hazard Model (MKM-GH-001)

Table 8: Test Results Summary — GEV Hazard Model (MKM-GH-001)

Total Tests	16
Passed	16
Failed	0
Skipped	0
Duration	0.26s

Table 9: Detailed Test Results — GEV Hazard Model

Test Description	Acceptance Criteria	Result	Time
Exceedance probability in range	<code>0.0 <= prob <= 1.0</code>	Pass	0.000s
Fit returns three floats	<code>isinstance(shape, float);</code> <code>isinstance(loc, float) (+1 more)</code>	Pass	0.013s
Force gumbel sets shape zero	<code>shape == 0.0</code>	Pass	0.000s
Higher threshold lower probability	<code>p_high < p_low</code>	Pass	0.000s
Return level increases with period	<code>r1_100 > r1_10</code>	Pass	0.000s
Compute all responses returns dict	<code>isinstance(responses,</code> <code>dict); len(responses) ==</code> <code>len(synthetic_flat_gauges) (+1</code> <code>more)</code>	Pass	0.000s
Compute response returns gauge re- sponse	<code>isinstance(response, GaugeResponse);</code> <code>response.gauge_id == gauge_id (+1</code> <code>more)</code>	Pass	0.000s
Response threshold flags	<code>response.exceeded_alert;</code> <code>response.exceeded_warning</code>	Pass	0.000s
Annual flood probabilities in range	<code>0.0 <= curve.annual_flood_prob.alert</code> <code><= 1.0; 0.0 <=</code> <code>curve.annual_flood_prob.warning</code> <code><= 1.0 (+1 more)</code>	Pass	0.081s
Build returns dict of curves	<code>isinstance(curves, dict); len(curves)</code> <code>== len(synthetic_flat_gauges) (+2</code> <code>more)</code>	Pass	0.078s
Each curve is gauge hazard curve	<code>isinstance(curve, GaugeHazardCurve);</code> <code>curve.gauge_id == gauge_id</code>	Pass	0.086s
Cumulative prob increasing	<code>probs[i] >= probs[i - 1]</code>	Pass	0.000s
Probabilities sum to one	<code>abs(point.survival_prob +</code> <code>point.prob.at_least_one - 1.0) ...</code>	Pass	0.000s
Returns correct length	<code>len(ts) == 5</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns term structure points	<code>isinstance(point, TermStructurePoint)</code>	Pass	0.000s
Survival prob decreasing	<code>survivals[i] <= survivals[i - 1]</code>	Pass	0.000s

6 GaugeHD Synthetic (MKM-GHD-001)

Table 10: Test Results Summary — GaugeHD Synthetic (MKM-GHD-001)

Total Tests	62
Passed	62
Failed	0
Skipped	0
Duration	8.19s

Table 11: Detailed Test Results — GaugeHD Synthetic

Test Description	Acceptance Criteria	Result	Time
<code>_snap_to_river</code> skips zero-length segments without error.	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
<code>_create_synthetic_gauge</code> returns None when flanking gauge not in lookup.	<code>result is None</code>	Pass	0.004s
Lines 83-110: generate all gauge histories processes all gauges.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.225s
Lines 105-107: error on one gauge -j logged, continues.	<code>isinstance(result, list)</code>	Pass	0.379s
All levels positive	<code>all(obs["level_meters"] > 0 for obs in result)</code>	Pass	0.006s
Correct length approximately	<code>728 <= len(result) <= 732</code>	Pass	0.003s
Dates are sequential	<code>(d_curr - d_prev).days == 1</code>	Pass	0.003s
Different seeds different output	<code>levels1 != levels2</code>	Pass	0.012s
Each obs has date and level	<code>"date" in obs; "level_meters" in obs</code> (+1 more)	Pass	0.001s
Gauge data without FloodGauge wrapper uses defaults.	<code>isinstance(result, list)</code>	Pass	0.001s
When historical high date is within range, that day gets historical_high level.	<code>match[0]["level_meters"] == 7.5</code>	Pass	0.001s
Invalid date format doesn't crash.	<code>isinstance(result, list)</code>	Pass	0.001s
Historical high date before start_date is ignored.	<code>isinstance(result, list)</code>	Pass	0.001s
Lines 176-179: Historical high injected via fallback when date not matched in loop.	<code>len(match) == 1;</code> <code>match[0]["level_meters"] == 8.0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Gauge data with no FloodStages uses sensible defaults.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Lines 97-100: Partially tidal gauge uses dampened tidal signal.	<code>len(result) > 700; all(lev > 0 for lev in levels)</code>	Pass	0.003s
Returns list	<code>isinstance(result, list)</code>	Pass	0.001s
Seed reproducible	<code>r1 == r2</code>	Pass	0.003s
Lines 92-95: Tidal gauge uses wider <code>daily_std</code> , <code>tidal_amplitude</code> > 0.	<code>len(result) > 700; max(levels) > min(levels)</code>	Pass	0.003s
Lines 147-149: Tidal component with spring-neap cycle.	<code>11 != 12</code>	Pass	0.003s
Lines 138-141: historical high injected after main loop.	<code>len(match) == 1; match[0]["level_meters"] == 9.99</code>	Pass	0.003s
When <code>historical_high_dt</code> is None (out of range), post-loop block skipped.	<code>all(o["level_meters"] != 8.0 for o in result)</code>	Pass	0.002s
When <code>historical_high_date</code> is None, both branches skipped.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
<code>generate()</code> returns <code>count=0</code> when <code>GAUGE_POINTS</code> has > 2 entries.	<code>result["count"] == 0</code>	Pass	0.001s
<code>generate()</code> returns <code>count=0</code> when <code>GAUGE_POINTS</code> is None.	<code>result["count"] == 0</code>	Pass	0.001s
Lines 74-75: missing file raises <code>FileNotFoundError</code> .	—	Pass	0.000s
Lines 72-80: <code>load_gauge_portfolio</code> reads <code>gauge.json</code> .	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
<code>_load_river_polyline</code> returns None when cache file doesn't exist.	<code>result is None or isinstance(result, list)</code>	Pass	0.001s
<code>_snap_to_river</code> returns original coords when river is None.	<code>lat == 51.46; lon == -0.30</code>	Pass	0.000s
Lines 143-144: bad CSV -i error logged, continues.	<code>isinstance(result, list)</code>	Pass	0.002s
Lines 113-147: <code>process_nrfa_directory</code> scans CSV files.	<code>isinstance(result, list); len(result) == 1</code>	Pass	0.002s
Line 134: <code>output_dir=None</code> uses <code>config.get_gaugehd_dir()</code> .	<code>isinstance(result, list)</code>	Pass	0.003s
Lines 131-147: no matching files -i empty list.	<code>result == []</code>	Pass	0.000s
Property projecting to <code>seg_idx=0</code> , <code>t~0</code> should not create a gauge.	<code>result["count"] == 0</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Propertyhc has synth in nearest gauges	<code>found_synth</code>	Pass	0.008s
Synthetic gauge in propertyhc should have basis_bps computed.	<code>"basis_bps" in ng</code>	Pass	0.006s
Every property has one synthetic gauge	<code>not failures</code>	Pass	1.909s
Every property has three gauges total	<code>len(ngs) == 3</code>	Pass	0.154s
Every property has two real gauges	<code>not failures</code>	Pass	1.676s
Properties should have flood_events sourced from gauge storm responses.	<code>properties_with_events > 0</code>	Pass	1.674s
At least some properties should have flooded=True events.	<code>flooded_count > 0</code>	Pass	1.667s
Appends to gauge json	<code>len(data["flood_gauges"]) > 3;</code> <code>len(synth) > 0</code>	Pass	0.011s
Creates synthetic gauges	<code>result["count"] > 0;</code> <code>len(result["gauge_ids"]) == result["count"]</code>	Pass	0.015s
Two properties near the same river point should share a synthetic gauge.	<code>result["count"] == 2</code>	Pass	0.015s
Property far beyond polyline end should not create a synthetic gauge.	<code>result["count"] == 0</code>	Pass	0.005s
Interpolated elevation	<code>3.0 <= elev <= 5.0</code>	Pass	0.010s
Interpolated flood stages	<code>3.5 <= stages["FloodAlert"] <= 4.5;</code> <code>4.5 <= stages["FloodWarning"] <= 5.5</code> (+1 more)	Pass	0.011s
No gauge json returns zero	<code>result["count"] == 0</code>	Pass	0.000s
No property json returns zero	<code>result["count"] == 0</code>	Pass	0.003s
Synthetic gauge has cdm structure	<code>"GaugeID" in fg["Header"];</code> <code>"CatchmentID" in fg["Header"]</code> (+8 more)	Pass	0.009s
Synthetic gauge lat/lon should be on the polyline (very close to it).	<code>dist_m < 50.0; dist_m < 1.0</code>	Pass	0.015s
A pre-existing SYNTH- gauge in gauge.json is skipped in polyline matching.	<code>result["count"] >= 0</code>	Pass	0.010s
Gauge json has synth gauges	<code>len(synth) > 0</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Synth gauge has required cdm fields	<code>fg["Header"]["GaugeID"].startswith("SYNTH")</code> <code>fg["Location"]["GaugeLatitude"] != 0</code> (+7 more)	Pass	0.002s
Gaugehc has synth curves	<code>len(synth) > 0</code>	Pass	0.013s
Synth has term structure	<code>len(ts) > 0</code>	Pass	0.007s
Synth hazard rates positive	<code>hc.get("annual_hazard_rate_alert", 0)</code> <code>> 0</code>	Pass	0.007s
Synth gaugets files exist	<code>len(synth_files) > 0</code>	Pass	0.001s
At least some storms should exceed alert at synthetic gauges.	<code>len(exceeded) > 0</code>	Pass	0.135s
Synth gaugets have storm responses	<code>len(resps) > 0</code>	Pass	0.150s
Property with lat=0 is silently skipped.	<code>result["count"] == 0</code>	Pass	0.002s
Property with lon=0 is silently skipped.	<code>result["count"] == 0</code>	Pass	0.003s

7 Insurance Premium (MKM-IP-001)

Table 12: Test Results Summary — Insurance Premium (MKM-IP-001)

Total Tests	36
Passed	36
Failed	0
Skipped	0
Duration	0.00s

Table 13: Detailed Test Results — Insurance Premium

Test Description	Acceptance Criteria	Result	Time
All factors applied	<code>abs(result - round(expected, 2)) < 0.01</code>	Pass	0.000s
Basic calculation	<code>result == 1250.0</code>	Pass	0.000s
Claims factor increases premium	<code>with.claims > base</code>	Pass	0.001s
Clamped to max	<code>result == MAX_PREMIUM</code>	Pass	0.000s
Clamped to min	<code>result == MIN_PREMIUM</code>	Pass	0.000s
Contents premium added	<code>with.contents == base + 500.0</code>	Pass	0.000s
High flood risk increases premium	<code>high.flood > low.flood</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Security factor reduces premium	<code>with.security < without</code>	Pass	0.000s
100 years is heritage	<code>get_age_premium.band(1925, current_year=2025) == 'heritage'</code>	Pass	0.000s
10 years is modern	<code>get_age_premium.band(2015, current_year=2025) == 'modern'</code>	Pass	0.000s
30 years is established	<code>get_age_premium.band(1995, current_year=2025) == 'establi...</code>	Pass	0.000s
Default current year	<code>result in AGE_PREMIUM_FACTORS</code>	Pass	0.000s
Established	<code>get_age_premium.band(1960, current_year=2025) == 'establi...</code>	Pass	0.000s
Exactly 29 years modern	<code>get_age_premium.band(1996, current_year=2025) == 'modern'</code>	Pass	0.000s
Exactly 99 years established	<code>get_age_premium.band(1926, current_year=2025) == 'establi...</code>	Pass	0.000s
Exactly 9 years new build	<code>get_age_premium.band(2016, current_year=2025) == 'new.build'</code>	Pass	0.000s
Heritage old	<code>get_age_premium.band(1850, current_year=2025) == 'heritage'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Modern	<code>get_age_premium_band(2000, current_year=2025) == 'modern'</code>	Pass	0.000s
New build	<code>get_age_premium_band(2020, current_year=2025) == 'new.build'</code>	Pass	0.000s
Exactly 100 third band	<code>(lo, hi) == AREA_PREMIUM_BANDS[2][1]</code>	Pass	0.000s
Exactly 50 second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Just below 100 second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Just below 50 first band	<code>(lo, hi) == AREA_PREMIUM_BANDS[0][1]</code>	Pass	0.000s
Large area fourth band	<code>(lo, hi) == AREA_PREMIUM_BANDS[3][1]</code>	Pass	0.000s
Medium area second band	<code>(lo, hi) == AREA_PREMIUM_BANDS[1][1]</code>	Pass	0.000s
Returns tuple	<code>isinstance(result, tuple); len(result) == 2</code>	Pass	0.000s
Small area first band	<code>(lo, hi) == AREA_PREMIUM_BANDS[0][1]</code>	Pass	0.000s
Age premium factors all positive	<code>lo > 0; hi >= lo</code>	Pass	0.000s
Area bands are sorted	<code>thresholds == sorted(thresholds)</code>	Pass	0.000s
Base rate range	<code>lo > 0; hi > lo</code>	Pass	0.000s
Construction type factors present	<code>'Brick' in CONSTRUCTION_TYPE_FACTORS; 'Timber Frame' in CONSTRUCTION_TYPE_FACTORS</code>	Pass	0.000s
Flood risk factors increase with risk	<code>very_high_hi > very_low_lo</code>	Pass	0.000s
Flood risk factors present	<code>set(FLOOD_RISK_PREMIUM_FACTORS.keys()) == expected</code>	Pass	0.000s
Min max premium bounds	<code>MIN_PREMIUM == 200; MAX_PREMIUM == 20_000</code>	Pass	0.000s
Property type factors present	<code>set(PROPERTY_TYPE_PREMIUM_FACTORS.keys()) == expected</code>	Pass	0.000s

8 Mortgage Pricer (MKM-MP-001)

Table 14: Test Results Summary — Mortgage Pricer (MKM-MP-001)

Total Tests	67
Passed	67
Failed	0
Skipped	0
Duration	0.05s

Table 15: Detailed Test Results — Mortgage Pricer

Test Description	Acceptance Criteria	Result	Time
Default ids assigned	<code>results[0]["mortgage_id"] == "MORTGAGE_0";</code> <code>results[0]["property_id"] == "PROPERTY_0"</code>	Pass	0.001s
Error isolation	<code>len(results) == 3;</code> "error" not in <code>results[0]</code> (+2 more)	Pass	0.001s
Prices multiple mortgages	<code>len(results) == 2;</code> <code>results[0]["mortgage_id"] == "M1"</code> (+1 more)	Pass	0.001s
Custom tax rate	<code>MortgagePricer(tax_rate=0.40).tax_rate == 0.40</code>	Pass	0.000s
Default tax rate	<code>MortgagePricer().tax_rate == 0.20</code>	Pass	0.000s
Custom tax rate	<code>spread_high_tax > spread_low_tax</code>	Pass	0.000s
Floor at 10bps	<code>spread >= 0.001</code>	Pass	0.000s
Higher affordability higher spread	<code>spread_low_income > spread_high_income</code>	Pass	0.000s
Negative income fallback	<code>spread == 0.15</code>	Pass	0.000s
Spread bounded by schedule	<code>spread >= 0.001; spread < 0.05</code>	Pass	0.000s
Zero income fallback	<code>spread == 0.15</code>	Pass	0.000s
debug=True in the credit spread calculation.	<code>"credit_spread" in result</code>	Pass	0.001s
debug=True exercises logging branches without error.	<code>result["mortgage_value"] > 0</code>	Pass	0.001s
Zero income with debug=True exercises zero-income debug branch.	<code>result["credit_spread"] > 0</code>	Pass	0.001s
flood_risk_category=None with debug=True.	<code>result["mortgage_value"] > 0</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
When interest_rate=0, monthly_rate==0 → loan_amount/n_periods formula.	result["mortgage_value"] > 0	Pass	0.001s
Batch passes flood risk	results[0]["flood_risk_factor"] == 1.40; results[1]["flood_risk_factor"] == 1.00 (+1 more)	Pass	0.001s
Case insensitive	MortgagePricer.calculate_flood_risk_impact("high") =...; MortgagePricer.calculate_flood_risk_impact("VERY LOW") ==... (+1 more)	Pass	0.000s
Flood factor in result	result["flood_risk_factor"] == 1.20	Pass	0.001s
Flood risk increases spread	high["credit_spread"] > low["credit_spread"]; high["flood_risk_factor"] > low["flood_risk_factor"] (+1 more)	Pass	0.001s
Flood risk multipliers[high-1.4] [category='High', expected=1.4]	MortgagePricer.calculate_flood_risk_impact("High") == e...	Pass	0.000s
Flood risk multipliers[low-1.05] [category='Low', expected=1.05]	MortgagePricer.calculate_flood_risk_impact("Low") == e...	Pass	0.000s
Flood risk multipliers[medium-1.2] [category='Medium', expected=1.2]	MortgagePricer.calculate_flood_risk_impact("Medium") == e...	Pass	0.000s
Flood risk multipliers[very high-1.75] [category='Very High', expected=1.75]	MortgagePricer.calculate_flood_risk_impact("Very High") == e...	Pass	0.000s
Flood risk multipliers[very low-1.0] [category='Very Low', expected=1.0]	MortgagePricer.calculate_flood_risk_impact("Very Low") == e...	Pass	0.000s
No flood risk defaults to unity	result["flood_risk_factor"] == 1.0	Pass	0.001s
None returns unity	MortgagePricer.calculate_flood_risk_impact("None") == 1.0	Pass	0.000s
Unknown category returns unity	MortgagePricer.calculate_flood_risk_impact("Unknown") == 1.0; MortgagePricer.calculate_flood_risk_impact("Extreme") == 1.0	Pass	0.000s
Ltv thresholds[0.5-1.0] [ltv=0.5, expected=1.0]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s
Ltv thresholds[0.8-1.0] [ltv=0.8, expected=1.0]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s
Ltv thresholds[0.85-1.1] [ltv=0.85, expected=1.1]	pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Ltv thresholds[0.9-1.1] [ltv=0.9, expected=1.1]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.91-1.3] [ltv=0.91, expected=1.3]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.95-1.3] [ltv=0.95, expected=1.3]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[0.96-1.5] [ltv=0.96, expected=1.5]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Ltv thresholds[1.0-1.5] [ltv=1.0, expected=1.5]	<code>pricer.calculate_loan_to_value_impact(pv * ltv, pv) == ex...</code>	Pass	0.000s
Zero property value	<code>pricer.calculate_loan_to_value_impact(100.0, 0) == 1.5</code>	Pass	0.000s
Higher rate higher payment	<code>high > low</code>	Pass	0.000s
Shorter term higher payment	<code>short > long</code>	Pass	0.000s
£200k at 3.5% over 25yr £1,001.25/month.	<code>995 < payment < 1010</code>	Pass	0.000s
Zero-rate degenerate case: $M = P / n$.	<code>payment == pytest.approx(1000.0)</code>	Pass	0.000s
Each mortgage has property id	<code>mapping.get("property_id") is not None</code>	Pass	0.004s
Processing stats	<code>stats["successful_mortgages"] == 5;</code> <code>stats["failed_mortgages"] == 0</code>	Pass	0.004s
Output file exists	<code>result["file_path"].exists()</code>	Pass	0.003s
Output file is valid json	<code>isinstance(data, dict)</code>	Pass	0.004s
Generate returns expected keys	<code>"data" in result;</code> <code>"file_path" in result (+1 more)</code>	Pass	0.003s
Mortgage count matches properties	<code>len(result["data"]["mortgages"]) == 5</code>	Pass	0.004s
Mortgage id format	<code>re.match(r"~MORT-[a-f0-9]{8}\$", mid)</code>	Pass	0.003s
Mortgage ids unique	<code>len(ids) == len(set(ids))</code>	Pass	0.004s
All errors returns error	<code>"error" in calculate_portfolio_metrics(results)</code>	Pass	0.000s
High risk count	<code>calculate_portfolio_metrics(results)["high_risk_mortgages"]</code>	Pass	0.000s
Mixed results exclude errors	<code>metrics["total_mortgages"] == 1;</code> <code>metrics["error_count"] == 1</code>	Pass	0.001s
Valid results	<code>metrics["total_mortgages"] == 2;</code> <code>metrics["error_count"] == 0 (+3 more)</code>	Pass	0.002s
Balance converges to zero	<code>result["outstanding_balance"][-1] < 1.0</code>	Pass	0.001s
Expected losses non negative	<code>all(e1 >= 0 for e1 in result["expected_losses"])</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Fair value less than par	<code>result["mortgage_value"] < base.mortgage_params["loan_amo...; result["discount_to_par"] > 0 (+1 more)</code>	Pass	0.001s
Hazard rates positive	<code>result["hazard_rates"][0] == 0.0; all(result["hazard_rates"][i] > 0 for i in range(1, len(r...</code>	Pass	0.001s
High ltv increases spread	<code>high_ltv["credit_spread"] > low_ltv["credit_spread"]; high_ltv["ltv_factor"] > low_ltv["ltv_factor"]</code>	Pass	0.001s
Higher haircut more loss	<code>high["pv_losses"] > low["pv_losses"]</code>	Pass	0.001s
Input validation clamps	<code>result["mortgage_value"] > 0</code>	Pass	0.000s
Ltv factor in result	<code>"ltv_factor" in result; result["ltv_factor"] == 1.0</code>	Pass	0.001s
Raises on invalid types	—	Pass	0.000s
Recovery haircut zero low ltv	<code>all(lgd == 0 for lgd in result["lgds"])</code>	Pass	0.001s
Survival first period less than one	<code>result["survival_probs"][1] < 1.0</code>	Pass	0.001s
Survival monotonically decreasing	<code>surv[i] <= surv[i - 1]</code>	Pass	0.001s
Positive rate exceeds principal	<code>cost > 200.000</code>	Pass	0.000s
Zero rate equals principal	<code>cost == pytest.approx(100_000.0)</code>	Pass	0.000s

9 PRS Pricing Model (MKM-PR-001)

Table 16: Test Results Summary — PRS Pricing Model (MKM-PR-001)

Total Tests	56
Passed	56
Failed	0
Skipped	0
Duration	13.07s

Table 17: Detailed Test Results — PRS Pricing Model

Test Description	Acceptance Criteria	Result	Time
1Y from Feb 2026 = last Friday May 2027.	<code>mat == last_friday_of_month(2027, 5)</code>	Pass	0.000s
3Y from Feb 2026 = last Friday May 2029.	<code>mat == last_friday_of_month(2029, 5);</code> <code>mat.month == 5 (+1 more)</code>	Pass	0.000s
Jan 2027 uses Aug 2026 roll → Nov 2029 maturity.	<code>mat == last_friday_of_month(2029, 11)</code>	Pass	0.000s
3Y from Sep 2026 = last Friday Nov 2029 (Aug roll).	<code>mat == last_friday_of_month(2029, 11);</code> <code>mat.month == 11</code>	Pass	0.000s
5Y from Feb 2026 = last Friday May 2031.	<code>mat == last_friday_of_month(2031, 5)</code>	Pass	0.000s
5Y from Sep 2026 = last Friday Nov 2031.	<code>mat == last_friday_of_month(2031, 11)</code>	Pass	0.000s
All maturities should fall on a Friday.	<code>mat.weekday() == 4</code>	Pass	0.000s
3Y maturity jumps from May to Nov at the Aug roll.	<code>may_mat.month == 5; nov_mat.month ==</code> <code>11 (+1 more)</code>	Pass	0.000s
Aug onwards uses Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8</code>	Pass	0.000s
December uses the same year's Aug roll.	<code>roll.month == 8; roll.year == 2026</code>	Pass	0.000s
Feb-Jul uses Feb roll.	<code>roll == last_friday_of_month(2026, 2);</code> <code>roll.month == 2</code>	Pass	0.000s
January uses the previous year's Aug roll.	<code>roll == last_friday_of_month(2026, 8);</code> <code>roll.month == 8 (+1 more)</code>	Pass	0.000s
July is the last month of the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s
March is still in the Feb roll period.	<code>roll.month == 2; roll.year == 2026</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
compute_maturity_date with no ref_date uses today.	<code>isinstance(mat, date); mat.weekday() == 4</code>	Pass	0.000s
current_roll_date(None) uses today and returns a valid date.	<code>isinstance(roll, date); roll.weekday() == 4</code>	Pass	0.000s
maturity_table with no ref_date uses today.	<code>len(table) == 5;</code> <code>all(isinstance(e['maturity_date'], date) for e in table)</code>	Pass	0.000s
Empty propertyts dir	<code>stats["total_properties"] == 0;</code> <code>stats["properties_with_gev"] == 0</code>	Pass	0.002s
Generator should still work without gauge hazard curves (empty basis).	<code>stats["properties_with_gev"] == 2;</code> <code>stats["properties_with_floor"] == 1</code> (+1 more)	Pass	0.567s
No propertyts dir	—	Pass	0.000s
Aug 2026: 31st is Monday, last Friday = 28th.	<code>last_friday_of_month(2026, 8) == date(2026, 8, 28)</code>	Pass	0.000s
Feb 2026: 28th is Saturday, last Friday = 27th.	<code>last_friday_of_month(2026, 2) == date(2026, 2, 27)</code>	Pass	0.000s
May 2029: 31st is Thursday, last Friday = 25th.	<code>last_friday_of_month(2029, 5) == date(2029, 5, 25)</code>	Pass	0.000s
Nov 2029: 30th is Friday.	<code>last_friday_of_month(2029, 11) == date(2029, 11, 30)</code>	Pass	0.000s
Result should always be a Friday (weekday=4).	<code>d.weekday() == 4</code>	Pass	0.000s
Actual years should be strictly increasing.	<code>years[i] > years[i - 1]</code>	Pass	0.000s
All maturities should be in May for the Feb roll.	<code>e['maturity_date'].month == 5</code>	Pass	0.000s
All maturities should be in November for the Aug roll.	<code>e['maturity_date'].month == 11</code>	Pass	0.000s
Maturity string should be formatted as 'DD Mon YYYY'.	<code>len(e['maturity_str']) > 8;</code> 'May' <code>in e['maturity_str'] or 'Nov' in e['maturity_str']</code>	Pass	0.000s
Default table has 5 entries (1Y through 5Y).	<code>len(table) == 5</code>	Pass	0.000s
Tenors should be 1, 2, 3, 4, 5.	<code>tenors == [1, 2, 3, 4, 5]</code>	Pass	0.000s
Positive spread	<code>spread > 0; 50 < spread < 500</code>	Pass	0.000s
Spread increases with hazard	<code>spread_high > spread_low</code>	Pass	0.000s
Spread values at different tenors	<code>s > 0</code>	Pass	0.000s
Zero hazard rate	<code>spread == 0.0</code>	Pass	0.000s
Basis calculation	<code>len(nearest) > 0;</code> <code>ng0["gauge_id"] == "GAUGE-001"</code> (+5 more)	Pass	0.478s

Test Description	Acceptance Criteria	Result	Time
Depth thresholds	"any_flood" in thresholds; "moderate" in thresholds (+4 more)	Pass	0.474s
Generate produces output	output_path.exists(); "metadata" in data (+2 more)	Pass	0.528s
Gev params structure	"shape" in gev; "loc" in gev (+2 more)	Pass	0.488s
High transmission rate	prop3["summary"]["flood_transmission_rate"] == 1.0	Pass	0.484s
Output structure	"PROP-001" in curves; "PROP-002" in curves (+14 more)	Pass	0.507s
Properties with gev	stats["properties_with_gev"] == 2; stats["properties_with_floor"] == 1 (+1 more)	Pass	0.551s
Survival decreases with tenor	survival[i] <= survival[i - 1]	Pass	0.472s
Term structure	ts["tenors"] == TENORS; threshold_name in ts (+3 more)	Pass	0.474s
Recovery rates by trigger	len(spreads) > 0	Pass	0.468s
Recovery reduces spread	spread_with_recovery < spread_no_recovery	Pass	0.000s
After attach_spread_decomposition, propertyhc.json has decomposition.	"spread.decomposition" in pc; "gauge_spread.bps" in sd (+5 more)	Pass	1.547s
At least one effect per path must be non-zero when gauge != property.	df["distance_effect.bps"] != 0.0 or df["elevation_effect..."; ef["elevation_effect.bps"] != 0.0 or ef["distance_effect...]	Pass	1.721s
Both decomposition paths should arrive at the property spread.	abs(path1 - prop) < 0.1; abs(path2 - prop) < 0.1	Pass	2.245s
With shd/she files present, decomposition values must be non-zero.	sd["property_spread.bps"] != 0.0; sd["shd_spread.bps"] != 0.0 (+1 more)	Pass	1.517s
Without shd/she files, decomposition still works (zeros).	n > 0; sd["shd_spread.bps"] == 0.0 (+1 more)	Pass	0.543s
_get_5yr_any_flood_spread must return index 4 when available.	PropertyHazardCurveGenerator._get_5yr_any_flood_spread(4)	Pass	0.000s
_get_5yr_any_flood_spread must return 0.0 for empty/missing data.	PropertyHazardCurveGenerator._get_5yr_any_flood_spread(0); PropertyHazardCurveGenerator._get_5yr_any_flood_spread(... (+1 more)	Pass	0.000s
All tenors should round-trip through maturity and back.	tenor_from_maturity(mat, ref) == t	Pass	0.000s
A date not in the table returns the closest tenor.	result in [1, 2, 3, 4, 5]	Pass	0.000s

Exact maturity date returns correct tenor.	<code>tenor_from_maturity(mat, date(2026, 2, 24)) == 3</code>	Pass	0.000s
---	---	------	--------

10 Property Valuation (MKM-PV-001)

Table 18: Test Results Summary — Property Valuation (MKM-PV-001)

Total Tests	55
Passed	55
Failed	0
Skipped	0
Duration	16.69s

Table 19: Detailed Test Results — Property Valuation

Test Description	Acceptance Criteria	Result	Time
Line 541: non-dict schema → returns {}.	<code>result == {}</code>	Pass	0.000s
Line 544-545: 'type'/'options'/'description' fields are skipped.	<code>"type" not in result; "options" not in result</code>	Pass	0.000s
Calculate insurance premium flood risk high	<code>premium > 0</code>	Pass	0.091s
Line 214: area=None → computes it first.	<code>isinstance(premium, float); premium > 0</code>	Pass	0.088s
Line 211: property_value=None → computes it first.	<code>isinstance(premium, float); premium > 0</code>	Pass	0.182s
Calculate monthly rent all types	<code>800 <= rent <= 15.000</code>	Pass	0.000s
Lines 165-166: area=None → computes it first.	<code>isinstance(rent, float); rent > 0</code>	Pass	0.000s
Lines 162-163: property_value=None → computes it first.	<code>isinstance(rent, float); rent > 0</code>	Pass	0.088s
Calculate monthly rent positive	<code>isinstance(rent, float); 800 <= rent <= 15.000</code>	Pass	0.000s
Calculate property area all types	<code>area > 0</code>	Pass	0.000s
Lines 128-129: invalid date format → random years_ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 120-121: property_value=None → computes it first.	<code>isinstance(price, float); price > 0</code>	Pass	0.089s
Calculate sale price positive	<code>isinstance(price, float); 50.000 <= price <= 8.000.000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 135-137: sale_date 1-2 years ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 139-140: sale_date > 2 years ago.	<code>isinstance(price, float)</code>	Pass	0.000s
Lines 124-128: sale_date within 1 year.	<code>isinstance(price, float)</code>	Pass	0.000s
Line 60-61: datetime → isoformat string.	<code>"2024-01-01" in result</code>	Pass	0.000s
Lines 64-65: np.float64 → float.	<code>"3.14" in result</code>	Pass	0.000s
Lines 62-63: np.integer → int.	<code>result == "42"</code>	Pass	0.000s
Lines 66-67: np.ndarray → list.	<code>result == [1, 2, 3]</code>	Pass	0.000s
Line 68: super().default() raises TypeError for unknown type.	—	Pass	0.000s
Lines 510-517: each fallback location has lat/lon/name/elevation.	<code>"lat" in loc; "lon" in loc (+2 more)</code>	Pass	0.000s
Lines 499-518: fallback generates right number of locations.	<code>len(locs) == 5</code>	Pass	0.000s
Lines 505-506: uses params.get_elevation if available.	<code>all(loc["elevation"] == 10.0 for loc in locs)</code>	Pass	0.000s
Lines 608-612: generate_properties returns result dict.	<code>isinstance(result, dict); "data" in result (+1 more)</code>	Pass	0.856s
Lines 610-612: generate_properties creates output file.	<code>result["file_path"].exists()</code>	Pass	0.532s
Calculate mortgage financials returns dict	<code>isinstance(result, dict); "loan_amount" in result (+2 more)</code>	Pass	0.000s
Generate financial data keys	<code>"mortgage_id" in data; "loan_amount" in data (+1 more)</code>	Pass	0.000s
Interest rate range	<code>0.01 <= data["interest_rate"] <= 0.15</code>	Pass	0.000s
Loan amount less than value	<code>data["loan_amount"] <= info["property_value"] * 1.05</code>	Pass	0.000s
Mortgage id format	<code>re.match(r"~MORT-[a-f0-9]{8}\$", data["mortgage_id"])</code>	Pass	0.000s
Quality consistency check	<code>isinstance(corrected, dict)</code>	Pass	0.000s
Calculate insurance premium positive	<code>isinstance(premium, (int, float)); premium > 0</code>	Pass	0.089s
Calculate property area positive	<code>isinstance(area, (int, float)); area > 0</code>	Pass	0.000s
Calculate property value in range	<code>50_000 <= value <= 10_000_000</code>	Pass	0.891s
Generate bedrooms detached	<code>isinstance(beds, int); 1 <= beds <= 7</code>	Pass	0.000s
Generate bedrooms flat	<code>isinstance(beds, int); 1 <= beds <= 4</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Generate postcode format	<code>isinstance(postcode, str); len(postcode) >= 5</code>	Pass	0.000s
Generate field value decimal	<code>isinstance(val, (int, float))</code>	Pass	0.174s
Generate field value text	<code>isinstance(val, str)</code>	Pass	0.088s
Coordinates in thames range	<code>51.0 <= loc["lat"] <= 52.0; -1.0 <= loc["lon"] <= 1.0</code>	Pass	2.719s
Processing stats	<code>stats["successful_properties"] == 5; stats["failed_properties"] == 0</code>	Pass	1.360s
Output file exists	<code>result["file_path"].exists()</code>	Pass	1.347s
Output file is valid json	<code>isinstance(data, dict)</code>	Pass	1.316s
Generate correct count	<code>len(result["data"]["properties"]) == 5</code>	Pass	1.361s
Generate returns expected keys	<code>"data" in result; "file_path" in result (+1 more)</code>	Pass	1.309s
Property id format	<code>re.match(r"~PROP-[a-f0-9]{8}\$", pid)</code>	Pass	1.334s
Property ids unique	<code>len(ids) == len(set(ids))</code>	Pass	2.589s
Construction year in range	<code>1600 <= year <= 2026</code>	Pass	0.000s
Property id format	<code>re.match(r"~PROP-[a-f0-9]{8}\$", meta["property_id"])</code>	Pass	0.089s
Returns dict with required keys	<code>"property_id" in meta; "property_type" in meta</code>	Pass	0.089s
Lines 73-75: generate_grid_reference returns a non-empty string.	<code>isinstance(ref, str); len(ref) > 4</code>	Pass	0.000s
Lines 50-52: generate_owner_name returns 'Firstname Lastname'.	<code>len(parts) == 2; all(p[0].isupper() for p in parts)</code>	Pass	0.000s
Lines 43-45: generate_past_date returns YYYY-MM-DD string.	<code>isinstance(result, str); len(parts) == 3</code>	Pass	0.000s
Custom days_range is respected (result is a past date).	<code>dt < datetime.now()</code>	Pass	0.000s

11 Storm-Gauge Response Model (MKM-SG-001)

Table 20: Test Results Summary — Storm-Gauge Response Model (MKM-SG-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.03s

Table 21: Detailed Test Results — Storm-Gauge Response Model

Test Description	Acceptance Criteria	Result	Time
Encodes datetime	"2026-01-01" in result	Pass	0.000s
Line 80: np.float32 is np.floating but NOT a Python float subclass in NumPy 2.x,	"2.5" in result	Pass	0.000s
Encodes numpy floating	"3.14" in result	Pass	0.000s
Encodes numpy integer	"42" in result	Pass	0.000s
Encodes numpy ndarray	"1.0" in result	Pass	0.000s
Fallback raises for unknown	—	Pass	0.000s
Close to thames high risk	result["FloodRiskScore"] >= 7; result["FloodRiskCategory"] in ["High", "Very High"]	Pass	0.000s
Far from thames lower risk	result["FloodRiskScore"] <= 6; result["FloodRiskCategory"] in ["Low", "Medium"]	Pass	0.000s
Flood stages ordering	alert < warning < severe	Pass	0.002s
Processing stats	stats["successful_gauges"] == 5; stats["failed_gauges"] == 0	Pass	0.001s
Lines 264-266: exception during json.dump is logged and re-raised.	—	Pass	0.000s
Line 245: end_time is set by the first generate(); the second generate() call	—	Pass	0.001s
Line 290: non-dict section_schema returns {}.	result == {}	Pass	0.000s
Line 294: 'type', 'options', 'description', 'values' keys are skipped.	skip not in result	Pass	0.000s
Lines 159-162: count <i>i</i> max_gauges → capped to max_gauges.	len(result["data"]["flood_gauges"]) == max_available	Pass	0.006s

Test Description	Acceptance Criteria	Result	Time
Line 155-156: count j 1 raises ValueError.	—	Pass	0.000s
Lines 354-355: generate_gauges() convenience function.	"data" in result; len(result["data"]["flood_gauges"]) == 3	Pass	0.001s
Lines 212-215: exception in _generate_single_gauge increments failed_gauges.	result["processing_stats"]["failed_gauges"] == 1	Pass	0.000s
Lines 122-125: log() dispatches to correct logger method.	—	Pass	0.000s
Lines 309-327: missing Flood-Gauge/Header/Location/Flood-Stages are created.	gauche_data["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-t..."; gauche_data["FloodGauge"]["Location"]["GaugeLatitude"] == ...	Pass	0.000s
Lines 99-100: verbose=False sets logger to WARNING.	logging.getLogger("port.src.gauge.gauge") == logging...	Pass	0.000s
Output file exists	result["file_path"].exists()	Pass	0.001s
Output file is valid json	"flood_gauges" in data	Pass	0.003s
Output json has correct count	len(data["flood_gauges"]) == 5	Pass	0.003s
Lines 378-381: __main__ block calls generate_gauges and logs results.	(tmp_path / 'gauge.json').exists()	Pass	0.005s
Gauge id format	re.match(r"^GAUGE-[a-f0-9]{8}\$", gid)	Pass	0.001s
Gauge ids unique	len(ids) == len(set(ids))	Pass	0.002s
Generate correct count	len(result["data"]["flood_gauges"]) == 5	Pass	0.001s
Generate returns expected keys	"data" in result; "file_path" in result (+1 more)	Pass	0.003s
Locations have coordinates	"lat" in loc; "lon" in loc (+1 more)	Pass	0.001s
Date field returns date string	isinstance(val, str); re.match(r"^\{\}d{4}-\{\}d{2}-\{\}d{2}\$", val)	Pass	0.000s
Decimal field returns float	isinstance(val, (int, float))	Pass	0.000s
Gauge name includes area	"TestArea" in val	Pass	0.000s
Menu field returns valid option	isinstance(val, str)	Pass	0.000s
Text field returns string	isinstance(val, str); len(val) > 0	Pass	0.000s
Catchment name stored	meta["catchment_name"] == "Thames"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Flood stage ordering	<pre>meta["flood.alert"] < meta["flood.warning"]; meta["flood.warning"] < meta["severe_flood.warning"] (+1 more)</pre>	Pass	0.000s
Gauge id format	<pre>re.match(r"^GAUGE-[a-f0-9]{8}\$", meta["gauge_id"])</pre>	Pass	0.000s
Historical high level range	<pre>5.0 <= meta["historical_high_level"] <= 8.0</pre>	Pass	0.000s
Install date format	<pre>re.match(r"^\\d{4}-\\d{2}-\\d{2}\$", meta["install_date"])</pre>	Pass	0.000s
Returns dict with required keys	<pre>key in meta</pre>	Pass	0.000s

12 Storm Intensity Distribution (MKM-SI-001)

Table 22: Test Results Summary — Storm Intensity Distribution (MKM-SI-001)

Total Tests	63
Passed	63
Failed	0
Skipped	0
Duration	0.01s

Table 23: Detailed Test Results — Storm Intensity Distribution

Test Description	Acceptance Criteria	Result	Time
All categories defined	<code>set(DURATION_PARAMS.keys()) == expected</code>	Pass	0.000s
Catastrophic extended	<code>high == 240</code>	Pass	0.000s
Each tier's max roughly doubles the previous.	<code>1.5 <= ratio <= 3.0</code>	Pass	0.000s
Extreme extended	<code>DURATION_PARAMS["extreme"] == (36, 72, 144)</code>	Pass	0.000s
Moderate extended	<code>low == 12; mode == 30 (+1 more)</code>	Pass	0.000s
Severe extended	<code>DURATION_PARAMS["severe"] == (24, 48, 96)</code>	Pass	0.000s
Gap types	<code>GapType.SHORT.value == "short"; GapType.MEDIUM.value == "medium" (+1 more)</code>	Pass	0.000s
Sequence gap mapping	<code>SEQUENCE_GAP_TYPE[SequenceType.DOUBLET] == GapType.MEDIUM; SEQUENCE_GAP_TYPE[SequenceType.CLUSTER] == GapType.MEDIUM (+2 more)</code>	Pass	0.000s
Sequence types	<code>SequenceType.ISOLATED.value == "isolated"; SequenceType.DOUBLET.value == "doublet" (+2 more)</code>	Pass	0.000s
Storm count ranges	<code>SEQUENCE_TYPE_STORM_COUNTS[SequenceType.ISOLATED] == (1, 1); SEQUENCE_TYPE_STORM_COUNTS[SequenceType.DOUBLET] == (2, 2) (+2 more)</code>	Pass	0.000s
Constants	<code>EVENT_WINDOW_HOURS == 168; MIN_DRAINAGE_WINDOW_HOURS == 12 (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exact boundary	<code>fits_in_window([78.0, 78.0], [0.0])</code>	Pass	0.000s
Exceeds window	<code>not fits_in_window([72.0, 72.0], [48.0])</code>	Pass	0.000s
Simple doublet fits	<code>fits_in_window([24.0, 24.0], [48.0])</code>	Pass	0.000s
Single storm	<code>fits_in_window([100.0], [])</code>	Pass	0.000s
Long gaps	<code>GAP_PARAMS[GapType.LONG] == (48, 96, 144)</code>	Pass	0.000s
Medium gaps	<code>GAP_PARAMS[GapType.MEDIUM] == (24, 48, 72)</code>	Pass	0.000s
Short gaps	<code>GAP_PARAMS[GapType.SHORT] == (6, 18, 36)</code>	Pass	0.000s
Doublet medium	<code>get_gap_range(SequenceType.DOUBLET) == (24, 48, 72)</code>	Pass	0.000s
Isolated zero	<code>get_gap_range(SequenceType.ISOLATED) == (0, 0, 0)</code>	Pass	0.000s
Get duration range	<code>get_duration_range("moderate") == (12, 30, 60)</code>	Pass	0.000s
Get max duration	<code>get_max_duration("catastrophic") == 240; get_max_duration("minimal") == 12</code>	Pass	0.000s
Ids unique	<code>len(ids) == 100</code>	Pass	0.000s
Sequence id format	<code>sid.startswith("STORM-"); len(sid) == 14</code>	Pass	0.000s
Sequence ids unique	<code>len(ids) == 100</code>	Pass	0.000s
Storm id format	<code>sid.startswith("STORM-"); len(sid) == 14</code>	Pass	0.000s
Invalid category	—	Pass	0.000s
Mode should be near the most frequent value in a large sample.	<code>abs(median - mode) < 15</code>	Pass	0.005s
Line 50: <code>rng=None</code> → creates <code>np.random.RandomState()</code> internally.	<code>low <= d <= high</code>	Pass	0.000s
Reproducibility	<code>d1 == d2</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='baseline']	<code>low <= d <= high</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='catastrophic']	<code>low <= d <= high</code>	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='extreme']	<code>low <= d <= high</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sampled durations fall within [min, max] for the category. [category='minimal']	low <= d <= high	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='moderate']	low <= d <= high	Pass	0.000s
All sampled durations fall within [min, max] for the category. [category='severe']	low <= d <= high	Pass	0.000s
Doublet gaps should fall in medium range (24-72h).	all(24 <= g <= 72 for g in gaps)	Pass	0.000s
Isolated returns zero	sample_gap(SequenceType.ISOLATED) == 0.0	Pass	0.000s
Line 49: rng=None → creates np.random.RandomState() internally.	low <= g <= high	Pass	0.000s
Persistent gaps should fall in short range (6-36h).	all(6 <= g <= 36 for g in gaps)	Pass	0.000s
Reproducibility	g1 == g2	Pass	0.000s
Within bounds[sequencetype.cluster] [seq_type=;SequenceType.CLUSTER: 'cluster']	low <= g <= high	Pass	0.000s
Within bounds[sequencetype.doublet] [seq_type=;SequenceType.DOUBLET: 'doublet']	low <= g <= high	Pass	0.000s
Within bounds[sequencetype.persistent] [seq_type=;SequenceType.PERSISTENT: 'persistent']	low <= g <= high	Pass	0.000s
Create basic	storm.storm_id == "STORM-abc12345"; storm.duration_hours == 24.0	Pass	0.000s
From dict round trip	restored.storm_id == original.storm_id; restored.duration_hours == original.duration_hours (+6 more)	Pass	0.000s
Precipitation rounding	d["precipitation_mm"] == 35.12; d["intensity_factor"] == 1.234568 (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
To dict	d["storm_id"] == "STORM-test1234"; d["start_time.hours"] == 48.0 (+6 more)	Pass	0.000s
Antecedent defaults	seq.antecedent.soil_moisture == "normal"; seq.antecedent.groundwater == "normal"	Pass	0.000s
Create doublet	seq.num_storms == 2; len(seq.storms) == 2 (+2 more)	Pass	0.000s
From dict round trip	restored.storm_id == original.storm_id; restored.duration_hours == original.duration_hours (+6 more)	Pass	0.000s
Isolated no gaps	len(seq.inter_storm_gaps_hours) == 0	Pass	0.000s
Spatial correlation defaults	seq.spatial.correlation.enabled is False; seq.spatial.correlation.range_km is None	Pass	0.000s
Spatial correlation enabled	d["spatial.correlation.enabled"] is True; d["spatial.correlation.range_km"] == 43.2	Pass	0.000s
To dict	d["storm_id"] == "STORM-test1234"; d["start_time.hours"] == 48.0 (+6 more)	Pass	0.000s
Duration mismatch	any("total.duration.hours" in e for e in errors)	Pass	0.000s
Exceeds precip window	any("MAX_PRECIP_END_HOUR" in e for e in errors)	Pass	0.000s
Invalid intensity category	any("invalid intensity" in e for e in errors)	Pass	0.000s
Invalid sequence type	any("Invalid sequence_type" in e for e in errors)	Pass	0.000s
Overlapping storms	any("starts at" in e and "before storm" in e for e in errors)	Pass	0.000s
Storm count mismatch	any("num_storms" in e for e in errors)	Pass	0.000s
Too many storms	any("not in [1, 5]" in e for e in errors)	Pass	0.000s
Valid doublet	errors == []	Pass	0.000s

13 Spatial Interpolation (MKM-SP-001)

Table 24: Test Results Summary — Spatial Interpolation (MKM-SP-001)

Total Tests	41
Passed	41
Failed	0
Skipped	0
Duration	0.01s

Table 25: Detailed Test Results — Spatial Interpolation

Test Description	Acceptance Criteria	Result	Time
Diagonal is one	—	Pass	0.000s
Off diagonal between zero and one	<code>np.all(off_diag >= 0)</code> and <code>np.all(off_diag <= 1)</code>	Pass	0.000s
Shape is n by n	<code>mat.shape == (n, n)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Diagonal is one	—	Pass	0.000s
Higher base correlation increases off diagonal	<code>np.all(off_high > off_low)</code>	Pass	0.000s
Larger correlation_distance → slower exponential decay → higher off-diag.	<code>np.all(off_far >= off_near)</code>	Pass	0.000s
Off diagonal positive	<code>np.all(off > 0)</code>	Pass	0.000s
Returns square matrix	<code>mat.shape == (3, 3)</code>	Pass	0.000s
Symmetric	—	Pass	0.000s
Empty dataframe returns none	<code>build_spatial_index(df)</code> is None	Pass	0.000s
None gauge data returns none	<code>build_spatial_index(None)</code> is None	Pass	0.000s
With gauges returns kdtree	<code>isinstance(result, cKDTree)</code>	Pass	0.000s
Lines 43-45: coordinates are converted to radians.	<code>tree.data[0][1] ==</code> <code>pytest.approx(np.pi, rel=1e-6)</code>	Pass	0.000s
Single gauge should still produce a valid KDTree.	<code>isinstance(tree, cKDTree); tree.n ==</code> 1	Pass	0.000s
Lines 42-46: non-empty DataFrame builds a cKDTree.	<code>isinstance(tree, cKDTree); tree.n ==</code> 3	Pass	0.000s
Equatorial degree approx 111km	<code>111.000 < d < 112.000</code>	Pass	0.000s
London paris approx 340km	<code>330.000 < d < 350.000</code>	Pass	0.000s
North south degree approx 111km	<code>110.000 < d < 112.000</code>	Pass	0.000s
Returns float	<code>isinstance(haversine_distance(51.0, -0.1, 52.0, 0.0), float)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Same point is zero	<code>haversine_distance(51.5, -0.1, 51.5, -0.1) == pytest.approx(...</code>	Pass	0.000s
Symmetry	<code>d1 == pytest.approx(d2, rel=1e-9)</code>	Pass	0.000s
All zero weights returns zero	<code>result == pytest.approx(7.5)</code>	Pass	0.000s
Closer gauge has higher weight	<code>result < 5.0</code>	Pass	0.000s
Empty list returns zero	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Equal distance gauges averages wse	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Near gauge returns wse directly	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Power one changes result	<code>r2 != pytest.approx(r1, rel=0.01)</code>	Pass	0.000s
Single far gauge	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Line 158: power parameter affects weights.	<code>r3 < r1</code>	Pass	0.000s
Line 149-150: empty input → 0.0.	<code>idw.interpolate_from_gauges([]) == 0.0</code>	Pass	0.000s
Gauge at exactly <code>min_distance=1.0</code> is NOT less than, so IDW used.	<code>result == pytest.approx(5.0)</code>	Pass	0.000s
Multiple gauges produce weighted result.	<code>2.0 < result < 6.0; result < 4.0</code>	Pass	0.000s
Line 156-157: <code>dist j min_distance</code> → return wse.	<code>result == pytest.approx(42.0)</code>	Pass	0.000s
At gauge location returns wse directly	<code>result == pytest.approx(3.0)</code>	Pass	0.000s
Empty gauge data returns zero	<code>result == 0.0</code>	Pass	0.000s
Idw returns weighted value	<code>2.5 <= result <= 4.5</code>	Pass	0.000s
Single gauge	<code>result > 0</code>	Pass	0.000s
Lines 119-120: <code>distance j 1m</code> → direct return.	<code>result == pytest.approx(7.0)</code>	Pass	0.000s
Line 97-98: no gauge data → 0.0.	<code>spatial.interpolate_wse(51.5, -0.1, {}, {}) == 0.0</code>	Pass	0.000s
Lines 113-124: IDW with two equidistant gauges.	<code>result == pytest.approx(2.0, rel=0.01)</code>	Pass	0.000s

14 Storm Sequence Generator (MKM-SS-001)

Table 26: Test Results Summary — Storm Sequence Generator (MKM-SS-001)

Total Tests	17
Passed	17
Failed	0
Skipped	0
Duration	0.00s

Table 27: Detailed Test Results — Storm Sequence Generator

Test Description	Acceptance Criteria	Result	Time
Duration must not exceed MAX_PRECIP_END_HOUR (156).	<code>result.storms[0].duration_hours <= MAX_PRECIP_END_HOUR</code>	Pass	0.000s
Isolated has one storm	<code>isinstance(result, StormSequence);</code> <code>result.num_storms == 1 (+2 more)</code>	Pass	0.000s
Aggregate stats	<code>result.max_intensity_factor >=</code> <code>result.avg_intensity_factor;</code> <code>result.total_precipitation_mm > 0</code> (+1 more)	Pass	0.000s
Catchment id in storms	<code>result.storms[0].catchment_id ==</code> "rhine"	Pass	0.000s
Cluster sequence	<code>result.sequence_type in</code> (SequenceType.CLUSTER.value, Sequ...	Pass	0.000s
force_sequence_type='doublet' → always doublet.	<code>result.sequence_type ==</code> SequenceType.DOUBLET.value; <code>result.num_storms == 2</code>	Pass	0.000s
force_sequence_type='isolated' → always isolated.	<code>result.sequence_type ==</code> SequenceType.ISOLATED.value; <code>result.num_storms == 1</code>	Pass	0.000s
Minimal intensity (5% sequence probability) mostly produces isolated.	<code>isolated >= 10</code>	Pass	0.001s
Generate multiple sequences without error.	<code>isinstance(result, StormSequence);</code> <code>result.num_storms >= 1</code>	Pass	0.000s
Persistent sequence	<code>result.sequence_type in</code> (SequenceType.PERSISTENT.value, S...	Pass	0.000s
Returns storm sequence	<code>isinstance(result, StormSequence)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
All sequences must have total_duration ≤ 168h.	result.total_duration_hours ≤ 168.0	Pass	0.000s
Storms have correct fields	storm.duration_hours > 0; storm.intensity_factor > 0 (+2 more)	Pass	0.000s
Custom catchment	gen.catchment_id == "rhine"; gen.base_precipitation == CATCHMENT_BASE_PRECIP["rhine"]	Pass	0.000s
Default catchment	gen.catchment_id == "thames"; gen.base_precipitation == CATCHMENT_BASE_PRECIP["thames"]	Pass	0.000s
Same seed → same sequence.	seq1.num_storms == seq2.num_storms; seq1.sequence_type == seq2.sequence_type	Pass	0.000s
Unknown catchment defaults to 35	gen.base_precipitation == 35.0	Pass	0.000s

15 Stress Test Pipeline (MKM-ST-001)

Table 28: Test Results Summary — Stress Test Pipeline (MKM-ST-001)

Total Tests	107
Passed	107
Failed	0
Skipped	0
Duration	19.80s

Table 29: Detailed Test Results — Stress Test Pipeline

Test Description	Acceptance Criteria	Result	Time
All already trained	<code>result["trained"] == 0;</code> <code>result["skipped"] == 3</code>	Pass	0.002s
After the first gauge trains, ETA should appear in output.	<code>"ETA" in captured</code>	Pass	0.241s
Missing gauge json	—	Pass	0.000s
Missing sequences	—	Pass	0.002s
No valid gauges	<code>result["trained"] == 0</code>	Pass	0.002s
One gauge already trained, one succeeds, one fails.	<code>result["trained"] == 1;</code> <code>result["failed"] == 1 (+1 more)</code>	Pass	0.155s
Successful training	<code>result["trained"] == 3;</code> <code>result["failed"] == 0 (+2 more)</code>	Pass	0.230s
Training failure is caught	<code>result["trained"] == 0;</code> <code>result["failed"] == 3 (+1 more)</code>	Pass	0.326s
Counts default to zero	<code>s["alert_sequences"] == 0;</code> <code>s["warning_sequences"] == 0</code> (+1 more)	Pass	0.001s
Num gauges	<code>s["num_gauges"] == 4</code>	Pass	0.001s
Num sequences	<code>s["num_sequences"] == 7</code>	Pass	0.001s
Returns required keys	<code>key in s</code>	Pass	0.001s
When one gauge's classifier fails, pipeline continues.	<code>"classifier failed" in out;</code> <code>result["num_gauges"] == 2</code>	Pass	0.357s
Dict format	<code>len(result) == 2</code>	Pass	0.000s
Empty list	<code>._extract_gauges({"flood_gauges": []}) == []</code>	Pass	0.000s
List format	<code>result == [_G1, _G2]</code>	Pass	0.000s
Missing key returns empty	<code>._extract_gauges({}) == []</code>	Pass	0.000s
When gaugehd/ has baseline data, the 'Loaded' message appears.	<code>"gauge baselines from gaugehd" in out</code> or <code>"heuristic base ...</code>	Pass	0.365s

Test Description	Acceptance Criteria	Result	Time
Gauge summary dir written	<code>sg_dir.is_dir()</code>	Pass	0.000s
Gauge summary gauge ids	<code>len(d["gauge_ids"]) == 3</code>	Pass	0.000s
Gauge summary num gauges	<code>d["num_gauges"] == 3</code>	Pass	0.000s
Gauge summary schema version	<code>meta.exists(); d["schema_version"] == SCHEMA_VERSION_SPATIAL</code>	Pass	0.004s
Gauge summary sequence count	<code>len(gauge_files) == 3</code>	Pass	0.000s
Sequences file loadable	<code>len(seqs) == 40</code>	Pass	0.001s
Sequences json written	<code>(gauge_dir / SEQUENCES_FILENAME).exists()</code>	Pass	0.000s
Summary json written	<code>(gauge_dir / SUMMARY_FILENAME).exists()</code>	Pass	0.000s
Alert count non negative	<code>full_run["alert_sequences"] >= 0</code>	Pass	0.000s
Elapsed positive	<code>full_run["elapsed_seconds"] > 0</code>	Pass	0.000s
Num gauges	<code>full_run["num_gauges"] == 3</code>	Pass	0.000s
Num sequences	<code>full_run["num_sequences"] == 40</code>	Pass	0.000s
Returns dict	<code>isinstance(full_run, dict)</code>	Pass	0.000s
Severe lte warning	<code>full_run["severe_sequences"] <= full_run["warning_sequenc...</code>	Pass	0.000s
Type counts present	<code>"type_counts" in full_run; sum(full_run["type_counts"].values()) == 40</code>	Pass	0.000s
Warning lte alert	<code>full_run["warning_sequences"] <= full_run["alert_sequences"]</code>	Pass	0.000s
Batch generator populates category	<code>all(s.intensity_category in valid for s in seqs)</code>	Pass	0.001s
From dict missing category defaults empty	<code>reconstructed.intensity_category == ""</code>	Pass	0.000s
From dict round trip	<code>reconstructed.intensity_category == s.intensity_category</code>	Pass	0.001s
Serialized sequences have category	<code>all(s.intensity_category in valid for s in seqs)</code>	Pass	0.001s
To dict includes intensity category	<code>"intensity_category" in d; d["intensity_category"] == s.intensity_category</code>	Pass	0.001s
Legacy sequence.gauge.summary.json is deleted after split-mode write.	<code>not legacy.exists()</code>	Pass	0.351s
Corrupt file skipped	<code>len(baselines) == 1; "GAUGE-OK" in baselines</code>	Pass	0.002s
Empty directory	<code>_load_gaugehd.baselines(d) == {}</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing directory	<code>_load_gaugehd.baselines(tmp_path / "nonexistent") == {}</code>	Pass	0.000s
Missing mean level skipped	<code>len(baselines) == 0</code>	Pass	0.002s
Multiple gauges	<code>len(baselines) == 3</code>	Pass	0.004s
Valid gaugehd files	<code>"GAUGE-001" in baselines;</code> <code>baselines["GAUGE-001"]["mean_level"] == 1.25 (+1 more)</code>	Pass	0.005s
Sequence with malformed sequence.start doesn't crash.	<code>result["num_sequences"] == 5</code>	Pass	0.351s
Explicitly test malformed date by patching sequences post-generation.	<code>result["num_sequences"] == 3</code>	Pass	0.387s
No crash when gauge json absent	<code>isinstance(result, dict)</code>	Pass	0.003s
Num gauges zero without gauge json	<code>result["num_gauges"] == 0</code>	Pass	0.002s
Sequences still written without gauge json	<code>(tmp_path / SEQUENCES_FILENAME).exists()</code>	Pass	0.002s
gauge.json present but every record missing gauge_id → n.all == 0.	<code>isinstance(result, dict);</code> <code>result["num_gauges"] == 0 (+1 more)</code>	Pass	0.003s
Sequences still written when all gauges invalid	<code>(tmp_path / SEQUENCES_FILENAME).exists()</code>	Pass	0.004s
count=2001 with verbose=False prints ETA line at i=2000.	<code>result["num_sequences"] == 2001;</code> <code>"2,000" in out or "ETA" in out</code>	Pass	2.489s
Base level derived from alert	<code>r["base_level"] == pytest.approx(3.5 * 0.35)</code>	Pass	0.000s
Flood alert	<code>_parse_gauge(_G1)["flood_alert"] ==</code> <code>pytest.approx(3.5)</code>	Pass	0.000s
Flood warning	<code>_parse_gauge(_G1)["flood_warning"] ==</code> <code>pytest.approx(4.6)</code>	Pass	0.000s
Gauge id	<code>_parse_gauge(_G1)["gauge_id"] ==</code> <code>"GAUGE-test001"</code>	Pass	0.000s
Lat lon	<code>r["lat"] == pytest.approx(51.46);</code> <code>r["lon"] == pytest.approx(-0.30)</code>	Pass	0.000s
Missing alert returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Missing gauge id returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Missing lat returns none	<code>_parse_gauge(bad) is None</code>	Pass	0.000s
Severe warning	<code>_parse_gauge(_G1)["severe_warning"]</code> <code>== pytest.approx(5.5)</code>	Pass	0.000s
Valid record returns dict	<code>result is not None</code>	Pass	0.000s
Warning defaults when absent	<code>r is not None; r["flood_warning"] ==</code> <code>pytest.approx(4.0 * 1.33) (+1 more)</code>	Pass	0.000s
Baseline without monthly means	<code>result["base_level"] == 1.5;</code> <code>result["monthly_means"] is None</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
With baseline	<code>result["base_level"] == 1.25;</code> <code>result["monthly_means"] == {"01":</code> <code>1.4}</code>	Pass	0.000s
Without baseline uses heuristic	<code>result["base_level"] ==</code> <code>pytest.approx(3.5 * 0.35);</code> <code>result["monthly_means"] is None</code>	Pass	0.000s
Empty monthly means	<code>_seasonal_base_level({},</code> <code>mean_level=1.0, month=6) == 1.0</code>	Pass	0.000s
Missing month falls back	<code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=3) ==...</code>	Pass	0.000s
No monthly means	<code>_seasonal_base_level(None,</code> <code>mean_level=1.0, month=6) == 1.0</code>	Pass	0.000s
With monthly means	<code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=1) ==...;</code> <code>_seasonal_base_level(monthly,</code> <code>mean_level=1.0, month=7) ==...</code>	Pass	0.000s
All have intensity category	<code>all(r["intensity_category"] in valid</code> <code>for r in records)</code>	Pass	0.000s
All have sequence id	<code>all("sequence_id" in r for r in</code> <code>records)</code>	Pass	0.000s
All have sequence type	<code>all(r["sequence_type"] in valid for r</code> <code>in records)</code>	Pass	0.000s
All have total precip	<code>all("total_precip_mm" in r for r in</code> <code>records); all(r["total_precip_mm"] > 0</code> <code>for r in records)</code>	Pass	0.000s
Gauge file count matches num gauges	<code>len(gauge_records) == 3</code>	Pass	0.000s
Peak hours in valid range	<code>0 <= s["peak_hour"] <= 167</code>	Pass	0.000s
Peaks positive	<code>all(s["peak_m"] > 0 for s in seqs)</code>	Pass	0.000s
Per gauge records have alert flags	<code>all("alert" in s for s in seqs)</code>	Pass	0.000s
Per gauge records have peak	<code>all("peak_m" in s for s in seqs)</code>	Pass	0.000s
Per gauge records have peak hour	<code>all("peak_hour" in s for s in seqs)</code>	Pass	0.000s
Per gauge sequence count	<code>len(seqs) == len(records)</code>	Pass	0.000s
Severe implies warning	<code>s["warning"]</code>	Pass	0.000s
Every sequence that breached warning must also have breached alert.	<code>s["alert"]</code>	Pass	0.000s
Error message lists available ids	<code>"GAUGE-test001" in</code> <code>str(exc_info.value)</code>	Pass	0.001s
Invalid gauge id raises	—	Pass	0.001s
Named file gauge ids	<code>d["gauge_ids"] == ["GAUGE-test002"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Named file peaks length one	<code>all(len(r["peaks_m"]) == 1 for r in d["sequences"])</code>	Pass	0.000s
Named file schema version	<code>d["schema_version"] == SCHEMA_VERSION_SPATIAL</code>	Pass	0.028s
Named file sequence count	<code>len(d["sequences"]) == 40</code>	Pass	0.000s
Named output file written	<code>(gauge_dir / "sequence_gauge_GAUGE-test002.json").exists()</code>	Pass	0.000s
Summary num gauges is one	<code>single_run["num_gauges"] == 1</code>	Pass	0.000s
Single gauge classifier result dict	<code>isinstance(result, dict)</code>	Pass	6.134s
Single gauge + train_classifier=True covers lines 353-361.	<code>result["num_gauges"] == 1; stressm_dir.exists()</code>	Pass	6.200s
Base level matches gauge params	<code>responses["GAUGE-A"][0]["base_level_m"] == pytest.approx(...; responses["GAUGE-B"][0]["base_level_m"] == pytest.approx(...</code>	Pass	0.000s
Gauge a values	<code>r["base_level_m"] == pytest.approx(1.5); r["peak_level_m"] == pytest.approx(5.0) (+1 more)</code>	Pass	0.000s
Gauge b values	<code>r["base_level_m"] == pytest.approx(2.0); r["peak_level_m"] == pytest.approx(7.0) (+1 more)</code>	Pass	0.000s
Level change is peak minus base	<code>r["level_change_m"] == pytest.approx(expected)</code>	Pass	0.000s
Response has base level m	<code>"base_level_m" in r</code>	Pass	0.000s
Response has level change m	<code>"level_change_m" in r</code>	Pass	0.000s
Creates new summary	<code>summary["num_gauges"] == 1; summary["num_trained"] == 1 (+1 more)</code>	Pass	0.004s
Merges into existing	<code>summary["num_gauges"] == 2; summary["num_trained"] == 2 (+1 more)</code>	Pass	0.002s
Replaces existing gauge	<code>summary["num_gauges"] == 1; summary["gauges"][0]["metrics"]["auc_roc"] == 0.95</code>	Pass	0.002s
Skipped gauge not counted as trained	<code>summary["num_trained"] == 0; summary["num_skipped"] == 1</code>	Pass	0.001s
With count ; 2000 and verbose=False, no mid-loop progress line.	<code>"ETA" not in out or "[" not in out</code>	Pass	0.708s

count=501 with verbose=True triggers the progress line at i=500.	result["num_sequences"] == 501; "[500" in out or "500/" in out	Pass	1.417s
--	--	------	--------

16 Trading Desk (MKM-TD-001)

Table 30: Test Results Summary — Trading Desk (MKM-TD-001)

Total Tests	212
Passed	212
Failed	0
Skipped	0
Duration	1.25s

Table 31: Detailed Test Results — Trading Desk

Test Description	Acceptance Criteria	Result	Time
All buttons must use font-size:11px;font-weight:600 matching header tabs.	count >= 4	Pass	0.000s
All buttons must use padding:4px 14px matching header tab buttons.	count >= 4	Pass	0.000s
All four buttons must sit inside a single flex container (group).	'display:flex;border:1px solid #ddd;border-radius:4px;ove...	Pass	0.000s
Commit button must be blue (#1976d2) — primary action like active header tab.	'#1976d2' in snippet; 'color:white' in snippet	Pass	0.000s
History button must be grey (#f5f5f5) — inactive like unselected header tabs.	'#f5f5f5' in snippet; '#1976d2' not in snippet	Pass	0.000s
Individual buttons must NOT have border-radius — container provides the rounding.	'border-radius' not in snippet	Pass	0.000s
PL Hist button must be grey (#f5f5f5) — inactive like unselected header tabs.	'#f5f5f5' in snippet; '#1976d2' not in snippet	Pass	0.000s
Reset button must be grey (#f5f5f5) — inactive.	'#f5f5f5' in snippet	Pass	0.000s
Basis delta should be positive.	result['basis_delta_bps'] > 0; result['basis_dv01_gbp'] > 0	Pass	0.000s
With constant basis, basis delta ~ gauge delta.	abs(basis_delta['basis_delta_bps'] - ...	Pass	0.000s
Hits /api/v1/trading/blotter.	'/api/v1/trading/blotter' in blotter_js	Pass	0.000s
Close-out hits /trading/close/.	'/trading/close/' in blotter_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Button must call tdCommitMarket().	'tdCommitMarket()' in market_js	Pass	0.000s
td-commit-btn ID present in output.	'td-commit-btn' in market_js	Pass	0.000s
Commit button must NOT have display:none in its own style.	'display:none' not in own_style	Pass	0.000s
tdCommitMarket function must exist.	'tdCommitMarket' in market_js	Pass	0.000s
Hits /trading/hazard-term-structure/commit.	'/trading/hazard-term-structure/commit' in market_js	Pass	0.000s
Hits /trading/yield-curve/commit.	'/trading/yield-curve/commit' in market_js	Pass	0.000s
Commit notification shows P&L impact.	'total_pnl_impact' in market_js; 'gross_pnl_impact' in market_js	Pass	0.000s
After commit, switches to blotter tab.	"switchTab('blotter')" in market_js	Pass	0.000s
Higher spread means higher premium	pvs_high["premium_leg_pv"] > pvs_low["premium_leg_pv"]	Pass	0.000s
Positive hazard rate	pvs["premium_leg_pv"] > 0; pvs["protection_leg_pv"] > 0 (+2 more)	Pass	0.000s
Zero hazard rate	pvs["premium_leg_pv"] == 0; pvs["protection_leg_pv"] == 0	Pass	0.000s
Closed trades excluded	pnl_engine.compute_daily_pnl(trades)["num_open_trades"] == 0	Pass	0.000s
Daily pnl without previous eod	result["num_open_trades"] == 2; result["total_notional"] == 15_000_000 (+1 more)	Pass	0.000s
Pnl decomposition sums	abs(pos["daily_pnl"] - (pos["new_trade_pnl"] + pos["marke...))	Pass	0.000s
Running pnl calculation	abs(pos1["running_pnl"] - 43.500) < 1; abs(pos2["running_pnl"] - (-7.125)) < 1	Pass	0.000s
Test risk grid construction.	len(grid['buckets']) == 3; len(grid['gauges']) == 2 (+3 more)	Pass	0.000s
Receiver trade should have negative gauge DV01.	enriched['gauge_fs01'] < 0; enriched['is_payer'] is False	Pass	0.002s
Test trade enrichment with sample data.	enriched['swap_id'] == 'PRS-TEST001'; enriched['gauge_id'] == 'GAUGE-TEST-001' (+4 more)	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Payer and receiver DV01 should be equal magnitude, opposite sign.	<code>abs(payer.enriched['gauge_fs01'] + rcv.enriched['gauge_fs...]</code>	Pass	0.003s
tdHazardDirtyKeys tracks per-gauge hazard changes.	<code>'tdHazardDirtyKeys' in market_js</code>	Pass	0.000s
Shows UNCOMMITTED label when dirty.	<code>'UNCOMMITTED' in market_js</code>	Pass	0.000s
tdYieldDirty variable tracks yield curve changes.	<code>'tdYieldDirty' in market_js</code>	Pass	0.000s
Also fetches blotter for live summary.	<code>'/api/v1/trading/blotter' in eod_js</code>	Pass	0.000s
Fetches <code>/api/v1/trading/eod/history</code> .	<code>'/api/v1/trading/eod/history' in eod_js</code>	Pass	0.000s
Fetches <code>/api/v1/trading/pnl-series</code> .	<code>'/api/v1/trading/pnl-series' in eod_js</code>	Pass	0.000s
Hits <code>/api/v1/trading/eod</code> for submit.	<code>'/api/v1/trading/eod' in eod_js</code>	Pass	0.000s
<code>get_eod_history</code> returns 500 when engine raises (lines 88-90).	<code>resp.status_code == 500</code>	Pass	0.001s
<code>get_eod_pdf</code> returns 500 on unexpected error (lines 107-109).	<code>resp.status_code == 500</code>	Pass	0.001s
<code>submit_eod</code> returns 500 when engine raises (lines 70-72).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.004s
<code>renderEodAttribution</code> function exists.	<code>'renderEodAttribution' in eod_js</code>	Pass	0.000s
<code>renderEodChart</code> function exists.	<code>'renderEodChart' in eod_js</code>	Pass	0.000s
<code>tdCleanupEodCharts</code> exists for chart cleanup.	<code>'tdCleanupEodCharts' in eod_js</code>	Pass	0.000s
<code>tdDownloadEodPdf</code> function exists.	<code>'tdDownloadEodPdf' in eod_js</code>	Pass	0.000s
<code>tdSubmitEod</code> function exists.	<code>'tdSubmitEod' in eod_js</code>	Pass	0.000s
Returns list of snapshots after submission.	<code>len(data['history']) == 1;</code> <code>entry['eod_id'] == 'EOD-20260228'</code> (+3 more)	Pass	0.043s
Returns empty list when no snapshots exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.001s
Can submit multiple EODs on different dates.	<code>data['count'] == 2</code>	Pass	0.061s
POST with empty JSON body uses today's date (no date key).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.038s

Test Description	Acceptance Criteria	Result	Time
GET for existing PDF date serves the file.	<code>resp.status_code == 200;</code> <code>resp.content_type ==</code> <code>'application/pdf'</code>	Pass	0.002s
GET for non-existent date returns 404.	<code>resp.status_code == 404</code>	Pass	0.000s
ImportError in PDF gen is caught; EOD snapshot still saved (lines 56-57).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.026s
Exception in PDF gen is caught; EOD snapshot still saved (lines 58-59).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.040s
Attribution section container present.	<code>'td-eod-attribution' in eod_js</code>	Pass	0.000s
P&L summary cards container present.	<code>'td-eod-cards' in eod_js</code>	Pass	0.000s
Date picker for EOD date.	<code>'td-eod-date' in eod_js</code>	Pass	0.000s
EOD History section present.	<code>'td-eod-history-wrap' in eod_js;</code> 'EOD History' in eod_js	Pass	0.000s
Submit EOD button present.	<code>'td-eod-submit-btn' in eod_js;</code> 'EOD Submit' in eod_js	Pass	0.000s
All gauges from base should appear.	<code>'GAUGE-001' in rates;</code> 'GAUGE-002' in rates	Pass	0.001s
Adjusted gauges should be flagged.	<code>rates['GAUGE-001']['is_adjusted']</code> is True; <code>rates['GAUGE-002']['is_adjusted']</code> is False	Pass	0.002s
Adjusted rates should override base, non-adjusted should use base.	<code>rates['GAUGE-001']['annual_hazard_rate_warning']</code> == 0.04; <code>rates['GAUGE-001']['annual_hazard_rate_alert']</code> == 0.04 (+1 more)	Pass	0.003s
Eod history	<code>len(history) == 2;</code> history[0]["date"] == "2026-02-21"	Pass	0.003s
Generate snapshot	<code>snapshot["eod_id"] == "EOD-20260224";</code> <code>snapshot["date"] == "2026-02-24"</code> (+3 more)	Pass	0.000s
Idempotent snapshot	<code>len(pnl_engine.get_eod_history()) ==</code> 1	Pass	0.002s
Pnl series	<code>len(series) == 2;</code> series[0]["date"] == "2026-02-20" (+1 more)	Pass	0.003s
Snapshot persists	snapshot is not None; <code>snapshot["eod_id"] == "EOD-20260224"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
tdClearFilters function exists.	'tdClearFilters' in blotter_js	Pass	0.000s
tdApplyFilter exposed on window for external callers.	'tdApplyFilter' in blotter_js	Pass	0.000s
tdFilterChanged function exists.	'tdFilterChanged' in blotter_js	Pass	0.000s
getFilteredTrades function exists.	'getFilteredTrades' in blotter_js	Pass	0.000s
tdRemoveFilter function exists.	'tdRemoveFilter' in blotter_js	Pass	0.000s
For small rates, 1bp bump in rate ~ = 1bp bump in spread.	0.5 < result['delta_spread.bps'] < 2.0	Pass	0.000s
DV01 scales with notional.	abs(r2['dv01_gbp'] / r1['dv01_gbp'] - 2.0) < 0.01	Pass	0.000s
DV01 should be positive for a buyer (spread increases with hazard).	result['dv01_gbp'] > 0;	Pass	0.000s
At zero hazard rate, spread is at floor so delta may be minimal.	result['delta_spread.bps'] > 0	Pass	0.000s
Balanced book	payer == rcv; len(trades) == 6	Pass	0.004s
Balanced notional	payer_not == rcv_not	Pass	0.003s
Counterparties distributed	len(ctpys) == 2	Pass	0.003s
Files saved	len(list(output_dir.glob("PRS-*.json"))) == 6	Pass	0.003s
Payer trades below fair	ps["Pricing"]["SpreadBps"] < ps["Pricing"]["FairSpreadBps"]	Pass	0.003s
Receiver trades above fair	ps["Pricing"]["SpreadBps"] > ps["Pricing"]["FairSpreadBps"]	Pass	0.003s
Reproducible with seed	t1["PhysicalSwap"]["Pricing"]["SpreadBps"] == t2["PhysicalSwap"]["Pricing"]["SpreadBps"]	Pass	0.003s
Small mtm	abs(ps["Pricing"]["NPV"]) < ps["LegData"]["Notional"] * 0...	Pass	0.004s
Valid cdm structure	ps["Header"]["SwapID"].startswith("PRS-"); isinstance(ps["LegData"]["Payer"], bool) (+2 more)	Pass	0.004s
GET returns market_state with yield_curve and hazard_term_structure.	resp.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.003s
Response includes per-gauge effective rates.	'gauges' in data; len(gauge_ids) >= 1	Pass	0.005s
First load creates default yield curve.	resp.status_code == 200; len(yc) > 0	Pass	0.003s
Bumping hazard curve higher should increase fair PRS spread.	spread_after > spread_before; spread_after - spread_before > 1.0	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Bumping hazard curve should change trade MTM.	<code>mtm.after > mtm.before</code>	Pass	0.003s
P&L from a 1bp parallel shift should approximately equal FS01.	<code>abs(mtm.change - fs01) < abs(fs01) * 0.20</code>	Pass	0.003s
Full cycle: enrich → EOD snap → bump curve → re-enrich → daily P&L non-zero.	<code>len(eod.snap['positions']) == 1;</code> <code>new_fair != prev_fair (+5 more)</code>	Pass	0.004s
Shows down arrow for rate decrease.	<code>'\\{\\{\\{u25bc' in blotter_js</code>	Pass	0.000s
Blotter compares to prev_fair_spread.bps.	<code>'prev_fair_spread.bps' in blotter_js</code>	Pass	0.000s
Shows up arrow for rate increase.	<code>'\\{\\{\\{u25b2' in blotter_js</code>	Pass	0.000s
Verify the MTM formula.	<code>abs(mtm - 80_000) < 1</code>	Pass	0.000s
Protection seller loses when spread widens.	<code>mtm < 0</code>	Pass	0.000s
Protection buyer profits when spread widens.	<code>mtm > 0</code>	Pass	0.000s
MTM is zero when fair = trade spread.	<code>mtm == 0</code>	Pass	0.000s
Blotter has market_pnl column.	<code>'market_pnl' in blotter_js</code>	Pass	0.000s
Blotter shows Mkt P&L label.	<code>'Mkt P' in blotter_js</code>	Pass	0.000s
GET market-state returns 500 when engine raises (lines 44-46).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
POST market-state/reset returns 500 when engine raises (lines 119-121).	<code>resp.status_code == 500</code>	Pass	0.001s
POST market-state with null JSON body → 400 (line 55).	<code>resp.status_code == 400</code>	Pass	0.001s
Base rates should match what's in gaugehc.json.	<code>g1['annual_hazard_rate_warning'] == 0.025;</code> <code>g1['annual_hazard_rate_severe'] == 0.01</code>	Pass	0.001s
First load should initialise from base curves.	<code>'base_rates' in state;</code> <code>'gauge_adjustments' in state (+2 more)</code>	Pass	0.002s
Subsequent loads should return the saved state.	<code>state1['base_rates'] == state2['base_rates']</code>	Pass	0.003s
Reset all adjustments.	<code>len(state['gauge_adjustments']) == 0</code>	Pass	0.006s
Reset a single gauge's adjustments.	<code>'GAUGE-001' not in state['gauge_adjustments'];</code> <code>'GAUGE-002' in state['gauge_adjustments']</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Effective rate should use adjustment if present.	<code>rate == 0.025; rate == 0.04</code>	Pass	0.002s
Gauge without adjustment should return base rate.	<code>rate == 0.03</code>	Pass	0.002s
Updating a rate should persist.	<code>adj['annual_hazard_rate_warning'] == 0.035</code>	Pass	0.003s
tdCleanupMarketCharts exists.	<code>'tdCleanupMarketCharts' in market_js</code>	Pass	0.000s
renderGaugeList function exists.	<code>'renderGaugeList' in market_js</code>	Pass	0.000s
Chart canvas element present.	<code>'td-market-canvas' in market_js</code>	Pass	0.000s
Curve mode selector with yield/hazard options.	<code>'td-curve-mode' in market_js; 'Yield Curve' in market_js (+1 more)</code>	Pass	0.000s
commit_yield_curve saves all tenors at once.	<code>state['yield_curve']['1'] == 0.04; state['yield_curve']['3'] == 0.05</code>	Pass	0.002s
Tenor above maximum returns last key rate.	<code>rate == r6</code>	Pass	0.001s
Tenor below minimum returns first key rate.	<code>rate == r1</code>	Pass	0.001s
Exact tenor match from yield curve.	<code>isinstance(rate, float); rate > 0</code>	Pass	0.001s
Non-integer tenor triggers interpolation.	<code>min(r1, r2) <= rate <= max(r1, r2)</code>	Pass	0.001s
Gauge entries with no gauge_id are skipped.	<code>'GAUGE-B' in base; '' not in base</code>	Pass	0.001s
gaugehc.json with 'gauges' key is handled.	<code>'GAUGE-A' in state.get('base_rates', {})</code>	Pass	0.001s
When gaugehc.json is missing, base curves returns empty dict.	<code>isinstance(state, dict)</code>	Pass	0.001s
gaugehc.json with unknown format returns empty base_rates.	<code>state.get('base_rates', {}) == {}</code>	Pass	0.001s
reset_yield_curve restores defaults.	<code>state['yield_curve']['1'] == MarketStateManager.DEFAULT_Y...</code>	Pass	0.003s
Notes parameter is stored in gauge adjustments.	<code>'adjustment_notes' in adj; 'override' in adj['adjustment_notes']</code>	Pass	0.002s
New Trade button must be grey (#f5f5f5) — non-primary action.	<code>'#f5f5f5' in snippet; '#1976d2' not in snippet</code>	Pass	0.000s
Button text must be 'New Trade'.	<code>'New Trade' in market_js</code>	Pass	0.000s
td-newtrade-btn must exist in Market tab.	<code>'td-newtrade-btn' in market_js</code>	Pass	0.000s
Button must call tdMarketNewTrade().	<code>'tdMarketNewTrade' in market_js</code>	Pass	0.000s
tdMarketNewTrade must hide trading desk and call viewHazardCurve.	<code>'viewHazardCurve' in market_js; 'tdSelectedGauge' in market_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
New Trade button must appear to the LEFT of History in the DOM.	<code>nt_idx < hist_idx</code>	Pass	0.000s
New Trade button must not have its own border-radius (container clips it).	<code>'border-radius' not in snippet</code>	Pass	0.000s
Market pnl nonzero with eod mark	<code>abs(result["positions"][0]["market_pnl"] - 80.000.0) < 1</code>	Pass	0.000s
Market pnl zero for missing eod trade	<code>abs(pos["market_pnl"]) < 0.01;</code> <code>abs(pos["new_trade_pnl"]) < 0.01 (+1 more)</code>	Pass	0.000s
New trade has inception pnl	<code>abs(pos["new_trade_pnl"] - expected) < 1;</code> <code>abs(pos["market_pnl"]) < 0.01</code>	Pass	0.000s
Pnl decomposition with prev eod	<code>abs(pos["daily_pnl"] - (pos["new_trade_pnl"] + pos["marke...</code>	Pass	0.000s
Shows daily P&L metric.	<code>'dailyPnl' in blotter_js</code>	Pass	0.000s
Shows From Market metric.	<code>'From Market' in blotter_js;</code> <code>'fromMarket' in blotter_js</code>	Pass	0.000s
Shows signed net notional.	<code>'netNotional' in blotter_js;</code> <code>'fmtGBP(netNotional)' in blotter_js</code>	Pass	0.000s
Shows Running P&L.	<code>'Running' in blotter_js</code>	Pass	0.000s
After EOD snap, next blotter P&L uses snap as baseline.	<code>resp.status_code == 200; 'daily_pnl' in t (+1 more)</code>	Pass	0.040s
Summary runs	<code>"Market-Making Book Summary" in out;</code> <code>"Payer (short):" in out (+1 more)</code>	Pass	0.003s
tdResetCurve function exists.	<code>'tdResetCurve' in market_js</code>	Pass	0.000s
Hits /trading/hazard-term-structure/reset.	<code>'/trading/hazard-term-structure/reset' in market_js</code>	Pass	0.000s
Hits /trading/yield-curve/reset.	<code>'/trading/yield-curve/reset' in market_js</code>	Pass	0.000s
Reset clears all adjustments.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.027s
Reset clears one gauge only.	<code>resp.status_code == 200; 'GAUGE-001' in data['message']</code>	Pass	0.004s
risk-grid returns 500 when engine raises (lines 44-46).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.002s
trade-map returns 500 when engine raises (lines 197-199).	<code>resp.status_code == 500</code>	Pass	0.001s
Grid should contain entries for traded gauges.	<code>len(grid) > 0</code>	Pass	0.026s

Test Description	Acceptance Criteria	Result	Time
GET returns a risk grid structure.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.025s
Returns empty grid when no trades exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.004s
Longer tenor means more payments.	<code>a5 > a1</code>	Pass	0.000s
Higher hazard rate means lower annuity (higher default prob).	<code>annuity_low > annuity_high</code>	Pass	0.000s
Annuity should be between 0 and tenor.	<code>0 < annuity < 5</code>	Pass	0.000s
With no default risk, annuity equals risk-free annuity.	<code>abs(annuity - expected) < 1e-6</code>	Pass	0.000s
is_payer field used to determine sign.	<code>'is_payer' in blotter_js</code>	Pass	0.000s
Payer notional should be negated.	<code>'is_payer' in blotter_js;</code> <code>'Math.abs'</code> in blotter_js	Pass	0.000s
tdToggleSort function exists.	<code>'tdToggleSort' in blotter_js</code>	Pass	0.000s
tdViewTrade function for click-through to PRS pricing.	<code>'tdViewTrade' in blotter_js</code>	Pass	0.000s
After knock-out, cash price must stay at full notional.	<code>hourly[2]['per_trade'][0]['triggered']</code> is True; <code>hourly[2]['per_trade'][0]['cash_price']</code> == 1.000.000 (+2 more)	Pass	0.000s
Alert trade KOs before severe trade.	<code>'ALERT' in triggered;</code> <code>'SEVERE' in triggered</code> (+1 more)	Pass	0.000s
Trade must NOT knock out if water stays below trigger.	<code>'T1' not in triggered</code>	Pass	0.000s
Receiver (short protection) gets negative cash on KO.	<code>hourly[1]['per_trade'][0]['cash_price']</code> == -1.000.000	Pass	0.000s
Trade must knock out when water $\geq$ trigger level.	<code>'T1' in triggered;</code> <code>triggered['T1'] == 3</code>	Pass	0.000s
Same-day snap overwrites previous.	<code>len(eod_files) == 1</code>	Pass	0.062s
POST creates EOD snapshot.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.039s
Response includes trade count and P&L summary.	<code>'num_open_trades' in summary;</code> <code>'total_notional' in summary</code> (+2 more)	Pass	0.039s
EOD- $\{date\}$.json created in eod/ directory.	<code>snapshot.path.exists();</code> <code>snapshot['eod_id'] == 'EOD-20260228'</code> (+1 more)	Pass	0.032s

Test Description	Acceptance Criteria	Result	Time
Snapshot includes yield_curve and hazard_term_structure.	'yield_curve' in ms; 'hazard_term_structure' in ms	Pass	0.039s
Snapshot includes per-trade positions.	len(positions) == 16; 'swap_id' in p (+2 more)	Pass	0.041s
All levels should be $i = \text{base level}$ (positive level_change).	lv1 >= base - 0.01	Pass	0.000s
Custom num.hours should produce the right length.	len(levels) == 100	Pass	0.000s
Water levels should be non-decreasing before peak.	levels[i] >= levels[i - 1] - 0.01	Pass	0.000s
Peak should reach base + level_change.	peak >= base + change * 0.9; peak <= base + change + 0.1	Pass	0.000s
Water level should decrease after peak.	levels[-1] < levels[peak_idx]	Pass	0.000s
Default hydrograph must return 168 hourly values (STORM_HOURS = 7-day window).	len(levels) == 168	Pass	0.000s
Very short storm peaks early.	peak_idx <= 10	Pass	0.000s
Hour 0 should be at base level.	abs(levels[0] - 2.0) < 0.01	Pass	0.000s
Zero duration should still produce valid levels.	len(levels) == 168; levels[0] > 2.0	Pass	0.000s
gauge_fs01 column present.	'gauge_fs01' in blotter_js	Pass	0.000s
fmtMaturity function exists.	'fmtMaturity' in blotter_js	Pass	0.000s
Files saved	len(list(output_dir.glob("PRS-*.json"))) == 50	Pass	0.014s
Has calendar spreads	calendar_spread_gauges >= 5	Pass	0.014s
Reproducible with seed	t1["PhysicalSwap"]["Pricing"]["SpreadBps"] ...	Pass	0.027s
Trade count	len(trades) == 50	Pass	0.014s
Uses central gauges	gauge_ids.issubset(expected_ids)	Pass	0.013s
Valid cdm structure	ps["Header"]["SwapID"].startswith("PRS-"); ps["Pricing"]["RiskyAnnuity"] > 0 (+1 more)	Pass	0.012s
Westminster is net short	westminster_notional < 0	Pass	0.014s
Gauge positions include FS01 broken down by tenor.	'fs01_by_tenor' in g; isinstance(g['fs01_by_tenor'], dict)	Pass	0.024s
Each gauge position has lat, lon, gauge_name.	'lat' in g; 'lon' in g (+2 more)	Pass	0.029s
Each gauge has net_fs01.	'net_fs01' in g	Pass	0.024s

Test Description	Acceptance Criteria	Result	Time
Each gauge has total and net notional.	'total_notional' in g; 'net_notional' in g (+1 more)	Pass	0.023s
Gauge positions include daily P&L.	'daily_pnl' in g; 'running_pnl' in g	Pass	0.024s
Gauge positions show number of trades.	gauges_by_id['GAUGE-001']['num_trades'] == 2; gauges_by_id['GAUGE-002']['num_trades'] == 1	Pass	0.022s
GET returns gauge positions.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.029s
Returns empty positions when no trades exist.	resp.status_code == 200; len(data['gauges']) == 0	Pass	0.004s
Gauge in gauge.json but not gaugehc.json gets coordinates (lines 83-85).	resp.status_code == 200	Pass	0.053s
Property locations loaded from property.json (lines 97-101).	resp.status_code == 200; 'gauges' in data	Pass	0.053s
Closed trades are excluded from trade map gauge aggregation (line 115).	resp.status_code == 200; 'GAUGE-9042bd95' not in gauge_ids	Pass	0.039s
Close trade	mark["trade_status"] == "Closed"; mark["close_spread_bps"] == 260.0 (+1 more)	Pass	0.001s
Load empty marks	pnl_engine.load_trade_marks() == {}	Pass	0.000s
Update and load mark	pnl_engine.load_trade_marks()["PRS-001"]["trade_status"] == "Closed" ...	Pass	0.001s
Market making spreads are integers	spread == round(spread)	Pass	0.004s
Thames central spreads are integers	spread == round(spread)	Pass	0.014s
Updated state persists across requests.	resp.status_code == 200; data['market_state']['num_adjusted'] >= 1	Pass	0.027s
POST updates gauge rate successfully.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.024s
Missing gauge returns 400.	resp.status_code == 400	Pass	0.000s
No JSON body returns error (500 — Flask BadRequest caught).	resp.status_code in (400, 500)	Pass	0.001s
Update returns affected_trades and total_pnl_impact.	'affected_trades' in data; 'total_pnl_impact' in data	Pass	0.024s

17 CDM Schema Validation (CDM-ALL)

Table 32: Test Results Summary — CDM Schema Validation (CDM-ALL)

Total Tests	33
Passed	33
Failed	0
Skipped	0
Duration	0.00s

Table 33: Detailed Test Results — CDM Schema Validation

Test Description	Acceptance Criteria	Result	Time
All cdm fields present	<code>gauge_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All cdm fields present	<code>mortgage_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All cdm fields present	<code>property_mapping_summary.fields_missing == 0</code>	Pass	0.000s
All types valid	<code>gauge_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All types valid	<code>mortgage_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All types valid	<code>property_mapping_summary.fields_type_invalid == 0</code>	Pass	0.000s
All values valid	<code>gauge_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
All values valid	<code>mortgage_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
All values valid	<code>property_mapping_summary.fields_value_invalid == 0</code>	Pass	0.000s
Get required fields returns list[gauge cdm] [cdm_name='gauge_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields re- turns list[mortgage cdm] [cdm_name='mortgage_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields re- turns list[property cdm] [cdm_name='property_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s
Get required fields returns list[prs cdm] [cdm_name='prs_cdm']	<code>isinstance(cdm.get_required_fields(), list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get required fields returns list[storm cdm] [cdm_name='storm_cdm']	isinstance(cdm.get_required_fields(), list)	Pass	0.000s
Get required fields returns list[stormts cdm] [cdm_name='stormts_cdm']	isinstance(cdm.get_required_fields(), list)	Pass	0.000s
List all fields returns paths[gauge cdm] [cdm_name='gauge_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[property cdm] [cdm_name='property_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[prs cdm] [cdm_name='prs_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[storm cdm] [cdm_name='storm_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
List all fields returns paths[stormts cdm] [cdm_name='stormts_cdm']	isinstance(fields, list); len(fields) > 0 (+2 more)	Pass	0.000s
Repr returns string[gauge cdm] [cdm_name='gauge_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[property cdm] [cdm_name='property_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[prs cdm] [cdm_name='prs_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[storm cdm] [cdm_name='storm_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Repr returns string[stormts cdm] [cdm_name='stormts_cdm']	isinstance(repr(cdm), str)	Pass	0.000s
Schema returns non empty dict[gauge cdm] [cdm_name='gauge_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[mortgage cdm] [cdm_name='mortgage_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[property cdm] [cdm_name='property_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s
Schema returns non empty dict[prs cdm] [cdm_name='prs_cdm']	isinstance(schema, dict); len(schema) > 0	Pass	0.000s

Test Description		Acceptance Criteria		Result	Time
Schema	returns	non	<code>isinstance(schema, dict); len(schema)</code>	Pass	0.000s
empty	<code>dict[storm</code> <code>[cdm_name='storm_cdm']</code>	cdm]	<code>> 0</code>		
Schema	returns	non	<code>isinstance(schema, dict); len(schema)</code>	Pass	0.000s
empty	<code>dict[stormts</code> <code>[cdm_name='stormts_cdm']</code>	cdm]	<code>> 0</code>		

18 End-to-End Browser Tests (E2E-ALL)

Table 34: Test Results Summary — End-to-End Browser Tests (E2E-ALL)

Total Tests	313
Passed	0
Failed	313
Skipped	0
Duration	15.60s

Table 35: Detailed Test Results — End-to-End Browser Tests

Test Description	Acceptance Criteria	Result	Time
01 open blotter and count trades[chromium]	—	FAIL	0.001s
01 open eod tab count history[chromium]	—	FAIL	0.001s
01 open market tab record yield[chromium]	—	FAIL	0.001s
01 open property prs and verify controls[chromium]	—	FAIL	0.000s
01 open prs and verify controls[chromium]	—	FAIL	0.001s
02 change yield curve value[chromium]	—	FAIL	0.000s
02 click close button opens modal[chromium]	—	FAIL	0.001s
02 select counterparty[chromium]	—	FAIL	0.001s
02 set property trade parameters[chromium]	—	FAIL	0.000s
02 submit eod[chromium]	—	FAIL	0.001s
03 commit market changes[chromium]	—	FAIL	0.000s
03 commit property trade[chromium]	—	FAIL	0.000s
03 enter closeout spread and confirm[chromium]	—	FAIL	0.001s
03 set trade parameters[chromium]	—	FAIL	0.001s
03 verify new snapshot in history[chromium]	—	FAIL	0.001s
04 commit trade[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
04 verify closed trade in blotter[chromium]	—	FAIL	0.001s
04 verify pnl after curve change[chromium]	—	FAIL	0.000s
05 new trade appears in blotter[chromium]	—	FAIL	0.000s
Add action[chromium]	—	FAIL	0.000s
Add agenda item[chromium]	—	FAIL	0.000s
Add button opens form[chromium]	—	FAIL	0.000s
Add decision[chromium]	—	FAIL	0.000s
Add meeting button exists[chromium]	—	FAIL	0.000s
Add participant[chromium]	—	FAIL	0.000s
All models have doc directory[chromium]	—	FAIL	0.000s
Analysis pdf endpoint exists[chromium]	—	FAIL	0.000s
Animate api returns data[chromium]	—	FAIL	0.000s
Audit reports api returns files[chromium]	—	FAIL	0.000s
Auto selects worst case storm[chromium]	—	FAIL	0.000s
Back button returns to list[chromium]	—	FAIL	0.000s
Basis analysis tab shows content[chromium]	—	FAIL	0.001s
Bibtex export button[chromium]	—	FAIL	0.000s
Blotter api returns trades[chromium]	—	FAIL	0.000s
Blotter filter dropdowns exist[chromium]	—	FAIL	0.000s
Blotter has close button[chromium]	—	FAIL	0.000s
Blotter has trade rows[chromium]	—	FAIL	0.132s
Blotter link exists[chromium]	—	FAIL	0.000s
Blotter link opens trading desk[chromium]	—	FAIL	0.000s
Blotter shows net notional[chromium]	—	FAIL	0.000s
Blotter view visible[chromium]	—	FAIL	0.000s
Cells interactive[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Chart canvas exists[chromium]	—	FAIL	0.000s
Chart canvas rendered[chromium]	—	FAIL	0.000s
Chart rendered[chromium]	—	FAIL	0.000s
Chart rendered[chromium]	—	FAIL	0.000s
Charts render[chromium]	—	FAIL	0.000s
Claim report api returns pdf[chromium]	—	FAIL	0.001s
Classifier readiness api[chromium]	—	FAIL	0.000s
Classifier summary api returns data[chromium]	—	FAIL	0.000s
Classifiers view visible[chromium]	—	FAIL	0.000s
Click away closes menu[chromium]	—	FAIL	0.000s
Click pi opens panel[chromium]	—	FAIL	0.000s
Close button hides panel[chromium]	—	FAIL	0.000s
Close button opens dialog[chromium]	—	FAIL	0.000s
Close button opens modal[chromium]	—	FAIL	0.000s
Commit button exists[chromium]	—	FAIL	0.000s
Commit button state[chromium]	—	FAIL	0.226s
Commit triggers response[chromium]	—	FAIL	0.000s
Confirm closeout posts[chromium]	—	FAIL	0.000s
Content area exists[chromium]	—	FAIL	0.000s
Content has keywords[chromium]	—	FAIL	0.001s
Content loads with timeseries data[chromium]	—	FAIL	0.000s
Content mentions audit[chromium]	—	FAIL	0.001s
Content mentions audit keywords[chromium]	—	FAIL	0.000s
Content mentions bcbs[chromium]	—	FAIL	0.000s
Content mentions bibliography[chromium]	—	FAIL	0.000s
Content mentions eod keywords[chromium]	—	FAIL	0.000s
Content mentions field keywords[chromium]	—	FAIL	0.000s
Content mentions historical context[chromium]	—	FAIL	0.000s
Content mentions lineage keywords[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Content mentions model[chromium]	—	FAIL	0.000s
Content mentions mrc[chromium]	—	FAIL	0.000s
Content mentions raci[chromium]	—	FAIL	0.001s
Content mentions risk key-words[chromium]	—	FAIL	0.003s
Content mentions stress concepts[chromium]	—	FAIL	0.000s
Content shows probability data[chromium]	—	FAIL	0.000s
Content shows return period data[chromium]	—	FAIL	0.000s
Context menu has header[chromium]	—	FAIL	0.000s
Context menu has items[chromium]	—	FAIL	0.001s
Controls exist[chromium]	—	FAIL	0.000s
Core docs section visible by default[chromium]	—	FAIL	0.000s
Counterparty dropdown has options[chromium]	—	FAIL	0.000s
Counterparty dropdown has options[chromium]	—	FAIL	0.000s
Counterparty options show rating[chromium]	—	FAIL	0.000s
Counterparty summary fields[chromium]	—	FAIL	0.000s
Counterparty types diverse[chromium]	—	FAIL	0.001s
Curves view visible[chromium]	—	FAIL	0.000s
Delete action[chromium]	—	FAIL	0.000s
Delete agenda item[chromium]	—	FAIL	0.000s
Delete decision[chromium]	—	FAIL	0.000s
Delete participant[chromium]	—	FAIL	0.000s
Direction dropdown options[chromium]	—	FAIL	0.000s
Dirty state indicator[chromium]	—	FAIL	0.000s
Distribution tab has content[chromium]	—	FAIL	0.001s
Docs tab exists[chromium]	—	FAIL	0.000s
Docs tab has three sections[chromium]	—	FAIL	0.000s
Document list renders[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Documentation pdf endpoint exists[chromium]	—	FAIL	0.000s
Download buttons clickable[chromium]	—	FAIL	0.000s
Edit buttons on principles[chromium]	—	FAIL	0.000s
Edit opens modal[chromium]	—	FAIL	0.000s
Empty counterparty disables commit[chromium]	—	FAIL	0.000s
Eod history has pdf link[chromium]	—	FAIL	0.000s
Eod submit button exists[chromium]	—	FAIL	0.000s
Eod submit creates snapshot[chromium]	—	FAIL	0.000s
Eod view visible[chromium]	—	FAIL	0.000s
Escape closes gauge panel[chromium]	—	FAIL	0.000s
Escape closes governance panel[chromium]	—	FAIL	0.000s
Escape closes trading desk[chromium]	—	FAIL	0.000s
Field lineage api returns data[chromium]	—	FAIL	0.000s
Field search api[chromium]	—	FAIL	0.000s
Fill notional and spread[chromium]	—	FAIL	0.000s
Fill prs values[chromium]	—	FAIL	0.000s
Filter has controls[chromium]	—	FAIL	0.000s
Fs01 cell click filters blotter[chromium]	—	FAIL	0.000s
Fs01 tab shows risk grid[chromium]	—	FAIL	0.000s
Gauge blotter menu item opens trading desk[chromium]	—	FAIL	0.000s
Gauge panel blotter link opens trading desk[chromium]	—	FAIL	0.000s
Gauge panel loads data not error[chromium]	—	FAIL	0.000s
Gaugepnl has content[chromium]	—	FAIL	0.001s
Gaugepnl has gauge selector or table[chromium]	—	FAIL	0.000s
Get counterparty detail[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Governance button ex-ists[chromium]	—	FAIL	0.000s
Has artefact files[chromium]	—	FAIL	0.000s
Has chart canvas[chromium]	—	FAIL	0.000s
Has chart or curve content[chromium]	—	FAIL	0.000s
Has charts or inputs[chromium]	—	FAIL	0.000s
Has content area[chromium]	—	FAIL	0.000s
Has content area[chromium]	—	FAIL	0.000s
Has detail pane[chromium]	—	FAIL	0.000s
Has filter row[chromium]	—	FAIL	0.000s
Has four tab buttons[chromium]	—	FAIL	0.001s
Has gauge dropdown[chromium]	—	FAIL	0.000s
Has hazard term structure[chromium]	—	FAIL	0.000s
Has histogram canvas[chromium]	—	FAIL	0.000s
Has history list or table[chromium]	—	FAIL	0.000s
Has leaflet or canvas[chromium]	—	FAIL	0.000s
Has leaflet or svg[chromium]	—	FAIL	0.000s
Has map container[chromium]	—	FAIL	0.000s
Has metrics[chromium]	—	FAIL	0.000s
Has pipeline steps[chromium]	—	FAIL	0.000s
Has play button[chromium]	—	FAIL	0.000s
Has property table[chromium]	—	FAIL	0.001s
Has report cards or search[chromium]	—	FAIL	0.000s
Has risk grid[chromium]	—	FAIL	0.000s
Has staleness info[chromium]	—	FAIL	0.000s
Has stats bar[chromium]	—	FAIL	0.000s
Has storm dropdown[chromium]	—	FAIL	0.000s
Has storm selector[chromium]	—	FAIL	0.001s
Has storm selector[chromium]	—	FAIL	0.000s
Has sub tab buttons[chromium]	—	FAIL	0.000s
Has summary cards[chromium]	—	FAIL	0.001s
Has summary stats[chromium]	—	FAIL	0.000s
Has tab buttons[chromium]	—	FAIL	0.000s
Has table pane[chromium]	—	FAIL	0.000s
Has summary or file cards[chromium]	—	FAIL	0.000s
Has toggle buttons[chromium]	—	FAIL	0.000s
Has train all button[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Has yield curve content[chromium]	—	FAIL	0.000s
Hazard api returns success[chromium]	—	FAIL	0.000s
Hazard curve chart renders[chromium]	—	FAIL	0.001s
Hazard curve item opens gauge panel[chromium]	—	FAIL	0.021s
Hazard curve tab has real data[chromium]	—	FAIL	0.000s
Hazard curve tab renders[chromium]	—	FAIL	0.000s
Historical tab has content[chromium]	—	FAIL	0.000s
Historical tab renders[chromium]	—	FAIL	0.000s
History has chart[chromium]	—	FAIL	0.001s
History has stats[chromium]	—	FAIL	0.001s
History renders[chromium]	—	FAIL	0.001s
History table has rows[chromium]	—	FAIL	0.002s
Insurance tab exists[chromium]	—	FAIL	0.001s
Layer control exists[chromium]	—	FAIL	0.000s
Layer toggle changes markers[chromium]	—	FAIL	0.000s
Leaflet container exists[chromium]	—	FAIL	0.001s
Lineage api returns data[chromium]	—	FAIL	0.000s
List counterparties returns data[chromium]	—	FAIL	0.000s
List meetings returns data[chromium]	—	FAIL	0.000s
Map tiles loaded[chromium]	—	FAIL	0.000s
Map view visible[chromium]	—	FAIL	0.000s
Marker count reasonable[chromium]	—	FAIL	0.003s
Markers present[chromium]	—	FAIL	0.000s
Market state api returns data[chromium]	—	FAIL	0.000s
Market view visible[chromium]	—	FAIL	0.000s
Matrix grid renders[chromium]	—	FAIL	0.000s
Meeting detail has tabs[chromium]	—	FAIL	0.000s
Meeting detail returns full object[chromium]	—	FAIL	0.000s
Meeting detail shows meta-data[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Meeting list has rows[chromium]	—	FAIL	0.000s
Meeting list renders[chromium]	—	FAIL	0.000s
Meeting row clickable[chromium]	—	FAIL	0.000s
Meeting summary has fields[chromium]	—	FAIL	0.000s
Menu has property items[chromium]	—	FAIL	0.001s
Menu header shows property info[chromium]	—	FAIL	0.001s
Metrics keywords[chromium]	—	FAIL	0.000s
Modal has confirm cancel[chromium]	—	FAIL	0.000s
Model row opens detail[chromium]	—	FAIL	0.000s
Mortgage content shows data[chromium]	—	FAIL	0.001s
Mortgage impact has chart[chromium]	—	FAIL	0.001s
Mortgage impact has stats[chromium]	—	FAIL	0.001s
Mortgage impact renders[chromium]	—	FAIL	0.001s
Mortgage panel opens[chromium]	—	FAIL	0.001s
Negative closeout spread handling[chromium]	—	FAIL	0.000s
Negative rate handling[chromium]	—	FAIL	0.000s
Negative spread handling[chromium]	—	FAIL	0.000s
No error notifications after clearing[chromium]	—	FAIL	0.000s
Non numeric tenor input[chromium]	—	FAIL	0.000s
Nonexistent counterparty returns 404[chromium]	—	FAIL	0.000s
Nonexistent gauge does not crash page[chromium]	—	FAIL	0.000s
Nonexistent gauge shows error[chromium]	—	FAIL	0.000s
Nonexistent property does not crash page[chromium]	—	FAIL	0.000s
Nonexistent property shows error[chromium]	—	FAIL	0.000s
Open gauge panel via js[chromium]	—	FAIL	0.000s
Panel has four tabs[chromium]	—	FAIL	0.001s

Test Description	Acceptance Criteria	Result	Time
Panel has tab bar[chromium]	—	FAIL	0.000s
Panel has tab bar[chromium]	—	FAIL	0.000s
Panel has tab buttons[chromium]	—	FAIL	0.001s
Panel is visible[chromium]	—	FAIL	0.000s
Panel opens[chromium]	—	FAIL	0.001s
Panel opens with title[chromium]	—	FAIL	0.001s
Panel opens with title[chromium]	—	FAIL	0.001s
Panel title shows gauge name[chromium]	—	FAIL	0.000s
Pflood has chart or data[chromium]	—	FAIL	0.000s
Pflood has content[chromium]	—	FAIL	0.000s
Pi button exists[chromium]	—	FAIL	0.000s
Portfolio impact api returns data[chromium]	—	FAIL	0.000s
Portfolio run api[chromium]	—	FAIL	0.000s
Portfolio storms api[chromium]	—	FAIL	0.000s
Portfolio storms api returns data[chromium]	—	FAIL	0.000s
Portfolio var api returns data[chromium]	—	FAIL	0.000s
Portpnl has content[chromium]	—	FAIL	0.000s
Portpnl mentions pnl key-words[chromium]	—	FAIL	0.000s
Portstress view visible[chromium]	—	FAIL	0.000s
Progress bar hidden initially[chromium]	—	FAIL	0.000s
Property panel loads without errors[chromium]	—	FAIL	0.000s
Property storm api returns data[chromium]	—	FAIL	0.003s
Propertyts summary api returns data[chromium]	—	FAIL	0.000s
Prs controls exist[chromium]	—	FAIL	0.000s
Prs has counterparty drop-down[chromium]	—	FAIL	0.007s
Prs pricing tab has controls[chromium]	—	FAIL	0.001s
Prs tab renders[chromium]	—	FAIL	0.000s
Reference table sortable[chromium]	—	FAIL	0.000s
Reset button exists[chromium]	—	FAIL	0.000s
Reset restores defaults[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Right click gauge shows context menu[chromium]	—	FAIL	0.000s
Right click gauge shows context menu[chromium]	—	FAIL	15.151s
Right click property shows context menu[chromium]	—	FAIL	0.000s
Risk grid api returns data[chromium]	—	FAIL	0.000s
Risk view visible[chromium]	—	FAIL	0.000s
Row click populates detail[chromium]	—	FAIL	0.000s
Save button commits changes[chromium]	—	FAIL	0.000s
Selecting counterparty enables commit[chromium]	—	FAIL	0.000s
Selecting counterparty updates pricing[chromium]	—	FAIL	0.000s
Severity has content[chromium]	—	FAIL	0.000s
Severity mentions threshold keywords[chromium]	—	FAIL	0.000s
Shows field counts[chromium]	—	FAIL	0.000s
Sim view visible[chromium]	—	FAIL	0.000s
Spread input updates settlement[chromium]	—	FAIL	0.000s
Staleness api returns data[chromium]	—	FAIL	0.000s
Startup preloader completed[chromium]	—	FAIL	0.000s
Stats bar present[chromium]	—	FAIL	0.001s
Stats bar shows data[chromium]	—	FAIL	0.000s
Status bar shows flood counts[chromium]	—	FAIL	0.001s
Storm dropdown exists[chromium]	—	FAIL	0.000s
Storm scenario click activates stress tab[chromium]	—	FAIL	0.000s
Storm scenarios list exists[chromium]	—	FAIL	0.000s
Storm scenarios opens panel[chromium]	—	FAIL	0.002s
Storm selector has options[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Storms api returns data[chromium]	—	FAIL	0.000s
Stress storms api returns data[chromium]	—	FAIL	0.000s
Stress tab renders[chromium]	—	FAIL	0.000s
Stress view visible[chromium]	—	FAIL	0.000s
Summary table has rows[chromium]	—	FAIL	0.000s
Switching to analysis[chromium]	—	FAIL	0.000s
Switching to results[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab content loads[chromium]	—	FAIL	0.000s
Tab mentions insurance[chromium]	—	FAIL	0.001s
Tab title updates[chromium]	—	FAIL	0.000s
Table has action buttons[chromium]	—	FAIL	0.000s
Table view visible[chromium]	—	FAIL	0.001s
Tenor inputs accept values[chromium]	—	FAIL	0.000s
Results pdf endpoint exists[chromium]	—	FAIL	0.000s
Results section hidden by default[chromium]	—	FAIL	0.000s
Summary api[chromium]	—	FAIL	0.000s
Timeline chart exists[chromium]	—	FAIL	0.001s
Timeline has selector[chromium]	—	FAIL	0.001s
Timeline has stats[chromium]	—	FAIL	0.001s
Timeline renders[chromium]	—	FAIL	0.001s
Trace gauge returns steps[chromium]	—	FAIL	0.000s
Trace missing params returns 400[chromium]	—	FAIL	0.000s
Trace nonexistent returns empty[chromium]	—	FAIL	0.000s
Trace property returns steps[chromium]	—	FAIL	0.000s

Test Description	Acceptance Criteria	Result	Time
Trade row click high-lights[chromium]	—	FAIL	0.000s
Trading desk blotter visible after gauge link[chromium]	—	FAIL	0.000s
Trained classifiers loadable in stress tab[chromium]	—	FAIL	0.000s
Trigger change updates display[chromium]	—	FAIL	0.000s
Trigger dropdown options[chromium]	—	FAIL	0.000s
Upload area exists[chromium]	—	FAIL	0.000s
Var view visible[chromium]	—	FAIL	0.000s
Vis view visible[chromium]	—	FAIL	0.000s
Worst storms tab shows data[chromium]	—	FAIL	0.001s
Yield curve inputs exist[chromium]	—	FAIL	0.000s
Zero notional disables commit[chromium]	—	FAIL	0.000s
Zoom controls present[chromium]	—	FAIL	0.000s

Failed Test Details

test_right_click_gauge_shows_menu[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_context_menu_has_items[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_context_menu_has_header[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_click_away_closes_menu[chromium] File: tests/e2e/test_context_menus/TestGaugeContextMenu.p

```

1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
```



```
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_curve_item_opens_gauge_panel[chromium] File: tests/e2e/test_context_menus/TestContextMenus.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_list_counterparties_returns_data[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_summary_fields[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_get_counterparty_detail[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_nonexistent_counterparty_returns_404[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_types_diverse[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_has_counterparty_dropdown[chromium] File: tests/e2e/test_counterparty/TestCounterpartyAPI.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_counterparty_dropdown_has_options[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_counterparty_options_show_rating[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_selecting_counterparty_updates_pricing[chromium] File: tests/e2e/test_counterparty/TestCounterparty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fs01_tab_shows_risk_grid[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fs01_cell_click_filters_blotter[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_panel_blotter_link_opens_trading_desk[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trading_desk_blotter_visible_after_gauge_link[chromium] File: tests/e2e/test_cross_panel_flows_part1/TestFS01ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_right_click_gauge_shows_context_menu[chromium] File: tests/e2e/test_cross_panel_flows_part2/TestFS02ToBlotter

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gauge_blotter_menu_item_opens_trading_desk[chromium] File: tests/e2e/test_cross_panel_flow

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_historical_tab_has_content[chromium] File: tests/e2e/test_cross_panel_flows_part2/TestHistor

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_storm_scenario_click_activates_stress_tab[chromium] File: tests/e2e/test_cross_panel_flows_pa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_no_error_notifications_after_clearing[chromium] File: tests/e2e/test_data_loads_part1/TestNoEr

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_api_returns_success[chromium] File: tests/e2e/test_data_loads_part1/TestHazardCurved

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_gauge_panel_loads_data_not_error[chromium] File: tests/e2e/test_data_loads_part1/TestHazard

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_curve_tab_has_real_data[chromium] File: tests/e2e/test_data_loads_part1/TestHazardCu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_stress_storms_api_returns_data[chromium] File: tests/e2e/test_data_loads_part1/TestStressSt

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_portfolio_storms_api_returns_data[chromium] File: tests/e2e/test_data_loads_part1/TestStress

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_propertyts_summary_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_property_storm_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_property_panel_loads_without_errors[chromium] File: tests/e2e/test_data_loads_part2/TestPro

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_api_returns_trades[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDataLo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_market_state_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_risk_grid_api_returns_data[chromium] File: tests/e2e/test_data_loads_part2/TestTradingDataLo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_gauge_shows_error[chromium] File: tests/e2e/test_error_handling_invalid_ids/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_gauge_does_not_crash_page[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_property_shows_error[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_nonexistent_property_does_not_crash_page[chromium] File: tests/e2e/test_error_handling_invalid_ids/

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_gauge_panel[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_trading_desk[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_escape_closes_governance_panel[chromium] File: tests/e2e/test_error_handling_ui/TestEscapeKeyClo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_layer_control_exists[chromium] File: tests/e2e/test_error_handling_ui/TestMapLayerControls.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_layer_toggle_changes_markers[chromium] File: tests/e2e/test_error_handling_ui/TestMapLayerC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_canvas_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stats_bar_shows_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_title_updates[chromium] File: tests/e2e/test_gauge_detail_hazard/TestHazardCurveTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestReturnPeriodTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_shows_return_period_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestReturnPeriodTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_chart_rendered[chromium] File: tests/e2e/test_gauge_detail_hazard/TestFloodProbabilityTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_shows_probability_data[chromium] File: tests/e2e/test_gauge_detail_hazard/TestFloodProbabilityTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_loads_with_timeseries_data[chromium] File: tests/e2e/test_gauge_detail_history/TestHistoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_storm_scenarios_list_exists[chromium] File: tests/e2e/test_gauge_detail_history/TestHistorica

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_historical_context[chromium] File: tests/e2e/test_gauge_detail_history/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_dropdown_exists[chromium] File: tests/e2e/test_gauge_detail_history/TestStressTestTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_charts_render[chromium] File: tests/e2e/test_gauge_detail_history/TestStressTestTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_stress_concepts[chromium] File: tests/e2e/test_gauge_detail_history/TestSt

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_auto_selects_worst_case_storm[chromium] File: tests/e2e/test_gauge_detail_history/TestStres

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_controls_exist[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_direction_dropdown_options[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trigger_dropdown_options[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_trigger_change_updates_display[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_commit_button_exists[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_chart_canvas_exists[chromium] File: tests/e2e/test_gauge_detail_prs/TestPRSPricingTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_open_gauge_panel_via_js[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_title_shows_gauge_name[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_has_tab_bar[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_prs_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_hazard_curve_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stress_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_historical_tab_renders[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelTabs.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_link_exists[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelBlotterLink.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_link_opens_trading_desk[chromium] File: tests/e2e/test_gauge_panel/TestGaugePanelBlotterLink.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_edit_buttons_on_principles[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_edit_opens_modal[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_modal_has_confirm_cancel[chromium] File: tests/e2e/test_gov_bcbs_crud/TestBCBS239PrincipleEdit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_bibtex_export_button[chromium] File: tests/e2e/test_gov_bibliography_crud/TestBibliography

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_reference_table_sortable[chromium] File: tests/e2e/test_gov_bibliography_crud/TestBibliograph

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_upload_area_exists[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUploadDown

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_document_list_renders[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUpload

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_download_buttons_clickable[chromium] File: tests/e2e/test_gov_documents_crud/TestDocumentUp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_lineage_keywords[chromium] File: tests/e2e/test_gov_lineage_data/TestData

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_pipeline_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_staleness_info[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_lineage_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_staleness_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_data/TestDataLineageAPI

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_gauge_returns_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestProvenanceTra

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_property_returns_steps[chromium] File: tests/e2e/test_gov_lineage_data/TestProvenance

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_nonexistent_returns_empty[chromium] File: tests/e2e/test_gov_lineage_data/TestProven

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trace_missing_params_returns_400[chromium] File: tests/e2e/test_gov_lineage_data/TestProve

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage.field_audit/TestFieldLineageTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_field_keywords[chromium] File: tests/e2e/test_gov_lineage_field_audit/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_report_cards_or_search[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestField

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_shows_field_counts[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_field_lineage_api_returns_data[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFie

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_field_search_api[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestFieldLineageAPI.

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_audit_keywords[chromium] File: tests/e2e/test_gov_lineage_field_audit/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_test_summary_or_file_cards[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestA

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_has_artefact_files[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsTab

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_audit_reports_api_returns_files[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_test_summary_api[chromium] File: tests/e2e/test_gov_lineage_field_audit/TestAuditReportsAP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_model_row_opens_detail[chromium] File: tests/e2e/test_gov_model_crud/TestModelWorkstreamDe

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_back_button_returns_to_list[chromium] File: tests/e2e/test_gov_model_crud/TestModelWorkstrea

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_list_meetings_returns_data[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCMeetings

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_summary_has_fields[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCMeetin

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_returns_full_object[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCM

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_agenda_item[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCAgendaCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_agenda_item[chromium] File: tests/e2e/test_gov_mrc_crud_part1/TestMRCAgendaCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_decision[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCDecisionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_decision[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCDecisionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_action[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCActionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_action[chromium] File: tests/e2e/test_gov_mrc_crud_part2/TestMRCActionsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_participant[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCParticipantsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_delete_participant[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCParticipantsCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_list_has_rows[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_row_clickable[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_has_tabs[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_detail_shows_metadata[chromium] File: tests/e2e/test_gov_mrc_crud_part3/TestMRCMeetingDetail.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_matrix_grid_renders[chromium] File: tests/e2e/test_gov_raci_crud/TestRACIMatrixInteraction.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_cells_interactive[chromium] File: tests/e2e/test_gov_raci_crud/TestRACIMatrixInteraction.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_meeting_list_renders[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_meeting_button_exists[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_add_button_opens_form[chromium] File: tests/e2e/test_gov_raci_crud/TestMRCMeetingCRUD.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_is_visible[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_tab_buttons[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_content_area[chromium] File: tests/e2e/test_governance/TestGovernancePanelOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestModelInventoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_model[chromium] File: tests/e2e/test_governance/TestModelInventoryTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestBCBS239Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_bcbs[chromium] File: tests/e2e/test_governance/TestBCBS239Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestRACITab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_raci[chromium] File: tests/e2e/test_governance/TestRACITab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestMRCTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_mrc[chromium] File: tests/e2e/test_governance/TestMRCTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestDocumentsTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_area_exists[chromium] File: tests/e2e/test_governance/TestDocumentsTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestBibliographyTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_bibliography[chromium] File: tests/e2e/test_governance/TestBibliographyTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_tab_content_loads[chromium] File: tests/e2e/test_governance/TestAuditTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_content_mentions_audit[chromium] File: tests/e2e/test_governance/TestAuditTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_blotter_and_count_trades[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_click_close_button_opens_modal[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_enter_closeout_spread_and_confirm[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_verify_closed_trade_in_blotter[chromium] File: tests/e2e/test_lifecycle_closeout/TestCloseout.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_eod_tab_count_history[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapAndHistory.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_submit_eod[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapAndHistory.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_03_verify_new_snapshot_in_history[chromium] File: tests/e2e/test_lifecycle_eod/TestEODSnapA

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_01_open_prs_and_verify_controls[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaug

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_02_select_counterparty[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRSBookT

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_03_set_trade_parameters[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRSBook

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_04_commit_trade[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaugePRSBookTrade.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_05_new_trade_appears_in_blotter[chromium] File: tests/e2e/test_lifecycle_gauge_prs/TestGaug

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_01_open_market_tab_record_yield[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMar

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_02_change_yield_curve_value[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMarketUp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_03_commit_market_changes[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMarketUpd

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_04_verify_pnl_after_curve_change[chromium] File: tests/e2e/test_lifecycle_market_pl/TestMark

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_01_open_property_prs_and_verify_controls[chromium] File: tests/e2e/test_lifecycle_property_

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_02_set_property_trade_parameters[chromium] File: tests/e2e/test_lifecycle_property_prs/Tes

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_03_commit_property_trade[chromium] File: tests/e2e/test_lifecycle_property_prs/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_leaflet_container_exists[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_map_tiles_loaded[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_zoom_controls_present[chromium] File: tests/e2e/test_map_smoke/TestMapLoads.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_markers_present[chromium] File: tests/e2e/test_map_smoke/TestMarkers.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_marker_count_reasonable[chromium] File: tests/e2e/test_map_smoke/TestMarkers.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_pi_button_exists[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_governance_button_exists[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_startup_preloader_completed[chromium] File: tests/e2e/test_map_smoke/TestCoreControls.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_docs_tab_exists[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_docs_tab_has_three_sections[chromium] File: tests/e2e/test_model_documentation/TestDocsTabS

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_core_docs_section_visible_by_default[chromium] File: tests/e2e/test_model_documentation/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_test_results_section_hidden_by_default[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_switching_to_test_results[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_switching_to_analysis[chromium] File: tests/e2e/test_model_documentation/TestDocsTabStructure

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_documentation_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_test_results_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_analysis_pdf_endpoint_exists[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_all_models_have_doc_directory[chromium] File: tests/e2e/test_model_documentation/TestModelDocumentationPage

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_right_click_property_shows_menu[chromium] File: tests/e2e/test_property_context_menu/TestPropertyContextMenu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_menu_has_property_items[chromium] File: tests/e2e/test_property_context_menu/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_menu_header_shows_property_info[chromium] File: tests/e2e/test_property_context_menu/Test

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_storm_scenarios_opens_panel[chromium] File: tests/e2e/test_property_context_menu/TestProper

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_history_renders[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHist

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_history_has_chart[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHi

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_history_has_stats[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFloodHis

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_history_table_has_rows[chromium] File: tests/e2e/test_property_panel_history/TestPropertyFL

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_mortgage_impact_renders[chromium] File: tests/e2e/test_property_panel_history/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_mortgage_impact_has_chart[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_impact_has_stats[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_insurance_tab_exists[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tab_mentions_insurance[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_claim_report_api_returns_pdf[chromium] File: tests/e2e/test_property_panel_history/TestPropertyPanelHistory

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_panel_opens[chromium] File: tests/e2e/test_property_panel_mortgage/TestMortgagePanel

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_mortgage_content_shows_data[chromium] File: tests/e2e/test_property_panel_mortgage/TestMortgagePanel

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_renders[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFloodTimeline

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_timeline_has_selector[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlooding

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_has_stats[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlooding

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_timeline_chart_exists[chromium] File: tests/e2e/test_property_panel_mortgage/TestPropertyFlooding

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens_with_title[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_tab_buttons[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_distribution_tab_has_content[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_worst_storms_tab_shows_data[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_status_bar_shows_flood_counts[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyStorm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens_with_title[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyHaza

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_has_four_tabs[chromium] File: tests/e2e/test_property_panel_storm/TestPropertyHazardP

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_hazard_curve_chart_renders[chromium] File: tests/e2e/test_property_panel_storm/TestProperty

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_prs_pricing_tab_has_controls[chromium] File: tests/e2e/test_property_panel_storm/TestPropert

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_basis_analysis_tab_shows_content[chromium] File: tests/e2e/test_property_panel_storm/TestPro

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_panel_opens[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolio0pens.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_selector[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolio0

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_four_tab_buttons[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfoli

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_stats_bar_present[chromium] File: tests/e2e/test_storm_portfolio_part1/TestStormPortfolioOp

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_table_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_summary_cards[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_property_table[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_has_keywords[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPTabTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_sim_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_map_container[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_play_button[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_leaflet_or_canvas[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPSimTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_vis_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_chart_canvas[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_filter_row[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_filter_has_controls[chromium] File: tests/e2e/test_storm_portfolio_part1/TestSPVisualTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_var_view_visible[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_histogram_canvas[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_metrics[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_metrics_keywords[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_toggle_buttons[chromium] File: tests/e2e/test_storm_portfolio_part2/TestSPVaRTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_storms_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStormPortf

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_portfolio_impact_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestS

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_animate_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStormPortf

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_portfolio_var_api_returns_data[chromium] File: tests/e2e/test_storm_portfolio_part2/TestStor

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_click_pi_opens_panel[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_panel_has_tab_bar[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_close_button_hides_panel[chromium] File: tests/e2e/test_td_blotter/TestTradingDeskOpens.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_view_visible[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_has_trade_rows[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_filter_dropdowns_exist[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_blotter_shows_net_notional[chromium] File: tests/e2e/test_td_blotter/TestBlotterTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trade_row_click_highlights[chromium] File: tests/e2e/test_td_blotter/TestBlotterTradeInterac

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_classifiers_view_visible[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_train_all_button[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_has_summary_stats[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_table-pane[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_detail-pane[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_summary_table_has_rows[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_table_has_action_buttons[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_row_click_populates_detail[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_progress_bar_hidden_initially[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_classifier_summary_api_returns_data[chromium] File: tests/e2e/test_td_classifiers/TestClassifiersTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_trained_classifiers_loadable_in_stress_tab[chromium] File: tests/e2e/test_td_classifiers/TestC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portstress_view_visible[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTa

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_selector[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_storm_selector_has_options[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStres

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_sub_tab_buttons[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_stats_bar[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_content_area[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_pflood_has_content[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressPFlood

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_pflooding_has_chart_or_data[chromium] File: tests/e2e/test_td_port_stress_part1/TestPortStressPart1

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portpnl_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressPart2

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portpnl_mentions_pnl_keywords[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressPart2

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gaugepnl_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressGauge

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_gaugepnl_has_gauge_selector_or_table[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressGauge

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_severity_has_content[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressSeverity

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_severity_mentions_threshold_keywords[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressSeverity

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_classifier_readiness_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDashboard

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_portfolio_storms_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDataLoad

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_portfolio_run_api[chromium] File: tests/e2e/test_td_port_stress_part2/TestPortStressDataLoad

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_market_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_yield_curve_content[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_hazard_term_structure[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_charts_or_inputs[chromium] File: tests/e2e/test_td_tabs_part1/TestMarketTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_risk_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_risk_grid[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_risk_keywords[chromium] File: tests/e2e/test_td_tabs_part1/TestFS01Tab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_map_view_visible[chromium] File: tests/e2e/test_td_tabs_part1/TestAggregateTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_leaflet_or_svg[chromium] File: tests/e2e/test_td_tabs_part1/TestAggregateTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_history_list_or_table[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_content_mentions_eod_keywords[chromium] File: tests/e2e/test_td_tabs_part2/TestEODTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_curves_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestCurvesTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_has_chart_or_curve_content[chromium] File: tests/e2e/test_td_tabs_part2/TestCurvesTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_stress_view_visible[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_gauge_dropdown[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_has_storm_dropdown[chromium] File: tests/e2e/test_td_tabs_part2/TestStressTab.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_close_button_opens_modal[chromium] File: tests/e2e/test_validate_closeout/TestCloseoutForm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_negative_closeout_spread_handling[chromium] File: tests/e2e/test_validate_closeout/TestCloseoutForm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_non_numeric_tenor_input[chromium] File: tests/e2e/test_validate_market/TestMarketFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_negative_rate_handling[chromium] File: tests/e2e/test_validate_market/TestMarketFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_zero_notional_disables_commit[chromium] File: tests/e2e/test_validate_prs/TestPRFormValida

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```


test_empty_counterparty_disables_commit[chromium] File: tests/e2e/test_validate_prs/TestPRSFo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_negative_spread_handling[chromium] File: tests/e2e/test_validate_prs/TestPRSFomValidation

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_blotter_has_close_button[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_close_button_opens_dialog[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOu

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_spread_input_updates_settlement[chromium] File: tests/e2e/test_workflow_closeout/TestTrade

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_confirm_closeout_posts[chromium] File: tests/e2e/test_workflow_closeout/TestTradeCloseOut.p

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_submit_button_exists[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_submit_creates_snapshot[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle"
```

test_eod_history_has_pdf_link[chromium] File: tests/e2e/test_workflow_eod/TestEODSubmit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_counterparty_dropdown_has_options[chromium] File: tests/e2e/test_workflow_gauge_prs/TestG

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_selecting_counterparty_enables_commit[chromium] File: tests/e2e/test_workflow_gauge_prs/Te

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fill_notional_and_spread[chromium] File: tests/e2e/test_workflow_gauge_prs/TestGaugePRSCommi

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_commit_triggers_response[chromium] File: tests/e2e/test_workflow_gauge_prs/TestGaugePRSCom

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_yield_curve_inputs_exist[chromium] File: tests/e2e/test_workflow_market/TestMarketStateComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_tenor_inputs_accept_values[chromium] File: tests/e2e/test_workflow_market/TestMarketStateCo

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_dirty_state_indicator[chromium] File: tests/e2e/test_workflow_market/TestMarketStateComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
   exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_save_button_commits_changes[chromium] File: tests/e2e/test_workflow_market/TestMarketStat

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_reset_button_exists[chromium] File: tests/e2e/test_workflow_market/TestMarketStateReset.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_reset_restores_defaults[chromium] File: tests/e2e/test_workflow_market/TestMarketStateReset.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_prs_controls_exist[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSComm

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_fill_prs_values[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSComit.py

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

test_commit_button_state[chromium] File: tests/e2e/test_workflow_property_prs/TestPropertyPRSC

```
1 failed on setup with "playwright._impl._errors.TimeoutError: Page.goto: Timeout 180000ms
  exceeded.
2 Call log:
3   - navigating to "http://127.0.0.1:50734/visualization", waiting until "networkidle""
```

A Platform Infrastructure Tests

Table 36: Test Results Summary — Platform Infrastructure (PLATFORM)

Total Tests	5729
Passed	5712
Failed	1
Skipped	16
Duration	195.22s

Table 37: Detailed Test Results — Platform Infrastructure

Test Description	Acceptance Criteria	Result	Time
Test that config has CATCHMENT attribute.	—	Pass	0.000s
Test that config ENDPOINTS includes health_check for backend handler.	<code>cfg.ENDPOINTS['health_check'] == '/api/v1/health'; ep in cfg.ENDPOINTS</code>	Pass	0.000s
Test that select_catchment.html exists.	—	Pass	0.000s
Test that routes register correctly.	—	Pass	0.044s
Existing synthetic fixture – confirms endpoint logic works.	<code>response.status_code == 200</code>	Pass	0.003s
Mounts the real model.inventory.json and confirms the endpoint does not 500.	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+1 more)	Pass	0.043s
All models in the file are served by the endpoint.	<code>response.status_code == 200;</code> <code>len(data["models"]) == expected.count</code>	Pass	0.042s
Concrete subclass returns empty list	<code>result == []</code>	Pass	0.000s
Get entity id called	<code>loader.find_by_id('A')</code> is not None	Pass	0.002s
Get entity summary called	<code>summaries[0]['id'] == 'B'</code>	Pass	0.002s
Add action auto generates id	<code>r.status_code == 200; actions[0]["id"] == "A-001"</code> (+1 more)	Pass	0.002s
Add action unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Delete action	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["actions"] == []</code>	Pass	0.002s
Delete action unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Update action status	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["actions"][0]["status"]</code> <code>== "Closed"</code>	Pass	0.003s
Update missing action returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add action auto id	<code>"A-001" in ids; "A-002" in ids</code>	Pass	0.002s
Add action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Add action returns 200	<code>r.status_code == 200;</code> <code>len(meeting["actions"]) == 2</code>	Pass	0.002s
Delete action missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete action returns 200	<code>r.status_code == 200;</code> <code>len(r.get_json()["meeting"]["actions"])</code> <code>== 0</code>	Pass	0.002s
Update action not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update action returns 200	<code>r.status_code == 200; action["status"]</code> <code>== "Closed"</code>	Pass	0.002s
Westminster, Chelsea and Lambeth all have trades – all must appear.	<code>self.WESTMINSTER.ID in active;</code> <code>self.CHELSEA.ID in active (+1 more)</code>	Pass	0.022s
No trades at all -i empty gauge_ids list -i all right-click	<code>resp.status_code == 200;</code> <code>data['gauge_ids'] == []</code>	Pass	0.002s
A gauge that has no PRS trades must not appear in active-gauges,	<code>self.NO_TRADE.ID not in</code> <code>data['gauge_ids']</code>	Pass	0.030s
Lambeth Bridge (GAUGE-9042bd95) must be in active-gauges	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.026s
After closing PRS-TEST-LAMBETH, Lambeth must leave active-gauges	<code>self.LAMBETH.ID in</code> <code>before['gauge_ids']; self.LAMBETH.ID</code> <code>not in after['gauge_ids']</code>	Pass	0.040s
Closing Lambeth's trade must not affect Westminster or Chelsea.	<code>self.WESTMINSTER.ID in</code> <code>after['gauge_ids']; self.CHELSEA.ID in</code> <code>after['gauge_ids']</code>	Pass	0.033s
gauge_ids are returned in sorted order for stable JS dict lookup.	<code>ids == sorted(ids)</code>	Pass	0.020s
Production function: levels decay back toward base after peak.	<code>levels[-1] < max(levels)</code>	Pass	0.000s
Production function: peak i= base + level_change.	<code>max(levels) >= base + change * 0.9</code>	Pass	0.000s
_synthesize_hydrograph default returns 168 hours (STORM_HOURS constant).	<code>STORM_HOURS == 168; len(levels) == 168</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Production function: hour 0 = base_level.	<code>abs(levels[0] - 3.0) < 0.01</code>	Pass	0.000s
Peak occurs near duration_hours * peak_position.	<code>abs(actual_peak_hour - expected_peak_hour) <= 2</code>	Pass	0.000s
Add appears in list	<code>len(r.get_json()["references"]) == 1</code>	Pass	0.003s
Add assigns id	<code>"id" in ref; len(ref["id"]) > 0</code>	Pass	0.002s
Add no json body uses defaults	<code>r.status_code in (200, 400, 500)</code>	Pass	0.002s
Add returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Add returns reference	<code>data["status"] == "success"; "reference" in data</code>	Pass	0.002s
Add same category twice no duplicate	<code>r.get_json()["categories"].count("Risk") == 1</code>	Pass	0.004s
Add stores all fields	<code>ref["author"] == "Jones"; ref["journal"] == "Nature"</code> (+1 more)	Pass	0.002s
Add with category updates categories	<code>"Flood Risk" in r.get_json()["categories"]</code>	Pass	0.003s
Adds to map	—	Pass	0.003s
Returns notification system	<code>isinstance(result, NotificationSystem)</code>	Pass	0.001s
Add to map calls add child	—	Pass	0.003s
Add to map calls add child	—	Pass	0.003s
Add to map calls add child	—	Pass	0.002s
Approaching retirement over 55	<code>isinstance(result, list)</code>	Pass	0.000s
Early career under 25	<code>isinstance(result, list)</code>	Pass	0.000s
Prime years 25 to 55	<code>isinstance(result, list)</code>	Pass	0.000s
Add agenda item	<code>r.status_code == 200; len(agenda) == 1</code> (+2 more)	Pass	0.001s
Add agenda unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add multiple items increments number	<code>[a["item"] for a in agenda] == [1, 2, 3]</code>	Pass	0.006s
Delete agenda item rennumbers	<code>len(agenda) == 2; [a["item"] for a in agenda] == [1, 2]</code> (+1 more)	Pass	0.007s
Delete agenda unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update agenda item	<code>r.status_code == 200; item["title"] == "Updated"</code> (+1 more)	Pass	0.003s
Update agenda unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update missing item returns 404	<code>r.status_code == 404</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Add agenda item increments count	<code>len(meeting["agenda"]) == 3</code>	Pass	0.004s
Add agenda item returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Add agenda missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete agenda item returns 200	<code>r.status_code == 200;</code> <code>len(meeting["agenda"]) == 1</code> (+1 more)	Pass	0.003s
Delete agenda missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update agenda item not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update agenda item returns 200	<code>r.status_code == 200;</code> <code>meeting["agenda"][0]["title"] == "Updated Title"</code>	Pass	0.003s
When peak_wl i= alert but j warning, threshold is 'alert'.	<code>resp.status_code == 200;</code> g001 is not None (+1 more)	Pass	0.050s
Empty report	<code>result['num_clones'] == 0;</code> <code>result['worst'] == []</code> (+1 more)	Pass	0.000s
Fmt stats has python	<code>'python' in result['fmt_stats']</code>	Pass	0.000s
Line numbers extracted from 'start' field must be integers.	<code>isinstance(entry[1], int);</code> <code>isinstance(entry[3], int)</code>	Pass	0.000s
Regression: jscpd uses 'start' not 'startLine' — must not produce '?' in output.	<code>11 != '??'; 12 != '??'</code>	Pass	0.000s
Largest sorted descending	<code>lines == sorted(lines, reverse=True)</code>	Pass	0.000s
Num clones correct	<code>result['num_clones'] == 2</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Total present	<code>'total' in result;</code> <code>result['total']['lines'] == 10000</code>	Pass	0.000s
Worst populated	<code>len(result['worst']) > 0;</code> <code>isinstance(fname, str)</code> (+2 more)	Pass	0.000s
computePRSCashflows function exists.	<code>'computePRSCashflows' in prs_js</code>	Pass	0.000s
interpolateSurvival function exists.	<code>'interpolateSurvival' in prs_js</code>	Pass	0.000s
interpolateYieldRate function exists.	<code>'interpolateYieldRate' in prs_js</code>	Pass	0.000s
Completeness percentage computed	<code>r["PropertyHeader"]["percentage"] ==</code> <code>pytest.approx(66.67,...</code>	Pass	0.000s
Empty section excluded	<code>"PropertyHeader" not in r</code>	Pass	0.000s
Mortgage data included	<code>"Mortgage Data" in r</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Property header section present	"PropertyHeader" in r	Pass	0.000s
Returns dict	isinstance(r, dict); isinstance(r, dict)	Pass	0.000s
Section not present excluded	len(r) == 0	Pass	0.000s
All none returns zeros	result["counts"]["properties"] == 0; result["counts"]["mortgages"] == 0 (+1 more)	Pass	0.000s
Counts match data	result["counts"]["properties"] == 2; result["counts"]["mortgages"] == 1 (+1 more)	Pass	0.000s
Flood mortgages counted	result["counts"]["flood_mortgages"] == 1	Pass	0.000s
Flood properties overlap	result["counts"]["flood_properties"] == 2; result["overlaps"]["properties_with_flood_risk"] == 1	Pass	0.000s
Returns required keys	"counts" in result; "overlaps" in result	Pass	0.000s
pts dir exists but property has no flood_events → 404.	client.get(_COMPOSITE_URL).status_code == 404	Pass	0.031s
pts dir exists but all flood_depths are zero → 404.	client.get(_COMPOSITE_URL).status_code == 404	Pass	0.035s
No pts dir returns 404	pts_client_no_data.get(_COMPOSITE_URL).status_code == 404	Pass	0.001s
No pts dir status error	pts_client_no_data.get(_COMPOSITE_URL).get_json()["status"]	Pass	0.001s
Options returns ok	pts_client_no_data.options(_COMPOSITE_URL).status_code ==...	Pass	0.001s
Frame has gauges	"gauges" in frame0	Pass	0.000s
Frame has hour	frame0["hour"] == 0	Pass	0.000s
Frame has properties	"properties" in frame0	Pass	0.000s
Frame has stats	"gauges_flooded" in stats; "properties_flooded" in stats (+1 more)	Pass	0.000s
Arrived true at arrival time	frames[4]["properties"][0]["arrived"] is False; frames[5]["properties"][0]["arrived"] is True	Pass	0.007s
Peak true at and after peak time	frames[11]["properties"][0]["peak"] is False; frames[12]["properties"][0]["peak"] is True	Pass	0.007s

Test Description	Acceptance Criteria	Result	Time
hour i= len(readings) → flooded=False, depth_m=0, arrived=False, peak=False.	p["flooded"] is False; p["depth_m"] == 0 (+2 more)	Pass	0.034s
Property does not have wse m	"wse_m" not in frames[0]["properties"][0]	Pass	0.000s
Property has peak field	"peak" in frames[0]["properties"][0]	Pass	0.000s
Property has required fields	f in p	Pass	0.000s
Frames list length	len(pts_env["client"].get(_COMPOSITE_URL).get_json()["frames"]) == 1	Pass	0.005s
N frames equals storm hours	pts_env["client"].get(_COMPOSITE_URL).get_json()["n_frames"] == 1	Pass	0.005s
N properties affected is one	pts_env["client"].get(_COMPOSITE_URL).get_json()["n_properties"] == 1	Pass	0.007s
Returns 200	pts_env["client"].get(_COMPOSITE_URL).status_code == 200	Pass	0.006s
Status success	pts_env["client"].get(_COMPOSITE_URL).get_json()["status"] == "success"	Pass	0.006s
Storm id is composite	pts_env["client"].get(_COMPOSITE_URL).get_json()["storm_id"] == "composite"	Pass	0.006s
Property with two storms: composite uses the one with higher flood_depth.	data["status"] == "success"; data["frames"][0]["properties"][0]["depth_m"] == pytest.a...	Pass	0.033s
No pts dir returns 404	r.status_code == 404	Pass	0.000s
No pts dir status error	pts_client_no_data.get(f"/api/v1/propertyts/...")	Pass	0.000s
Options returns ok	r.status_code == 200	Pass	0.000s
Unknown storm message mentions storm id	"STORM-GHOST" in msg	Pass	0.030s
Unknown storm returns 404	client.get("/api/v1/propertyts/animate/STORM-GHOST")	Pass	0.022s
Unknown storm status error	client.get("/api/v1/propertyts/animate/STORM...")	Pass	0.031s
Frame has gauges	"gauges" in frame0; len(frame0["gauges"]) == 1	Pass	0.000s
Frame has hour field	"hour" in frame0	Pass	0.000s
Frame has properties	"properties" in frame0; len(frame0["properties"]) == 1	Pass	0.000s
Frame has stats	"gauges_flooded" in stats; "properties_flooded" in stats (+1 more)	Pass	0.000s
Frame hour zero is first	frame0["hour"] == 0	Pass	0.000s
Hour values sequential	[f["hour"] for f in frames] == list(range(STORM_HOURS))	Pass	0.035s
Gauge has required fields	f in gauge0	Pass	0.000s
Gauge id correct	gauge0["gauge_id"] == "GAUGE-001"	Pass	0.000s
Gauge status alert when above alert	gauge0["status"] == "alert"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge status normal when below alert	<code>g["status"] == "normal"</code>	Pass	0.034s
Gauge status severe	<code>g["status"] == "severe"</code>	Pass	0.033s
Gauge status warning	<code>g["status"] == "warning"</code>	Pass	0.035s
Gauge readings using <code>water_level_m</code> key (not <code>waterLevel</code>) still work.	<code>g["water_level_m"] == 4.3</code>	Pass	0.035s
Gauge with no readings defaults to zero	<code>frames[10]["gauges"][0]["water_level_m"] == 0</code>	Pass	0.038s
Water level from readings	<code>gauge0["water_level_m"] == 4.2</code>	Pass	0.000s
Arrived false before arrival time	<code>frames[0]["properties"][0]["arrived"] is False;</code> <code>frames[4]["properties"][0]["arrived"] is False</code>	Pass	0.000s
Arrived true at and after arrival time	<code>frames[5]["properties"][0]["arrived"] is True;</code> <code>frames[10]["properties"][0]["arrived"] is True</code>	Pass	0.000s
When <code>hour != len(readings)</code> , <code>flooded=False</code> , <code>depth_m=0</code> , <code>wse_m=0</code> .	<code>p["flooded"] is False; p["depth_m"] == 0 (+1 more)</code>	Pass	0.035s
Property has required fields	<code>f in p</code>	Pass	0.000s
Property id correct	<code>frames[0]["properties"][0]["property_id"] == "PROP-001"</code>	Pass	0.000s
Gauges flooded counts non normal	<code>stats["gauges_flooded"] == 1</code>	Pass	0.032s
Gauges flooded zero when normal	<code>stats["gauges_flooded"] == 0</code>	Pass	0.033s
Properties flooded is positive early on	<code>stats["properties_flooded"] >= 1</code>	Pass	0.035s
Total depth m non negative	<code>all(f["stats"]["total_depth_m"] >= 0 for f in frames[:5])</code>	Pass	0.033s
Frames list length equals storm hours	<code>len(data["frames"]) == STORM_HOURS</code>	Pass	0.005s
N frames equals storm hours	<code>data["n_frames"] == STORM_HOURS</code>	Pass	0.006s
N properties affected is one	<code>data["n_properties_affected"] == 1</code>	Pass	0.005s
Returns 200	<code>anim_client.get(f"/api/v1/properties/animal/STORM_ID")</code>	Pass	0.004s
Status success	<code>data["status"] == "success"</code>	Pass	0.009s
Storm id in response	<code>data["storm_id"] == STORM_ID</code>	Pass	0.006s
Minimum spread applied for floor property	<code>prob >= expected_min</code>	Pass	0.093s
Return period finite for floor	<code>rp is not None; rp > 0</code>	Pass	0.091s
Appends line	<code>"hello world" in lines</code>	Pass	0.000s
Clear then append	<code>lines == ["fresh line"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Trims buffer at 2000	<code>length <= 2000</code>	Pass	0.001s
All non negative	<code>np.all(result >= 0.0)</code>	Pass	0.001s
For each active hour, mean(gauge_precip) approximately equals catchment_precip.	<code>result[:, h].mean() ==</code> <code>pytest.approx(precip[h], rel=1e-6)</code>	Pass	0.001s
Output shape	<code>result.shape ==</code> <code>(thames_model.n_gauges, 168)</code>	Pass	0.001s
Different gauges get different precip- itation amounts.	<code>col.std() > 0.0</code>	Pass	0.001s
Mean across gauges of total precip approximately equals original catch- ment total.	<code>per_gauge_total.mean() ==</code> <code>pytest.approx(catchment_total,</code> <code>...</code>	Pass	0.001s
Zero precip hours remain zero	<code>np.all(result[:, zero_hours] == 0.0)</code>	Pass	0.001s
All factors applied	<code>abs(result - round(expected, 2)) <</code> <code>0.01</code>	Pass	0.000s
Basic calculation	<code>result == 800_000.0</code>	Pass	0.000s
Clamped to max	<code>result == MAX_PROPERTY_VALUE</code>	Pass	0.000s
Clamped to min	<code>result == MIN_PROPERTY_VALUE</code>	Pass	0.000s
Flood risk discount reduces value	<code>with_risk < no_risk</code>	Pass	0.000s
Noise factor applied	<code>result2 > result1</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Age risk approaching retirement	<code>"Medium" in r["Age Risk"]</code>	Pass	0.000s
Age risk early career	<code>"Medium" in r["Age Risk"]</code>	Pass	0.000s
Age risk prime years	<code>"Age Risk" in r;</code> <code>"Low" in r["Age</code> <code>Risk"]</code>	Pass	0.000s
Credit risk high for poor score	<code>"High" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk low for high score	<code>"Credit Risk" in r;</code> <code>"Low" in</code> <code>r["Credit Risk"]</code>	Pass	0.000s
Credit risk low medium for good score	<code>"Low-Medium" in r["Credit Risk"]</code>	Pass	0.000s
Credit risk medium for fair score	<code>"Medium" in r["Credit Risk"]</code>	Pass	0.000s
Employment risk established 2 to 5	<code>"Low-Medium" in r["Employment Risk"]</code>	Pass	0.000s
Employment risk recent under 2	<code>"Medium-High" in r["Employment</code> <code>Risk"]</code>	Pass	0.000s
Employment risk stable 5 plus	<code>"Employment Risk" in r;</code> <code>"Low" in</code> <code>r["Employment Risk"]</code>	Pass	0.000s
Income risk low for high income	<code>"Income Risk" in r;</code> <code>"Low" in</code> <code>r["Income Risk"]</code>	Pass	0.000s
Income risk low medium adequate	<code>"Low-Medium" in r["Income Risk"]</code>	Pass	0.000s
Income risk medium limited	<code>"Medium" in r["Income Risk"]</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Best and worst sections shown	"Best Data Section" in r; "Weakest Data Section" in r	Pass	0.000s
Critical completeness high	"Critical Data Reliability" in r; "High" in r["Critical Data Reliability"]	Pass	0.000s
Critical completeness low	"Low" in r["Critical Data Reliability"]	Pass	0.000s
Critical completeness medium	"Medium" in r["Critical Data Reliability"]	Pass	0.000s
Excellent over 90	"Excellent" in r["Overall Completeness"]	Pass	0.000s
Fair 60 to 75	"Fair" in r["Overall Completeness"]	Pass	0.000s
Good 75 to 90	"Good" in r["Overall Completeness"]	Pass	0.000s
Limited 40 to 60	"Limited" in r["Overall Completeness"]	Pass	0.000s
Poor under 40	"Poor" in r["Overall Completeness"]	Pass	0.000s
Building 25 years → Contemporary category.	isinstance(result, list)	Pass	0.001s
Building older than 100 years → Historic category.	isinstance(result, list)	Pass	0.001s
Building 50–100 years → Mature category.	isinstance(result, list)	Pass	0.001s
Building 25–50 years → Modern category.	isinstance(result, list)	Pass	0.001s
Basic info subsection	any("Basic Property Information" in t for t in texts)	Pass	0.001s
Building age subsection	any("Building Age" in t for t in texts)	Pass	0.001s
Condition fair recommendation	isinstance(result, list)	Pass	0.001s
Condition good recommendation	isinstance(result, list)	Pass	0.001s
Condition poor recommendation	isinstance(result, list)	Pass	0.001s
Condition unknown falls back	isinstance(result, list)	Pass	0.001s
Empty property does not crash	isinstance(result, list)	Pass	0.000s
External features subsection	any("External Features" in t for t in texts)	Pass	0.001s
Has section header	any("Property Attributes" in t for t in texts)	Pass	0.001s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.001s
No construction year skips age	isinstance(result, list)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Physical dimensions subsection	<code>any("Physical Dimensions" in t for t in texts)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Room composition subsection	<code>any("Room Composition" in t for t in texts)</code>	Pass	0.001s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.001s
Line 82: audit log $\geq$ 10000 entries gets trimmed.	<code>r.status_code == 200; len(log) <= 10000</code>	Pass	0.067s
Line 57: inventory file empty/missing $\rightarrow$ 404.	<code>r.status_code == 404</code>	Pass	0.002s
Line 85: save failure $\rightarrow$ 500.	<code>r.status_code == 500</code>	Pass	0.003s
Audit log truncated to 10000	<code>r.status_code == 200; len(entries) == 10000 (+1 more)</code>	Pass	0.054s
<code>_auditTerminalRefreshNow</code> must be on window – called from onclick in innerHTML.	<code>'window._auditTerminalRefreshNow' in audit_reports_js</code>	Pass	0.000s
JSON button was deliberately removed – must not reappear.	<code>'test_failures_report.json' not in audit_reports_js</code>	Pass	0.000s
Poll output endpoint	<code>'test-report/output' in audit_reports_js</code>	Pass	0.000s
Refresh audit tab button	<code>'_auditTerminalRefreshNow' in audit_reports_js</code>	Pass	0.000s
<code>_runTestSuite</code> must be on window – onclick attributes execute in global scope.	<code>'window._runTestSuite' in audit_reports_js</code>	Pass	0.000s
Run suite function	<code>'_runTestSuite' in audit_reports_js</code>	Pass	0.000s
Terminal overlay id	<code>'_audit-terminal-overlay' in audit_reports_js</code>	Pass	0.000s
<code>_toggleFailureDetail</code> must be on window – called from onclick in innerHTML.	<code>'window._toggleFailureDetail' in audit_reports_js</code>	Pass	0.000s
When audit log exceeds 10 000 entries, it keeps only the last 10 000.	<code>len(entries) == 10_000; entries[0].get("seq") == 1 or entries[0].get("model_id") ...</code>	Pass	0.059s
<code>auto_open=True</code> enters the auto-open block (lines 324-325).	<code>report_path is not None; Path(report_path).exists()</code>	Pass	0.024s
<code>auto_open=False</code> (default) — no open attempt, returns PDF path normally.	<code>report_path is not None; Path(report_path).exists()</code>	Pass	0.024s

Test Description	Acceptance Criteria	Result	Time
auto_open=True with a successful open_pdf_file call (lines 324-325).	report_path is not None; Path(report_path).exists()	Pass	0.026s
All pages exist	p in gen.pages	Pass	0.001s
All pages exist	p in gen.pages	Pass	0.001s
Always includes analysis pages	ap in pages	Pass	0.002s
Always includes appendix	"appendix" in pages	Pass	0.001s
Always includes gauge info pages	gp in pages	Pass	0.001s
Always includes operational pages	op in pages	Pass	0.001s
Always includes property pages	pp in pages	Pass	0.002s
Always includes summary pages	sp in pages	Pass	0.001s
Empty flood data	isinstance(pages, list)	Pass	0.001s
Empty property data	isinstance(pages, list)	Pass	0.002s
Includes analysis pages	p in pages	Pass	0.001s
Includes overview pages	p in pages	Pass	0.001s
Returns list	isinstance(pages, list); len(pages) > 0	Pass	0.001s
Returns list	isinstance(pages, list); len(pages) > 0	Pass	0.001s
With hazard curve includes analysis pages	any(p in pages for p in analysis_pages)	Pass	0.001s
With mortgage includes mortgage pages	mp in pages	Pass	0.002s
With timeseries includes analysis pages	any(p in pages for p in analysis_pages)	Pass	0.001s
Without mortgage excludes mortgage pages	mp not in pages	Pass	0.002s
Without timeseries or hazard no analysis pages	not any(p in pages for p in analysis_pages)	Pass	0.001s
Avail width value	AVAIL_WIDTH == pytest.approx(7.3 * inch)	Pass	0.000s
Lines 60-61: custom server_url and endpoints override config.	handler.server_url == 'http://test:9999'; handler.endpoints == {'a': '/api/a'}	Pass	0.000s
Lines 60-61: default server_url and endpoints from config.	handler.server_url == config.SERVER_URL; handler.endpoints == config.ENDPOINTS	Pass	0.000s
Endpoints dict is a copy, not a reference.	'z' not in handler.endpoints	Pass	0.000s
Line 154: BaseCDM.get_required_fields returns empty list by default.	cdm.get_required_fields() == []	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
get_field_info on a leaf field returns its definition.	info is not None; info["type"] == "text"	Pass	0.000s
Line 116: field path not found returns None.	mortgage_cdm.get_field_info("Mortgage.Nonexistent.Field") is None	Pass	0.000s
Line 116: partial path that resolves to non-dict returns None.	mortgage_cdm.get_field_info("Nonexistent") is None	Pass	0.000s
Line 118: get_field_info returns None when leaf is not a dict.	cdm.get_field_info("Root.Field") is None	Pass	0.000s
Line 133: metadata keys at nested level are also skipped.	"Root.Sub.Name" in fields; 'options' not in path_parts (+1 more)	Pass	0.000s
list_all_fields on PRS CDM covers nested GaugeSet section.	any("GaugeSet" in f for f in fields); any("Triggers" in f for f in fields)	Pass	0.000s
Line 133: list_all_fields recurses nested sections.	isinstance(fields, list); len(fields) > 10 (+2 more)	Pass	0.000s
Line 133: 'type', 'options', 'values', 'description', 'items' are skipped.	len(fields) == 1; fields[0] == "Section.RealField"	Pass	0.000s
Line 157: __repr__ returns class name.	"MortgageCDM" in repr(mortgage_cdm)	Pass	0.000s
Verify data is cached after first load.	len(result1) == len(result2) == 3	Pass	0.002s
Test cache clearing.	loader._cache is not None; loader._cache is None (+1 more)	Pass	0.001s
Verify force_reload bypasses cache.	len(result1) == 3; len(result2) == 0	Pass	0.002s
Test cache invalidation.	loader._cache_valid is True; loader._cache_valid is False	Pass	0.001s
Verify abstract methods must be implemented.	—	Pass	0.000s
Subclass must implement get_entity_id.	—	Pass	0.000s
Subclass must implement get_entity_summary.	—	Pass	0.000s
Test file_exists method.	loader.file_exists() is True; loader2.file_exists() is False	Skip	0.000s
Load data with alternative container key (portfolio).	len(result) == 1	Pass	0.002s
Load data when JSON has container key.	len(result) == 2	Pass	0.001s
Load data when JSON is a direct list.	len(result) == 1; result[0]['PropertyHeader']['Header']['PropertyID'] == 'P1'	Pass	0.002s
Handle missing file gracefully.	result == []	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Load data when JSON is single object.	<code>len(result) == 1</code>	Pass	0.004s
Test count method.	<code>property_loader.count() == 3</code>	Pass	0.001s
Test exists method.	<code>property_loader.exists("PROP-001")</code> <code>is True;</code> <code>property_loader.exists("NONEXISTENT")</code> <code>is False</code>	Pass	0.002s
Test finding entity by ID.	<code>result is not None;</code> <code>result['PropertyHeader']['Header']['PropertyID']</code> <code>== "PROP..."</code>	Pass	0.001s
Test finding non-existent entity.	<code>result is None</code>	Pass	0.001s
Test getting all IDs.	<code>len(ids) == 3; "PROP-001" in ids</code> (+2 more)	Skip	0.000s
Test get_status method.	<code>status['entity_type'] == 'property';</code> <code>status['file_exists'] is True</code> (+1 more)	Skip	0.000s
Test listing all entities.	<code>len(result) == 3; all('propertyId' in item for item in result)</code>	Pass	0.001s
Post loop cancellation returns early	<code>cl_mod..batch_job is None</code>	Pass	0.006s
Batch returns immediately when cancelled before start	<code>call_count == 0; cl_mod..batch_job is None</code>	Pass	0.006s
Successful batch reads metrics from summary	<code>cl_mod..batch_job["status"] == "complete"; result["auc_roc"] == 0.95</code> (+1 more)	Pass	0.007s
ETA computed from elapsed/completed when avg_per_gauge is 0.	<code>data["eta_seconds"] is not None;</code> <code>data["eta_seconds"] >= 40</code>	Pass	0.001s
ETA is None when no gauges completed yet and no historical avg.	<code>data["eta_seconds"] is None</code>	Pass	0.001s
POST when every gauge has a .joblib returns 'complete'.	<code>data["status"] == "complete";</code> <code>data["message"] == "All gauges already trained"</code>	Pass	0.008s
POST while batch is running returns current progress without starting new job.	<code>data["status"] == "running";</code> <code>data["completed"] == 2</code> (+1 more)	Pass	0.000s
Complete status includes results list.	<code>data["status"] == "complete";</code> <code>len(data["results"]) == 2</code>	Pass	0.001s
POST returns running or complete.	<code>data["status"] in ("running", "complete", "error")</code>	Pass	0.003s
Status endpoint returns expected fields when batch is running.	<code>data["status"] == "running";</code> <code>data["total"] == 10</code> (+4 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Status endpoint returns idle when no batch is running.	<code>data["status"] == "idle"</code>	Pass	0.001s
Pdf not generated returns 404	<code>r.status_code == 404;</code> <code>"not yet generated" in r.get_json()["message"]</code>	Pass	0.000s
Save failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Line 74: POST add when save fails.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Line 112: DELETE when save fails.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Line 100: PUT update when save fails.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Closed trades excluded from blotter by default.	<code>'PRS-TEST-001' not in swap_ids</code>	Pass	0.038s
include_closed=true returns closed trades too.	<code>'PRS-TEST-001' in swap_ids</code>	Pass	0.041s
Corrupt JSON in prs dir is skipped via inner exception (lines 134-135).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.049s
Blotter returns 500 when engine raises (lines 94-96).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
Close trade returns 500 when engine raises (lines 251-253).	<code>resp.status_code == 500;</code> <code>data['status'] == 'error'</code>	Pass	0.001s
PDF regen exception is caught; trade close still succeeds (lines 236-237).	<code>resp.status_code == 200;</code> <code>data['swap_id'] == 'PRS-TEST-001'</code> (+1 more)	Pass	0.021s
Trade with empty GaugeName gets name injected from gauge locations.	<code>resp.status_code == 200;</code> <code>noname[0].get('gauge_name', '') != ''</code>	Pass	0.050s
P&L bar should display net notional (signed sum).	<code>'netNotional' in js;</code> <code>'fmtGBP(netNotional)' in js</code>	Pass	0.000s
Payer (Pay) should show negative notional.	<code>'is-payer' in js; 'netNotional' in js</code>	Pass	0.000s
PRS-*.json glob must match PRS-{8hex} filenames (the production format).	<code>fnmatch.fnmatch(name, 'PRS-*.json');</code> <code>fnmatch.fnmatch(name, 'PRS-*.json')</code>	Pass	0.000s
When PRS trade files are present, GET /trading/blotter returns them.	<code>len(found) == 1</code>	Pass	0.000s
When QuantLib IS available, book must export its public API.	<code>isinstance(THAMES_CENTRAL_AREAS, list); len(THAMES_CENTRAL_AREAS) > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
port.src.book itself can be imported without QuantLib because	hasattr(mod, "THAMES_CENTRAL_AREAS")	Pass	0.002s
Thames Central book should cover exactly 10 gauge areas.	len(THAMES_CENTRAL_AREAS) == 10	Pass	0.000s
models.hazard.pricing has 'import QuantLib as ql' at module level.	—	Pass	0.001s
Family members shown	isinstance(result, list)	Pass	0.000s
Has borrower header	any("Borrower" in t for t in texts)	Pass	0.000s
Has table	any(isinstance(e, Table) for e in result)	Pass	0.000s
Income verification shown	isinstance(result, list)	Pass	0.000s
Marital status shown	isinstance(result, list)	Pass	0.000s
Nationality shown	isinstance(result, list)	Pass	0.000s
No borrower details returns early	any("No borrower" in t for t in texts)	Pass	0.000s
No mortgage returns message	any("No mortgage" in t for t in texts)	Pass	0.000s
Residency status shown	isinstance(result, list)	Pass	0.000s
Secondary income shown	isinstance(result, list)	Pass	0.000s
With mortgage returns list	isinstance(result, list) and len(result) > 0	Pass	0.001s
All none returns empty dicts	result["mortgage_lookup"] == {}; result["gauge_flood_info"] == {} (+1 more)	Pass	0.000s
All none returns four keys	set(result.keys()) == {"mortgage_lookup", "g..."	Pass	0.000s
With data populates lookups	"P1" in result["mortgage_lookup"]	Pass	0.000s
Audit trail date range	len(story) >= 6	Pass	0.000s
Audit trail empty	len(story) >= 2	Pass	0.000s
Audit trail no timestamps	len(story) >= 4	Pass	0.000s
Audit trail renders	len(story) > 0	Pass	0.000s
Bcbs239 all compliant	len(story) >= 4	Pass	0.000s
Bcbs239 at risk	len(story) >= 5	Pass	0.000s
Bcbs239 no principles	len(story) >= 2	Pass	0.000s
Bcbs239 renders	len(story) > 0	Pass	0.000s
No trades returns message	any("No open PRS trades" in t for t in texts)	Pass	0.000s
Receiver trade direction	isinstance(result, list)	Pass	0.000s
Trigger capitalized	any(isinstance(e, Table) for e in result)	Pass	0.000s
With trades returns table	len(tables) >= 1	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
With trades shows count	<code>any("Total trades: 2" in t for t in texts)</code>	Pass	0.000s
Line 186: when CDM validation returns errors, a warning is logged.	<code>record is not None; "PhysicalSwap" in record (+1 more)</code>	Pass	0.001s
When compound event causes flooding, readings are present.	<code>"readings" in result; result["flood.depth_m"] > 0 (+2 more)</code>	Pass	0.168s
Property too high for flood -i no readings key.	<code>result["flooded"] is False; "readings" not in result (+1 more)</code>	Pass	0.167s
Isolated storm type passed through to event.	<code>result["sequence_type"] == "isolated"; result["num_pulses"] == 1</code>	Pass	0.176s
Compound event has all expected keys including compound-specific ones.	<code>result["compound"] is True; result["num_pulses"] == 2 (+2 more)</code>	Pass	0.204s
When gauge severe i base_level, superposition cap is computed.	<code>call_kwargs is not None; cap_arg is not None</code>	Pass	0.183s
Distance=0 -i travel_time_hrs=0.	<code>result["travel_time_hrs"] == 0.0</code>	Pass	0.178s
Compound cluster should produce more flooding than its best pulse alone.	<code>max_cluster > max_single</code>	Pass	0.001s
Cluster should have longer flood duration than isolated.	<code>dur_cluster > dur_iso</code>	Pass	0.001s
A big isolated pulse should flood the property.	<code>max_depth > 2.0</code>	Pass	0.000s
Property too high above gauge -i no flooding.	<code>max_depth == 0.0</code>	Pass	0.000s
Output schema	<code>len(result) == 168; all('hour' in r for r in result) (+3 more)</code>	Pass	0.000s
Cover basic	<code>len(story) > 0</code>	Pass	0.001s
Cover no bcbs	<code>len(story) >= 3</code>	Pass	0.000s
Cover no tests	<code>len(story) >= 3</code>	Pass	0.000s
Cover with bcbs	<code>'BCBS' in combined or len(story) >= 5</code>	Pass	0.001s
Cover with tests	<code>len(story) >= 5</code>	Pass	0.001s
Documents empty	<code>len(story) >= 2</code>	Pass	0.000s
Documents file list	<code>len(story) >= 4</code>	Pass	0.000s
Documents renders	<code>len(story) > 0</code>	Pass	0.000s
Exec summary all pass	<code>len(story) > 0</code>	Pass	0.000s
Exec summary failures	<code>len(story) > 0</code>	Pass	0.000s
Exec summary no coverage	<code>len(story) > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Exec summary no tests	<code>len(story) > 0</code>	Pass	0.000s
Exec summary renders	<code>len(story) > 0</code>	Pass	0.000s
When flooded, arrival_time and peak_time are set.	<code>result["arrival_time_hrs"] is not None;</code> <code>result["peak_time_hrs"] is not None</code>	Pass	0.167s
High WSE above property elevation -i flooded=True.	<code>result["flooded"] is True;</code> <code>result["flood_depth_m"] > 0</code>	Pass	0.166s
Gaugets with empty readings -i no readings key (not flooded).	<code>"readings" not in result</code>	Pass	0.166s
Low WSE -i flooded=False.	<code>result["flooded"] is False</code>	Pass	0.167s
_build_flood_event returns dict with required keys.	<code>key in result; "readings" in result</code>	Pass	0.166s
Distance=0 -i travel_time=0 path.	<code>result["travel_time_hrs"] == 0.0</code>	Pass	0.166s
Both none returns empty	<code>build_gauge_flood_info(None, None) == {}</code>	Pass	0.000s
Gauge data supplements missing fields	<code>"GAUGE-002" in result;</code> <code>result["GAUGE-002"]["gauge_name"] == "My Gauge" (+2 more)</code>	Pass	0.000s
Gauge without id skipped	<code>result == {}</code>	Pass	0.000s
Hazard curves only	<code>"GAUGE-001" in result;</code> <code>result["GAUGE-001"]["gauge_name"] == "Thames at Chelsea" (+2 more)</code>	Pass	0.000s
Hazard data takes precedence	<code>result["GAUGE-003"]["gauge_name"] == "From HC"</code>	Pass	0.000s
Line 247: FileNotFoundError when gauge.json missing.	—	Pass	0.001s
Line 235: FileNotFoundError when storm_sequences.json missing.	—	Pass	0.000s
Verbose=False should skip log messages.	<code>result['summary']['num_gauges'] == 1;</code> <code>len(info_msgs) == 0</code>	Pass	0.024s
Lines 242, 254, 273, 280-281, 288: verbose logging.	<code>result['summary']['num_gauges'] == 1;</code> <code>result['summary']['num_storms'] == 20</code> (+3 more)	Pass	0.079s
Inventory empty	<code>len(story) >= 2</code>	Pass	0.000s
Inventory no risk ratings	<code>len(story) >= 3</code>	Pass	0.000s
Inventory rag colours	<code>len(story) >= 3</code>	Pass	0.001s
Inventory renders	<code>len(story) > 0</code>	Pass	0.000s
Inventory risk ratings	<code>len(story) >= 4</code>	Pass	0.000s
Mrc completed actions excluded	<code>len(story) >= 3</code>	Pass	0.000s
Mrc no decisions	<code>len(story) >= 3</code>	Pass	0.000s
Mrc no meetings	<code>len(story) >= 2</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mrc open actions	<code>len(story) >= 4</code>	Pass	0.000s
Mrc renders	<code>len(story) > 0</code>	Pass	0.000s
Mrc with decisions	<code>len(story) >= 5</code>	Pass	0.000s
No market state returns message	<code>any("No market hazard term structure" in t for t in texts)</code>	Pass	0.000s
Some tenor slots missing -¿ show 'N/A'.	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
With adjustments returns extra ta- ble	<code>len(tables) >= 2</code>	Pass	0.000s
With hts returns table	<code>len(tables) >= 1</code>	Pass	0.000s
All sections	<code>len(content) > 1000</code>	Pass	0.003s
Buffer not empty	<code>len(content) > 100</code>	Pass	0.003s
Meeting with actions	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with agenda	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with decisions	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with minutes	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with no date/time/loca- tion/chair still works.	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Meeting with participants	<code>isinstance(result, io.BytesIO)</code>	Pass	0.003s
Minimal meeting	<code>isinstance(result, io.BytesIO)</code>	Pass	0.001s
Returns bytesio	<code>isinstance(result, io.BytesIO)</code>	Pass	0.003s
Empty dict returns empty	<code>build_mortgage_lookup({}) == {}</code>	Pass	0.000s
Loan from loan details fallback	<code>result["PROP-002"]["OriginalLoan"] == 300.000</code>	Pass	0.000s
Mortgage without property id skipped	<code>build_mortgage_lookup(data) == {}</code>	Pass	0.000s
Multiple mortgages	<code>set(result.keys()) == {"P1", "P2"}</code>	Pass	0.000s
No items key returns empty	<code>build_mortgage_lookup({"other": []}) == {}</code>	Pass	0.000s
None returns empty	<code>build_mortgage_lookup(None) == {}</code>	Pass	0.000s
Single mortgage	<code>"PROP-001" in result; result["PROP-001"]["mortgage_id"] == "MORT-001" (+3 more)</code>	Pass	0.000s
Basic risk info	<code>"M1" in result["by_mortgage_id"]; "P1" in result["by_property_id"] (+3 more)</code>	Pass	0.000s
Missing mortgage or property id skipped	<code>result == {"by_mortgage_id": {}, "by_property_id": {}}</code>	Pass	0.000s
No property flood info uses un- known	<code>result["by_mortgage_id"]["M2"]["flood_risk_level"] == "Un..."</code>	Pass	0.000s
None mortgage returns empty struc- ture	<code>result == {"by_mortgage_id": {}, "by_property_id": {}}</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Value at risk calculation	result["by.mortgage.id"]["M4"]["mortgage.value.at.risk"] ...	Pass	0.001s
60 i= percentile i 80 -i 'Elevated'.	any('Elevated' in t for t in texts)	Pass	0.089s
FloodAlert and FloodWarning in metadata -i no crash.	len(elements) > 0	Pass	0.094s
80 i= percentile i 95 -i 'High'.	any('High' in t for t in texts)	Pass	0.090s
percentile i 40 -i 'Low'.	any('Low' in t for t in texts)	Pass	0.089s
40 i= percentile i 60 -i 'Normal'.	any('Normal' in t for t in texts)	Pass	0.090s
Single same_month_levels entry -i stdev guard -i no crash.	len(elements) > 0	Pass	0.087s
Stats table and distribution statistics header present.	any('Distribution Statistics' in t for t in texts)	Pass	0.089s
percentile i= 95 -i 'Very High'.	any('Very High' in t for t in texts)	Pass	0.092s
Returns position function	'getPositionStyles' in css; 'top-right' in css (+1 more)	Pass	0.000s
All none returns empty	build_property_flood_info(None, None, None) == {}	Pass	0.000s
From property data when not in phc	"PROP-002" in result; result["PROP-002"]["flood_zone"] == "Zone 2" (+1 more)	Pass	0.000s
From property hazard data	"PROP-001" in result; result["PROP-001"]["annual_flood_prob"] == pytest.approx(... (+2 more)	Pass	0.000s
Phc takes precedence over property data	result["PROP-003"]["annual_flood_prob"] == pytest.approx(...	Pass	0.000s
Base level when no exceedance	—	Pass	0.000s
Peak near expected hour	abs(peak_hour - expected) <= 2	Pass	0.000s
Peak value	max(arr) == pytest.approx(8.0, abs=0.5)	Pass	0.000s
Raci escalation triggers dict	len(story) >= 5	Pass	0.000s
Raci escalation triggers string	len(story) >= 5	Pass	0.000s
Raci missing backup	len(story) >= 3	Pass	0.000s
Raci no roles	len(story) >= 2	Pass	0.000s
Raci renders	len(story) > 0	Pass	0.000s
Raci with activities	len(story) >= 5	Pass	0.000s
alert i= peak i warning -i 'Alert'.	len(elements) > 1	Pass	0.000s
ValueError/TypeError in date parsing (lines 179-180) -i continue.	len(elements) > 0	Pass	0.000s
Days within 3 days grouped; higher level updates peak.	not any('No flood events' in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Consecutive days -i single event with range format.	<code>len(elements) > 1</code>	Pass	0.000s
No days exceeding alert -i 'No flood events recorded'.	<code>any('No flood events' in t for t in texts)</code>	Pass	0.000s
Peak i= severe.level -i 'Severe' row in table.	<code>len(elements) > 1</code>	Pass	0.000s
Single-day flood: date_str = start.strftime(...) only.	<code>len(elements) > 1</code>	Pass	0.000s
Days i 3 days apart -i two separate flood events.	<code>len(elements) > 1</code>	Pass	0.000s
warning j= peak j severe -i 'Warning'.	<code>len(elements) > 1</code>	Pass	0.000s
Recommendations all clean	<code>len(story) >= 3</code>	Pass	0.000s
Recommendations bcbs at risk	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations overdue remediation	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations peer reviewer gap	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations raci backup gaps	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations renders	<code>len(story) > 0</code>	Pass	0.000s
Recommendations failures	<code>len(story) >= 4</code>	Pass	0.000s
Recommendations validation gap	<code>len(story) >= 4</code>	Pass	0.000s
Remediation all completed	<code>len(story) >= 4</code>	Pass	0.000s
Remediation empty	<code>len(story) >= 2</code>	Pass	0.000s
Remediation overdue highlighted	<code>len(story) >= 4</code>	Pass	0.000s
Remediation priority sorting	<code>len(story) >= 4</code>	Pass	0.000s
Remediation renders	<code>len(story) > 0</code>	Pass	0.000s
Empty schema returns empty dict	<code>make_generator(tmp_path).build_section({}, 0, {}) == {}</code>	Pass	0.000s
Nested dict without type recurses	<code>"SubSection" in result; isinstance(result["SubSection"], dict)</code>	Pass	0.000s
Non dict schema returns empty dict	<code>make_generator(tmp_path).build_section("not a dict", 0, ...)</code>	Pass	0.000s
None schema returns empty dict	<code>make_generator(tmp_path).build_section(None, 0, {}) == {}</code>	Pass	0.000s
None value from generate field value excluded	<code>"AField" not in result</code>	Pass	0.000s
Reserved key description skipped	<code>"description" not in make_generator(tmp_path).build_sect...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Reserved key options skipped	"options" not in make_generator(tmp_path)..build_section(...	Pass	0.000s
Reserved key type skipped	"type" not in result	Pass	0.000s
Reserved key values skipped	"values" not in make_generator(tmp_path)..build_section({...	Pass	0.000s
Contains all types	t.key in parsed; 'icon' in parsed[t.key] (+2 more)	Pass	0.000s
Info template values	parsed['info']['color'] == '#2196F3'	Pass	0.000s
Returns valid json	isinstance(parsed, dict)	Pass	0.000s
Testing no junit	len(story) >= 3	Pass	0.000s
Testing no sensitivity generators	len(story) >= 4	Pass	0.000s
Testing per model coverage	len(story) >= 6	Pass	0.000s
Testing renders	len(story) > 0	Pass	0.000s
Testing with coverage	len(story) >= 5	Pass	0.000s
Testing with sensitivity generators	len(story) >= 6	Pass	0.000s
Validation all reviewers assigned	len(story) >= 3	Pass	0.000s
Validation high assumptions	len(story) > 3	Pass	0.000s
Validation no assumptions	len(story) >= 3	Pass	0.000s
Validation no questions	len(story) >= 1	Pass	0.000s
Validation peer reviewer gaps	len(story) >= 4	Pass	0.000s
Validation renders	len(story) > 0	Pass	0.000s
Line 88: exceedance probs between 0 and 0.01 are capped to 0.01.	pt.annual.exceedance_prob >= 0.01 or pt.annual.exceedance...	Pass	0.023s
Line 61: log() does nothing when verbose=False.	"should not appear" not in caplog.text	Pass	0.000s
Line 61: log() calls logger.info when verbose=True.	"test message" in caplog.text	Pass	0.001s
Line 152: progress logged every 10 gauges.	len(curves) == 11; "10/11" in caplog.text or "Processed" in caplog.text	Pass	0.187s
All days before start	d < today	Pass	0.000s
Chronological order	days[i] > days[i - 1]	Pass	0.000s
Ends before start	d < start	Pass	0.000s
Large count	len(days) == 252; d.weekday() < 5	Pass	0.000s
Last element should be the business day immediately before start.	last < start; last.weekday() < 5	Pass	0.000s
No weekends	d.weekday() < 5	Pass	0.000s
Returns ascending order	result == sorted(result)	Pass	0.000s
Returns business days only	d.weekday() < 5	Pass	0.000s
Returns correct count	len(days) == 63	Pass	0.000s
Returns correct count	len(result) == 5	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Single day	<code>len(days) == 1; days[0].weekday() < 5</code>	Pass	0.000s
Single day	<code>len(result) == 1; result[0].weekday() < 5</code>	Pass	0.000s
Skips weekends	<code>wd not in returned_set</code>	Pass	0.000s
The day before Monday is Sunday — should skip back to Friday.	<code>days[0].weekday() == 4</code>	Pass	0.000s
5 days back from Wednesday should contain no Saturday/Sunday.	<code>len(days) == 5; d.weekday() < 5</code>	Pass	0.000s
Zero days	<code>result == []</code>	Pass	0.000s
Test CORS headers on GET request.	<code>response.status_code == 200</code>	Pass	0.000s
Test OPTIONS requests return 200.	<code>response.status_code == 200</code>	Pass	0.001s
Larger area gives larger energy	<code>sum(large) > sum(small)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default area when missing	<code>result > 0; result > 0</code>	Pass	0.000s
Is float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Larger area tends to give larger emissions	<code>sum(large) > sum(small)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default area when missing	<code>result > 0; result > 0</code>	Pass	0.000s
Correct calculation	<code>abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Is float	<code>isinstance(result, float);</code> <code>isinstance(result, float)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses defaults when missing	<code>result >= 0; abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Zero usage returns zero	<code>result == 0.0</code>	Pass	0.000s
Above severe level some positive	<code>np.any(depths > 0)</code>	Pass	0.001s
Below severe level returns zeros	—	Pass	0.001s
Depths capped at 5m	<code>np.all(depths <= 5.0)</code>	Pass	0.000s
Empty gauge data returns zeros	—	Pass	0.000s
No gauge data returns zeros	—	Pass	0.000s
Returns correct length	<code>len(depths) == len(properties)</code>	Pass	0.000s
Lines 50-57: non-None gauge_data calls calculate_synthetic_flood_depths.	<code>len(depths) == 3; isinstance(depths, np.ndarray)</code>	Pass	0.000s
Key remapping: 'flow_cumecs' → 'flow'.	<code>"mean_flow" in result;</code> <code>"mean_flow_cumecs" not in result</code>	Pass	0.000s
Flow stats should include q5_flow and q95_flow.	<code>"q5_flow" in result; "q95_flow" in result</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns dict	<code>isinstance(result, dict);</code> <code>isinstance(result, dict) (+1 more)</code>	Pass	0.000s
Less than remaining energy	<code>result <= 9001</code>	Pass	0.000s
No negative when electricity exceeds total	<code>result == 0</code>	Pass	0.000s
Returns non negative	<code>result >= 0</code>	Pass	0.000s
Uses defaults when missing	<code>result >= 0; abs(result - 2430.0) < 0.01</code>	Pass	0.000s
Fraction of total	<code>all(4500 <= r <= 12001 for r in results)</code>	Pass	0.000s
Returns positive value	<code>result > 0; result > 0 (+2 more)</code>	Pass	0.000s
Uses default energy when missing	<code>result > 0</code>	Pass	0.000s
Key remapping: 'level_meters' → 'level'.	<code>"mean_level" in result;</code> <code>"mean_level_meters" not in result</code>	Pass	0.001s
Has min max	<code>"min_level" in result; "max_level" in result</code>	Pass	0.001s
Returns dict	<code>isinstance(result, dict);</code> <code>isinstance(result, dict) (+1 more)</code>	Pass	0.001s
Buy to let type	<code>result["mortgage_type"] == "Buy-to-Let"</code>	Pass	0.000s
High flood risk reduces ltv	<code>high_risk["ltv_ratio"] <= normal["ltv_ratio"] + 0.01</code>	Pass	0.000s
Loan amount positive	<code>result["loan_amount"] > 0</code>	Pass	0.000s
Monthly payment positive	<code>result["monthly_payment"] > 0</code>	Pass	0.000s
Required keys present	<code>key in result</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Second home type	<code>result["mortgage_type"] == "Second Home"</code>	Pass	0.000s
Conditional rating middle range	<code>result["calculated_rating"] in ("Conditional", "Unaccepta...</code>	Pass	0.000s
Due soon gives half score	<code>result["component_scores"]["review_currency"] == 0.5</code>	Pass	0.000s
Far review gives full score	<code>result["component_scores"]["review_currency"] == 1.0</code>	Pass	0.000s
High assumptions penalised	<code>result["component_scores"]["assumption_risk"] == 0.0</code>	Pass	0.000s
High coverage acceptable	<code>result["calculated_rating"] == "Acceptable"</code>	Pass	0.000s
High limitations penalised	<code>result["component_scores"]["limitation_risk"] == 0.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No coverage unacceptable	result["calculated_rating"] == "Unacceptable"	Pass	0.000s
No review date gives zero	result["component_scores"]["review_currency"] == 0.0	Pass	0.000s
Overdue review gives zero score	result["component_scores"]["review_currency"] == 0.0	Pass	0.000s
Returns dict with required keys	"calculated_rating" in result; "calculated_score" in result (+1 more)	Pass	0.000s
Score is float	isinstance(result["calculated_score"], float)	Pass	0.000s
Heat pump returns zero	result == 0	Pass	0.000s
Multiple returns positive	result > 0	Pass	0.000s
No solar returns zero	result == 0	Pass	0.000s
No system returns zero	result == 0	Pass	0.000s
Solar pv returns positive	result > 0	Pass	0.000s
Solar uses default area when missing	result > 0	Pass	0.000s
Annual maxima present	"annual_maxima" in stats; stats["annual_maxima"]["years.count"] == 2	Pass	0.000s
Basic stats keys	key in stats	Pass	0.000s
Empty returns empty dict	GaugeHistoricalDaily().calculate_statistics() == {}	Pass	0.000s
Extreme events above p99	"extreme_events" in stats; stats["extreme_events"]["count"] >= 1	Pass	0.000s
Mean correct	gen.calculate_statistics(flows)["mean_flow"] == pytest.ap...	Pass	0.000s
Min max correct	stats["min_flow"] == pytest.approx(5.0); stats["max_flow"] == pytest.approx(100.0)	Pass	0.000s
Monthly means present	"01" in stats["monthly_means"]; "02" in stats["monthly_means"]	Pass	0.000s
Percentiles present	"percentiles" in stats; p in stats["percentiles"]	Pass	0.000s
Single flow no std dev error	gen.calculate_statistics(flows)["std_dev"] == 0	Pass	0.000s
All percentile keys present	p in stats["percentiles"]	Pass	0.000s
Annual maxima events capped at ten	len(stats["annual_maxima"]["events"]) <= 10	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Extreme events top 10 capped	<code>len(stats["extreme_events"]["top_10"])</code> <code><= 10</code>	Pass	0.000s
Max flow date correctly identified	<code>stats["max_flow_date"] ==</code> <code>"2020-01-02"; stats["max_flow"]</code> <code>== pytest.approx(200.0)</code>	Pass	0.000s
Q5 flow equals p95	<code>stats["q5_flow"] ==</code> <code>stats["percentiles"]["p95"]</code>	Pass	0.000s
Q95 flow equals p5	<code>stats["q95_flow"] ==</code> <code>stats["percentiles"]["p5"]</code>	Pass	0.000s
Record start and end match data	<code>stats["record_start"] ==</code> <code>"2018-05-01"; stats["record_end"]</code> <code>== "2021-08-15"</code>	Pass	0.000s
Single year annual maxima std dev zero	<code>stats["annual_maxima"]["years_count"]</code> <code>== 1;</code> <code>stats["annual_maxima"]["std_dev"]</code> <code>== 0</code>	Pass	0.000s
Total years approximate	<code>stats["total_days"] == 20;</code> <code>stats["total_years"] == round(20</code> <code>/ 365.25, 1)</code>	Pass	0.000s
Two flow std dev non zero	<code>gen.calculate_statistics(flows)["std_dev"]</code> <code>> 0</code>	Pass	0.000s
All same values	<code>result["mean_level_meters"] == 3.0;</code> <code>result["std_dev"] == 0.0</code>	Pass	0.000s
Empty returns empty dict	<code>calculate_timeseries_statistics([],</code> <code>"level_meters") == {}</code>	Pass	0.000s
Flood exceedances zero when all below	<code>result["flood_exceedances"]["flood_alert"]</code> <code>== 0</code>	Pass	0.000s
Flood stages adds exceedances	<code>"flood_exceedances" in result;</code> <code>result["flood_exceedances"]["severe_warning"]["count"]</code> <code>>= 1</code>	Pass	0.001s
Flow cumecs adds q flows	<code>"q95_flow" in result; "q5_flow" in</code> <code>result</code>	Pass	0.000s
Has annual maxima	<code>"annual_maxima" in</code> <code>result; "years_count" in</code> <code>result["annual_maxima"]</code>	Pass	0.001s
Has basic keys	<code>"total_days" in result;</code> <code>"mean_level_meters" in result</code> (+2 more)	Pass	0.001s
Has extreme events	<code>"extreme_events" in result</code>	Pass	0.001s
Has monthly means	<code>"monthly_means" in result</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Has percentiles	"percentiles" in result; "p5" in result["percentiles"] (+1 more)	Pass	0.001s
Max date correct	result["max_level_meters_date"] == "2026-01-02"	Pass	0.000s
No flood stages no exceedances key	"flood.exceedances" not in result	Pass	0.001s
Record start end	result["record_start"] == "2020-01-01"; result["record_end"] == "2025-12-31"	Pass	0.000s
Returns dict	isinstance(result, dict); isinstance(result, dict) (+1 more)	Pass	0.001s
Single observation no stdev error	result["std_dev"] == 0	Pass	0.000s
Total days correct	result["total_days"] == 100	Pass	0.000s
Explicit none params	isinstance(level, float)	Pass	0.000s
None params uses defaults	isinstance(level, float); level > 0	Pass	0.000s
Lines 54-56: internal error returns 500 JSON error.	r.status_code in (404, 500); data["status"] == "error"	Pass	0.001s
Lines 108-113: exception in set_catchment returns 500.	r.status_code in (200, 500)	Pass	0.001s
Uses addEventListener, not inline onclick for sub-tabs.	'addEventListener' in stress_js; 'stress-ctab-0' in stress_js (+2 more)	Pass	0.000s
Flood Probability sub-tab present.	'Flood Probability' in stress_js	Pass	0.000s
Stress P&L sub-tab present.	'Stress P' in stress_js	Pass	0.000s
Surface sub-tab present.	'Surface' in stress_js	Pass	0.000s
Consumer has no hash for input	not ok; "no recorded hash" in issues[0].lower()	Pass	0.000s
Consumer never run	not ok; "never run" in issues[0].lower()	Pass	0.000s
Fresh when hashes match	ok; issues == []	Pass	0.000s
No hash recorded for producer output	not ok; "No hash recorded" in issues[0]	Pass	0.000s
Producer never run	not ok; "never run" in issues[0].lower()	Pass	0.000s
Root steps (gauges, counterparties) have no inputs → always fresh.	ok; issues == []	Pass	0.000s
Stale when hashes differ	not ok; "stale" in issues[0].lower()	Pass	0.000s
Unknown step	not ok; "Unknown step" in issues[0]	Pass	0.000s
All outputs present → complete.	result["complete"]; result["missing"] == [] (+1 more)	Pass	0.004s
Empty directory is as broken as missing.	not result["complete"]; len(empty) == 1 (+2 more)	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Missing gauge.json → incomplete.	not result["complete"]; "gauge.json" in missing-outputs (+2 more)	Pass	0.000s
Only root steps present → reports downstream as missing.	not result["complete"]; result["present"] == 3 (+3 more)	Pass	0.001s
All pipeline steps missing produces 'missing' statuses.	len(results) == 14; r["status"] == "missing" (+2 more)	Pass	0.000s
A directory step checks most recent file mtime.	ghd_step["status"] == "fresh"	Pass	0.001s
A directory with only old files is stale.	ghd_step["status"] == "stale"	Pass	0.001s
An empty directory counts as missing.	ghd_step["status"] == "missing"	Pass	0.000s
A recently modified file is reported as 'fresh'.	gauge_step["status"] == "fresh"; gauge_step["last_run"] is not None (+1 more)	Pass	0.000s
Dotfiles in directories are ignored.	ghd_step["status"] == "missing"	Pass	0.001s
If manifest has last_run AND file exists, manifest last_run is kept.	gauge_step["last_run"] == "2026-01-01T00:00:00"	Pass	0.000s
If lineage manifest has last_run, it is carried through.	gauge_step["last_run"] == "2026-03-01T12:00:00"	Pass	0.000s
A file older than 72 hours is reported as 'stale'.	prop_step["status"] == "stale"; len(prop_step["issues"]) == 1 (+1 more)	Pass	0.000s
All present	ok; missing == []	Pass	0.000s
Missing upstream	not ok; "gauges" in missing	Pass	0.000s
Nearby ranges round to same cache key.	L1 is L2	Pass	0.000s
Second call at same range returns cached object.	L1 is L2	Pass	0.000s
Cholesky lower triangular	np.allclose(np.triu(L, k=1), 0.0)	Pass	0.000s
L @ L.T == C within numerical tolerance.	np.allclose(L @ L.T, C, atol=1e-10)	Pass	0.001s
Thames cholesky reconstruction	np.allclose(L @ L.T, C, atol=1e-8)	Pass	0.009s
When np.linalg.cholesky raises LinAlgError on first call,	L.shape == (model.n_gauges, model.n_gauges); call_count[0] == 2	Pass	0.000s
Generator error has message	r.get_json().get("message")	Pass	0.004s
Generator error returns 500	r.status_code == 500	Pass	0.005s
Generator error status is error	r.get_json()["status"] == "error"	Pass	0.004s
Claim ref is built from last 8 chars of property_id.	len(result) > 1000	Pass	0.017s

Test Description	Acceptance Criteria	Result	Time
Generate empty sequence lookup	<code>isinstance(result, bytes)</code>	Pass	0.021s
Generate returns bytes	<code>isinstance(result, bytes);</code> <code>len(result) > 0</code>	Pass	0.021s
Generate without mortgage	<code>isinstance(result, bytes); result[:4]</code> <code>== b'%PDF'</code>	Pass	0.017s
Minimal prop_data with a single flood event should not raise.	<code>isinstance(result, bytes)</code>	Pass	0.013s
Output is valid pdf	<code>result[:4] == b'%PDF'</code>	Pass	0.021s
Pdf size reasonable	<code>len(result) > 8.000</code>	Pass	0.021s
Content length header set	<code>r.headers.get("Content-Length") ==</code> <code>str(len(fake.pdf))</code>	Pass	0.003s
Filename contains prop id	<code>CLAIM_PROP_ID in cd</code>	Pass	0.003s
Response body is pdf bytes	<code>r.data == fake_pdf</code>	Pass	0.004s
Response has content disposition	<code>"attachment" in cd; CLAIM_PROP_ID in</code> <code>cd</code>	Pass	0.005s
Response is pdf content type	<code>r.content_type == "application/pdf"</code>	Pass	0.005s
Success returns 200	<code>r.status_code == 200</code>	Pass	0.004s
Corrupt storm_sequences.json triggers the except in load_sequence_lookup (L56-57).	<code>r.status_code == 200; seq_lookup == {}</code>	Pass	0.031s
load_mortgage_record exception (L89-91) returns None; report still generated.	<code>r.status_code == 200; mort_record is</code> <code>None</code>	Pass	0.002s
load_prop_record exception (L71-73) returns {}; report still generated.	<code>r.status_code == 200; prop_record ==</code> <code>{}</code>	Pass	0.002s
load_sequence_lookup exception (L56-57) returns empty dict; report still generated.	<code>r.status_code == 200</code>	Pass	0.002s
No dir message mentions propertyts	<code>"propertyts" in msg or "property" in</code> <code>msg or "not found" i...</code>	Pass	0.000s
No dir returns 404	<code>r.status_code == 404</code>	Pass	0.000s
No dir status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s
No floods message mentions events	<code>"flood" in msg or "event" in msg</code>	Pass	0.002s
No floods returns 404	<code>r.status_code == 404</code>	Pass	0.001s
No floods status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Unknown property message contains id	<code>"PROP-GHOST" in</code> <code>r.get_json()["message"]</code>	Pass	0.000s
Unknown property returns 404	<code>r.status_code == 404</code>	Pass	0.000s
Unknown property status error	<code>r.get_json()["status"] == "error"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Metadata categories contains expected keys	key in cats	Pass	0.000s
Metadata categories station has required subkeys	key in station_keys	Pass	0.000s
Schema version is string	<pre> isinstance(GaugeHistoricalDaily.SCHEMA_VERSION, str); len(GaugeHistoricalDaily.SCHEMA_VERSION) > 0 </pre>	Pass	0.000s
Classifiers that exist should reference current gauge IDs.	len(valid) > 0	Pass	0.002s
training_summary.json must exist alongside classifiers.	—	Skip	0.000s
Job dict says 'failed' => status failed with error message.	<pre> resp.status_code == 200; data["status"] == "failed" </pre> (+2 more)	Pass	0.000s
Failed job with no 'error' key falls back to 'Unknown error'.	<pre> data["status"] == "failed"; data["error"] == "Unknown error" </pre>	Pass	0.000s
If joblib exists on disk, status is 'ready' even if job dict says 'training'.	data["status"] == "ready"	Pass	0.001s
No joblib file and no training job => not_trained.	<pre> resp.status_code == 200; data["status"] == "not_trained" </pre> (+1 more)	Pass	0.000s
Job dict says 'ready' (joblib might not exist yet) => status ready.	<pre> resp.status_code == 200; data["status"] == "ready" </pre>	Pass	0.000s
If a .joblib file exists for the gauge, status is 'ready'.	<pre> resp.status_code == 200; data["status"] == "ready" </pre> (+1 more)	Pass	0.001s
When a training job is in progress, status is 'training' with elapsed.	<pre> resp.status_code == 200; data["status"] == "training" </pre> (+4 more)	Pass	0.000s
Unknown gauge with no joblib and no job => not_trained.	<pre> resp.status_code == 200; data["status"] == "not_trained" </pre>	Pass	0.001s
Status endpoint	<pre> '/api/v1/trading/stress/classifier-status/' in cl_js </pre>	Pass	0.000s
Summary endpoint	<pre> '/api/v1/trading/classifiers/summary' in cl_js </pre>	Pass	0.000s
Train all endpoint	<pre> '/api/v1/trading/classifiers/train-all' in cl_js </pre>	Pass	0.000s
Train endpoint	<pre> '/api/v1/trading/stress/train/' in cl_js </pre>	Pass	0.000s
hidePanel calls clCleanupCharts.	'clCleanupCharts' in full_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
'classifiers' included in switchTab views array.	<code>""classifiers"" in full_js</code>	Pass	0.000s
switchTab calls loadClassifiersData.	<code>'loadClassifiersData()' in full_js</code>	Pass	0.000s
Tab button array includes classifiers.	<code>""classifiers"" in full_js</code> <code>""classifiers"" in full_js</code>	Pass	0.000s
createClassifiersView() called in panel setup.	<code>'createClassifiersView()' in full_js</code>	Pass	0.000s
All gauges have .joblib → ready=True.	<code>data["ready"] is True;</code> <code>data["trained"] == data["total"]</code> (+1 more)	Pass	0.015s
Internal error → 500 with error status.	<code>resp.status_code == 500;</code> <code>data["status"] == "error" (+1 more)</code>	Pass	0.015s
No .joblib files → ready=False.	<code>resp.status_code == 200;</code> <code>data["status"] == "success" (+4 more)</code>	Pass	0.008s
Some gauges trained → ready=False, correct counts.	<code>data["ready"] is False;</code> <code>data["trained"] == 2 (+1 more)</code>	Pass	0.008s
classifiers.get_js() returns non-empty string.	<code>len(cl_js) > 0</code>	Pass	0.000s
'_clStartBatchTraining' triggers train-all.	<code>'_clStartBatchTraining' in cl_js</code>	Pass	0.000s
'_clCleanupCharts' destroys Chart.js instances.	<code>'_clCleanupCharts' in cl_js</code>	Pass	0.000s
'createClassifiersView' builds the Tab 9 DOM.	<code>'createClassifiersView' in cl_js</code>	Pass	0.000s
'_clRenderFeatureChart' renders feature importance bar chart.	<code>'_clRenderFeatureChart' in cl_js</code>	Pass	0.000s
'loadClassifiersData' fetches summary on tab open.	<code>'loadClassifiersData' in cl_js</code>	Pass	0.000s
'_clMetricCard' builds metric display cards.	<code>'_clMetricCard' in cl_js</code>	Pass	0.000s
'_clUpdateProgress' updates the batch progress bar.	<code>'_clUpdateProgress' in cl_js</code>	Pass	0.000s
'_clRenderDetail' renders single-gauge detail panel.	<code>'_clRenderDetail' in cl_js</code>	Pass	0.000s
'_clRenderSummaryTable' renders the all-gauge table.	<code>'_clRenderSummaryTable' in cl_js</code>	Pass	0.000s
'_clStartSingleTraining' triggers per-gauge training.	<code>'_clStartSingleTraining' in cl_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Module-level state variables must be declared.	'clSummary' in cl.js; 'clSelectedGaugeId' in cl.js (+2 more)	Pass	0.000s
Avg auc computed	data["num_trained"] == 1; data["avg_auc_roc"] == 0.95	Pass	0.004s
Gauge fields	"gauge_id" in g; "gauge_name" in g (+4 more)	Pass	0.005s
Gauges sorted by longitude	lons == sorted(lons)	Pass	0.003s
No .joblib files → all gauges show has_model=False.	data["num_trained"] == 0; g["has_model"] is False	Pass	0.006s
Returns all gauges	"gauges" in data; data["num_total"] > 0	Pass	0.005s
Returns success	resp.status_code == 200; data["status"] == "success"	Pass	0.006s
When training_summary.json + .joblib exist, metrics appear.	len(trained) == 1; g["has_model"] is True (+4 more)	Pass	0.010s
Above high threshold is high	_classify_property_risk(0.5) == "High"	Pass	0.000s
High threshold	_classify_property_risk(0.03) == "High"	Pass	0.000s
Just below medium is low	_classify_property_risk(0.009) == "Low"	Pass	0.000s
Medium threshold	_classify_property_risk(0.01) == "Medium"	Pass	0.000s
Tiny prob is low	_classify_property_risk(0.005) == "Low"	Pass	0.000s
Zero is negligible	_classify_property_risk(0.0) == "Negligible"	Pass	0.000s
No models to clear → removed=0.	resp.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.001s
Internal error → 500.	resp.status_code == 500; data["status"] == "error"	Pass	0.001s
Clears .joblib files and training_summary.json.	data["status"] == "success"; data["removed"] == 3 (+3 more)	Pass	0.014s
clear-all still returns success when port_stress import fails.	data["status"] == "success"; data["removed"] == 1	Pass	0.001s
Close response includes final P&L.	'final_pnl' in data	Pass	0.029s
After close, trade status is set to Closed in marks file.	marks_file.exists(); marks['PRS-TEST-002']['trade_status'] == 'Closed' (+2 more)	Pass	0.030s

Test Description	Acceptance Criteria	Result	Time
Closing non-existent trade returns 404.	<code>resp.status_code == 404</code>	Pass	0.022s
Close-out without close-out_spread_bps returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Settlement amount reflects the negotiated closeout spread, not fair spread.	<code>data['status'] == 'success';</code> <code>data['close_spread_bps'] == 400.0</code> (+2 more)	Pass	0.030s
Closing a trade at a negotiated spread returns success with close spread.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.028s
Closed trade should not appear in stress results.	<code>resp.status_code == 200; t['swap_id'] != 'PRS-CLOSED-001'</code>	Pass	0.055s
post_damage_ltv is recomputed independently for each storm.	<code>ltvs["STORM-cl2"] ></code> <code>ltvs["STORM-cl1"]; ltvs["STORM-cl2"] > ltvs["STORM-cl3"]</code>	Pass	0.004s
Each cluster storm individually queryable	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.004s
STORM-cl2 (damage_ratio=0.15) causes more damage than cl1 or cl3.	<code>damages["STORM-cl2"] ></code> <code>damages["STORM-cl1"];</code> <code>damages["STORM-cl2"] ></code> <code>damages["STORM-cl3"]</code>	Pass	0.004s
Querying a storm_id that didn't breach alert returns 404.	<code>r.status_code == 404</code>	Pass	0.003s
Summary max_depth_m reflects the worst storm in the cluster.	<code>result["summary"]["max_depth_m"] >= 0.0</code>	Pass	0.172s
Cluster produces three flood events	<code>len(data["flood_events"]) == 3</code>	Pass	0.196s
Cluster three distinct storm ids in events	<code>storm_ids == {"STORM-c001a", "STORM-c001b", "STORM-c001c"}</code>	Pass	0.172s
The 'from port.src.book import ...' statement in cmd_port must be	<code>blotter_idx != -1; book_idx != -1</code> (+1 more)	Pass	0.002s
Importing app.commands.port must not trigger QuantLib.	<code>hasattr(mod, "cmd_port"); hasattr(mod, "register_parser")</code>	Pass	0.001s
chain_result has expected keys.	<code>'is_consistent' in chain;</code> <code>'stale_steps' in chain</code> (+1 more)	Pass	0.005s
Every step in graph should have a step_details entry.	<code>graph_steps == detail_steps</code>	Pass	0.005s
Pipeline must have at least one step.	<code>data['num_steps'] > 0</code>	Pass	0.005s
collect_all() returns a dict with expected keys.	<code>isinstance(data, dict); 'manifest' in data</code> (+4 more)	Pass	0.007s
step_details is a list of dicts.	<code>isinstance(data['step_details'], list); isinstance(sd, dict)</code> (+5 more)	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Blue is hex colour	<code>BLUE == colors.HexColor('#1565C0')</code>	Pass	0.000s
Dark blue	<code>DARK.BLUE == colors.darkblue</code>	Pass	0.000s
Grey	<code>GREY == colors.HexColor('#757575')</code>	Pass	0.000s
Light amber	<code>LIGHT.AMBER == colors.HexColor('#FFF8E1')</code>	Pass	0.000s
Light blue	<code>LIGHT.BLUE == colors.HexColor('#E3F2FD')</code>	Pass	0.000s
Light green	<code>LIGHT.GREEN == colors.HexColor('#E8F5E9')</code>	Pass	0.000s
Light red	<code>LIGHT.RED == colors.HexColor('#FFEBEE')</code>	Pass	0.000s
Age 50 to 100	<code>mid_age > young</code>	Pass	0.000s
Age over 100	<code>old > young</code>	Pass	0.000s
Basic returns float	<code>isinstance(score, float); 0 < score ≤ 10</code>	Pass	0.000s
Construction concrete lower	<code>concrete < brick</code>	Pass	0.000s
Construction steel lowest	<code>steel < concrete</code>	Pass	0.000s
Construction timber higher	<code>timber > brick</code>	Pass	0.000s
Construction wood equals timber	<code>timber == wood</code>	Pass	0.000s
High ltv multiplier	<code>high > low</code>	Pass	0.000s
Ltv 60 to 80 multiplier	<code>mid > base</code>	Pass	0.000s
Ltv 80 to 95 multiplier	<code>mid > base</code>	Pass	0.000s
None ltv no multiplier	<code>0 < score ≤ 10</code>	Pass	0.000s
Unknown construction type	<code>0 < score ≤ 10</code>	Pass	0.000s
Unknown flood level	<code>0 < score ≤ 10</code>	Pass	0.000s
Very high flood capped	<code>score == 10.0</code>	Pass	0.000s
Very low flood lowest score	<code>vl < vh</code>	Pass	0.000s
All sections together	<code>isinstance(result, list); len(tables) ≥ 2</code>	Pass	0.000s
Feeding bad data (non-dict regulatory) exercises the except block.	<code>isinstance(result, list)</code>	Pass	0.000s
mortgage_data without 'Mortgage' key → uses top-level.	<code>isinstance(result, list)</code>	Pass	0.000s
Commit button must call tdCommitMarket().	<code>'tdCommitMarket()' in js or 'tdCommitMarket(' in js</code>	Pass	0.000s
Market tab must contain a visible commit button with correct ID.	<code>'td-commit-btn' in js</code>	Pass	0.000s
Commit button must NOT have display:none in its own style.	<code>'display:none' not in own.style</code>	Pass	0.000s
tdCommitMarket function must be defined.	<code>'tdCommitMarket = function' in js or \{\} 'fu...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Commit function must POST to hazard-term-structure/commit.	<code>'/trading/hazard-term-structure/commit'</code> <code>in js</code>	Pass	0.000s
After commit, must switch to blotter tab (which loads blotter data).	<code>"switchTab('blotter')" in js</code>	Pass	0.000s
Close out path exercised	<code>r.status_code in (200, 400)</code>	Pass	0.037s
Commit with cashflows — exercises PDF cashflow schedule section.	<code>r.status_code in (200, 400)</code>	Pass	0.009s
Commit with maturity_date provided explicitly.	<code>r.status_code in (200, 400)</code>	Pass	0.007s
Empty json returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Commit with enough fields to pass CDM validation.	<code>r.status_code in (200, 400);</code> <code>r.get_json()["status"] in ("success", "error")</code>	Pass	0.006s
No json returns error	<code>r.status_code in (400, 500);</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.003s
Validation fails returns 400	<code>r.status_code == 400; data["status"] == "error" (+1 more)</code>	Pass	0.028s
commit_yield_curve creates yield_curve from default when missing.	<code>updated['yield_curve']['1'] == 0.04;</code> <code>updated['yield_curve']['2'] == 0.045</code>	Pass	0.002s
Advised flag	<code>isinstance(result, list)</code>	Pass	0.000s
Business purpose false	<code>isinstance(result, list)</code>	Pass	0.000s
Business purpose true	<code>isinstance(result, list)</code>	Pass	0.000s
Common section returns elements	<code>isinstance(result, list); len(result) > 2</code>	Pass	0.000s
Fca reference number	<code>len(tables) >= 1</code>	Pass	0.000s
Multiple regulatory flags	<code>isinstance(result, list)</code>	Pass	0.000s
Contains header	<code>"Scenario Comparison" in result</code>	Pass	0.365s
Contains scenario names	<code>name in result</code>	Pass	0.364s
None uses all scenarios	<code>len(result) > 50</code>	Pass	0.364s
Returns string	<code>isinstance(result, str)</code>	Pass	0.376s
Single scenario	<code>first_name in result</code>	Pass	0.073s
Two scenarios	<code>name in result</code>	Pass	0.146s
Shim class is same	<code>New is Shim</code>	Pass	0.000s
Shim imports generator	<code>ClaimReportGenerator is not None</code>	Pass	0.001s
Line 159: <code>_create_summary</code> calls <code>get_entity_summary</code> .	<code>summary == {'id': 'Y', 'name': 'Ypsilon'}</code>	Pass	0.000s
Line 155: <code>_extract_id</code> calls <code>get_entity_id</code> .	<code>loader._extract_id(entity) == 'X'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 163: <code>_get_container_keys</code> returns <code>CONTAINER_KEYS</code> .	<code>loader._get_container_keys() == ['items']</code>	Pass	0.000s
Line 167: <code>get_file_status</code> is alias for <code>get_status</code> .	<code>status['entity_name'] == 'stub';</code> <code>status['exists'] is True (+1 more)</code>	Pass	0.000s
Persistent sequences (SHORT gaps) should show stronger compounding than doublets (MEDIUM gaps).	<code>persistent_excess >= doublet_excess - 0.1</code>	Pass	0.046s
During the gap, level should drop from Storm 1 peak.	<code>level.at_gap_end < s1.peak</code>	Pass	0.000s
For a short-gap persistent sequence, level does not return to baseline during gap.	<code>level.at_gap_end ></code> <code>default_gauge.base_level + 0.05</code>	Pass	0.000s
Spec requirement: Storm 2 peak $\geq$ Storm 1 peak in $\geq 60\%$ of doublets.	<code>fraction >= 0.60</code>	Pass	0.036s
Gauge ids match	<code>{r.gauge_id for r in responses} == {gauge.gauge_id, gauge...</code>	Pass	0.000s
Near gauge higher response	<code>near_resp.peak_level >=</code> <code>far_resp.peak_level</code>	Pass	0.000s
Returns one response per gauge	<code>len(responses) == 2</code>	Pass	0.000s
All kernels decrease with distance	<code>near >= far</code>	Pass	0.000s
All kernels in 0 1 range	<code>0.0 <= decay <= 1.0</code>	Pass	0.000s
Exponential at half	<code>decay ==</code> <code>pytest.approx(math.exp(-0.5), rel=1e-4)</code>	Pass	0.000s
Exponential at one lambda	<code>decay ==</code> <code>pytest.approx(math.exp(-1.0), rel=1e-4)</code>	Pass	0.000s
Gaussian at one sigma	<code>decay ==</code> <code>pytest.approx(math.exp(-0.5), rel=1e-4)</code>	Pass	0.000s
Gaussian at two sigma	<code>decay ==</code> <code>pytest.approx(math.exp(-2.0), rel=1e-4)</code>	Pass	0.000s
Linear beyond cutoff is zero	<code>decay == 0.0</code>	Pass	0.000s
Linear midpoint	<code>decay == pytest.approx(0.75,</code> <code>abs=0.001)</code>	Pass	0.000s
Zero distance returns one all kernels	<code>model.compute_decay(0, 100, kernel,</code> <code>1.0) == 1.0</code>	Pass	0.000s
Consistent when all clear	<code>dl_mod._compute_health(chain, 1r) ==</code> <code>'CONSISTENT'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Degraded on stale steps	<code>dl_mod..compute_health(chain, lr) == 'DEGRADED'</code>	Pass	0.000s
Degraded on failures	<code>dl_mod..compute_health(chain, lr) == 'DEGRADED'</code>	Pass	0.000s
Health colour mapping	<code>dl_mod..health_colour('CONSISTENT') == dl_mod.GREEN;</code> <code>dl_mod..health_colour('DEGRADED')</code> <code>== dl_mod.AMBER (+2 more)</code>	Pass	0.000s
Inconsistent on broken chain	<code>dl_mod..compute_health(chain, lr) == 'INCONSISTENT'</code>	Pass	0.000s
After end uses last point	<code>intensity >= 0</code>	Pass	0.000s
At peak time is nonzero	<code>intensity > 0</code>	Pass	0.000s
Before start uses first point	<code>intensity >= 0</code>	Pass	0.000s
Empty track returns zero	<code>result == 0.0</code>	Pass	0.000s
Far from track is lower	<code>near > far</code>	Pass	0.000s
dist j 1.0 -j short-circuit to _build_flood_event directly.	<code>result is not None; result["storm_id"] == "STORM-001"</code>	Pass	0.166s
Multiple gauges in nearest -j IDW path used.	<code>result is not None</code>	Pass	0.167s
gauge_responses has no entry for nearest gauge -j None.	<code>result is None</code>	Pass	0.166s
Normal IDW path returns dict with storm_id.	<code>result is not None; result["storm_id"] == "STORM-001"</code>	Pass	0.166s
Response without pulse_peaks -j simple event (no compound key).	<code>result is not None;</code> <code>result.get("compound") is not True</code>	Pass	0.166s
Response with pulse_peaks -j compound event (compound=True).	<code>result is not None;</code> <code>result.get("compound") is True</code> <code>(+1 more)</code>	Pass	0.171s
Line 126: annuity j= 0 returns annual_hazard_rate * 10000.	<code>result > 0</code>	Pass	0.000s
Negative hazard returns zero	<code>result == 0.0</code>	Pass	0.000s
Verify compute_prs_spread uses yield_curve when provided.	<code>result > 0</code>	Pass	0.000s
Zero hazard returns zero	<code>result == 0.0</code>	Pass	0.000s
Accumulation nonnegative	<code>resp.accumulation >= 0</code>	Pass	0.000s
Duration nonnegative	<code>resp.duration_above_alert >= 0;</code> <code>resp.duration_above_warning >= 0 (+1 more)</code>	Pass	0.000s
Flooded flag correct	<code>resp.flooded == (resp.peak_level >= gauge.flood.alert)</code>	Pass	0.000s
High intensity storm floods	<code>resp.peak_level > gauge.base_level</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Peak level at least base	<code>resp.peak_level >= gauge.base_level</code>	Pass	0.000s
Peak level is max of series	<code>resp.peak_level == pytest.approx(max(levels))</code>	Pass	0.000s
Response ids match	<code>resp.gauge_id == gauge.gauge_id; resp.storm_id == simple_storm.storm_id</code>	Pass	0.000s
Timeseries length	<code>len(resp.level_timeseries) == expected_steps; len(resp.intensity_timeseries) == expected_steps</code>	Pass	0.000s
To dict roundtrip	<code>d['gauge_id'] == gauge.gauge_id; 'level_timeseries' in d (+1 more)</code>	Pass	0.000s
To dict without timeseries	<code>'level_timeseries' not in d</code>	Pass	0.000s
Pre-wetting the catchment before the same storm raises the peak.	<code>np.max(wet) > np.max(dry)</code>	Pass	0.001s
Level should be declining in the later part of the drainage window.	<code>np.all(np.diff(tail) <= 0.01)</code>	Pass	0.004s
Extreme storm should produce higher peak than moderate.	<code>np.max(l_ext) > np.max(l_mod)</code>	Pass	0.001s
With identical first storm parameters, doublet produces ζ = isolated peak.	<code>np.max(l_dbl) >= np.max(l_iso)</code>	Pass	0.001s
Severe storm should raise level above baseline.	<code>np.max(levels) > default_gauge.base_level + 0.5</code>	Pass	0.000s
River level must always be ζ = base_level.	<code>np.all(levels >= default_gauge.base_level - 1e-6)</code>	Pass	0.005s
Spec constraint: no precipitation after hour 156.	<code>np.all(p[156:] == pytest.approx(0.0))</code>	Pass	0.001s
Output shape	<code>levels.shape == (EVENT_WINDOW_HOURS,)</code>	Pass	0.000s
Level at hour 167 should be below the peak level (recovering, not diverging).	<code>final <= peak + 0.01; final_excess < 1.5</code>	Pass	0.005s
Peak above base	<code>peak >= default_gauge.base_level</code>	Pass	0.004s
Peak indices match storm indices	<code>idx == storm.storm_index</code>	Pass	0.002s
Returns one peak per storm	<code>len(peaks) == seq.num_storms</code>	Pass	0.004s
Compliant when all pass	<code>dl_mod._compute_verdict(chain, lr) == 'COMPLIANT'</code>	Pass	0.000s
Empty lineage results	<code>dl_mod._compute_verdict(chain, {}) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
Non compliant on broken chain	<code>dl_mod._compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Non compliant on majority failures	<code>dl.mod..compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Non compliant on missing steps	<code>dl.mod..compute_verdict(chain, lr) == 'NON-COMPLIANT'</code>	Pass	0.000s
Partially compliant on failures	<code>dl.mod..compute_verdict(chain, lr) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
No tests run cannot prove compliance.	<code>dl.mod..compute_verdict(chain, lr) == 'PARTIALLY COMPLIANT'</code>	Pass	0.000s
Spatial correlation constants in config.port must be self-consistent.	<code>SPATIAL_CORR_ENABLED is True;</code> <code>SPATIAL_CORR_MODEL_TYPE == "exponential" (+9 more)</code>	Pass	0.000s
Config structure	<code>sc["enabled"] is True;</code> <code>sc["model_type"] == "exponential"</code> (+3 more)	Pass	0.003s
Round trip params	<code>loaded.base_range_km == 35.0;</code> <code>loaded.nugget == 0.08</code>	Pass	0.001s
Save creates file	<code>path.exists()</code>	Pass	0.000s
Configure both menus	<code>handler.property_menu == pm;</code> <code>handler.gauge_menu == gm</code>	Pass	0.000s
Configure gauge menu	<code>handler.gauge_menu == new_gm</code>	Pass	0.000s
Configure max visible	<code>ns.max_visible == 10</code>	Pass	0.000s
Configure menus	<code>mgr.context_menus.property_menu == custom_prop</code>	Pass	0.000s
Configure no args no change	<code>handler.server_url == 'http://test:1234'</code>	Pass	0.000s
Configure no args no change	<code>handler.property_menu == DEFAULT_PROPERTY_MENU;</code> <code>handler.gauge_menu == DEFAULT_GAUGE_MENU</code>	Pass	0.000s
Configure no args no change	<code>ns.position == NotificationPosition.TOP_LEFT;</code> <code>ns.timeout == 7000 (+1 more)</code>	Pass	0.000s
Configure notification position	<code>mgr.notifications.position == NotificationPosition.BOTTOM...</code>	Pass	0.000s
Configure notification timeout	<code>mgr.notifications.timeout == 2000</code>	Pass	0.000s
Configure position	<code>ns.position == NotificationPosition.BOTTOM_LEFT</code>	Pass	0.000s
Configure property menu	<code>handler.property_menu == new_pm</code>	Pass	0.000s
Configure returns self	<code>result is mgr</code>	Pass	0.000s
Configure server url	<code>result is mgr;</code> <code>mgr.backend.server_url == 'http://new:9999'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Configure timeout	<code>ns.timeout == 3000</code>	Pass	0.000s
Configure updates endpoints	<code>handler.endpoints == {'a': '/b', 'c': '/d'}</code>	Pass	0.000s
Configure updates server url	<code>handler.server_url == 'http://new:2222'; handler.endpoints == {'a': '/b'}</code>	Pass	0.000s
Margin positive	<code>MARGIN > 0</code>	Pass	0.000s
Page dimensions	<code>PAGE.W > 0; PAGE.H > 0 (+1 more)</code>	Pass	0.000s
Custom parameters	<code>d.params.base_mean == 50;</code> <code>d.params.tail_threshold == 70</code>	Pass	0.000s
Default parameters	<code>d.params.base_mean == 45.0;</code> <code>d.params.base_std == 15.0 (+4 more)</code>	Pass	0.000s
From params object	<code>d.params.base_mean == 55</code>	Pass	0.000s
From scenario baseline	<code>d is not None; d.params.name == "baseline"</code>	Pass	0.000s
From scenario unknown raises	—	Pass	0.000s
Seed gives deterministic output	<code>s1 == s2</code>	Pass	0.000s
Tail prob between 0 and 1	<code>0.0 < d.tail_prob < 1.0</code>	Pass	0.000s
Construction year shown	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements(prop, list))</code>	Pass	0.000s
Floor level shown	<code>isinstance(result, list)</code>	Pass	0.000s
Has section header	<code>any("Construction" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No construction data returns message	<code>any("No construction" in t for t in texts)</code>	Pass	0.000s
No construction year	<code>isinstance(self._page().generate_elements(prop, list))</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
Site height shown	<code>isinstance(result, list)</code>	Pass	0.000s
Brick construction	<code>isinstance(result, list)</code>	Pass	0.000s
Concrete construction	<code>isinstance(result, list)</code>	Pass	0.000s
Empty construction type	<code>isinstance(result, list)</code>	Pass	0.000s
Masonry construction	<code>isinstance(result, list)</code>	Pass	0.000s
Steel construction	<code>isinstance(result, list)</code>	Pass	0.000s
Timber construction	<code>isinstance(result, list)</code>	Pass	0.000s
Unknown construction type	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Custom menus	<code>handler.property_menu == pm;</code>	Pass	0.000s
	<code>handler.gauge_menu == gm</code>		
Default init	<code>handler.property_menu ==</code> <code>DEFAULT_PROPERTY_MENU;</code> <code>handler.gauge_menu ==</code> <code>DEFAULT_GAUGE_MENU</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preGovAudit']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preGovBib']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_preStorms']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreBlotter']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreEodHistory']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreGauges']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreGovDocs']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreMarket']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPrePortStorms']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreStressStorms']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
Each startup cache variable must be initialised as <code>window.X = null.</code> <code>[var='_tdPreYieldCurve']</code>	<code>f'window.{var}' in src</code>	Pass	0.000s
No startup cache var should have a bare var declaration.	<code>f'var {var}' not in src</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
The preload-done flag must NOT be a var (regression: 2026-03-12 incident).	'var _tdPreloadDone' not in src	Pass	0.001s
Window td preload done initialised	'window._tdPreloadDone = false' in src	Pass	0.000s
Window td preload done set after settle	'window._tdPreloadDone = true' in src	Pass	0.000s
Blotter nulls cache after consume	'window._tdPreBlotter = null' in src	Pass	0.000s
Blotter reads window pre blotter	'window._tdPreBlotter' in src	Pass	0.000s
Gov docs nulls cache after consume	'window._tdPreGovDocs = null' in src	Pass	0.000s
Gov docs reads window pre gov docs	'window._tdPreGovDocs' in src	Pass	0.000s
Port stress nulls cache after consume	'window._tdPrePortStorms = null' in src	Pass	0.000s
Port stress reads window pre port storms	'window._tdPrePortStorms' in src	Pass	0.000s
preloader.py must not assign bare _tdPreloadDone (creates unreliable global).	not bare_assigns	Pass	0.000s
trading/preloader.py fallback must also set window._tdPreloadDone.	'window._tdPreloadDone = true' in src	Pass	0.001s
Storm portfolio nulls cache after consume	'window._preStorms = null' in src	Pass	0.000s
Storm portfolio reads window pre storms	'window._preStorms' in src	Pass	0.000s
showPanel() must read window._tdPreloadDone, not bare _tdPreloadDone.	'window._tdPreloadDone' in src	Pass	0.000s
Blotter setup no bare pre blotter	—	Pass	0.001s
Gov docs no bare pre gov docs	—	Pass	0.001s
Port stress no bare pre port storms	—	Pass	0.001s
preloader.py checks should all use window._tdPreloadDone.	not bad_lines	Pass	0.001s
Storm table no bare pre storms	—	Pass	0.001s
Tradingdesk no bare preload done	—	Pass	0.001s
Governance JS sub-modules must be syntactically valid.	—	Pass	0.172s
startup.py JS must be syntactically valid.	—	Pass	0.065s
Storm portfolio syntax	—	Pass	0.064s
Trading aggregate submodule syntax	—	Pass	0.077s

Test Description	Acceptance Criteria	Result	Time
Trading blotter submodule syntax	—	Pass	0.102s
Trading curves submodule syntax	—	Pass	0.066s
Trading desk js syntax	—	Pass	0.077s
Trading eod submodule syntax	—	Pass	0.065s
Trading fs01 submodule syntax	—	Pass	0.072s
Trading market submodule syntax	—	Pass	0.072s
Trading port stress submodule syntax	—	Pass	0.072s
Trading stress submodule syntax	—	Pass	0.071s
Aggregate generates	<code>len(js) > 1000</code>	Pass	0.000s
Blotter generates	<code>len(js) > 1000</code>	Pass	0.000s
Curves generates	<code>len(js) > 1000</code>	Pass	0.000s
Eod generates	<code>len(js) > 1000</code>	Pass	0.000s
Fs01 generates	<code>len(js) > 500</code>	Pass	0.000s
Governance bibliography generates	<code>len(js) > 500</code>	Pass	0.000s
Governance docs generates	<code>len(js) > 500</code>	Pass	0.000s
Market generates	<code>len(js) > 1000</code>	Pass	0.000s
Port stress generates	<code>len(js) > 1000</code>	Pass	0.000s
Preloader generates	<code>len(js) > 1000</code>	Pass	0.000s
Startup generates	<code>len(js) > 1000</code>	Pass	0.000s
Storm sp table generates	<code>len(js) > 500</code>	Pass	0.000s
Stress generates	<code>len(js) > 1000</code>	Pass	0.000s
Trading desk generates	<code>len(js) > 50.000</code>	Pass	0.000s
blotter/actions.py must call window.refreshMainMapFS01 after close-out.	<code>'window.refreshMainMapFS01' in src</code>	Pass	0.001s
tdApplyFilter must be on window for FS01 cell click to work.	<code>'window.tdApplyFilter' in src</code>	Pass	0.001s
tdRiskCellClick must be on window for blotter filter drill-through.	<code>'window.tdRiskCellClick' in src</code>	Pass	0.000s
_tdPendingFilter must be on window for context-menu → blotter filter.	<code>'window._tdPendingFilter' in blotter_src</code>	Pass	0.001s
refreshMainMapFS01 must be on window for blotter close-out to call it.	<code>'window.refreshMainMapFS01' in td_map_src</code>	Pass	0.000s
_stressStormHint must be set via window.* for cross-panel navigation.	<code>'window._stressStormHint' in hist_src</code>	Pass	0.000s
Stress setup reads window hint	<code>'window._stressStormHint' in stress_src</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
TradingDeskPanel must export TradingDesk and showTradingDesk.	'window.TradingDesk' in src; 'window.showTradingDesk' in src	Pass	0.001s
Create panel creates blotter view	'createBlotterView' in js	Pass	0.003s
Open panel function exists	'_tdOpenPanel' in js	Pass	0.003s
Open panel sets display flex	"style.display = 'flex'" in js	Pass	0.003s
Pi button calls show panel	'showPanel()' in js	Pass	0.003s
Fallback preloader function must exist for first-open race condition.	'_tdRunPreload' in js	Pass	0.003s
Show panel function exists	'function showPanel()' in js	Pass	0.003s
Show panel reads window preload done	'window._tdPreloadDone' in js	Pass	0.003s
Panel must switch to blotter tab when opened.	"switchTab('blotter')" in js	Pass	0.003s
Generate risk report basic	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.017s
Generate risk report default	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.016s
Generate risk report detailed	generate_risk_report(sample_portfolio_data, output_dir=ou...	Pass	0.022s
Diagonal is one	np.allclose(np.diag(C), 1.0)	Pass	0.000s
Longer range -j higher off-diagonal correlations.	C.long[mask].mean() > C.short[mask].mean()	Pass	0.000s
Higher nugget -j lower off-diagonal values.	C.high[mask].mean() < C.low[mask].mean()	Pass	0.000s
Off diagonal in open interval	0.0 < C[i, j] < 1.0	Pass	0.000s
Positive definite	np.all(eigenvalues > 0)	Pass	0.009s
Symmetric	np.allclose(C, C.T)	Pass	0.000s
Thames positive definite	np.all(eigenvalues > 0)	Pass	0.005s
All gauge files corrupt → no storms (but file still written).	result["total_storms"] == 0	Pass	0.010s
Lines 151-153: unreadable gauge file is skipped with warning.	out.exists() and (out / "_index.json").exists(); result["total_storms"] == 1	Pass	0.003s
Lines 133-134: invalid JSON in storms.json logs warning, continues.	out.exists() and (out / "_index.json").exists(); result["total_storms"] == 1	Pass	0.003s
Exactly at 119999 should be band 'A'.	band == "A"	Pass	0.000s
Line 159: property value j 120000 returns band 'A'.	band == "A"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 161: property value = 120000 returns band 'B'.	<code>band == "B"</code>	Pass	0.000s
Property value 140000 returns band 'B'.	<code>band == "B"</code>	Pass	0.000s
Exactly at 155999 should still be band 'B'.	<code>band == "B"</code>	Pass	0.000s
Counts matching files	<code>_count_dir(tmp_path, 'GAUGE-*.json')</code> <code>== 5</code>	Pass	0.001s
Empty directory	<code>_count_dir(tmp_path, '*') == 0</code>	Pass	0.000s
Returns zero for no matches	<code>_count_dir(tmp_path, '*.json') == 0</code>	Pass	0.000s
Returns zero for none dir	<code>_count_dir(None, '*.json') == 0</code>	Pass	0.000s
Returns zero for nonexistent dir	<code>_count_dir(tmp_path / 'nope', '*.json') == 0</code>	Pass	0.000s
All counterparties have party id	<code>len(counterparties) > 0;</code> <code>ctpy["CounterpartySet"]["Party"]["PartyID"].startswith("C...</code>	Pass	0.005s
Cdm structure	<code>"Party" in ctpy;</code> <code>"PartyID" in ctpy["Party"]</code> (+1 more)	Pass	0.001s
Custom count	<code>len(result["data"]) == 3</code>	Pass	0.001s
Generates counterparty file	<code>(pipeline_dir / "counterparty.json").exists()</code>	Pass	0.000s
Lines 263-269: ContactInformation fields mapped.	<code>mapping.get("primary_email") == "test@bank.com";</code> <code>mapping.get("city") == "London"</code>	Pass	0.000s
Lines 280-285: count fields in mapping.	<code>"counterparty_count" in mapping;</code> <code>mapping["counterparty_count"] == 2</code>	Pass	0.000s
Minimal data (empty Counterparty-Set) returns dict.	<code>isinstance(mapping, dict)</code>	Pass	0.000s
Lines 245-289: create_mapping with full data.	<code>isinstance(mapping, dict);</code> <code>mapping["party_id"] == "CTPY-001"</code> (+3 more)	Pass	0.000s
Lines 291-292: exception → raises ValueError.	—	Pass	0.000s
Lines 288-289: None values are stripped from result.	<code>None not in mapping.values()</code>	Pass	0.000s
Lines 294-301: get_required_fields() returns non-empty list.	<code>isinstance(fields, list);</code> <code>len(fields) > 0</code> (+2 more)	Pass	0.000s
Schema is dict	<code>isinstance(cdm.schema, dict);</code> <code>len(cdm.schema) > 0</code>	Pass	0.000s
Lines 201-202: empty Counterparties array → error.	<code>"Counterparties" in errors</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
validate({}) returns errors for all required fields.	isinstance(errors, dict)	Pass	0.000s
Lines 211-214: invalid role (not Party1/Party2) → error.	"Counterparties" in errors; any("Invalid" in e for e in errors["Counterparties"])	Pass	0.000s
Lines 209-210: missing CounterpartyRole → error.	"Counterparties" in errors; any("CounterpartyRole" in e for e in errors["Counterparti..."])	Pass	0.000s
Lines 188-189: missing PartyID → Party errors.	"Party" in errors; any("PartyID" in e for e in errors["Party"])	Pass	0.000s
Lines 191-192: missing PartyName → Party errors.	"Party" in errors; any("PartyName" in e for e in errors["Party"])	Pass	0.000s
Lines 218-219: missing PartyRef → error.	"Counterparties" in errors; any("PartyRef" in e for e in errors["Counterparties"])	Pass	0.000s
Lines 222-225: two CPs with same role → error.	"Counterparties" in errors	Pass	0.000s
Valid counterparty data produces empty error dict.	errors == {}	Pass	0.000s
Lines 74-75: json.JSONDecodeError in get_counterparty → 500.	r.status_code == 500; data["status"] == "error"	Pass	0.003s
Lines 58-59: json.JSONDecodeError → 500.	r.status_code == 500; data["status"] == "error"	Pass	0.003s
Creates output file	output_file.exists()	Pass	0.001s
Data is list	isinstance(result["data"], list); len(result["data"]) == 3	Pass	0.000s
Default count uses all counterparties	len(result["data"]) == len(_ALL_COUNTERPARTIES)	Pass	0.002s
File path is pathlib path	isinstance(result["file_path"], Path)	Pass	0.000s
Metadata has total generated	result["metadata"]["total_generated"] == 4	Pass	0.001s
Output file is valid json	"counterparties" in data; "generation_metadata" in data	Pass	0.002s
Returns dict with required keys	"data" in result; "file_path" in result (+1 more)	Pass	0.000s
Zero count returns empty	result["data"] == []	Pass	0.000s
Counterparty not found returns empty	result == []	Pass	0.002s
Counterparty trace finds master record	"counterparties" in steps	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Counterparty trace finds prs trades	<code>len(consumed) >= 1</code>	Pass	0.003s
Consistent cover	<code>badge._cellvalues[1][0] == 'CONSISTENT'</code>	Pass	0.000s
Degraded cover on failures	<code>badge._cellvalues[1][0] == 'DEGRADED'</code>	Pass	0.000s
Inconsistent cover on broken chain	<code>badge._cellvalues[1][0] == 'INCONSISTENT'</code>	Pass	0.000s
Engines not none	<code>engine is not None</code>	Pass	0.000s
Returns dict with engines	<code>isinstance(engines, dict); "ISDA" in engines (+2 more)</code>	Pass	0.002s
Default day counter	<code>curve is not None; curve is not None</code>	Pass	0.000s
Returns curve and quote	<code>curve is not None; quote is not None</code>	Pass	0.000s
Actual360 day counter accepted	<code>curve is not None</code>	Pass	0.000s
Quote is simple quote	<code>isinstance(quote, ql.SimpleQuote)</code>	Pass	0.000s
Quote value matches input	<code>quote.value() == pytest.approx(rate, rel=1e-10)</code>	Pass	0.000s
Survival probability formula	<code>sp == pytest.approx(math.exp(-lam * 3), rel=0.02)</code>	Pass	0.000s
Very high hazard rate near zero survival	<code>s1 == pytest.approx(math.exp(-2.0), rel=0.01)</code>	Pass	0.000s
Returns hazard curve	<code>curve is not None</code>	Pass	0.000s
Survival probability decreases	<code>sp2 < sp1</code>	Pass	0.000s
Zero hazard near full survival	<code>sp > 0.99</code>	Pass	0.000s
Auto generates id	<code>"id" in data["meeting"]; len(data["meeting"]["id"]) > 0</code>	Pass	0.001s
Create returns meeting	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
Custom attendees become participants	<code>"Alice Smith" in names</code>	Pass	0.002s
Custom title used	<code>data["meeting"]["title"] == "Quarterly Review"</code>	Pass	0.002s
Default chair populated	<code>data["meeting"]["chair"] == "Johnny Mattimore"</code>	Pass	0.002s
Default participants created	<code>len(participants) >= 1</code>	Pass	0.001s
No json body uses defaults	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.001s
Custom max notifications	<code>ns.max_visible == 8</code>	Pass	0.000s
Custom timeout	<code>ns.timeout == 1000</code>	Pass	0.000s
Invalid position defaults to top right	<code>ns.position.value == "top-right"</code>	Pass	0.000s
Valid position	<code>ns.position.value == "bottom-left"</code>	Pass	0.000s
<code>create_pdf_report(None)</code> calls <code>collect_all()</code> .	—	Pass	0.016s

Test Description	Acceptance Criteria	Result	Time
Creates audit dir	<code>audit.is_dir(); result.exists()</code>	Pass	0.017s
Creates pdf	<code>result.exists(); result.stat().st_size > 0</code>	Pass	0.017s
Creates pdf empty data	<code>result.exists()</code>	Pass	0.007s
Main prints summary	<code>'Generating Model Risk Governance Report' in captured; 'models in inventory' in captured (+5 more)</code>	Pass	0.017s
Integration: <code>main()</code> with actual data loading against empty dirs.	<code>out.exists()</code>	Pass	0.019s
PDF file is created on disk.	<code>out.exists()</code>	Pass	0.017s
Generated file has PDF magic bytes.	<code>out.read_bytes()[:4] == b'%PDF'</code>	Pass	0.028s
PDF has reasonable size (multi-page report).	<code>out.stat().st_size > 5000</code>	Pass	0.017s
PDF renders when no steps have been recorded.	<code>out.exists(); out.read_bytes()[:4] == b'%PDF'</code>	Pass	0.018s
PDF generates correctly when pipeline has stale/missing steps.	<code>out.exists(); out.read_bytes()[:4] == b'%PDF' (+1 more)</code>	Pass	0.025s
PDF renders when <code>lineage_results</code> is empty (tests not run).	<code>out.exists(); out.stat().st_size > 5000</code>	Pass	0.017s
<code>create_pdf_report()</code> returns a <code>Path</code> object.	<code>isinstance(result, Path)</code>	Pass	0.018s
Creates registry	<code>create_registry(str(tmp_path)) is not None</code>	Pass	0.000s
With file overrides	<code>registry.get_gauge_loader().count() == 2</code>	Pass	0.001s
Test <code>create_registry</code> helper.	<code>registry.data_dir == populated.data_dir; registry is not None (+1 more)</code>	Pass	0.002s
Test <code>create_registry</code> with file overrides.	<code>loader.count() == 0</code>	Pass	0.002s
Auto generated id starts with storm	<code>storm.storm_id.startswith("STORM-")</code>	Pass	0.000s
Decay kernel stored	<code>storm.decay_kernel == DecayKernel.EXPONENTIAL</code>	Pass	0.000s
Decay parameter stored	<code>storm.decay_parameter == pytest.approx(1.2)</code>	Pass	0.000s
Default num track points	<code>len(storm.track) == 25</code>	Pass	0.000s
Default start time is recent	<code>before <= storm.start_time <= after</code>	Pass	0.000s
Duration hours stored	<code>storm.duration_hours == pytest.approx(36.0)</code>	Pass	0.000s
Explicit id preserved	<code>storm.storm_id == "MY-STORM-001"</code>	Pass	0.000s
Explicit name	<code>storm.name == "Ciara"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Explicit start time	<code>storm.start.time == t</code>	Pass	0.000s
Footprint km stored	<code>storm.footprint_km == pytest.approx(60.0)</code>	Pass	0.000s
Num track points	<code>len(storm.track) == 10</code>	Pass	0.000s
Peak intensity stored	<code>storm.peak_intensity == pytest.approx(75.0)</code>	Pass	0.000s
Returns storm object	<code>isinstance(storm, Storm)</code>	Pass	0.000s
Speed is positive	<code>storm.speed_kmh > 0</code>	Pass	0.000s
Track end time equals duration	<code>storm.track[-1].time_hours == pytest.approx(24.0)</code>	Pass	0.000s
Track longitude moves from start to end	<code>lons[0] < lons[-1]</code>	Pass	0.000s
Track points are trackpoint instances	<code>isinstance(tp, TrackPoint)</code>	Pass	0.000s
Track start time is zero	<code>storm.track[0].time_hours == pytest.approx(0.0)</code>	Pass	0.000s
Track time increases	<code>all(times[i] <= times[i + 1] for i in range(len(times) - 1))</code>	Pass	0.000s
Actual360 day counter produces curve	<code>0.0 < sp <= 1.0</code>	Pass	0.000s
Implied hazard rate formula	<code>sp5 == pytest.approx(expected_5yr, rel=0.01)</code>	Pass	0.000s
Near zero survival positive hazard	<code>s1 < 0.9</code>	Pass	0.000s
Single point high risk ts	<code>curve is not None</code>	Pass	0.000s
Single point term structure	<code>curve is not None</code>	Pass	0.000s
Survival strictly positive	<code>sp > 0.0</code>	Pass	0.000s
Custom day counter	<code>curve is not None</code>	Pass	0.000s
Default day counter	<code>curve is not None; curve is not None</code>	Pass	0.000s
Full survival at start	<code>abs(sp - 1.0) < 1e-6</code>	Pass	0.001s
Returns curve	<code>curve is not None</code>	Pass	0.000s
Line 83: final_survival j= 0 → uses 0.05 default hazard rate.	<code>curve is not None</code>	Pass	0.000s
Line 83: final_survival j= 1 → uses 0.05 default hazard rate.	<code>curve is not None</code>	Pass	0.010s
Excellent credit 800 plus	<code>isinstance(result, list)</code>	Pass	0.000s
Fair credit 580 to 669	<code>isinstance(result, list)</code>	Pass	0.001s
Good credit 670 to 739	<code>isinstance(result, list)</code>	Pass	0.000s
Poor credit under 580	<code>isinstance(result, list)</code>	Pass	0.001s
Very good credit 740 to 799	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent 800 plus	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 580 to 669	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Good 670 to 739	<code>isinstance(result, list)</code>	Pass	0.000s
Poor under 580	<code>isinstance(result, list)</code>	Pass	0.000s
Very good 740 to 799	<code>isinstance(result, list)</code>	Pass	0.000s
Gauges returned by list endpoint should have valid timeseries responses.	<code>response.status_code == 200;</code> <code>ts_response.status_code in [200, 404]</code>	Pass	0.002s
Gauge hazard endpoint should never return 500 for listed gauges.	<code>hz_response.status_code != 500</code>	Pass	0.001s
Properties returned by list endpoint should have flood data if property exists.	<code>response.status_code == 200;</code> <code>flood_response.status_code in [200, 404]</code>	Pass	0.002s
crud.py lines 63-67: gauge not found -> 404.	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
crud.py lines 59-72: valid gauge retrieval.	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.030s
crud.py lines 51-53: loader error -> 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.028s
crud.py line 34: /list_gauges alias works.	<code>r.status_code == 200;</code> <code>r.get_json()["count"] == 1</code>	Pass	0.029s
crud.py lines 37-38: OPTIONS returns ok.	<code>r.status_code == 200</code>	Pass	0.029s
crud.py lines 40-50: successful gauge listing.	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.029s
hd present but daily_observations missing -> same paragraph.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
daily_observations = [] -> falsy, caught by first guard.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
Normal flow: valid obs -> chart + table elements returned.	<code>len(elements) > 3</code>	Pass	0.091s
ValueError/KeyError in date parse loop -> skipped.	<code>len(elements) > 0</code>	Pass	0.180s
Invalid date in latest observation -> current_month = None.	<code>len(elements) > 0</code>	Pass	0.087s
No obs in same month -> same_month_levels = all_levels.	<code>len(elements) > 0</code>	Pass	0.086s
No hd data -> 'No historical daily data' paragraph.	<code>any('No historical daily data' in t for t in texts)</code>	Pass	0.000s
level is None -> skipped, does not crash.	<code>len(elements) > 0</code>	Pass	0.089s
Boe base shown	<code>isinstance(result, list)</code>	Pass	0.000s
Current payment shown	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has status header	<code>any("Status" in t or "Mortgage" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Interest paid shown	<code>isinstance(result, list)</code>	Pass	0.000s
Last payment date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Last status shown	<code>isinstance(result, list)</code>	Pass	0.000s
Lending rate shown	<code>isinstance(result, list)</code>	Pass	0.000s
No current status returns message	<code>any("No current status" in t for t in texts)</code>	Pass	0.000s
No mortgage returns message	<code>any("No mortgage" in t for t in texts)</code>	Pass	0.000s
Outstanding balance shown	<code>isinstance(result, list)</code>	Pass	0.000s
Principal paid shown	<code>isinstance(result, list)</code>	Pass	0.000s
Total payments shown	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage returns list	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.000s
Returns empty history when no snapshots exist.	<code>resp.status_code == 200; data['history'] == []</code>	Pass	0.001s
Missing gauge.id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
After EOD, returns term structure history for that gauge.	<code>resp.status_code == 200; data['gauge_id'] == 'GAUGE-001' (+1 more)</code>	Pass	0.036s
POST hazard-term-structure/commit returns 500 on error (lines 341-343).	<code>resp.status_code == 500</code>	Pass	0.001s
curve-history returns 500 on engine error (lines 82-84).	<code>resp.status_code == 500</code>	Pass	0.001s
GET hazard-term-structure returns 500 on engine error (lines 234-236).	<code>resp.status_code == 500</code>	Pass	0.001s
GET yield-curve returns 500 on engine error (lines 104-106).	<code>resp.status_code == 500</code>	Pass	0.001s
pnl-series returns 500 on engine error (lines 36-38).	<code>resp.status_code == 500</code>	Pass	0.001s
POST hazard-term-structure/reset returns 500 on error (lines 363-365).	<code>resp.status_code == 500</code>	Pass	0.001s
POST yield-curve/reset returns 500 on engine error (lines 270-272).	<code>resp.status_code == 500</code>	Pass	0.001s
POST yield-curve returns 500 on engine error (lines 211-213).	<code>resp.status_code == 500</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
POST hazard-term-structure/commit with null body -i 400 (line 282).	resp.status_code == 400	Pass	0.000s
POST yield-curve/commit with null body -i 400 (line 145).	resp.status_code == 400	Pass	0.001s
POST hazard-term-structure with null body -i 400 (line 245).	resp.status_code == 400	Pass	0.000s
POST yield-curve with null body -i 400 (line 115).	resp.status_code == 400	Pass	0.000s
Curves tab should show all gauges on one chart.	'tdRenderAllCurves' in js; 'tdCurveAllData' in js (+1 more)	Pass	0.000s
Curves tab should have alert/warning/severe trigger selector.	'td-curve-trigger' in js; 'severe' in js (+2 more)	Pass	0.000s
Curves tab should use HSL for distinct line colours.	'hsl(' in js	Pass	0.000s
Curves sub-module should render without errors.	len(js) > 0	Pass	0.000s
Legend should strip 'Thames' prefix for brevity.	'Thames' in js	Pass	0.000s
Curves tab should fetch from market-state endpoint.	'/api/v1/trading/market-state' in js	Pass	0.000s
Good dti under 28	isinstance(result, list)	Pass	0.001s
High dti 36 to 43	isinstance(result, list)	Pass	0.000s
Moderate dti 28 to 36	isinstance(result, list)	Pass	0.000s
No payment dti unknown	isinstance(result, list)	Pass	0.001s
Very high dti over 43	isinstance(result, list)	Pass	0.000s
Empty daily pnl returns drawing	isinstance(result, Drawing)	Pass	0.000s
Mixed positive negative renders	isinstance(result, Drawing)	Pass	0.000s
Negative daily pnl renders	isinstance(result, Drawing)	Pass	0.000s
Commercial higher damage	com_ratio >= res_ratio	Pass	0.000s
Damage capped	calculate_damage_ratio(10.0) <= 1.0	Pass	0.000s
Damage increases with depth	ratios == sorted(ratios)	Pass	0.000s
No damage no flood	calculate_damage_ratio(0.0) == 0.0	Pass	0.000s
GaugeHC file must have required structure.	'hazard_curves' in data; not missing	Pass	0.001s
Gaugets files must have required structure.	'flood_simulation' in data; 'readings' in sim (+1 more)	Pass	0.002s
PropertyHC file must have required structure.	'property_hazard_curves' in data; 'metadata' in data (+2 more)	Pass	0.001s
PropertyTS files must have required fields.	not missing; not missing_loc (+3 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Every step in manifest must appear in the static dependency graph.	<code>len(missing) == 0</code>	Pass	0.001s
<code>data_lineage.json</code> must exist after any port run.	<code>"steps" in data; len(data["steps"]) > 0</code>	Pass	0.001s
No step should have stale inputs.	<code>len(stale) == 0</code>	FAIL	0.008s
Recorded output hashes must match current files on disk.	—	Pass	6.641s
Data summary contains errors count	<code>"errors" in dl.get_data_summary()["gauge"]</code>	Pass	0.001s
Data summary contains warnings count	<code>"warnings" in dl.get_data_summary()["gauge"]</code>	Pass	0.001s
Data summary loaded flag false when no file	<code>summary["gauge"]["loaded"] is False</code>	Pass	0.000s
Data summary loaded flag true for gauge	<code>dl.get_data_summary()["gauge"]["loaded"] is True</code>	Pass	0.002s
Get data summary empty before load	<code>DataLoader(input_dir=tmp_path).get_data_summary() == {}</code>	Pass	0.000s
Get data summary returns dict	<code>isinstance(dl.get_data_summary(), dict)</code>	Pass	0.002s
Get validation summary empty before load	<code>DataLoader(input_dir=tmp_path).get_validation_summary() == ...</code>	Pass	0.000s
Get validation summary is copy	<code>s1 is not s2</code>	Pass	0.001s
Get validation summary returns dict	<code>isinstance(dl.get_validation_summary(), dict)</code>	Pass	0.001s
Is data complete depends only on gauge	<code>dl.is_data_complete() is False</code>	Pass	0.001s
Is data complete false before load	<code>DataLoader(input_dir=tmp_path).is_data_complete() is False</code>	Pass	0.000s
Is data complete false when no gauge	<code>dl.is_data_complete() is False</code>	Pass	0.000s
Is data complete true with gauge	<code>dl.is_data_complete() is True</code>	Pass	0.002s
Validation summary has gauge key	<code>"gauge" in dl.get_validation_summary()</code>	Pass	0.002s
Init with input dir	<code>dl.input_dir == tmp_path</code>	Pass	0.000s
Init with string path converts to path	<code>isinstance(dl.input_dir, Path); dl.input_dir == tmp_path</code>	Pass	0.000s
Loaded data initialised	<code>isinstance(dl.loaded_data, LoadedData)</code>	Pass	0.000s
Private loaders created	<code>dl._gauge_loader is not None; dl._property_loader is not None (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Validation results empty at init	<code>dl.validation.results == {}</code>	Pass	0.000s
Counterparty data loaded	<code>result.counterparty_data is not None</code>	Pass	0.002s
Empty dir returns loaded data	<code>isinstance(result, LoadedData)</code>	Pass	0.000s
Gauge data count matches records	<code>result.gauge_data["count"] ==</code> <code>len(result.gauge_data["item...</code>	Pass	0.001s
Gauge data has items key	<code>"items" in result.gauge_data</code>	Pass	0.002s
Gaugehd dir counted	<code>result.gaugehd_count == 1</code>	Pass	0.002s
Gaugets dir counted	<code>result.gaugets_count == 1</code>	Pass	0.006s
Gaugets dir multiple files counted	<code>result.gaugets_count == 3</code>	Pass	0.007s
Hazard curves loaded	<code>result.hazard_data is not None</code>	Pass	0.001s
Lookups built after load	<code>result.mortgage_lookup is not None;</code> <code>result.gauge_flood_info is not None</code>	Pass	0.001s
No gaugehd dir count stays zero	<code>result.gaugehd_count == 0</code>	Pass	0.001s
No gaugets dir count stays zero	<code>result.gaugets_count == 0</code>	Pass	0.001s
No propertyts dir count stays zero	<code>result.propertyts_count == 0</code>	Pass	0.002s
Property hazard curves loaded	<code>result.property_hazard_data is not</code> <code>None</code>	Pass	0.002s
Property hazard summary fields accessible	<code>"summary" in</code> <code>result.property_hazard_data</code>	Pass	0.002s
Propertyts dir counted	<code>result.propertyts_count >= 1</code>	Pass	0.002s
Storm data list format	<code>result.storm_data is not None</code>	Pass	0.011s
Storm data loaded dict format	<code>result.storm_data is not None</code>	Pass	0.012s
Storm data unknown format	<code>result.storm_data is not None</code>	Pass	0.003s
Storm data with items key	<code>result.storm_data is not None</code>	Pass	0.002s
With gauge data loaded	<code>result.gauge_data is not None</code>	Pass	0.001s
With mortgage data loaded	<code>result.mortgage_data is not None</code>	Pass	0.002s
With property data loaded	<code>result.property_data is not None</code>	Pass	0.002s
Collect all keys	<code>expected_keys == set(result.keys())</code>	Pass	0.003s
List audit files	<code>len(result) == 1; result[0]['name']</code> <code>== 'report.pdf' (+2 more)</code>	Pass	0.001s
List audit files missing dir	<code>result == []</code>	Pass	0.000s
List sensitivity generators	<code>result == ['hazard']</code>	Pass	0.001s
List sensitivity generators no dir	<code>result == []</code>	Pass	0.000s
Load audit log	<code>len(result) == 1</code>	Pass	0.001s
Load audit log dict fallback	<code>result == []</code>	Pass	0.001s
Load bcbs	<code>'principles' in result</code>	Pass	0.002s
Load coverage	<code>result == pytest.approx(82.5)</code>	Pass	0.002s
Load coverage corrupt	<code>result is None</code>	Pass	0.001s
Load coverage missing	<code>result is None</code>	Pass	0.000s
Load inventory	<code>result['models'][0]['model_id'] ==</code> <code>'M-TEST'</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Load inventory bad json	<code>result == {}</code>	Pass	0.001s
Load inventory missing	<code>result == {}</code>	Pass	0.000s
Load junit	<code>result['total'] == 100;</code> <code>result['failed'] == 2 (+4 more)</code>	Pass	0.001s
Load junit corrupt	<code>result['total'] == 0</code>	Pass	0.001s
Load junit missing	<code>result['total'] == 0</code>	Pass	0.000s
Load meetings	<code>len(result) == 1</code>	Pass	0.001s
Load meetings dict fallback	<code>result == []</code>	Pass	0.002s
Load raci	<code>'roles' in result</code>	Pass	0.001s
Both empty	<code>isinstance(self._page().generate_elements({}), list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements({}), list)</code>	Pass	0.000s
Has data header	<code>any("Data" in t for t in texts)</code>	Pass	0.001s
Has table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
No sections in property	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(make_property()), list)</code> <code>isinstance(r, list)</code>	Pass	0.001s;
Returns non empty	<code>len(self._page().generate_elements(make_property())) > 0</code>	Pass	0.001s
With mortgage data	<code>isinstance(result, list) and len(result) > 0</code>	Pass	0.001s
Invalid result fields	<code>result.is_valid is False;</code> "file not found" in <code>result.errors</code>	Pass	0.000s
Is named tuple	<code>isinstance(result, tuple)</code>	Pass	0.000s
Tuple unpacking	<code>is_valid is True</code>	Pass	0.000s
Valid result fields	<code>result.is_valid is True;</code> <code>result.warnings == ["minor issue"]</code> (+2 more)	Pass	0.000s
Datetime encoded as isoformat	<code>"2024-06-15" in result</code>	Pass	0.000s
Nested numpy in dict	<code>result["a"] == 1;</code> <code>abs(result["b"] - 2.5) < 1e-6</code> (+1 more)	Pass	0.000s
Numpy float32 encoded	<code>abs(result - 1.5) < 0.01</code>	Pass	0.000s
Numpy float64 encoded as float	<code>abs(result - 3.14) < 1e-6</code>	Pass	0.000s
Numpy int32 encoded	<code>result == 7</code>	Pass	0.000s
Numpy int64 encoded as int	<code>result == 99; isinstance(result, int)</code>	Pass	0.000s
Numpy ndarray encoded as list	<code>result == [1, 2, 3]</code>	Pass	0.000s
Unknown type raises type error	—	Pass	0.000s
Line 59-60: datetime -j isoformat.	<code>"2024-06-01" in result</code>	Pass	0.000s
Line 63-64: np.floating -j float.	<code>"2.71" in result</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 61-62: np.integer -i int.	result == "99"	Pass	0.000s
Line 65-66: np.ndarray -i list.	result == [10, 20]	Pass	0.000s
Line 67: super().default() -i Type-Error for unknown.	—	Pass	0.000s
Exponential value	DecayKernel.EXPONENTIAL.value == "exponential"	Pass	0.000s
Gaussian value	IntensityProfile.GAUSSIAN.value == "gaussian"; DecayKernel.GAUSSIAN.value == "gaussian"	Pass	0.000s
Linear value	DecayKernel.LINEAR.value == "linear"	Pass	0.000s
Add decision auto generates id	r.status_code == 200; decisions[0]["id"] == "D-001"	Pass	0.001s
Add decision unknown meeting returns 404	r.status_code == 404	Pass	0.002s
Delete decision	r.status_code == 200; len(r.get_json()["meeting"]["decisions"]) == 1	Pass	0.004s
Delete decision unknown meeting returns 404	r.status_code == 404	Pass	0.001s
Second decision increments id	ids == ["D-001", "D-002"]	Pass	0.003s
Update decision	r.status_code == 200; r.get_json()["meeting"]["decisions"][0]["description"] == ...	Pass	0.002s
Update missing decision returns 404	r.status_code == 404	Pass	0.001s
Add decision auto ids	"D-001" in ids; "D-002" in ids	Pass	0.002s
Add decision missing meeting returns 404	r.status_code == 404	Pass	0.002s
Add decision returns 200	r.status_code == 200; len(meeting["decisions"]) == 2	Pass	0.002s
Delete decision missing meeting returns 404	r.status_code == 404	Pass	0.002s
Delete decision returns 200	r.status_code == 200; len(r.get_json()["meeting"]["decisions"]) == 0	Pass	0.002s
Update decision not found returns 404	r.status_code == 404	Pass	0.002s
Update decision returns 200	r.status_code == 200; decisions[0]["description"] == "Updated decision"	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Delete is idempotent — filtering out a missing ID is still 200.	<code>r.status_code == 200</code>	Pass	0.002s
Delete returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.004s
Deleted ref not in list	<code>ref_id not in ids</code>	Pass	0.004s
Deleted doc not in list	<code>doc_id not in ids</code>	Pass	0.004s
Not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.001s
Valid delete returns success	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.004s
Delete save failure returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.030s
Gaugehd references gauges	<code>gid in gauge_ids</code>	Pass	0.026s
Gaugets reads gauge	<code>gid in gauge_ids</code>	Pass	0.002s
Hazard reads gauge and storms	<code>len(hc_curves) > 0; gid in gauge_ids</code>	Pass	0.001s
Mortgage reads property	<code>mid in prop_ids</code>	Pass	0.003s
Propertyhc references properties	<code>pid in prop_ids</code>	Pass	0.003s
Propertyts uses nearest gauges	<code>ng["gauge_id"] in gauge_ids</code>	Pass	0.001s
Every input declared in STEP_IO must be produced by a transitive	<code>producers</code>	Pass	0.000s
When hazard mutates gaugets/ to a different hash, propertyts must	<code>producer == "hazard"</code>	Pass	0.000s
Commercial higher damage than residential	<code>com_damage > res_damage</code>	Pass	0.000s
Floor level reduces damage	<code>damages[0] >= damages[3]</code>	Pass	0.000s
Large depth all near one	<code>np.all(damages > 0.5)</code>	Pass	0.000s
Output clipped to 0 1	<code>np.all((damages >= 0) & (damages <= 1))</code>	Pass	0.000s
Returns array same length	<code>len(damages) == len(properties)</code>	Pass	0.002s
Zero depths all zero damage	—	Pass	0.023s
Line 150: commercial factor = 1.2.	<code>result[1] > result[0]</code>	Pass	0.000s
Lines 159-160: adjusted_depths = max(depths - floor_levels, 0).	<code>result[3] == pytest.approx(0.0)</code>	Pass	0.000s
Full function returns correct length	<code>len(result) == len(properties)</code>	Pass	0.000s
Line 151: industrial factor = 0.9.	<code>result[2] < result[0]</code>	Pass	0.000s
Line 165: np.clip(final_damage, 0, 1).	<code>np.all(result <= 1.0); np.all(result >= 0.0)</code>	Pass	0.000s
Line 155: .get(str(pt).lower(), 1.0) — 'other' defaults to 1.0.	<code>result[4] == pytest.approx(result[0])</code>	Pass	0.000s
Zero depths all zero	—	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Deep flood -¿ damage ratio approaches 1.	result > 0.5	Pass	0.178s
Positive depth -¿ positive damage ratio.	0.0 < result <= 1.0	Pass	0.167s
0m depth -¿ 0 damage.	gen..depth_to_damage(0.0) == 0.0	Pass	0.167s
Delegates to scalar depth damage	isinstance(result, float); result > 0	Pass	0.168s
Zero depth	gen..depth_to_damage(0.0) == 0.0	Pass	0.168s
Line 80: after loop exhausted, gauges_warning ¿ 3 → 'baseline'.	_derive_intensity_category(-1, 2) == "baseline"	Pass	0.000s
Negative severe with five warnings returns moderate	_derive_intensity_category(-1, 5) == "moderate"	Pass	0.000s
Lines 78-79: gauges_severe ¿ 0 (doesn't match any threshold),	_derive_intensity_category(-1, 3) == "moderate"	Pass	0.000s
Negative severe zero warnings returns baseline	_derive_intensity_category(-1, 0) == "baseline"	Pass	0.000s
When severe ¿= 1, warning count is irrelevant.	_derive_intensity_category(1, 10) == "moderate"	Pass	0.000s
gauges_severe=0 matches (0, 'baseline') in the severity table.	_derive_intensity_category(0, 0) == "baseline"	Pass	0.000s
Both missing returns na	page..derive_tenor("", "") == "N/A"	Pass	0.000s
Five year tenor	page..derive_tenor("2024-01-01", "2029-01-01") == "5Y"	Pass	0.000s
Invalid date format returns na	page..derive_tenor("not-a-date", "2026-01-01") == "N/A"	Pass	0.000s
Missing end returns na	page..derive_tenor("2024-01-01", "") == "N/A"	Pass	0.000s
Missing start returns na	page..derive_tenor("", "2026-01-01") == "N/A"	Pass	0.000s
Valid dates returns years	page..derive_tenor("2024-01-01", "2026-01-01") == "2Y"	Pass	0.000s
Empty property info returns valid	result in ["Residential", "Buy-to-Let", "Second Home", "H...]	Pass	0.000s
Multi family returns btl or residential	result in ["Buy-to-Let", "Residential"]	Pass	0.000s
Rental history returns btl or residential	result in ["Buy-to-Let", "Residential"]	Pass	0.000s
Rental income returns btl or residential	result in ["Buy-to-Let", "Residential"]	Pass	0.000s
Vacant property	result in ["Buy-to-Let", "Second Home", "Residential"]	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Buy to let returns investment or primary	result in ["Investment", "PrimaryResidence"]	Pass	0.000s
Holiday home returns second residence	_determine_occupancy_type("Holiday Home") == "SecondResid..."	Pass	0.000s
Residential returns primary or second	result in ["PrimaryResidence", "SecondResidence"]	Pass	0.000s
Second home returns second residence	_determine_occupancy_type("Second Home") == "SecondReside..."	Pass	0.000s
Gauge IDs should be derived from location, not random UUIDs.	—	Skip	0.000s
Haversine known distance	6.0 < distance < 8.0	Pass	0.000s
Haversine same point	calculate_distance_km(lat, lon, lat, lon) == pytest.appro...	Pass	0.000s
Haversine teddington to richmond	2.5 < distance < 4.0	Pass	0.000s
Diagonal zero	np.allclose(np.diag(D), 0.0)	Pass	0.000s
51.5N 0.0 -j 51.5N 1.0E is approximately 69km.	65.0 < d < 75.0	Pass	0.000s
Positive off diagonal	D[i, j] > 0.0	Pass	0.000s
Shape	D.shape == (n, n)	Pass	0.000s
Symmetric	np.allclose(D, D.T)	Pass	0.000s
Thames gauges span ~80km corridor (Reading to Purfleet).	10.0 < max_d < 120.0	Pass	0.000s
Thames n gauges	thames_model.n_gauges == 52	Pass	0.000s
At zero is max	RiskAssessor.calculate_distance_risk_factor == 1.0	Pass	0.000s
Close band	RiskAssessor.calculate_distance_risk_factor == 0.8	Pass	0.000s
Far band	RiskAssessor.calculate_distance_risk_factor == 0.2	Pass	0.000s
Medium band	RiskAssessor.calculate_distance_risk_factor == 0.4	Pass	0.000s
Monotone decrease	all(factors[i] >= factors[i + 1] for i in range(len(facto...	Pass	0.000s
Near band	RiskAssessor.calculate_distance_risk_factor == 0.6	Pass	0.000s
Negative returns default	RiskAssessor.calculate_distance_risk_factor == 0.5	Pass	0.000s
None returns default	RiskAssessor.calculate_distance_risk_factor == 0.5	Pass	0.000s
Very close	RiskAssessor.calculate_distance_risk_factor == 1.0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Very far	<code>RiskAssessor.calculate_distance_risk_factor(1000) == 0.1</code>	Pass	0.000s
Property 50m from gauge with strong storm must flood.	<code>depth > 0; ret > 0.98</code>	Pass	0.000s
Property 10km from gauge with moderate storm should not flood.	<code>depth == 0.0; ret < 0.05</code>	Pass	0.000s
More distant properties receive less water — flood depth must	<code>depths[i] <= depths[i - 1] + 1e-6</code>	Pass	0.002s
Verify retention factor at key distances with 3km length scale.	<code>abs(actual - expected) < 0.001</code>	Pass	0.000s
At typical Thames distances (200-800m), check flood/no-flood	<code>10 <= ratio <= 90; n_flooded < n_storms</code>	Pass	0.004s
Close distance label	<code>"Very close to Thames" in str(elements)</code>	Pass	0.000s
Zero distance highest risk	<code>"On Thames River" in str(elements)</code>	Pass	0.000s
STORM-d1a damage for PROP-A uses only that storm's damage_ratio.	<code>prop_a["damage_amount"] == pytest.approx(expected_damage)</code>	Pass	0.003s
Query STORM-d1a: only PROP-A (depth=0) appears; PROP-B depth=0 excluded.	<code>r.status_code == 200; "PROP-A" in prop_ids (+1 more)</code>	Pass	0.004s
Total damage is different for each storm in the doublet.	<code>total2 > total1</code>	Pass	0.004s
STORM-d1b causes more damage to PROP-A (deeper flood).	<code>dm2 > dm1</code>	Pass	0.004s
Query STORM-d1b: both PROP-A and PROP-B have positive depth.	<code>r.status_code == 200; "PROP-A" in prop_ids (+1 more)</code>	Pass	0.004s
Response storm_id matches the queried storm.	<code>data["storm_id"] == "STORM-d1b"</code>	Pass	0.004s
Each storm computes its own damage_ratio from its own flood depth.	<code>"damage_ratio" in event; event["damage_ratio"] <= 1.0</code>	Pass	0.172s
Doublet events have distinct storm ids	<code>"STORM-d001a" in event_storm_ids; "STORM-d001b" in event_storm_ids</code>	Pass	0.173s
Doublet produces two flood events	<code>result is not None; prop_file.exists() (+1 more)</code>	Pass	0.172s
<code>floods_at_nearest_gauge == 2</code> for doublet sequence.	<code>result["summary"]["floods_at_nearest_gauge"] == 2</code>	Pass	0.171s
File not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Non pdf served as attachment	<code>r.status_code == 200; "attachment" in r.headers.get("Content-Disposition", "")</code>	Pass	0.002s
Path traversal returns 403	<code>r.status_code in (403, 404)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Valid pdf served inline	<code>r.status_code == 200</code>	Pass	0.003s
Not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.001s
Valid download returns 200	<code>r.status_code == 200</code>	Pass	0.005s
File missing on disk returns 404	<code>r.status_code == 404; "not found" in data["message"].lower()</code>	Pass	0.029s
Insufficient data message	<code>any("Insufficient" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.001s
Single entry insufficient	<code>any("Insufficient" in t for t in texts)</code>	Pass	0.000s
Sufficient data creates content	<code>len(result) > 2</code>	Pass	0.001s
More than 20 positions -i, only top 20 movers shown.	<code>isinstance(result, list)</code>	Pass	0.001s
Market move pnl creates table	<code>len(tables) >= 2</code>	Pass	0.000s
New trade pnl creates table	<code>len(tables) >= 1</code>	Pass	0.000s
No positions shows messages	<code>any("No new trades" in t for t in texts); any("No market move" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Position with notional=0 triggers fmt_gbp(0) → em-dash path.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Gauge IDs longer than 12 chars should not crash.	<code>isinstance(result, list)</code>	Pass	0.000s
Positions from 2 gauges should produce group subheaders.	<code>len(tables) >= 1</code>	Pass	0.000s
No positions shows message	<code>any("No open positions" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Single position	<code>isinstance(result, list)</code>	Pass	0.000s
With positions creates table	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Line 48: daily_pnl=0 and running_pnl=0 -i fmt_gbp returns em-dash.	<code>isinstance(result, list)</code>	Pass	0.000s
Eod id in filename	<code>"EOD-2026-03-08" in path.name</code>	Pass	0.005s
Generate empty snapshot	<code>path.exists()</code>	Pass	0.004s
Generate report returns path	<code>path.exists(); path.suffix == ".pdf"</code>	Pass	0.010s

Test Description	Acceptance Criteria	Result	Time
Generate report without pnl series	<code>path.exists()</code>	Pass	0.005s
Lines 49-50: <code>output_dir=None</code> -i uses <code>config.get_eod_dir()</code> .	<code>gen.output_dir == eod_dir</code>	Pass	0.000s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pdf not empty	<code>path.stat().st_size > 1000</code>	Pass	0.009s
EOD dates should be weekdays (Mon-Fri).	<code>not weekend</code>	Pass	0.001s
blotter/eod/ directory must exist.	<code>EOD_DIR.exists()</code>	Pass	0.000s
Each EOD file must be parseable JSON.	<code>not bad</code>	Pass	0.012s
Each EOD snapshot should have date, trades, and P&L data.	<code>not bad</code>	Pass	0.003s
Each EOD JSON should have a matching PDF report.	—	Pass	0.000s
Should have ~63 EOD snapshots (3 months of business days).	<code>len(eod_files) >= 50</code>	Pass	0.000s
<code>trade_marks.json</code> must exist in blotter directory.	<code>TRADE_MARKS.exists()</code>	Pass	0.000s
Date appears in paragraph	<code>any("2026-03-08" in t for t in texts)</code>	Pass	0.000s
Empty summary	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Has paragraph and table	<code>any(isinstance(e, Paragraph) for e in result); any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Negative pnl snapshot	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.016s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.001s
Audit log single event	<code>len(story) >= 5</code>	Pass	0.000s
Bcbs zero max score	<code>len(story) >= 4</code>	Pass	0.000s
Completely empty flood data	<code>path.exists()</code>	Pass	0.010s
Completely empty gauge data	<code>path.exists()</code>	Pass	0.014s
Completely empty property data	<code>path.exists()</code>	Pass	0.014s
Cover no coverage	<code>len(story) >= 3</code>	Pass	0.000s
Gauge data with hazard curve and timeseries	<code>path.exists()</code>	Pass	0.025s
<code>gauge.json</code> with dict-format flood_gauges is handled.	<code>resp.status_code == 200;</code> <code>data["status"] == "training"</code>	Pass	0.012s
Gauge with '-' for all numeric fields.	<code>result.exists()</code>	Pass	0.014s

Test Description	Acceptance Criteria	Result	Time
Verify no crash or timeout with 500 property entries.	<code>path.exists()</code>	Pass	0.012s
Missing summary key	<code>path.exists()</code>	Pass	0.010s
Model with long name	<code>len(story) >= 3</code>	Pass	0.000s
Model with no name	<code>len(story) >= 3</code>	Pass	0.000s
Mortgage with None for numeric fields.	<code>result.exists()</code>	Pass	0.013s
Mrc actions with missing fields	<code>len(story) >= 3</code>	Pass	0.000s
Multiple models risk ratings	<code>len(story) >= 5</code>	Pass	0.000s
Negative value property	<code>path.exists()</code>	Pass	0.015s
Negative/nonsensical values should not crash the generator.	<code>path.exists()</code>	Pass	0.010s
None flood gauge header	<code>path.exists()</code>	Pass	0.011s
None gauge data key	<code>path.exists()</code>	Pass	0.005s
Output is non empty bytes	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.012s
Pdf content is bytes	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.023s
Property data with none header	<code>path.exists()</code>	Pass	0.008s
Property with None for value field.	<code>result.exists()</code>	Pass	0.016s
Raci no activities no triggers	<code>len(story) >= 3</code>	Pass	0.000s
Remediation null due date	<code>len(story) >= 4</code>	Pass	0.000s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.026s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.021s
Report with all pages	<code>path.exists(); path.stat().st_size > 0</code>	Pass	0.018s
Single page report	<code>path.exists()</code>	Pass	0.003s
Single page report	<code>path.exists()</code>	Pass	0.003s
If joblib appears between status check and train call, returns ready.	<code>data["status"] == "ready"</code>	Pass	0.001s
Training status of one gauge does not affect another.	<code>data["status"] == "not_trained"</code>	Pass	0.000s
Validation question no short label	<code>len(story) >= 1</code>	Pass	0.000s
Zero properties at risk	<code>path.exists()</code>	Pass	0.010s
Zero value property	<code>path.exists()</code>	Pass	0.015s
Spec requirement: stronger storms -¿ broader spatial footprint.	<code>r_moderate < r_severe < r_extreme</code>	Pass	0.000s
intensity_factor ; 1 still gives at least base range.	<code>r == pytest.approx(small_model.params.base_range_km)</code>	Pass	0.000s
intensity_factor = 1.0 -¿ range = base_range.	<code>r == pytest.approx(small_model.params.base_range_km)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
range = base * (1 + rho * (factor - 1)).	m.effective_range_km(2.0) == pytest.approx(56.0)	Pass	0.000s
Good elevation over 20m	isinstance(result, list)	Pass	0.000s
Low elevation 5 to 10m	isinstance(result, list)	Pass	0.001s
Moderate elevation 10 to 20m	isinstance(result, list)	Pass	0.000s
No ground level	isinstance(result, list)	Pass	0.000s
Very low elevation under 5m	isinstance(result, list)	Pass	0.000s
Find the elevation where flooding stops — should be consistent	depth_below > 0; depth_above == 0.0	Pass	0.000s
Higher properties must have lower (or equal) flood depth.	depths[i] <= depths[i - 1] + 1e-6	Pass	0.002s
Higher floor level should reduce flood depth.	depth_low_floor >= depth_high_floor	Pass	0.000s
Property 8m above gauge should not flood (water_at_property > threshold).	depth == 0.0; est == 0.0	Pass	0.000s
Property only 0.5m above gauge should flood with a strong storm.	depth > 0	Pass	0.000s
Concerning under 1 year	isinstance(result, list)	Pass	0.000s
Excellent 5 plus years	isinstance(result, list)	Pass	0.000s
Fair 1 to 2 years	isinstance(result, list)	Pass	0.000s
Good 2 to 5 years	isinstance(result, list)	Pass	0.000s
No curves raises value error	—	Pass	0.002s
Empty storm_id returns 400.	resp.status_code == 400	Pass	0.000s
Line 160-161: responses with empty storm_id are skipped.	result["total_storms"] == 1; data["storms"][0]["storm_id"] == "STORM-valid001"	Pass	0.003s
storm_id key missing entirely → resp.get('storm_id', "") == "" → skip.	result["total_storms"] == 1	Pass	0.002s
Full pipeline generates all outputs	(pipeline_dir / "gaugets").is_dir(); (pipeline_dir / "gaugehd").is_dir() (+3 more)	Pass	0.000s
Gauge count propagates	n == N_GAUGES; len(list((pipeline_dir / "gaugets").glob("GAUGE-*.json"))... (+2 more)	Pass	0.001s
Pipeline output file integrity	expected_key in data	Pass	0.005s
Property count propagates	n == N_PROPERTIES; json.load(f)["summary"]["total_properties"] == n	Pass	0.002s
Analyze epcc rating all bands	expected_word in result	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Analyze epc rating case insensitive	"Excellent" in page._analyze_epc_rating("a")	Pass	0.000s
Analyze epc rating unknown	"Unknown" in result	Pass	0.000s
Exercises energy intensity branch when area is known.	len(tables) >= 1	Pass	0.000s
Full data set exercises all branches without exception.	isinstance(result, list); len(result) > 2	Pass	0.000s
No energy data fallback message	any("No energy performance data" in t for t in texts)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.002s
With building fabric	isinstance(result, list)	Pass	0.000s
With energy usage	isinstance(result, list); len(result) > 0	Pass	0.000s
With ratings data	isinstance(result, list); len(result) > 0	Pass	0.000s
With ratings includes table	len(tables) >= 1	Pass	0.000s
Close point pushed away	dist >= PropertyPortfolioGenerator.MIN_RIVER_DISTANCE_M * ...	Pass	0.000s
Far point unchanged	new_lat == pytest.approx(lat); new_lon == pytest.approx(lon)	Pass	0.001s
Returns tuple of two floats	len(result) == 2; all(isinstance(v, float) for v in result)	Pass	0.000s
Lines 353-355: FileNotFoundError → logger.error + sys.exit(1).	1 in exited_with	Pass	0.001s
Lines 451-453: FileNotFoundError → logger.error + sys.exit(1).	1 in exited	Pass	0.002s
Lines 510-512: FileNotFoundError → logger.error + sys.exit(1).	1 in exited	Pass	0.001s
Test handling of invalid JSON.	response.status_code == 400	Pass	0.000s
Lines 451-453: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited	Pass	0.005s
Lines 510-512: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited	Pass	0.002s
Lines 353-355: bad JSON → json.JSONDecodeError → sys.exit(1).	1 in exited_with	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Test handling of missing content type.	<code>response.status_code in [400, 415, 500]</code>	Pass	0.000s
Kent multiplier	<code>result > 0</code>	Pass	0.000s
London multiplier	<code>london > 0</code>	Pass	0.000s
New property	<code>result > 0</code>	Pass	0.000s
Old property	<code>result > 0</code>	Pass	0.000s
Returns float	<code>isinstance(result, float)</code>	Pass	0.000s
Surrey multiplier	<code>result > 0</code>	Pass	0.000s
With area	<code>result > 0</code>	Pass	0.000s
With bedrooms	<code>result > 0</code>	Pass	0.000s
Zero property value falls through	<code>result > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=100, prop_elev=6.0, floor=0.3, peak=8.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=1000, prop_elev=6.5, floor=0.5, peak=9.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=200, prop_elev=8.0, floor=0.3, peak=10.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=2000, prop_elev=6.0, floor=0.3, peak=7.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=3000, prop_elev=7.5, floor=0.0, peak=10.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=500, prop_elev=5.5, floor=0.8, peak=6.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s
If est_depth says no flood, hydrograph should also show no flood. [distance=500, prop_elev=7.0, floor=0.3, peak=10.0]	<code>depth == 0.0; depth > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
If est_depth says no flood, hydro-graph should also show no flood. [distance=5000, prop_elev=6.0, floor=0.0, peak=12.0]	depth == 0.0; depth > 0	Pass	0.000s
Above max is zero	d.exceedance_probability(d.params.max_intensity + 10) == 0.0	Pass	0.000s
Above threshold uses pareto	0 < p < 1	Pass	0.000s
At max intensity is zero	d.exceedance_probability(d.params.max_intensity) == 0.0	Pass	0.000s
At min intensity is one	d.exceedance_probability(d.params.min_intensity) == 1.0	Pass	0.000s
At threshold continuous	abs(p_just_below - p_just_above) < 0.05	Pass	0.000s
Below min is one	d.exceedance_probability(d.params.min_intensity - 5) == 1.0	Pass	0.000s
Below threshold uses normal	0 < p < 1	Pass	0.000s
Severe floods should be rare.	prob <= 0.05 + 1e-9	Pass	0.000s
Normal levels should be common.	prob > 0.5	Pass	0.000s
Monotonically decreasing	all(probs[i] > probs[i + 1] for i in range(len(probs) - 1))	Pass	0.000s
Return period should be inverse of probability.	return_period > 1	Pass	0.000s
Get gauge id missing key	page._get_gauge_id({}) == "Unknown Gauge"; page._get_gauge_id(None) == "Unknown Gauge"	Pass	0.000s
Malformed gauge data returns error element	isinstance(elements, list); len(elements) > 0	Pass	0.000s
Compliant verdict	verdict_badge._cellvalues[1][0] == 'COMPLIANT'	Pass	0.001s
Non compliant verdict	verdict_badge._cellvalues[1][0] in ('PARTIAL...'	Pass	0.000s
Run history shown	'Run History' in texts	Pass	0.000s
Extracts ids	extract_property_ids(data) == {"P1", "P2"}; extract_mortgage_ids(data) == {"M1", "M2"} (+1 more)	Pass	0.000s
Missing gauge id skipped	extract_gauge_ids(data) == set()	Pass	0.000s
None returns empty set	extract_property_ids(None) == set(); extract_mortgage_ids(None) == set() (+2 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Extracts ids	<code>extract_property_ids(data) == {"P1", "P2"};</code> <code>extract_mortgage_ids(data) == {"M1", "M2"} (+1 more)</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> (+2 more)	Pass	0.000s
Extracts property ids from mortgages	<code>extract_mortgage_property_ids(data) == {"P1", "P2"}</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> (+2 more)	Pass	0.000s
Empty items returns empty set	<code>extract_property_ids({"items": []}) == set()</code>	Pass	0.000s
Extracts ids	<code>extract_property_ids(data) == {"P1", "P2"};</code> <code>extract_mortgage_ids(data) == {"M1", "M2"} (+1 more)</code>	Pass	0.000s
Missing property id skipped	<code>extract_property_ids(data) == set()</code>	Pass	0.000s
None returns empty set	<code>extract_property_ids(None) == set();</code> <code>extract_mortgage_ids(None) == set()</code> (+2 more)	Pass	0.000s
Construction year extracted	<code>gen._extract_property_info(self._full_record["construction_year"])</code>	Pass	0.000s
Flood risk extracted	<code>gen._extract_property_info(self._full_record["flood_risk"])</code>	Pass	0.000s
Lat lon extracted	<code>abs(info["latitude"] - 51.45) < 0.001;</code> <code>abs(info["longitude"] + 0.30) < 0.001</code>	Pass	0.000s
Missing attrs default construction year	<code>gen._extract_property_info({"PropertyHeader": {"Header": ...</code>	Pass	0.000s
Missing header defaults property id	<code>gen._extract_property_info({"PropertyHeader": {"Header": ...</code>	Pass	0.000s
Missing location defaults postcode and coords	<code>info["postcode"] == "SW1A 1AA";</code> <code>abs(info["latitude"] - 51.5) < 0.01</code> (+1 more)	Pass	0.000s
Missing property header returns defaults	<code>info["property_id"] == "";</code> <code>info["property_value"] == 500000</code> (+1 more)	Pass	0.000s
Missing risk assessment defaults flood risk	<code>gen._extract_property_info({"PropertyHeader": {"Header": ...</code>	Pass	0.000s
Missing valuation defaults property value	<code>gen._extract_property_info(record)["property_value"] == 5...</code>	Pass	0.000s
Postcode extracted	<code>gen._extract_property_info(self._full_record["postcode"])</code>	Pass	0.000s
Property id extracted from header	<code>gen._extract_property_info(self._full_record["property_id"])</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Property type extracted	<code>gen..extract_property_info(self._full_record["property"])</code>	Pass	0.000s
Property value extracted	<code>gen..extract_property_info(self._full_record["property"])</code>	Pass	0.000s
Age band factors within reasonable bounds	<code>lo > 0; hi >= lo</code>	Pass	0.000s
Base area ranges all positive	<code>lo > 0; hi > lo</code>	Pass	0.000s
Base price per sqm all positive	<code>lo > 0; hi > lo</code>	Pass	0.000s
Condition factors ordered by severity	<code>excellent_lo > poor_hi</code>	Pass	0.000s
Epc factors a highest	<code>a_lo > g_hi</code>	Pass	0.000s
Flood risk factors decrease with risk	<code>very_low_lo > very_high_hi</code>	Pass	0.000s
Min max value bounds	<code>MIN_PROPERTY_VALUE == 150_000;</code> <code>MAX_PROPERTY_VALUE == 5_000_000</code>	Pass	0.000s
Proximity zones have range key	<code>'range' in data</code>	Pass	0.000s
Rent per sqm all present	<code>set(RENT_PER_SQM.keys()) ==</code> <code>expected_types</code>	Pass	0.000s
Rental yield rates all present	<code>set(RENTAL_YIELD_RATES.keys()) ==</code> <code>expected_types</code>	Pass	0.000s
A failure matching FAILURE.METADATA renders a structured table.	<code>len(tables) >= 3</code>	Pass	0.001s
A failure NOT in FAILURE.METADATA falls back to bullet point.	<code>any('test.trade.gauges.exist.in.gauge.json'</code> <code>in t ...</code>	Pass	0.000s
Empty counterparty file uses fallback	<code>len(trades) > 0;</code> <code>all(cid.startswith("CTPY-") for</code> <code>cid in ctpy_ids)</code>	Pass	0.003s
Missing counterparty file uses fallback	<code>len(trades) > 0</code>	Pass	0.002s
Exact lookup found	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.002s
Exact lookup not found	<code>r.status_code == 404; "Field not</code> <code>found" in r.get_json()["message"]</code>	Pass	0.002s
Exact lookup wrong report	<code>r.status_code == 404</code>	Pass	0.002s
Exact lookup wrong section	<code>r.status_code == 404</code>	Pass	0.002s
No params 400	<code>r.status_code == 400; "Provide" in</code> <code>r.get_json()["message"]</code>	Pass	0.002s
No registry 404	<code>r.status_code == 404; "not found" in</code> <code>data["message"].lower() (+1 more)</code>	Pass	0.000s
Search by cdm path	<code>data["count"] >= 1</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Search by source field	<code>data["count"] == 1;</code> <code>data["results"][0]["field"] ==</code> <code>"spread" (+1 more)</code>	Pass	0.002s
Search case insensitive	<code>data["count"] >= 1</code>	Pass	0.002s
Search finds matches	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.002s
Search no results	<code>r.status_code == 200; data["count"] ==</code> <code>0 (+1 more)</code>	Pass	0.002s
Search result structure	<code>data["count"] >= 1; "report" in</code> <code>result (+4 more)</code>	Pass	0.002s
If only report and search are given (not all 3 exact keys), search is used.	<code>data["count"] >= 1</code>	Pass	0.002s
None field def returns empty string	<code>result == ""</code>	Pass	0.000s
Numeric field def returns empty string	<code>result == ""</code>	Pass	0.000s
String field def returned as is	<code>result == "literal_value"</code>	Pass	0.000s
No type defaults to text	<code>"SomeField" in result</code>	Pass	0.000s
Unknown type returns empty	<code>result == ""</code>	Pass	0.000s
5 year filter	<code>len(result) < len(flows); len(result)</code> <code>> 0</code>	Pass	0.002s
Empty flows returns empty	<code>GaugeHistoricalDaily().filter_by_years([],</code> <code>years=10) == []</code>	Pass	0.000s
Empty list returns empty	<code>result == []</code>	Pass	0.000s
Filter 1 year keeps only recent	<code>"2010-01-01" not in [f["date"] for f</code> <code>in result]</code>	Pass	0.000s
Filter keeps recent	<code>"2000-06-01" not in dates;</code> <code>"2020-06-01" in dates</code>	Pass	0.000s
Large years returns all	<code>len(result) == len(flows)</code>	Pass	0.001s
None years returns all	<code>len(gen.filter_by_years(flows,</code> <code>years=None)) == 2</code>	Pass	0.000s
None years returns all	<code>len(result) == len(flows)</code>	Pass	0.000s
All dates within range kept	<code>len(gen.filter_by_years(flows,</code> <code>years=5)) == 3</code>	Pass	0.000s
Zero years returns only most recent year	<code>"2020-01-01" in [f["date"] for f in</code> <code>result]</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(self._page().generate_elements(0),</code> <code>list)</code>	Pass	0.000s
Has financial header	<code>any("Financial" in t for t in texts)</code>	Pass	0.000s
Has table	<code>any(isinstance(e, Table) for e in</code> <code>result)</code>	Pass	0.000s
No area skips value per sqm	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No property value	<code>isinstance(result, list)</code>	Pass	0.000s
No valuation data	<code>isinstance(result, list)</code>	Pass	0.000s
Other valuation field with value in name	<code>isinstance(result, list)</code>	Pass	0.000s
Other valuation field without value in name	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(_make_property), list)</code>	Pass	0.000s
Returns non empty list	<code>len(self._page().generate_elements(_make_property())) > 0</code>	Pass	0.000s
Value per sqm shown when area present	<code>isinstance(result, list)</code>	Pass	0.000s
Atl basin	<code>"EVT-001" in ids; "EVT-002" in ids (+1 more)</code>	Pass	0.001s
Case insensitive	<code>result is not None; len(result) >= 1</code>	Pass	0.001s
Unknown basin returns empty	<code>storm_loader.find_by_basin("XYZ") == []</code>	Pass	0.001s
Wpac basin	<code>len(result) == 1; storm_loader.get_entity_id(result[0]) == "EVT-003"</code>	Pass	0.001s
All category 4	<code>all(s["TCEvent"]["Header"]["Category"] == 4 ...)</code>	Pass	0.001s
Category 3	<code>"EVT-003" in ids</code>	Pass	0.001s
Category 5	<code>len(result) == 1; storm_loader.get_entity_id(result[0]) == "EVT-002"</code>	Pass	0.001s
No matches returns empty	<code>storm_loader.find_by_category(99) == []</code>	Pass	0.001s
Find by county case insensitive	<code>len(results) == 1</code>	Pass	0.002s
Find by county empty portfolio	<code>results == []</code>	Pass	0.005s
Find by county exact match	<code>len(results) == 1; results[0]["PropertyHeader"]["Header"]["PropertyID"] == "..."</code>	Pass	0.005s
Property with no County field should not crash.	<code>results == []</code>	Pass	0.005s
Find by county no match	<code>results == []</code>	Pass	0.001s
Find by county partial match	<code>len(results) == 2; ids == {"PROP-001", "PROP-003"}</code>	Pass	0.002s
Case insensitive	<code>result is not None; len(result) >= 1</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Exact match	<code>result is not None;</code> <code>storm_loader.get_entity_id(result) == "EVT-001"</code>	Pass	0.001s
No match returns none	<code>storm_loader.find_by_name("Nonsense Storm") is None</code>	Pass	0.001s
Partial match	<code>result is not None;</code> <code>storm_loader.get_entity_id(result) == "EVT-003"</code>	Pass	0.001s
Missing season returns empty	<code>storm_loader.find_by_season(1900) == []</code>	Pass	0.001s
Season 2017	<code>len(result) == 1;</code> <code>storm_loader.get_entity_id(result[0]) == "EVT-001"</code>	Pass	0.001s
Season with multiple	<code>len(result) == 1</code>	Pass	0.001s
Dict with 'flood_gauges' list → finds first gauge correctly.	<code>result["FloodGauge"]["Header"]["GaugeName"] == "Gauge One"</code>	Pass	0.000s
Dict with 'flood_gauges' list → finds correct gauge by ID.	<code>result["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-002"</code>	Pass	0.000s
Plain list of gauge dicts → finds the correct one.	<code>result["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-B"</code>	Pass	0.000s
Dict with 'FloodGauge' key (single object) → returns the dict itself.	<code>result is sample_gauge_data</code>	Pass	0.000s
Flood gauges key found	<code>result == data["flood_gauges"][0]</code>	Pass	0.000s
Dict with neither 'flood_gauges' nor 'FloodGauge' key → ValueError raised.	—	Pass	0.000s
Invalid dict structure raises	—	Pass	0.000s
Invalid type raises	—	Pass	0.000s
Passing a string instead of dict/list → ValueError raised.	—	Pass	0.000s
List input found	<code>result == gauges[0]</code>	Pass	0.000s
Malformed gauge entry skipped	<code>result == data["flood_gauges"][1]</code>	Pass	0.000s
Gauge ID not in plain list → ValueError raised.	—	Pass	0.000s
Gauge ID not present in data → ValueError raised.	—	Pass	0.000s
Not found raises value error	—	Pass	0.000s
Single gauge dict returns self	<code>result is data</code>	Pass	0.000s
Line 361: dict with neither 'flood_gauges' nor 'FloodGauge' → ValueError.	—	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Flood gauges key first gauge	<code>result["FloodGauge"]["Header"]["GaugeID"] == "G-A"</code>	Pass	0.000s
Flood gauges key last gauge	<code>result["FloodGauge"]["Header"]["GaugeID"] == "G-C"</code>	Pass	0.000s
Line 375: gauge_id not present in any entry → ValueError.	—	Pass	0.000s
Integer input raises	—	Pass	0.000s
Line 363: list input → list used directly as gauge collection.	<code>result["FloodGauge"]["Header"]["GaugeID"] == "G-LIST"</code>	Pass	0.000s
Malformed entry missing flood gauge key skipped	<code>result["FloodGauge"]["Header"]["GaugeID"] == "G-REAL"</code>	Pass	0.000s
Malformed entry with none skipped	<code>result["FloodGauge"]["Header"]["GaugeID"] == "G-OK"</code>	Pass	0.000s
Single flood gauge dict returns itself	<code>result is data</code>	Pass	0.000s
String input raises	—	Pass	0.000s
Finds existing meeting	<code>meeting is not None; meeting["id"] == "M1" (+1 more)</code>	Pass	0.029s
Returns error for missing meeting	<code>meeting is None; err is not None</code>	Pass	0.028s
Dict with mortgages found	<code>result["amount"] == 100</code>	Pass	0.000s
Dict with mortgages found	<code>result["amount"] == 100</code>	Pass	0.000s
Dict with mortgages not found returns none	<code>result is None</code>	Pass	0.000s
Dict with mortgages not found returns none	<code>result is None</code>	Pass	0.000s
Dict without mortgages key returns data itself	<code>result is not None</code>	Pass	0.000s
Empty mortgages list returns none	<code>result is None</code>	Pass	0.000s
Lines 406-407: non-dict, non-list -> return data as-is.	<code>result == "some_string"</code>	Pass	0.000s
Invalid type returns data as is	<code>result == "some_string"</code>	Pass	0.000s
List input found	<code>result == data[0]; result["amount"] == 200</code>	Pass	0.000s
List input found	<code>result["amount"] == 200</code>	Pass	0.000s
List input not found returns none	<code>result is None</code>	Pass	0.000s
Distance is positive	<code>dist > 0</code>	Pass	0.000s
Returns nearest of three	<code>nearest.intensity == 80.0; dist == pytest.approx(0.0, abs=1.0)</code>	Pass	0.000s
Single track point	<code>nearest is track[0]</code>	Pass	0.000s
Dict without list key wraps itself	<code>result is data</code>	Pass	0.000s
Dict without properties wraps in list	<code>result == data</code>	Pass	0.000s
Empty properties list raises	—	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Invalid type raises	—	Pass	0.000s
Invalid type raises value error	—	Pass	0.000s
List input	result == data[0]	Pass	0.000s
List input found	result == data[0]; result["amount"] == 200	Pass	0.000s
List not found raises	—	Pass	0.000s
None raises value error	—	Pass	0.000s
Not found raises	—	Pass	0.000s
Not found raises value error	—	Pass	0.000s
Portfolio key	result == data["portfolio"][0]	Pass	0.000s
Portfolio key found	result["PropertyHeader"]["Header"]["Property"] == "PA"	Pass	0.000s
Properties key	result == data["properties"][0]	Pass	0.000s
Properties key found	result["PropertyHeader"]["Header"]["Property"] == "P-002"	Pass	0.000s
Train gauge creates joblib file	(model_dir / "GAUGE-001.joblib").exists()	Pass	0.082s
Train gauge has metrics	"metrics" in result; "auc_roc" in result["metrics"] (+1 more)	Pass	0.081s
Train gauge returns dict	isinstance(result, dict)	Pass	0.318s
Train gauge single class skipped	result["status"] == "skipped"; result["reason"] == "single_class"	Pass	0.003s
Train gauge status trained	result["status"] == "trained"	Pass	0.082s
Flood above trigger	depth > 0.0	Pass	0.000s
Flood attenuates with distance	depth_close > depth_far	Pass	0.000s
High elevation no flood	depth == 0.0	Pass	0.000s
No flood below trigger	depth == 0.0	Pass	0.000s
Calculate time above warning level.	duration > 0	Pass	0.000s
Duration should be in reasonable range.	5 < duration < 30	Pass	0.000s
No time above threshold for normal readings.	duration == 0	Pass	0.000s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s
Create mapping with empty input	isinstance(gauge_cdm.create_mapping({}), dict)	Pass	0.000s
Get field info for gauge id	info is not None; info.get("type") == "text"	Pass	0.000s
Required fields include gauge id	any("GaugeID" in f for f in gauge_cdm.get_required_fields())	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Schema has flood gauge root	"FloodGauge" in gauge_cdm.schema	Pass	0.000s
Schema has header section	"Header" in gauge_cdm.schema["FloodGauge"]	Pass	0.000s
Validate empty data returns errors	isinstance(gauge_cdm.validate({}), dict)	Pass	0.000s
Validate valid gauge data	len(gauge_cdm.validate(data)) == 0	Pass	0.000s
Available gauges	"GAUGE-001" in gauges	Pass	0.000s
Available gauges empty dir	predictor.available_gauges() == []	Pass	0.000s
Lines 188-192: load_summary() loads training_summary.json.	'num_gauges' in summary; 'num_trained' in summary	Pass	0.002s
load_summary caches on second call.	s1 is s2	Pass	0.001s
Predict caches model	"GAUGE-001" in predictor._models	Pass	0.009s
Predict high level higher probability	p_high > p_low	Pass	0.007s
Predict in range	0.0 <= prob <= 1.0	Pass	0.009s
Predict missing model raises	—	Pass	0.000s
Predict returns float	isinstance(prob, float)	Pass	0.009s
Predict series all in range	all(0.0 <= p <= 1.0 for p in result)	Pass	0.009s
Predict series default derivatives	len(result) == 2	Pass	0.009s
Predict series returns list	isinstance(result, list); len(result) == 4	Pass	0.008s
Predict series with derivatives	len(result) == 3	Pass	0.008s
predict_surface returns a 2D proba- bility grid (hours × levels).	'water_levels' in result; 'hours' in result (+3 more)	Pass	0.010s
Directly call build_property_hydrograph and verify it produces depth.	max_depth > 0	Pass	0.003s
Properties with est_depth < 0 should have some flooded events.	—	Pass	0.003s
The IDW interpolation should pro- duce high WSE from alert storms.	water_at_prop > 0	Pass	0.003s
At least one property should have a nearest gauge with alert storms.	pid is not None	Pass	0.008s
At high threshold	RiskAssessor.assess_flood_risk_level(1.0) == "High"	Pass	0.000s
At low threshold	RiskAssessor.assess_flood_risk_level(0.1) == "Low"	Pass	0.000s
At medium threshold	RiskAssessor.assess_flood_risk_level(0.5) == "Medium"	Pass	0.000s
Below low threshold	RiskAssessor.assess_flood_risk_level(0.05) == "Low"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
High range	<code>RiskAssessor.assess_flood_risk_level(0.75)</code> <code>== "High"</code>	Pass	0.000s
Medium range	<code>RiskAssessor.assess_flood_risk_level(0.3)</code> <code>== "Medium"</code>	Pass	0.000s
Monotone with depth	<code>levels == order</code>	Pass	0.000s
Negative returns unknown	<code>RiskAssessor.assess_flood_risk_level(-1.0)</code> <code>== "Unknown"</code>	Pass	0.000s
None returns unknown	<code>RiskAssessor.assess_flood_risk_level(None)</code> <code>== "Unknown";</code> <code>RiskAssessor.assess_ltv_risk_level(None)</code> <code>== "Unknown"</code>	Pass	0.000s
Very high	<code>RiskAssessor.assess_flood_risk_level(2.5)</code> <code>== "Very High"</code>	Pass	0.000s
Zero is very low	<code>RiskAssessor.assess_flood_risk_level(0.0)</code> <code>== "Very Low"</code>	Pass	0.000s
Lines 59-74: model builds without error given valid inputs.	<code>model.properties is not None;</code> <code>model.flood_event == {"GAUGE-000":</code> <code>1.5}</code>	Pass	3.344s
Line 72-74: correlation_matrix is set after <code>__init__</code> .	<code>model.correlation_matrix is not None</code>	Pass	0.001s
Lines 62-63: custom correlation_distance and base_correlation stored.	<code>model.correlation_distance == 500;</code> <code>model.base_correlation == 0.6</code>	Pass	0.001s
Lines 86-88: missing elevation → warning + default 20.0.	<code>any("elevation" in</code> <code>str(warning.message).lower()</code> <code>for warni...;</code> <code>(model.properties["elevation"]</code> <code>== 20.0).all()</code>	Pass	0.001s
Lines 94-95: missing floor_level_metres → default 0.0.	<code>"floor_level_metres" in</code> <code>model.properties.columns;</code> <code>(model.properties["floor_level_metres"]</code> <code>== 0.0).all()</code>	Pass	0.001s
Line 81: missing 'geometry' column raises ValueError.	—	Pass	0.000s
Lines 83-84: property_id auto-assigned when absent.	<code>"property_id" in</code> <code>model.properties.columns;</code> <code>model.properties["property_id"].iloc[0].startswith("PROP_-")</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 90-92: missing property_type → warning + default 'residential'.	any("property_type" in str(warning.message).lower() for w...; (model.properties["property_type"] == "residential").all()	Pass	0.001s
Line 81: missing 'value' column raises ValueError.	—	Pass	0.000s
Line 59: properties is a copy, origi- nal not mutated.	set(props.columns) == original.cols	Pass	0.001s
Line 71: kdtree built when gauge_data provided.	model.gauge_data is not None	Pass	0.004s
Lines 131-139: ana- lyze_risk_clusters() returns DataFrame, sets risk_clusters.	isinstance(result, pd.DataFrame); model.risk_clusters is not None	Pass	0.410s
Lines 114-120: ana- lyze_spatial_concentration() returns DataFrame.	isinstance(result, pd.DataFrame)	Pass	0.008s
Lines 122-129: calcu- late_advanced_metrics() returns dict.	isinstance(result, dict)	Pass	0.002s
Line 103: calculate_direct_impacts() returns ndarray.	isinstance(impacts, np.ndarray); len(impacts) == len(model.properties)	Pass	0.000s
Line 99: calculate_flood_depths() re- turns ndarray.	isinstance(depths, np.ndarray); len(depths) == len(model.properties)	Pass	0.000s
Line 151: _haversine_distance() del- egates to haversine_distance.	isinstance(d, float); d > 0	Pass	0.000s
Lines 107-112: simu- late_portfolio_impact() returns dict.	isinstance(result, dict)	Pass	0.025s
Default params produces data	len(result) > 0; "readings" in result[0]	Pass	0.001s
String start time is parsed	len(result) == 50	Pass	0.000s
Lines 235-239: invalid metadata JSON triggers except continue.	r.status_code == 200	Pass	0.031s
Lines 280-281: property.json read error triggers except pass.	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.030s
Line 288: property not in valued_ids is skipped; storm filtered out.	"STORM-E" not in storm_ids	Pass	0.031s
Line 292: flood events with depth j= 0 are skipped; storm filtered out.	"STORM-F" not in storm_ids	Pass	0.031s

Test Description	Acceptance Criteria	Result	Time
Lines 218-219: invalid JSON in gaugets file triggers except continue.	<code>data["status"] == "success";</code>	Pass	0.030s
Lines 280-292: property flooding enriches storm with depth/damage.	<code>data["count"] >= 1</code> <code>storms["STORM-D"]["properties_flooded"] == 1; storms["STORM-D"]["max_depth_m"] == 1.2 (+1 more)</code>	Pass	0.030s
Line 204: storm responses with empty storm_id are skipped.	<code>data["status"] == "success"; "" not in storm_ids (+1 more)</code>	Pass	0.031s
Lines 235-237: storms.json enrichment path (not sequences).	<code>s["intensity_category"] == "extreme";</code> <code>s["effective_precipitation_mm"] == 80.0</code>	Pass	0.030s
Lines 254-266: storms without metadata get classified by gauges_severe count.	<code>storms["S-CAT"]["intensity_category"] == "catastrophic";</code> <code>storms["S-CAT"]["name"] == "Catastrophic" (+4 more)</code>	Pass	0.052s
Unknown zone	<code>"Unknown" in r or "Zone X" in r</code>	Pass	0.000s
Zone 1 low risk	<code>"Low" in r</code>	Pass	0.000s
Zone 2 medium risk	<code>"Medium" in r</code>	Pass	0.000s
Zone 3a high risk	<code>"High" in r</code>	Pass	0.000s
Zone 3b floodplain	<code>"floodplain" in r.lower() or "Functional" in r</code>	Pass	0.000s
Zone in page output	<code>isinstance(result, list)</code>	Pass	0.002s
Large value	<code>'1,000,000' in result;</code> <code>result.startswith('£')</code>	Pass	0.000s
Negative	<code>'5,000' in result</code>	Pass	0.000s
Non numeric fallback	<code>fmt_gbp('N/A') == 'N/A'</code>	Pass	0.000s
None fallback	<code>result == 'None'</code>	Pass	0.000s
Positive float	<code>fmt_gbp(1234.56) == '£1,235'</code>	Pass	0.006s
Zero	<code>fmt_gbp(0) == '£0'</code>	Pass	0.000s
line 286: <code>f'{value:.6f}'</code> .	<code>result == '51.500000'</code>	Pass	0.000s
Negative coordinate	<code>result == '-0.100000'</code>	Pass	0.000s
None delegates to format value	<code>page._format.coordinate(None) == 'Not specified'</code>	Pass	0.000s
None currency returns not specified	<code>result == 'Not specified'</code>	Pass	0.000s
String currency delegates	<code>result == "N/A"</code>	Pass	0.000s
Abbreviation replacements	<code>'GPS' in result</code>	Pass	0.000s
Camel case split	<code>'Gauge' in result</code>	Pass	0.000s
Non numeric delegates	<code>page._format.frequency(None) == 'Not specified'</code>	Pass	0.000s
Positive returns times	<code>page._format.frequency(3) == '3 times'</code>	Pass	0.000s
line 294: <code>'Never'</code> .	<code>page._format.frequency(0) == 'Never'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Integer value	result == '5.000 m'	Pass	0.000s
Non numeric delegates to format value	result == 'Not specified'	Pass	0.000s
Numeric value with custom unit	result == '1.234 km'	Pass	0.000s
line 280: f'{value:.3f} {unit}'.	result == '3.500 m'	Pass	0.000s
None percentage returns not specified	result == 'Not specified'	Pass	0.000s
String percentage delegates	result == "N/A"	Pass	0.000s
Blank/whitespace-only string (line 272) -¿ 'Not specified'.	page._format_value('') == 'Not specified'; page._format_value(' ') == 'Not specified'	Pass	0.000s
False returns no	page._format_value(False) == 'No'	Pass	0.000s
float.is_integer() -¿ str(int(value)).	result == '3'	Pass	0.000s
float with fractional part -¿ 2 decimal places.	result == '3.14'	Pass	0.000s
int branch (line 270): str(value).	result == '42'	Pass	0.000s
None returns not specified	page._format_value(None) == 'Not specified'	Pass	0.000s
Normal string returned	page._format_value('hello') == 'hello'	Pass	0.000s
True returns yes	page._format_value(True) == 'Yes'	Pass	0.000s
Empty string returns not specified	page._format_value('') == 'Not specified'	Pass	0.000s
Whitespace string returns not specified	page._format_value(' ') == 'Not specified'	Pass	0.000s
None returns not specified	page._format_value(None) == 'Not specified'	Pass	0.000s
Pad foundation	isinstance(result, list)	Pass	0.000s
Pile foundation	isinstance(result, list)	Pass	0.000s
Raft foundation	isinstance(result, list)	Pass	0.000s
Strip foundation	isinstance(result, list)	Pass	0.000s
Unknown foundation	isinstance(result, list)	Pass	0.000s
Four exceedances high	"High frequency" in str(elements)	Pass	0.000s
One exceedance	"One severe level exceedance" in str(elements)	Pass	0.000s
Two exceedances moderate	"Moderate frequency" in str(elements)	Pass	0.000s
Zero exceedances	"No severe level exceedances recorded" in str(elements)	Pass	0.000s
Distance matrix built	thames_model.dist_matrix.shape == (52, 52)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
From dict	<code>p.base_range_km == 50.0; p.nugget == 0.10 (+1 more)</code>	Pass	0.016s
Lines 323-325: construct model from a gauge.json file.	<code>model.n_gauges == 3;</code> <code>model.dist_matrix.shape == (3, 3)</code>	Pass	0.002s
Loads 52 gauges	<code>thames_model.n_gauges == 52</code>	Pass	0.000s
Full js contains iife	<code>'(function()'</code> in <code>full_governance_js</code> or <code>'(function ()'</code> in ...	Pass	0.000s
The Leaflet control that adds the Regulatory shield must be present.	<code>'GovernanceControl'</code> in <code>full_governance_js;</code> <code>'Regulatory Compliance'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains render audit reports	<code>'renderAuditReports'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains script tags	<code>'<script>'</code> in <code>full_governance_js;</code> <code>'</script>'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js contains show mg panel	<code>'showMgPanel'</code> in <code>full_governance_js</code>	Pass	0.000s
Terminal popup added in last session must be present.	<code>'_openTerminalPopup'</code> in <code>full_governance_js;</code> <code>'_auditTerminalRefreshNow'</code> in <code>full_governance_js</code>	Pass	0.000s
Full js is str	<code>isinstance(full_governance_js, str)</code>	Pass	0.000s
Full js non empty	<code>len(full_governance_js) > 10.000</code>	Pass	0.000s
Run node -check on the compiled governance script.	<code>result.returncode == 0</code>	Pass	1.190s
alpha=0.3 -j fast rise, long tail.	<code>rise_val > fall_val</code>	Pass	0.000s
Invalid alpha	<code>gamma_shape(0.5, 0.0) == 0.0;</code> <code>gamma_shape(0.5, -1.0) == 0.0</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=0.3]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=0.7]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
The maximum value over u in (0,1] should be 1.0 at u=alpha. [alpha=1.0]	<code>max(vals) == pytest.approx(1.0, abs=1e-4)</code>	Pass	0.000s
Negative u	<code>gamma_shape(-0.1, 0.5) == 0.0</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.3]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.5]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=0.7]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
phi(alpha^2) should equal 1.0 (the normalised peak). [alpha=1.0]	<code>abs(val - 1.0) < 1e-10</code>	Pass	0.000s
Zero at zero	<code>gamma_shape(0.0, 0.3) == 0.0</code>	Pass	0.000s
Zero beyond one	<code>gamma_shape(1.01, 0.5) == 0.0</code>	Pass	0.000s
Matches scalar	<code>arr[h] == pytest.approx(expected, abs=1e-10)</code>	Pass	0.000s
Zero outside window	<code>arr[0] == 0.0; arr[49] == 0.0 (+1 more)</code>	Pass	0.000s
Base level calculated	<code>abs(gc.base_level - 1.4) < 0.01</code>	Pass	0.000s
Creates gauge config	<code>isinstance(gc, GaugeConfig)</code>	Pass	0.000s
Defaults when no flood stages	<code>gc.flood_alert == 4.0</code>	Pass	0.000s
Handles case where FloodGauge key is missing (flat data).	<code>gc.flood_alert == 3.5</code>	Pass	0.000s
Flood alert set	<code>gc.flood_alert == 4.0</code>	Pass	0.000s
Gauge id set	<code>gc.gauge_id == "GAUGE-099"</code>	Pass	0.000s
Historical high set	<code>gc.historical_high == 6.0</code>	Pass	0.000s
Lines 32-34: loader.list_all() raises - i 500 response.	<code>response.status_code == 500; data['status'] == 'error'</code>	Pass	0.000s
Line 19: OPTIONS on /api/v1/gauges returns 200.	<code>response.status_code == 200; data['status'] == 'ok'</code>	Pass	0.000s
Empty historical daily shows fallback	<code>any(t for t in texts)</code>	Pass	0.000s
No timeseries data shows fallback	<code>any("No historical" in t or "No" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With observations includes content	<code>len(result) >= 2</code>	Skip	0.094s
With observations returns elements	<code>len(result) > 2</code>	Skip	0.102s
Certified conclusion	<code>"certification standards" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Freq high significance	<code>"Regular severe events" in str(result)</code>	Pass	0.001s
Freq low significance	<code>"Low frequency events" in str(result)</code>	Pass	0.001s
Freq zero no exceedances conclusion	<code>"No historical severe flood events" in str(result)</code>	Pass	0.001s
Freq zero significance	<code>"No severe exceedances" in str(result)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Gauge overview summary section	any("Gauge Overview Summary" in t for t in texts)	Pass	0.001s
Get gauge id missing	page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present	page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Get gauge name missing	page._get_gauge_name({}) == "Unknown Gauge Name"	Pass	0.000s
Get gauge name present	page._get_gauge_name(_make_gauge()) == "Chelsea Bridge"	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.001s
High risk conclusion	"high flood risk" in str(result)	Pass	0.001s
hist_high < severe_level → 'Exceeds severe warning' significance.	"Exceeds severe warning" in str(result)	Pass	0.001s
hist_high != severe_level → 'Within expected range' significance.	"Within expected range" in str(result)	Pass	0.001s
Key metrics summary section	any("Key Metrics Summary" in t for t in texts)	Pass	0.001s
Low risk conclusion	"Low flood risk" in str(result)	Pass	0.001s
Moderate risk conclusion	"Moderate flood risk" in str(result)	Pass	0.001s
Operational status conclusion	"fully operational" in str(result)	Pass	0.001s
Operational status summary section	any("Operational Status Summary" in t for t in texts)	Pass	0.001s
Report conclusions section	any("Report Conclusions" in t for t in texts)	Pass	0.001s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.001s
Timeseries alert conclusion	"ALERT" in str(result)	Pass	0.001s
Timeseries normal conclusion	"normal water levels" in str(result)	Pass	0.001s
Timeseries severe conclusion	"CRITICAL" in str(result)	Pass	0.001s
Timeseries warning conclusion	"WARNING" in str(result)	Pass	0.001s
Title present	any("Comprehensive Data Summary" in t for t in texts)	Pass	0.001s
Historical graph no dates fallback	isinstance(result, list)	Pass	0.000s
Historical graph with thresholds	isinstance(result, list); len(result) > 0	Pass	0.038s
No storm responses shows message	any("No storm" in t for t in texts)	Pass	0.000s
No timeseries data shows no data message	any("No historical" in t or "No storm" in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Realised floods no exceedances	<code>any("No flood events" in t for t in texts)</code>	Pass	0.000s
Realised floods with exceedances	<code>len(tables) >= 1</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With historical daily returns more elements	<code>len(result) > 2</code>	Pass	0.193s
With storm responses includes table	<code>len(tables) >= 1</code>	Pass	0.000s
Worst storms severity classification	<code>isinstance(result, list)</code>	Pass	0.000s
Worst storms table top 10	<code>len(tables) == 1</code>	Pass	0.000s
Current level at alert	<code>"FLOOD ALERT" in str(result)</code>	Pass	0.001s
Current level at severe	<code>"SEVERE FLOOD WARNING" in str(result)</code>	Pass	0.003s
Current level at warning	<code>"FLOOD WARNING" in str(result)</code>	Pass	0.001s
Current level below alert is normal	<code>"Normal" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Historical exceedance section	<code>any("Historical Threshold Exceedance" in t for t in texts)</code>	Pass	0.000s
No timeseries shows message	<code>any("No current timeseries data" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Threshold analysis section	<code>any("Threshold Analysis" in t for t in texts)</code>	Pass	0.000s
Alert-to-warning and warning-to-severe ranges are added to analysis table.	<code>isinstance(result, list)</code>	Pass	0.000s
Title present	<code>any("Flood Stages" in t for t in texts)</code>	Pass	0.000s
Uk thresholds section	<code>any("UK Flood Stage Thresholds" in t for t in texts)</code>	Pass	0.000s
With timeseries shows current status section	<code>any("Current Status vs Thresholds" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 251-254: generate_basic_report() body on real generator.	path.exists(); path.suffix == ".pdf"	Pass	0.021s
Line 315: analysis branch in gauge_generator.generate_report.	path.exists()	Pass	0.003s
Lines 321-328: auto_open=True — open attempt caught, does not raise.	path.exists()	Pass	0.020s
Lines 307-311: generate_gauge_report() in gauge_generator.py, basic type.	path.exists()	Pass	0.020s
Lines 316-317: unknown type falls back to generate_report.	path.exists()	Pass	0.009s
Line 313: monitoring branch in gauge_generator.generate_report.	path.exists()	Pass	0.003s
Line 119: generate_report(pages_to_include=None) calls _auto_select_pages.	path.exists()	Pass	0.009s
Lines 102-103 in __init__.py: auto_open=True, open returns False.	result == fake_pdf	Pass	0.023s
Lines 285-286: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s
Lines 283-284: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 290: get_statistics() returns dict with panel_width and panel_height.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Lines 480-481: configure(panel_height=...) updates panel_height.	obj.panel_height == "600px"; obj.panel_height == "700px" (+1 more)	Pass	0.000s
Lines 478-479: configure(panel_width=...) updates panel_width.	obj.panel_width == "800px"; obj.panel_width == "900px" (+1 more)	Pass	0.000s
Line 485: get_statistics() returns dict.	stats["panel_width"] == "700px"; stats["panel_height"] == "500px" (+4 more)	Pass	0.000s
Empty return period levels no extra table	len(tables) >= 1	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No hazard curve shows fallback	<code>any("No hazard" in t or "hazard" in t.lower() for t in te...</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
With hazard curve basic	<code>len(result) > 2</code>	Pass	0.000s
With return period levels renders table	<code>len(tables) >= 2</code>	Pass	0.000s
GET /api/v1/gauges/{id}/hazard returns hazard data for known gauge.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+6 more)	Pass	0.003s
GEV parameters should be present and numeric.	<code>gev['location'] is not None;</code> <code>gev['scale'] is not None</code> (+3 more)	Pass	0.004s
GET /api/v1/gauges/{id}/hazard returns 404 for nonexistent gauge.	<code>response.status_code == 404</code>	Pass	0.002s
GET /api/v1/gauges/{id}/hazard returns 404 for gauge without hazard data.	<code>response.status_code == 404</code>	Pass	0.004s
GET /api/v1/gauges/{id}/storms returns storm data for known gauge.	<code>response.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.007s
calculate_statistics_from_levels via class.	<code>isinstance(stats, dict)</code>	Pass	0.002s
Calculate statistics via class	<code>isinstance(stats, dict)</code>	Pass	0.000s
Custom years	<code>ghd.years_of_history == 30</code>	Pass	0.000s
Default years	<code>ghd.years_of_history == 50</code>	Pass	0.000s
Filter by years explicit	<code>isinstance(result, list)</code>	Pass	0.000s
Filter by years none	<code>result == flows</code>	Pass	0.000s
generate_from_gauge_portfolio with explicit years overrides default.	<code>result["years_included"] == 3</code>	Pass	0.194s
generate_from_gauge_portfolio via class method.	<code>isinstance(result, dict);</code> <code>result["years_included"] == 5</code>	Pass	0.190s
When years=None, uses years_of_history.	<code>result["years_included"] == 10</code>	Pass	0.004s
Generate from nrfa via class	<code>output.exists();</code> <code>isinstance(result, dict)</code>	Pass	0.007s
generate_synthetic_timeseries via class method.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.003s
Generates per gauge files	<code>gaugets_dir.exists();</code> <code>len(list(gaugets_dir.glob("GAUGE-*.json")))</code> <code>>= N_GAUGES</code> (+2 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Output has daily observations	"daily_observations" in data; len(data["daily_observations"]) > 0	Pass	0.013s
Parse nrfa csv via class	len(flows) == 10	Pass	0.008s
Statistics computed	"statistics" in data; "mean_level" in data["statistics"] (+1 more)	Pass	0.002s
Cdm available flag is bool	hasattr(mod, "CDM_AVAILABLE"); isinstance(mod.CDM_AVAILABLE, bool)	Pass	0.000s
Response has count and gauges keys	"count" in data; "gauges" in data (+1 more)	Pass	0.001s
Returns 200 with no gaugehd files	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.001s
Returns correct count when files present	r.status_code == 200; data["status"] == "success" (+2 more)	Pass	0.001s
gauge.json must contain at least one gauge.	len(ids) > 0	Pass	0.002s
Gauge IDs in gaugehc.json must exist in gauge.json.	not orphaned	Pass	0.002s
Gauge IDs in gaugets/ files must exist in gauge.json.	not orphaned	Pass	0.001s
Each gaugets file's internal gauge_id must match its filename.	internal_id == gf.stem	Pass	0.002s
gaugets/ files must reference gauge IDs from gauge.json.	len(missing) == 0	Pass	3.009s
Every gauge in gauge.json must have a hazard curve.	len(missing) == 0	Pass	0.009s
gaugehc.json must not contain IDs absent from gauge.json.	len(orphan) == 0	Pass	0.009s
Every gauge referenced by a trade must exist in gauge.json.	len(missing) == 0	Pass	0.007s
Every gauge with trades must have a hazard curve (for PRS pricing).	len(missing) == 0	Pass	0.013s
gauge_random.py must NOT use GAUGE-{i:03d} style sequential IDs.	'GAUGE-{i:' not in src; 'GAUGE-{index' not in src (+3 more)	Pass	0.000s
gauge_random.py contains the GAUGE- prefix.	'GAUGE-' in src	Pass	0.001s
gauge_random.py uses uuid for ID generation (not sequential counter).	'uuid' in src; 'uuid' in src (+1 more)	Pass	0.000s
uuid4()[8] always produces 8 lower-case hex chars — 100 samples.	GAUGE_ID.RE.match(gauge_id); PROP_ID.RE.match(prop_id) (+2 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Accepts valid uuid derived ids	<code>GAUGE_ID.RE.match('GAUGE-9042bd95');</code> <code>GAUGE_ID.RE.match('GAUGE-a1b2c3d4')</code> (+2 more)	Pass	0.000s
Rejects non hex chars	<code>not GAUGE_ID.RE.match('GAUGE-9042xd95');</code> <code>not GAUGE_ID.RE.match('GAUGE-9042gd95')</code>	Pass	0.000s
GAUGE-001, GAUGE-002 are NOT protocol-compliant.	<code>not GAUGE_ID.RE.match('GAUGE-001');</code> <code>not GAUGE_ID.RE.match('GAUGE-002')</code> (+5 more)	Pass	0.000s
Gauge IDs must be lowercase; GAUGE-9042BD95 is invalid.	<code>not GAUGE_ID.RE.match('GAUGE-9042BD95');</code> <code>not GAUGE_ID.RE.match('GAUGE-A1B2C3D4')</code>	Pass	0.000s
Rejects wrong length	<code>not GAUGE_ID.RE.match('GAUGE-9042bd9');</code> <code>not GAUGE_ID.RE.match('GAUGE-9042bd951')</code> (+1 more)	Pass	0.000s
Gauge id present in all responses	<code>"gauge_id" not in resp;</code> <code>gr.get("gauge_id") ==</code> <code>"GAUGE-deadbeef"</code>	Pass	0.002s
Multiple gauges have correct ids	<code>found_ids == {"GAUGE-00000001",</code> <code>"GAUGE-00000002", "GAUGE-...</code>	Pass	0.004s
Corrupted gauge json does not crash	<code>result["processing_stats"]["successful_properties"]</code> <code>== 2</code>	Pass	0.583s
Gauge id map empty when no gauge json	<code>isinstance(gen._gauge_id_map, dict)</code>	Pass	0.551s
When gauge.json exists with proper structure, gauge IDs are loaded.	<code>0 in gen._gauge_id_map;</code> <code>gen._gauge_id_map[0] == "GAUGE-111"</code>	Pass	0.550s
Also supports 'gauges' as the top-level key.	<code>gen._gauge_id_map.get(0) == "G-AAA"</code>	Pass	0.535s
Get most recent reading.	<code>current ==</code> <code>flood_event_readings[-1]['level']</code>	Pass	0.000s
Detect falling water levels.	<code>trend == "FALLING"</code>	Pass	0.000s
Detect rising water levels.	<code>trend == "RISING"</code>	Pass	0.000s
Detect stable water levels.	<code>trend == "STABLE"</code>	Pass	0.000s
Detect peak level in time series.	<code>peak['level'] > 6.0; 'timestamp' in</code> <code>peak</code>	Pass	0.000s
Peak should occur around hour 24.	<code>20 < hours_to_peak < 28</code>	Pass	0.000s
Every gaugets file should have 168-hour flood simulation.	<code>len(missing) == 0</code>	Pass	0.001s
Every gaugets file should have storm_responses with responses.	<code>len(missing) == 0</code>	Pass	0.003s
At least some storms should exceed alert threshold.	<code>total_alert > 0</code>	Pass	1.210s

Test Description	Acceptance Criteria	Result	Time
Synthetic gauges specifically should have storm responses.	<code>len(synth_gauges) > 0; len(responses) > 0</code>	Pass	0.709s
Count	<code>GaugeLoader(tmp_path).count() == 4</code>	Pass	0.010s
Floodgauges key also works	<code>GaugeLoader(tmp_path).count() == 2</code>	Pass	0.005s
Load all returns list	<code>len(GaugeLoader(tmp_path).load_all()) == 3</code>	Pass	0.032s
Load missing file returns empty	<code>GaugeLoader(tmp_path).load_all() == []</code>	Pass	0.001s
Test GaugeID extraction from nested structure.	<code>gauge_id is not None; gauge_id.startswith(("GAUGE-", "SYNTH-"))</code>	Pass	0.001s
Test gauge summary generation.	<code>len(summaries) == 3; 'gaugeId' in summary (+5 more)</code>	Pass	0.001s
Test loading gauge portfolio.	<code>len(gauges) == 3</code>	Pass	0.001s
Caching works	<code>loader.load_all() is loader.load_all()</code>	Pass	0.001s
Clear cache	<code>not loader._cache_valid</code>	Pass	0.001s
Force reload	<code>len(loader.load_all(force_reload=True)) == 5</code>	Pass	0.004s
Test getting active gauges.	<code>len(active) == 2; status == "Active"</code>	Pass	0.001s
Test getting gauge coordinates.	<code>coords is not None; lat == pytest.approx(51.4309, rel=1e-4) (+1 more)</code>	Pass	0.001s
Test getting flood stage thresholds.	<code>stages is not None; stages['ActionStage'] == 4.5 (+3 more)</code>	Pass	0.002s
Test getting gauge name by ID.	<code>name == "Thames at Teddington"</code>	Pass	0.001s
Test getting name for non-existent gauge.	<code>name is None</code>	Pass	0.001s
Exists false	<code>GaugeLoader(tmp_path).exists("GAUGE-999") is False</code>	Pass	0.001s
Exists true	<code>GaugeLoader(tmp_path).exists("GAUGE-000") is True</code>	Pass	0.001s
Find by id missing returns none	<code>GaugeLoader(tmp_path).find_by_id("GAUGE-999") is None</code>	Pass	0.003s
Find by id returns entity	<code>result is not None; result["FloodGauge"]["Header"]["GaugeID"] == "GAUGE-001"</code>	Pass	0.001s
List all returns summaries	<code>len(summaries) == 2; "gaugeId" in summaries[0]</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test finding gauge by ID.	<code>gauge is not None;</code> <code>gauge['FloodGauge']['Header']['GaugeName']</code> <code>== "Thames at ..."</code>	Pass	0.001s
Test finding gauge by name.	<code>gauge is not None;</code> <code>gauge_loader.get_entity_id(gauge)</code> <code>== "GAUGE-001"</code>	Pass	0.001s
Test name search is case insensitive.	<code>gauge is not None</code>	Pass	0.001s
Test finding gauges by owner.	<code>len(ea_gauges) == 2; len(usgs_gauges)</code> <code>== 1</code>	Pass	0.001s
Test finding active gauges.	<code>len(active) == 2</code>	Pass	0.001s
Test finding inactive gauges.	<code>len(inactive) == 1;</code> <code>gauge_loader.get_entity_id(inactive[0])</code> <code>== "GAUGE-003"</code>	Pass	0.001s
Test finding river gauges.	<code>len(river) == 2</code>	Pass	0.001s
Test finding tidal gauges.	<code>len(tidal) == 1</code>	Pass	0.001s
Test finding gauges within radius.	<code>len(nearby) >= 1; len(nearby) >= 2</code>	Pass	0.001s
Test radius search with no matches.	<code>len(nearby) == 0</code>	Pass	0.001s
Get status returns dict	<code>"entity_name" in status; "path" in</code> <code>status (+1 more)</code>	Pass	0.000s
Distance $\leq 100 \rightarrow$ 'Very close to Thames'.	<code>"Very close to Thames" in</code> <code>str(result)</code>	Pass	0.001s
Distance <code>== 0</code> $\rightarrow$ 'On Thames River' and 'Directly on Thames'.	<code>"On Thames River" in str(result)</code>	Pass	0.001s
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Flood risk section	<code>any("Flood Risk" in t for t in</code> <code>texts)</code>	Pass	0.000s
Geographic coordinates section	<code>any("Geographic Coordinates" in t</code> <code>for t in texts)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in</code> <code>result)</code>	Pass	0.000s
Latitude 51.4–51.5 $\rightarrow$ 'Central London area'.	<code>"Central London area" in str(result)</code>	Pass	0.001s
Latitude $\leq 51.5 \rightarrow$ 'North London area'.	<code>"North London area" in str(result)</code>	Pass	0.001s
Latitude $\leq 51.4 \rightarrow$ 'South London area'.	<code>"South London area" in str(result)</code>	Pass	0.001s
No thames info does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Positioning summary section	<code>any("Positioning Summary" in t for t</code> <code>in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Risk category in location profile	"High flood risk location" in str(result)	Pass	0.001s
Risk score shown as 'X/10'.	"7.5/10" in str(result)	Pass	0.001s
Thames context section	any("Thames River Context" in t for t in texts)	Pass	0.000s
Title present	any("Geographic Location" in t for t in texts)	Pass	0.000s
Lines 89-90: exception in create_gauge_mapping raises ValueError.	—	Pass	0.000s
Line 100: get_nrfa_fields returns list of NRFA field names.	isinstance(fields, list); len(fields) == 15 (+3 more)	Pass	0.000s
Empty data does not crash	isinstance(result, list)	Pass	0.000s
Empty readings list does not crash	isinstance(result, list)	Pass	0.000s
Get gauge id missing	page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present	page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.000s
Historical statistics section	any("Historical Measurement Statistics" in t for t in texts)	Pass	0.000s
Measurement configuration section	any("Measurement Configuration" in t for t in texts)	Pass	0.000s
No timeseries shows message	any("No current timeseries data" in t for t in texts)	Pass	0.000s
Operational status section	any("Operational Status" in t for t in texts)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Title present	any("Current Measurements" in t for t in texts)	Pass	0.000s
Current readings table is added when timeseries provided.	len(tables_with) >= len(tables_without)	Pass	0.001s
With timeseries shows current readings	any("Current Readings" in t for t in texts)	Pass	0.000s
Calculate level range.	level_range > 2.0	Pass	0.000s
Calculate maximum level.	max_level > 6.0	Pass	0.000s
Calculate mean water level.	2.5 < mean < 3.5	Pass	0.000s
Calculate minimum level.	min_level > 0	Pass	0.000s
Calculate maximum rate of rise.	rate > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
When name is empty, uses area_name.	"Westminster" in result; "Thames" in result	Pass	0.000s
No name key falls back to area	"Putney" in result	Pass	0.000s
No hazard curve shows fallback	any("No hazard" in t or "hazard" in t.lower() for t in te...	Pass	0.000s
Returns list	isinstance(result, list)	Pass	0.000s
With nonzero rates renders spreads	len(tables) >= 1	Pass	0.000s
With zero rates renders na	len(tables) >= 1	Pass	0.000s
Basic gauge report produces a valid PDF file.	report_path.exists(); report_path.suffix == '.pdf' (+1 more)	Pass	0.025s
Full gauge report produces a valid PDF.	report_path.exists(); report_path.suffix == '.pdf'	Pass	0.012s
Output directory is created automatically.	new_dir.exists(); report_path.exists()	Pass	0.023s
Generated filename includes the gauge ID.	'GAUGE-test0001' in report_path.name	Pass	0.027s
Gauge report PDF should be non-trivial in size.	report_path.stat().st_size > 5000	Pass	0.023s
Generated file is a valid PDF.	header == b'%PDF-'	Pass	0.035s
Report handles minimal gauge data without crashing.	report_path.exists(); report_path.stat().st_size > 0	Pass	0.020s
Daily minus 15	r['reliability_score'] == 80	Pass	0.000s
Decommissioned	r['reliability_score'] == 0; r['category'] == "Unreliable"	Pass	0.000s
Fully operational	r['reliability_score'] == 95; r['category'] == "Highly Reliable"	Pass	0.000s
Hourly minus 5	r['reliability_score'] == 90	Pass	0.000s
Maintenance required	r['reliability_score'] == 70; r['category'] == "Reliable"	Pass	0.000s
Monthly minus 50	r['reliability_score'] == 20; r['category'] == "Unreliable"	Pass	0.000s
Realtime no adjustment	rt['reliability_score'] == base['reliability_score']	Pass	0.000s
Result keys	'reliability_score' in r; 'category' in r (+1 more)	Pass	0.000s
Score clamped at zero	r['reliability_score'] == 0	Pass	0.000s
Temporarily offline	r['reliability_score'] == 30; r['category'] == "Low Reliability"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown status	<code>r['reliability_score'] == 50;</code> <code>r['category'] == "Moderately Reliable"</code>	Pass	0.000s
Weekly minus 30	<code>r['reliability_score'] == 65</code>	Pass	0.000s
Generator initialises with output directory.	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
Generator lists all registered gauge page modules.	<code>'title_overview' in pages;</code> <code>'sensor_details' in pages (+7 more)</code>	Pass	0.001s
Validates known gauge page names.	<code>'title_overview' in valid; 'bogus' in invalid</code>	Pass	0.001s
Line 163 (else branch): no time-series or hazard -i no analysis pages.	<code>not any(p in pages for p in analysis_pages)</code>	Pass	0.001s
Line 163 (if branch): gauge_data.get('hazard_curve') -i include analysis.	<code>"risk_assessment" in pages</code>	Pass	0.001s
Lines 269-270: generate_analysis_report creates PDF.	<code>path.exists()</code>	Pass	0.004s
Lines 208-210: exception in page -i logged, continue to next page.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 190-191: unknown page -i warning logged, skipped.	<code>isinstance(elements, list)</code>	Pass	0.001s
Lines 176-177: missing GaugeID -i uses 'unknown' in filename.	<code>"unknown" in name;</code> <code>name.endswith(".pdf")</code>	Pass	0.001s
Line 175: gauge_id extracted for filename.	<code>"GAUGE-001" in name</code>	Pass	0.001s
Lines 261-263: generate_monitoring_report creates PDF.	<code>path.exists()</code>	Pass	0.003s
Line 313: get_page_categories returns dict.	<code>isinstance(cats, dict); "gauge_info" in cats</code>	Pass	0.001s
Line 279: list_available_pages returns list of strings.	<code>isinstance(pages, list);</code> <code>"title_overview" in pages</code>	Pass	0.001s
Lines 59-60: output_dir=None -i uses config.get_gauge_reports_dir().	<code>gen.output_dir == gauge_dir</code>	Pass	0.001s
Line 315: validate_pages with all valid pages.	<code>"title_overview" in valid; invalid == []</code>	Pass	0.001s
validate_pages with some invalid page names.	<code>"title_overview" in valid;</code> <code>"nonexistent_page" in invalid</code>	Pass	0.001s
Categories dict initialized	<code>"gauge_info" in gen.categories;</code> <code>"operational" in gen.categories (+2 more)</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Explicit output dir path	<code>isinstance(gen.output_dir, Path)</code>	Pass	0.001s
Explicit output dir string	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
No output dir uses config	<code>gen.output_dir == gauge_dir</code>	Pass	0.001s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pages dict initialized	<code>expected <= set(gen.pages.keys())</code>	Pass	0.001s
Excludes timeseries when requested	<code>"intensity_timeseries" not in d;</code> <code>"level_timeseries" not in d</code>	Pass	0.000s
Flooded is bool	<code>isinstance(d["flooded"], bool);</code> <code>d["flooded"] is True</code>	Pass	0.000s
Has required keys	<code>"gauge_id" in d; "storm_id" in d (+2</code> <code>more)</code>	Pass	0.000s
Includes timeseries by default	<code>"intensity_timeseries" in d;</code> <code>"level_timeseries" in d (+1 more)</code>	Pass	0.000s
Returns dict	<code>isinstance(d, dict);</code> <code>isinstance(d,</code> <code>dict)</code>	Pass	0.000s
Values rounded	<code>d["peak_level"] == 5.2;</code> <code>d["accumulation"] == 4.5</code>	Pass	0.000s
Generates elements list	<code>isinstance(elements, list);</code> <code>len(elements) > 0</code>	Pass	0.000s
No timeseries shows placeholder	<code>any("No current timeseries" in t for</code> <code>t in texts)</code>	Pass	0.000s
With timeseries data	<code>isinstance(elements, list);</code> <code>len(elements) > 0</code>	Pass	0.000s
Test POST <code>/api/v1/gauges/report</code> without gaugeId.	<code>response.status_code == 400; 'Gauge ID</code> <code>is required' in data['message']</code>	Pass	0.000s
Test GET <code>/api/v1/gauges/{id}</code> .	<code>response.status_code == 200;</code> <code>data['status'] == 'success' (+1</code> <code>more)</code>	Pass	0.002s
Test GET <code>/api/v1/gauges/{id}</code> with invalid ID.	<code>response.status_code == 404</code>	Pass	0.002s
Test GET <code>/api/v1/gauges/{id}/statistics</code> .	<code>response.status_code == 200;</code> <code>data['status'] == 'success' (+1</code> <code>more)</code>	Pass	0.002s
Test GET <code>/api/v1/gauges/{id}/timeseries</code> .	<code>response.status_code == 200;</code> <code>data['status'] == 'success' (+1</code> <code>more)</code>	Pass	0.003s
Test legacy GET <code>/api/v1/list_gauges</code> endpoint.	<code>response.status_code == 200;</code> <code>data['count'] == 3</code>	Pass	0.002s
Test GET <code>/api/v1/gauges</code> .	<code>response.status_code == 200;</code> <code>data['status'] == 'success' (+2</code> <code>more)</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Empty data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Gauge id in subtitle	<code>any("GAUGE-001" in t for t in texts)</code>	Pass	0.001s
Gauge information section	<code>any("Gauge Information" in t for t in texts)</code>	Pass	0.001s
Get gauge id missing	<code>page._get_gauge_id({}) == "Unknown Gauge"</code>	Pass	0.000s
Get gauge id present	<code>page._get_gauge_id(_make_gauge()) == "GAUGE-001"</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
Historical sensor statistics section	<code>any("Historical Sensor Statistics" in t for t in texts)</code>	Pass	0.001s
Location information section	<code>any("Location Information" in t for t in texts)</code>	Pass	0.001s
Measurement configuration section	<code>any("Measurement Configuration" in t for t in texts)</code>	Pass	0.001s
Missing SensorDetails → empty tables, no exception.	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Title present	<code>any("Sensor Details" in t for t in texts)</code>	Pass	0.001s
With timeseries does not crash	<code>isinstance(result, list)</code>	Pass	0.001s
Level at alert threshold.	<code>status == "ALERT"</code>	Pass	0.000s
Level between alert and warning.	<code>status == "ALERT"</code>	Pass	0.000s
Level below alert = normal.	<code>status == "NORMAL"</code>	Pass	0.000s
Level at severe threshold.	<code>status == "SEVERE"</code>	Pass	0.000s
Level at warning threshold.	<code>status == "WARNING"</code>	Pass	0.000s
Lines 270-271: configure(panel_height=...) updates panel_height.	<code>obj.panel_height == "600px";</code> <code>obj.panel_height == "700px" (+1 more)</code>	Pass	0.000s
Lines 268-269: configure(panel_width=...) updates panel_width.	<code>obj.panel_width == "800px";</code> <code>obj.panel_width == "900px" (+1 more)</code>	Pass	0.000s
Line 275: get_statistics() returns dict.	<code>stats["panel_width"] == "700px";</code> <code>stats["panel_height"] == "500px" (+4 more)</code>	Pass	0.000s
Empty timeseries returns short list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Gauge name in title	<code>any("Chelsea Gauge" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Generates per gauge files	<code>gaugets_dir.exists();</code> <code>len(list(gaugets_dir.glob("GAUGE-*.json")))</code> <code>>= N_GAUGES (+2 more)</code>	Pass	0.000s
Missing gauge name does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
No timeseries message included	<code>any("No time series data" in t for t</code> <code>in texts)</code>	Pass	0.000s
No timeseries returns short list	<code>len(result) > 0</code>	Pass	0.000s
Output file has readings	<code>len(gauge_files) > 0;</code> <code>"flood_simulation" in data</code> (+1 more)	Pass	0.001s
Requires gauge portfolio	—	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.001s
Timeseries mixed statuses	<code>isinstance(result, list)</code>	Pass	0.085s
Readings with non-zero thresholds exercising fill_between paths.	<code>isinstance(result, list)</code>	Pass	0.085s
With timeseries returns more elements	<code>len(result) >= len(empty_result)</code>	Pass	0.089s
With timeseries table included	<code>len(tables) >= 1</code>	Pass	0.198s
DEFAULT_PARAMS and generate() default must both be 168 hours (7 days).	<code>GaugeTimeSeriesGenerator.DEFAULT_PARAMS["simulation_hours"]</code>	Pass	0.000s
generate(simulation_hours) default parameter must be 168.	<code>default == 168</code>	Pass	0.000s
Convenience function generate_gaugets() default must be 168.	<code>default == 168</code>	Pass	0.000s
peak_hour_max must be strictly less than simulation_hours.	<code>p["peak_hour_max"] <</code> <code>p["simulation_hours"]</code>	Pass	0.000s
peak_hour_min must be less than peak_hour_max.	<code>p["peak_hour_min"] <</code> <code>p["peak_hour_max"]</code>	Pass	0.000s
168-hour simulation produces significantly more readings than 60-hour.	<code>files60 and files168;</code> <code>count168 ></code> <code>count60</code>	Pass	0.393s
Lines 127-130: configure() updates a known sim_param key.	<code>gen.sim_params['simulation_hours'] ==</code> <code>48</code>	Pass	0.000s
Lines 127-129: unknown key is silently ignored (if branch is False).	<code>'nonexistent_param' not in</code> <code>gen.sim_params</code>	Pass	0.000s
generate(168) should produce ~168 readings per gauge.	<code>len(files) > 0;</code> <code>sim.get("simulation_hours") ==</code> <code>168 (+1 more)</code>	Pass	0.357s
Explicit override stores the passed value in simulation_hours metadata.	<code>sim.get("simulation_hours") == 60</code>	Pass	0.268s

Test Description	Acceptance Criteria	Result	Time
Lines 157-159: gauge.json absent -j FileNotFoundError re-raised.	—	Pass	0.001s
simulation_hours is written into each gaugets JSON.	"simulation_hours" in data["flood_simulation"]	Pass	0.345s
Line 175: stale GAUGE-*.json files in gaugets/ are deleted before writ- ing.	stale.exists(); not stale.exists()	Pass	0.210s
Unparseable install date is silently skipped.	isinstance(result, list)	Pass	0.000s
Empty data does not crash	isinstance(result, list)	Pass	0.000s
Gauge id in output	any("GAUGE-001" in t for t in texts)	Pass	0.000s
Gauge overview section header	any("Gauge Overview" in t for t in texts)	Pass	0.000s
Gauge summary section header	any("Gauge Summary" in t for t in texts)	Pass	0.000s
Get gauge id missing	page._get_gauge_id({}) == "Unknown Gauge"	Pass	0.000s
Get gauge id present	page._get_gauge_id(_make_gauge()) == "GAUGE-001"	Pass	0.000s
Has tables	any(isinstance(e, Table) for e in result)	Pass	0.000s
Valid install date triggers gauge age row in summary.	isinstance(result, list); len(result) > 0	Pass	0.000s
No install date does not crash	isinstance(result, list)	Pass	0.000s
Returns list	isinstance(result, list); len(result) > 0	Pass	0.000s
Title paragraph present	any("Comprehensive Flood Gauge Analysis Report" in t for ...	Pass	0.000s
Unknown gauge fallback	any("Unknown Gauge" in t for t in texts)	Pass	0.000s
With timeseries does not crash	isinstance(result, list)	Pass	0.000s
Gauge trace includes classifier sum- mary	len(clf_steps) >= 2	Pass	0.005s
Gauge trace includes gaugehd	"gaugehd" in steps	Pass	0.005s
Gauge trace includes market state	len(blotter_steps) >= 2	Pass	0.003s
Gauge trace includes sequence gauge	len(stressm_steps) >= 2	Pass	0.004s
When per-gauge file doesn't exist, falls back to _index.json.	any("_index.json" in r["file"] for r in stressm_steps)	Pass	0.004s
When sequence-gauge/ dir doesn't exist, falls back to legacy file.	any("sequence_gauge_summary" in r["file"] for r in stress...	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Lines 68-69: exception returns validation_error dict.	"validation_error" in result; isinstance(result["validation_error"], list) (+2 more)	Pass	0.000s
Lines 61,64: invalid menu field value appended to sensor_errors.	"SensorDetails" in errors; any("DataSourceType" in e for e in errors["SensorDetails"])	Pass	0.000s
Multiple invalid menu fields all collected.	"SensorDetails" in errors; len(errors["SensorDetails"]) == 3	Pass	0.000s
Valid menu field values produce no SensorDetails errors.	"SensorDetails" not in errors	Pass	0.000s
Curve points present	not missing	Pass	0.000s
Each gauge has required fields	not missing	Pass	0.000s
File exists	GAUGEHC_PATH.exists(); MARKET_STATE.exists()	Pass	0.000s
alert warning severe for every gauge.	not violations	Pass	0.000s
Gauge count at least 40	count >= 40	Pass	0.000s
Gauge ids are well formed	not bad	Pass	0.000s
Has hazard curves key	"hazard_curves" in gaugehc	Pass	0.000s
alert warning severe (higher trigger = lower probability).	not violations	Pass	0.000s
Hazard rates positive	not violations	Pass	0.000s
Term structure present	not missing	Pass	0.000s
Lines 73-77: main() with no GDF files logs info.	—	Pass	0.001s
Lines 70-71: main() processes files, handles errors.	—	Pass	0.001s
Line 37: output_dir defaults to input_dir when None.	result == []	Pass	0.000s
Lines 46-47: error processing a CSV file is logged and skipped.	result == []	Pass	0.001s
directory.main() is callable.	callable(main)	Pass	0.000s
Each file has required keys	not bad	Pass	8.780s
Flood simulation has readings	not bad	Pass	9.115s
Gauge id field matches filename	not bad	Pass	8.649s
Gaugets dir exists	GAUGETS_DIR.exists()	Pass	0.000s
Gaugets gauge id format	not bad	Pass	0.001s
Gaugets not empty	gaugets_files	Pass	0.000s
simulation_hours should match number of reading entries.	not mismatches	Pass	8.980s

Test Description	Acceptance Criteria	Result	Time
Line 72: datetime -i isoformat string.	"2026-01-01" in result	Pass	0.000s
Lines 75-76: np.float32 is np.floating but not Python float -i default() called.	"2.5" in result	Pass	0.000s
Lines 73-74: np.integer -i int.	"42" in result	Pass	0.000s
Lines 77-78: np.ndarray -i list via tolist().	"1.0" in result	Pass	0.000s
Line 79: unknown type -i super().default() -i TypeError.	—	Pass	0.000s
gaugets readings using 'level' key (alternate field name) are extracted.	resp.status_code == 200;	Pass	0.007s
gaugets readings using 'waterLevel' key are correctly extracted.	max(water_levels) > min(water_levels) resp.status_code == 200; max(water_levels) > min(water_levels) (+1 more)	Pass	0.007s
When no gaugets file exists, stress run returns 404.	resp.status_code == 404; "No gaugets data" in data.get('message', '')	Pass	0.006s
Lines 241-244: __main__ block runs generate_gaugets(168) and logs results.	(tmp_path / 'gaugets').exists()	Pass	0.005s
Random module peak_hour_max must be j simulation_hours.	DEFAULT_PARAMS["peak_hour_max"] < DEFAULT_PARAMS["simulat...	Pass	0.000s
gaugets.random.DEFAULT_PARAMS simulation_hours must be 168.	DEFAULT_PARAMS["simulation_hours"] == 168	Pass	0.000s
The generator uses input_dir.name as the catchment name.	gen.input_dir.name == 'thames'	Pass	0.000s
Daily flows filtered by years	len(result_3yr["daily_flows"]) > len(result_1yr["daily_fl...	Pass	0.028s
Explicit gauge id overrides meta-data	result["station_metadata"]["station_id"] == "OVERRIDE-ID"	Pass	0.015s
Even with completely empty input, PDF should still generate.	result.exists(); result.stat().st_size > 0	Pass	0.007s
Minimal data (empty arrays) should produce valid PDF.	result.exists()	Pass	0.015s
Output file written	output_path.exists(); json.load(f)["data_type"] == "GaugeHistoricalDaily"	Pass	0.020s
Output path creates parent dirs	result.exists()	Pass	0.025s
With populated data, PDF should have multiple pages (from Page-Breaks).	out.stat().st_size > 5000	Pass	0.024s

Test Description	Acceptance Criteria	Result	Time
Pdf starts with magic bytes	<code>f.read(5) == b'%PDF-'</code>	Pass	0.029s
Produces pdf file	<code>result == out; out.exists() (+1 more)</code>	Pass	0.026s
Returns dict with required keys	<code>key in result</code>	Pass	0.014s
Returns path	<code>isinstance(result, Path)</code>	Pass	0.025s
Avg basis is float	<code>isinstance(stats["avg_basis_bps"], float)</code>	Pass	0.319s
Avg transmission rate between 0 and 1	<code>0.0 <= stats["avg-transmission-rate"] <= 1.0</code>	Pass	0.221s
Min spread bps in stats	<code>stats["min_spread_bps"] == MIN_PRS_SPREAD_BPS</code>	Pass	0.103s
Total flood events counted	<code>stats["total_flood_events"] == 7</code>	Pass	0.511s
No gauges in portfolio returns empty list.	<code>result == []</code>	Pass	0.002s
Line 50: error path extracts GaugeID from FloodGauge.Header.	<code>len(result) == 0; "GAUGE-BADONE" in caplog.text</code>	Pass	0.002s
Line 50: completely empty entry uses UNKNOWN as gauge_id.	<code>len(result) == 0; "UNKNOWN" in caplog.text</code>	Pass	0.002s
Good gauges succeed even when bad ones fail.	<code>len(result) == 1</code>	Pass	0.195s
Line 60-61: house with 3 bedrooms returns 1 or 2 bathrooms.	<code>results.issubset({1, 2}); len(results) == 2</code>	Pass	0.000s
Line 62-63: house with 4+ bedrooms returns 2 or 3 bathrooms.	<code>results.issubset({2, 3}); len(results) == 2</code>	Pass	0.000s
5 bedrooms also takes the 4+ path (line 62-63).	<code>val in (2, 3)</code>	Pass	0.000s
Advised flag	<code>isinstance(generate_boolean_value("AdvisedFlag", self._fd...)</code>	Pass	0.000s
Btl commercial purpose	<code>generate_boolean_value("BusinessOrCommercialPurpose", self._fd...); generate_boolean_value("BusinessOrCommercialPurpose", self._fd...)</code>	Pass	0.000s
Default flag from data	<code>generate_boolean_value("DefaultFlag", self._fd(is_default...); generate_boolean_value("DefaultFlag", self._fd(is_default...)</code>	Pass	0.000s
Execution only flag	<code>isinstance(generate_boolean_value("ExecutionOnlyFlag", self._fd...)</code>	Pass	0.000s
First time buyer btl always false	<code>generate_boolean_value("FirstTimeBuyerFlag", self._fd(mor...)</code>	Pass	0.000s
First time buyer expensive property	<code>isinstance(result, bool)</code>	Pass	0.000s
First time buyer normal property	<code>isinstance(result, bool)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
In arrears flag	<code>generate_boolean_value("InArrearsFlag",</code> <code>self._fd(is_in_ar...</code>	Pass	0.000s
Mmr compliant	<code>generate_boolean_value("MMRCompliantFlag",</code> <code>self._fd()) is...</code>	Pass	0.000s
Stress compliant	<code>generate_boolean_value("StressTestCompliantFlag",</code> <code>self.f...</code>	Pass	0.000s
Unknown field returns bool	<code>isinstance(generate_boolean_value("Unknown",</code> <code>self._fd()),...</code>	Pass	0.000s
Count respected	<code>len(result["data"]) == 3</code>	Pass	0.000s
Returns dict	<code>isinstance(result, dict); "data" in</code> <code>result</code>	Pass	0.000s
Fair section 50 to 75 gets enhancement rec	<code>any("OtherSection" in rec for rec in</code> <code>r)</code>	Pass	0.000s
Good sections maintain recommendation	<code>any("Maintain" in rec or "maintain"</code> <code>in rec for rec in r)</code>	Pass	0.000s
Max 5 recommendations	<code>len(r) <= 5</code>	Pass	0.000s
Poor section under 50 gets recommendation	<code>any("SomeSection" in rec for rec in</code> <code>r)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements("page_property",</code> <code>isinstance(r, list)</code>	Pass	0.000s;
Application date is string	<code>isinstance(result, str); len(result)</code> <code>== 10</code>	Pass	0.000s
Default date not defaulted	<code>result is None</code>	Pass	0.000s
Default date when defaulted	<code>isinstance(result, str)</code>	Pass	0.000s
Disbursal date	<code>isinstance(result, str)</code>	Pass	0.000s
Maturity date	<code>isinstance(result, str)</code>	Pass	0.000s
Unknown field	<code>1 <= result <= 10; isinstance(result,</code> <code>str)</code>	Pass	0.000s
Application property valuation	<code>generate_decimal_value("ApplicationPropertyValuation",</code> <code>se...</code>	Pass	0.000s
Aprc initial rate	<code>isinstance(result, float)</code>	Pass	0.000s
Aprc secondary rate	<code>isinstance(result, float)</code>	Pass	0.000s
Borrower income	<code>generate_decimal_value("BorrowerIncome",</code> <code>self._fd()) == 7...</code>	Pass	0.000s
Current balance	<code>generate_decimal_value("CurrentBalance",</code> <code>self._fd()) == 2...</code>	Pass	0.000s
Current lending rate	<code>abs(result - 4.0) < 0.01</code>	Pass	0.000s
Current ltv	<code>abs(result - 75.0) < 0.01</code>	Pass	0.000s
Current payment	<code>generate_decimal_value("CurrentPayment",</code> <code>self._fd()) == 1500</code>	Pass	0.000s
Debt to income ratio	<code>isinstance(result, float)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Debt to income zero income	<code>result == 0.3</code>	Pass	0.000s
Default field	<code>isinstance(result, float)</code>	Pass	0.000s
Interest rate	<code>isinstance(result, float)</code>	Pass	0.000s
Loan to value ratio	<code>abs(result - 80.0) < 0.01</code>	Pass	0.000s
Ltv field	<code>abs(result - 75.0) < 0.01</code>	Pass	0.000s
Original lending rate	<code>abs(result - 4.0) < 0.01</code>	Pass	0.000s
Original loan	<code>generate_decimal_value("OriginalLoan", self.fd()) == 320000</code>	Pass	0.000s
Original loan amount	<code>generate_decimal_value("OriginalLoanAmount", self.fd()) ...</code>	Pass	0.000s
Original ltv	<code>abs(result - 80.0) < 0.01</code>	Pass	0.000s
Outstanding balance	<code>generate_decimal_value("OutstandingBalance", self.fd()) ...</code>	Pass	0.000s
Purchase value	<code>generate_decimal_value("PurchaseValue", self.fd()) == 40...</code>	Pass	0.000s
Empty page list	<code>elements == []</code>	Pass	0.002s
Empty page list	<code>elements == []</code>	Pass	0.001s
Empty page list returns empty	<code>elements == []</code>	Pass	0.001s
Exception in page continues	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.003s
If one page raises, the remainder are still processed.	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.001s
Exception in page module continues	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.001s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
First page no page break	<code>not any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.001s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.001s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.002s
Mixed valid and unknown pages	<code>len(elements) > 0</code>	Pass	0.001s
Mortgage data passed to page	—	Pass	0.002s
Multiple pages have page break	<code>any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
Multiple pages have page breaks	<code>any(isinstance(e, PageBreak) for e in elements)</code>	Pass	0.002s
Multiple pages inserts page breaks	<code>has_break</code>	Pass	0.001s
No gauge id key returns message	<code>any("No gauge ID" in t for t in texts)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
None timeseries passed to page	—	Pass	0.001s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.002s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.008s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.002s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.001s
Timeseries passed to page	—	Pass	0.002s
Unknown page skipped	<code>len(elements) == 0</code>	Pass	0.001s
Unknown page skipped	<code>len(elements) == 0</code>	Pass	0.002s
Unknown page skipped	<code>isinstance(elements, list); len(elements) == 0</code>	Pass	0.001s
With gauge id returns trading header	<code>any("Trading Activity" in t for t in texts)</code>	Pass	0.010s
When eod_date is None, uses today's date.	<code>snapshot['date'] == date.today().isoformat(); snapshot['eod_id'] == expected_id</code>	Pass	0.000s
Empty property list returns zero mortgages	<code>result["data"]["mortgages"] == []; result["processing_stats"]["total_mortgages"] == 0</code>	Pass	0.002s
Missing property file raises file not found	—	Pass	0.000s
All storm sequences	<code>isinstance(seq, StormSequence)</code>	Pass	0.000s
Catchment propagated	<code>seq.catchment_id == "rhine"; storm.catchment_id == "rhine"</code>	Pass	0.001s
Correct count	<code>len(small_batch) == 200</code>	Pass	0.000s
Different seeds differ	<code>types_a != types_b</code>	Pass	0.002s
Force sequence type doublet	<code>doublets > 50; seq.sequence_type in ("doublet", "isolated")</code>	Pass	0.002s
Force sequence type isolated	<code>seq.sequence_type == "isolated"; seq.num_storms == 1</code>	Pass	0.001s
Reproducible with same seed	<code>[s.sequence_id for s in a] != [s.sequence_id for s in b]; sa.num_storms == sb.num_storms (+1 more)</code>	Pass	0.003s
Returns list	<code>isinstance(small_batch, list)</code>	Pass	0.000s
Custom weight heavy on extreme shifts the distribution.	<code>all(c == "extreme" for c in cats)</code>	Pass	0.007s
All four default weight categories appear in the batch.	<code>cat in categories</code>	Pass	0.000s
Multi-storm sequences appear at a meaningful rate for severe+.	<code>multi_frac > 0.15</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Boolean type	<code>isinstance(result, bool)</code>	Pass	0.000s
Date type	<code>isinstance(result, str)</code>	Pass	0.000s
Decimal type	<code>isinstance(result, (int, float))</code>	Pass	0.000s
Enum type	<code>result == "Monthly"</code>	Pass	0.000s
Integer type	<code>result == 300</code>	Pass	0.000s
Menu type	<code>result == "Monthly"</code>	Pass	0.000s
Non dict field def returns string	<code>result == "literal"</code>	Pass	0.000s
Non dict non string returns empty	<code>result == ""</code>	Pass	0.000s
Text type	<code>result == "thames"</code>	Pass	0.000s
Unknown type returns empty	<code>result == ""</code>	Pass	0.000s
Contains flood risk report	<code>"flood_risk_report" in</code> <code>gen.generate_filename()</code>	Pass	0.001s
Contains gauge id	<code>"GAUGE-001" in name</code>	Pass	0.001s
Contains property id	<code>"PROP-001" in name</code>	Pass	0.002s
Contains timestamp	<code>digits >= 8</code>	Pass	0.001s
Ends with pdf	<code>gen.generate_filename(gauge_data).endswith(".pdf")</code>	Pass	0.001s
Ends with pdf	<code>gen.generate_filename(prop_data).endswith(".pdf")</code>	Pass	0.002s
Ends with pdf	<code>gen.generate_filename().endswith(".pdf")</code>	Pass	0.001s
Missing gauge id uses unknown	<code>"unknown" in name;</code> <code>name.endswith(".pdf")</code>	Pass	0.001s
Missing property id uses unknown	<code>"unknown" in name;</code> <code>name.endswith(".pdf")</code>	Pass	0.002s
Partial path missing gauge id	<code>"unknown" in name</code>	Pass	0.001s
Partial path missing header	<code>"unknown" in name</code>	Pass	0.001s
Partial path missing header	<code>"unknown" in name</code>	Pass	0.002s
Partial path missing property id	<code>"unknown" in name</code>	Pass	0.002s
Returns string	<code>isinstance(name, str)</code>	Pass	0.001s
Returns string	<code>isinstance(name, str)</code>	Pass	0.002s
Returns string	<code>isinstance(name, str)</code>	Pass	0.001s
Timestamp in filename	<code>digits >= 8</code>	Pass	0.001s
Timestamp in filename	<code>digits >= 8</code>	Pass	0.002s
Two calls produce string names	<code>isinstance(n1, str) and</code> <code>isinstance(n2, str)</code>	Pass	1.108s
Estimates value when zero	<code>result["loan.amount"] > 0</code>	Pass	0.000s
Flood risk passed through	<code>result["flood_risk"] == "High"</code>	Pass	0.000s
Returns dict with mortgage id	<code>"mortgage_id" in result;</code> <code>result["mortgage_id"].startswith("MORT-")</code>	Pass	0.000s
Uses provided property value	<code>result["property.value"] == 600000</code>	Pass	0.000s
When output_dir=None, uses config.get_gaugehd_dir().	<code>isinstance(result, dict)</code>	Pass	0.189s
Daily observations generated	<code>len(result["daily-observations"]) > 0</code>	Pass	0.192s

Test Description	Acceptance Criteria	Result	Time
Gauge metadata extracted	result["gauge_metadata"]["gauge_id"] == "GAUGE-TEST01"	Pass	0.190s
Gauge data without FloodGauge wrapper.	result["gauge_metadata"]["gauge_id"] == "GAUGE-FLAT"	Pass	0.187s
Output file created	(tmp_path / "gauge_GAUGE-TEST01_hd.json").exists()	Pass	0.189s
Returns dict	isinstance(result, dict)	Pass	0.192s
Schema version	result["schema_version"] == "1.0"	Pass	0.189s
When output_path=None, uses config.get_gaugehd_dir().	isinstance(result, dict); (tmp_path / "gaugehd" / "gauge_AUTO-01_hd.json").exists()	Pass	0.001s
Creates json file	output.exists()	Pass	0.007s
Gauge id override	result["station_metadata"]["station_id"] == "GAUGE-CUSTOM"	Pass	0.001s
Returns dict	isinstance(result, dict)	Pass	0.002s
Schema version in output	result["schema_version"] == "1.0"; result["data_type"] == "GaugeHistoricalDaily"	Pass	0.007s
Station metadata extracted	result["station_metadata"]["station_name"] == "Thames at ..."	Pass	0.001s
Current balance does not exceed original loan	loan["CurrentBalance"] <= loan["OriginalLoanAmount"]	Pass	0.002s
Loan details values are positive	loan["OriginalLoanAmount"] > 0; loan["CurrentBalance"] > 0 (+3 more)	Pass	0.002s
Ltv within valid range	10 <= m["Mortgage"]["LoanDetails"]["LTV"] <= 100	Pass	0.002s
Mortgage data key is list	isinstance(result["data"]["mortgages"], list)	Pass	0.002s
Mortgage data structure has mortgage key	"Mortgage" in m	Pass	0.002s
Mortgage header has required fields	"MortgageID" in header; "PropertyID" in header (+1 more)	Pass	0.001s
Mortgage ids key is list	isinstance(result["data"]["mortgage_ids"], list)	Pass	0.002s
Output file is valid json	isinstance(json.load(f), dict)	Pass	0.003s
Output json contains generation metadata	"generated_at" in meta; "catchment" in meta (+1 more)	Pass	0.003s
Output json contains mortgages key	"mortgages" in json.load(f)	Pass	0.003s
Processing stats contain timing	stats["start_time"] is not None; stats["end_time"] is not None	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Gauge reading returns all fields	"gaugeId" in reading; "waterLevel" in reading (+1 more)	Pass	0.000s
Gauge reading with string timestamp	reading["timestamp"] == "2024-01-01T00:00:00"	Pass	0.000s
report_type='analysis' calls generate_analysis_report.	—	Pass	0.001s
auto_open=True with open_pdf_file raising -i logs warning, does not raise.	result is not None	Pass	0.001s
auto_open=True tries to open the PDF (lines 95-106).	mock_open.call_count >= 0	Pass	0.001s
report_type='basic' calls generate_basic_report.	—	Pass	0.001s
Gauge not found returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.002s
The /generate_gauge_report alias also works.	r.status_code == 200	Pass	0.030s
Missing gauge id returns 400	r.status_code == 400; data["status"] == "error"	Pass	0.000s
report_type='monitoring' with timeseries calls generate_monitoring_report.	—	Pass	0.001s
No json returns 400	r.status_code in (400, 415, 500)	Pass	0.000s
Sending JSON null body makes get_json() return None → line 29.	r.status_code == 400	Pass	0.000s
Options returns ok	r.status_code == 200	Pass	0.000s
Response has file path	"file_path" in data; data["file_path"].endswith(".pdf")	Pass	0.029s
Response has pdf base64	"pdf_base64" in data; len(data["pdf_base64"]) > 0	Pass	0.032s
Return value is the PDF path.	result == tmp_path / "gauge_report.pdf"	Pass	0.001s
Unknown report_type calls generate_report.	—	Pass	0.001s
Valid gauge generates report	r.status_code == 200; data["status"] == "success"	Pass	0.030s
gaugehd file exists → exercises lines 62-69.	r.status_code == 200	Pass	0.115s
gaugehc.json exists → exercises lines 76-82.	r.status_code == 200	Pass	0.060s
Analysis type calls generate analysis	—	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Auto open false returns path	result == fake_pdf	Pass	0.000s
Auto open true handles exception	result is not None	Pass	0.001s
Lines 343-344: auto_open=True + open_pdf.file succeeds → both lines covered.	result == fake_pdf	Pass	0.001s
Basic type calls generate basic	—	Pass	0.001s
Monitoring type with timeseries calls monitoring	—	Pass	0.001s
Monitoring without timeseries falls back	—	Pass	0.001s
Returns path	result == fake_pdf	Pass	0.000s
Unknown type calls generate report	—	Pass	0.000s
Lines 236-237: generate_gaugets() instantiates generator and calls generate().	result['data']['num_gauges'] == 5	Pass	0.000s
Creates output file	output.exists()	Pass	0.003s
History entries have date	'date' in entry	Pass	0.003s
Metadata lists gauges	'GAUGE-005' in data['metadata']['gauges']	Pass	0.002s
Multiple gauges	'GAUGE-001' in data['history']; 'GAUGE-002' in data['history']	Pass	0.003s
No eod files returns early	not output.exists()	Pass	0.000s
Output has history	'history' in data; 'GAUGE-001' in data['history']	Pass	0.002s
Output has metadata	'metadata' in data; data['metadata']['num_snapshots'] == 2	Pass	0.004s
Tenors sorted numerically	len(entries) == 1; tenor_keys == sorted(tenor_keys, key=int)	Pass	0.002s
Two eod files two history entries	len(entries) == 2	Pass	0.004s
Empty dir produces no file	not output.exists()	Pass	0.000s
History entries have date	entry["date"] == "2026-01-02"	Pass	0.002s
History entries have tenors	"1" in entry and "2" in entry and "3" in entry	Pass	0.001s
History keyed by gauge	"GAUGE-042" in data["history"]	Pass	0.003s
History keyed by trigger	"alert" in gauge_hist; "warning" in gauge_hist	Pass	0.002s
Metadata has generated at	"generated_at" in data["metadata"]	Pass	0.002s
Metadata num snapshots	data["metadata"]["num_snapshots"] == 3	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Multiple gauges in metadata	<code>set(data["metadata"]["gauges"]) == {"GAUGE-001", "GAUGE-0..."</code>	Pass	0.002s
Multiple snapshots produce multiple entries	<code>len(alert_entries) == 3</code>	Pass	0.004s
Output has metadata and history	<code>"metadata" in data; "history" in data</code>	Pass	0.002s
Single snapshot creates file	<code>output.exists()</code>	Pass	0.002s
Standalone check: <code>_business_days</code> always returns Mon-Fri dates.	<code>len(result) == 63; d.weekday() < 5</code>	Pass	0.000s
Pre-existing EOD-*.json files are deleted before simulation.	<code>not stale.exists()</code>	Pass	0.004s
Creates eod dir	<code>(trading_dir / 'eod').exists()</code>	Pass	0.002s
Empty trades returns zero	<code>count == 0</code>	Pass	0.003s
A trade that fails <code>enrich_trade</code> is skipped gracefully (except branch).	<code>count == 0</code>	Pass	0.017s
More trades should generally yield more (or equal) snapshots.	<code>count > 0</code>	Pass	0.155s
Returns integer	<code>isinstance(result, int)</code>	Pass	0.002s
Same seed should produce same random walk (deterministic).	<code>count1 == count2</code>	Pass	0.003s
With a real trade + real engine, we expect 0 snapshots.	<code>count > 0</code>	Pass	0.121s
EOD snapshot JSON files are created in <code>eod/</code> directory.	<code>len(eod_files) == count</code>	Pass	0.130s
<code>hazard_curve_history.json</code> and <code>trade_pnl_history.json</code> are created.	<code>(trading_dir / 'hazard_curve_history.json').exists(); (trading_dir / 'trade_pnl_history.json').exists()</code>	Pass	0.145s
Arrears months current	<code>generate_integer_value("ArrearsMonths", self._fd()) == 0</code>	Pass	0.000s
Arrears months in arrears	<code>1 <= result <= 6</code>	Pass	0.000s
Behavioral score	<code>30 <= result <= 100</code>	Pass	0.000s
Borrower age btl	<code>35 <= result <= 65</code>	Pass	0.000s
Borrower age expensive	<code>35 <= result <= 65</code>	Pass	0.000s
Borrower age normal	<code>25 <= result <= 60</code>	Pass	0.000s
Credit score expensive property	<code>700 <= result <= 800</code>	Pass	0.000s
Credit score low rate	<code>750 <= result <= 850</code>	Pass	0.000s
Credit score normal	<code>650 <= result <= 750</code>	Pass	0.000s
Days in arrears current	<code>generate_integer_value("DaysInArrears", self._fd()) == 0</code>	Pass	0.000s
Days in arrears defaulted	<code>90 <= result <= 365</code>	Pass	0.000s
Days in arrears in arrears	<code>1 <= result <= 89</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Family members	result in [1, 2, 3, 4]	Pass	0.000s
Loan term	generate_integer_value("LoanTerm", self._fd()) == 300	Pass	0.000s
Number of borrowers	result in [1, 2]	Pass	0.000s
Original term	generate_integer_value("OriginalTerm", self._fd()) == 300	Pass	0.000s
Prepayment risk high rate	7 <= result <= 10	Pass	0.000s
Prepayment risk low rate	1 <= result <= 5	Pass	0.000s
Remaining term	result == 240	Pass	0.000s
Total payments	result == 60	Pass	0.000s
Unknown field	1 <= result <= 10; isinstance(result, str)	Pass	0.000s
Each location has required keys	"lat" in loc; "lon" in loc (+4 more)	Pass	0.000s
Elevation is non negative	loc["elevation"] >= 0	Pass	0.000s
With 3 gauge points, fallback generator is called.	len(locs) == 3	Pass	0.000s
Fallback used when no gauge points	len(locs) == 3	Pass	0.000s
When primary_idx == 0, triangle is gauges 0, 1, 2 - sorted [0,1,2].	set(ref) == {0, 1, 2}	Pass	0.000s
Reference gauge indices sorted	idxs == sorted(idxs)	Pass	0.001s
Reference gauge indices three elements	len(loc["reference_gauge_indices"]) == 3	Pass	0.000s
Returns correct count	len(locs) == 10	Pass	0.000s
When params has no get_elevation, elevation is sampled from	len(locs) == 5; 0 <= loc["elevation"] <= 40	Pass	0.000s
Application channel	result in ["Retail", "Broker", "Correspondent"]	Pass	0.000s
Loan purpose btl	result in ["Purchase", "Refinancing"]	Pass	0.000s
Loan purpose residential	result in ["Purchase", "Refinancing", "Home Improvement"]	Pass	0.000s
Mortgage type	result == "Buy-to-Let"	Pass	0.000s
Occupancy type	result == "Investment"	Pass	0.000s
Original rate type	isinstance(result, str) and len(result) > 0	Pass	0.000s
Payment frequency	generate_menu_value("PaymentFrequency", {}, 0, self._fd())...	Pass	0.000s
Repayment type btl	result in ["Interest only", "Repayment", "Part and part"]	Pass	0.000s
Repayment type residential	result in ["Repayment", "Interest only", "Part and part"]	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown field no options	<code>result == ""</code>	Pass	0.000s
Unknown field with options	<code>result in ["X", "Y"]</code>	Pass	0.000s
Convenience function creates pdf	<code>output.exists()</code>	Pass	0.010s
Convenience function returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Lines 203-208: exception -i 500.	<code>r.status_code in (200, 500)</code>	Pass	0.001s
Lines 174-193: full success path with mocked mortgage report generator.	<code>r.status_code in (200, 500)</code>	Pass	0.002s
Missing property id returns 400	<code>r.status_code == 400; "Property ID" in r.get_json()["message"]</code>	Pass	0.000s
Mortgage not found returns 404	<code>r.status_code == 404; "mortgage" in r.get_json()["message"].lower()</code>	Pass	0.001s
Line 149: <code>get_json()</code> returns None -i 400.	<code>r.status_code in (400, 415, 500)</code>	Pass	0.000s
No json returns error	<code>r.status_code in (400, 415)</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.000s
Property not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Mortgage import error returns 500	<code>r.status_code == 500; data["status"] == "error"</code>	Pass	0.002s
Raises without property file	—	Pass	0.001s
Returns dict when property file exists	<code>isinstance(result, dict); "data" in result (+1 more)</code>	Pass	0.021s
Lines 332-334: <code>open_pdf_file</code> raises -i warning logged, no raise.	<code>result is not None</code>	Pass	0.001s
Lines 335-336: <code>auto_open=False</code> -i skips opening.	—	Pass	0.001s
Lines 327-334: <code>auto_open=True</code> -i calls <code>open_pdf_file</code> .	<code>mock_open.called</code>	Pass	0.001s
Lines 128-133: exception in report generation -i 500.	<code>r.status_code in (500, 404, 400)</code>	Pass	0.002s
Lines 94-119: full success path with mocked report generator.	<code>r.status_code in (200, 500); data["status"] == "success" (+1 more)</code>	Pass	0.003s
Missing property id returns 400	<code>r.status_code == 400; "Property ID" in r.get_json()["message"]</code>	Pass	0.000s
Lines 319-320: 'mortgage-focused' with <code>mortgage_data</code> .	—	Pass	0.001s
Line 74: <code>get_json()</code> returns None -i 400.	<code>r.status_code in (400, 415, 500)</code>	Pass	0.000s
No json returns error	<code>r.status_code in (400, 415)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Options returns ok	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "ok"</code>	Pass	0.000s
Property not found returns 404	<code>r.status_code == 404</code>	Pass	0.171s
Line 317-318: 'property-only' -i generate_property_only_report.	—	Pass	0.001s
Lines 321-322: 'risk-focused'.	—	Pass	0.001s
Lines 323-324: unknown type -i generate_report.	—	Pass	0.001s
Auto open exception does not raise	<code>result is not None</code>	Pass	0.001s
Auto open false skips open	—	Pass	0.001s
Auto open true calls open	—	Pass	0.001s
Full type falls back to generate report	—	Pass	0.001s
Mortgage focused type with mortgage	—	Pass	0.001s
Mortgage focused without mortgage falls back	—	Pass	0.001s
Property only type	—	Pass	0.001s
Returns path	<code>result == fake_pdf</code>	Pass	0.000s
Risk focused type	—	Pass	0.001s
Unknown type falls back to generate report	—	Pass	0.001s
Line 167: log milestone every 50 properties.	<code>any("50" in m for m in log_messages)</code>	Pass	0.182s
Line 171: ratio branch when total_storms_at_gauge != 0.	<code>"gauge_to_property_ratio" in result;</code> <code>result["gauge_to_property_ratio"] >= 0.0</code>	Pass	0.344s
Line 176: ratio=0 branch when total_storms_at_gauge == 0.	<code>result["gauge_to_property_ratio"] == 0.0</code>	Pass	0.172s
All items are strings	<code>all(isinstance(r, str) for r in recs)</code>	Pass	0.000s
Deep flood extra items	<code>len(deep) > len(shallow)</code>	Pass	0.000s
High risk four or more	<code>len(recs) >= 4</code>	Pass	0.000s
High risk mentions flood insurance	<code>any("flood insurance" in r.lower() for r in recs)</code>	Pass	0.000s
Low risk	<code>len(recs) >= 2</code>	Pass	0.000s
Medium risk	<code>len(recs) >= 3</code>	Pass	0.000s
Very low risk	<code>len(recs) >= 1</code>	Pass	0.000s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.002s
All unknown pages still creates pdf	<code>path.exists()</code>	Pass	0.002s
Auto select called when pages none	—	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Auto select called when pages none	—	Pass	0.015s
Auto select not called when pages provided	—	Pass	0.003s
Auto select not called when pages provided	—	Pass	0.003s
Auto select pages when none	—	Pass	0.012s
Auto select skipped when provided	—	Pass	0.003s
Custom output filename	path.name == "my_gauge.pdf"; path.exists()	Pass	0.011s
Custom output filename	path.name == "my_prop.pdf"; path.exists()	Pass	0.017s
Custom output filename	path.name == "my_report.pdf"; path.exists()	Pass	0.012s
Custom pages to include	path.exists()	Pass	0.005s
Custom pages to include	path.exists()	Pass	0.005s
Custom pages to include	path.exists()	Pass	0.007s
Empty flood data	path.exists()	Pass	0.012s
Empty gauge data	path.exists()	Pass	0.009s
Empty property data	path.exists()	Pass	0.014s
Full data report	path.exists(); path.stat().st_size > 0	Pass	0.021s
Full data report	path.exists(); path.stat().st_size > 0	Pass	0.018s
Pdf exists	gen.generate_report(gauge_data).exists()	Pass	0.011s
Pdf exists	gen.generate_report(prop_data).exists()	Pass	0.015s
Pdf exists	path.exists()	Pass	0.012s
Pdf is bytes	isinstance(content, bytes); len(content) > 0	Pass	0.007s
Pdf non empty	path.stat().st_size > 0	Pass	0.011s
Pdf non empty	path.stat().st_size > 0	Pass	0.015s
Pdf non empty	path.stat().st_size > 0	Pass	0.012s
Pdf suffix	gen.generate_report(gauge_data).suffix == ".pdf"	Pass	0.011s
Pdf suffix	gen.generate_report(prop_data).suffix == ".pdf"	Pass	0.015s
Pdf suffix	path.suffix == ".pdf"	Pass	0.012s
Returns path	isinstance(result, Path)	Pass	0.011s
Returns path	isinstance(result, Path)	Pass	0.015s
Returns path	isinstance(result, Path)	Pass	0.012s
With mortgage data	path.exists()	Pass	0.021s
With timeseries data	path.exists()	Pass	0.022s
gauge_integrator should handle flood_gauges key too.	result is not None	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Found gauge returns path	result is not None; isinstance(result, Path)	Pass	0.002s
Gauge not found returns none	result is None	Pass	0.002s
Missing file returns none	result is None	Pass	0.000s
Output contains gauge id	"GAUGE-001" in content	Pass	0.009s
Output dir created	output_dir.exists()	Pass	0.004s
Output file created	result.exists()	Pass	0.002s
Corrupt json returns none	result is None	Pass	0.009s
Non json file returns none	result is None	Pass	0.001s
Found property returns path	result is not None; isinstance(result, Path)	Pass	0.003s
Missing property file returns none	result is None	Pass	0.001s
No mortgage file still generates	result is not None	Pass	0.002s
Output contains property id	"PROP-001" in content	Pass	0.003s
Output dir created	output_dir.exists()	Pass	0.002s
Output file created	result.exists()	Pass	0.002s
Property not found returns none	result is None	Pass	0.006s
A file with invalid JSON triggers an exception -j return None.	result is None	Pass	0.001s
Simulated write permission error returns None.	result is None	Pass	0.004s
Import error returns 500	r.status_code == 500; data["status"] == "error"	Pass	0.002s
Has report generated timestamp	"Report Generated" in r	Pass	0.000s
Last updated extracted	r["Data Last Updated"] == "2025-01-01"	Pass	0.000s
Mortgage id extracted	r.get("Mortgage ID") == "MORT-001"	Pass	0.000s
Property id extracted	r["Property ID"] == "PROP-999"	Pass	0.000s
Returns dict	isinstance(r, dict); isinstance(r, dict)	Pass	0.000s
Scope combined with mortgage	"Mortgage" in r["Analysis Scope"]	Pass	0.000s
Scope property only	"Property-Only" in r["Analysis Scope"]	Pass	0.000s
Unknown property id when missing	r["Property ID"] == "Unknown"	Pass	0.000s
Upnrn extracted	r["UPRN"] == "123456789"	Pass	0.000s
Lines 263-264: 'analysis' type.	path.exists()	Pass	0.016s
Line 257-258: 'basic' type.	path.exists()	Pass	0.017s
Lines 259-260: 'detailed' type.	path.exists()	Pass	0.022s
Lines 261-262: 'summary' type.	path.exists()	Pass	0.010s
Lines 265-266: unknown type → generate_report.	path.exists()	Pass	0.022s

Test Description	Acceptance Criteria	Result	Time
Analysis type returns path	<code>path.exists()</code>	Pass	0.010s
Basic type returns path	<code>isinstance(path, Path); path.exists()</code>	Pass	0.010s
Omitting report_type should default to 'basic'.	—	Pass	0.011s
Detailed type returns path	<code>path.exists()</code>	Pass	0.012s
Output dir as string	<code>path.exists()</code>	Pass	0.010s
Pdf is non empty bytes on disk	<code>isinstance(content, bytes); len(content) > 0</code>	Pass	0.014s
Summary type returns path	<code>path.exists()</code>	Pass	0.008s
Unknown type falls back to generate report	<code>path.exists()</code>	Pass	0.012s
Empty gaugets directory must raise FileNotFoundError.	—	Pass	0.002s
Each index entry must have gauge_ids_alert for directory-based filtering.	<code>"gauge_ids_alert" in entry; "GAUGE-00000001" in entry["gauge_ids_alert"]</code>	Pass	0.002s
Index has required top level keys	<code>key in data</code>	Pass	0.002s
Individual storm files must contain the full gauge_responses array.	<code>"gauge_responses" in storm; len(storm["gauge_responses"]) == 1</code>	Pass	0.007s
Storm id prefix uses config constant	<code>data["storm_id_prefix"] == STORM_ID_PREFIX</code>	Pass	0.007s
Storms where no gauge exceeded alert must NOT appear in output.	<code>result["total_storms"] == 0</code>	Pass	0.003s
Total storms matches list length	<code>data["total_storms"] == len(data["storms"])</code>	Pass	0.003s
Output directory must contain index.json and per-storm files.	<code>(out_dir / "_index.json").exists(); (out_dir / f"{sid}.json").exists()</code>	Pass	0.004s
Account status defaulted	<code>result == "Default"</code>	Pass	0.000s
Account status normal	<code>result in ["Current", "Arrears", "Closed"]</code>	Pass	0.000s
Borrower employment btl	<code>isinstance(result, str)</code>	Pass	0.000s
Catchment id	<code>generate_text_value("CatchmentID", 0, self._fd()) == "tha..."</code>	Pass	0.000s
Currency	<code>generate_text_value("currency", 0, self._fd()) == "GBP"</code>	Pass	0.000s
Employment type residential	<code>isinstance(result, str)</code>	Pass	0.000s
Flood risk category	<code>result == "Medium"</code>	Pass	0.000s
Lastatus defaulted	<code>result == "Defaulted"</code>	Pass	0.000s
Lastatus normal	<code>result in ["Current", "Completed", "Redeemed"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Marital status older	<code>isinstance(result, str)</code>	Pass	0.000s
Marital status young	<code>result in ["Single", "Married", "Civil Partnership"]</code>	Pass	0.000s
Member id	<code>result.startswith("MEMBER-")</code>	Pass	0.000s
Mortgage id	<code>generate_text_value("MortgageID", 0, self._fd()) == "MORT..."</code>	Pass	0.000s
Mortgage provider	<code>isinstance(result, str)</code>	Pass	0.000s
Property id	<code>generate_text_value("PropertyID", 0, self._fd()) == "PROP..."</code>	Pass	0.000s
Unknown field	<code>"Text-5-" in result</code>	Pass	0.000s
Upn no existing	<code>result.startswith("UPRN-") or isinstance(result, str)</code>	Pass	0.000s
Upn with existing	<code>result == "UPRN-12345"</code>	Pass	0.000s
Alias returns same structure	<code>len(result) == 50; "readings" in result[0]</code>	Pass	0.000s
CloseOutDate with Payable SettlementDirection.	<code>pdf_path.exists()</code>	Pass	0.003s
_generate_trade_pdf creates a PDF without cashflows.	<code>pdf_path.exists(); pdf_path.stat().st_size > 1000</code>	Pass	0.005s
_generate_trade_pdf with cashflows exercises CF schedule section.	<code>pdf_path.exists()</code>	Pass	0.002s
_generate_trade_pdf with CloseOutOf exercises close-out section.	<code>pdf_path.exists()</code>	Pass	0.003s
_generate_trade_pdf with CloseOutDate (original trade that was closed).	<code>pdf_path.exists()</code>	Pass	0.003s
Pdf failure returns empty list	<code>pdfs == []</code>	Pass	0.000s
Pdf partial failure returns successful only	<code>len(pdfs) == 1</code>	Pass	0.000s
Creates output file	<code>output.exists()</code>	Pass	0.002s
History entry has required keys	<code>'date' in entry; 'mark' in entry (+2 more)</code>	Pass	0.002s
Multiple eods accumulate	<code>len(trade['history']) == 3</code>	Pass	0.004s
Multiple trades in same eod	<code>'PRS-A' in data['trades']; 'PRS-B' in data['trades'] (+1 more)</code>	Pass	0.003s
No eod files returns early	<code>not output.exists()</code>	Pass	0.000s
Num snapshots in metadata	<code>data['metadata']['num_snapshots'] == 2</code>	Pass	0.002s
Output has metadata	<code>'metadata' in data; 'num_trades' in data['metadata']</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Output has trades	'trades' in data;	Pass	0.002s
Position without swap id skipped	data['trades'] data['metadata']['num_trades'] == 0	Pass	0.002s
Trade has history	'history' in trade; len(trade['history']) == 1	Pass	0.002s
Trade metadata preserved	trade['gauge_id'] == 'GAUGE-001'; trade['trigger'] == 'severe' (+3 more)	Pass	0.002s
Empty dir produces no file	not output.exists()	Pass	0.000s
History entry structure	entry["date"] == "2026-01-02"; entry["mark"] == 215.0 (+2 more)	Pass	0.003s
Metadata has generated at	"generated_at" in data["metadata"]	Pass	0.002s
Metadata num snapshots	data["metadata"]["num_snapshots"] == 3	Pass	0.005s
Multiple days builds history vector	len(data["trades"]["PRS-001"]["history"]) == 3	Pass	0.004s
Multiple trades in snapshot	data["metadata"]["num_trades"] == 3	Pass	0.002s
Output has metadata and trades	"metadata" in data; "trades" in data	Pass	0.002s
Position missing swap id is skipped	"PRS-001" in data["trades"]; len(data["trades"]) == 1	Pass	0.003s
Single snapshot creates file	output.exists()	Pass	0.001s
Trade keyed by swap id	"PRS-001" in data["trades"]	Pass	0.002s
Trade metadata fields	"gauge_id" in t; "trigger" in t (+3 more)	Pass	0.002s
Explicit years overrides instance default	result["years_included"] == 1	Pass	0.014s
Instance years used when no years arg	result["years_included"] == 2	Pass	0.015s
If all sequence storms are sub-alert, portfolio flood count is 0.	result["total_storms_at_gauge"] == 0; result["properties_with_floods"] == 0	Pass	0.178s
Portfolio summary total_storms_at_gauge counts all alert storms.	result["total_storms_at_gauge"] == 2	Pass	0.174s
portfolio_flood_summary.json is written with per-property data.	summary_path.exists(); summary["summary"]["total_gauges"] == 1 (+1 more)	Pass	0.172s
Generate output path none uses config input dir	isinstance(result, dict); (tmp_path / "gaugehd_39001.json").exists()	Pass	0.015s

Test Description	Acceptance Criteria	Result	Time
Banks always have CSAAgreement = True.	platform["CSAAgreement"] is True	Pass	0.001s
Counterparties list has two parties	len(counterparties) == 2	Pass	0.000s
Counterparty has counterparty set	"CounterpartySet" in ctpy	Pass	0.000s
Isda master agreement is true	platform["ISDAMasterAgreement"] is True	Pass	0.000s
Party has accounts	"Accounts" in party; len(party["Accounts"]) >= 1	Pass	0.000s
Party has contact info	"ContactInformation" in party; "PrimaryEmail" in party["ContactInformation"]	Pass	0.000s
Party has id	"PartyID" in party; party["PartyID"].startswith("CTPY-")	Pass	0.000s
Party has name	"PartyName" in party; isinstance(party["PartyName"], str)	Pass	0.000s
Party has natural person	"NaturalPersons" in party; len(party["NaturalPersons"]) == 1	Pass	0.000s
Platform has credit rating	"CreditRating" in platform; platform["CreditRating"] in ["AAA", "AA+..."	Pass	0.000s
Unique party ids	len(set(ids)) == 5	Pass	0.001s
Generator exception falls through to type	isinstance(result, float); result <= 1000	0 <= Pass	0.000s
Gauge importable without quantlib	hasattr(mod, "GaugePortfolioGenerator")	Pass	0.005s
models.hazard.builder must not drag in QuantLib pricing at import.	mod is not None	Pass	0.004s
Mortgage importable without quantlib	hasattr(mod, "MortgagePortfolioGenerator")	Pass	0.004s
Importing port.src (package __init__) must not require QuantLib.	hasattr(mod, "GaugePortfolioGenerator")	Pass	0.003s
Storm multi importable without quantlib	mod is not None	Pass	0.010s
Depth damage importable without geopandas	hasattr(mod, 'scalar_depth_damage')	Pass	0.001s
__init__.py must not have an executable FloodRiskModel import statement.	'FloodRiskModel' not in executable	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
propertyts imports scalar_depth_damage – must work without geopandas.	hasattr(mod, 'PropertyTimeSeriesGenerator')	Pass	0.001s
Scalar depth damage works without geopandas	0.0 < result <= 1.0	Pass	0.001s
Spatial importable without geopandas	hasattr(mod, 'haversine_distance')	Pass	0.001s
100 years is heritage	get_age.band(1925, current_year=2025) == 'heritage'	Pass	0.000s
10 years is modern	get_age.band(2015, current_year=2025) == 'modern'	Pass	0.000s
25 years is established	get_age.band(2000, current_year=2025) == 'established'	Pass	0.000s
50 years is period	get_age.band(1975, current_year=2025) == 'period'	Pass	0.000s
Default current year	result in AGE_BAND_FACTORS	Pass	0.000s
Established	get_age.band(1985, current_year=2025) == 'established'	Pass	0.000s
Exactly 24 years is modern	get_age.band(2001, current_year=2025) == 'modern'	Pass	0.000s
Exactly 49 years is established	get_age.band(1976, current_year=2025) == 'established'	Pass	0.000s
Exactly 99 years is period	get_age.band(1926, current_year=2025) == 'period'	Pass	0.000s
Exactly 9 years is new build	get_age.band(2016, current_year=2025) == 'new_build'	Pass	0.000s
Heritage old	get_age.band(1800, current_year=2025) == 'heritage'	Pass	0.000s
Modern	get_age.band(2005, current_year=2025) == 'modern'	Pass	0.000s
New build	get_age.band(2020, current_year=2025) == 'new_build'	Pass	0.000s
Period	get_age.band(1950, current_year=2025) == 'period'	Pass	0.000s
After log entry appears	data["total_entries"] == 1; len(data["entries"]) == 1	Pass	0.004s
Empty trail returns 200	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.001s
Filter by event type	all(e["event_type"] == "calibration" for e in entries)	Pass	0.005s
Filter by model id	r.get_json()["total_entries"] == 1	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Filter by model id no match	<code>r.get_json()["total_entries"] == 0</code>	Pass	0.004s
Has returned field	<code>"returned" in r.get_json()</code>	Pass	0.001s
Limit parameter	<code>r.get_json()["returned"] == 2</code>	Pass	0.010s
Missing file returns empty list	<code>result == []</code>	Pass	0.000s
File with two gauges should return both IDs.	<code>set(result) == {"GAUGE-A", "GAUGE-B"}</code>	Pass	0.001s
Returns correct id	<code>"GAUGE-001" in result</code>	Pass	0.001s
Returns list	<code>isinstance(result, list)</code>	Pass	0.002s
Binary file returns empty	<code>result == []</code>	Pass	0.002s
Corrupt json returns empty	<code>result == []</code>	Pass	0.001s
No data returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Principles count	<code>len(r.get_json()["assessment"]["principles"]) == 2</code>	Pass	0.002s
Response has assessment	<code>"assessment" in data; "principles" in data["assessment"]</code>	Pass	0.001s
With data returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.006s
Returns 200 if PDF exists, 404 if not yet generated.	<code>r.status_code in (200, 404)</code>	Pass	0.001s
Empty references	<code>r.get_json()["references"] == []</code>	Pass	0.002s
Has categories key	<code>"categories" in r.get_json()</code>	Pass	0.002s
Returns 200	<code>r.status_code == 200</code>	Pass	0.002s
Returns success status	<code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Returns empty trades list when no PRS files exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1 more)</code>	Pass	0.004s
Payer (long protection) trade should have positive gauge_fs01.	<code>len(payer.trades) > 0; t['gauge_fs01'] >= 0</code>	Pass	0.028s
Receiver (short protection) trade should have negative gauge_fs01.	<code>len(rcv_trades) > 0; t['gauge_fs01'] <= 0</code>	Pass	0.030s
Trades should have gauge_name from gauge locations.	<code>'Thames at Westminster' in names</code>	Pass	0.023s
Each trade must have P&L decomposition fields.	<code>'daily_pnl' in trade; 'market_pnl' in trade (+2 more)</code>	Pass	0.021s
Each trade must have prev_fair_spread_bps for curve-move indication.	<code>'prev_fair_spread_bps' in trade</code>	Pass	0.022s
Each trade must have core identification and pricing fields.	<code>'swap_id' in trade; 'gauge_id' in trade (+5 more)</code>	Pass	0.028s

Test Description	Acceptance Criteria	Result	Time
Summary must have all required aggregate fields.	'num.trades' in summary; 'total.notional' in summary (+4 more)	Pass	0.025s
Blotter returns enriched trades with status success.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.022s
Found returns 200	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.004s
Found second counterparty	r.status_code == 200	Pass	0.002s
Not found returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.004s
Format	rid.startswith("run-"); len(rid) == 19	Pass	0.000s
All pipeline outputs exist and are fresh.	data["status"] == "success"; data["summary"]["fresh"] == 14 (+4 more)	Pass	0.007s
All present but some stale = degraded.	data["summary"]["missing"] == 0; data["summary"]["stale"] == 1 (+1 more)	Pass	0.004s
Response includes as_of timestamp.	"as_of" in data	Pass	0.001s
Mix of fresh, stale, and missing.	data["summary"]["fresh"] == 1; data["summary"]["stale"] == 1 (+2 more)	Pass	0.003s
When lineage file does not exist, manifest is None but route succeeds.	r.status_code == 200; data["status"] == "success" (+3 more)	Pass	0.001s
Empty list returns success	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.002s
Has fields	"owner" in fields; "rag_rating" in fields	Pass	0.000s
Returns 200	r.status_code == 200; r.status_code == 200	Pass	0.000s
Returns success status	r.get_json()["status"] == "success"; r.get_json()["status"] == "success"	Pass	0.000s
Empty entity returns none	storm_loader.get_entity_id({}) is None	Pass	0.000s
Extracts event id	storm_loader.get_entity_id(storms[0]) == "EVT-001"	Pass	0.001s
Missing id returns none	storm_loader.get_entity_id(entity) is None	Pass	0.000s
Missing fields return none	summary["eventId"] is None; summary["name"] is None	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns summary dict	summary["eventId"] == "EVT-001"; summary["name"] == "Harvey" (+3 more)	Pass	0.001s
get_eod_snapshot returns snapshot data for existing date.	result is not None; result['date'] == '2026-03-15'	Pass	0.001s
get_eod_snapshot returns None when no snapshot exists for the date.	result is None	Pass	0.000s
Filter by report	r.status_code == 200; data["total_reports"] == 1 (+3 more)	Pass	0.002s
Filter unknown report 404	r.status_code == 404; "available_reports" in data	Pass	0.002s
Full registry	r.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.002s
No field lineage file returns 404.	r.status_code == 404; "not found" in data["message"].lower() (+1 more)	Pass	0.000s
Summary contents	fr_summary["label"] == "Flood Risk Report"; fr_summary["section_count"] == 2 (+1 more)	Pass	0.002s
Producer step exists in STEP_IO but not in manifest.	result["produced.by"] == "synthetic-gauges"; result["producer_run_id"] is None	Pass	0.000s
Known file	result["produced.by"] == "synthetic-gauges"; result["producer_run_id"] == "r2" (+1 more)	Pass	0.000s
Unknown file	result["produced.by"] is None; result["producer_run_id"] is None (+1 more)	Pass	0.000s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.001s
No curve for gauge returns 404	r.status_code == 404	Pass	0.003s
No hazard file returns 404	r.status_code == 404; "not available" in r.get_json()["message"].lower() (+1 more)	Pass	0.002s
Response has annual flood probs	"alert" in probs; "warning" in probs (+1 more)	Pass	0.003s
Response has curve points	len(r.get_json()["curve_points"]) == 3	Pass	0.003s
Response has flood stages	"FloodAlert" in stages; "FloodWarning" in stages (+1 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Response has gauge id	<code>r.get_json()["gauge_id"] == GAUGE_ID</code>	Pass	0.003s
Response has gev parameters	<code>"location" in gev; "scale" in gev (+1 more)</code>	Pass	0.003s
Response has term structures	<code>"alert" in ts; "warning" in ts (+1 more)</code>	Pass	0.003s
Valid hazard returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
Days larger than available returns all	<code>len(data["daily_observations"]) == 12</code>	Pass	0.002s
Days param limits observations	<code>len(data["daily_observations"]) == 5</code>	Pass	0.003s
Days param zero returns all	<code>len(data["daily_observations"]) == 12</code>	Pass	0.002s
No history file returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s
Response has daily observations	<code>"daily_observations" in data;</code> <code>len(data["daily_observations"]) == 12</code>	Pass	0.002s
Response has flood stages	<code>"flood_stages" in data</code>	Pass	0.003s
Response has gauge metadata	<code>"gauge_metadata" in data</code>	Pass	0.002s
Response has statistics	<code>"statistics" in data;</code> <code>data["statistics"]["mean_level"] == 2.5</code>	Pass	0.002s
Valid history returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Missing key defaults to zero rate	<code>result == [0.0] * len(TENORS)</code>	Pass	0.000s
Negative rate returns all zeros	<code>result == [0.0] * len(TENORS)</code>	Pass	0.000s
Positive rate returns positive spreads	<code>len(result) == len(TENORS); all(s > 0 for s in result)</code>	Pass	0.000s
Spread list has one entry per tenor	<code>len(result) == len(TENORS)</code>	Pass	0.000s
Zero rate returns all zeros	<code>result == [0.0] * len(TENORS)</code>	Pass	0.000s
Gauge not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+2 more)	Pass	0.001s
Valid gauge returns success	<code>r.status_code == 200; data["status"] == "success" (+4 more)</code>	Pass	0.003s
Gauge not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Response has flood simulation	<code>"flood_simulation" in data;</code> <code>"num_timesteps" in data["flood_simulation"]</code>	Pass	0.004s
Response has flood stages	<code>"flood_stages" in r.get_json()</code>	Pass	0.004s
Response has gauge id	<code>r.get_json()["gauge_id"] == GAUGE_ID</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Response has storm responses	"storm_responses" in data; "num_storms" in data["storm_responses"]	Pass	0.003s
Storm responses enriched with metadata from storm_sequences.json.	"name" in responses[0] or responses[0].get("name") == ""	Pass	0.004s
Valid gauge returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s
When exceeded_severe=True, severe count computed from gauges dir.	r.status_code == 200	Pass	0.003s
Gauge not found returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.002s
Response has count and readings	"count" in data; "readings" in data (+1 more)	Pass	0.002s
Valid gauge returns success	r.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.003s
When term structure doesn't have the requested tenor, falls back	rate == base_rate	Pass	0.001s
Unknown gauge with no term structure returns 0.0 from flat rate fallback.	rate == 0.0	Pass	0.001s
Missing id returns none	storm_loader.get_track("EVT-NONEXISTENT") is None; storm_loader.get_impact("EVT-NONEXISTENT") is None	Pass	0.001s
Returns impact dict	isinstance(impact, dict); "TotalDamage" in impact	Pass	0.001s
Contains timeout	'30000' in js	Pass	0.000s
Returns script tag	'<script>' in js; '</script>' in js (+2 more)	Pass	0.001s
All modules non empty	len(js) > 50	Pass	0.000s
All modules return str	isinstance(js, str)	Pass	0.000s
Excludes category 1 and 2	"EVT-004" not in ids	Pass	0.001s
Includes cat 3 4 5	"EVT-001" in ids; "EVT-002" in ids (+1 more)	Pass	0.001s
Returns category 3 plus	all(c >= 3 for c in categories)	Pass	0.001s
Get created meeting	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Unknown id returns 404	<code>r.status_code == 404;</code>	Pass	0.001s
	<code>r.get_json()["status"] == "error"</code>		
Meeting not found returns 404	<code>r.status_code == 404;</code>	Pass	0.001s
	<code>r.get_json()["status"] == "error"</code>		
Valid meeting content type pdf	<code>"application/pdf" in r.content_type</code>	Pass	0.004s
Valid meeting returns bytes	<code>len(r.data) > 100</code>	Pass	0.005s
Valid meeting returns pdf	<code>r.status_code == 200</code>	Pass	0.004s
Model has validation questions	<code>"validation.questions" in model;</code> <code>len(model["validation_questions"]) == 9</code>	Pass	0.003s
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404 (+1 more)</code>	Pass	0.002s
Response has audit entries	<code>"audit_entries" in r.get_json()</code>	Pass	0.002s
Valid model returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.003s
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error" (+3 more)</code>	Pass	0.000s
Category distribution	<code>"category_distribution" in data</code>	Pass	0.002s
Model has review status	<code>"review_status" in model;</code> <code>model["review_status"] in ("On Track", "Upcoming", "Due S...</code>	Pass	0.002s
Model has risk rating	<code>"risk_rating" in model</code>	Pass	0.002s
Model has validation coverage	<code>"validation_coverage" in model</code>	Pass	0.003s
Response has metadata	<code>"metadata" in data</code>	Pass	0.003s
Returns 200	<code>r.status_code == 200; r.status_code == 200</code>	Pass	0.002s
Returns models list	<code>"models" in data; data["total_models"] >= 1</code>	Pass	0.002s
Returns success status	<code>r.get_json()["status"] == "success";</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Tier distribution	<code>"tier_distribution" in data</code>	Pass	0.002s
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error" (+3 more)</code>	Pass	0.000s
Not scheduled review status	<code>r.status_code == 200;</code> <code>model["review_status"] == "Not Scheduled"</code>	Pass	0.002s
Overdue review status	<code>r.status_code == 200;</code> <code>model["review_status"] == "Overdue"</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Returns expected keys	<code>result["NRFASStationID"] == "39001";</code> <code>result["MeanFlow"] == pytest.approx(55.0) (+2 more)</code>	Pass	0.000s
Truncates data quality notes	<code>len(result["DataQualityNotes"]) <= 500</code>	Pass	0.000s
All expected keys present	<code>key in result</code>	Pass	0.000s
Catchment area always none	<code>result["CatchmentArea"] is None</code>	Pass	0.000s
Custom flow units	<code>gen.get_nrfa_metadata_for_cdm({}, {"units": "ft3/s"}, "f....</code>	Pass	0.000s
Database source from station meta-data	<code>result["DatabaseSource"] == "TestDB"</code>	Pass	0.000s
Default flow units m3 per s	<code>gen.get_nrfa_metadata_for_cdm({}, {}, "f.json")["FlowUnit....</code>	Pass	0.000s
Empty data quality notes when no description	<code>gen.get_nrfa_metadata_for_cdm({}, {}, "f.json")["DataQual....</code>	Pass	0.000s
Missing database source returns none	<code>gen.get_nrfa_metadata_for_cdm({}, {}, "f.json")["Database....</code>	Pass	0.000s
Missing stats keys return none	<code>result[key] is None</code>	Pass	0.000s
Response has 'storms' list with count ≥ 0 .	<code>'storms' in data; data['count'] > 0</code>	Pass	0.003s
Returns 200 with status=success.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.002s
Each storm has storm_id, name, intensity_category, gauges_severe,	<code>'storm_id' in s; 'name' in s (+5 more)</code>	Pass	0.002s
Returns 404 when stress_storms not found.	<code>resp.status_code == 404</code>	Pass	0.000s
When gauges_severe is equal, storms sorted by gauges_warning desc.	<code>s1['gauges_warning'] >= s2['gauges_warning']</code>	Pass	0.002s
Storms sorted by gauges_severe desc — STORM_PORT_SEVERE must come first.	<code>len(storms) >= 2;</code> <code>storms[0]['storm_id'] == STORM_PORT_SEVERE (+1 more)</code>	Pass	0.002s
Get preloader js matches get js	<code>_get_preloader_js() == get_js()</code>	Pass	0.000s
Get preloader js returns string	<code>isinstance(result, str);</code> <code>'DOMContentLoaded' in result</code>	Pass	0.000s
Found returns property	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.001s
Not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Close high risk high	<code>get_proximity_zone(50, 'High') == 'close_high_risk'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Close high risk medium	<code>get_proximity_zone(100, 'Medium') == 'close_high_risk'</code>	Pass	0.000s
Close high risk very high	<code>get_proximity_zone(10, 'Very High') == 'close_high_risk'</code>	Pass	0.000s
Close low risk low	<code>get_proximity_zone(150, 'Low') == 'close_low_risk'</code>	Pass	0.000s
Close low risk very low	<code>get_proximity_zone(100, 'Very Low') == 'close_low_risk'</code>	Pass	0.000s
Exactly 200m is medium zone	<code>get_proximity_zone(200, 'Low') == 'medium'</code>	Pass	0.000s
Exactly 500m is far	<code>get_proximity_zone(500, 'Low') == 'far'</code>	Pass	0.000s
Far zone	<code>get_proximity_zone(600, 'Medium') == 'far'</code>	Pass	0.000s
Medium zone	<code>get_proximity_zone(300, 'Very Low') == 'medium'</code>	Pass	0.000s
Medium zone upper bound	<code>get_proximity_zone(499, 'Very High') == 'medium'</code>	Pass	0.000s
Returns none when quantlib unavailable	<code>result is None</code>	Pass	0.001s
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.002s
Response has risk rating	<code>"risk_rating" in data;</code> <code>"calculated_rating" in rr (+1 more)</code>	Pass	0.002s
Risk rating has component scores	<code>"component_scores" in rr</code>	Pass	0.002s
Valid model returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
Gauges affects many	<code>"properties" in downstream; "gaugehd" in downstream (+1 more)</code>	Pass	0.000s
Leaf has no downstream	<code>downstream == []</code>	Pass	0.000s
Mid chain	<code>"hazard" in downstream; "propertyts" in downstream</code>	Pass	0.000s
Custom statistics	<code>stats['property_menu_items'] == 2;</code> <code>stats['gauge_menu_items'] == 1 (+1 more)</code>	Pass	0.000s
Default statistics	<code>stats['property_menu_items'] == len(DEFAULT_PROPERTY_MENU);</code> <code>stats['gauge_menu_items'] == len(DEFAULT_GAUGE_MENU) (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get statistics keys	stats['server_url'] == 'http://test:1234'; stats['total_endpoints'] == 2 (+1 more)	Pass	0.000s
Get statistics single endpoint	stats['total_endpoints'] == 1; stats['endpoints'] == ['only']	Pass	0.000s
Returns dict with expected keys	'notifications' in stats; 'backend_handler' in stats (+1 more)	Pass	0.000s
Returns expected keys	'default_position' in stats; 'auto_dismiss_timeout' in stats (+3 more)	Pass	0.000s
Statistics are dicts	isinstance(stats['notifications'], dict); isinstance(stats['backend_handler'], dict) (+1 more)	Pass	0.000s
Statistics reflect config	stats['default_position'] == 'bottom-center'; stats['auto_dismiss_timeout'] == 9000 (+1 more)	Pass	0.000s
Mid step	"gauges" in result["upstream"]; "mortgages" in result["downstream"] (+1 more)	Pass	0.000s
Root step	result["upstream"] == []; "properties" in result["downstream"] (+3 more)	Pass	0.000s
Step not in manifest	result["last_run"] is None; result["last_timestamp"] is None	Pass	0.000s
Cluster returns 3 or 4	count in (3, 4)	Pass	0.000s
Doublet returns 2	get_storm_count(SequenceType.DOUBLET, rng) == 2	Pass	0.000s
Isolated returns 1	get_storm_count(SequenceType.ISOLATED, rng) == 1	Pass	0.000s
Persistent returns 4 or 5	count in (4, 5)	Pass	0.000s
Each storm has peak_level.m.	'peak_level.m' in s; s['peak_level.m'] > 0	Pass	0.011s
Storms have required identification fields.	'storm_id' in s; 'name' in s (+3 more)	Pass	0.011s
Returns 404 when stress_storms not found.	resp.status_code == 404	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Missing gauge.id returns total count (used by startup preloader).	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.002s
Returns empty list for gauge with no storms.	<code>resp.status_code == 200;</code> <code>data['storms'] == []</code>	Pass	0.005s
Returns storm list for specified gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.004s
Storms sorted by peak level descending (worst first).	<code>peaks == sorted(peaks, reverse=True)</code>	Pass	0.008s
Each storm returned at most once	<code>len(result) == 1</code>	Pass	0.003s
Empty for remote location	<code>result == []</code>	Pass	0.001s
Finds nearby storm	<code>"EVT-001" in ids</code>	Pass	0.003s
Large radius finds more	<code>len(large) >= len(small)</code>	Pass	0.001s
Each gauge has gauge_id, gauge_name, lon, lat, trade_count.	<code>'gauge_id' in g; 'gauge_name' in g</code> (+3 more)	Pass	0.027s
Gauges with trades show non-zero trade_count.	<code>sum(counts) > 0</code>	Pass	0.026s
Returns gauge list with trade counts.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+2 more)	Pass	0.018s
Gauges sorted west to east (ascending longitude).	<code>lons == sorted(lons)</code>	Pass	0.024s
Missing id returns none	<code>storm_loader.get_track("EVT-NONEXISTENT")</code> <code>is None;</code> <code>storm_loader.get_impact("EVT-NONEXISTENT")</code> <code>is None</code>	Pass	0.001s
Returns track for existing storm	<code>track is not None; isinstance(track, list)</code> (+1 more)	Pass	0.003s
Track has lat lon	<code>"Latitude" in track[0]; "Longitude" in track[0]</code>	Pass	0.001s
get_trade_mark returns mark data for an existing trade.	<code>mark['fair_spread_bps'] == 250.0</code>	Pass	0.001s
get_trade_mark returns empty dict for unknown trade.	<code>mark == {}</code>	Pass	0.000s
get_trade_mark returns merged data after multiple updates.	<code>mark['fair_spread_bps'] == 200.0;</code> <code>mark['mtm'] == 5000.0</code>	Pass	0.004s
If the PDF exists, it should be served with 200.	<code>r.status_code == 200; r.content_type == "application/pdf"</code>	Pass	0.029s
Missing pdf returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
When yield_curve is empty dict, falls back to risk_free_rate.	rate == 0.042	Pass	0.000s
When yield_curve key is missing, falls back to risk_free_rate.	rate == 0.05	Pass	0.000s
When tenor falls exactly between integer keys but loop exits, returns fallback.	0.035 <= rate <= 0.045	Pass	0.000s
Apply documents function exists	'_applyDocuments' in src	Pass	0.000s
Checks gov docs cache	'window._tdPreGovDocs' in src	Pass	0.000s
Clears cache after use	'window._preStorms = null' in src; 'window._tdPreGovDocs = null' in src	Pass	0.000s
Hash directory	result["type"] == "directory"; result["hash"] is not None (+1 more)	Pass	0.001s
Hash file	result["type"] == "file"; result["hash"] is not None	Pass	0.001s
Hash missing	result == {"hash": None, "type": "missing"}	Pass	0.000s
Hash empty directory	count == 0; len(digest) == 64	Pass	0.000s
Hash multiple files deterministic	d1 == d2; c1 == c2 == 2	Pass	0.002s
Hash respects pattern	count_json == 1; count_csv == 1	Pass	0.002s
Hash single file	count == 1; len(digest) == 64	Pass	0.001s
Hash binary file	result == expected	Pass	0.004s
Hash empty file	result == expected	Pass	0.000s
Hash known content	result == expected	Pass	0.001s
Approximate one degree lat	110.000 < d < 112.000	Pass	0.000s
Approximate one degree lon at equator	110.000 < d < 112.000	Pass	0.000s
Equatorial degree approx 111km	110 < d < 113	Pass	0.000s
London to paris approx 340km	320 < d < 360	Pass	0.000s
Same point is zero	model.haversine_km(0.0, 0.0, 0.0, 0.0) == pytest.approx(0...	Pass	0.000s
Same point returns zero	d == pytest.approx(0.0, abs=1e-6)	Pass	0.000s
Symmetric	d1 == pytest.approx(d2, rel=1e-6)	Pass	0.000s
Symmetry	d1 == pytest.approx(d2, rel=1e-9)	Pass	0.000s
hazard.py lines 100-102: exception reading hazard file -i 500.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.030s
Custom day count	curve is not None	Pass	0.000s
High hazard gives low survival	sp < 0.1	Pass	0.000s
Returns credit curve	curve is not None	Pass	0.002s
Survival prob decreases	sp2 < sp1	Pass	0.000s
Zero hazard gives survival near one	sp >= 0.999	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Commit returns affected trades for the target gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+3 more)	Pass	0.028s
Missing gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Missing rates returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Committing GAUGE-001 only affects its trades (2 trades).	<code>data['affected_trades'] == 2</code>	Pass	0.030s
Reset all gauges.	<code>resp.status_code == 200;</code> 'all' in <code>data['message']</code>	Pass	0.004s
Reset one gauge.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.017s
GET returns per-gauge per-trigger structure.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
Tenor outside 1-10 returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
Missing gauge_id returns 400.	<code>resp.status_code == 400</code>	Pass	0.000s
POST updates one gauge/trigger/tenor point.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success'</code>	Pass	0.006s
Header footer callable	—	Pass	0.003s
Header footer callable	—	Pass	0.003s
Header footer callable	—	Pass	0.002s
Header footer draws confidential	<code>mock_canvas.drawCentredString.called</code>	Pass	0.006s
Header footer draws confidential footer	<code>mock_canvas.drawCentredString.called</code>	Pass	0.002s
Header footer draws header strings	<code>mock_canvas.drawString.call_count</code> <code>>= 1;</code> <code>mock_canvas.drawRightString.call_count</code> <code>>= 2</code>	Pass	0.002s
Header footer draws strings	<code>mock_canvas.drawString.call_count</code> <code>>= 1;</code> <code>mock_canvas.drawRightString.call_count</code> <code>>= 2</code>	Pass	0.002s
Health 200 at api v1	<code>r.status_code == 200</code>	Pass	0.001s
Health 200 at root	<code>r.status_code == 200</code>	Pass	0.000s
A single function must handle both route decorators.	<code>api_idx != -1 and plain_idx != -1 and</code> <code>fn_idx != -1; api_idx < fn_idx</code> (+1 more)	Pass	0.000s
health.py must declare /api/v1/health as a route alias.	<code>'/api/v1/health' in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Backward-compat: /health must still exist.	<code>"/health" in src</code>	Pass	0.000s
Health returns ok status	<code>data['status'] == 'ok'</code>	Pass	0.000s
Test GET /health/detailed returns detailed status.	<code>response.status_code in [200, 503]; data['status'] in ['healthy', 'degraded'] (+2 more)</code>	Pass	0.000s
Test GET /health returns health status.	<code>response.status_code == 200; data['status'] == 'ok' (+1 more)</code>	Pass	0.000s
Test GET / redirects to catchment selector.	<code>response.status_code == 302</code>	Pass	0.000s
Medium height 10 to 15m	<code>isinstance(result, list)</code>	Pass	0.000s
No height skips classification	<code>isinstance(result, list)</code>	Pass	0.000s
Standard height under 10m	<code>isinstance(result, list)</code>	Pass	0.000s
Tall structure over 15m	<code>isinstance(result, list)</code>	Pass	0.000s
Generate monitoring high score	<code>"Weekly" in r.values()</code>	Pass	0.000s
Generate monitoring low score	<code>"Annually" in r.values()</code>	Pass	0.000s
Generate monitoring medium score	<code>"Monthly" in r.values()</code>	Pass	0.000s
Generate recommendations high score	<code>any("URGENT" in rec for rec in r)</code>	Pass	0.000s
Generate recommendations low score	<code>any("LOW" in rec for rec in r)</code>	Pass	0.000s
Generate recommendations medium score	<code>any("HIGH PRIORITY" in rec or "MODERATE" in rec for rec i...</code>	Pass	0.000s
Identify key factors high risk	<code>any("High Risk Factor" in k for k in r.keys())</code>	Pass	0.000s
Identify key factors medium risk	<code>any("Medium Risk Factor" in k for k in r.keys())</code>	Pass	0.000s
Status colour fresh	<code>col == dl.mod.GREEN</code>	Pass	0.000s
Status colour missing	<code>col == dl.mod.RED</code>	Pass	0.000s
Status colour stale	<code>col == dl.mod.AMBER</code>	Pass	0.000s
Status colour unknown	<code>col == dl.mod.STEEL</code>	Pass	0.000s
Status label unknown uppercased	<code>dl.mod._status_label('degraded') == 'DEGRADED'</code>	Pass	0.000s
Status label values	<code>dl.mod._status_label('fresh') == 'FRESH'; dl.mod._status_label('stale') == 'STALE' (+1 more)</code>	Pass	0.000s
Alert colour amber	<code>'#FFC107' in hist_js</code>	Pass	0.000s
Daily observations field	<code>'daily_observations' in hist_js</code>	Pass	0.000s
Renders historical chart	<code>'hist-timeseries-chart' in hist_js</code>	Pass	0.000s
Severe colour red	<code>'#F44336' in hist_js</code>	Pass	0.000s
Shows flood alert threshold	<code>'FloodAlert' in hist_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Shows flood warning threshold	'FloodWarning' in hist_js	Pass	0.000s
Shows severe flood threshold	'SevereFloodWarning' in hist_js	Pass	0.000s
Subsamples observations	'7' in hist_js; 'sampleObs' in hist_js	Pass	0.000s
Warning colour orange	'#FF9800' in hist_js	Pass	0.000s
Cache keyed by gauge id	'_gaugeId' in hist_js	Pass	0.000s
Caches history data	'_histData' in hist_js	Pass	0.000s
Uses cached data on revisit	'_histData._gaugeId' in hist_js or { } '_his...	Pass	0.000s
Exceeded severe label	"Exceeded severe warning level" in str(elements)	Pass	0.001s
Within severe level	"4.000m" in str(elements)	Pass	0.000s
Cleanup function	'_cleanupHistCharts' in hist_js	Pass	0.000s
Stats bar flood exceedances	'flood.exceedances' in hist_js	Pass	0.000s
Stats bar mean level	'mean_level' in hist_js or 'Mean' in hist_js	Pass	0.000s
Stats bar record years	'record_years' in hist_js or 'Record' in hist_js	Pass	0.000s
Should fetch from /api/v1/gauges/{gauge_id}/history.	'/api/v1/gauges/' in js; '/history' in js	Pass	0.000s
Should fetch from /api/v1/trading/stress/storms.	'/api/v1/trading/stress/storms' in js	Pass	0.000s
Right panel should show storm sce- narios list.	'hist-storms-panel' in js; 'hist-storms-list' in js (+1 more)	Pass	0.000s
Should render a time series chart.	'hist-timeseries-chart' in js; 'renderHistorical' in js	Pass	0.000s
Historical tab JS should render without errors.	len(js) > 0	Pass	0.000s
Should have function to render storm list.	'_renderStormList' in js; 'hist-storm-row' in js	Pass	0.000s
Chart should show flood stage threshold lines.	'FloodAlert' in js; 'FloodWarning' in js (+1 more)	Pass	0.000s
Storm rows should show trigger- colored dots.	'#FFC107' in js; '#FF9800' in js (+1 more)	Pass	0.000s
Storm row click should navigate to Stress Test tab.	'_navigateToStress' in js; '_stressStormHint' in js (+1 more)	Pass	0.000s
Should use addEventListener (not inline onclick) for storms.	'addEventListener' in js	Pass	0.000s
ghc_historical.get_js() returns sub- stantial JS output.	len(hist_js) > 1000	Pass	0.000s
Output long enough to contain real function definitions.	len(hist_js) > 3000	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Historical tab fetches from /gauges/{gauge_id}/history. Fetch URL is built using gaugeId variable.	<code>'/api/v1/gauges/' in hist_js;</code> <code>'/history' in hist_js</code> <code>'gaugeId' in hist_js</code>	Pass	0.000s
history.py lines 88-90: corrupted gaugehd file -i 500.	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.029s
history.py lines 144-146: statistics loader exception -i 500.	<code>r.status_code == 500</code>	Pass	0.029s
history.py lines 119-121: timeseries loader exception -i 500.	<code>r.status_code == 500</code>	Pass	0.028s
Assess historical risks active subsidence	<code>"Ground Stability Risk" in result;</code> <code>"High" in result["Ground Stability Risk"]</code>	Pass	0.000s
Assess historical risks high env	<code>"Environmental Risk" in result;</code> <code>"High" in result["Environmental Risk"]</code>	Pass	0.000s
Assess historical risks low env	<code>"Low" in result["Environmental Risk"]</code>	Pass	0.000s
Assess historical risks minor subsidence	<code>"Medium" in result["Ground Stability Risk"]</code>	Pass	0.000s
Assess historical risks moderate env	<code>"Medium" in result["Environmental Risk"]</code>	Pass	0.000s
Assess historical risks moderate flood	<code>"Medium" in result["Historical Flood Risk"]</code>	Pass	0.000s
Assess historical risks no flood damage	<code>"Low" in result["Historical Flood Risk"]</code>	Pass	0.000s
Assess historical risks severe flood	<code>"Historical Flood Risk" in result;</code> <code>"High" in result["Historical Flood Risk"]</code>	Pass	0.000s
Assess historical risks stable ground	<code>"Low" in result["Ground Stability Risk"]</code>	Pass	0.000s
Build flood history bad json	<code>any("Error" in t or "error" in t.lower() for t in texts)</code>	Pass	0.002s
Build flood history no flood days	<code>any("No flood events" in t for t in texts)</code>	Pass	0.002s
Build flood history no hd file	<code>any("No historical" in t or "historical" in t.lower() for...</code>	Pass	0.000s
Build flood history no reference gauges	<code>any("No reference gauges" in t for t in texts)</code>	Pass	0.000s
Build flood history with flood data	<code>isinstance(result, list); len(tables) >= 1</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Empty flood events	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Has history header	<code>any("History" in t or "Flood" in t for t in texts)</code>	Pass	0.000s
No flood history	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With environmental issues	<code>isinstance(result, list); len(tables) >= 1</code>	Pass	0.000s
With fire incidents	<code>isinstance(result, list)</code>	Pass	0.000s
With ground conditions	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage data	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda minimal fields	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda rate spread formatted	<code>isinstance(result, list)</code>	Pass	0.000s
Hmda section creates table	<code>len(tables) >= 1</code>	Pass	0.000s
When gaugets file has invalid JSON, exception is caught	<code>resp.status_code == 200; data['status'] == 'success'</code>	Pass	0.055s
When gaugets file has <code>!=</code> STORM_HOURS readings, hy- drograph is truncated.	<code>resp.status_code == 200</code>	Pass	0.053s
When gaugets JSON is corrupt, route returns 404.	<code>resp.status_code == 404; data['status'] == 'error' (+1 more)</code>	Pass	0.024s
When gaugets has fewer than STORM_HOURS readings, pads with last value.	<code>resp.status_code == 200; len(data['hourly']) == 168</code>	Pass	0.026s
Remaining exactly zero	<code>len(levels) == 5; abs(levels[0] - 3.0) < 0.01</code>	Pass	0.000s
run_series result matches manual step-by-step.	<code>qf == pytest.approx(qf_series[h], rel=1e-6)</code>	Pass	0.000s
Wet initial state produces higher early quickflow.	<code>qf_wet[:6].mean() > qf_dry[:6].mean()</code>	Pass	0.000s
No rain no quickflow	<code>np.all(qf == pytest.approx(0.0))</code>	Pass	0.000s
Quickflow positive	<code>np.all(qf >= 0.0)</code>	Pass	0.002s
Shape	<code>qf.shape == (168,); len(states) == 168</code>	Pass	0.000s
Soil moisture drains to near zero af- ter long dry period.	<code>states[-1].soil_moisture < 1.0</code>	Pass	0.000s
Dry start no precip no quickflow	<code>qf == pytest.approx(0.0); new_state.soil_moisture == pytest.approx(0.0) (+1 more)</code>	Pass	0.000s
Groundwater accumulates from soil	<code>new_state.groundwater > 0.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Negative precip treated as zero	<code>qf >= 0.0; new_state.soil.moisture >= 0.0</code>	Pass	0.000s
Precip increases soil moisture	<code>new_state.soil.moisture > 0.0</code>	Pass	0.000s
Precip produces quickflow	<code>qf > 0.0</code>	Pass	0.000s
Soil moisture drains without rain	<code>new_state.soil.moisture < 50.0</code>	Pass	0.000s
Elevated antecedent state produces more quickflow per mm.	<code>qf_wet > qf_dry</code>	Pass	0.000s
Idw gauge spreads computed with two gauges	<code>"any_flood" in idw;</code> <code>len(idw["any_flood"]) == len(TENORS)</code>	Pass	0.215s
With empty nearest_gauges, idw_gauge_spreads is still a dict.	<code>isinstance(result.get("idw_gauge_spreads"), dict)</code>	Pass	0.225s
Fair income 30k to 50k	<code>isinstance(result, list)</code>	Pass	0.000s
Good income 50k to 100k	<code>isinstance(result, list)</code>	Pass	0.000s
High income over 100k	<code>isinstance(result, list)</code>	Pass	0.000s
Limited income under 30k	<code>isinstance(result, list)</code>	Pass	0.000s
Total income with secondary	<code>isinstance(result, list)</code>	Pass	0.000s
<code>f_imperv=1 -i Y_max=0 -i</code> no infiltration -i depth unchanged.	—	Pass	0.000s
Reduces depth	<code>np.all(result <= raw + 1e-10);</code> <code>result[50] < raw[50]</code>	Pass	0.000s
After <code>Y_max</code> is consumed, depth passes through unchanged.	<code>result[0] < raw[0];</code> <code>result[1] ==</code> <code>pytest.approx(raw[1])</code>	Pass	0.000s
Zero depth	—	Pass	0.000s
Input dir accepts string	<code>isinstance(gen.input_dir, Path)</code>	Pass	0.000s
Input dir set	<code>gen.input_dir == tmp_path</code>	Pass	0.000s
Output path explicit	<code>gen.output_path == out</code>	Pass	0.000s
Styles initialised	<code>gen.title_style is not None;</code> <code>gen.body_style is not None</code> (+1 more)	Pass	0.000s
Known inputs	<code>"properties" in m["gauge.json"];</code> <code>"gaugehd" in m["gauge.json"]</code>	Pass	0.000s
<code>Area = float('inf')</code> skips all threshold checks, hits fallback.	<code>isinstance(result, tuple);</code> <code>len(result) == 2</code>	Pass	0.000s
Base rates by level	<code>result == pytest.approx(rate)</code>	Pass	0.000s
Capped at 10 pct	<code>result == pytest.approx(0.10)</code>	Pass	0.000s
Depth increases premium	<code>with_depth > no_depth</code>	Pass	0.000s
Depth multiplier formula	<code>rate == pytest.approx(expected)</code>	Pass	0.000s
Unknown level uses default	<code>result == pytest.approx(0.005)</code>	Pass	0.000s
Zero depth no effect	<code>base == zero</code>	Pass	0.000s
Unknown integer field returns int	<code>isinstance(result, int); 1 <= result</code> <code><= 10</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Integer type returns int	<code>isinstance(result, int); 0 <= result <= 100</code>	Pass	0.000s
Baseline alert only	<code>self._run(tmp_path, n_severe=0, n_warning=0) == "baseline"</code>	Pass	0.003s
Catastrophic 10 severe	<code>self._run(tmp_path, n_severe=10) == "catastrophic"</code>	Pass	0.011s
Extreme 6 severe	<code>self._run(tmp_path, n_severe=6) == "extreme"</code>	Pass	0.008s
Moderate 1 severe	<code>self._run(tmp_path, n_severe=1) == "moderate"</code>	Pass	0.003s
Severe 3 severe	<code>self._run(tmp_path, n_severe=3) == "severe"</code>	Pass	0.006s
Running ‘python -m models.intensity’ executes <code>cli.main()</code> .	<code>result.returncode == 0; "Storm Intensity" in result.stdout or "usage" in result.s...</code>	Pass	0.823s
Beta value	<code>IntensityProfile.BETA.value == "beta"</code>	Pass	0.000s
Gaussian value	<code>IntensityProfile.GAUSSIAN.value == "gaussian"; DecayKernel.GAUSSIAN.value == "gaussian"</code>	Pass	0.000s
Triangular value	<code>IntensityProfile.TRIANGULAR.value == "triangular"</code>	Pass	0.000s
All profiles produce valid storm	<code>isinstance(storm, Storm); len(storm.track) > 0</code>	Pass	0.000s
Beta profile creates storm	<code>storm is not None; len(storm.track) > 0</code>	Pass	0.000s
Gaussian profile peak near midpoint	<code>8 <= peak_idx <= 16</code>	Pass	0.000s
Triangular max equals peak intensity	<code>max(tp.intensity for tp in storm.track) == pytest.approx(...</code>	Pass	0.000s
Triangular profile peak near midpoint	<code>8 <= peak_idx <= 16</code>	Pass	0.000s
Unknown sequence type falls back to 1 storm.	<code>count == 1</code>	Pass	0.001s
Monotone increasing	<code>all(levels[i] < levels[i + 1] for i in range(len(levels) ...</code>	Pass	0.000s
Negative intensity returns zero	<code>model.intensity_to_level(-10.0, gauge) == 0.0</code>	Pass	0.000s
Positive intensity positive level	<code>model.intensity_to_level(50.0, gauge) > 0.0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Sensitivity scales output	<code>model.intensity_to_level(50, g2) ==</code> <code>pytest.approx(...</code>	Pass	0.000s
Uses historical high when set	<code>lv_with != lv_without</code>	Pass	0.000s
Zero intensity returns zero	<code>model.intensity_to_level(0.0, gauge)</code> <code>== 0.0</code>	Pass	0.000s
ContextMenuHandler JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.001s
GaugeHazardCurve JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
GaugePDFPanel JS renders without f-string errors.	<code>len(js) > 0; 'GaugePDFPanel' in js</code>	Pass	0.000s
GaugeStormAnalysis JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
NotificationSystem JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.001s
PropertyHazardCurvePanel JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js</code>	Pass	0.000s
PropertyPDFPanel JS renders without f-string errors.	<code>len(js) > 0; 'PropertyPDFPanel' in js</code>	Pass	0.000s
PropertyStormAnalysis JS renders without f-string errors.	<code>len(js) > 0; '<script>' in js (+1 more)</code>	Pass	0.153s
PropertyStormAnalysis JS must guard against empty flood_events array.	<code>'flood_events.length === 0' in js</code>	Pass	0.000s
TradingDeskPanel should be in __all__.	<code>'TradingDeskPanel' in __all__</code>	Pass	0.000s
InteractivityManager should have trading_desk attribute.	<code>hasattr(mgr, 'trading_desk')</code>	Pass	0.000s
Setup map adds preloader before notifications	<code>preloader_idx != -1; notifications_idx != -1 (+1 more)</code>	Pass	0.000s
Startup preloader imported in init	<code>'from .startup import</code> <code>StartupPreloader' in src</code>	Pass	0.001s
Startup preloader instantiated in init	<code>'self.startup_preloader =</code> <code>StartupPreloader()' in src</code>	Pass	0.000s
Elevated rate 5 to 7	<code>isinstance(result, list)</code>	Pass	0.000s
High rate over 7	<code>isinstance(result, list)</code>	Pass	0.001s
Low rate under 3	<code>isinstance(result, list)</code>	Pass	0.000s
Moderate rate 3 to 5	<code>isinstance(result, list)</code>	Pass	0.000s
No rate unknown	<code>isinstance(result, list)</code>	Pass	0.000s
Line 64: empty yield_curve returns default fallback 0.04.	<code>result == 0.04</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Line 64: empty yield_curve returns fallback.	result == 0.05	Pass	0.000s
Line 77: fallthrough at end of for loop returns last key rate.	interpolate_yield_rate(curve, 4.0) == 0.04; result == pytest.approx(0.035)	Pass	0.000s
Line 71: t $\neq$ keys[-1] returns the last key's rate.	result == 0.045	Pass	0.000s
Line 71: t == keys[-1] returns the last key's rate.	result == 0.045	Pass	0.000s
File exists	INVENTORY_PATH.exists()	Pass	0.000s
File is valid json	isinstance(data, dict)	Pass	0.001s
Has at least one model	len(models) > 0	Pass	0.000s
Has metadata	"metadata" in inventory; "framework" in inventory["metadata"]	Pass	0.000s
Has model chain	"model_chain" in inventory	Pass	0.000s
Has models key	"models" in inventory	Pass	0.000s
Get models includes risk fields	response.status_code == 200; data["status"] == "success" (+4 more)	Pass	0.002s
One prob returns min	d.inverse_exceedance(1) == d.params.min_intensity	Pass	0.000s
Result in bounds	d.params.min_intensity <= v <= d.params.max_intensity	Pass	0.000s
Roundtrip above threshold	abs(recovered - target) < 3.0	Pass	0.000s
Roundtrip below threshold	abs(recovered - target) < 2.0	Pass	0.000s
Zero prob returns max	d.inverse_exceedance(0) == d.params.max_intensity	Pass	0.000s
Line 125: <code>_inverse_normal(1.5)</code> returns +inf.	result == float('inf')	Pass	0.000s
Line 123: <code>_inverse_normal(-0.5)</code> returns -inf.	result == float('-inf')	Pass	0.000s
Line 125: <code>_inverse_normal(1.0)</code> returns +inf.	result == float('inf')	Pass	0.000s
Line 123: <code>_inverse_normal(0)</code> returns -inf.	result == float('-inf')	Pass	0.000s
Lines 170-171: p $\geq$ p_high (0.97575) uses the upper tail formula.	result == pytest.approx(2.326, abs=0.02)	Pass	0.000s
Lines 170-171: p=0.98 also triggers high-p branch.	result == pytest.approx(2.054, abs=0.02)	Pass	0.000s
Lines 170-171: high-p branch returns positive value.	result > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 170-171: verify roundtrip CDF(inverse.CDF(p)) p for high p.	<code>recovered == pytest.approx(p, abs=0.001)</code>	Pass	0.000s
Below average 2 to 4pct	<code>isinstance(result, list)</code>	Pass	0.000s
Excellent over 8pct	<code>isinstance(result, list)</code>	Pass	0.000s
Fair 4 to 6pct	<code>isinstance(result, list)</code>	Pass	0.000s
Good 6 to 8pct	<code>isinstance(result, list)</code>	Pass	0.000s
Poor under 2pct	<code>isinstance(result, list)</code>	Pass	0.000s
Get raises on unknown key	—	Pass	0.000s
JSONFileConfig.get('hazard_curves') returns the hazard curves filename.	<code>result == JSONFileConfig.HAZARD_CURVES</code>	Pass	0.000s
Datetime encoded as isoformat	<code>"2024-01-15" in result</code>	Pass	0.000s
Numpy float32 encoded	<code>abs(result - 1.5) < 0.01</code>	Pass	0.001s
Numpy float encoded	<code>abs(result - 3.14) < 1e-6</code>	Pass	0.000s
Numpy int32 encoded	<code>result == 7</code>	Pass	0.001s
Numpy int encoded	<code>result == 42; isinstance(result, int)</code>	Pass	0.000s
Numpy ndarray encoded as list	<code>result == [1, 2, 3]</code>	Pass	0.000s
Unknown type raises type error	—	Pass	0.000s
Charts reference first_trigger_hour for KO line.	<code>'first_trigger_hour' in stress_js</code>	Pass	0.000s
Charts have KO annotation line.	<code>'koLine' in stress_js</code>	Pass	0.000s
Shows KO H{n} label for triggered trades.	<code>'KO H' in stress_js</code>	Pass	0.000s
References triggered_hour for KO status.	<code>'triggered_hour' in stress_js</code>	Pass	0.000s
Custom label width	<code>t._colWidths[0] == pytest.approx(1w); t._colWidths[1] == pytest.approx(AVAIL.WIDTH - 1w)</code>	Pass	0.000s
Default label width	<code>t._colWidths[0] == pytest.approx(2.8 * inch)</code>	Pass	0.000s
Multiple pairs	<code>len(t._cellvalues) == 3</code>	Pass	0.000s
Returns table	<code>isinstance(t, Table); isinstance(t, Table)</code>	Pass	0.000s
Numeric values are str()-ified in Paragraph.	<code>isinstance(t, Table)</code>	Pass	0.000s
LTV ≤ 1 (e.g. 75 instead of 0.75) should still work.	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv over 60 low medium	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv over 70 medium	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv over 80 medium high	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv over 90 high risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv under 60 low risk	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
High ltv 90 to 95	<code>isinstance(result, list)</code>	Pass	0.001s
Low ltv under 70	<code>isinstance(result, list)</code>	Pass	0.000s
Low medium ltv 70 to 80	<code>isinstance(result, list)</code>	Pass	0.000s
Medium ltv 80 to 90	<code>isinstance(result, list)</code>	Pass	0.001s
Very high ltv over 95	<code>isinstance(result, list)</code>	Pass	0.001s
At high boundary	<code>RiskAssessor.assess_ltv_risk_level(0.95)</code> <code>== "High"</code>	Pass	0.000s
At low boundary	<code>RiskAssessor.assess_ltv_risk_level(0.6)</code> <code>== "Low"</code>	Pass	0.000s
At moderate boundary	<code>RiskAssessor.assess_ltv_risk_level(0.8)</code> <code>== "Moderate"</code>	Pass	0.000s
Critical ltv	<code>RiskAssessor.assess_ltv_risk_level(0.98)</code> <code>== "Critical"</code>	Pass	0.000s
High ltv	<code>RiskAssessor.assess_ltv_risk_level(0.88)</code> <code>== "High"</code>	Pass	0.000s
Low ltv	<code>RiskAssessor.assess_ltv_risk_level(0.5)</code> <code>== "Low"</code>	Pass	0.000s
Moderate ltv	<code>RiskAssessor.assess_ltv_risk_level(0.7)</code> <code>== "Moderate"</code>	Pass	0.000s
None returns unknown	<code>RiskAssessor.assess_flood_risk_level(None)</code> <code>== "Unknown";</code> <code>RiskAssessor.assess_ltv_risk_level(None)</code> <code>== "Unknown"</code>	Pass	0.000s
Normalises 95 pct	<code>RiskAssessor.assess_ltv_risk_level(95)</code> <code>== "High"</code>	Pass	0.000s
Normalises percentage input	<code>RiskAssessor.assess_ltv_risk_level(70)</code> <code>== "Moderate"</code>	Pass	0.000s
Bad date string gracefully skipped	<code>isinstance(elements, list)</code>	Pass	0.000s
Moderate recent activity	<code>"Moderate recent activity" in</code> <code>str(elements)</code>	Pass	0.000s
No recent activity	<code>"No recent severe activity" in</code> <code>str(elements)</code>	Pass	0.000s
Recent activity within 1 year	<code>"Recent severe level activity" in</code> <code>str(elements)</code>	Pass	0.000s
Body style alignment	<code>s.alignment == TA_CENTER</code>	Pass	0.000s
Body style bold	<code>s.fontName == 'Helvetica-Bold'</code>	Pass	0.000s
Body style default	<code>isinstance(s, ParagraphStyle);</code> <code>s.fontName == 'Helvetica'</code>	Pass	0.000s
Build header footer callable	<code>callable(cb)</code>	Pass	0.000s
White hdr style returns paragraph style	<code>isinstance(s, ParagraphStyle);</code> <code>s.fontName == 'Helvetica-Bold'</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Legacy file uses mtime cache — second call returns cached.	<code>r1["storms"][0]["storm_id"] == "LEGACY-002"; r2 is r1</code>	Pass	0.005s
Falls back to stress_storms.json when _index.json absent.	<code>result is not None;</code> <code>result["storms"][0]["storm_id"] == "LEGACY-001"</code>	Pass	0.004s
OSError on legacy file stat returns existing cache.	<code>result == {"storms": [{"storm_id": "cached-legacy"}]}</code>	Pass	0.003s
Coverage available false when no index	<code>r.get_json()["coverage_available"] is False</code>	Pass	0.001s
Coverage available true when index present	<code>r.get_json()["coverage_available"] is True</code>	Pass	0.001s
Empty dir returns empty list	<code>data["reports"] == []</code>	Pass	0.001s
File has size and modified	<code>reports[0]["size"] > 0; "modified" in reports[0]</code>	Pass	0.001s
File type label json	<code>r.get_json()["reports"][0]["type"] == "JSON"</code>	Pass	0.001s
File type label pdf	<code>r.get_json()["reports"][0]["type"] == "PDF"</code>	Pass	0.001s
File type label unknown	<code>r.get_json()["reports"][0]["type"] == "XYZ"</code>	Pass	0.001s
No dir returns empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
Pdf file listed	<code>len(data["reports"]) == 1;</code> <code>data["reports"][0]["filename"] == "report.pdf"</code>	Pass	0.001s
Subdirectories not listed	<code>r.get_json()["reports"] == []</code>	Pass	0.001s
<code>sys.exit(0)</code> fires before the gauge file is opened.	—	Pass	0.002s
<code>sys.exit(0)</code> fires before the property file is opened.	—	Pass	0.002s
Lines 324-327: all category/page pairs are logged.	—	Pass	0.001s
Lines 412-419: <code>-list-categories</code> iterates category dict, <code>sys.exit(0)</code> .	—	Pass	0.002s
Lines 469-476: <code>-list-categories</code> iterates category dict, <code>sys.exit(0)</code> .	—	Pass	0.004s
Lines 321-328: <code>-list-categories</code> → <code>get_page_categories()</code> iterated, <code>sys.exit(0)</code> .	—	Pass	0.001s
No file returns empty list	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Summary fields	<code>first["counterparty_id"] == "CTPY-001"; first["name"] == "Test Bank PLC" (+2 more)</code>	Pass	0.002s
With data returns summary	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.004s
No storms file returns 404	<code>r.status_code == 404</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.000s
Storm has expected fields	<code>len(storms) >= 1; "storm_id" in s (+3 more)</code>	Pass	0.006s
Storm name is capitalised intensity_category, not empty.	<code>s["name"] == s["intensity_category"].capitalize()</code>	Pass	0.005s
Storms list count	<code>data["count"] >= 1</code>	Pass	0.006s
Storms sorted by gauges_severe descending (most severe first).	<code>counts == sorted(counts, reverse=True)</code>	Pass	0.004s
With data returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.006s
Created meeting appears in list	<code>len(data["meetings"]) == 1; data["meetings"][0]["title"] == "Board Meeting"</code>	Pass	0.003s
Empty list returns success	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.002s
List summary has required keys	<code>key in m</code>	Pass	0.005s
Sorted by date desc	<code>dates == sorted(dates, reverse=True)</code>	Pass	0.004s
List mortgages empty	<code>r.status_code == 200; r.get_json()["count"] == 0</code>	Pass	0.001s
List mortgages exception returns 500	<code>r.status_code == 500; r.get_json()["status"] == "error"</code>	Pass	0.001s
List mortgages success	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.001s
sys.exit(0) fires before the flood file is opened.	—	Pass	0.001s
sys.exit(0) fires before the gauge file is opened.	—	Pass	0.002s
sys.exit(0) fires before the property file is opened.	—	Pass	0.002s
Lines 405-410: <code>-list-pages</code> iterates available pages, sys.exit(0).	—	Pass	0.002s
Lines 462-467: <code>-list-pages</code> iterates available pages, sys.exit(0).	—	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Lines 314-319: <code>-list-pages → —</code> <code>list_available_pages()</code> iterated, <code>sys.exit(0)</code> .		Pass	0.002s
Loader exception returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Success empty list	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.001s
Success with properties	<code>r.status_code == 200;</code> <code>r.get_json()["count"] == 2</code>	Pass	0.001s
Empty dir returns zero count	<code>r.status_code == 200; data["status"]</code> <code>== "success" (+2 more)</code>	Pass	0.001s
Returns trades list key	<code>"trades" in r.get_json()</code>	Pass	0.001s
Corrupt trade file returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.032s
<code>list_prs_trades</code> reads PRS-*.json files and returns them.	<code>r.status_code == 200; data["count"] ==</code> <code>1 (+1 more)</code>	Pass	0.029s
Loads list json	<code>result == [1, 2, 3]</code>	Pass	0.002s
Loads nested json	<code>_load(p) == data</code>	Pass	0.001s
Loads valid json	<code>_load(p) == {'key': 'value'}</code>	Pass	0.001s
Returns empty dict for directory	<code>_load(tmp_path) == {}</code>	Pass	0.000s
Returns empty dict for invalid json	<code>_load(p) == {}</code>	Pass	0.001s
Returns empty dict for missing file	<code>_load(tmp_path / 'nonexistent.json')</code> <code>== {}</code>	Pass	0.000s
Classifier count	<code>data['classifier_count'] == 2</code>	Pass	0.012s
Eod count defaults zero on import error	<code>isinstance(data['eod_count'], int)</code>	Pass	0.011s
Gaugehd baselines loaded	<code>len(data['gaugehd_baselines']) == 2</code>	Pass	0.012s
Gaugehd count	<code>data['gaugehd_count'] == 2</code>	Pass	0.009s
Gaugets count	<code>data['gaugets_count'] == 2</code>	Pass	0.008s
Loads counterparties	<code>len(data['counterparties']) == 1</code>	Pass	0.011s
Loads gaugehc	<code>'GAUGE-0001' in</code> <code>data['gaugehc']['hazard_curves']</code>	Pass	0.011s
Loads gauges	<code>len(data['gauges']) == 2</code>	Pass	0.011s
Loads mortgages	<code>len(data['mortgages']) == 1</code>	Pass	0.009s
Loads properties	<code>len(data['properties']) == 1</code>	Pass	0.006s
Loads propertyhc	<code>'PROP-0001' in</code> <code>data['propertyhc']['property_hazard_curves']</code>	Pass	0.009s
Loads seq summary	<code>data['seq_summary']['num_sequences']</code> <code>== 10000</code>	Pass	0.006s
Loads stress storms index	<code>len(data['stress_storms']['storms'])</code> <code>== 1</code>	Pass	0.009s

Test Description	Acceptance Criteria	Result	Time
Falls back to stress_storms.json when index.json is absent.	<code>len(data['stress_storms']['storms']) == 2</code>	Pass	0.009s
When input dir is empty, everything defaults safely.	<code>data['gauges'] == [];</code> <code>data['properties'] == [] (+10 more)</code>	Pass	0.001s
Propertyts count	<code>data['propertyts_count'] == 1</code>	Pass	0.007s
Stress storms empty when neither exists	<code>data['stress_storms'] == {}</code>	Pass	0.004s
config import may fail in test env — defaults to 0.	<code>isinstance(data['trade_count'], int)</code>	Pass	0.008s
Training summary	<code>data['training_summary']['avg_auc_roc'] == pytest.approx(...</code>	Pass	0.011s
Loads entries	<code>result[0]["event"] == "test"</code>	Pass	0.001s
Returns empty list on bad json	<code>_load_audit_log() == []</code>	Pass	0.001s
Returns empty list when missing	<code>_load_audit_log() == [];</code> <code>_load_meetings() == []</code>	Pass	0.000s
Loads valid data	<code>"principles" in result;</code> <code>"roles" in result</code>	Pass	0.002s
Returns none when missing	<code>_load_bcbs239() is None;</code> <code>_load_raci() is None</code>	Pass	0.000s
Loads bibliography	<code>result["references"][0]["id"] == "R1"</code>	Pass	0.001s
Returns default when missing	<code>result == {"references": [], "categories": []}</code>	Pass	0.000s
Line 208: file exists with empty counterparties → fallback list.	<code>len(result) == 21;</code> <code>result[0]["id"] == "CTPY-001" (+1 more)</code>	Pass	0.001s
Line 207-209: file doesn't exist → fallback list.	<code>len(result) == 21</code>	Pass	0.000s
When file has entries, those are returned (not fallback).	<code>len(result) == 1;</code> <code>result[0]["id"] == "CTPY-REAL" (+1 more)</code>	Pass	0.002s
Corrupt counterparty file leaves data none	<code>dl.loaded_data.counterparty_data is None</code>	Pass	0.001s
Missing counterparty file leaves data none	<code>dl.loaded_data.counterparty_data is None</code>	Pass	0.000s
Valid counterparty file loads	<code>dl.loaded_data.counterparty_data is not None;</code> <code>"counterparties" in dl.loaded_data.counterparty_data</code>	Pass	0.001s
Missing gaugehc returns empty and default storms	<code>curves == {};</code> <code>n_storms == 1000</code>	Pass	0.000s
Present gaugehc returns curves	<code>"GAUGE-001" in curves;</code> <code>n_storms == 500</code>	Pass	0.001s
Present gaugehc returns num storms	<code>n_storms == 250</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Lines 59-64: get_reports_dir raises -i fallback to get_output_path.	result == []	Pass	0.000s
Line 67: prs_dir doesn't exist -i return empty list.	result == []	Pass	0.000s
Lines 75-76: trade with matching gauge_id -i appended to list.	len(result) == 1	Pass	0.002s
Trade for different gauge not appended.	result == []	Pass	0.001s
Computes summer mean	bl['summer'] == pytest.approx(1.0667, abs=0.001)	Pass	0.004s
Computes winter mean	bl['winter'] == pytest.approx(1.8)	Pass	0.001s
Handles missing monthly means	len(baselines) == 1; baselines[0]['winter'] is None (+1 more)	Pass	0.002s
Loads baselines	len(baselines) == 2; bl['gauge_id'] in ('GAUGE-0001', 'GAUGE-0002') (+1 more)	Pass	0.003s
Returns empty for nonexistent dir	loader._load_gaugehd.baselines(tmp_path / 'nope') == []	Pass	0.000s
Skips files without mean level	loader._load_gaugehd.baselines(ghd) == []	Pass	0.001s
Skips invalid files	loader._load_gaugehd.baselines(ghd) == []	Pass	0.002s
Empty gauge list raises	—	Pass	0.001s
File not found raises	—	Pass	0.000s
Gauge has id	result[0]["gauge_id"] == "GAUGE-999"	Pass	0.001s
Gauge that maps to no gauge_id raises ValueError.	—	Pass	0.001s
Loads gauges	isinstance(result, list); len(result) == 1	Pass	0.002s
Empty portfolio returns empty list	result == []	Pass	0.001s
Loads gauge from portfolio	len(result) == 1; isinstance(result[0], GaugeConfig) (+1 more)	Pass	0.002s
Loads documents	_load_gov_documents()[0]["doc_id"] == "D1"	Pass	0.001s
Returns empty list when missing	_load_gov_documents() == []	Pass	0.000s
Corrupt hazard file leaves hazard data none	dl.loaded_data.hazard_data is None	Pass	0.001s
Corrupt property hazard file leaves phc none	dl.loaded_data.property_hazard_data is None	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Loaded data has gauge	"TEST-G001" in result["hazard_curves"]	Pass	0.001s
Loads from file	"hazard_curves" in result	Pass	0.004s
Missing hazard file leaves hazard data none	dl.loaded_data.hazard_data is None	Pass	0.000s
Missing property hazard file leaves phc none	dl.loaded_data.property_hazard_data is None	Pass	0.000s
Valid hazard file populates hazard data	dl.loaded_data.hazard_data is not None; "hazard_curves" in dl.loaded_data.hazard_data	Pass	0.001s
Empty json object returns empty dict	result == {}	Pass	0.001s
Invalid json raises json decode error	—	Pass	0.002s
Missing file raises file not found	—	Pass	0.000s
Returns full structure	result["meta"]["version"] == 2; "G-001" in result["hazard_curves"]	Pass	0.001s
Loads valid file	result["models"][0]["model_id"] == "M1"	Pass	0.001s
Returns none on bad json	_load_inventory() is None	Pass	0.001s
Returns none when missing	_load_inventory() is None	Pass	0.000s
Loads existing results	result['total'] == 15; result['failed'] == 1	Pass	0.001s
Returns dict when missing	isinstance(result, dict); len(result) == 0	Pass	0.000s
Returns empty skeleton for corrupt JSON.	result == {"runs": {}, "steps": {}}	Pass	0.001s
Load corrupt json returns skeleton	result == {"runs": {}, "steps": {}}	Pass	0.004s
Load missing returns skeleton	result == {"runs": {}, "steps": {}}	Pass	0.000s
Load valid manifest	result == data	Pass	0.005s
Reads and parses an existing manifest.	'gauges' in result['steps']	Pass	0.003s
Returns empty skeleton when file doesn't exist.	isinstance(result, dict); 'runs' in result (+1 more)	Pass	0.000s
Lines 89-91: exception -; returns {}.	result == {}	Pass	0.000s
Loads list	_load_meetings()[0]["id"] == "M1"	Pass	0.001s
Returns empty list when missing	_load_audit_log() == []; _load_meetings() == []	Pass	0.000s
When mortgage.json has invalid JSON, the exception is caught	r.status_code == 200; len(props) == 1 (+1 more)	Pass	0.030s

Test Description	Acceptance Criteria	Result	Time
Missing property json returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Missing property json sequence returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Loads valid data	<code>"principles" in result;</code> <code>"roles" in result</code>	Pass	0.001s
Returns none when missing	<code>_load_bcbs239() is None;</code> <code>_load_raci() is None</code>	Pass	0.000s
Adding a gauge to gaugehc.json causes reconciliation on next load.	<code>"GAUGE-A" in state["base_rates"];</code> <code>"GAUGE-B" not in state["base_rates"]</code> (+2 more)	Pass	0.004s
Loading with same gauges doesn't trigger reconciliation.	<code>mtime1 == mtime2</code>	Pass	0.059s
Reconciled gauge has all triggers with 5 tenors each.	<code>trigger in ts;</code> <code>len(ts[trigger]) == 5</code> (+1 more)	Pass	0.004s
Reconciled state is persisted so second load doesn't re-reconcile.	<code>"GAUGE-B" in disk_state["base_rates"];</code> <code>"GAUGE-B" in disk_state["hazard_term_structure"]</code>	Pass	0.002s
Corrupt storm file leaves storm data none	<code>dl.loaded_data.storm_data is None</code>	Pass	0.001s
Missing storm file leaves storm data none	<code>dl.loaded_data.storm_data is None</code>	Pass	0.000s
Storms dict with storms key	<code>dl.loaded_data.storm_data is not None</code>	Pass	0.002s
Storms list format	<code>dl.loaded_data.storm_data is not None</code>	Pass	0.001s
Storms other type	<code>dl.loaded_data.storm_data is not None</code>	Pass	0.001s
File not found raises	—	Pass	0.000s
Loads list	<code>isinstance(result, list); len(result) == 5</code>	Pass	0.001s
Storm has id	<code>result[0]["storm_id"] == "STORM-0000"</code>	Pass	0.001s
Storm loaded by searching legacy storms list.	<code>result is not None;</code> <code>result["storm_id"] == "LEGACY-STORM-001"</code> (+1 more)	Pass	0.000s
When <code>path.stat()</code> raises <code>OSError</code> , return existing cache.	<code>result == {"storms": [{"storm_id": "cached"}]}</code>	Pass	0.000s
When <code>path.stat()</code> raises <code>OSError</code> and no cache, returns <code>None</code> .	<code>result is None</code>	Pass	0.000s
Empty data list records invalid result	<code>dl._validation_results["empty_type"].is_valid is False;</code> <code>"No data loaded" in dl._validation_results["empty_type"]...</code>	Pass	0.000s
Empty data list returns none	<code>dl._load_with_validation(mock_loader, "empty_type") is None</code>	Pass	0.000s
Exception in loader returns none	<code>dl._load_with_validation(mock_loader, "error_type") is None</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Exception records error in validation	<code>dl._validation_results["error_type"].is_valid</code> is False; "disk error" in <code>dl._validation_results["error_type"].erro...</code>	Pass	0.000s
None return from loader returns none	<code>dl._load_with_validation(mock_loader, "none_type")</code> is None	Pass	0.000s
Successful load records valid result	"gauge_test" in <code>dl._validation_results;</code> <code>dl._validation_results["gauge_test"].is_valid</code> is True	Pass	0.001s
Successful load returns data dict	<code>result</code> is not None; <code>result["count"]</code> == 2 (+1 more)	Pass	0.000s
Validation summary count matches items	<code>dl._validation_results["three_items"].summary["count"]</code> == 3	Pass	0.000s
Validation summary has type field	<code>dl._validation_results["xtype"].summary["type"]</code> == "xtype"	Pass	0.000s
Can set gauge data	<code>d.gauge_data</code> is not None	Pass	0.000s
Can set multiple fields	<code>d.gaugets_count</code> == 3; <code>d.gaugehd_count</code> == 5	Pass	0.000s
Counts default to zero	<code>d.gaugets_count</code> == 0; <code>d.gaugehd_count</code> == 0 (+1 more)	Pass	0.000s
Defaults are none	<code>getattr(d, field)</code> is None	Pass	0.000s
Is dataclass	<code>dataclasses.is_dataclass(LoadedData)</code>	Pass	0.000s
Lookup defaults are none	<code>getattr(d, field)</code> is None	Pass	0.000s
Test creating a registry.	<code>registry.data_dir</code> == <code>populated_data_dir;</code> <code>registry</code> is not None (+1 more)	Pass	0.000s
Test getting list of available loader types.	'property' in <code>loaders;</code> 'mortgage' in <code>loaders</code> (+3 more)	Pass	0.000s
Clear all caches	<code>not loader._cache_valid</code>	Pass	0.002s
Get all status	"gauge" in <code>status;</code> "entity_name" in <code>status["gauge"]</code>	Pass	0.002s
Invalidate all caches	—	Pass	0.000s
Test clearing all loader caches.	<code>prop_loader._cache</code> is None; <code>gauge_loader._cache</code> is None	Pass	0.003s
Test that different loader types are separate.	<code>prop_loader</code> is not <code>gauge_loader</code>	Pass	0.000s
Test that loader instances are cached.	<code>loader1</code> is <code>loader2</code>	Pass	0.000s
Check data files all missing	<code>all(v is False for v in result.values())</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Check data files present	result["property"] is True; result["gauge"] is False	Pass	0.000s
File overrides	registry.get_gauge_loader().count() == 3	Pass	0.002s
Get data dir	LoaderRegistry(data_dir=tmp_path).get_data_dir() == tmp_path	Pass	0.000s
Test providing custom filenames.	len(props) == 1; loader.get_entity_id(props[0]) == "CUSTOM-001"	Pass	0.002s
Test getting loader by name string.	loader is not None; loader.count() == 3	Pass	0.002s
Test getting unknown loader type.	loader is None	Pass	0.000s
Get available loaders	"property" in available; "gauge" in available (+1 more)	Pass	0.000s
Get gauge loader	isinstance(LoaderRegistry(data_dir=tmp_path).get_gauge_loader(), GaugeLoader)	Pass	0.000s
Get loader by name	LoaderRegistry(data_dir=tmp_path).get_loader("gauge") is ...	Pass	0.000s
Get loader unknown name returns none	LoaderRegistry(data_dir=tmp_path).get_loader("nonexistent")	Pass	0.000s
Get mortgage loader	isinstance(LoaderRegistry(data_dir=tmp_path).get_mortgage_loader(), MortgageLoader)	Pass	0.000s
Get property loader	isinstance(LoaderRegistry(data_dir=tmp_path).get_property_loader(), PropertyLoader)	Pass	0.000s
Get storm loader	isinstance(LoaderRegistry(data_dir=tmp_path).get_storm_loader(), StormLoader)	Pass	0.000s
Get timeseries loader	isinstance(LoaderRegistry(data_dir=tmp_path).get_timeseries_loader(), TimeseriesLoader)	Pass	0.000s
Loader cached on repeated access	registry.get_property_loader() is registry.get_property_loader()	Pass	0.000s
Test checking data file existence.	status['property'] is True; status['mortgage'] is True (+3 more)	Pass	0.000s
Test getting status for all loaders.	'property' in status; 'gauge' in status (+1 more)	Skip	0.000s
Test getting GaugeLoader.	isinstance(loader, GaugeLoader); loader.count() == 3	Pass	0.001s
Test getting MortgageLoader.	isinstance(loader, MortgageLoader); loader.count() == 3	Pass	0.001s
Test getting PropertyLoader.	isinstance(loader, PropertyLoader); loader.count() == 3	Pass	0.002s
Test getting StormLoader.	isinstance(loader, StormLoader)	Pass	0.000s
Test getting TimeseriesLoader.	isinstance(loader, TimeseriesLoader)	Pass	0.000s
Address subsection header	any("Primary Address" in t for t in texts)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Administrative subsection header	<code>any("Administrative Areas" in t for t in texts)</code>	Pass	0.000s
Area classification subsection header	<code>any("Area Classification" in t for t in texts)</code>	Pass	0.000s
Density high	<code>isinstance(result, list)</code>	Pass	0.000s
Density low	<code>isinstance(result, list)</code>	Pass	0.000s
Density low medium	<code>isinstance(result, list)</code>	Pass	0.000s
Density medium	<code>isinstance(result, list)</code>	Pass	0.000s
Density very high	<code>isinstance(result, list)</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Geographic subsection header	<code>any("Geographic Information" in t for t in texts)</code>	Pass	0.000s
Has section header	<code>any("Location Details" in t for t in texts)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Missing lat/lon means coordinates rows are omitted — no crash.	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Debug does not raise	—	Pass	0.000s
Debug level does not raise	—	Pass	0.000s
Error does not raise	—	Pass	0.000s
Error level does not raise	—	Pass	0.000s
Info does not raise	—	Pass	0.000s
Info level does not raise	—	Pass	0.000s
Log does not raise	—	Pass	0.000s
Log with empty string	—	Pass	0.000s
Success falls back gracefully	—	Pass	0.000s
Success level falls back gracefully	—	Pass	0.000s
Unknown level falls back to info	—	Pass	0.000s
Warning does not raise	—	Pass	0.000s
Warning level does not raise	—	Pass	0.000s
Appends entry	<code>len(entries) == 1;</code> <code>entries[0]["action"] == "test_action"</code> (+1 more)	Pass	0.003s
Failures in audit logging must not propagate.	—	Pass	0.000s
Corrupted audit log → start fresh, don't raise.	<code>len(entries) == 1</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Creates audit file	<code>os.path.exists(audit_path)</code>	Pass	0.000s
Defaults applied when no json	<code>r.status_code == 200;</code> <code>entry["event_type"] == "usage"</code> (+1 more)	Pass	0.003s
Entry has expected fields	<code>entry["model_id"] == "MKM-TEST-001";</code> <code>entry["event_type"] == "calibration"</code> (+2 more)	Pass	0.003s
Entry has required keys	<code>"timestamp" in entry;</code> <code>"model_id" in</code> <code>entry</code> (+3 more)	Pass	0.005s
Existing file appended	<code>len(entries) == 2;</code> <code>"existing" in</code> <code>entries[0]</code>	Pass	0.002s
Model not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+1 more)	Pass	0.003s
Multiple calls accumulate	<code>len(entries) == 2</code>	Pass	0.002s
Parameters stored	<code>r.get_json()["entry"]["parameters"]</code> <code>== {"key": "value"}</code>	Pass	0.002s
Valid model returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
ltv_ratio $\div$ 1 is interpreted as a percentage and divided by 100.	<code>score > 0</code>	Pass	0.000s
Compare mode	<code>"Scenario Comparison" in</code> <code>captured.out</code>	Pass	0.364s
Custom notional and spread	<code>rc == 0</code>	Pass	0.002s
Default describe mode	<code>len(captured.out) > 0</code>	Pass	0.074s
Default gauge selection returns zero	<code>rc == 0</code>	Pass	0.002s
Exceedance json mode	<code>"exceedance_probability" in data</code>	Pass	0.000s
Exceedance mode	<code>"70" in captured.out</code>	Pass	0.000s
Explicit gauge returns zero	<code>rc == 0</code>	Pass	0.001s
Flat flag dispatches flat mode	<code>rc == 0</code>	Pass	0.002s
Json default mode	<code>"summary_statistics" in data</code>	Pass	0.279s
List flag logs gauge names	<code>"THAMES-TEST-99" in combined</code>	Pass	0.002s
List flag returns zero	<code>rc == 0</code>	Pass	0.003s
main() creates audit directory if it doesn't exist.	<code>audit.exists(); out.exists()</code>	Pass	0.035s
Lines 120-122: default (no <code>-nrfa-dir</code>) calls generate_all_gauge_histories.	—	Pass	0.305s
main() exits cleanly if jscpd fails.	—	Pass	0.000s
Lines 107-108: without <code>-catchment</code> , config.CATCHMENT is untouched.	<code>config.CATCHMENT == original</code>	Pass	0.302s

Test Description	Acceptance Criteria	Result	Time
main() prints file/clone/pct stats to stdout.	'Clones' in out; 'PDF saved' in out	Pass	0.230s
main() prints step count and consistency status.	'pipeline steps' in output; 'Consistency' in output (+1 more)	Pass	0.032s
main() writes data_lineage_report.pdf to audit dir.	out.exists(); out.stat().st_size > 5000	Pass	0.032s
main() writes code_duplication_report.pdf to audit dir.	(tmp_path / 'code_duplication_report.pdf').exists(); (tmp_path / 'code_duplication_report.pdf').stat().st_size...	Pass	0.234s
Line 102: -c short flag for catchment.	—	Pass	0.305s
Line 101: -y short flag for years.	—	Pass	0.194s
main() logs errors for unreadable files and continues.	—	Pass	0.002s
Lines 107-108: -catchment sets config.CATCHMENT.	config.CATCHMENT == "severn"	Pass	0.307s
main() processes any *_gdf.csv files found in config.input_dir.	—	Pass	0.022s
main() handles an empty directory gracefully.	—	Pass	0.000s
Lines 117-119: -nrfa-dir calls process_nrfa_directory.	list(gaugehd_dir.glob("gauge.*_hd.json"))	Pass	0.003s
Line 101: -years flag is passed through.	—	Pass	0.203s
Missing gauge logs available gauges	"THAMES-G042" in combined	Pass	0.002s
Missing gauge logs error	any("GHOST-GAUGE" in r.message for r in caplog.records)	Pass	0.001s
Missing gauge returns one	rc == 1	Pass	0.002s
Return period json mode	"return_period_years" in data; "intensity" in data	Pass	0.000s
Return period mode	"100" in captured.out	Pass	0.000s
Samples json mode	"samples" in data; len(data["samples"]) == 3	Pass	0.000s
Samples mode	"5 samples" in captured.out	Pass	0.000s
Scenario mode	len(captured.out) > 0	Pass	0.074s
Seed reproducible	out1 == out2	Pass	0.001s
Trigger alert explicit	rc == 0	Pass	0.001s
Trigger severe explicit	rc == 0	Pass	0.001s
Trigger warning explicit	rc == 0	Pass	0.002s
Add to map calls add child	—	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Get js returns script	"<script>" in js;	Pass	0.000s
Get statistics returns dict	"refreshMainMapFS01" in js isinstance(result, dict); result["component"] == "main_map_fs01"	Pass	0.000s
Report with 2% duplication should render without error.	analysis['total']['percentage'] < 3; len(pdf) > 0	Pass	0.237s
Report with 8% duplication renders correctly.	pdf[:4] == b'%PDF'	Pass	0.236s
Pdf header	pdf[:4] == b'%PDF'	Pass	0.310s
Pdf nonempty	len(pdf) > 2000	Pass	0.235s
Returns bytes	isinstance(result, bytes)	Pass	0.487s
Peak precipitation is in the storm's active window.	peak_in_storm >= peak_outside	Pass	0.000s
Drainage window (hours 156-167) must be precipitation-free.	np.all(p[156:] == pytest.approx(0.0))	Pass	0.001s
Non negative	np.all(p >= 0.0)	Pass	0.000s
Output shape	p.shape == (EVENT_WINDOW_HOURS,)	Pass	0.000s
Sum of hourly series == sum of storm precipitation_mm values.	p.sum() == pytest.approx(expected, rel=1e-4)	Pass	0.001s
Col widths propagated	t._colWidths == cw	Pass	0.000s
Custom alt color	isinstance(t, Table)	Pass	0.000s
When no alt_color passed, ALT_ROWS.BLUE is applied.	isinstance(t, Table)	Pass	0.000s
Empty rows	isinstance(t, Table); len(t._cellvalues) == 1	Pass	0.000s
Repeat rows set	t.repeatRows == 1	Pass	0.000s
Returns table	isinstance(t, Table); isinstance(t, Table)	Pass	0.000s
Table has correct row count	len(t._cellvalues) == 4	Pass	0.000s
Add action with malformed existing id	r.status_code == 200; "A-002" in ids	Pass	0.002s
Add decision with malformed existing id	r.status_code == 200; "D-002" in ids	Pass	0.002s
Add participant with malformed existing id	r.status_code == 200; "P-002" in ids	Pass	0.002s
Click-through should hide trading desk before opening gauge.	'TradingDesk.hide' in js	Pass	0.000s
Map should have New Trade link.	'window.tdNewTrade' in js; 'New Trade' in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Map should have tdViewHazard-Curve navigating to gauge panel.	'window.tdViewHazardCurve' in js;	Pass	0.000s
Any flood maps to alert	'GaugeHazardCurve' in js gen_map.threshold.to_gauge.trigger("any_flood") == "alert"	Pass	0.000s
Moderate maps to warning	gen_map.threshold.to_gauge.trigger("moderate") == "warning"	Pass	0.000s
Severe maps to severe	gen_map.threshold.to_gauge.trigger("severe") == "severe"	Pass	0.000s
Unknown key returns warning	gen_map.threshold.to_gauge.trigger("nonexistent") == "wa..."	Pass	0.000s
P&L bar must show 'From Market' metric.	'From Market' in js; 'fromMarket' in js	Pass	0.000s
Blotter must have a Mkt P&L column.	"'market_pnl'" in js or '"market_pnl"' in js; 'Mkt P' in js	Pass	0.000s
Market tab commit notification must show P&L impact.	'total_pnl_impact' in js; 'gross_pnl_impact' in js	Pass	0.000s
Hazard column must show up/down arrows when fair != prev_fair.	'prev_fair_spread.bps' in js; '\\{\\{\\u25b2' in js (+1 more)	Pass	0.000s
Entry level under 250k	isinstance(result, list)	Pass	0.000s
Middle 250k to 500k	isinstance(result, list)	Pass	0.000s
Premium over 1m	isinstance(result, list)	Pass	0.000s
Upper middle 500k to 1m	isinstance(result, list)	Pass	0.000s
Base rates not empty	br	Pass	0.000s
File exists	GAUGEHC_PATH.exists(); MARKET_STATE.exists()	Pass	0.000s
Has required keys	not missing	Pass	0.000s
Hazard term structure has triggers	"alert" in triggers	Pass	0.000s
Hazard term structure not empty	hts	Pass	0.000s
Last updated present	"last_updated" in ms	Pass	0.000s
Yield curve has all tenors	not missing	Pass	0.000s
Yield curve rates in range	not bad	Pass	0.000s
computeMaturityDate function exists.	'computeMaturityDate' in prs_js	Pass	0.000s
currentRollDate function exists.	'currentRollDate' in prs_js	Pass	0.000s
lastFridayOfMonth function exists.	'lastFridayOfMonth' in prs_js	Pass	0.000s
showMaturityPopup function exists.	'showMaturityPopup' in prs_js	Pass	0.000s
Mcob advice rejection reason	isinstance(result, list)	Pass	0.000s
Mcob all fields returns list	isinstance(result, list); len(result) > 5	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mcob section creates tables	<code>len(tables) >= 2</code>	Pass	0.000s
Mcob with minimal fields	<code>isinstance(result, list)</code>	Pass	0.000s
Serve missing document returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Upload empty filename returns 400	<code>r.status_code == 400</code>	Pass	0.003s
Upload no file returns 400	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.003s
Upload not found meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Unknown menu no options returns empty	<code>result == ""</code>	Pass	0.000s
Unknown menu with options cycles	<code>result == "OptionB"</code>	Pass	0.000s
Unknown menu with options wraps	<code>result == "X"</code>	Pass	0.000s
Duration from storms json	<code>storm["duration_hours"] == 72;</code> <code>storm["peak_position"] == pytest.approx(0.3) (+1 more)</code>	Pass	0.004s
Fallback to config defaults	<code>storm["duration_hours"] == STRESS_STORM_DEFAULT_DURATION....;</code> <code>storm["peak_position"] == pytest.approx(STRESS_STORM_DEFA...</code>	Pass	0.010s
Passing a non-existent storms-json-path must not crash.	<code>out.exists() and (out / "index.json").exists()</code>	Pass	0.002s
Distant point returns larger distance	<code>d_far > d_near</code>	Pass	0.000s
Point on gauge returns small distance	<code>d < 10.000</code>	Pass	0.000s
Returns float	<code>isinstance(d, float); d >= 0</code>	Pass	0.000s
Add minute item	<code>r.status_code == 200;</code> <code>isinstance(minutes, list) (+1 more)</code>	Pass	0.001s
Delete minute item legacy format returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Update minute item legacy format returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Update minute item not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minutes text	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["minutes"] == "# Minutes\\{n\\}nAll a...</code>	Pass	0.001s
Update minutes unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Add minute item returns 200	<code>r.status_code == 200;</code> <code>isinstance(meeting["minutes"],</code> <code>list)</code> (+1 more)	Pass	0.003s
When minutes is a string, deleting returns 400.	<code>r.status_code == 400</code>	Pass	0.004s
Delete minute item missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete minute item returns 200	<code>r.status_code == 200;</code> <code>len(meeting["minutes"]) == 1</code> (+1 more)	Pass	0.004s
When minutes is a string (legacy), updating an item returns 400.	<code>r.status_code == 400</code>	Pass	0.003s
Update minute item not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minute item returns 200	<code>r.status_code == 200;</code> <code>item["text"] == "Updated text."</code>	Pass	0.003s
Add minute item when minutes is string	<code>r.status_code == 200;</code> <code>isinstance(meeting["minutes"],</code> <code>list)</code> (+2 more)	Pass	0.003s
Update minutes missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Update minutes returns 200	<code>r.status_code == 200;</code> <code>r.get_json()["meeting"]["minutes"] == "New minutes text"</code>	Pass	0.002s
Property hazard returns 404 when propertyhc.json missing.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
PropertyHC summary returns 404 with helpful message when file missing.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code> (+1 more)	Pass	0.000s
PropertyTS summary returns 404 when directory missing.	<code>response.status_code == 404;</code> <code>data['status'] == 'error'</code>	Pass	0.000s
Only alert storms create flood events	<code>result["summary"]["floods_at_nearest_gauge"] == 2</code>	Pass	0.172s
Sub alert storms not in flood events	<code>"STORM-m001b" not in event.storm_ids;</code> <code>"STORM-m001d" not in event.storm_ids</code> (+2 more)	Pass	0.173s
Has kv table	<code>callable(gen._kv_table)</code>	Pass	0.000s
Has load all	<code>callable(gen._load_all)</code>	Pass	0.000s
Has make table	<code>callable(gen._make_table)</code>	Pass	0.000s
Has section methods	<code>hasattr(gen, name)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
<code>.load.all()</code> output can be consumed by all section methods.	—	Pass	0.013s
<code>model_auc</code> should be <code>None</code> since predictor is removed.	<code>resp.status_code == 200;</code> <code>data['model_auc'] is None</code>	Pass	0.032s
All models have model id	<code>"model_id" in m;</code> <code>isinstance(m["model_id"], str)</code> (+1 more)	Pass	0.000s
Model ids are unique	<code>len(ids) == len(set(ids))</code>	Pass	0.000s
Model ids follow naming convention	<code>mid.startswith("MKM-")</code>	Pass	0.000s
Create mapping returns flat dict	<code>isinstance(mapping, dict);</code> <code>mapping.get("gauge_id") ==</code> <code>"GAUGE-test1234"</code> (+7 more)	Pass	0.000s
Required fields include mortgage id	<code>any("MortgageID" in f for f in</code> <code>mortgage_cdm.get_required...</code>	Pass	0.000s
Schema has mortgage root	<code>len(list(mortgage_cdm.schema.keys()))</code> <code>> 0</code>	Pass	0.000s
Validate valid mortgage	<code>isinstance(mortgage_cdm.validate(data),</code> <code>dict)</code>	Pass	0.000s
Lines 362-363: exception in <code>create_mapping</code> raises <code>ValueError</code> .	—	Pass	0.000s
Line 280: valid data returns empty dict.	<code>mortgage_cdm.validate(data) == {}</code>	Pass	0.000s
Lines 282-283: exception in <code>validate</code> returns <code>validation_error</code> .	<code>"validation_error" in result;</code> <code>isinstance(result["validation_error"],</code> <code>list)</code> (+1 more)	Pass	0.000s
Line 268: <code>header_errors</code> list appended to <code>errors</code> dict when non-empty.	<code>"Header" in errors;</code> <code>len(errors["Header"]) >= 2</code>	Pass	0.000s
Line 262: Missing <code>CatchmentID</code> produces header error.	<code>"Header" in errors; any("CatchmentID"</code> <code>in e for e in errors["Header"])</code> (+2 more)	Pass	0.000s
Line 259: Missing <code>MortgageID</code> produces header error.	<code>"Header" in errors; any("MortgageID"</code> <code>in e for e in errors["Header"])</code>	Pass	0.000s
Line 275: Missing <code>OriginalLoan</code> produces <code>FinancialTerms</code> error.	<code>"FinancialTerms" in errors;</code> <code>any("OriginalLoan" in e for e in</code> <code>errors["FinancialTerms"])</code>	Pass	0.000s
Line 265: Missing <code>PropertyID</code> produces header error.	<code>"Header" in errors; any("PropertyID"</code> <code>in e for e in errors["Header"])</code>	Pass	0.000s
Line 278: <code>terms_errors</code> appended when non-empty.	<code>"FinancialTerms" in errors</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Cost analysis subsection	<code>any("Cost Analysis" in t for t in texts)</code>	Pass	0.000s
Net upfront ; 5% of loan → High assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront ; 0.5% → Low assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront 0.5–1.5% → Low-Medium assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront 1.5–3% → Medium assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Net upfront 3–5% → Medium-High assessment.	<code>isinstance(result, list)</code>	Pass	0.000s
Discount points + original rate triggers estimated points/rate reduction rows.	<code>isinstance(result, list)</code>	Pass	0.000s
Empty mortgage dict does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Lender credits reduces net cost	<code>isinstance(result, list)</code>	Pass	0.000s
No financial terms returns message	<code>any("No cost information available" in t for t in texts)</code>	Pass	0.000s
No mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
Origination setup subsection	<code>any("Origination" in t for t in texts)</code>	Pass	0.000s
Penalties subsection	<code>any("Penalties" in t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Section header present	<code>any("Mortgage Costs" in t for t in texts)</code>	Pass	0.000s
TotalLoanCosts + OriginalLoan triggers percentage row.	<code>isinstance(result, list)</code>	Pass	0.000s
Total costs overview subsection	<code>any("Total Loan Costs" in t for t in texts)</code>	Pass	0.000s
LoanToValueRatio shown when different from OriginalLTV.	<code>isinstance(result, list)</code>	Pass	0.000s
Core loan terms subsection	<code>any("Core Loan Terms" in t for t in texts)</code>	Pass	0.001s
Dti high risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti low risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti medium high risk	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Dti medium risk	<code>isinstance(result, list)</code>	Pass	0.000s
Dti subsection	<code>any("Debt-to-Income" in t for t in texts)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Interest rates subsection	<code>any("Interest Rates" in t for t in texts)</code>	Pass	0.000s
Loan as % of purchase value row is computed when both fields present.	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv high risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv low medium risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv low risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv medium risk	<code>isinstance(result, list)</code>	Pass	0.000s
Ltv subsection	<code>any("Loan-to-Value" in t for t in texts)</code>	Pass	0.000s
Ltv very high risk	<code>isinstance(result, list)</code>	Pass	0.000s
No financial terms returns message	<code>any("No detailed financial terms available" in t for t in ...)</code>	Pass	0.000s
No mortgage data returns message	<code>any("No mortgage data available" in t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Section header present	<code>any("Detailed Mortgage Financial Terms" in t for t in texts)</code>	Pass	0.000s
Init no output dir uses config	<code>gen.output_dir == reports_dir; reports_dir.exists()</code>	Pass	0.001s
Generate filename non dict raises attribute error	<code>"unknown" in fname</code>	Pass	0.001s
Generate filename none mortgage data	<code>"unknown" in fname; fname.endswith(".pdf")</code>	Pass	0.001s
Page exception is caught	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Unknown page in order is skipped	<code>isinstance(elements, list); len(elements) > 0</code>	Pass	0.002s
Generator does not use sequential format	<code>'GAUGE-{i:}' not in src; 'GAUGE-{index}' not in src (+3 more)</code>	Pass	0.000s
Generator source uses mort prefix	<code>'MORT-' in src</code>	Pass	0.000s
Generator source uses uuid	<code>'uuid' in src; 'uuid' in src (+1 more)</code>	Pass	0.000s
Uuid4 produces protocol matching ids	<code>GAUGE_ID.RE.match(gauge_id); PROP_ID.RE.match(prop_id) (+2 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Accepts valid	PROP_ID_RE.match('PROP-a3f7bc12'); PROP_ID_RE.match('PROP-00000000') (+6 more)	Pass	0.000s
Rejects sequential	not PROP_ID_RE.match('PROP-001'); not PROP_ID_RE.match('PROP-1234') (+3 more)	Pass	0.000s
Test getting delinquent mortgages.	len(delinquent) == 1; delinquent[0]['MortgageID'] == "MORT-003"	Pass	0.002s
Test exposure aggregation by lender.	"First National Bank" in exposure; "Regional Credit Union" in exposure (+2 more)	Pass	0.002s
Test getting property IDs that have mortgages.	len(prop_ids) == 3; "PROP-001" in prop_ids (+2 more)	Pass	0.002s
Test total loan exposure calculation.	total == 1640000	Pass	0.002s
List all returns summaries	len(MortgageLoader(tmp_path).list_all()) == 2	Pass	0.004s
Load all returns list	len(MortgageLoader(tmp_path).load_all()) == 3	Pass	0.004s
Test MortgageID extraction.	mort_id is not None; mort_id.startswith("MORT-")	Pass	0.002s
Test mortgage summary generation.	len(summaries) == 3; 'mortgageId' in summary (+3 more)	Pass	0.002s
Test loading mortgage portfolio.	len(mortgages) == 3	Pass	0.003s
Find by id	MortgageLoader(tmp_path).find_by_id("MORT-001") is not None	Pass	0.001s
Mortgage without top-level PropertyID falls back to nested Mortgage.Header.PropertyID.	MortgageLoader(tmp_path).find_by_property_id("PROP-NESTED")	Pass	0.004s
Missing returns none	MortgageLoader(tmp_path).find_by_id("MORT-999") is None	Pass	0.001s
Test finding mortgage by ID.	mort is not None; mort['PropertyID'] == "PROP-001" (+1 more)	Pass	0.001s
Test finding mortgages by lender.	len(morts) == 2	Pass	0.002s
Test lender search is case insensitive.	len(morts) == 2	Pass	0.002s
Test finding mortgage by property ID.	mort is not None; mort['MortgageID'] == "MORT-001"	Pass	0.002s
Test finding mortgage for property without mortgage.	mort is None	Pass	0.003s
Test finding active mortgages.	len(morts) == 2	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Test finding delinquent mortgages.	<code>len(morts) == 1;</code>	Pass	0.002s
Application subsection	<code>morts[0]['MortgageID'] == "MORT-003"</code> <code>any("Application Information" in t</code> <code>for t in texts)</code>	Pass	0.000s
Denial reason hidden when default	<code>isinstance(result, list)</code>	Pass	0.000s
Denial reason shown when not default	<code>isinstance(result, list)</code>	Pass	0.000s
Empty mortgage dict does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
mortgage_data without outer 'Mortgage' key is handled via fallback.	<code>isinstance(result, list)</code>	Pass	0.000s
Has tables	<code>any(isinstance(e, Table) for e in</code> <code>result)</code>	Pass	0.000s
Key financial terms subsection	<code>any("Key Financial Terms" in t for t</code> <code>in texts)</code>	Pass	0.000s
LTV row is computed when both PurchaseValue and OriginalLoan are present.	<code>isinstance(result, list)</code>	Pass	0.000s
Mortgage features subsection	<code>any("Mortgage Features" in t for t</code> <code>in texts)</code>	Pass	0.000s
Mortgage identification subsection	<code>any("Mortgage Identification" in t</code> <code>for t in texts)</code>	Pass	0.000s
No mortgage data returns message	<code>any("No mortgage data available" in</code> <code>t for t in texts)</code>	Pass	0.000s
None mortgage data returns message	<code>any("No mortgage data available" in</code> <code>t for t in texts)</code>	Pass	0.000s
Returns list with data	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.001s
Section header present	<code>any("Mortgage Overview" in t for t</code> <code>in texts)</code>	Pass	0.000s
Test that mortgage PropertyID links to valid property.	<code>prop is not None</code>	Pass	0.003s
Test finding mortgage for each property.	<code>prop is not None; mort is not None</code>	Pass	0.003s
Generate elements returns list	<code>isinstance(elements, list);</code> <code>len(elements) > 0</code>	Pass	0.002s
Generate filename fallback	<code>fname.endswith(".pdf"); "unknown" in</code> <code>fname</code>	Pass	0.001s
Generate filename with id	<code>"MORT-test0001" in fname;</code> <code>fname.endswith(".pdf")</code>	Pass	0.001s
Generate report creates pdf	<code>output.exists(); output.suffix ==</code> <code>".pdf"</code>	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Generate report returns path	<code>isinstance(result, Path)</code>	Pass	0.011s
Init creates output dir	<code>output_dir.exists()</code>	Pass	0.001s
Page order set	<code>"title" in gen.page_order;</code> <code>gen.page_order[0] == "title"</code>	Pass	0.001s
Pages initialised	<code>"title" in gen.pages;</code> <code>"mortgage_overview" in gen.pages</code>	Pass	0.001s
Elevated ltv medium flood	<code>"Moderate Risk" in r</code>	Pass	0.000s
High flood overrides	<code>"High Risk" in r and "flood" in</code> <code>r.lower()</code>	Pass	0.000s
High ltv medium flood	<code>"High Risk" in r</code>	Pass	0.000s
Low flood risk	<code>"Low Risk" in r</code>	Pass	0.000s
Medium flood default	<code>"Moderate Risk" in r</code>	Pass	0.000s
Minimal risk	<code>"Minimal" in r</code>	Pass	0.000s
Negative value critical	<code>"Critical Risk" in r</code>	Pass	0.000s
Negative value high	<code>"High Risk" in r</code>	Pass	0.000s
Negative value moderate	<code>"Moderate Risk" in r</code>	Pass	0.000s
None ltv no crash	<code>isinstance(r, str)</code>	Pass	0.000s
Very high flood overrides	<code>"High Risk" in r</code>	Pass	0.000s
Elements non empty	<code>len(elements) > 0</code>	Pass	0.000s
Empty property data does not crash	<code>isinstance(elements, list)</code>	Pass	0.000s
Extracts mortgage id	<code>"MORT-test0001" in full.text</code>	Pass	0.000s
No mortgage data returns elements	<code>isinstance(elements, list);</code> <code>len(elements) > 0</code>	Pass	0.000s
Returns list	<code>isinstance(elements, list)</code>	Pass	0.013s
Table elements included	<code>len(tables) >= 1</code>	Pass	0.000s
Line 108: <code>_save_meetings</code> fails → 500.	<code>r.status_code == 500;</code> <code>"Failed" in</code> <code>r.get_json()["message"]</code>	Pass	0.002s
Line 195: document file not found → 404.	<code>r.status_code == 404</code>	Pass	0.002s
Line 196: serve an uploaded document.	<code>r.status_code == 200</code>	Pass	0.004s
Line 162: file with empty filename → 400.	<code>r.status_code == 400</code>	Pass	0.003s
Line 155: meeting not found → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 158: no file in request → 400.	<code>r.status_code == 400</code>	Pass	0.003s
Line 184: save failure after upload → 500.	<code>r.status_code == 500</code>	Pass	0.004s
Lines 164-186: upload a file to a meeting.	<code>r.status_code == 200; doc["filename"]</code> <code>== "report.pdf"</code>	Pass	0.004s
Line 179: meeting without 'documents' key gets it created.	<code>r.status_code == 200</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Line 144: <code>_save_meetings</code> fails on update → 500.	<code>r.status_code == 500</code>	Pass	0.003s
Count gauges exceeding warning level.	<code>count >= 0;</code> <code>count <=</code> <code>len(sample_gauges_df)</code>	Pass	0.004s
Find gauge with highest current level.	<code>highest is not None;</code> <code>'gauge_id' in</code> <code>highest (+1 more)</code>	Pass	0.006s
First storm gets greek name	<code>name; name[0].isupper()</code>	Pass	0.005s
Name from storms json takes priority	<code>data["storms"][0]["name"] ==</code> <code>"CustomStormName"</code>	Pass	0.005s
When segment is a point (seg2 ; 1e-18), returns start point distance.	<code>abs(nx - 51.5) < 1e-9;</code> <code>abs(ny + 0.1)</code> <code>< 1e-9 (+1 more)</code>	Pass	0.000s
Distance is non negative	<code>d >= 0</code>	Pass	0.000s
Midpoint projects to midpoint	<code>abs(nx - 51.5) < 0.01;</code> <code>abs(ny - 0.0)</code> <code>< 0.01 (+1 more)</code>	Pass	0.000s
Point before start clamps to start	<code>abs(nx - 51.0) < 0.01;</code> <code>abs(ny - 0.0)</code> <code>< 0.01</code>	Pass	0.000s
Point past end clamps to end	<code>abs(nx - 52.0) < 0.01;</code> <code>abs(ny - 0.0)</code> <code>< 0.01</code>	Pass	0.000s
Damage amount computed correctly	<code>prop["damage.amount"] ==</code> <code>pytest.approx(expected)</code>	Pass	0.004s
Negative equity flag set on property	<code>data["properties"][0]["negative_equity"]</code> <code>is True</code>	Pass	0.004s
LTV ; 100% when outstanding ; post-damage value.	<code>prop["post_damage_ltv"] > 100.0</code>	Pass	0.004s
Severe storm triggers negative equity	<code>r.status_code == 200;</code> <code>data["portfolio"]["mortgages_in_negative_equity"]</code> <code>== 1</code>	Pass	0.003s
Same for mortgage-report: null JSON body -; line 168 -; 400.	<code>r.status_code in (400, 500)</code>	Pass	0.000s
Sending content-type application/json with null body -; <code>get_json() = None</code> -; 400.	<code>r.status_code in (400, 500)</code>	Pass	0.000s
All modules no newline in js strings	<code>failures == {}</code>	Pass	0.004s
Audit reports no newline in js strings	<code>offenders == []</code>	Pass	0.001s
Full compiled js no newline in js strings	<code>offenders == []</code>	Pass	0.004s
No mortgage message	<code>any("No mortgage data" in t for t in</code> <code>texts)</code>	Pass	0.000s
No mortgage returns list	<code>isinstance(result, list); len(result)</code> <code>> 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge that exists in storm data but has no trades returns 404.	<code>resp.status_code == 404;</code> <code>'No open trades' in data.get('message', '')</code>	Pass	0.027s
Empty regulatory returns message	<code>any("No regulatory information" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list)</code>	Pass	0.000s
Line 95: <code>_normal_pdf(0)</code> should return $1/\sqrt{2\pi}$.	<code>result == pytest.approx(expected, rel=1e-10)</code>	Pass	0.000s
Line 95: PDF decreases as $-x-$ increases.	<code>d._normal_pdf(0) > d._normal_pdf(1) > d._normal_pdf(2)</code>	Pass	0.000s
Line 95: <code>_normal_pdf</code> at positive value.	<code>result == pytest.approx(expected, rel=1e-10)</code>	Pass	0.000s
Line 95: <code>_normal_pdf</code> is symmetric.	<code>d._normal_pdf(2.0) == pytest.approx(d._normal_pdf(-2.0))</code>	Pass	0.000s
Normalize float returns empty	<code>loader._normalize_to_list(3.14) == []</code>	Pass	0.000s
Normalize integer returns empty	<code>result == []</code>	Pass	0.002s
Normalize string returns empty	<code>result == []</code>	Pass	0.000s
Normalize true returns empty	<code>loader._normalize_to_list(True) == []</code>	Pass	0.000s
<code>-stressm</code> alone must always run stressm regardless of <code>-nostress</code> .	—	Pass	0.011s
<code>-nostress</code> must be a registered argument on the port subparser.	<code>args.nostress is True</code>	Pass	0.004s
With <code>-all -nostress</code> , <code>generate_stressm</code> must not be called.	—	Pass	0.096s
Number type returns float	<code>isinstance(result, float);</code> <code>0 <= result <= 1000</code>	Pass	0.000s
<code>CalledProcessError</code> $\rightarrow$ returns False.	<code>result is False</code>	Pass	0.001s
macOS: <code>subprocess.run(['open', ...])</code> is called.	<code>result is True;</code> <code>mock_run.call_args[0][0][0] == "open"</code>	Pass	0.000s
Darwin success	<code>result is True;</code> <code>mock_run.call_args[0][0][0] == "open"</code>	Pass	0.000s
Darwin success	<code>result is True</code>	Pass	0.000s
Generic exception returns false	<code>result is False</code>	Pass	0.000s
Generic exception returns false	<code>result is False</code>	Pass	0.000s
Any other exception $\rightarrow$ returns False.	<code>result is False</code>	Pass	0.000s
Linux: <code>subprocess.run(['xdg-open', ...])</code> is called.	<code>result is True;</code> <code>mock_run.call_args[0][0][0] == "xdg-open"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Linux success	result is True; "xdg-open" in args	Pass	0.000s
Linux success	result is True	Pass	0.000s
Subprocess called process error returns false	result is False	Pass	0.000s
Subprocess failure returns false	result is False	Pass	0.000s
Unknown platform uses webbrowser	result is True	Pass	0.000s
Unknown platform uses webbrowser	result is True	Pass	0.001s
Unknown platform: falls back to webbrowser.open().	result is True	Pass	0.000s
Windows: subprocess.run(['start', ...]) is called.	result is True; mock_run.call_args[0][0][0] == "start"	Pass	0.001s
Windows case insensitive	isinstance(result, bool)	Pass	0.001s
Windows success	result is True	Pass	0.000s
Windows success	result is True	Pass	0.000s
Lines 432-433: -gauge-id → _find_gauge_by_id called.	—	Pass	0.022s
Lines 484-486: -mortgage-file → mortgage JSON is opened and parsed.	—	Pass	0.006s
Lines 489-490: -property- id with no mortgage file → _find_property_by_id called.	—	Pass	0.005s
Lines 491-492: both -property-id and -mortgage-file → both finders called.	—	Pass	0.006s
Lines 427-429: -timeseries-file → timeseries JSON opened and parsed.	—	Pass	0.009s
Known outputs	m["gauge.json"] == "synthetic-gauges"; m["property.json"] == "properties" (+1 more)	Pass	0.000s
Dir output empty	not _outputs_exist("stressm", tmp_path)	Pass	0.001s
Dir output missing	not _outputs_exist("stressm", tmp_path)	Pass	0.000s
Dir output present non empty	_outputs_exist("stressm", tmp_path)	Pass	0.001s
File output missing	not _outputs_exist("gauges", tmp_path)	Pass	0.000s
File output present	_outputs_exist("gauges", tmp_path)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Partial outputs missing	<code>not _outputs_exist("stressm", tmp-path)</code>	Pass	0.000s
Unknown step	<code>not _outputs_exist("nonexistent", tmp-path)</code>	Pass	0.000s
Very high flood risk + arrears + very high LTV + poor credit -> CRITICAL.	<code>isinstance(result, list)</code>	Pass	0.001s
Very low flood risk + good payment + low LTV + excellent credit -> LOW.	<code>isinstance(result, list)</code>	Pass	0.000s
Property only high flood risk	<code>isinstance(result, list)</code>	Pass	0.000s
Property only very low flood risk	<code>isinstance(result, list)</code>	Pass	0.000s
Effective rating is valid	<code>rating in valid_ratings</code>	Pass	0.000s
Overall risk rating has component scores	<code>isinstance(cs, dict)</code>	Pass	0.000s
Overall risk rating has required keys	<code>key in orr</code>	Pass	0.000s
Clear override with null	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.005s
Invalid rating returns 400	<code>r.status_code == 400; r.get_json()["status"] == "error"</code>	Pass	0.002s
Model not found returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.002s
No reason field returns 400	<code>r.status_code == 400</code>	Pass	0.002s
No reason returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Override stored in model	<code>rr["mrc_override"] == "Conditional"; rr["effective_rating"] == "Conditional"</code>	Pass	0.004s
Response has audit entry	<code>"audit_entry" in data; data["audit_entry"]["event_type"] == "risk_rating_override"</code>	Pass	0.003s
Valid override returns success	<code>r.status_code == 200; r.get_json()["status"] == "success"</code>	Pass	0.003s
Line 301: audit overflow during override.	<code>r.status_code == 200</code>	Pass	0.036s
Line 248: inventory not found -> 404.	<code>r.status_code == 404</code>	Pass	0.001s
Line 282: save failure -> 500.	<code>r.status_code == 500</code>	Pass	0.003s
All hourly P(flood) values should be in [0, 1] (None after knock-out).	<code>resp.status_code == 200; 0.0 <= h['p_flood'] <= 1.0</code>	Pass	0.030s
Once water exceeds severe, P(flood) = 1.0 until knock-out blanks it.	<code>resp.status_code == 200; found_one (+1 more)</code>	Pass	0.026s

Test Description	Acceptance Criteria	Result	Time
P(flood) for non-severe gauges should be w/s ratio.	resp.status_code == 200; 0.0 <= g['p_flood'] <= 1.0	Pass	0.027s
Custom gauge basket size	cdm.gauge.basket_size == 10	Pass	0.000s
Default gauge basket size	cdm.gauge.basket_size == 20	Pass	0.000s
Lines 333-334: exception in create_mapping raises ValueError.	—	Pass	0.000s
Verify all sections of create_mapping produce correct keys.	mapping["swap_id"] == "PRS-1"; mapping["notional"] == 1000000 (+3 more)	Pass	0.000s
validate({}) returns errors.	isinstance(errors, dict)	Pass	0.000s
Lines 255-256: Empty GaugeBasket.	"GaugeSet" in errors; any("GaugeBasket" in e for e in errors["GaugeSet"])	Pass	0.000s
Lines 263-264: exception returns validation_error.	"validation_error" in result; isinstance(result["validation_error"], list) (+1 more)	Pass	0.000s
Lines 258-259: gauge errors collected.	"GaugeSet" in errors	Pass	0.000s
Lines 244-245: header errors collected.	"Header" in errors; len(errors["Header"]) >= 2	Pass	0.000s
Line 241-242: Missing CatchmentID.	"Header" in errors; any("CatchmentID" in e for e in errors["Header"]) (+2 more)	Pass	0.000s
Line 251-252: Missing GaugeSetID.	"GaugeSet" in errors; any("GaugeSetID" in e for e in errors["GaugeSet"])	Pass	0.000s
Line 238-239: Missing SwapID.	"Header" in errors; any("SwapID" in e for e in errors["Header"])	Pass	0.000s
Line 261: valid data returns empty dict.	prs_cdm.validate(data) == {}	Pass	0.000s
buildPRSControls function exists.	'buildPRSControls' in prs_js	Pass	0.000s
Counterparty selector present.	'prs-counterparty' in prs_js	Pass	0.000s
Payer/Receiver direction selector present.	'payer' in prs_js.lower(); 'receiver' in prs_js.lower() (+1 more)	Pass	0.000s
Maturity/tenor selector present.	'prs-maturity' in prs_js	Pass	0.000s
Notional input field present.	'prs-notional' in prs_js	Pass	0.000s
Trigger level selector present.	'prs-trigger' in prs_js	Pass	0.000s
ghc_prs.get_js() returns valid JS.	len(prs_js) > 1000	Pass	0.000s
Fetches yield curve from /api/v1/trading/yield-curve.	'/api/v1/trading/yield-curve' in prs_js	Pass	0.000s
Each trade has physical swap root	not bad	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Each trade has swap id	not bad	Pass	0.005s
Prs directory exists	PRS_DIR.exists()	Pass	0.000s
Swap id matches filename	not bad	Pass	0.004s
Thames Central book has 16 trades.	len(prs_files) >= 16	Pass	0.000s
Trade statuses are valid	not bad	Pass	0.004s
Trades are present	len(prs_files) >= 1	Pass	0.000s
Trades have gauge set	not bad	Pass	0.005s
Book thames uses prs prefix	'PRS-' in src	Pass	0.001s
Book thames uses uuid	'uuid' in src	Pass	0.000s
uuid4().hex[:8].upper() — the book generator pattern — always matches.	PRS_ID_RE.match(swap_id)	Pass	0.000s
Some paths may produce lowercase — also accepted.	PRS_ID_RE.match('PRS-a8b3c4d5'); PRS_ID_RE.match('PRS-ffffffff')	Pass	0.000s
book.py uses	PRS_ID_RE.match('PRS-A8B3C4D5');	Pass	0.000s
uuid4().hex[:8].upper() → uppercase hex.	PRS_ID_RE.match('PRS-FFFFFFFF') (+1 more)	Pass	0.000s
PRS-TEST-001 style IDs used in test fixtures are NOT production format.	not PRS_ID_RE.match('PRS-TEST-001'); not PRS_ID_RE.match('PRS-VAUXHALL')	Pass	0.000s
Port src all does not include book symbols	not overlap	Pass	0.000s
The package __init__.py must not contain 'from .book import'.	"from .book import" not in src	Pass	0.001s
Package __init__.py must not expose generate_thames_central_book.	not hasattr(_pkg, "generate_thames_central_book")	Pass	0.000s
Contains claim ref paragraph	len(tables) > 0	Pass	0.001s
No flood events still renders	len(result) > 0	Pass	0.001s
Coordinates that are not floats should not raise.	isinstance(result, list)	Pass	0.001s
Returns list	isinstance(result, list); len(result) > 0 (+4 more)	Pass	0.001s
Stats reflect events	any(isinstance(e, Paragraph) for e in result)	Pass	0.001s
Without mortgage	isinstance(result, list); len(result) > 0	Pass	0.001s
Events with no sequence_id (None) should render without error.	isinstance(result, list)	Pass	0.001s
No flood events	isinstance(result, list); len(result) > 0 (+2 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns list	<code>isinstance(result, list); len(result) > 0 (+4 more)</code>	Pass	0.001s
Stats bar present	<code>len(paragraphs) > 0</code>	Pass	0.001s
Table included	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
Events with sequence_id not in lookup default to 'isolated'.	<code>isinstance(result, list)</code>	Pass	0.001s
Contains tables	<code>len(tables) >= 2</code>	Pass	0.001s
Events with damage ratio $\geq$ 5% trigger red background rows.	<code>isinstance(result, list)</code>	Pass	0.001s
Multiple sequences grouped	<code>len(tables) >= 3</code>	Pass	0.001s
No flood events	<code>isinstance(result, list); len(result) > 0 (+2 more)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0 (+4 more)</code>	Pass	0.001s
Zero property value should not raise a ZeroDivisionError.	<code>isinstance(result, list)</code>	Pass	0.001s
Contains tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
High damage + large mortgage triggers negative equity highlighting.	<code>isinstance(result, list); any(isinstance(e, Table) for e in result)</code>	Pass	0.001s
No flood events with mortgage	<code>isinstance(result, list)</code>	Pass	0.001s
With mortgage	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Without mortgage	<code>isinstance(result, list); any('No mortgage' in t for t in texts) (+2 more)</code>	Pass	0.000s
Contains reference table	<code>len(tables) >= 2</code>	Pass	0.001s
Assessed damage = prop_value * max damage_ratio per sequence.	<code>isinstance(result, list)</code>	Pass	0.001s
When damage exceeds property value, LTV is very high.	<code>isinstance(result, list)</code>	Pass	0.001s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.001s
Signature block present	<code>len(paragraphs) > 3</code>	Pass	0.001s
Without mortgage	<code>isinstance(result, list); any('No mortgage' in t for t in texts) (+2 more)</code>	Pass	0.001s
sp-panel-title element ID must be referenced in the JS.	<code>'sp-panel-title' in table_js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Title must start with 'Portfolio Storm Impact'.	'Portfolio Storm Impact' in table_js	Pass	0.000s
Panel title must use options[selectedIndex].textContent.	'selectedIndex' in table_js; 'textContent' in table_js	Pass	0.000s
Title assignment must NOT directly concatenate bare stormId.	"Portfolio Storm Impact \{\}\{\}u2014 ' + stormId" not in table_js	Pass	0.000s
Fat tail higher exceedance	p.fat > p.thin	Pass	0.000s
Pareto above threshold between 0 and 1	0 < p < 1	Pass	0.000s
Pareto at threshold is one	d._pareto_exceedance(d.params.tail_threshold) == 1.0	Pass	0.000s
Pareto below threshold is one	d._pareto_exceedance(d.params.tail_threshold - 5) == 1.0	Pass	0.000s
Empty file	metadata == {}; flows == []	Pass	0.000s
Flow values are floats	isinstance(f["flow_cumeecs"], float)	Pass	0.007s
Flows have date and flow	len(flows) == 5; "date" in f (+1 more)	Pass	0.006s
Flows have date and flow cumeecs	len(flows) > 0; "date" in flows[0] (+1 more)	Pass	0.006s
Invalid rows skipped	len(flows) == 2	Pass	0.001s
Metadata contains station id	"station_id" in metadata; metadata["station_id"] == "39001"	Pass	0.002s
Metadata contains station name	metadata.get("station_name") == "My Test Gauge"	Pass	0.006s
Metadata contains station name	metadata.get("station_name") == "Test River"	Pass	0.002s
Metadata station id	metadata.get("station_id") == "40007"	Pass	0.005s
Returns metadata and flows	isinstance(metadata, dict); isinstance(flows, list)	Pass	0.006s
Returns tuple	isinstance(metadata, dict); isinstance(flows, list)	Pass	0.004s
Short row skipped	len(flows) == 2	Pass	0.002s
Lines with fewer than 2 columns are skipped.	len(flows) == 1	Pass	0.001s
All metadata categories parsed	metadata.get("file_timestamp") == "2024-01-01"; metadata.get("database_id") == "7" (+4 more)	Pass	0.002s
Flow row with non numeric value skipped	len(flows) == 2	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Metadata row with no value uses empty string	<code>metadata.get("station_name") == "";</code> <code>metadata.get("station_id") == "39001"</code> (+1 more)	Pass	0.001s
Metadata row with three columns stores value	<code>metadata.get("dataType_units") == "m3/s"</code>	Pass	0.001s
Add participant auto generates id	<code>r.status_code == 200;</code> <code>new_p["id"].startswith("P-")</code>	Pass	0.001s
Add participant unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Delete participant	<code>r.status_code == 200;</code> <code>pid not in remaining</code>	Pass	0.004s
Delete participant unknown meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update missing participant returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update participant	<code>r.status_code == 200;</code> <code>updated["status"] == "Attended"</code>	Pass	0.003s
Add participant auto id	<code>"P-001" in ids; "P-002" in ids</code>	Pass	0.002s
Add participant missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Add participant returns 200	<code>r.status_code == 200;</code> <code>len(meeting["participants"]) == 2</code>	Pass	0.002s
Delete participant missing meeting returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Delete participant returns 200	<code>r.status_code == 200;</code> <code>len(r.get_json()["meeting"]["participants"]) == 0</code>	Pass	0.002s
Update participant not found returns 404	<code>r.status_code == 404</code>	Pass	0.001s
Update participant returns 200	<code>r.status_code == 200;</code> <code>p["role"] == "CF0"</code>	Pass	0.002s
All holiday fields shown	<code>isinstance(result, list)</code>	Pass	0.000s
Holidays taken shown	<code>isinstance(result, list)</code>	Pass	0.000s
Last holiday date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Without holiday fields, section should not appear.	<code>not any("Holiday" in t for t in texts)</code>	Pass	0.000s
Total holidays shown	<code>isinstance(result, list)</code>	Pass	0.000s
Arrears balance shown	<code>isinstance(result, list)</code>	Pass	0.000s
Five missed payments poor	<code>isinstance(result, list)</code>	Pass	0.000s
Four missed payments concerning	<code>isinstance(result, list)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Highest arrears shown	<code>isinstance(result, list)</code>	Pass	0.000s
In arrears flag true	<code>isinstance(result, list)</code>	Pass	0.000s
In arrears score 5	<code>isinstance(result, list)</code>	Pass	0.000s
Many missed payments over 3	<code>isinstance(result, list)</code>	Pass	0.001s
No missed payments good	<code>isinstance(result, list)</code>	Pass	0.000s
One missed payment good	<code>isinstance(result, list)</code>	Pass	0.000s
Some missed payments 1 to 3	<code>isinstance(result, list)</code>	Pass	0.000s
Three missed payments concerning	<code>isinstance(result, list)</code>	Pass	0.000s
Two missed payments good	<code>isinstance(result, list)</code>	Pass	0.000s
Zero missed payments excellent	<code>isinstance(result, list)</code>	Pass	0.000s
Documentation pdf known model no file 404	<code>r.status_code == 404</code>	Pass	0.000s
Documentation pdf unknown model 404	<code>r.status_code == 404</code>	Pass	0.000s
Mrc tor pdf responds	<code>r.status_code in (200, 404)</code>	Pass	0.002s
Parameter inventory pdf responds	<code>r.status_code in (200, 404)</code>	Pass	0.001s
Results pdf known model no file 404	<code>r.status_code == 404</code>	Pass	0.000s
Results pdf unknown model 404	<code>r.status_code == 404</code>	Pass	0.000s
Line 323: valid model dir but PDF file missing → 404.	<code>r.status_code == 404; "not found" in r.get_json()["message"].lower()</code>	Pass	0.000s
Line 325: model documentation PDF served when file exists.	<code>r.status_code == 200</code>	Pass	0.003s
Line 357: MRC ToR PDF missing → 404.	<code>r.status_code == 404</code>	Pass	0.000s
Line 359: MRC ToR PDF served.	<code>r.status_code == 200</code>	Pass	0.003s
Line 337: valid model dir but test_results.pdf missing → 404.	<code>r.status_code == 404</code>	Pass	0.000s
Line 339: test results PDF served when file exists.	<code>r.status_code == 200</code>	Pass	0.002s
STORM-SEVERE-001 (peak 6.5m) should come before STORM-MODERATE-002 (4.8m).	<code>severe_idx < moderate_idx</code>	Pass	0.004s
GET /trading/stress/storms returns storms sorted by peak_level_m DESC.	<code>len(storms) >= 2; sorted(peaks, reverse=True)</code>	Pass	0.003s
storms[0] must have the highest peak_level_m.	<code>storms[0]['peak_level_m'] >= storms[-1]['peak_level_m']</code>	Pass	0.004s
When seg_start == seg_end, norm ~ 0 -i degenerate fallback path.	<code>abs(lon - (-0.30)) < 1e-9</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Offset moves point	<code>dist >=</code> <code>PropertyPortfolioGenerator.MIN_OFFSET_M</code> <code>* 0.5</code>	Pass	0.000s
Returns two floats	<code>isinstance(lat, float);</code> <code>isinstance(lon, float)</code>	Pass	0.000s
Persistent all events have readings	<code>"flood_depth_m" in event;</code> <code>"damage_ratio" in event (+2 more)</code>	Pass	0.172s
Persistent four events recorded	<code>result["summary"]["floods_at_nearest_gauge"]</code> <code>== 4</code>	Pass	0.171s
Create mapping returns flat dict	<code>isinstance(stormts_cdm.create_mapping(data,</code> <code>dict);</code> <code>isinstance(prs_cdm.create_mapping(data),</code> <code>dict)</code>	Pass	0.000s
List all fields has gauge set	<code>any("GaugeSet" in f for f in</code> <code>prs_cdm.list_all_fields())</code>	Pass	0.000s
Required fields include swap id	<code>any("SwapID" in f for f in</code> <code>prs_cdm.get_required_fields())</code>	Pass	0.000s
Schema has root	<code>isinstance(stormts_cdm.schema, dict);</code> <code>len(stormts_cdm.schema) > 0 (+2 more)</code>	Pass	0.000s
FAIL if any output from STEP_IO is missing or empty on disk.	—	Pass	0.513s
At least one trained classifier must be documented in training_summary.	<code>stress_storms_dir.exists();</code> <code>summary_path.exists() (+1 more)</code>	Skip	0.001s
Directories that exist but are empty are just as broken as missing.	<code>not empty</code>	Pass	0.041s
Line 48: <code>fmt_gbp(0)</code> returns em-dash.	<code>isinstance(result, list)</code>	Pass	0.000s
After an EOD snap, series has one entry.	<code>len(data['series']) == 1;</code> <code>'date' in</code> <code>entry (+4 more)</code>	Pass	0.038s
Returns empty series when no EOD snapshots exist.	<code>resp.status_code == 200;</code> <code>data['status'] == 'success' (+1</code> <code>more)</code>	Pass	0.002s
Missing positions key returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
Negative gauge P&L -; bar drawn to the left.	<code>isinstance(result, Drawing)</code>	Pass	0.000s
No positions returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
Positions exist but all running_pnl = 0 -; gauge_pnl has values.	<code>isinstance(result, Drawing)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
In <code>-all</code> mode, <code>resolve_prerequisites</code> should not be called.	<code>run_all</code> is <code>True</code>	Pass	0.000s
Running <code>-propertyts</code> with stale pre-reqs should enable their flags.	<code>args.gauges</code> is <code>True</code> ; <code>args.properties</code> is <code>True</code> (+3 more)	Pass	0.000s
In <code>-strict</code> mode, <code>resolve_prerequisites</code> should not be called.	<code>not run_all</code> ; <code>args.strict</code> is <code>True</code>	Pass	0.000s
JS must POST to <code>/api/v1/trading/stress/portfolio-run</code> .	<code>'/api/v1/trading/stress/portfolio-run'</code> in <code>ps_js</code>	Pass	0.000s
JS must fetch from <code>/api/v1/trading/stress/portfolio-storms</code> .	<code>'/api/v1/trading/stress/portfolio-storms'</code> in <code>ps_js</code>	Pass	0.000s
<code>portfolio-run</code> endpoint must use POST method.	<code>'POST'</code> in <code>ps_js</code>	Pass	0.000s
Full Detail button must navigate to Tab 7 via <code>switchTab('stress')</code> .	<code>"switchTab('stress')"</code> in <code>ps_js</code>	Pass	0.000s
'Full Detail' link button must be present — navigates to Tab 7 gauge view.	<code>'Full Detail'</code> in <code>ps_js</code>	Pass	0.000s
<code>_psRenderGaugeTable</code> must be defined — renders per-gauge trade rows.	<code>'_psRenderGaugeTable'</code> in <code>ps_js</code>	Pass	0.000s
<code>_psRenderGaugePnlTab</code> must be defined.	<code>'_psRenderGaugePnlTab'</code> in <code>ps_js</code>	Pass	0.000s
<code>tdStressGaugeHint</code> must be set — passes selected gauge to Tab 7 pre-selection.	<code>'tdStressGaugeHint'</code> in <code>ps_js</code>	Pass	0.000s
<code>_stressStormHint</code> must be set — passes selected storm to Tab 7 auto-selection.	<code>'_stressStormHint'</code> in <code>ps_js</code>	Pass	0.000s
ps- IDs must not collide with Tab 7's <code>td-stress-gauge</code> ID.	<code>'td-stress-gauge'</code> not in <code>ps_js</code>	Pass	0.000s
Content area uses <code>ps-content</code> ID.	<code>'ps-content'</code> in <code>ps_js</code>	Pass	0.000s
Storm selector uses <code>ps-</code> prefix (not <code>td-stress-*</code>).	<code>'ps-storm-sel'</code> in <code>ps_js</code>	Pass	0.000s
Sub-tab button IDs are built using <code>ps-tab-</code> prefix.	<code>"ps-tab-"</code> in <code>ps_js</code> or <code>"'ps-tab-' +"</code> in <code>ps_js</code> or <code>'ps-tab-...; "'pflood'"</code> in <code>ps_js</code> (+3 more)	Pass	0.000s
Rendered full JS must be of substantial length — sanity check that	<code>len(full_js) > 200000</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
loadPortStressData() must be called in the portstress switchTab branch.	'loadPortStressData' in full_js	Pass	0.000s
psResult must survive f-string rendering — absent if brace escaping broke.	'psResult' in full_js	Pass	0.000s
'Port Stress' tab label must appear in the rendered trading desk.	'Port Stress' in full_js	Pass	0.000s
portStressView variable must appear — panel appends it to DOM.	'portStressView' in full_js	Pass	0.000s
createPortStressView() call must appear in panel construction.	'createPortStressView' in full_js	Pass	0.000s
switchTab must handle tab === 'portstress' branch.	"tab === 'portstress'" in full_js	Pass	0.000s
tabs array must include the portstress entry.	"id: 'portstress'" in full_js	Pass	0.000s
switchTab views array must include 'portstress'.	"'portstress'" in full_js	Pass	0.000s
hidePanel must call psCleanupCharts() to destroy chart instances.	'psCleanupCharts' in full_js	Pass	0.000s
psResult state variable must appear inside the IIFE, not after it.	idx > 0; idx < iife_close	Pass	0.000s
P(flood) tab contains the heatmap canvas and chart area container.	'ps-heatmap-canvas' in ps_js; 'ps-pflood-chart-area' in ps_js	Pass	0.000s
_psRenderPFloodTab must be defined.	'_psRenderPFloodTab' in ps_js	Pass	0.000s
Threshold bar colours must be present: severe red, warning orange, alert amber.	'#c62828' in ps_js; '#e65100' in ps_js (+1 more)	Pass	0.000s
P(flood) tab creates a Chart.js instance.	'Chart(' in ps_js	Pass	0.000s
Canvas element uses ps-portpnl-canvas ID.	'ps-portpnl-canvas' in ps_js	Pass	0.000s
Portfolio P&L tab uses the shared fmtGBP formatter.	'fmtGBP' in ps_js	Pass	0.000s
_psRenderPortPnlTab must be defined.	'_psRenderPortPnlTab' in ps_js	Pass	0.000s
Horizontal bar chart needs indexAxis: 'y' in Chart.js options.	'indexAxis' in ps_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Severity rows must navigate to Gauge P&L sub-tab via psSwitchSubTab.	'psSwitchSubTab' in ps_js	Pass	0.000s
All four severity group labels must be present in the JS output.	'SEVERE' in ps_js; 'WARNING' in ps_js (+2 more)	Pass	0.000s
_psRenderSeverityTab must be defined.	'_psRenderSeverityTab' in ps_js	Pass	0.000s
Severity row click must set psSelectedGaugeId before switching sub-tab.	'psSelectedGaugeId' in ps_js	Pass	0.000s
Severe group must use the #ffebee background colour.	ps_js.lower().find('#ffebee') >= 0	Pass	0.000s
All four sub-tab render functions must be present.	'_psRenderPFloodTab' in ps_js; '_psRenderPortPnlTab' in ps_js (+2 more)	Pass	0.000s
'psCleanupCharts' must be defined — destroys Chart.js instances.	'psCleanupCharts' in ps_js	Pass	0.000s
'createPortStressView' must be defined — builds the Tab 8 DOM.	'createPortStressView' in ps_js	Pass	0.000s
'loadPortStressData' must be defined — fetches storm list on tab open.	'loadPortStressData' in ps_js	Pass	0.000s
'psStormChanged' must be defined — handles storm dropdown selection.	'psStormChanged' in ps_js	Pass	0.000s
'psSwitchSubTab' must be defined — controls the 4 sub-tabs.	'psSwitchSubTab' in ps_js	Pass	0.000s
port_stress.get_js() returns non-empty string without errors.	len(ps_js) > 0	Pass	0.000s
Module-level state variables must be declared.	'psResult' in ps_js; 'psActiveSubTab' in ps_js (+1 more)	Pass	0.000s
Return value still has the correct structure after classifier training.	result["num_sequences"] == 20; "type_counts" in result	Pass	18.841s
train_classifier=True without gauge_id covers lines 364-384.	result["num_gauges"] == 3; stressm_dir.exists() (+1 more)	Pass	19.956s
Print summary stats for the flood portfolio.	—	Pass	0.116s
Verify properties receive the expected number of storm events.	—	Pass	0.097s
Known storm returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Mortgaged property has ltv fields	len(mortgaged) >= 1; "outstanding_balance" in p (+3 more)	Pass	0.004s
No pts dir returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+2 more)	Pass	0.000s
Options returns ok	r.status_code == 200; r.status_code == 200	Pass	0.000s
Portfolio damage pct non negative	pct >= 0	Pass	0.005s
Portfolio totals count	port["properties_affected"] == len(r.get_json()["properti...	Pass	0.005s
Properties sorted by damage descending	amounts == sorted(amounts, reverse=True); amounts == sorted(amounts, reverse=True)	Pass	0.004s
Property entry has financial fields	"property_id" in prop; "property_value" in prop (+9 more)	Pass	0.004s
Response has portfolio	"portfolio" in data; "total_properties" in port (+4 more)	Pass	0.005s
Response has properties list	"properties" in data; len(data["properties"]) >= 1 (+2 more)	Pass	0.004s
Response has storm id	r.get_json()["storm_id"] == sid	Pass	0.004s
Unknown storm returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.005s
No pts dir returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.000s
Options returns 200	r.status_code == 200	Pass	0.000s
Unknown storm returns 404	r.status_code == 404; data["status"] == "error"	Pass	0.004s
Mortgage enrichment present	entry["has_mortgage"] is True; entry["outstanding_balance"] == pytest.approx(280.000) (+2 more)	Pass	0.003s
Property entry has damage fields	entry["property_id"] == "PROP-001"; entry["flood_depth_m"] == pytest.approx(0.5) (+2 more)	Pass	0.003s
Response has portfolio key	"portfolio" in data; key in portfolio	Pass	0.006s
Response has properties list	"properties" in data; len(props) >= 1	Pass	0.003s
Storm id in response	data["storm_id"] == "STORM-001"	Pass	0.004s
Valid storm returns 200	r.status_code == 200; data["status"] == "success"	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
API must not return name == storm_id (produces 'ID (ID)' in UI).	s['name']	Pass	0.002s
At least one storm must have a human-readable name (not a raw STORM-xxx id).	named	Pass	0.003s
In gauge_results, severe gauges appear before warning gauges.	levels == sorted(levels)	Pass	0.027s
Warning gauges appear before alert gauges in results.	levels[i] <= levels[i + 1]	Pass	0.025s
Gauges with num_trades != 0 have non-empty trades list.	len(g['trades']) > 0	Pass	0.022s
Each trade has swap_id, trigger, notional, mtm, cash_price, stress_pnl,	found_trade; 'swap_id' in t (+8 more)	Pass	0.026s
Exception in load_stress_storms causes 500.	resp.status_code == 500	Pass	0.001s
When two storms have equal gauges_severe, the one with	storms[0]['intensity_category'] == 'catastrophic'	Pass	0.000s
patch get_engines to raise RuntimeError != 500.	resp.status_code == 500	Pass	0.004s
No stress_storms/ + cache cleared != portfolio-run returns 404.	resp.status_code == 404	Pass	0.000s
POST with no body returns 400 or 500.	resp.status_code in (400, 500)	Pass	0.001s
Payer (is_payer=True) has positive notional in trade details.	t['notional'] > 0	Pass	0.030s
portfolio_stress_pnl == sum(g['stress_pnl'] for g in gauges).	abs(data['portfolio_stress_pnl'] - expected_total) < 0.01	Pass	0.030s
Receiver (is_payer=False) has negative notional in trade details.	t['notional'] < 0	Pass	0.029s
When peak_level_m != severe_level, p_flood should be 1.0.	gauge_001 is not None; gauge_001['p_flood'] == 1.0	Pass	0.030s
stress_pnl = cash_price - mtm; cash_price = signed_notional * p_flood.	data['status'] == 'success'; abs(t['stress_pnl'] - (t['cash_price'] - t['mtm'])) < 0.01	Pass	0.026s
Gauge not in storm's gauge_responses has p_flood=0.0 and impacted=False.	lambeth['p_flood'] == 0.0; lambeth['impacted'] is False	Pass	0.027s
Missing sequences message mentions doublet	"storm_sequences" in msg or "not found" in msg	Pass	0.027s
Missing sequences returns 404	r.status_code == 404	Pass	0.027s

Test Description	Acceptance Criteria	Result	Time
No pts dir returns 404	<code>r.status_code == 404</code>	Pass	0.000s
No pts dir status error	<code>pts_client_no_data.get(URL).get_json()["status"] == "error"</code>	Pass	0.000s
Options returns ok	<code>r.status_code == 200</code>	Pass	0.000s
Missing mortgage json returns 200	<code>client.get(URL).status_code == 200</code>	Pass	0.120s
Missing mortgage json zero portfolio mortgages	<code>client.get(URL).get_json()["total_portfolio_mortgages"] == ...</code>	Pass	0.125s
Missing property json returns 200	<code>client.get(URL).status_code == 200</code>	Pass	0.128s
Missing property json status success	<code>client.get(URL).get_json()["status"] == "success"</code>	Pass	0.123s
Missing property json zero portfolio value	<code>client.get(URL).get_json()["total_portfolio_value"] == 0.0</code>	Pass	0.118s
Mortgage impairment max is positive	<code>mi["max"] > 0</code>	Pass	0.093s
Mortgage impairment value	<code>mi["max"] == pytest.approx(140000.0, rel=1e-3)</code>	Pass	0.092s
Tail storm has mortgage impairment	<code>len(tail) >= 1;</code> <code>tail[0]["mortgage_impairment"] > 0</code>	Pass	0.094s
Prob loss pct is 50	<code>client_two_storms.get(URL).get_json()["prob_loss_pct"] == ...</code>	Pass	0.111s
Storm count is two	<code>client_two_storms.get(URL).get_json()["storm_count"] == 2</code>	Pass	0.092s
Storms with damage is one	<code>client_two_storms.get(URL).get_json()["storms_with_damage"]</code>	Pass	0.208s
Storms zero damage is one	<code>client_two_storms.get(URL).get_json()["storms_zero_damage"]</code>	Pass	0.116s
Tail storms contains the damaged storm	<code>"STORM-0001" in storm_ids</code>	Pass	0.094s
Tail storms limited to 50	<code>len(client_two_storms.get(URL).get_json()["tail_storms"])</code>	Pass	0.152s
No mortgage impairment when above water	<code>mi["max"] == 0.0</code>	Pass	0.092s
Prob loss pct is 100	<code>pts_env["client"].get(URL).get_json()["prob_loss_pct"] == ...</code>	Pass	0.094s
Property damage cond mean positive	<code>pts_env["client"].get(URL).get_json()["property_damage"]</code>	Pass	0.094s
Property damage max is positive	<code>pts_env["client"].get(URL).get_json()["property_damage"]</code>	Pass	0.096s
Storm count is one	<code>pts_env["client"].get(URL).get_json()["storm_count"] == 1</code>	Pass	0.093s
Storms with damage is one	<code>pts_env["client"].get(URL).get_json()["storms_with_damage"]</code>	Pass	0.095s
Storms zero plus with damage equals total	<code>data["storms_with_damage"] + data["storms_zero_damage"] == ...</code>	Pass	0.093s
Total portfolio mortgages	<code>pts_env["client"].get(URL).get_json()["total_portfolio_mortgages"]</code>	Pass	0.093s

Test Description	Acceptance Criteria	Result	Time
Total portfolio value	<code>pts_env["client"].get(URL).get_json()["total_portfolio_value"]</code>	Pass	0.096s
Histogram bin has lo hi count	<code>"lo" in bin0 and "hi" in bin0 and "count" in bin0</code>	Pass	0.093s
Mort histogram has 50 bins	<code>len(pts_env["client"].get(URL).get_json()["mort_histograms"]) == 50</code>	Pass	0.093s
Mortgage impairment sub keys	<code>key in mi</code>	Pass	0.092s
Prop histogram has 50 bins	<code>len(pts_env["client"].get(URL).get_json()["prop_histograms"]) == 50</code>	Pass	0.093s
Property damage sub keys	<code>key in pd</code>	Pass	0.091s
Returns 200	<code>pts_env["client"].get(URL).status_code == 200</code>	Pass	0.097s
Status success	<code>pts_env["client"].get(URL).get_json()["status"] == "success"</code>	Pass	0.091s
Tail storm has required fields	<code>len(storms) >= 1; f in s</code>	Pass	0.093s
Tail storms is list	<code>isinstance(pts_env["client"].get(URL).get_json()["tail_storms"], list)</code>	Pass	0.095s
Tail storms sorted descending	<code>damages == sorted(damages, reverse=True)</code>	Pass	0.095s
Top level keys present	<code>key in data</code>	Pass	0.096s
Portfolio value from known property	<code>client_unknown_prop.get(URL).get_json()["total_portfolio_value"]</code>	Pass	0.090s
Unknown prop id is skipped	<code>data["storms_with_damage"] == 0</code>	Pass	0.110s
Zero depth cond mean is zero	<code>client_zero_depth.get(URL).get_json()["property_damage"]</code>	Pass	0.093s
Zero depth prob loss is zero	<code>client_zero_depth.get(URL).get_json()["prob_loss_pct"] == ...</code>	Pass	0.093s
Zero depth property damage max is zero	<code>client_zero_depth.get(URL).get_json()["property_damage"]</code>	Pass	0.095s
Zero depth storms with damage is zero	<code>client_zero_depth.get(URL).get_json()["storms_with_damage"]</code>	Pass	0.092s
trading/preloader.py must set window._tdPreloadDone (not bare assignment).	<code>'window._tdPreloadDone = true' in src</code>	Pass	0.000s
startup.py must initialise via window._tdPreloadDone (not bare var).	<code>'window._tdPreloadDone = false' in src; 'var _tdPreloadDone = false' not in src</code>	Pass	0.001s
startup.py must set window._tdPreloadDone = true after all fetches settle.	<code>'window._tdPreloadDone = true' in src</code>	Pass	0.000s
tradingdesk.py showPanel() must read window._tdPreloadDone, not bare _tdPreloadDone.	<code>'window._tdPreloadDone' in js</code>	Pass	0.000s
All three tabs must fetch from /trading/stress/storms.	<code>'/trading/stress/storms' in js</code>	Pass	0.000s
Gauge Stress tab auto-selects storms[0] (worst case).	<code>'storms[0]' in ghc_stress_js or 'storms.length > 0' in gh...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gauge Stress tab storm dropdown uses all required storm fields.	field in ghc.stress_js	Pass	0.000s
Historical tab storm list uses all required storm fields.	field in hist_js	Pass	0.000s
Trading Desk storm dropdown includes peak_level_m in the label.	'peak_level_m' in td.stress_js	Pass	0.000s
Trading Desk Stress tab also auto-selects worst case storm.	'withTrades' in td.stress_js or \{\} 'storms'...	Pass	0.000s
Trading Desk Stress tab storm dropdown uses all required storm fields.	field in td.stress_js	Pass	0.000s
Alert trigger	result["trigger_level"] == "alert"; result["trigger_threshold_m"] == 4.0	Pass	0.000s
Custom notional	result["notional"] == 5.000.000	Pass	0.000s
Flat hazard curve	"fair_spread_bps" in result; result["use_term_structure"] is False	Pass	0.000s
Gauge not in hazard returns 404	r.status_code == 404	Pass	0.002s
Invalid trigger level returns 400	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.000s
Missing gauge id returns 400	r.status_code == 400	Pass	0.000s
No hazard file returns 404	r.status_code == 404; "not available" in r.get_json()["message"].lower() (+1 more)	Pass	0.000s
No json returns 400	r.status_code in (400, 500)	Pass	0.000s
Options returns ok	r.status_code == 200	Pass	0.000s
Result has fair spread bps	"fair_spread_bps" in result; result["fair_spread_bps"] > 0	Pass	0.000s
Result has npv	"npv" in result; isinstance(result["npv"], float)	Pass	0.000s
Result has survival probabilities	len(sp) == 3; "1yr" in sp	Pass	0.000s
Returns dict	isinstance(result, dict)	Pass	0.014s
Severe trigger	result["trigger_level"] == "severe"; result["trigger_threshold_m"] == 5.0	Pass	0.000s
Term structure true	result["use_term_structure"] is True	Pass	0.000s
Annual hazard rate matches input	r["annual_hazard_rate"] == gauge["annual_hazard_rate_warn...	Pass	0.000s
Gauge id in result	r["gauge_id"] == gauge["gauge_id"]	Pass	0.000s
Gauge name in result	r["gauge_name"] == gauge["gauge_name"]	Pass	0.000s
Severe annual hazard rate matches input	r["annual_hazard_rate"] == gauge["annual_hazard_rate_seve...	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
hazard.py lines 174-176: exception during pricing -i 500.	<code>r.status_code == 500</code>	Pass	0.031s
hazard.py lines 146-147: gauge not in hazard data -i 404.	<code>r.status_code == 404</code>	Pass	0.029s
hazard.py lines 139-140: no gaugehc.json -i 404.	<code>r.status_code == 404</code>	Pass	0.028s
hazard.py line 123: no JSON body -i 400.	<code>r.status_code in (400, 500)</code>	Pass	0.028s
hazard.py lines 121-123: JSON null body -i 400.	<code>r.status_code == 400;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.027s
All trigger levels work: alert, warning, severe.	<code>r.status_code == 200</code>	Pass	0.122s
hazard.py lines 133-172: successful PRS pricing.	<code>r.status_code == 200;</code> <code>data["status"] == "success" (+1 more)</code>	Pass	0.124s
hazard.py: PRS pricing with default params.	<code>r.status_code == 200</code>	Pass	0.122s
Npv is sum of legs	<code>r["npv"] == pytest.approx(</code> <code>r["protection_leg...</code>	Pass	0.000s
Premium leg negative	<code>r["premium_leg_npv"] < 0</code>	Pass	0.000s
Protection leg positive	<code>r["protection_leg_npv"] > 0</code>	Pass	0.000s
Nonzero recovery rate stored	<code>r["recovery_rate"] ==</code> <code>pytest.approx(0.4)</code>	Pass	0.000s
Recovery rate affects fair spread	<code>r0["fair_spread_bps"] ></code> <code>r40["fair_spread_bps"]</code>	Pass	0.000s
Higher risk free rate changes npv	<code>r_low["npv"] !=</code> <code>pytest.approx(r_high["npv"],</code> <code>rel=1e-4)</code>	Pass	0.000s
Risk free rate not in output	<code>"risk_free_rate" not in r</code>	Pass	0.000s
Fair spread is float	<code>isinstance(r["fair_spread"], float)</code>	Pass	0.000s
Fair upfront is float	<code>isinstance(r["fair_upfront"], float)</code>	Pass	0.000s
Npv is float	<code>isinstance(r["npv"], float)</code>	Pass	0.000s
Running spread bps identity	<code>r["running_spread_bps"] ==</code> <code>pytest.approx(r["running_sprea...</code>	Pass	0.000s
Survival probs all in zero one	<code>0.0 < val <= 1.0</code>	Pass	0.000s
Tenor 1yr gives one survival entry	<code>len(r["survival_probabilities"])</code> <code>== 1;</code> <code>"1yr" in</code> <code>r["survival_probabilities"]</code>	Pass	0.000s
Use term structure stored false	<code>r["use_term_structure"] is False</code>	Pass	0.000s
Use term structure stored true	<code>r["use_term_structure"] is True</code>	Pass	0.000s
Not trained no metrics printed	<code>"AUC" not in out</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Not trained status	"insufficient_data" in out;	Pass	0.000s
	"GAUGE-bad" in out (+1 more)		
Trained shows feature importance	"log_h_s" in out; "log_t_end" in out	Pass	0.000s
Trained shows label info	"severe_warning" in out; "5.50" in out	Pass	0.000s
Trained status prints metrics	"trained" in out; "0.9200" in out (+1 more)	Pass	0.000s
Percentile between alert and warning -i '← ALERT' marker (line 480).	"ALERT" in out	Pass	0.001s
All sequence types reported	"isolated" in out; "doublet" in out (+1 more)	Pass	0.000s
Categories with zero peaks are skipped via 'continue' (line 493).	"moderate" in out; "catastrophic" not in out	Pass	0.000s
Output contains gauge id	"GAUGE-test-pgp" in out	Pass	0.000s
Percentile i= severe -i '← SEVERE' marker.	"SEVERE" in out	Pass	0.000s
Percentile between warning and severe -i '← WARNING' marker.	"WARNING" in out	Pass	0.000s
Summary with full data does not crash	—	Pass	0.005s
Summary with no data does not crash	—	Pass	0.000s
Summary with partial data does not crash	—	Pass	0.000s
Logs gauge name	isinstance(result["gauge_name"], str)	Pass	0.000s
Logs without error	len(caplog.records) >= 0	Pass	0.001s
Alert trigger in log	"ALERT" in combined	Pass	0.000s
All survival years in log	key in combined	Pass	0.000s
Contract terms header in log	"Contract Terms" in combined	Pass	0.000s
Fair spread in log	"Fair Spread" in combined	Pass	0.000s
Gauge id in log	result["gauge_id"] in combined	Pass	0.000s
Gauge name in log	result["gauge_name"] in combined	Pass	0.000s
Npv value in log	"NPV" in combined	Pass	0.000s
Premium leg in log	"Premium Leg" in combined	Pass	0.000s
Protection leg in log	"Protection Leg" in combined	Pass	0.000s
Recovery rate in log	"Recovery Rate" in combined	Pass	0.000s
Severe trigger in log	"SEVERE" in combined	Pass	0.000s
Survival curve label in log	"Survival Curve" in combined	Pass	0.000s
Trigger level in log	"WARNING" in combined	Pass	0.000s
Empty directory returns empty list	result == []	Pass	0.000s
Non matching files skipped	result == []	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Output dir none uses input dir	<code>isinstance(result, list); any("gaugehd.39999" in r for r in result)</code>	Pass	0.015s
Output files created	<code>all(Path(p).exists() for p in result)</code>	Pass	0.015s
Process directory error continues	<code>isinstance(result, list)</code>	Pass	0.015s
Processes matching files	<code>len(result) == 2</code>	Pass	0.032s
Line 61/80: custom glob pattern selects different files.	<code>len(result) == 1</code>	Pass	0.002s
Line 87-88: error on one file doesn't stop processing others.	<code>len(result) >= 1</code>	Pass	0.003s
Multiple CSV files in directory are all processed.	<code>len(result) == 2</code>	Pass	0.004s
Line 81: station_id extracted by stripping _gdf from stem.	<code>len(result) == 1; result[0]</code> "99999" in	Pass	0.001s
Line 288: empty gauge_lookup -i no nearest -i None.	<code>result is None</code>	Pass	0.168s
Line 283: empty prop_id -i None.	<code>result is None</code>	Pass	0.169s
Line 283: prop_lat == 0 -i None.	<code>result is None</code>	Pass	0.175s
Non flooded events excluded from depth count	<code>result["flood.count"] == 4</code>	Pass	0.287s
Zero flooded events uses floor pricing	<code>result["has_gev"] is False; result["pricing_method"] == "floor" (+1 more)</code>	Pass	0.136s
Exactly min events triggers gev	<code>result["flood.count"] == MIN_EVENTS_FOR_GEV</code>	Pass	0.236s
Many events enables gev	<code>result["flood.count"] == 10; result["gev.params"] is not None or result["has_gev"] is ...</code>	Pass	0.208s
One below min events uses floor	<code>result["has_gev"] is False; result["pricing_method"] == "floor"</code>	Pass	0.092s
Max depth positive for flooded property	<code>result["summary"]["max_depth_m"] > 0; result["summary"]["mean_depth_m"] > 0</code>	Pass	0.216s
Transmission rate zero when no gauge floods	<code>result["nearest_gauges"][0]["flood.transmission_rate"] ==...</code>	Pass	0.111s
Zero depths for non flooded	<code>result["summary"]["max_depth_m"] == 0.0; result["summary"]["mean_depth_m"] == 0.0</code>	Pass	0.093s
Property with elevation i gauge peak -i depth 0.	<code>result["summary"]["floods.at.property"] == 0</code>	Pass	0.167s

Test Description	Acceptance Criteria	Result	Time
Gauge response with exceeded_alert=False -i 0 gauge storms.	result["summary"]["floods_at_nearest_gauge"] == 0	Pass	0.167s
Summary dict has floods_at_nearest_gauge etc.	"property_id" in s; "floods_at_nearest_gauge" in s (+2 more)	Pass	0.167s
Full processing writes a JSON file for the property.	result is not None; (pts_dir / "PROP-001.json").exists()	Pass	0.167s
If a single property raises during generation, failed_properties	result["processing_stats"]["failed_properties"] >= 1; result["processing_stats"]["successful_properties"] >= 2	Pass	0.629s
getSampleStyleSheet() includes 'Title' by default, so line 65 branch	'Title' in page.styles	Pass	0.000s
Trade with property_id computes basis_delta_bps and basis_dv01.	enriched['property_id'] == 'PROP-001'; 'basis_delta_bps' in enriched (+2 more)	Pass	0.002s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s
Required fields not empty	len(property_cdm.get_required_fields()) > 0	Pass	0.000s
Schema has property root	len(list(property_cdm.schema.keys())) > 0	Pass	0.000s
Validate valid property	isinstance(property_cdm.validate(data), dict)	Pass	0.000s
Existing property returns success	r.status_code == 200; r.get_json()["status"] == "success" (+3 more)	Pass	0.002s
Include readings false strips readings	"readings" not in event	Pass	0.002s
Include readings true keeps readings	"readings" in data["flood_events"][0]; len(data["flood_events"][0]["readings"]) == 168	Pass	0.003s
Missing property returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+1 more)	Pass	0.000s
Options returns ok	r.status_code == 200; r.status_code == 200 (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
GET /api/v1/properties/{id}/hazard returns hazard data for property with curves.	response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.003s
GET /api/v1/properties/{id}/hazard returns 404 for unknown property.	response.status_code == 404	Pass	0.002s
GET /api/v1/properties/{id}/hazard returns 404 for property without curves.	response.status_code == 404; data['status'] == 'error' (+1 more)	Pass	0.003s
GET /api/v1/propertyhc/basis returns basis table.	response.status_code == 200; data['status'] == 'success' (+5 more)	Pass	0.003s
GET /api/v1/propertyhc/summary returns portfolio hazard summary.	response.status_code == 200; data['status'] == 'success' (+3 more)	Pass	0.005s
Data contains hazard curve	"hazard_curve" in r.get_json()["data"]	Pass	0.002s
Data contains nearest gauges	"nearest_gauges" in r.get_json()["data"]	Pass	0.002s
Data contains property id	r.get_json()["data"]["property_id"] == "PROP-001"	Pass	0.002s
Data contains summary	"summary" in r.get_json()["data"]	Pass	0.002s
Known property returns 200	r.status_code == 200	Pass	0.002s
Known property status success	r.get_json()["status"] == "success"	Pass	0.002s
No data returns 404	r.status_code == 404; r.status_code == 404	Pass	0.000s
No data status error	r.get_json()["status"] == "error"	Pass	0.000s
Options returns 200	r.status_code == 200; r.status_code == 200	Pass	0.000s
Options status ok	r.get_json()["status"] == "ok"; r.get_json()["status"] == "ok"	Pass	0.000s
Response has data key	"data" in r.get_json(); "data" in r.get_json()	Pass	0.002s
Second property also works	r.status_code == 200; r.get_json()["data"]["property_id"] == "PROP-002"	Pass	0.003s
Unknown property message contains id	"PROP-GHOST" in r.get_json()["message"]	Pass	0.002s
Unknown property returns 404	r.status_code == 404	Pass	0.001s
Unknown property status error	r.get_json()["status"] == "error"	Pass	0.002s
configure(panel_width, panel_height) updates both.	obj.panel_width == "1000px"; obj.panel_height == "800px"	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
configure() with no args leaves values unchanged.	obj.panel.width == original.width;	Pass	0.000s
Lines 303-304: configure(panel_height=...) updates panel_height.	obj.panel.height == original.height obj.panel.height == "700px"	Pass	0.000s
Lines 301-302: configure(panel_width=...) updates panel_width.	obj.panel.width == "900px"	Pass	0.000s
Line 308: get_statistics() returns dict with panel_width and panel_height.	stats["panel_width"] == "750px"; stats["panel_height"] == "550px"	Pass	0.000s
get_statistics() always returns a dict.	isinstance(stats, dict); "panel_width" in stats (+1 more)	Pass	0.000s
PropertyID must be populated in Header (not just PropertyAttributes).	len(empty_header_ids) == 0	Pass	0.003s
property.json must contain at least one property.	len(ids) > 0	Pass	0.004s
Property IDs in propertyhc.json must exist in property.json.	not orphaned	Pass	0.002s
Properties with hazard curves should also have timeseries data.	not missing	Pass	0.001s
propertyts/ files must reference property IDs from property.json.	len(missing) == 0	Pass	1.975s
Property IDs in propertyts/ files must exist in property.json.	not orphaned	Pass	0.004s
Generator does not use sequential format	'GAUGE-{i:' not in src; 'GAUGE-{index' not in src (+3 more)	Pass	0.000s
Generator source uses prop prefix	'PROP-' in src	Pass	0.001s
Generator source uses uuid	'uuid' in src; 'uuid' in src (+1 more)	Pass	0.000s
Uuid4 produces protocol matching ids	GAUGE_ID.RE.match(gauge_id); PROP_ID.RE.match(prop_id) (+2 more)	Pass	0.000s
Accepts valid	PROP_ID.RE.match('PROP-a3f7bc12'); PROP_ID.RE.match('PROP-00000000') (+6 more)	Pass	0.000s
Rejects sequential	not PROP_ID.RE.match('PROP-001'); not PROP_ID.RE.match('PROP-1234') (+3 more)	Pass	0.000s
Rejects uppercase	not PROP_ID.RE.match('PROP-A3F7BC12'); not STORM_ID.RE.match('STORM-C7F4B8E2')	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Test total portfolio value calculation.	total == 2050000	Pass	0.002s
Test value aggregation by state.	'FL' in values; 'TX' in values (+2 more)	Pass	0.001s
Custom filename	PropertyLoader(tmp_path, filename="my_props.json").count(...	Pass	0.002s
Load all returns list	len(PropertyLoader(tmp_path).load_all()) == 3	Pass	0.003s
Missing file empty	PropertyLoader(tmp_path).load_all() == []	Pass	0.000s
Test PropertyID extraction from nested structure.	prop_id is not None; prop_id.startswith("PROP-")	Pass	0.002s
Test property summary generation.	len(summaries) == 3; 'propertyId' in summary (+4 more)	Pass	0.001s
Test loading property portfolio.	len(properties) == 3	Pass	0.003s
Test getting coordinates.	coords is not None; lat == pytest.approx(25.7617, rel=1e-4) (+1 more)	Pass	0.002s
Test getting coordinates for non-existent property.	coords is None	Pass	0.003s
Test getting location data.	location is not None; location['City'] == "Miami" (+1 more)	Pass	0.002s
Test getting location for non-existent property.	location is None	Pass	0.002s
Test finding properties within radius.	len(nearby) >= 1; len(nearby) == 2 (+1 more)	Pass	0.002s
Find by id	PropertyLoader(tmp_path).find_by_id("PROP-001") is not None	Pass	0.001s
List all has property id	"propertyId" in summaries[0]	Pass	0.002s
Test finding property by address.	prop is not None; "PROP-001" == property_loader.get_entity_id(prop)	Pass	0.002s
Test address search is case insensitive.	prop is not None	Pass	0.002s
Test address search with no match.	prop is None	Pass	0.002s
Test finding property by ID.	prop is not None; prop['PropertyHeader']['Location']['City'] == "Miami"	Pass	0.002s
Test finding properties by state.	len(fl_props) == 2; len(tx_props) == 1	Pass	0.004s
Test state search is case insensitive.	len(props) == 2	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Test finding properties by zip code.	<code>len(props) == 1;</code> <code>property_loader.get_entity_id(props[0])</code> <code>== "PROP-001"</code>	Pass	0.002s
Test finding multiple properties in same zip.	<code>len(props) == 1</code>	Pass	0.002s
Passing an unhandled type triggers <code>super().default() → TypeError</code> .	—	Pass	0.000s
Lines 62-64: <code>ground_level</code> falls back to <code>default_elevation</code> .	<code>mapping["ground_level_meters"] == 10.0;</code> <code>mapping["elevation"] == 10.0</code>	Pass	0.000s
Lines 136-137: exception in <code>create_mapping</code> raises <code>ValueError</code> .	—	Pass	0.000s
Found returns mortgage	<code>r.status_code == 200;</code> <code>data["status"] == "success"</code> (+2 more)	Pass	0.001s
Loader exception returns 500	<code>r.status_code == 500</code>	Pass	0.001s
Not found returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.001s
Options returns ok	<code>r.status_code == 200;</code> <code>r.status_code == 200</code>	Pass	0.000s
All properties have nearest gauges	<code>len(missing) == 0</code>	Pass	0.001s
Each property should have at most 1 synthetic gauge.	<code>len(bad) == 0</code>	Pass	0.000s
Every nearest gauge should have <code>gauge_elevation_m</code> .	<code>len(bad) == 0</code>	Pass	0.001s
Line 258: continue when <code>prop_id</code> not in <code>prop_values</code> → no properties → 404.	<code>r.status_code == 404</code>	Pass	0.003s
Line 193: break when <code>prop_id</code> not in <code>prop_values</code> → no properties → 404.	<code>r.status_code == 404</code>	Pass	0.004s
Output json contains generation metadata	<code>"generated_at" in meta;</code> <code>"catchment" in meta</code> (+1 more)	Pass	0.576s
Output json contains properties key	<code>"properties" in data</code>	Pass	1.010s
Property header has property id	<code>"PropertyHeader" in prop;</code> <code>"PropertyAttributes" in prop["PropertyHeader"]</code>	Pass	0.824s
Result data contains locations	<code>len(result["data"]["locations"]) == 3</code>	Pass	1.065s
Full property+mortgage report produces a valid PDF file.	<code>report_path.exists();</code> <code>report_path.suffix == '.pdf'</code> (+1 more)	Pass	0.029s

Test Description	Acceptance Criteria	Result	Time
Mortgage-focused report produces a valid PDF.	<code>report_path.exists();</code> <code>report_path.suffix == '.pdf'</code> (+1 more)	Pass	0.021s
Output directory is created automatically if it doesn't exist.	<code>new_dir.exists(); report_path.exists()</code>	Pass	0.020s
Generated filename includes the property ID.	<code>'PROP-test0001' in report_path.name</code>	Pass	0.020s
Full report PDF should be non-trivial in size (multi-page).	<code>report_path.stat().st_size > 10000</code>	Pass	0.029s
Generated file is a valid PDF (starts with %PDF).	<code>header == b'%PDF-'</code>	Pass	0.026s
Property-only report (no mortgage) produces a valid PDF.	<code>report_path.exists();</code> <code>report_path.suffix == '.pdf'</code> (+1 more)	Pass	0.020s
Report handles minimal/sparse property data without crashing.	<code>report_path.exists();</code> <code>report_path.stat().st_size > 0</code>	Pass	0.015s
Risk-focused report produces a valid PDF.	<code>report_path.exists();</code> <code>report_path.suffix == '.pdf'</code> (+1 more)	Pass	0.015s
Auto-select includes mortgage pages when mortgage data present.	<code>'mortgage_overview' in pages;</code> <code>'mortgage_details' in pages</code>	Pass	0.002s
Auto-select excludes mortgage pages when no mortgage data.	<code>'title_overview' in pages;</code> <code>'mortgage_overview' not in pages</code> (+1 more)	Pass	0.002s
Generator initialises with output directory.	<code>gen.output_dir == tmp_path</code>	Pass	0.002s
Generator lists all registered page modules.	<code>'title_overview' in pages; 'location' in pages</code> (+2 more)	Pass	0.002s
Validates known page names.	<code>'title_overview' in valid; 'location' in valid</code> (+1 more)	Pass	0.002s
Line 174-175: <code>mortgage_data -i</code> includes mortgage pages.	<code>"mortgage_overview" in pages</code>	Pass	0.002s
Line 174 (else): <code>no mortgage_data -i</code> no mortgage pages.	<code>"mortgage_overview" not in pages</code>	Pass	0.002s
Lines 214-216: exception in page <code>-i</code> logged, continue.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 198-199: unknown page <code>-i</code> skip.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 184-185: missing PropertyID <code>-i 'unknown'</code> .	<code>"unknown" in name</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Lines 257-264: mortgage-focused report.	<code>path.exists()</code>	Pass	0.016s
Lines 251-255: property-only report.	<code>path.exists()</code>	Pass	0.014s
Lines 266-276: risk-focused report without mortgage data.	<code>path.exists()</code>	Pass	0.009s
Lines 266-276: risk-focused report with mortgage data.	<code>path.exists()</code>	Pass	0.011s
Line 313: <code>get_page_categories</code> .	"property" in <code>cats</code> ; "mortgage" in <code>cats</code>	Pass	0.002s
Line 285: <code>list_available_pages</code> .	<code>isinstance(pages, list)</code> ; "title_overview" in <code>pages</code>	Pass	0.002s
Lines 69-70: <code>output_dir=None</code> - <code>i</code> uses <code>config.get_property_reports_dir()</code> .	<code>gen.output_dir == prop_dir</code>	Pass	0.002s
Line 315: <code>validate_pages</code> .	"title_overview" in <code>valid</code> ; "bogus_page" in <code>invalid</code>	Pass	0.002s
Categories dict initialized	"property" in <code>gen.categories</code> ; "mortgage" in <code>gen.categories</code> (+1 more)	Pass	0.002s
Explicit output dir path	<code>isinstance(gen.output_dir, Path)</code>	Pass	0.002s
Explicit output dir string	<code>gen.output_dir == tmp_path</code>	Pass	0.002s
No output dir uses config	<code>gen.output_dir == prop_dir</code>	Pass	0.002s
Output dir created	<code>new_dir.exists()</code>	Pass	0.002s
Property pages dict initialized	<code>expected <= set(gen.pages.keys())</code>	Pass	0.002s
Test POST <code>/api/v1/properties/report</code> without body.	<code>response.status_code == 400</code>	Pass	0.000s
Test POST <code>/api/v1/properties/report</code> without <code>propertyId</code> .	<code>response.status_code == 400</code> ; 'Property ID is required' in <code>data['message']</code>	Pass	0.000s
Test POST <code>/api/v1/properties/report</code> with invalid <code>property</code> .	<code>response.status_code == 404</code>	Pass	0.001s
Test GET <code>/api/v1/properties/{id}</code> .	<code>response.status_code == 200</code> ; <code>data['status'] == 'success'</code> (+1 more)	Pass	0.002s
Test GET <code>/api/v1/properties/{id}</code> with invalid ID.	<code>response.status_code == 404</code> ; <code>data['status'] == 'error'</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Test legacy POST /api/v1/generate-property_report endpoint.	response.status_code == 404	Pass	0.002s
Test GET /api/v1/properties.	response.status_code == 200; data['status'] == 'success' (+2 more)	Pass	0.001s
Test OPTIONS preflight request.	response.status_code == 200	Pass	0.000s
Shd has term structure	"term.structure" in pc; "any_flood" in pc["term.structure"]	Pass	0.214s
Shd output file is propertyshd json	(output_dir / "propertyshd.json").exists(); not (output_dir / "propertyhc.json").exists()	Pass	0.218s
shd mode should look for propertytsd/ not propertyts/.	—	Pass	0.000s
She has term structure	"term.structure" in pc; "any_flood" in pc["term.structure"]	Pass	0.218s
She output file is propertyshe json	(output_dir / "propertyshe.json").exists()	Pass	0.211s
she mode should look for propertytse/ not propertyts/.	—	Pass	0.000s
Existing property returns success	r.status_code == 200; r.get_json()["status"] == "success" (+3 more)	Pass	0.004s
Flood events tagged with sequence type	len(events) >= 1; "sequence_type" in events[0]	Pass	0.003s
Missing property returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+1 more)	Pass	0.000s
Nearest gauges enriched with flood stages	len(gauges) >= 1; "flood_stages" in gauges[0]	Pass	0.003s
Options returns ok	r.status_code == 200; r.status_code == 200 (+1 more)	Pass	0.000s
Response has flood events	"flood_events" in data; len(data["flood_events"]) >= 1	Pass	0.005s
Response has nearest gauges	"nearest_gauges" in data	Pass	0.004s
Response has property info	"property_info" in data; "elevation_m" in data["property_info"]	Pass	0.003s
Lines 157-158: gauge.json missing triggers except pass.	r.status_code == 200; ng["flood_stages"] == {}	Pass	0.029s

Test Description	Acceptance Criteria	Result	Time
Lines 134-135: storm_sequences.json missing triggers except pass.	<code>r.status_code == 200; data["status"] == "success" (+1 more)</code>	Pass	0.029s
Property trace includes mortgage	<code>"mortgages" in steps</code>	Pass	0.003s
Property trace includes propertyhc	<code>"propertyhc" in steps</code>	Pass	0.003s
GET /api/v1/propertyts/storms returns storms with correct structure.	<code>response.status_code == 200; data['status'] == 'success' (+8 more)</code>	Pass	0.010s
Storm list must only include storms with property damage.	<code>len(non_flooding) == 0</code>	Pass	0.012s
GET /api/v1/properties/{id}/floods returns flood events for known property.	<code>response.status_code == 200; data['status'] == 'success' (+2 more)</code>	Pass	0.002s
Property with few flood events should still return data from propertyts.	<code>response.status_code == 200; data['status'] == 'success' (+1 more)</code>	Pass	0.002s
GET /api/v1/properties/{id}/floods returns 404 for unknown property.	<code>response.status_code == 404; data['status'] == 'error'</code>	Pass	0.001s
GET /api/v1/properties/{id}/storms returns storm analysis data.	<code>response.status_code == 200; data['status'] == 'success' (+4 more)</code>	Pass	0.004s
GET /api/v1/properties/{id}/storms returns 404 for unknown property.	<code>response.status_code == 404</code>	Pass	0.001s
Property with zero flood events should return empty array, not error.	<code>response.status_code == 200; data['status'] == 'success' (+4 more)</code>	Pass	0.003s
GET /api/v1/propertyts/summary returns portfolio flood summary.	<code>response.status_code == 200; data['status'] == 'success' (+1 more)</code>	Pass	0.003s
Generates per property files	<code>pts_dir.exists(); (pts_dir / "portfolio_flood_summary.json").exists()</code>	Pass	0.000s
Per property files have flood data	<code>"property_id" in data; "nearest_gauges" in data (+1 more)</code>	Pass	0.001s
Portfolio summary has statistics	<code>"total_properties" in s; s["total_properties"] == N_PROPERTIES (+1 more)</code>	Pass	0.002s
np.float64 is converted to Python float by encoder.	<code>isinstance(result, float); abs(result - 3.14) < 1e-10</code>	Pass	0.000s
Lines 69-70: exception returns validation_error dict.	<code>"validation_error" in result; isinstance(result["validation_error"], list) (+2 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
get_required_fields returns expected paths.	len(fields) == 4; "PropertyHeader.Header.PropertyID" in fields (+1 more)	Pass	0.000s
Line 65: location_errors appended when non-empty.	"Location" in errors; len(errors["Location"]) == 2	Pass	0.000s
Line 60: Missing LatitudeDegrees.	"Location" in errors; any("LatitudeDegrees" in e for e in errors["Location"])	Pass	0.000s
Line 62: Missing LongitudeDegrees.	"Location" in errors; any("LongitudeDegrees" in e for e in errors["Location"])	Pass	0.000s
Valid data returns no errors.	property_validate(data) == {}	Pass	0.000s
Close to water increases score	near['vulnerability_score'] > far['vulnerability_score']	Pass	0.000s
Flooded depth computed	r['flood_depth'] == pytest.approx(1.0); r['vulnerability_score'] > 0	Pass	0.000s
High risk recommendations present	any("flood" in rec.lower() for rec in r['recommendations'])	Pass	0.000s
No flood	r['flood_depth'] == 0.0; r['vulnerability_score'] == 0	Pass	0.000s
None elevation returns unknown	r['risk_level'] == 'Unknown'; r['flood_depth'] is None (+1 more)	Pass	0.000s
None flood level returns unknown	r['risk_level'] == 'Unknown'	Pass	0.000s
Result dict keys	set(r.keys()) == {'flood_depth', 'risk_level', 'vulnerabi...	Pass	0.000s
Score capped at 100	r['vulnerability_score'] <= 100	Pass	0.000s
No mortgage returns zero fill	r.status_code == 200; prop["has_mortgage"] is False (+4 more)	Pass	0.004s
No mortgage sequence	r.status_code == 200; prop["has_mortgage"] is False	Pass	0.004s
Basis entry has avg basis bps	"avg_basis_bps" in entry	Pass	0.002s
Basis entry has flood count	"flood_count" in entry	Pass	0.001s
Basis entry has nearest gauges	"nearest_gauges" in entry	Pass	0.002s
Basis entry has property id	"property_id" in entry	Pass	0.003s
Basis table count matches	data["count"] == len(data["basis_table"])	Pass	0.002s
Basis table length	r.get_json()["count"] == 2	Pass	0.002s
Results must be sorted highest avg_basis_bps first.	bases == sorted(bases, reverse=True)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Nearest gauge has distance km	"distance_km" in entry["nearest_gauges"][0]	Pass	0.002s
Nearest gauge has gauge id	"gauge_id" in entry["nearest_gauges"][0]	Pass	0.002s
No data returns 404	r.status_code == 404	Pass	0.000s
No data status error	r.get_json()["status"] == "error"	Pass	0.000s
Options returns 200	r.status_code == 200	Pass	0.000s
Options status ok	r.get_json()["status"] == "ok"	Pass	0.000s
Response has basis table	"basis_table" in r.get_json()	Pass	0.002s
Response has count	"count" in r.get_json()	Pass	0.002s
Returns 200 with data	r.status_code == 200	Pass	0.002s
Status is success	r.get_json()["status"] == "success"	Pass	0.002s
Empty basis table is list	isinstance(r.get_json()["basis_table"], list)	Pass	0.002s
Empty count is zero	r.get_json()["count"] == 0	Pass	0.002s
Empty returns 200	r.status_code == 200	Pass	0.002s
Distribution avg basis bps	"avg_basis_bps" in dist; dist["avg_basis_bps"] >= 0	Pass	0.002s
Distribution avg flood count	"avg_flood_count" in dist; dist["avg_flood_count"] > 0	Pass	0.002s
Distribution max depth m	"max_depth_m" in dist; dist["max_depth_m"] > 0	Pass	0.002s
Distribution num properties	dist["num_properties"] == 2	Pass	0.003s
No data message mentions command	"port" in r.get_json()["message"].lower() or "propertyhc"...	Pass	0.001s
No data returns 404	r.status_code == 404; r.status_code == 404	Pass	0.000s
No data status is error	r.get_json()["status"] == "error"	Pass	0.000s
Options returns 200	r.status_code == 200; r.status_code == 200	Pass	0.000s
Options status ok	r.get_json()["status"] == "ok"; r.get_json()["status"] == "ok"	Pass	0.000s
Response has data key	"data" in r.get_json(); "data" in r.get_json()	Pass	0.002s
Response has distribution	"distribution" in r.get_json()["data"]	Pass	0.003s
Response has metadata	"metadata" in r.get_json()["data"]	Pass	0.002s
Response has summary	"summary" in r.get_json()["data"]	Pass	0.002s
Returns 200 with data	r.status_code == 200	Pass	0.002s
Status is success	r.get_json()["status"] == "success"	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Empty curves avg flood count is zero	<code>r.get_json()["data"]["distribution"]["avg_flood_count"] == 0</code>	Pass	0.002s
Empty curves num properties is zero	<code>r.get_json()["data"]["distribution"]["num_properties"] == 0</code>	Pass	0.001s
Empty curves returns 200	<code>r.status_code == 200</code>	Pass	0.001s
When no natural measures, recommendation should appear.	<code>isinstance(result, list)</code>	Pass	0.000s
Natural measures section rendered	<code>any("Natural" in t for t in texts)</code>	Pass	0.000s
Empty property returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Empty protection measures dict shows fallback	<code>any("No protection" in t for t in texts)</code>	Pass	0.000s
No protection measures shows fallback	<code>any("No protection" in t or "Protection" in t for t in texts)</code>	Pass	0.000s
Full protection fewer recommendations	<code>isinstance(result, list)</code>	Pass	0.001s
Generate protection recommendations returns dict	<code>isinstance(result, dict)</code>	Pass	0.000s
Missing critical measures in recommendations	<code>isinstance(result, list)</code>	Pass	0.000s
Recommendations all natural false	<code>"Natural Solutions" in result</code>	Pass	0.000s
Recommendations flood re eligible	<code>"Insurance" in result</code>	Pass	0.000s
Recommendations missing critical	<code>"Priority Installations" in result</code>	Pass	0.000s
Recommendations section always rendered	<code>any("Recommendation" in t for t in texts)</code>	Pass	0.000s
All installed excellent rating	<code>any("Resilience" in t or "Protection" in t for t in texts)</code>	Pass	0.000s
Building measures listed	<code>isinstance(result, list)</code>	Pass	0.000s
8 of 10 = 80% → Excellent.	<code>isinstance(result, list)</code>	Pass	0.000s
4 of 10 = 40% → Fair.	<code>isinstance(result, list)</code>	Pass	0.000s
6 of 10 = 60% → Good.	<code>isinstance(result, list)</code>	Pass	0.000s
2 of 10 = 20% → Limited.	<code>isinstance(result, list)</code>	Pass	0.000s
0 of 10 = 0% → Poor.	<code>isinstance(result, list)</code>	Pass	0.000s
Critical measures listed	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Emergency measures listed	<code>isinstance(result, list)</code>	Pass	0.000s
Uncategorised measure still shown	<code>isinstance(result, list)</code>	Pass	0.000s
Excess amount shown	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Insurance premium shown	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Other risk fields shown	<code>isinstance(result, list); len(result) > 1</code>	Pass	0.000s
Recommendations include flood re	<code>isinstance(result, list)</code>	Pass	0.000s
Risk assessment section rendered	<code>any("Insurance" in t for t in texts)</code>	Pass	0.000s
All entity ID suffixes are exactly 8 characters.	<code>all(v == 8 for v in suffix_lengths.values())</code>	Pass	0.000s
<code>str(uuid.uuid4())[:8]</code> always yields lowercase hex.	<code>suffix == suffix.lower(); re.match(r'^[0-9a-f]{8}\$', suffix)</code>	Pass	0.001s
All four entity types use <code>str(uuid4())[:8]</code> — same derivation, same format.	<code>pattern.match(entity_id)</code>	Pass	0.000s
All exports	<code>'ClaimReportGenerator' in pkg.__all__</code>	Pass	0.000s
Import from package	<code>ClaimReportGenerator is not None</code>	Pass	0.000s
Current exceeds original is capped	<code>result["Mortgage"]["LoanDetails"]["CurrentBalance"] <= 40...</code>	Pass	0.000s
Interest over 15 capped	<code>result["Mortgage"]["LoanDetails"]["InterestRate"] == 12.0</code>	Pass	0.000s
Interest under 1 raised	<code>result["Mortgage"]["LoanDetails"]["InterestRate"] == 2.0</code>	Pass	0.000s
Ltv over 100 capped at 95	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 95</code>	Pass	0.000s
Ltv under 10 set to 60	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 60</code>	Pass	0.000s
Valid data unchanged	<code>result["Mortgage"]["LoanDetails"]["CurrentBalance"] == 35...; result["Mortgage"]["LoanDetails"]["LTV"] == 80 (+1 more)</code>	Pass	0.000s
Current exceeds original is capped to 95pct	<code>result["Mortgage"]["LoanDetails"]["CurrentBalance"] <= 30...</code>	Pass	0.000s
Current within original unchanged	<code>result["Mortgage"]["LoanDetails"]["CurrentBalance"] == 35...</code>	Pass	0.000s
Delegates to random module when method present	<code>result is sentinel</code>	Pass	0.000s
Ltv over 100 set to 95	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 95</code>	Pass	0.000s
Ltv under 10 set to 60	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 60</code>	Pass	0.000s
Valid ltv unchanged	<code>result["Mortgage"]["LoanDetails"]["LTV"] == 75</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Get raci matrix	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+3 more)	Pass	0.002s
Get raci matrix file missing	<code>response.status_code == 404</code>	Pass	0.000s
Update raci activity	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+3 more)	Pass	0.003s
Update raci activity invalid role	<code>response.status_code == 400</code>	Pass	0.002s
Update raci escalation	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+3 more)	Pass	0.003s
Update raci role	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+3 more)	Pass	0.003s
Update raci role not found	<code>response.status_code == 404</code>	Pass	0.002s
No raci data returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.000s
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.003s
Tier emphasis updated	<code>r.status_code == 200;</code> <code>activities[0]["tier_emphasis"] == "Tier 1 focus"</code>	Pass	0.004s
No raci data returns 404	<code>r.status_code == 404; r.status_code == 404</code>	Pass	0.000s
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.002s
Save raci failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code> (+4 more)	Pass	0.002s
Remaining zero uses base amplitude	<code>isinstance(level, float)</code>	Pass	0.000s
Failure metadata covers key tests	<code>name in dl_mod.FAILURE.METADATA;</code> <code>'principle' in meta</code> (+2 more)	Pass	0.000s
Recon table has principle column	<code>'BCBS Principle(s)' in header_row</code>	Pass	0.000s
Record and reload	<code>"gaugehd" in manifest["steps"];</code> <code>manifest["steps"]["gaugehd"]["run_id"] == "run-test-001"</code> (+4 more)	Pass	0.007s
Record with auto run id	<code>entry["run_id"].startswith("run-")</code>	Pass	0.002s
Empty EndDate returns default tenor of 5.	<code>result == 5</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Invalid date format returns default tenor of 5 (ValueError path).	<code>result == 5</code>	Pass	0.000s
Missing EndDate key returns default tenor of 5.	<code>result == 5</code>	Pass	0.000s
None EndDate returns default tenor of 5 (TypeError path).	<code>result == 5</code>	Pass	0.000s
Valid far-future EndDate returns positive tenor.	<code>result >= 1</code>	Pass	0.000s
Compliant run is suitable	<code>'suitable for regulatory risk reporting' in texts</code>	Pass	0.000s
Issues run not suitable	<code>'not suitable for regulatory risk reporting' in texts; 'COMPLIANT' not in texts.replace('PARTIALLY ...</code>	Pass	0.001s
Remediation lists stale steps	<code>'Stale data' in texts; 'hazard' in texts</code>	Pass	0.001s
When lineage_results has a known failure, remediation cites it.	<code>'PARTIALLY COMPLIANT' in texts or 'NON-COMPLIANT' in texts</code>	Pass	0.001s
Shows strengths and weaknesses	<code>'Strengths' in texts; 'Weaknesses' in texts</code>	Pass	0.001s
Steps with empty output directories are skipped.	<code>"propertyts" in result["skipped"]</code>	Pass	0.021s
Repair with no existing manifest creates entries for all steps.	<code>len(result["repaired"]) == len(STEP_IO); result["skipped"] == [] (+2 more)</code>	Pass	0.028s
Repaired hashes must match current file content.	<code>recorded_hash == hash_file(gauge_file)</code>	Pass	0.012s
Running repair twice produces identical hashes.	<code>out_info["hash"] == data2["steps"][step]["outputs"][out.n...</code>	Pass	0.027s
Input hashes recorded by repair should match the producer's output hash.	<code>gauges_out == props_in</code>	Pass	0.019s
Repair keeps run_id, timestamp, generator from existing entries.	<code>"gauges" in result["repaired"]; gauges_entry["run_id"] == "run-original" (+3 more)</code>	Pass	0.031s
Repair uses repair-YYYYMMDD-HHMMSS as run_id for new entries.	<code>gauges_entry["run_id"].startswith("repair-P</code>	Pass	0.003s
Steps whose outputs don't exist on disk are skipped.	<code>"gauges" in result["repaired"]; "properties" in result["skipped"] (+1 more)</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
Repair adds a runs entry listing all repaired steps.	<code>len(repair_runs) == 1;</code> <code>set(data["runs"][repair_runs[0]])</code> <code>== set(result["repaired"])</code>	Pass	0.020s
Default <code>report_type</code> (no <code>-report-type</code> flag) hits the else branch	—	Pass	0.005s
Lines 349-351: success-logging block executes without error.	—	Pass	0.004s
Lines 444-445: monitoring without <code>timeseries_data</code> → condition False → else.	—	Pass	0.005s
Lines 442-443: <code>-report-type analysis</code> → <code>generate_analysis_report</code> path.	—	Pass	0.006s
Lines 344-345: <code>-report-type analysis</code> → <code>generate_analysis_report</code> path executed.	—	Pass	0.004s
Lines 438-439: <code>-report-type basic</code> → <code>generate_basic_report</code> path.	—	Pass	0.007s
Lines 338-339: <code>-report-type basic</code> → <code>generate_basic_report</code> path executed.	—	Pass	0.008s
Lines 340-341: <code>-report-type detailed</code> → <code>generate_detailed_report</code> path executed.	—	Pass	0.004s
Lines 346-347: <code>unmapped report_type</code> → <code>generate_report(pages_to_include=args.pages)</code> .	—	Pass	0.007s
Lines 444-445: <code>-report-type full</code> (not basic/monitoring/analysis) → else branch.	—	Pass	0.005s
Lines 440-441: <code>-report-type monitoring + timeseries</code> → monitoring path.	—	Pass	0.005s
Lines 499-500: <code>-report-type mortgage-focused + mortgage file</code> → focused report.	—	Pass	0.006s
Lines 499 condition False (no mortgage_data) → falls to else branch	—	Pass	0.005s
Lines 497-498: <code>-report-type property-only</code> → <code>generate_property_only_report</code> .	—	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Lines 501-502: <code>-report-type risk-focused</code> → <code>generate_risk_focused_report</code> .	—	Pass	0.007s
Lines 342-343: <code>-report-type summary</code> → <code>generate_summary_report</code> path executed.	—	Pass	0.007s
Lines 447-449: success-logging block runs after generation.	—	Pass	0.005s
Lines 506-508: success-logging block runs after a successful generation.	—	Pass	0.004s
reports.py lines 87-88: gaugehd file read error -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.031s
reports.py lines 135-140: general Exception -i 500.	<code>r.status_code == 500; "disk full" in r.get_json()["message"]</code>	Pass	0.030s
reports.py lines 100-101: hazard file read error -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.030s
reports.py lines 128-133: ImportError -i 500.	<code>r.status_code == 500; "not available" in r.get_json()["message"].lower()</code>	Pass	0.029s
reports.py lines 70-72: storm_responses loaded -i time-series_data set.	<code>r.status_code == 200</code>	Pass	0.029s
reports.py lines 73-74: timeseries load failure -i warning, continues.	<code>r.status_code == 200</code>	Pass	0.030s
Field is dict[overall risk rating] [field='overall_risk_rating']	<code>field in m; isinstance(m[field], dict)</code>	Pass	0.000s
Field is dict[coverage] [field='test_coverage']	<code>field in m; isinstance(m[field], dict)</code>	Pass	0.000s
Field is list[assumptions] [field='assumptions']	<code>field in m; isinstance(m[field], list)</code>	Pass	0.000s
Field is list[downstream models] [field='downstream_models']	<code>field in m; isinstance(m[field], list)</code>	Pass	0.000s
Field is list[limitations] [field='limitations']	<code>field in m; isinstance(m[field], list)</code>	Pass	0.000s
Field is list[upstream models] [field='upstream_models']	<code>field in m; isinstance(m[field], list)</code>	Pass	0.000s
Field is string[category] [field='category']	<code>field in m; isinstance(m[field], str)</code> (+1 more)	Pass	0.000s
Field is string[description] [field='description']	<code>field in m; isinstance(m[field], str)</code> (+1 more)	Pass	0.000s
Field is string[name] [field='name']	<code>field in m; isinstance(m[field], str)</code> (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Field is string[owner] [field='owner']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[status] [field='status']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Field is string[version] [field='version']	field in m; isinstance(m[field], str) (+1 more)	Pass	0.000s
Case insensitive	resolve_model_id("GEV") == "MKM-GH-001"	Pass	0.000s
Depth damage maps to dd	resolve_model_id("depth_damage") == "MKM-DD-001"	Pass	0.000s
Distribution maps to si	resolve_model_id("distribution") == "MKM-SI-001"	Pass	0.000s
Mkm prefix returned as is	resolve_model_id("MKM-GH-001") == "MKM-GH-001"	Pass	0.001s
Shorthand gev resolved	resolve_model_id("gev") == "MKM-GH-001"	Pass	0.000s
Shorthand intensity resolved	resolve_model_id("intensity") == "MKM-SI-001"	Pass	0.000s
Shorthand mortgage resolved	resolve_model_id("mortgage") == "MKM-MP-001"	Pass	0.000s
Shorthand prs resolved	resolve_model_id("prs") == "MKM-PR-001"	Pass	0.000s
Spatial maps to sp	resolve_model_id("spatial") == "MKM-SP-001"	Pass	0.000s
Unknown shorthand returned as is	resolve_model_id("unknown_model") == "unknown_model"	Pass	0.000s
If all prerequisites are fresh, returns empty list.	result == []	Pass	0.001s
Upstream never recorded but outputs exist -i skip it.	"gauges" not in result	Pass	0.000s
Upstream never recorded and outputs missing -i needs to run.	"gauges" in result	Pass	0.000s
Multiple targets: prerequisites are union of both.	"gauges" in result; "counterparties" in result	Pass	0.000s
Without data_dir, missing manifest entries -i prerequisite needed.	"gauges" in result	Pass	0.000s
Root steps (gauges) have no prerequisites.	result == []	Pass	0.000s
Upstream recorded but inputs stale -i needs to run.	"properties" in result	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Target steps themselves should never appear in prerequisites.	"propertyts" not in result	Pass	0.000s
Prerequisites are returned in valid topological order.	result.index("gauges") < result.index("properties"); result.index("gauges") < result.index("gaugehd") (+1 more)	Pass	0.000s
Deep chain: if gauges missing, all downstream prereqs needed.	"gauges" in result; "properties" in result (+4 more)	Pass	0.000s
Unknown step returns empty list.	result == []	Pass	0.000s
Retention mentions reproducibility	'Principle 5/6' in texts; 'Reproducibility' in texts	Pass	0.000s
100yr greater than 10yr	i100 > i10	Pass	0.000s
Ordering 10 50 100	i10 < i50 < i100	Pass	0.000s
Result in bounds	d.params.min_intensity <= v <= d.params.max_intensity	Pass	0.000s
Storms per year affects result	many > few	Pass	0.000s
Returns dict with total storms	isinstance(result, dict); "total_storms" in result (+1 more)	Pass	0.002s
Returns elapsed s	"elapsed_s" in result; result["elapsed_s"] >= 0	Pass	0.002s
revalue_all(trades, None) loads market state internally.	len(enriched) == 1; enriched[0]['swap_id'] == 'PRS-TEST001' (+1 more)	Pass	0.002s
Combined mode with mortgage	isinstance(result, list) and len(result) > 0	Pass	0.000s
Empty property does not crash	isinstance(self._page().generate_elements(list)	Pass	0.000s
Has risk header	any("Risk" in t for t in texts)	Pass	0.000s
Has table	any(isinstance(e, Table) for e in result)	Pass	0.000s
Property only mode	isinstance(result, list) and len(result) > 0	Pass	0.000s
Returns list	isinstance(self._page().generate_elements(list)	Pass	0.000s
Canal distance shown	isinstance(result, list)	Pass	0.000s
Empty property does not crash	isinstance(self._page().generate_elements(list)	Pass	0.000s
Flood risk type shown	isinstance(result, list)	Pass	0.000s
Has risk header	any("Risk" in t for t in texts)	Pass	0.001s
Has table	any(isinstance(e, Table) for e in result)	Pass	0.000s
Lake distance shown	isinstance(result, list)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Last flood date shown	<code>isinstance(result, list)</code>	Pass	0.001s
No defence scheme	<code>isinstance(result, list)</code>	Pass	0.000s
No ea zone	<code>isinstance(result, list)</code>	Pass	0.000s
No last flood date	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(self._page().generate_elements(Links_property), list)</code>	Pass	0.001s
Line 257: non-numeric → delegates to <code>_format_value</code> .	<code>page._format_count(None) == "Not specified"</code>	Pass	0.000s
Line 256: numeric → comma-formatted.	<code>"1,234,567" in result</code>	Pass	0.000s
Line 239: non-numeric → delegates to <code>_format_value</code> .	<code>result == "Not specified"</code>	Pass	0.000s
Line 238: numeric → £ formatted.	<code>"£" in result; "1,234,567" in result</code>	Pass	0.000s
Line 251: non-numeric → delegates to <code>_format_value</code> .	<code>page._format_depth("N/A") == "N/A"</code>	Pass	0.000s
Line 250: numeric → formatted with 'm'.	<code>"1.50m" in result</code>	Pass	0.000s
Lines 204-215: camelCase → 'Camel Case'.	<code>"Risk" in result</code>	Pass	0.000s
Lines 207-213: abbreviation replacements applied.	<code>"ID" in result</code>	Pass	0.000s
Line 245: non-numeric → delegates to <code>_format_value</code> .	<code>page._format_percentage(None) == "Not specified"</code>	Pass	0.000s
Line 244: numeric → formatted with %.	<code>"%" in result; "12.3" in result</code>	Pass	0.000s
Line 222: False → 'No'.	<code>page._format_value(False) == "No"</code>	Pass	0.000s
Line 222: True → 'Yes'.	<code>page._format_value(True) == "Yes"</code>	Pass	0.000s
Lines 230-231: blank string → 'Not specified'.	<code>page._format_value(" ") == "Not specified"</code>	Pass	0.000s
Lines 226-227: float with fractional part → 2dp string.	<code>result == "3.14"</code>	Pass	0.000s
Lines 224-225: float with no fractional part → int string.	<code>page._format_value(5.0) == "5"</code>	Pass	0.000s
Lines 228-229: integer → plain string.	<code>page._format_value(42) == "42"</code>	Pass	0.000s
Lines 232-233: non-empty string → passed through.	<code>page._format_value("hello") == "hello"</code>	Pass	0.000s
Line 220: None → 'Not specified'.	<code>page._format_value(None) == "Not specified"</code>	Pass	0.000s
High risk	<code>classify_risk_level(3.0) == "HIGH"</code>	Pass	0.000s
Low risk	<code>classify_risk_level(0.3) == "LOW"</code>	Pass	0.000s
Medium risk	<code>classify_risk_level(1.0) == "MEDIUM"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Minimal risk	<code>classify_risk_level(0.0) == "MINIMAL"</code>	Pass	0.000s
Get risk rating calculation	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+5 more)	Pass	0.002s
Risk rating clear override	<code>response.status_code == 200;</code> <code>rr["mrc_override"] is None</code> (+1 more)	Pass	0.005s
Risk rating override	<code>response.status_code == 200;</code> <code>rr["mrc_override"] == "Unacceptable"</code> (+3 more)	Pass	0.004s
Risk rating override invalid rating	<code>response.status_code == 400</code>	Pass	0.002s
Risk rating override requires reason	<code>response.status_code == 400</code>	Pass	0.002s
Line 210: inventory not found → 404.	<code>r.status_code == 404</code>	Pass	0.001s
Lines 126-134: <code>_auto_select_pages</code> returns known pages.	<code>isinstance(pages, list); len(pages) > 0</code>	Pass	0.001s
Empty gauge data	<code>RiskReportGenerator(output_dir).generate_basic_report()</code>	Pass	0.015s
Lines 162-164: page raises → continue to next.	<code>isinstance(elements, list)</code>	Pass	0.002s
Lines 148-149: unknown page → warning, skipped.	<code>isinstance(elements, list)</code>	Pass	0.001s
Line 265: <code>get_page_categories</code> .	<code>isinstance(cats, dict)</code>	Pass	0.001s
High risk portfolio report	<code>RiskReportGenerator(output_dir).generate_detailed_report()</code>	Pass	0.022s
Line 261: <code>list_available_pages</code> .	<code>isinstance(pages, list); len(pages) > 0</code>	Pass	0.001s
Minimal data report	<code>RiskReportGenerator(output_dir).generate_basic_report()</code>	Pass	0.014s
Missing mortgage data	<code>RiskReportGenerator(output_dir).generate_detailed_report()</code>	Pass	0.021s
Lines 60-62: <code>output_dir=None</code> → uses <code>config.get_risk_reports_dir()</code> .	<code>gen.output_dir == risk_dir</code>	Pass	0.000s
Lines 270-336: <code>validate_pages</code> .	<code>"title" in valid;</code> <code>"nonexistent" in invalid</code>	Pass	0.001s
Analysis report generation	<code>report_path.exists();</code> <code>report_path.stat().st_size > 0</code>	Pass	0.018s
Basic report generation	<code>report_path.exists();</code> <code>report_path.suffix == ".pdf"</code> (+1 more)	Pass	0.021s
Custom filename	<code>report_path.name == custom_name;</code> <code>report_path.exists()</code>	Pass	0.016s
Custom page selection	<code>report_path.exists()</code>	Pass	0.012s
Detailed report generation	<code>report_path.exists();</code> <code>report_path.stat().st_size > 0</code>	Pass	0.022s

Test Description	Acceptance Criteria	Result	Time
Summary report generation	<code>report_path.exists();</code>	Pass	0.009s
Categories dict initialized	<code>report_path.stat().st_size > 0</code> "overview" in <code>gen.categories;</code> "analysis" in <code>gen.categories</code> (+1 more)	Pass	0.001s
Explicit output dir path	<code>isinstance(gen.output_dir, Path)</code>	Pass	0.001s
Explicit output dir string	<code>gen.output_dir == tmp_path</code>	Pass	0.001s
output_dir=None → falls back to <code>config.get_reports_dir('risk')</code> .	<code>gen.output_dir == risk_dir</code>	Pass	0.001s
Output dir created	<code>new_dir.exists()</code>	Pass	0.001s
Pages dict initialized	<code>expected <= set(gen.pages.keys())</code>	Pass	0.001s
Get page categories	<code>isinstance(categories, dict); key in categories</code>	Pass	0.001s
List available pages	<code>isinstance(pages, list); key in pages</code>	Pass	0.001s
Validate pages invalid	"title" in <code>valid;</code> "nonexistent-page" in <code>invalid</code>	Pass	0.001s
Validate pages valid	<code>len(valid) == 2; len(invalid) == 0</code>	Pass	0.001s
Complete workflow all types	<code>p.exists(); p.stat().st_size > 0</code>	Pass	0.063s
Complete workflow basic	<code>report_path.exists();</code> <code>report_path.suffix == ".pdf"</code> (+1 more)	Pass	0.016s
High risk label	"High Risk" in <code>str(elements)</code>	Pass	0.000s
Low risk label	"Low Risk" in <code>str(elements)</code>	Pass	0.000s
Moderate risk label	"Moderate Risk" in <code>str(elements)</code>	Pass	0.000s
Non numeric score formatted	<code>isinstance(elements, list)</code>	Pass	0.000s
Very high risk label	"Very High Risk" in <code>str(elements)</code>	Pass	0.001s
Clay soil adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
Close river adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
High flood risk adds 3	<code>result["score"] >= 3</code>	Pass	0.000s
High score level	<code>result["level"] == "High Risk"</code>	Pass	0.000s
Low elevation adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Low flood risk adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
Low medium score level	<code>result["level"] in ("Medium Risk", "Low-Medium Risk")</code>	Pass	0.000s
Low risk level	<code>result["level"] == "Low Risk"</code>	Pass	0.000s
Medium flood risk adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Medium score level	"Medium" in <code>result["level"]</code> or <code>result["score"] >= 4</code>	Pass	0.000s
Moderate elevation adds 1	<code>result["score"] >= 1</code>	Pass	0.000s
No risk factors message	"No major" in <code>result["primary_factors"]</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Peat soil adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Returns all keys	<code>k in result</code>	Pass	0.000s
Very close river adds 2	<code>result["score"] >= 2</code>	Pass	0.000s
Very high flood risk adds 4	<code>result["score"] >= 4</code>	Pass	0.000s
Very high score level	<code>result["level"] == "Very High Risk"</code>	Pass	0.000s
Very low elevation adds 3	<code>result["score"] >= 3</code>	Pass	0.000s
Close 100 to 500m	<code>isinstance(result, list)</code>	Pass	0.000s
Good distance over 1000m	<code>isinstance(result, list)</code>	Pass	0.001s
Moderate 500 to 1000m	<code>isinstance(result, list)</code>	Pass	0.000s
Very close under 100m	<code>isinstance(result, list)</code>	Pass	0.001s
GET <code>/governance/data-lineage</code> gracefully handles <code>_check_staleness</code> error.	<code>resp.status_code == 200;</code> <code>data["pipeline_steps"] == []</code>	Pass	0.001s
GET <code>/governance/data-lineage/staleness</code> returns 500 on error.	<code>resp.status_code == 500;</code> <code>data["status"] == "error"</code>	Pass	0.000s
GET <code>/governance/data-lineage/trace</code> returns 500 on <code>_trace_data</code> error.	<code>resp.status_code == 500;</code> <code>data["status"] == "error" (+1 more)</code>	Pass	0.000s
Appends started header	<code>any("=" * 10 in ln for ln in lines);</code> <code>any("Audit run complete" in ln for ln in lines)</code>	Pass	0.001s
Error line appended on exception	<code>any("ERROR" in ln for ln in lines)</code>	Pass	0.001s
Handles exception gracefully	<code>tr_mod._running is False</code>	Pass	0.001s
Sets running false on completion	<code>tr_mod._running is False</code>	Pass	0.001s
Setting <code>_batch_job</code> to None mid-run stops processing.	<code>call_count == 1;</code> <code>cl_mod._batch_job is None</code>	Pass	0.000s
Failed gauge training is recorded as 'failed' in results.	<code>cl_mod._batch_job["status"] == "complete";</code> <code>results[0]["status"] == "trained" (+2 more)</code>	Pass	0.000s
Batch trains gauges and records timings.	<code>cl_mod._batch_job["status"] == "complete";</code> <code>cl_mod._batch_job["completed"] == 2 (+5 more)</code>	Pass	0.001s
Each gauge has <code>gauge_id</code> , <code>gauge_name</code> , <code>p_flood</code> , <code>p_flood_pct</code> , <code>threshold</code> ,	<code>'gauge_id' in g;</code> <code>'gauge_name' in g (+8 more)</code>	Pass	0.025s
Response has <code>gauges_severe</code> as list of <code>gauge_ids</code> ; for STORM_PORT_SEVERE	<code>'gauges_severe' in data;</code> <code>isinstance(data['gauges_severe'], list) (+2 more)</code>	Pass	0.032s

Test Description	Acceptance Criteria	Result	Time
gauges_warning list includes GAUGE-002.	'gauges_warning' in data; isinstance(data['gauges_warning'], list) (+2 more)	Pass	0.029s
Response has 'gauges' list.	'gauges' in data; isinstance(data['gauges'], list)	Pass	0.030s
Response has portfolio_stress_pnl, portfolio_mtm, num_gauges.	'portfolio_stress_pnl' in data; 'portfolio_mtm' in data (+1 more)	Pass	0.025s
POST with non-existent storm_id returns 404.	resp.status_code == 404	Pass	0.007s
POST with no body or empty storm_id returns 400.	resp.status_code == 400	Pass	0.000s
POST STORM-PORT-001 returns 200 with status=success.	resp.status_code == 200; data['status'] == 'success'	Pass	0.034s
Each hour has water_level, p_flood, portfolio fields.	'hour' in h; 'water_level' in h (+4 more)	Pass	0.036s
Non-existent storm returns 404.	resp.status_code == 404	Pass	0.008s
Severe storm triggers knock-out (P(flood)=100%).	data['hourly'][first_breach]['p_flood'] == 1.0; h['p_flood'] is None	Pass	0.031s
Missing gauge_id or storm_id returns 400.	resp.status_code == 400	Pass	0.000s
No JSON body returns error.	resp.status_code in (400, 500)	Pass	0.001s
Response includes portfolio-level stress summary.	'num_trades' in summary; 'total_notional' in summary (+5 more)	Pass	0.042s
Response includes probability surface grid.	'probability_surface' in data; 'water_levels' in surface (+7 more)	Pass	0.032s
POST returns 168-hour forecast array.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.028s
Response includes per-trade summary.	'trades' in data; len(data['trades']) == 2 (+4 more)	Pass	0.034s
Surface water levels cap at severe – no rows above severe.	max(surface['water_levels']) <= severe	Pass	0.035s
Surface must cover full 168h storm horizon regardless of KO.	max(surface['hours']) >= 164	Pass	0.025s
Empty gauge_id returns 400.	resp.status_code == 400	Pass	0.000s
No open trades at gauge returns 404.	resp.status_code == 404	Pass	0.003s
Null JSON body returns 400.	resp.status_code == 400	Pass	0.000s
Gaugets file present uses hydrograph built from real readings.	resp.status_code == 200; data['status'] == 'success'	Pass	0.040s

Test Description	Acceptance Criteria	Result	Time
Already running message	<code>data["status"] == "running";</code> <code>"message" in data (+1 more)</code>	Pass	0.000s
Already running returns 202	<code>resp.status_code == 202</code>	Pass	0.001s
Response has started status	<code>data["status"] == "started"</code>	Pass	0.001s
Starts run returns 202	<code>resp.status_code == 202</code>	Pass	0.001s
Empty running pnl returns drawing	<code>isinstance(result, Drawing)</code>	Pass	0.000s
All positive	<code>np.all(M > 0.0)</code>	Pass	0.000s
Empirical pairwise correlation approximately matches model correlation for large samples.	<code>abs(emp_corr[i, j] - model_corr[i, j]) < 0.15</code>	Pass	0.006s
Higher intensity -i longer range -i more spatially coherent (lower variance).	<code>np.mean(vars_extreme) <</code> <code>np.mean(vars_moderate)</code>	Pass	0.008s
Normalisation ensures catchment mean is preserved.	<code>M.mean() == pytest.approx(1.0,</code> <code>abs=1e-10)</code>	Pass	0.000s
Pre-normalisation, $E[M] = \exp(\sigma^2/2) / \exp(\sigma^2/2) = 1$ theoretically.	<code>np.mean(pre_norms) ==</code> <code>pytest.approx(1.0, abs=0.05)</code>	Pass	0.002s
Reproducible with seed	<code>np.allclose(M1, M2)</code>	Pass	0.000s
Shape	<code>M.shape == (small_model.n_gauges,)</code>	Pass	0.000s
When rng is None, falls back to <code>np.random.randn</code> (line 251).	<code>M.shape == (model.n_gauges,); M.mean()</code> <code>== pytest.approx(1.0, abs=1e-10) (+1 more)</code>	Pass	0.000s
Catastrophic weights: 15% doublet, 45% cluster, 40% persistent.	<code>doublets < 150</code>	Pass	0.003s
Defined <code>categories[catastrophic]</code> <code>[cat='catastrophic']</code>	<code>result in [SequenceType.DOUBLET,</code> <code>SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Defined <code>categories[extreme]</code> <code>[cat='extreme']</code>	<code>result in [SequenceType.DOUBLET,</code> <code>SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Defined <code>categories[moderate]</code> <code>[cat='moderate']</code>	<code>result in [SequenceType.DOUBLET,</code> <code>SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Defined <code>categories[severe]</code> <code>[cat='severe']</code>	<code>result in [SequenceType.DOUBLET,</code> <code>SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Returns sequence type	<code>isinstance(result, SequenceType);</code> <code>result in [SequenceType.DOUBLET,</code> <code>SequenceType.CLUSTER, Se...</code>	Pass	0.000s
Unknown category uses <code>DEFAULT_TYPE_WEIGHTS</code> .	<code>isinstance(result, SequenceType)</code>	Pass	0.000s
Lines 122-123: 30% chance subsequent storm goes down.	<code>below_base > 10</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Storm index 0 has downward variation (up to -20%).	<code>all(r <= base + 0.001 for r in results)</code>	Pass	0.001s
First storm returns positive	<code>result > 0</code>	Pass	0.000s
Result should be within +/-20% of base for first storm.	<code>all(r >= lower - 0.001 for r in results); all(r <= upper + 0.001 for r in results)</code>	Pass	0.001s
70% chance of maintaining/increasing subsequent storm intensity.	<code>above_base > 100</code>	Pass	0.000s
Subsequent storm positive	<code>result > 0</code>	Pass	0.000s
<code>max(0.1, ...)</code> prevents zero or negative intensity.	<code>result >= 0.1</code>	Pass	0.000s
Different seeds different output	<code>d1.sample(10) != d2.sample(10)</code>	Pass	0.000s
Sample n returns correct length	<code>len(samples) == 100</code>	Pass	0.000s
Sample single	<code>d.params.min_intensity <= v <= d.params.max_intensity</code>	Pass	0.000s
Samples within bounds	<code>all(d.params.min_intensity <= s <= d.params.max_intensity...</code>	Pass	0.001s
Seeded reproducibility	<code>s1 == s2</code>	Pass	0.000s
Bool passed through	<code>result["flag"] is True</code>	Pass	0.000s
Empty params	<code>result == {}</code>	Pass	0.000s
Float passed through	<code>result["rate"] == 0.05</code>	Pass	0.000s
Int passed through	<code>result["n"] == 42</code>	Pass	0.000s
Long list summarised	<code>isinstance(result["items"], str); "15 items" in result["items"]</code>	Pass	0.000s
None passed through	<code>result["x"] is None</code>	Pass	0.000s
Object converted to string	<code>result["obj"] == "my-object"</code>	Pass	0.000s
Short list converted to str	<code>isinstance(result["items"], list); len(result["items"]) == 3</code>	Pass	0.000s
String passed through	<code>result["name"] == "test"</code>	Pass	0.000s
Tuple treated like list	<code>isinstance(result["t"], list)</code>	Pass	0.000s
Identity no antecedent	<code>compute_saturation_factor(0.0) == 1.0</code>	Pass	0.000s
Known value	<code>compute_saturation_factor(100.0) == pytest.approx(expected)</code>	Pass	0.000s
Monotonic	<code>1.0 < s1 < s2 < s3</code>	Pass	0.000s
Negative precip	<code>compute_saturation_factor(-10.0) == 1.0</code>	Pass	0.000s
Saves and returns response	<code>resp is not None</code>	Pass	0.029s
Returns false on oerror	<code>result is False; _save_audit_log([]) is False (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Saves entries	<code>result is True;</code> <code>json.loads(p.read_text())[0]["event"]</code> <code>== "created"</code>	Pass	0.001s
Returns false on oserror	<code>_save_bcbs239({}) is False;</code> <code>_save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves data	<code>_save_bcbs239({"principles": []}) is</code> <code>True; _save_raci({"roles": []}) is</code> <code>True</code>	Pass	0.000s
Returns false on oserror	<code>_save_bcbs239({}) is False;</code> <code>_save_raci({}) is False (+2 more)</code>	Pass	0.000s
Saves bibliography	<code>_save_bibliography({"references":</code> <code>[], "categories": []}) ...</code>	Pass	0.000s
Save error is reraised	—	Pass	0.001s
Creates gauge file	<code>(tmp_path / "gaugets" /</code> <code>"GAUGE-001.json").exists()</code>	Pass	0.000s
If gauge file already exists, merge	<code>"flood_simulation" in data;</code> <code>"storm_responses" in data</code>	Pass	0.002s
storm_responses into it.	<code>(gaugets_dir /</code> <code>"GAUGE-001.json").exists();</code> <code>(gaugets_dir /</code> <code>"GAUGE-002.json").exists()</code>	Pass	0.000s
Multiple gauges	<code>"storm_responses" in data;</code> <code>len(data["storm_responses"]["responses"])</code> <code>== 3</code>	Pass	0.001s
Saved file has responses	<code>_save_bcbs239({}) is False;</code> <code>_save_raci({}) is False (+2 more)</code>	Pass	0.000s
Returns false on oserror	<code>_save_gov_documents([{"doc_id":</code> <code>"D1"}]) is True</code>	Pass	0.000s
Saves documents	<code>output_path.exists(); result ==</code> <code>output_path</code>	Pass	0.000s
Creates file	<code>output_path.exists()</code>	Pass	0.000s
Creates parent dirs	<code>"GAUGE-001" in data["hazard_curves"]</code>	Pass	0.002s
File has hazard curves	<code>"metadata" in data;</code> <code>data["metadata"]["catchment_id"]</code> <code>== "thames"</code>	Pass	0.002s
File has metadata	<code>data["metadata"]["num_storms"] == 100</code>	Pass	0.002s
Metadata merged	<code>result is False; _save_audit_log([])</code> <code>is False (+1 more)</code>	Pass	0.000s
Returns false on oserror	<code>result is True;</code> <code>json.loads(p.read_text())["models"]</code> <code>== []</code>	Pass	0.001s
Saves data			

Test Description	Acceptance Criteria	Result	Time
Creates parent dirs	<code>out.exists()</code>	Pass	0.008s
Load missing file raises	—	Pass	0.000s
Load returns correct count	<code>len(loaded) == len(small_batch)</code>	Pass	0.024s
Load wrong schema raises	—	Pass	0.001s
Loaded sequences still valid	<code>result["invalid"] == 0</code>	Pass	0.022s
Round trip num storms	<code>orig.num_storms == back.num_storms</code>	Pass	0.020s
Round trip precipitation	<code>abs(orig.total_precipitation_mm - back.total_precipitatio...</code>	Pass	0.021s
Round trip sequence type	<code>orig.sequence_type == back.sequence_type</code>	Pass	0.019s
Round trip storm fields	<code>os_.storm_index == bs_.storm_index; abs(os_.duration_hours - bs_.duration_hours) < 0.01</code> (+1 more)	Pass	0.026s
Round trip total duration	<code>abs(orig.total_duration_hours - back.total_duration_hours...</code>	Pass	0.022s
Save creates file	<code>out.exists()</code>	Pass	0.008s
Schema version in file	<code>raw["schema_version"] == SCHEMA_VERSION</code>	Pass	0.019s
Save cleans up on failure	<code>len(list(tmp_path.glob("*.tmp"))) == 0</code>	Pass	0.001s
Save creates file	<code>result == data</code>	Pass	0.004s
Save overwrites existing	<code>result == new_data</code>	Pass	0.006s
Returns false on oserror	<code>result is False; _save_audit_log([]) is False</code> (+1 more)	Pass	0.000s
Saves meetings	<code>result is True; json.loads(p.read_text())[0]["id"] == "M1"</code>	Pass	0.001s
Returns false on oserror	<code>_save_bcbs239({}) is False; _save_raci({}) is False</code> (+2 more)	Pass	0.000s
Saves data	<code>_save_bcbs239({"principles": []}) is True; _save_raci({"roles": []}) is True</code>	Pass	0.000s
Creates file	<code>out.exists()</code>	Pass	0.000s
Duration stats present	<code>d["min"] > 0; d["max"] <= 156</code> (+1 more)	Pass	0.002s
Num sequences matches	<code>data["num_sequences"] == len(small_batch)</code>	Pass	0.002s
Precipitation stats present	<code>p["min"] > 0; p["max"] >= p["min"]</code> (+1 more)	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Schema version	<code>data["schema_version"] == SCHEMA.VERSION</code>	Pass	0.002s
Type counts sum to total	<code>sum(data["sequence_type_counts"].values()) == len(small_b...</code>	Pass	0.001s
Type fractions sum to one	<code>abs(total_frac - 1.0) < 0.001</code>	Pass	0.001s
Above max depth returns one	<code>scalar_depth_damage(100.0) == pytest.approx(1.0)</code>	Pass	0.000s
Between control points interpolated	<code>0.25 < d < 0.40</code>	Pass	0.000s
Damage between 0 and 1	<code>0 <= scalar_depth_damage(depth) <= 1.0</code>	Pass	0.000s
Half meter damage	<code>d == pytest.approx(DAMAGE.POINTS[2], abs=1e-6)</code>	Pass	0.000s
Max depth returns one	<code>scalar_depth_damage(DEPTH.POINTS[-1]) == pytest.approx(1.0)</code>	Pass	0.000s
Monotonically increasing	<code>all(damages[i] <= damages[i + 1] for i in range(len(damag...</code>	Pass	0.000s
Negative depth returns zero	<code>scalar_depth_damage(-1.0) == 0.0;</code> <code>scalar_depth_damage(-100.0) == 0.0</code>	Pass	0.000s
One meter damage	<code>d == pytest.approx(DAMAGE.POINTS[3], abs=1e-6)</code>	Pass	0.000s
Returns float	<code>isinstance(scalar_depth_damage(0.75), float)</code>	Pass	0.000s
Small depth returns small damage	<code>d == pytest.approx(DAMAGE.POINTS[1], abs=1e-9)</code>	Pass	0.000s
Zero depth returns zero	<code>scalar_depth_damage(0.0) == 0.0</code>	Pass	0.000s
Every control point must return a value in [0, 1].	<code>0.0 <= val <= 1.0</code>	Pass	0.000s
Very small positive depth (between 0 and first control point).	<code>0.0 < d < 0.05</code>	Pass	0.000s
'base_level_m' field — used in Stress tab storm info bar.	<code>'base_level_m' in s</code>	Pass	0.003s
'duration_hours' field — used in Stress tab storm info bar.	<code>'duration_hours' in s</code>	Pass	0.005s
'effective_precipitation_mm' field — shown in storm row.	<code>'effective_precipitation_mm' in s</code>	Pass	0.004s
'gauges_severe' field — severity indicator in storm row.	<code>'gauges_severe' in s</code>	Pass	0.004s
'intensity_category' field — colour-coded in storm row.	<code>'intensity_category' in s</code>	Pass	0.004s
'level_change_m' field — used in Stress tab storm info bar.	<code>'level_change_m' in s</code>	Pass	0.003s

Test Description	Acceptance Criteria	Result	Time
'max.trigger' field — used for trigger colour coding in Historical list.	'max.trigger' in s	Pass	0.003s
'name' field — shown in storm row title.	'name' in s	Pass	0.004s
'peak_level_m' field — primary sort key and shown in Trading Desk label.	'peak_level_m' in s	Pass	0.004s
'peak_position' field — used in hydrograph synthesis.	'peak_position' in s	Pass	0.004s
Hour label element must be present to display current hour.	'sp-sim-hour-label' in sim_js	Pass	0.000s
Scrubber element must have the expected DOM ID.	'sp-sim-scrubber' in sim_js	Pass	0.000s
scrubber.max must equal STORM_SIMULATION_HOURS - 1 (0-indexed).	f"scrubber.max = '{expected}'" in sim_js	Pass	0.000s
Regression guard: the old wrong value '59' must not be present.	"scrubber.max = '59'" not in sim_js	Pass	0.000s
scrubber.min must be '0' so the timeline starts at hour 0.	"scrubber.min = '0'" in sim_js	Pass	0.000s
Scrubber element must be an input[type=range].	"scrubber.type = 'range'" in sim_js	Pass	0.000s
Heading	.has_paragraph.containing(els, '7. Property Flood Time Se...; .has_paragraph.containing(els, '9. Counterparties') (+2 more)	Pass	0.000s
Kv table	.has_table(els)	Pass	0.000s
Returns list	instanceof(els, list); instanceof(els, list) (+2 more)	Pass	0.000s
Cover healthy	len(story) > 0	Pass	0.000s
Cover issues	len(story) > 0	Pass	0.000s
Exec summary healthy	len(story) > 0	Pass	0.000s
Exec summary issues	len(story) > 0	Pass	0.001s
Quality metrics healthy	len(story) > 0	Pass	0.001s
Quality metrics with stale details	len(story) > 0	Pass	0.001s
Reconciliation no results	len(story) > 0	Pass	0.000s
Reconciliation with failures	len(story) > 0	Pass	0.000s
Reconciliation with results	len(story) > 0	Pass	0.000s
Remediation compliant	len(story) > 0	Pass	0.000s
Remediation with issues	len(story) > 2	Pass	0.001s
Retention policy	len(story) > 0	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Source documentation	<code>len(story) > 0</code>	Pass	0.001s
Step with no parameters should still render.	<code>len(story) > 0</code>	Pass	0.000s
Topology	<code>len(story) > 0</code>	Pass	0.000s
Handles Counterparty key instead of CounterpartySet.	<code>has_table(els)</code>	Pass	0.000s
Empty message	<code>has_paragraph_containing(els, 'No counterparties generat...</code>	Pass	0.000s
Heading	<code>has_paragraph_containing(els, '7. Property Flood Time Se...; has_paragraph_containing(els, '9. Counterparties')) (+2 more)</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+2 more)</code>	Pass	0.000s
Table present	<code>has_table(els)</code>	Pass	0.000s
Heading	<code>has_paragraph_containing(els, '3. Mortgages'); has_paragraph_containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
No baselines message	<code>has_paragraph_containing(els, '5 gaugehd files')</code>	Pass	0.000s
Range computed	<code>has_paragraph_containing(els, 'Seasonal range')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Seasonal averages	<code>has_paragraph_containing(els, 'Avg winter baseline')</code>	Pass	0.000s
Table when baselines	<code>has_table(els)</code>	Pass	0.000s
Empty gauges message	<code>has_paragraph_containing(els, 'No gauges generated'); not has_table(els)</code>	Pass	0.000s
Multiple gauges	<code>has_paragraph_containing(els, '2 gauges')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Section heading	<code>has_paragraph_containing(els, '1. Gauge Network')</code>	Pass	0.000s
Summary line counts	<code>has_paragraph_containing(els, '5 time series'); has_paragraph_containing(els, '3 historical daily')</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Table present	<code>_has_table(els); _has_table(els)</code>	Pass	0.000s
Handles exceedance_probabilities + return_levels format.	<code>_has_table(els)</code>	Pass	0.000s
Non-dict gauge curve entry should produce dashes, not crash.	<code>_has_table(els)</code>	Pass	0.000s
Heading	<code>_has_paragraph_containing(els, '3. Mortgages');</code> <code>_has_paragraph_containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
No curves message	<code>_has_paragraph_containing(els, 'No hazard curves available')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table with curves	<code>_has_table(els);</code> <code>_has_paragraph_containing(els, '1 property hazard curves')</code>	Pass	0.000s
Count in summary	<code>_has_paragraph_containing(els, '2 mortgages linked')</code>	Pass	0.000s
Empty mortgages message	<code>_has_paragraph_containing(els, 'No mortgages generated')</code>	Pass	0.000s
Heading	<code>_has_paragraph_containing(els, '3. Mortgages');</code> <code>_has_paragraph_containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table present	<code>_has_table(els); _has_table(els)</code>	Pass	0.000s
Empty properties message	<code>_has_paragraph_containing(els, 'No properties generated')</code>	Pass	0.000s
Heading present	<code>_has_paragraph_containing(els, '2. Properties')</code>	Pass	0.000s
Property count in summary	<code>_has_paragraph_containing(els, '2 properties')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list);</code> <code>isinstance(els, list) (+4 more)</code>	Pass	0.000s
Table with properties	<code>_has_table(els)</code>	Pass	0.000s
Heading	<code>_has_paragraph_containing(els, '7. Property Flood Time Se...;</code> <code>_has_paragraph_containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No phc section when empty	<code>not .has_paragraph.containing(els, '8. Property Hazard')</code>	Pass	0.000s
Phc section added	<code>.has_paragraph.containing(els, '8. Property Hazard Curves'); .has_paragraph.containing(els, '2 property hazard curves')</code>	Pass	0.000s
Returns list	<code>isinstance(els, list); isinstance(els, list) (+2 more)</code>	Pass	0.000s
Heading	<code>.has_paragraph.containing(els, '3. Mortgages'); .has_paragraph.containing(els, '4. Historical Gauge Data') (+2 more)</code>	Pass	0.000s
Kv table present	<code>.has_table(els)</code>	Pass	0.000s
Returns list	<code>isinstance(els, list); isinstance(els, list) (+4 more)</code>	Pass	0.000s
With full summary	<code>.has_table(els)</code>	Pass	0.000s
If input_dir is a real path, data size is appended.	<code>.has_table(els)</code>	Pass	0.001s
Heading	<code>.has_paragraph.containing(els, '7. Property Flood Time Se...; .has_paragraph.containing(els, '9. Counterparties') (+2 more)</code>	Pass	0.001s
Kv table present	<code>.has_table(els)</code>	Pass	0.001s
Returns list	<code>isinstance(els, list); isinstance(els, list) (+2 more)</code>	Pass	0.001s
All builders exported	<code>hasattr(sections_mod, name); callable(getattr(sections_mod, name))</code>	Pass	0.000s
All list	<code>len(sections_mod.__all__) == 12</code>	Pass	0.000s
Case insensitive	<code>seq_type.color('DOUBLET') == colors.lightyellow</code>	Pass	0.000s
Cluster	<code>seq_type.color('cluster') == colors.lightsalmon</code>	Pass	0.000s
Doublet	<code>seq_type.color('doublet') == colors.lightyellow</code>	Pass	0.000s
Isolated	<code>seq_type.color('isolated') == colors.lightblue</code>	Pass	0.000s
None returns white	<code>seq_type.color(None) == colors.white</code>	Pass	0.000s
Persistent	<code>seq_type.color('persistent') == colors.mistyrose</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Unknown returns white	<code>seq.type.color('unknown') == colors.white</code>	Pass	0.000s
Response declares the max_depth damage model.	<code>data["damage_model"] == "max_depth"</code>	Pass	0.012s
Each property entry includes num_sequence_floods.	<code>prop.a["num_sequence_floods"] >= 1</code>	Pass	0.013s
Response includes num_storms_in_sequence.	<code>"num_storms_in_sequence" in data;</code> <code>data["num_storms_in_sequence"] >= 1</code>	Pass	0.007s
Damage is max depth, not 0.10 + 0.18 = 0.28.	<code>prop.a["damage_ratio"] < 0.20</code>	Pass	0.018s
PROP-A: second storm (0.65m) is worst — sequence damage uses 0.18 ratio.	<code>prop.a["damage_ratio"] == pytest.approx(0.18);</code> <code>prop.a["damage_amount"] == pytest.approx(350_000 * 0.18)</code> (+1 more)	Pass	0.008s
PROP-B: first storm depth=0 so excluded, second storm 0.55m -i included.	<code>"PROP-B" in prop_ids</code>	Pass	0.006s
PROP-C is flooded by STORM-other, not STORM-test1 — must not appear.	<code>"PROP-C" not in prop_ids</code>	Pass	0.004s
Sequence total damage i sum of individual storm damages (not additive).	<code>seq_damage < dmg_d1a + dmg_d1b</code>	Pass	0.006s
Sequence endpoint options	<code>r.status_code == 200</code>	Pass	0.000s
Sequence endpoint returns 200	<code>r.status_code == 200; data["status"] == "success"</code>	Pass	0.005s
Sequence id in response	<code>data["sequence_id"] == "STORM-test1"</code>	Pass	0.006s
Unknown sequence returns 404	<code>r.status_code == 404</code>	Pass	0.009s
Worst storm (17% damage on 300k) -i 249k i 280k outstanding -i negative equity.	<code>data["portfolio"]["mortgages_in_negative_equity"] == 1; prop["negative_equity"] is True</code>	Pass	0.003s
Sequence num floods is four	<code>data["properties"][0]["num_sequence_floods"] == 4</code>	Pass	0.006s
Sequence damage uses storm p3 (1.8m, ratio=0.17), not p1 or p2.	<code>prop["worst_storm_id"] == "STORM-p3"; prop["damage_ratio"] == pytest.approx(0.17)</code>	Pass	0.003s
Querying seqA1 does not return seqB damage.	<code>dmg_a != dmg_b; dmg_a != dmg_a + dmg_b</code>	Pass	0.005s
Seqa first storm returns only its damage	<code>prop["damage_amount"] == pytest.approx(400_000 * 0.12)</code>	Pass	0.005s

Test Description	Acceptance Criteria	Result	Time
Seqb storm returns only seqb damage	<code>prop["damage.amount"] ==</code> <code>pytest.approx(400_000 * 0.06)</code>	Pass	0.004s
Known sequence returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.005s
No pts dir returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code> (+2 more)	Pass	0.000s
Options returns ok	<code>r.status_code == 200; r.status_code ==</code> <code>200</code>	Pass	0.000s
Properties sorted by damage descending	<code>amounts == sorted(amounts,</code> <code>reverse=True);</code> <code>amounts ==</code> <code>sorted(amounts, reverse=True)</code>	Pass	0.004s
Property entry has financial fields	<code>"property_id" in prop;</code> <code>"property.value" in prop</code> (+9 more)	Pass	0.004s
Property entry has num sequence floods	<code>"num.sequence.floods" in prop;</code> <code>prop["num.sequence.floods"] >=</code> <code>1</code>	Pass	0.003s
Property entry has worst storm id	<code>"worst.storm.id" in prop</code>	Pass	0.005s
Response has damage model	<code>r.get_json()["damage_model"] ==</code> <code>"max.depth"</code>	Pass	0.004s
Response has num storms	<code>"num.storms.in.sequence"</code> <code>in r.get_json();</code> <code>r.get_json()["num.storms.in.sequence"]</code> <code>>= 1</code>	Pass	0.003s
Response has portfolio	<code>"portfolio" in data;</code> <code>"total.properties" in port</code> (+4 more)	Pass	0.005s
Response has properties list	<code>"properties" in data;</code> <code>len(data["properties"]) >= 1</code> (+2 more)	Pass	0.005s
Response has sequence id	<code>r.get_json()["sequence.id"] == seq_id</code>	Pass	0.003s
Unknown sequence returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.005s
Describe returns string	<code>isinstance(desc, str); "base.mean" in</code> <code>desc.lower() or "Base mean" in desc</code>	Pass	0.073s
Params roundtrip	<code>recovered.base_mean == 52;</code> <code>recovered.name == "custom"</code>	Pass	0.000s
Tail probability matches internal	<code>d.to_dict()['tail.probability'] ==</code> <code>pytest.approx(d._tail...</code>	Pass	0.000s
To dict keys	<code>'parameters' in result;</code> <code>'tail.probability' in result</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Returns 404 when file missing	<code>r.status_code in (200, 404, 500)</code>	Pass	0.001s
Lines 33-35: <code>send_file</code> when HTML file actually exists.	<code>r.status_code in (200, 404, 500)</code>	Pass	0.032s
Returns json error or html	<code>r.status_code in (200, 404, 500)</code>	Pass	0.001s
No coverage dir returns 404	<code>r.status_code == 404</code>	Pass	0.000s
With coverage index returns 200	<code>r.status_code == 200</code>	Pass	0.002s
The response body is valid JSON with an error status.	<code>r.status_code in (500, 503); data is not None (+1 more)</code>	Pass	0.001s
Without <code>gauge.json</code> , visualization fails with 500.	<code>r.status_code in (500, 503)</code>	Pass	0.001s
No gauge data returns error status	<code>data["status"] == "error"</code>	Pass	0.001s
Lines 97-99: exception in <code>serve_visualization_for_catchment</code> → 500.	<code>r.status_code in (302, 500)</code>	Pass	0.027s
Matching is case-insensitive.	<code>r.status_code == 302</code>	Pass	0.000s
'thames' catchment redirects to main visualization route.	<code>r.status_code == 302</code>	Pass	0.000s
Unknown catchment returns 400	<code>r.status_code == 400; data["status"] == "error" (+1 more)</code>	Pass	0.000s
Unsupported catchment message	<code>r.status_code == 400; "thames" in r.get_json()["message"].lower()</code>	Pass	0.000s
Lines 59-65: <code>ImportError</code> → 503.	<code>r.status_code in (500, 503)</code>	Pass	0.029s
Lines 50-57: mock <code>TCEventVisualization</code> to return existing file.	<code>r.status_code in (200, 500)</code>	Pass	0.028s
<code>main()</code> calls <code>app.run()</code> with configured host/port/debug.	<code>len(run_calls) == 1; run_calls[0]["host"] == config.SERVER_HOST (+1 more)</code>	Pass	0.027s
<code>server.main()</code> is callable (test by importing, not running).	<code>callable(main)</code>	Pass	0.000s
Simulate what routes/ <code>gauges.py:generate_report()</code> does.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.023s
Test with actual Thames gauge data if available.	<code>report_path.exists(); report_path.stat().st_size > 5000</code>	Pass	0.028s
Simulate what routes/ <code>properties.py:generate_report()</code> does.	<code>report_path.exists(); report_path.suffix == '.pdf' (+1 more)</code>	Pass	0.029s
Test with actual Thames portfolio data if available.	<code>report_path.exists(); report_path.stat().st_size > 10000</code>	Pass	0.045s
Case insensitive thames	<code>r.status_code == 200</code>	Pass	0.000s
Missing catchment id returns 400	<code>r.status_code == 400</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No json returns 400	<code>r.status_code in (400, 415, 500)</code>	Pass	0.000s
Line 64: non-empty body but null/empty catchment → 400.	<code>r.status_code == 400; "Catchment ID is required" in data["message"]</code>	Pass	0.001s
Options returns 200	<code>r.status_code == 200</code>	Pass	0.000s
Unknown catchment returns 400	<code>r.status_code == 400; data["status"] == "error"</code>	Pass	0.000s
Valid thames returns success	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.000s
Existing mortgage dict updated	<code>data["Mortgage"]["Header"]["ExistingField"] == "keep"; data["Mortgage"]["Header"]["MortgageID"] == "MORT-new"</code>	Pass	0.000s
Initialises header key when absent	<code>"Header" in data["Mortgage"]</code>	Pass	0.000s
Initialises mortgage key when absent	<code>"Mortgage" in data</code>	Pass	0.000s
Missing property id key defaults empty string	<code>data["Mortgage"]["Header"]["PropertyID"] == ""</code>	Pass	0.000s
Sets catchment id	<code>data["Mortgage"]["Header"]["CatchmentID"] == "thames"</code>	Pass	0.000s
Sets loan details fields	<code>loan["OriginalLoanAmount"] == fd["loan.amount"]; loan["CurrentBalance"] == fd["current.balance"] (+3 more)</code>	Pass	0.000s
Sets mortgage id	<code>data["Mortgage"]["Header"]["MortgageID"] == "MORT-abc12"</code>	Pass	0.000s
Sets property id in header	<code>data["Mortgage"]["Header"]["PropertyID"] == "PROP-xyz"</code>	Pass	0.000s
Catchment id set in attrs	<code>data["PropertyHeader"]["PropertyAttributes"] == "thames" (+1 more)</code>	Pass	0.000s
Elevation sets ground level	<code>loc["RiskAssessment"]["GroundLevelMeters"] == pytest.approx(51.45)</code>	Pass	0.000s
Empty reference gauge indices no ref key	<code>"ReferenceGauges" not in data.get("PropertyHeader", {})</code>	Pass	0.000s
Lat lon set in location	<code>loc["LatitudeDegrees"] == pytest.approx(51.45); loc["LongitudeDegrees"] == pytest.approx(-0.31)</code>	Pass	0.000s
No elevation in location does not set ground level	<code>"RiskAssessment" not in loc</code>	Pass	0.000s
No reference gauge indices no ref key	<code>"ReferenceGauges" not in data.get("PropertyHeader", {})</code>	Pass	0.000s
Property id set in attrs	<code>data["PropertyHeader"]["PropertyAttributes"] == "thames" (+1 more)</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Reference gauges fallback when not in map	ref == ["GAUGE-001", "GAUGE-002", "GAUGE-003"]	Pass	0.000s
Reference gauges set from gauge id map	ref == ["GAUGE-abc", "GAUGE-def", "GAUGE-ghi"]	Pass	0.001s
Adds all components	mock.html.add_child.call_count > 0	Pass	0.070s
Copyright element added	len(calls) > 0	Pass	0.070s
Returns self	result is mgr	Pass	0.072s
Body style font size	styled.body_style.fontSize == 9	Pass	0.000s
Kv style font size	styled.kv_style.fontSize == 9	Pass	0.000s
Kv style left indent	styled.kv_style.leftIndent == 12	Pass	0.000s
Required keys	key in styles	Pass	0.000s
Returns stylesheet	isinstance(styles, StyleSheet1)	Pass	0.000s
Section style font size	styled.section_style.fontSize == 13	Pass	0.000s
Section style text color	styled.section_style.textColor == DARK.BLUE	Pass	0.000s
Styles are paragraph styles	isinstance(styles[key], ParagraphStyle)	Pass	0.000s
Subsection style font size	styled.subsection_style.fontSize == 10	Pass	0.000s
Subsection style text color	styled.subsection_style.textColor == BLUE	Pass	0.000s
Subtitle style font size	styled.subtitle_style.fontSize == 10	Pass	0.000s
Subtitle style text color	styled.subtitle_style.textColor == GREY	Pass	0.000s
Title style font name	styled.title_style.fontName == 'Helvetica-Bold'	Pass	0.000s
Title style font size	styled.title_style.fontSize == 18	Pass	0.000s
Title style text color	styled.title_style.textColor == DARK.BLUE	Pass	0.000s
In shd mode the property elevation should match the gauge,	result is not None; data["elevation_m"] <= 4.0	Pass	0.168s
In she mode all gauge distances should be 0.	result is not None; ng["distance_m"] == 0.0	Pass	0.170s
Mode shd should write PROP-*.json into propertytsd/ not propertyts/.	gen.MODE_DIRS["shd"] == "propertytsd"	Pass	0.000s
She writes to propertytse dir	gen.MODE_DIRS["she"] == "propertytse"	Pass	0.166s
All defined categories	isinstance(result, bool)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Catastrophic has 85% chance — over many trials, majority should be True.	<code>sum(results) > 140</code>	Pass	0.000s
Minimal has 5% chance — most should be False.	<code>sum(results) < 30</code>	Pass	0.000s
Returns bool	<code>isinstance(result, bool)</code>	Pass	0.000s
Unknown category uses default 0.15 probability.	<code>50 < sum(results) < 350</code>	Pass	0.001s
<code>sp_sim.get_js()</code> must return a non-empty string.	<code>len(sim_js) > 100</code>	Pass	0.000s
<code>spSeekTo()</code> must be defined — called by scrubber oninput.	<code>'spSeekTo' in sim_js</code>	Pass	0.000s
<code>spSetSpeed()</code> must be defined — called by speed buttons.	<code>'spSetSpeed' in sim_js</code>	Pass	0.000s
<code>spStopAnim()</code> must be defined — cleans up animation interval.	<code>'spStopAnim' in sim_js</code>	Pass	0.000s
Business days is three months	<code>60 <= NUM_BUSINESS_DAYS <= 66</code>	Pass	0.000s
Daily vol is small	<code>0.0001 <= DAILY_HAZARD_VOL <= 0.001</code>	Pass	0.000s
Random walk floors at 0.0001 — vol must not exceed that floor.	<code>DAILY_HAZARD_VOL > 0; MAX_TOTAL_MOVE > 0</code>	Pass	0.000s
Cumulative cap should allow meaningful drift.	<code>MAX_TOTAL_MOVE >= 5 * DAILY_HAZARD_VOL</code>	Pass	0.001s
Max move bounds vol	<code>MAX_TOTAL_MOVE > DAILY_HAZARD_VOL; MAX_TOTAL_MOVE <= 0.01</code>	Pass	0.000s
Test complete gauge analysis workflow.	<code>results['success'] is True; results['gauge']['gauge_id'] == "THAMES_TEDDINGTON" (+2 more)</code>	Pass	0.003s
Handle non-existent gauge gracefully.	<code>results['success'] is False; len(results['errors']) > 0</code>	Pass	0.001s
Analysis should include flood status.	<code>'status' in results['flood_analysis']; results['flood_analysis']['status'] in ["NORMAL", "ALERT"]...</code>	Pass	0.004s
Test loading gauge metadata from JSON.	<code>gauges is not None; len(gauges) == 4 (+2 more)</code>	Pass	0.003s
Test loading gauge time series.	<code>readings is not None; "THAMES_TEDDINGTON" in readings (+1 more)</code>	Pass	0.003s
All mortgages fail returns empty list	<code>result["processing_stats"]["failed_mortgages"] == 2; result["data"]["mortgages"] == []</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
When <code>_generate_single_mortgage</code> raises, the generator continues and	<code>result["processing_stats"]["failed_mortgages"] == 1;</code> <code>result["processing_stats"]["successful_mortgages"] == 2 (+1 more)</code>	Pass	0.002s
Find nearest gauge	<code>gauge_id == "THAMES.TEDDINGTON";</code> <code>distance < 1.0</code>	Pass	0.000s
Full analysis high risk property	<code>results["success"] is True;</code> <code>results["property"]["property_id"] == "THAMES_TEST.002" (+1 more)</code>	Pass	0.004s
Full analysis low risk property	<code>results["success"] is True;</code> <code>results["property"]["property_id"] == "THAMES_TEST.003" (+2 more)</code>	Pass	0.005s
Load gauge data	<code>gauge_meta is not None;</code> <code>len(gauge_meta) == 3 (+2 more)</code>	Pass	0.002s
Load property data	<code>properties is not None;</code> <code>len(properties) == 3 (+3 more)</code>	Pass	0.002s
Clay medium high	<code>"Medium" in r or "high" in r.lower()</code>	Pass	0.000s
Peat high risk	<code>"High" in r</code>	Pass	0.000s
Rock keyword	<code>"Low" in r</code>	Pass	0.000s
Rock low risk	<code>"Low" in r</code>	Pass	0.000s
Sand medium risk	<code>"Medium" in r</code>	Pass	0.000s
Unknown soil	<code>"Assessment" in r or "chalk" in r</code>	Pass	0.000s
STORM-cccccccc (alert-only, no warning/severe) must be last.	<code>sorted_storms[-1]["storm_id"] == "STORM-cccccccc"</code>	Pass	0.000s
STORM-bbbbbbbb (2 severe) must rank before all others.	<code>sorted_storms[0]["storm_id"] == "STORM-bbbbbbbb"</code>	Pass	0.000s
<code>gauges_severe</code> must be non-increasing.	<code>severe_counts == sorted(severe_counts, reverse=True)</code>	Pass	0.000s
Defaults	<code>p.base_range_km == 40.0; p.nugget == 0.05 (+2 more)</code>	Pass	0.000s
From dict	<code>p.base_range_km == 50.0; p.nugget == 0.10 (+1 more)</code>	Pass	0.000s
Load from file	<code>p.base_range_km == 40.0; p.nugget == 0.05</code>	Pass	0.002s
Detailed report uses more pages than basic, so should produce larger file.	<code>detailed.stat().st_size >= basic.stat().st_size</code>	Pass	0.031s
Generate analysis report custom filename	<code>path.name == "analysis.pdf"</code>	Pass	0.003s
Generate analysis report custom filename	<code>path.name == "analysis.pdf"</code>	Pass	0.010s

Test Description	Acceptance Criteria	Result	Time
Generate analysis report exists	<code>gen.generate_analysis_report(gauge_data).exists()</code>	Pass	0.003s
Generate analysis report exists	<code>gen.generate_analysis_report(minimal_flood_data).exists()</code>	Pass	0.010s
Generate analysis report with time-series	<code>path.exists()</code>	Pass	0.003s
Generate basic report custom filename	<code>path.name == "basic.pdf"</code>	Pass	0.023s
Generate basic report exists	<code>gen.generate_basic_report(gauge_data).exists()</code>	Pass	0.024s
Generate basic report exists	<code>gen.generate_basic_report(minimal_flood_data).exists()</code>	Pass	0.034s
Generate basic report non empty	<code>path.stat().st_size > 0</code>	Pass	0.022s
Generate basic report non empty	<code>path.stat().st_size > 0</code>	Pass	0.023s
Generate basic with timeseries	<code>path.exists()</code>	Pass	0.022s
Generate detailed report exists	<code>gen.generate_detailed_report(minimal_flood_data).exists()</code>	Pass	0.015s
Detailed report includes mortgage analysis — verify call reaches that page.	—	Pass	0.021s
Generate monitoring report custom filename	<code>path.name == "mon.pdf"</code>	Pass	0.003s
Generate monitoring report exists	<code>gen.generate_monitoring_report(gauge_data, ts_data).exists()</code>	Pass	0.003s
Generate monitoring report no timeseries	<code>path.exists()</code>	Pass	0.003s
Generate mortgage focused report custom filename	<code>path.name == "mort_focused.pdf"</code>	Pass	0.017s
Generate mortgage focused report exists	<code>gen.generate_mortgage_focused_report(prop_data, mort_data...)</code>	Pass	0.016s
Generate property only report custom filename	<code>path.name == "prop_only.pdf"</code>	Pass	0.017s
Generate property only report exists	<code>gen.generate_property_only_report(prop_data).exists()</code>	Pass	0.015s
Generate risk focused report custom filename	<code>path.name == "risk_only.pdf"</code>	Pass	0.010s
Generate risk focused report with mortgage	<code>path.exists()</code>	Pass	0.012s
Generate risk focused report without mortgage	<code>path.exists()</code>	Pass	0.010s
Generate summary report custom filename	<code>path.name == "summary.pdf"</code>	Pass	0.008s
Generate summary report exists	<code>gen.generate_summary_report(minimal_flood_data).exists()</code>	Pass	0.008s
Mortgage focused includes mortgage context pages	—	Pass	0.017s
Risk focused with mortgage includes current status	—	Pass	0.011s

Test Description	Acceptance Criteria	Result	Time
Risk focused without mortgage excludes current status	—	Pass	0.010s
Only gauge_GAUGE-*_hd.json files are removed, not other files.	<code>other.exists()</code>	Pass	0.196s
Multiple stale files are all removed.	<code>not s.exists()</code>	Pass	0.197s
Lines 37-39: old gauge_GAUGE-*_hd.json files are removed.	<code>stale.exists(); not stale.exists()</code>	Pass	0.192s
After clear-all, every gauge should show null metrics.	<code>resp.get_json()["status"] == "success"; g["has_model"] is False (+2 more)</code>	Pass	0.005s
Gauge with both .joblib AND summary entry should show metrics.	<code>gauge["has_model"] is True; gauge["status"] == "trained" (+2 more)</code>	Pass	0.005s
Gauge with summary entry but NO .joblib should show null metrics.	<code>gauge["has_model"] is False; gauge["status"] == "not_trained" (+4 more)</code>	Pass	0.004s
All fresh full health	<code>data["health_pct"] == 100.0</code>	Pass	0.003s
All missing zero health	<code>r.status_code == 200; data["status"] == "success" (+2 more)</code>	Pass	0.000s
Has as of	<code>"as_of" in data</code>	Pass	0.000s
Partial health	<code>data["health_pct"] == pytest.approx(7.1, abs=0.1)</code>	Pass	0.001s
Stale does not count as fresh	<code>data["health_pct"] == 0.0</code>	Pass	0.001s
Every dataset key must appear in _startupDetail – no silent blanks.	<code>f"key == '{k}'" in src</code>	Pass	0.000s
Blotter stat uses trades length	<code>"key == '_tdPreBlotter'" in src; "data.trades.length + ' trades'" in src</code>	Pass	0.001s
Eod history stat uses history length	<code>"key == '_tdPreEodHistory'" in src; "data.history.length + ' snapshots'" in src</code>	Pass	0.000s
Gauge hist stat uses count	<code>"key == '_preGaugeHist'" in src; 'data.count' in src</code>	Pass	0.000s
Gauges stat uses gauges length	<code>"key == '_tdPreGauges'" in src; "data.gauges.length + ' gauges'" in src</code>	Pass	0.000s
Gov audit stat uses events length	<code>"key == '_preGovAudit'" in src; "data.total_entries + ' events'" in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Gov bib stat uses references length	"key === '_preGovBib'" in src; "data.references.length + ' refs'" in src	Pass	0.000s
Gov docs stat uses documents length	"key === '_tdPreGovDocs'" in src; "data.documents.length + ' docs'" in src	Pass	0.000s
Market stat uses object keys gauges	"key === '_tdPreMarket'" in src; "Object.keys(data.gauges).length" in src (+1 more)	Pass	0.000s
Mortgages stat uses mortgages length	"key === '_preMortgages'" in src; "data.mortgages" in src	Pass	0.000s
Port storms stat uses storms length	"key === '_tdPrePortStorms'" in src; "data.storms.length + ' storms'" in src	Pass	0.000s
Pre storms stat uses storms length	"key === '_preStorms'" in src; "data.storms.length + ' storms'" in src	Pass	0.000s
Property ts stat uses total properties	"key === '_prePropertyTS'" in src; 'data.data.summary.properties.with_floods' in src (+1 more)	Pass	0.000s
Stress storms stat uses storms length	"key === '_tdPreStressStorms'" in src; "data.storms.length + ' scenarios'" in src	Pass	0.000s
Yield curve stat uses object keys	"key === '_tdPreYieldCurve'" in src; "Object.keys(data.yield_curve).length" in src (+1 more)	Pass	0.000s
Add to map calls add child	—	Pass	0.001s
Add to map output contains script	'<script>' in rendered; 'window._tdPreloadDone' in rendered	Pass	0.001s
Add to map method defined	'def add_to_map' in src	Pass	0.000s
All fourteen endpoints present	ep in js	Pass	0.000s
Must NOT defer to a button click – runs on DOMContentLoaded.	'DOMContentLoaded' in js	Pass	0.000s
'Market state' was renamed to 'Hazard curves'.	'Hazard curves' in js; "'Market state'" not in js and "'Market state'" not in js	Pass	0.000s
Sets window._tdPreloadDone so any IIFE can read it via global scope.	'window._tdPreloadDone = true' in _src('src/visual/intera...	Pass	0.000s
Shows progress popup	'startup-preloader-popup' in js; 'startup-pre-bar' in js	Pass	0.000s
Startup preloader class defined	'class StartupPreloader' in src	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Declares pre gauge hist	'window._preGaugeHist' in _src('src/visual/interactivity/...	Pass	0.000s
Declares pre gov audit	'window._preGovAudit' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares pre gov bib	'window._preGovBib' in _src('src/visual/interactivity/sta...	Pass	0.000s
Declares pre property ts	'window._prePropertyTS' in _src('src/visual/interactivity...	Pass	0.000s
Declares pre storms	'window._preStorms' in _src('src/visual/interactivity/sta...	Pass	0.000s
Declares td pre blotter	'window._tdPreBlotter' in _src('src/visual/interactivity/...	Pass	0.000s
Declares td pre eod history	'window._tdPreEodHistory' in _src('src/visual/interactivi...	Pass	0.000s
Declares td pre gauges	'window._tdPreGauges' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares td pre gov docs	'window._tdPreGovDocs' in _src('src/visual/interactivity/...	Pass	0.000s
Declares td pre market	'window._tdPreMarket' in _src('src/visual/interactivity/s...	Pass	0.000s
Declares td pre port storms	'window._tdPrePortStorms' in _src('src/visual/interactivi...	Pass	0.000s
Declares td pre stress storms	'window._tdPreStressStorms' in _src('src/visual/interacti...	Pass	0.000s
Declares td pre yield curve	'window._tdPreYieldCurve' in _src('src/visual/interactivi...	Pass	0.000s
Line 46: GET /apple-touch-icon.png returns the PNG.	r.status_code == 200; "image/png" in r.content_type	Pass	0.002s
Line 51: GET /apple-touch-icon-precomposed.png returns the PNG.	r.status_code == 200; "image/png" in r.content_type	Pass	0.001s
Line 41: GET /favicon.ico returns the icon file.	r.status_code == 200; r.content_type in ("image/x-icon", "image/vnd.microsoft.i...	Pass	0.002s
avg_auc/avg_accuracy are None when results have no metrics.	data["avg_auc"] is None; data["avg_accuracy"] is None	Pass	0.001s
Status computes avg auc and accuracy	data["avg_auc"] == 0.85; data["avg_accuracy"] == 0.9	Pass	0.001s
Click handler defined	'navigateToStress' in hist_js	Pass	0.000s
Click handler iife safe	'addEventListener' in hist_js; 'hist-storm-row' in hist_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Navigates to tab 5	'switchTab(5)' in hist_js; 'switchTab(4)' not in hist_js.replace('switc...	Pass	0.000s
Sets stress storm hint	'window..stressStormHint' in hist_js	Pass	0.000s
Storm hint set before switch tab	idx_hint > 0; idx_switch > 0 (+1 more)	Pass	0.000s
Storm id passed to navigate	'data-storm-id' in hist_js; 'getAttribute' in hist_js	Pass	0.000s
Every gauge in gaugehc.json should have a trained classifier.	not missing	Skip	0.000s
Every gauge referenced in stress_storms should have a trained classifier.	not missing	Skip	0.000s
Every gauge in stress_storms should have a hazard curve in gaugehc.json.	not missing	Skip	0.000s
Storm IDs in stress_storms must overlap with storm IDs in propertyts/.	len(overlap) > 0	Skip	0.000s
Every storm_id in stress_storms.json must exist in gauges/GAUGE*.json.	not missing	Skip	0.000s
Every storm dropdown must show the storm_id in the option text.	not violations	Pass	0.001s
All dropdown option builders must use sentinel or pipe separators.	not violations	Pass	0.001s
The storm display format is centralised in config/format.py.	' ' in js; 'storm_id' in js (+2 more)	Pass	0.001s
'precipitation' as a label suffix must not appear.	not violations	Pass	0.001s
'severe levels' (old space-separated format) must not appear.	not violations	Pass	0.003s
port_stress/setup.py uses sentinel with show_warning=True.	'_storm_opt' in src; 'show_warning=True' in src	Pass	0.000s
sp_table.py delegates storm label to config.format via sentinel.	'_storm_opt' in src; '__STORM_OPT__' in src (+1 more)	Pass	0.000s
Custom variable name is used throughout — gsa_timeline uses 'r'.	js.startswith('(r.name'); 's.storm_id' not in js	Pass	0.000s
show_peak=True adds peak water level after mm.	'peak' in js_peak	Pass	0.000s
show_warning=True adds gauges_warning count between severe and mm.	'warn' in js_warn; 'warn' not in js_base	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
trading/stress/setup.py uses sentinel with show_peak=True.	'_storm_opt' in src; 'show_peak=True' in src	Pass	0.000s
Visual files must not contain hard-coded storm display format strings.	pat not in src	Pass	0.001s
Lines 255-256: exception in create_mapping -i raises ValueError.	—	Pass	0.000s
Lines 213-256: create_mapping with all sections populated.	mapping["storm_event_id"] == "STORM-001"; mapping["storm_name"] == "Eunice" (+1 more)	Pass	0.000s
Create mapping returns flat dict	isinstance(mapping, dict); mapping.get("gauge_id") == "GAUGE-test1234" (+7 more)	Pass	0.000s
Line 258-260: get_required_fields() returns list with StormEventID.	isinstance(fields, list); any("StormEventID" in f for f in fields)	Pass	0.000s
Required fields include storm id	any("StormEventID" in f for f in storm_cdm.get_required_f...)	Pass	0.000s
Schema has storm root	len(list(storm_cdm.schema.keys())) > 0	Pass	0.000s
validate({}) returns errors for missing fields.	isinstance(errors, dict)	Pass	0.000s
Lines 192-193: exception in validate -i {'validation_error': [...]}.	isinstance(result, dict); "validation_error" in result	Pass	0.000s
validate() with missing CatchmentID returns Header errors.	"Header" in errors; any("CatchmentID" in e for e in errors["Header"])	Pass	0.000s
Lines 175-193: validate() with missing StormEventID returns Header errors.	"Header" in errors; any("StormEventID" in e for e in errors["Header"])	Pass	0.000s
validate() with valid data returns empty dict.	storm_cdm.validate(data) == {}	Pass	0.000s
Unknown intensity profile falls to else: intensity = peak * t_frac.	storm.storm_id.startswith("STORM-"); len(storm.track) == 5 (+1 more)	Pass	0.000s
Effective precipitation mm consistent	'effective_precipitation_mm' in hist_js	Pass	0.000s
Gauges severe consistent	'gauges_severe' in hist_js	Pass	0.000s
Intensity category consistent	'intensity_category' in hist_js	Pass	0.000s
Peak level m consistent	'peak_level_m' in hist_js	Pass	0.000s
Storm id consistent	'storm_id' in hist_js	Pass	0.000s
Storm IDs in gauges/ must come from storm_sequences.json.	len(overlap) > 0	Pass	0.474s

Test Description	Acceptance Criteria	Result	Time
Storm IDs in propertyts must come from storm_sequences.json.	<code>len(overlap) > 0</code>	Pass	2.062s
<code>storm_multi.make_storm_id()</code> produces STORM- <code>{8hex}</code> IDs.	<code>STORM_ID_RE.match(sid)</code>	Pass	0.000s
storm generator must NOT use STORM- <code>{i:03d}</code> or STORM- <code>{i:04d}</code> .	<code>'STORM-{i:'</code> not in src; <code>'STORM-{i+'</code> not in src	Pass	0.000s
Single storm generator uses storm prefix	<code>'STORM-'</code> in src or <code>'STORM_ID_PREFIX'</code> in src	Pass	0.001s
Single storm generator uses uuid	<code>'uuid'</code> in src	Pass	0.000s
Uuid4 produces protocol matching ids	<code>GAUGE_ID_RE.match(gauge_id);</code> <code>PROP_ID_RE.match(prop_id)</code> (+2 more)	Pass	0.000s
Accepts valid	<code>PROP_ID_RE.match('PROP-a3f7bc12');</code> <code>PROP_ID_RE.match('PROP-00000000')</code> (+6 more)	Pass	0.000s
Human-readable names like STORM-FLOOD are not protocol-compliant.	<code>not STORM_ID_RE.match('STORM-FLOOD');</code> <code>not STORM_ID_RE.match('STORM-SAFE')</code> (+1 more)	Pass	0.000s
STORM-001, STORM-0001 violate the agreed protocol.	<code>not GAUGE_ID_RE.match('GAUGE-001');</code> <code>not GAUGE_ID_RE.match('GAUGE-002')</code> (+5 more)	Pass	0.000s
Rejects uppercase	<code>not PROP_ID_RE.match('PROP-A3F7BC12');</code> <code>not STORM_ID_RE.match('STORM-C7F4B8E2')</code>	Pass	0.000s
STORM-PORT-001 uses a compound prefix — not protocol-compliant.	<code>not STORM_ID_RE.match('STORM-PORT-001');</code> <code>not STORM_ID_RE.match('STORM-PORT-002')</code>	Pass	0.000s
Storm from list is runnable	<code>resp.status_code == 200;</code> <code>len(data['storms']) > 0</code> (+2 more)	Pass	0.014s
Worst storm auto selection is runnable	<code>run_resp.status_code == 200</code>	Pass	0.011s
Storm list endpoint must be <code>/api/v1/propertyts/storms</code> .	<code>'/api/v1/propertyts/storms'</code> in <code>table.js</code>	Pass	0.000s
Empty storm list must display a user-readable message.	<code>'No flooding storms found'</code> in <code>table.js</code>	Pass	0.000s
JS must check <code>window._preStorms</code> cache before fetching.	<code>'_preStorms'</code> in <code>table.js</code>	Pass	0.000s
Shows overflow count	<code>'more storms'</code> in <code>hist.js</code> or <code>'+'</code> in <code>hist.js</code>	Pass	0.000s
Shows top 30 storms	<code>'30'</code> in <code>hist.js</code>	Pass	0.000s
Sorted by peak level	<code>'sorted by peak level'</code> in <code>hist.js</code> or <code>\{' 'pe...</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Storm with empty name falls back to storm_id.	resp.status_code == 200; s['name'] == s['storm_id']	Pass	0.031s
Apply storm list function exists	'_applyStormList' in src	Pass	0.000s
Checks pre storms cache	'window._preStorms' in src	Pass	0.000s
Cache var should be nulled after consuming to allow refresh.	'window._preStorms = null' in src; 'window._tdPreGovDocs = null' in src	Pass	0.000s
Uses effective precipitation	'effective-precipitation.mm' in hist_js	Pass	0.000s
Uses gauges severe	'gauges_severe' in hist_js	Pass	0.000s
Uses intensity category	'intensity_category' in hist_js	Pass	0.000s
Uses max trigger for colour	'max_trigger' in hist_js	Pass	0.000s
Uses peak level m	'peak_level_m' in hist_js	Pass	0.000s
Uses storm id	'storm_id' in hist_js	Pass	0.000s
Uses storm name field	's.name' in hist_js or 'storm.name' in hist_js	Pass	0.000s
Historical tab must NOT use /gauges/{id}/storms for the storm list.	'_loadStormScenarios' in hist_js; fn_idx >= 0 (+1 more)	Pass	0.000s
_loadStormScenarios function must be defined.	'_loadStormScenarios' in hist_js	Pass	0.000s
Storm list renders in hist-storms-list element.	'hist-storms-list' in hist_js; 'hist-storms-panel' in hist_js	Pass	0.000s
Storm list must be loaded from the same endpoint as Stress tab.	'/api/v1/trading/stress/storms' in hist_js	Pass	0.000s
Sorts by peak level for auto-selection.	'peak_level_m' in stress_js	Pass	0.000s
Storm select element present.	'stress-storm-select' in stress_js	Pass	0.000s
Lines 172-173: exception in create_mapping raises ValueError.	—	Pass	0.000s
Lines 150-170: create_mapping with full Parameters section.	mapping["time_series_id"] == "TS-001"; mapping["time_step_minutes"] == 60	Pass	0.000s
Create mapping returns flat dict	isinstance(stormts_cdm.create_mapping(data, dict)); isinstance(prs_cdm.create_mapping(data), dict)	Pass	0.000s
Line 185: create_reading_mapping returns flat dict.	mapping["timestamp"] == "2022-02-18T06:00"; mapping["rainfall_mm"] == 12.5 (+1 more)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Lines 194-199: <code>get_required_fields()</code> returns list.	<code>isinstance(fields, list);</code> <code>any("TimeSeriesID" in f for f in fields)</code>	Pass	0.000s
Required fields include ts id	<code>any("TimeSeriesID" in f for f in stormts_cdm.get_required...)</code>	Pass	0.000s
Schema has root	<code>isinstance(stormts_cdm.schema, dict);</code> <code>len(stormts_cdm.schema) > 0 (+2 more)</code>	Pass	0.000s
<code>validate({})</code> returns errors for both required fields.	<code>isinstance(errors, dict); "Header" in errors</code>	Pass	0.000s
Lines 137-138: exception in <code>validate</code> -> <code>{'validation_error': [...]}</code> .	<code>isinstance(result, dict);</code> <code>"validation_error" in result</code>	Pass	0.000s
<code>validate()</code> with missing CatchmentID returns Header errors.	<code>"Header" in errors</code>	Pass	0.000s
Lines 120-138: <code>validate()</code> with missing TimeSeriesID returns Header errors.	<code>"Header" in errors;</code> <code>any("TimeSeriesID" in e for e in errors["Header"])</code>	Pass	0.000s
<code>validate()</code> with valid data returns empty dict.	<code>stormts_cdm.validate(data) == {}</code>	Pass	0.000s
Custom kernel	<code>d["decay_kernel"] == "exponential"</code>	Pass	0.000s
Decay kernel serialised as string	<code>isinstance(d["decay_kernel"], str);</code> <code>d["decay_kernel"] == "gaussian"</code>	Pass	0.000s
Has storm id	<code>storm.to_dict()["storm_id"] == "STORM-0001"</code>	Pass	0.000s
Has track	<code>"track" in d; len(d["track"]) == 2</code>	Pass	0.000s
Intensity profile serialised as string	<code>isinstance(d["intensity_profile"], str);</code> <code>d["intensity_profile"] == "triangular"</code>	Pass	0.000s
Returns dict	<code>isinstance(d, dict);</code> <code>isinstance(d, dict)</code>	Pass	0.000s
Track has coords	<code>"longitude" in point; "latitude" in point (+2 more)</code>	Pass	0.000s
storms.py lines 91-92: corrupted gaugets file -> skipped in severe count loop.	<code>r.status_code == 200</code>	Pass	0.031s
storms.py line 80: gaugets dir doesn't exist -> skip severe counting.	<code>r.status_code == 200</code>	Pass	0.032s
storms.py line 61: storm_sequences.json doesn't exist -> skip enrichment.	<code>r.status_code == 200;</code> <code>data["storm_responses"]["num_storms"] == 1</code>	Pass	0.030s

Test Description	Acceptance Criteria	Result	Time
storms.py lines 75-76: corrupted storm_sequences.json -i silently skipped.	r.status_code == 200	Pass	0.031s
storms.py lines 113-115: exception in storm loading -i 500.	r.status_code == 500; r.get_json()["status"] == "error"	Pass	0.028s
Calls proc wait	—	Pass	0.000s
_stream_proc should push each line from proc.stdout into _output_lines.	"line one" in lines; "line two" in lines (+1 more)	Pass	0.000s
Strips newlines	"stripped" in lines; "stripped\{\n" not in lines	Pass	0.000s
Hits /trading/stress/run.	'/trading/stress/run' in stress_js	Pass	0.000s
Hits /trading/stress/storms.	'/trading/stress/storms' in stress_js	Pass	0.000s
stress/run returns 500 on engine error.	resp.status_code == 500	Pass	0.002s
stress/gauges returns 500 when gauge loader raises.	resp.status_code == 500	Pass	0.001s
stress/storms returns 500 when storm loader raises.	resp.status_code == 500	Pass	0.001s
_tdPopulateGaugeDropdown must survive f-string rendering.	'_tdPopulateGaugeDropdown' in full_js	Pass	0.000s
tdStressGaugeChanged must survive f-string rendering in tradingdesk.py.	'tdStressGaugeChanged' in full_js	Pass	0.000s
Rendered JS must not have unescaped f-string brace artifacts.	len(full_js) > 10000	Pass	0.000s
td-stress-gauge element must be present for JS to find it.	"getElementById('td-stress-gauge')" in stress_js	Pass	0.000s
_tdPopulateGaugeDropdown must exist – builds gauge selector.	'_tdPopulateGaugeDropdown' in stress_js	Pass	0.000s
_tdPopulateStormDropdown must exist – builds storm list for selected gauge.	'_tdPopulateStormDropdown' in stress_js	Pass	0.000s
td-stress-storm element must be present for JS to find it.	"getElementById('td-stress-storm')" in stress_js	Pass	0.000s
Stress functions must be INSIDE the IIFE, not after it.	idx_gauge_changed > 0; idx_gauge_changed < iife_close	Pass	0.000s
gauge onchange must call tdStressGaugeChanged.	'tdStressGaugeChanged()' in stress_js	Pass	0.000s
tdStressGaugeChanged must exist – called when gauge is selected.	'function tdStressGaugeChanged' in stress_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
storm onchange must call tdStressStormChanged.	'tdStressStormChanged()' in stress_js	Pass	0.000s
tdStressStormChanged must exist – called when storm is selected.	'function tdStressStormChanged' in stress_js	Pass	0.000s
'First with trades' fallback must only run when sel.value is still empty.	"if (!sel.value && tdStressGauges.length > 0)" in js	Pass	0.000s
Hint selection must happen before the 'first with trades' fallback.	idx_hint > 0; idx_fallback > idx_hint	Pass	0.000s
tdStressGaugeHint must be set to null after use to prevent stale hint.	'tdStressGaugeHint = null' in js	Pass	0.000s
When no market hint, tdBlotterFilters.gauge.id must be the fallback.	'tdBlotterFilters' in js; 'tdBlotterFilters.gauge_id' in js	Pass	0.000s
loadStressData must accept a gaugeHint parameter.	'function loadStressData(gaugeHint)' in js	Pass	0.000s
loadStressData must store gaugeHint in tdStressGaugeHint.	'if (gaugeHint) tdStressGaugeHint = gaugeHint' in js	Pass	0.000s
_tdPopulateGaugeDropdown must use tdStressGaugeHint for pre-selection.	'tdStressGaugeHint' in js; idx_hint.use > idx_populate	Pass	0.000s
tdStressGaugeHint state variable must exist in stress JS.	'tdStressGaugeHint' in js	Pass	0.000s
switchTab('stress') must use blotter filter as primary hint.	idx_blotter > 0; idx_market > 0 (+4 more)	Pass	0.000s
switchTab('stress') in tradingdesk must pass gauge hint to loadStressData.	"loadStressData(stressHint)" in js; "tdSelectedGauge" in js (+1 more)	Pass	0.000s
switchTab('stress') must fall back to first blotter trade gauge when no filter set.	"tdBlotterData" in js; "tdBlotterData[0].gauge_id" in js	Pass	0.000s
peak_position=0 uses decay-only path.	len(levels) == 10; all(isinstance(v, float) for v in levels)	Pass	0.000s
remaining=0 uses frac=1.0 path.	len(levels) == 5	Pass	0.000s
Both stress charts must show KO vertical annotation line.	'koLine' in js; 'first_trigger_hour' in js	Pass	0.000s
Stress table must show KO status per trade.	'triggered_hour' in js; 'KO H' in js	Pass	0.000s
Stats bar must show knock-out count.	'num_triggered' in js; 'Knocked Out' in js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Storm id exact match required	<code>resp.status_code == 200;</code> <code>resp.status_code == 404</code>	Pass	0.009s
Storm list has all run inputs	<code>data['gauge_id'] == 'GAUGE-001';</code> <code>'storm_id' in s</code>	Pass	0.004s
Response includes trigger levels for threshold annotation on charts.	<code>'alert_level' in data; 'warning_level'</code> <code>in data (+1 more)</code>	Pass	0.008s
Response includes hydro-graph_source string describing the data origin.	<code>'hydrograph_source' in data</code>	Pass	0.008s
Response includes storm_name and intensity_category for header display.	<code>data['storm_name'] == 'Severe Storm Alpha';</code> <code>data['intensity_category'] == 'severe'</code>	Pass	0.007s
Hourly array must be 168 elements (7-day storm window).	<code>len(data['hourly']) == 168</code>	Pass	0.008s
Surface table must cover the full 168h window regardless of knock-out.	<code>max(surface['hours']) >= 164</code>	Pass	0.007s
If the index has not changed, the cached object is returned.	<code>id(data1) == id(data2)</code>	Pass	0.001s
Replacing stress_storms/_index.json on disk is picked up on next	<code>len(data1['storms']) == 1;</code> <code>len(data2['storms']) == 2</code>	Pass	0.016s
Thames catchment has 52 gauges; all must be represented.	<code>len(gauge_ids) == 52</code>	Pass	0.024s
All gauge_id values in gauge_responses must match GAUGE-/SYNTH-xxxx format.	<code>not bad</code>	Pass	0.028s
All storm_id values must use STORM- prefix.	<code>not bad</code>	Pass	0.001s
At least one storm exceeds alert	<code>any_alert</code>	Pass	0.000s
Each storm has gauge responses	<code>not empty</code>	Pass	0.000s
Each storm has required fields	<code>not missing</code>	Pass	0.003s
File exists	<code>—</code>	Pass	0.000s
Gauge ids well formed	<code>not bad</code>	Pass	0.028s
Gauge responses have required fields	<code>not missing</code>	Pass	0.092s
Has storms	<code>len(storms) > 0</code>	Pass	4.747s
Intensity categories present	<code>cats</code>	Pass	0.001s
Minimum storm count	<code>len(storms) >= MIN_STORM_COUNT</code>	Pass	0.000s
Peak level exceeds base	<code>not violations</code>	Pass	0.034s
Peak levels positive	<code>not violations</code>	Pass	0.034s
Storm ids unique	<code>not dupes</code>	Pass	0.438s
Storm ids well formed	<code>not bad</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Storms cover multiple gauges	<code>len(gauges) >= 10</code>	Pass	0.030s
Storms must be sorted: gauges_severe DESC, gauges_warning DESC.	<code>severe_counts == sorted(severe_counts, reverse=True)</code>	Pass	0.001s
Total storms key matches list length	<code>data["total_storms"] == len(data["storms"])</code>	Pass	0.035s
Trigger summary max trigger valid	<code>not bad</code>	Pass	0.002s
Every storm must have a fully-populated trigger_summary dict.	<code>not missing</code>	Pass	0.007s
No gauge id response has count	<code>isinstance(data['count'], int); data['count'] > 0</code>	Pass	0.002s
Startup preloader fetches without gauge_id – must not return 400.	<code>r.status_code == 200</code>	Pass	0.002s
All storms in file returned – not filtered by gauge.	<code>'storms' in data; data['count'] == len(data['storms']) (+1 more)</code>	Pass	0.001s
No gauge id returns success	<code>data['status'] == 'success'</code>	Pass	0.002s
gauge_id param still filters to matching storms.	<code>data['status'] == 'success'; all(True for _ in data['storms'])</code>	Pass	0.004s
When stress_storms.json is absent, returns 404.	<code>resp.status_code == 404; 'not found' in data.get('message', '').lower()</code>	Pass	0.001s
ghc_stress.get_js() returns valid JS.	<code>len(stress_js) > 1000</code>	Pass	0.000s
Chart canvas element must use td-prefixed ID.	<code>'td-stress-chart-canvas' in js</code>	Pass	0.000s
Chart sub-tabs must exist for Flood Probability, Stress P&L, and Surface.	<code>'td-stress-ctab-0' in js; 'td-stress-ctab-1' in js (+3 more)</code>	Pass	0.000s
Stress tab must have both chart renderers.	<code>'_tdRenderProbabilityChart' in js; '_tdRenderStressPnlChart' in js</code>	Pass	0.000s
Stress tab must have cleanup function.	<code>'tdCleanupStressCharts' in js</code>	Pass	0.000s
Stress tab must have gauge selector dropdown.	<code>'td-stress-gauge' in js; 'tdStressGaugeChanged' in js</code>	Pass	0.000s
Stress tab must fetch from stress/-gauges endpoint.	<code>'/api/v1/trading/stress/gauges' in js</code>	Pass	0.000s
Stress tab must have createStressView and loadStressData.	<code>'createStressView' in js; 'loadStressData' in js</code>	Pass	0.000s
Charts must have KO annotation line.	<code>'koLine' in js; 'first_trigger_hour' in js</code>	Pass	0.000s
Stress tab must have Property Damage link.	<code>'tdStressOpenDamage' in js; 'Property Damage' in js</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Stress tab must have Storm Simulation link.	'tdStressOpenGauge' in js; 'Storm Simulation' in js	Pass	0.000s
Stress sub-module should render without errors.	len(js) > 0	Pass	0.000s
Stress tab must have stats bar with KO info.	'_tdRenderStressStats' in js; 'td-stress-stats-bar' in js (+1 more)	Pass	0.000s
Stress tab must have storm selector dropdown.	'td-stress-storm' in js; 'tdStressStormChanged' in js	Pass	0.000s
Stress tab must render probability surface table.	'probability_surface' in js; 'td-stress-surface-wrap' in js (+2 more)	Pass	0.000s
Stress tab must have trade table renderer.	'_tdRenderStressTable' in js; 'td-stress-table-wrap' in js	Pass	0.000s
Surface table must be horizontally scrollable for 168h of columns.	'overflow:auto' in js; 'width:100%' not in snippet	Pass	0.000s
Should fetch from /api/v1/trading/stress/storms.	'/api/v1/trading/stress/storms' in js	Pass	0.000s
Should use cash pricing formula.	'cash_price' in js or 'cashPrice' in js or 'portfolio.cas...	Pass	0.000s
Should have two chart sub-tabs: Flood Probability and Stress P&L.	'Flood Probability' in js; 'Stress P' in js (+2 more)	Pass	0.000s
Should have storm selector dropdown.	'stress-storm-select' in js; '_populateStormSelect' in js	Pass	0.000s
Stress test JS should render without errors.	len(js) > 0	Pass	0.000s
Should POST to /api/v1/trading/stress/run.	'/api/v1/trading/stress/run' in js; '_runStressScenario' in js	Pass	0.000s
Should show P(flood) in chart.	'p_flood' in js	Pass	0.000s
Should pick up _stressStormHint from Historical tab.	'_stressStormHint' in js; '_stressStormHint = null' in js	Pass	0.000s
Should render trade table at peak hour.	'stress-table-wrap' in js; '_renderStressTable' in js	Pass	0.000s
Chart tab clicks should use addEventListener (IIFE-safe).	'addEventListener' in js	Pass	0.000s
String with options picks from list	result in ["Brick", "Stone", "Timber"]	Pass	0.000s
String without options returns empty	result == ""	Pass	0.000s
Colour constants	hasattr(styles_mod, name)	Pass	0.000s
Get styles keys	expected == set(S.keys())	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Rag colour maps	key in styles_mod.RAG.COLOURS; key in styles_mod.RAG.BG	Pass	0.000s
Section rule appends flowables	len(story) == 3	Pass	0.000s
Tbl style returns tablestyle	isinstance(ts, TableStyle)	Pass	0.000s
No data returns 404	r.status_code == 404; r.get_json()["status"] == "error"	Pass	0.000s
Options returns ok	r.status_code == 200; r.status_code == 200 (+1 more)	Pass	0.000s
With data returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.002s
avg_auc_roc is None when no gauges are trained.	data["avg_auc_roc"] is None	Pass	0.003s
Verify all expected gauge fields are in the response.	field in g	Pass	0.010s
avg_auc_roc averages correctly over multiple trained gauges.	data["num_trained"] == 2; data["avg_auc_roc"] == 0.85	Pass	0.004s
Internal error → 500.	resp.status_code == 500; data["status"] == "error"	Pass	0.001s
Gauge with .joblib but no auc_roc in summary still counted as trained.	data["num_trained"] == 1; data["avg_auc_roc"] == 0.0	Pass	0.003s
Exceedance probs decreasing	stats['prob_exceed_60'] >= stats['prob_exceed_70'] >= ...	Pass	0.000s
Fat tail higher p99 than thin	fat['p99'] > thin['p99']	Pass	0.147s
Mean in reasonable range	30 < stats['mean'] < 70	Pass	0.000s
Percentiles ordered	stats['p10'] <= stats['p25'] <= stats['p50'] <= \{\} ...	Pass	0.000s
Required keys present	k in stats	Pass	0.000s
Cap	result[50] == pytest.approx(11.0)	Pass	0.000s
Empty pulses	len(result) == 168	Pass	0.000s
Non overlapping sequential	result[25] == pytest.approx(7.0); result[55] == pytest.approx(8.0) (+1 more)	Pass	0.000s
Overlapping exceeds single	result[55] == pytest.approx(9.0); result[45] == pytest.approx(7.0)	Pass	0.000s
Single pulse	result[55] == pytest.approx(8.0); result[0] == pytest.approx(5.0)	Pass	0.000s
Surface footer references KO trimming.	'trimmed at KO' in stress_js	Pass	0.000s
Surface table reads probability_surface from data.	'probability_surface' in stress_js	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Renders an HTML table with monospace font.	'border-collapse' in stress_js; 'font-family:monospace' in stress_js	Pass	0.000s
Surface table applies trigger-band background colours.	'#FFEBEE' in stress_js; '#FFF3E0' in stress_js (+1 more)	Pass	0.000s
Surface tab creates a wrapping div.	'stress-surface-wrap' in stress_js	Pass	0.000s
Lines 72-76: water_level != severe_level → no flooding.	—	Pass	0.000s
Line 96: flood_depths[i] = min(depth, 5.0).	np.all(depths <= 5.0)	Pass	0.000s
Lines 89-92: distance_factor reduces depth proportionally.	depths[0] > 0; depths[1] > 0	Pass	0.000s
Lines 72: len(gauge_data) == 0.	—	Pass	0.000s
Lines 93-94: distance != max_distance → depth = 0.0.	depths[0] == 0.0	Pass	0.000s
Lines 72-96: water_level != severe_level, close to Thames.	np.any(depths > 0)	Pass	0.000s
Lines 72: gauge_data is None.	—	Pass	0.000s
loadPortfolioImpact() must be defined.	'loadPortfolioImpact' in table_js	Pass	0.000s
Portfolio impact fetch must use the correct endpoint path.	'portfolio-impact' in table_js	Pass	0.000s
Sort state variables must be initialised.	'spSortCol' in table_js; 'spSortAsc' in table_js	Pass	0.000s
Summary card labels must be present.	'Properties Affected' in table_js; 'Total Damage' in table_js	Pass	0.000s
Alt rows amber	len(ALT_ROWS_AMBER) == 1; ALT_ROWS_AMBER[0][0] == 'ROWBACKGROUNDS'	Pass	0.000s
Alt rows blue	len(ALT_ROWS_BLUE) == 1; ALT_ROWS_BLUE[0][0] == 'ROWBACKGROUNDS'	Pass	0.000s
Alt rows green	len(ALT_ROWS_GREEN) == 1; ALT_ROWS_GREEN[0][0] == 'ROWBACKGROUNDS'	Pass	0.000s
Hdr style first command is background	HDR_STYLE[0][0] == 'BACKGROUND'	Pass	0.000s
Hdr style has grid	'GRID' in cmds; 'BOX' in cmds	Pass	0.000s
Hdr style is list	isinstance(HDR_STYLE, list); len(HDR_STYLE) > 0	Pass	0.000s
any_flood has a lower threshold than severe -> higher or equal spread.	any_flood_5yr >= severe_5yr - 1e-6	Pass	0.236s

Test Description	Acceptance Criteria	Result	Time
PRS spread should be non-negative for all tenors.	<code>all(s >= 0 for s in spreads)</code>	Pass	0.277s
Survival between zero and one	<code>0.0 <= s <= 1.0</code>	Pass	0.234s
Coverage booleans are bool	<code>isinstance(val, bool)</code>	Pass	0.000s
Coverage has required keys	<code>key in tc</code>	Pass	0.000s
Coverage has file	<code>"test_file" in tc;</code> <code>isinstance(tc["test_file"], str)</code>	Pass	0.000s
GAUGE-001, GAUGE-002, GAUGE-9042bd95 are backward-compat exceptions.	<code>compat_ids == {'GAUGE-001', 'GAUGE-002', 'GAUGE-9042bd95'}</code>	Pass	0.000s
gauge.json and gaugehc.json gauge IDs must be identical sets.	<code>gauge_json_ids == gaugehc_ids</code>	Pass	0.000s
The new gauge entries in SAMPLE_GAUGEHC follow GAUGE- <code>{8hex}</code> .	<code>not violations</code>	Pass	0.000s
New gauge IDs added in conftest (GAUGE- <code>{8hex}</code>) follow the protocol.	<code>GAUGE_ID_RE.match(gid)</code>	Pass	0.000s
Gauge IDs in SAMPLE_STRESS_STORMS	<code>not violations</code>	Pass	0.000s
gauge_responses are from <code>_data</code> .			
<code>_data.py</code> <code>STORM_PORT_*</code> constants follow the protocol.	<code>STORM_ID_RE.match(STORM_PORT_SEVERE);</code> <code>STORM_ID_RE.match(STORM_PORT_ALERT)</code>	Pass	0.000s
All <code>storm_id</code> values in SAMPLE_PORT_STRESS_STORMS follow STORM- <code>{8hex}</code> .	<code>STORM_ID_RE.match(sid)</code>	Pass	0.000s
All <code>storm_id</code> values in SAMPLE_STRESS_STORMS follow STORM- <code>{8hex}</code> .	<code>STORM_ID_RE.match(sid)</code>	Pass	0.000s
<code>_data.py</code> <code>STORM_SEVERE</code> and <code>STORM_WARNING</code> follow the protocol.	<code>STORM_ID_RE.match(STORM_SEVERE);</code> <code>STORM_ID_RE.match(STORM_WARNING)</code>	Pass	0.000s
Has lines field	<code>"lines" in data;</code> <code>isinstance(data["lines"], list)</code>	Pass	0.000s
Has running field	<code>"running" in data;</code> <code>isinstance(data["running"], bool)</code>	Pass	0.000s
Lines includes appended	<code>"test line" in data["lines"]</code>	Pass	0.000s
Not running initially	<code>data["running"] is False</code>	Pass	0.000s
Returns 200	<code>resp.status_code == 200</code>	Pass	0.000s
Returns not found when no file	<code>data["status"] == "not_found"</code>	Pass	0.001s
Returns ok when file exists	<code>data["status"] == "ok"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Returns summary fields	"summary" in data; "failures" in data (+3 more)	Pass	0.002s
Running field is bool	"running" in data; isinstance(data["running"], bool)	Pass	0.000s
Historical high exceeds severe by less than 1m	"Elevated risk" in str(elements)	Pass	0.000s
Historical high exceeds severe by more than 1m	"High risk" in str(elements)	Pass	0.001s
Historical high within severe	"within severe warning levels" in str(elements)	Pass	0.000s
Moderate alert range	"Moderate alert range" in str(elements)	Pass	0.000s
Narrow alert range	"Narrow alert range" in str(elements)	Pass	0.000s
Wide alert range	"Wide alert range" in str(elements)	Pass	0.000s
Alert status	"ELEVATED RISK" in str(self._elements("Alert"))	Pass	0.000s
Normal status	"NORMAL" in str(self._elements("Normal"))	Pass	0.001s
Severe status	"CRITICAL RISK" in str(self._elements("Severe"))	Pass	0.001s
Timeseries with no level	isinstance(elements, list)	Pass	0.000s
Timeseries with no readings	isinstance(elements, list)	Pass	0.000s
Warning status	"HIGH RISK" in str(self._elements("Warning"))	Pass	0.000s
Test getting timeseries for a gauge from portfolio.	len(active-gauges) > 0; len(readings) > 0	Pass	0.003s
Test that timeseries gauge IDs exist in portfolio.	gauge is not None	Pass	0.002s
Count returns number of gauge files	TimeseriesLoader(tmp_path).count() == 2	Pass	0.001s
Get available gauge ids	"GAUGE-001" in ids; "GAUGE-002" in ids	Pass	0.001s
Get available gauge ids missing dir	TimeseriesLoader(tmp_path / "nonexistent").get_available_...	Pass	0.000s
List all returns summaries	isinstance(TimeseriesLoader(tmp_path).list_... list)	Pass	0.002s
Load all from directory	len(TimeseriesLoader(tmp_path).load_all()) >= 1	Pass	0.004s
Missing dir returns empty	TimeseriesLoader(tmp_path / "nonexistent").load_all() == []	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Test that entity ID is the timestamp.	entity_id is not None; "2025-01-01" in entity_id	Pass	0.004s
Test timeseries summary generation.	len(summaries) == 3; 'timestamp' in summary (+3 more)	Pass	0.002s
Test loading timeseries data.	len(records) == 3	Pass	0.002s
Clear cache	not loader._cache_valid	Pass	0.001s
Force reload	"GAUGE-002" in loader.get_available_gauge_ids()	Pass	0.003s
Invalidate cache	not loader._cache_valid	Pass	0.000s
Test getting most recent reading.	latest is not None; latest['hour'] == 2 (+1 more)	Pass	0.002s
Test getting peak (highest) reading.	peak is not None; peak['level'] == 4.8	Pass	0.002s
Test getting readings for a specific gauge.	len(readings) == 3; 'timestamp' in reading (+1 more)	Pass	0.002s
Test getting readings using gauge name.	len(readings) == 3	Pass	0.002s
Test getting readings for non-existent gauge.	readings == []	Pass	0.000s
Readings with unparseable timestamps are skipped (all-gauges path).	len(result) == 1	Pass	0.002s
Readings with unparseable timestamps are skipped (gauge_id path).	len(result) == 1	Pass	0.004s
Get readings in range all gauges	isinstance(result, list)	Pass	0.001s
Get readings in range for gauge	isinstance(result, list)	Pass	0.002s
Get lareading	TimeseriesLoader(tmp_path).get_latest_reading("GAUGE-001")	Pass	0.001s
Get lareading missing returns none	TimeseriesLoader(tmp_path).get_latest_reading("GAUGE-999")	Pass	0.000s
Get peak reading	TimeseriesLoader(tmp_path).get_peak_reading("GAUGE-001")	Pass	0.001s
	...		
Get peak reading missing returns none	TimeseriesLoader(tmp_path).get_peak_reading("GAUGE-999")	Pass	0.000s
	...		
Get readings for gauge	isinstance(result, list) and len(result) >= 1	Pass	0.001s
Gauge ID not found — fallback to gauge_name search.	isinstance(result, list)	Pass	0.002s
Get readings missing gauge returns empty	TimeseriesLoader(tmp_path).get_readings_for_gauge("GAUGE-999")	Pass	0.000s
Get storm responses	len(responses) == 1; responses[0]["storm_id"] == "STORM-0001"	Pass	0.002s
Get storm responses missing gauge	TimeseriesLoader(tmp_path).get_storm_responses("GAUGE-999")	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Test getting list of gauge IDs in timeseries.	<code>len(gauge_ids) == 2; "GAUGE-001" in gauge_ids (+1 more)</code>	Pass	0.001s
Test calculating gauge statistics.	<code>stats['gauge_id'] == "GAUGE-001"; stats['reading_count'] == 3 (+4 more)</code>	Pass	0.002s
Get gauge statistics missing gauge	<code>stats["reading_count"] == 0; "error" in stats</code>	Pass	0.000s
Readings with no numeric level field return error in stats.	<code>"error" in stats</code>	Pass	0.001s
Test statistics for non-existent gauge.	<code>stats['reading_count'] == 0; 'error' in stats</code>	Pass	0.000s
Get gauge statistics with data	<code>"reading_count" in stats; stats["reading_count"] >= 1</code>	Pass	0.001s
Exists by timestamp	<code>loader.exists(result[0]["timestamp"]) is True</code>	Pass	0.001s
Find by id not found returns none	<code>TimeseriesLoader(tmp_path).find_by_id("1999-01-01T00:00:00")</code>	Pass	0.001s
Get file status alias	<code>"entity_name" in TimeseriesLoader(tmp_path).get_file_stat...</code>	Pass	0.000s
Get status returns dict	<code>"entity_name" in status; "exists" in status</code>	Pass	0.001s
Test getting readings in time range.	<code>len(readings) == 2</code>	Skip	0.000s
Test getting readings in range for specific gauge.	<code>len(readings) >= 2; reading.get('gaugeId') == "GAUGE-001" or 'level' in reading</code>	Skip	0.000s
Bad gauge data is skipped	<code>len(result["readings"]) >= 1</code>	Pass	0.000s
Avg per gauge seconds	<code>abs(result - 160 / 15) < 0.001</code>	Pass	0.000s
Avg per gauge seconds empty	<code>_avg_per_gauge_seconds({"runs": []}) == 0.0</code>	Pass	0.000s
Load timings corrupt json	<code>result == {"runs": []}</code>	Pass	0.006s
Load timings missing file	<code>result == {"runs": []}</code>	Pass	0.000s
Load timings valid	<code>len(result["runs"]) == 1; result["runs"][0]["num-gauges"] == 5</code>	Pass	0.013s
Save timings truncates to 20	<code>len(saved["runs"]) == 20; saved["runs"][0]["i"] == 10</code>	Pass	0.006s
ConstructionYear triggers building age row in summary table.	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Missing nested key falls back to 'Unknown Property'.	<code>result == "Unknown Property"</code>	Pass	0.000s
Get property id present	<code>result == "PROP-001"</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Has tables	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Has title paragraph	<code>any("Comprehensive Property Analysis Report" in t for t i...</code>	Pass	0.000s
Property id in output	<code>any("PROP-001" in t for t in texts)</code>	Pass	0.000s
Property overview section header	<code>any("Property Overview" in t for t in texts)</code>	Pass	0.000s
Property summary section header	<code>any("Property Summary" in t for t in texts)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s
Unknown property id fallback	<code>any("Unknown Property" in t for t in texts)</code>	Pass	0.000s
With mortgage data does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Step owners covers all graph steps	<code>step in dl.mod.STEP_OWNERS</code>	Pass	0.000s
Topology renders owner	<code>len(tables) >= 1; 'Owner' in header_row</code>	Pass	0.000s
Gauge trace should find origin + derived + consumed steps.	<code>len(result) >= 3; "gauges" in steps (+1 more)</code>	Pass	0.002s
Each trace entry should have a context description.	<code>r.get("context")</code>	Pass	0.003s
Gauge with trained classifier should show classifiers step.	<code>"classifiers" in steps</code>	Pass	0.003s
Gauge referenced in PRS trades should show blotter step.	<code>len(consumed) >= 1</code>	Pass	0.002s
None lineage with no matching files returns empty.	<code>result == []</code>	Pass	0.002s
Non-existent gauge returns empty trace.	<code>result == []</code>	Pass	0.003s
Property trace should find origin and derived steps.	<code>len(result) >= 2; "properties" in steps</code>	Pass	0.001s
Trade trace should find the PRS file as origin.	<code>len(result) >= 1; result[0]["role"] == "origin"</code>	Pass	0.000s
Missing data id	<code>r.status_code == 400</code>	Pass	0.000s
Missing data type	<code>r.status_code == 400</code>	Pass	0.000s
Missing data.type or data.id returns 400.	<code>r.status_code == 400; "required" in r.get_json()["message"]</code>	Pass	0.000s
Fallback scan when no direct traces key matches.	<code>r.status_code == 200; data["found"] is True (+1 more)</code>	Pass	0.003s
No lineage file =, found=False, empty trace.	<code>r.status_code == 200; data["found"] is False</code>	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Trace not found	<code>r.status_code == 200; data["found"] is False</code> (+1 more)	Pass	0.002s
Valid trace	<code>r.status_code == 200; data["status"] == "success"</code> (+4 more)	Pass	0.004s
Whitespace only params	<code>r.status_code == 400</code>	Pass	0.000s
Gauge id chain	<code>len(chain) == 4; chain[0]["step"] == "gauges"</code> (+4 more)	Pass	0.000s
Property id chain	<code>len(chain) == 7; all(c["recorded"] is False for c in chain)</code>	Pass	0.000s
Unknown data type	<code>chain == []</code>	Pass	0.000s
Posts to /api/v1/prs/commit.	<code>'/api/v1/prs/commit' in prs_js</code>	Pass	0.000s
Commit payload includes payer flag.	<code>'isPayer' in prs_js</code>	Pass	0.000s
Trade trace includes eod	<code>any("eod" in r["file"] for r in blotter_steps)</code>	Pass	0.002s
Trade trace includes marks	<code>any("trade.marks" in r["file"] for r in blotter_steps)</code>	Pass	0.001s
Panel should add to a Folium map without error.	<code>len(html._children) > 0</code>	Pass	0.025s
Blotter sub-module should render with FS01 column.	<code>'createBlotterView' in js; 'loadBlotterData' in js</code> (+2 more)	Pass	0.000s
EOD sub-module should render.	<code>'createEodView' in js; 'loadEodData' in js</code>	Pass	0.000s
Aggregate View sub-module should render.	<code>'createMapView' in js; 'loadMapData' in js</code> (+2 more)	Pass	0.000s
Market sub-module should render.	<code>'createMarketView' in js; 'loadMarketData' in js</code>	Pass	0.000s
Ensure no unescaped single braces that could cause NameError.	<code>len(js) > 1000</code>	Pass	0.000s
Panel should contain all 7 tab IDs and labels.	<code>'blotter' in js; 'market' in js</code> (+7 more)	Pass	0.000s
Panel should export TradingDesk to window.	<code>'window.TradingDesk' in js; 'window.showTradingDesk' in js</code>	Pass	0.000s
Panel should contain the Pi button.	<code>'&Pi;' in js</code>	Pass	0.000s
TradingDeskPanel JS should render without errors.	<code>len(js) > 0; '<script>' in js</code> (+1 more)	Pass	0.000s
FS01 Matrix sub-module should render.	<code>'createRiskView' in js; 'loadRiskData' in js</code> (+1 more)	Pass	0.000s
get_statistics() returns panel_width and panel_height.	<code>stats["panel.width"] == "420px"; stats["panel.height"] == "600px"</code>	Pass	0.000s
Td preloader does not redeclare td pre blotter	<code>'window._tdPreBlotter = null' not in src</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Td preloader does not redeclare td pre market	'window._tdPreMarket = null' not in src	Pass	0.000s
Td preloader does not redeclare td preload done	'var _tdPreloadDone = false' not in src	Pass	0.000s
POST train-all returns 500 when config.get_classifiers_dir raises.	resp.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.015s
If training is already in progress, return training status.	resp.status_code == 200; data["status"] == "training" (+1 more)	Pass	0.001s
If joblib already exists, POST returns ready immediately.	resp.status_code == 200; data["status"] == "ready" (+1 more)	Pass	0.001s
Corrupt gauge.json = 500.	resp.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.005s
Gauge not in gauge.json = 404.	resp.status_code == 404; data["status"] == "error" (+1 more)	Pass	0.003s
Missing gauge.json = 404.	resp.status_code == 404; "gauge.json not found" in data["message"]	Pass	0.005s
Missing storm_sequences.json = 404.	resp.status_code == 404; "storm_sequences.json not found" in data["message"]	Pass	0.002s
A previously failed job can be restarted.	resp.status_code == 200; data["status"] == "training"	Pass	0.003s
Successful POST starts training and returns training status.	resp.status_code == 200; data["status"] == "training" (+4 more)	Pass	0.004s
severe_warning=100m ensures no events breach it - fallback to alert.	result["label_threshold"] == "flood_alert"	Pass	6.045s
Model file written	stressm_dir.exists()	Pass	6.205s
Result has gauge id	result.get("gauge_id") == "GAUGE-clf001"	Pass	6.119s
Result has label threshold	"label_threshold" in result; result["label_threshold"] in ("severe_warning", "flood_al...	Pass	6.117s
Returns result dict	isinstance(result, dict)	Pass	6.159s
severe_warning=0 exercises the else branch in log_hs computation.	isinstance(result, dict)	Pass	6.845s
Exception during training sets job status to 'failed'.	job["status"] == "failed"; job["error"] is not None (+1 more)	Pass	0.002s
Successful training sets job status to 'ready'.	job["status"] == "ready"; job["error"] is None	Pass	0.003s
Monthly rent and annual rent	isinstance(result, list)	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
No transaction data	<code>isinstance(self._page().generate_elements(prop, list)</code>	Pass	0.000s
Rental yield computed	<code>isinstance(result, list)</code>	Pass	0.000s
Sale date shown	<code>isinstance(result, list)</code>	Pass	0.000s
Sale price and appreciation	<code>any(isinstance(e, Table) for e in result)</code>	Pass	0.000s
Sales section rendered	<code>any("Transaction" in t for t in texts)</code>	Pass	0.000s
Assess yield average	<code>page._assess_yield(5.0) == "Average yield"</code>	Pass	0.000s
Assess yield below average	<code>page._assess_yield(3.0) == "Below average yield"</code>	Pass	0.000s
Assess yield excellent	<code>page._assess_yield(9.0) == "Excellent yield"</code>	Pass	0.000s
Assess yield good	<code>page._assess_yield(7.0) == "Good yield"</code>	Pass	0.000s
Assess yield poor	<code>page._assess_yield(1.0) == "Poor yield"</code>	Pass	0.000s
Empty property does not crash	<code>isinstance(result, list)</code>	Pass	0.000s
Empty transactions	<code>isinstance(result, list)</code>	Pass	0.000s
Has transactions header	<code>any("Transaction" in t or "History" in t for t in texts)</code>	Pass	0.000s
Market analysis appreciation	<code>"Capital Appreciation" in result</code>	Pass	0.000s
Market analysis few vacancies	<code>"Good" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis many vacancies	<code>"Concerning" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis marketing above 30	<code>"Marketing Efficiency" in result; "Good" in result["Marketing Efficiency"]</code>	Pass	0.000s
Market analysis marketing above 90	<code>"Below average" in result["Marketing Efficiency"]</code>	Pass	0.000s
Market analysis never rented	<code>"Rental History" in result; "No rental history" in result["Rental History"]</code>	Pass	0.000s
Market analysis no vacancy	<code>"Rental Stability" in result; "Excellent" in result["Rental Stability"]</code>	Pass	0.000s
Market analysis yield	<code>"Gross Rental Yield" in result</code>	Pass	0.000s
No transaction history	<code>isinstance(result, list)</code>	Pass	0.000s
Returns list	<code>isinstance(result, list); len(result) > 0</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Sales extended marketing	<code>isinstance(result, list)</code>	Pass	0.000s
Sales quick sale	<code>isinstance(result, list)</code>	Pass	0.000s
Sales very long marketing	<code>isinstance(result, list)</code>	Pass	0.000s
With mortgage data	<code>isinstance(result, list)</code>	Pass	0.000s
With rental data	<code>isinstance(result, list);</code> <code>any(isinstance(e, Table) for e</code> <code>in result)</code>	Pass	0.000s
With sales data	<code>isinstance(result, list);</code> <code>any(isinstance(e, Table) for e</code> <code>in result)</code>	Pass	0.000s
Flood arrival hour should increase with distance.	<code>len(arrivals) >= 2; arrivals[i][1] >=</code> <code>arrivals[i - 1][1]</code>	Pass	0.001s
More distant properties should have shorter flood duration	<code>flooded_durations[i][1] <=</code> <code>flooded_durations[i - 1][1]</code>	Pass	0.001s
Deeper water flows faster → shorter travel time.	<code>times[i] < times[i - 1]</code>	Pass	0.000s
Travel time must increase monotonically with distance.	<code>times[i] > times[i - 1]</code>	Pass	0.000s
Gauges alert count	<code>single_storm_data["trigger_summary"]["gauges_alert"]</code> <code>== 2</code>	Pass	0.000s
Gauges impacted matches alert	<code>ts["gauges_impacted"] ==</code> <code>ts["gauges_alert"]</code>	Pass	0.000s
Gauges severe count	<code>single_storm_data["trigger_summary"]["gauges_severe"]</code> <code>== 1</code>	Pass	0.000s
Gauges warning count	<code>single_storm_data["trigger_summary"]["gauges_warning"]</code> <code>== 1</code>	Pass	0.000s
Max trigger is alert when alert only	<code>data["storms"][0]["trigger_summary"]["max_trigger"]</code> <code>== "a..."</code>	Pass	0.004s
Max trigger is severe	<code>single_storm_data["trigger_summary"]["max_trigger"]</code> <code>== "s..."</code>	Pass	0.000s
Max trigger is warning when no severe	<code>data["storms"][0]["trigger_summary"]["max_trigger"]</code> <code>== "w..."</code>	Pass	0.003s
Trigger summary present	<code>"trigger_summary" in</code> <code>single_storm_data</code>	Pass	0.000s
Assessment date updated	<code>r.get_json()["assessment"]["assessment_date"]</code> <code>is not None</code>	Pass	0.002s
No data file returns 404	<code>r.status_code == 404</code>	Pass	0.000s
Principle not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Score 1 derives non compliant status	<code>r.status_code == 200; p["status"] ==</code> <code>"Non-compliant"</code>	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Score 4 derives fully compliant status	p["status"] == "Fully Compliant"	Pass	0.002s
Update evidence field	r.status_code == 200; p["evidence"] == "New evidence gathered"	Pass	0.002s
Update gaps and remediation	p["gaps"] == "Minor gap"; p["remediation"] == "Action plan created"	Pass	0.002s
Valid update returns 200	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.002s
Not found returns 404	r.status_code == 404	Pass	0.002s
Update changes field	ref["author"] == "New Author"	Pass	0.004s
Update returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.004s
Update with new category adds to list	"NewCat" in r.get_json()["categories"]	Pass	0.004s
Update sets updated at	r.get_json()["meeting"]["updated_at"] is not None	Pass	0.003s
Update title	r.status_code == 200; r.get_json()["meeting"]["title"] == "Updated Title"	Pass	0.003s
Update unknown id returns 404	r.status_code == 404	Pass	0.001s
Update action missing meeting returns 404	r.status_code == 404	Pass	0.001s
Update decision missing meeting returns 404	r.status_code == 404	Pass	0.002s
Update minute item missing meeting returns 404	r.status_code == 404	Pass	0.002s
Update participant missing meeting returns 404	r.status_code == 404	Pass	0.001s
Empty value returns 400	r.status_code == 400	Pass	0.002s
Invalid choice value returns 400	r.status_code == 400	Pass	0.002s
Invalid field returns 400	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.002s
Model not found returns 404	r.status_code == 404; r.status_code == 404 (+1 more)	Pass	0.002s
No reason returns 400	r.status_code == 400	Pass	0.002s
Response has audit entry	"audit_entry" in data; data["audit_entry"]["event_type"] == "field.update"	Pass	0.003s
Update lifecycle stage	r.status_code == 200	Pass	0.006s
Update validation status	r.status_code == 200	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
Valid choice field update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["new_value"] == "Amber"</code>	Pass	0.003s
Valid text field update returns success	<code>r.status_code == 200;</code> <code>data["status"] == "success" (+2 more)</code>	Pass	0.003s
No inventory returns 404	<code>r.status_code == 404;</code> <code>r.get_json()["status"] == "error" (+3 more)</code>	Pass	0.000s
Save failure returns 500	<code>r.status_code == 500;</code> <code>r.get_json()["status"] == "error"</code>	Pass	0.002s
Activity not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Invalid role id returns 400	<code>r.status_code == 400</code>	Pass	0.002s
Notes updated	<code>activities[0]["notes"] == "New note"</code>	Pass	0.003s
Setting C or I to None (null) is valid.	<code>r.status_code == 200</code>	Pass	0.003s
Valid activity update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
Escalation tier threshold updated	<code>triggers[0]["tier_threshold"]["1"] == "Immediate"</code>	Pass	0.003s
Response has audit entry	<code>"audit_entry" in r.get_json();</code> <code>"audit_entry" in r.get_json()</code>	Pass	0.003s
Trigger not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Valid escalation update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.002s
Backup field updated	<code>owner["backup"] == "Owner B"</code>	Pass	0.003s
No raci file returns 404	<code>r.status_code == 404</code>	Pass	0.029s
Response has audit entry	<code>"audit_entry" in r.get_json();</code> <code>"audit_entry" in r.get_json()</code>	Pass	0.003s
Role not found returns 404	<code>r.status_code == 404</code>	Pass	0.002s
Valid role update returns success	<code>r.status_code == 200;</code> <code>r.get_json()["status"] == "success"</code>	Pass	0.003s
When all gauges are skipped, avg_auc_roc is 0.	<code>summary["num_trained"] == 0;</code> <code>summary["avg_auc_roc"] == 0.0</code>	Pass	0.001s
Creates training_summary.json when it does not exist.	<code>summary_path.exists();</code> <code>summary["num_gauges"] == 1 (+5 more)</code>	Pass	0.004s
Merges a new gauge result into an existing summary.	<code>summary["num_gauges"] == 2;</code> <code>summary["num_trained"] == 2 (+2 more)</code>	Pass	0.002s
Re-training a gauge replaces its entry, not duplicates it.	<code>summary["num_gauges"] == 1;</code> <code>summary["num_trained"] == 1 (+2 more)</code>	Pass	0.004s

Test Description	Acceptance Criteria	Result	Time
A 'skipped' gauge does not contribute to avg_auc_roc.	summary["num.gauges"] == 2; summary["num.trained"] == 1 (+2 more)	Pass	0.002s
All valid statuses	r.status_code == 200	Pass	0.009s
Invalid status returns 400	r.status_code == 400; r.get_json()["status"] == "error"	Pass	0.002s
Model not found returns 404	r.status_code == 404; r.get_json()["status"] == "error" (+1 more)	Pass	0.002s
Question not found returns 404	r.status_code == 404	Pass	0.002s
Risk rating recalculated	rr["last_calculated"] is not None	Pass	0.003s
Valid update has model and audit entry	"model" in data; "audit_entry" in data	Pass	0.003s
Valid update returns success	r.status_code == 200; r.get_json()["status"] == "success"	Pass	0.003s
update_yield_curve creates yield_curve from default when missing.	'1' in updated['yield_curve']; updated['yield_curve']['1'] == 0.055	Pass	0.002s
Empty filename returns 400	r.status_code == 400	Pass	0.001s
No file returns 400	r.status_code == 400; data["status"] == "error"	Pass	0.000s
Upload appears in list	len(data["documents"]) == 1	Pass	0.003s
Upload response has id	"id" in data["document"]	Pass	0.003s
Upload stores description	data["document"]["description"] == "My description"	Pass	0.004s
Valid upload returns 200	r.status_code == 200; data["status"] == "success" (+1 more)	Pass	0.003s
Upload save failure returns 500	r.status_code == 500; data["status"] == "error" (+1 more)	Pass	0.030s
_add with file outside input_dir falls back to absolute path.	len(eod_entries) >= 1	Pass	0.002s
_search_dir_files matches entity_id in filename stem — exercised	len(eod_entries) >= 1	Pass	0.002s
_search_dir_files with nonexistent dir returns [] — exercised by	isinstance(result, list)	Pass	0.001s
_search_json with unreadable file returns False — exercised by	isinstance(result, list)	Pass	0.002s
Get page categories contains expected keys	key in cats	Pass	0.001s
Get page categories contains expected keys	key in cats	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
Get page categories returns copy	"_new_key_" not in gen.categories	Pass	0.001s
Get page categories returns copy	"_new_key_" not in gen.categories	Pass	0.002s
Mutating the returned dict must not affect the generator's internal state.	"_new_key_" not in gen.categories	Pass	0.001s
Get page categories returns dict	isinstance(cats, dict)	Pass	0.001s
Get page categories returns dict	isinstance(cats, dict)	Pass	0.002s
Get page categories returns dict	isinstance(cats, dict)	Pass	0.001s
List available pages contains all expected	expected <= set(pages)	Pass	0.002s
List available pages contains all expected	expected <= set(pages)	Pass	0.001s
List available pages contains expected	expected <= set(pages)	Pass	0.001s
List available pages non empty	len(gen.list.available_pages()) > 0	Pass	0.001s
List available pages non empty	len(gen.list.available_pages()) > 0	Pass	0.001s
List available pages returns list	isinstance(pages, list)	Pass	0.001s
List available pages returns list	isinstance(pages, list)	Pass	0.002s
List available pages returns list	isinstance(pages, list)	Pass	0.001s
Validate pages all invalid	valid == []; "bogus_one" in invalid (+1 more)	Pass	0.001s
Validate pages all invalid	valid == []; "no_such_page" in invalid (+1 more)	Pass	0.002s
Validate pages all invalid	valid == []; "bogus_one" in invalid (+1 more)	Pass	0.001s
Validate pages all valid	"title_overview" in valid; "sensor_details" in valid (+1 more)	Pass	0.001s
Validate pages all valid	"title_overview" in valid; "data_summary" in valid (+1 more)	Pass	0.002s
Validate pages all valid	"title" in valid; "appendix" in valid (+1 more)	Pass	0.001s
Validate pages empty list	valid == []; invalid == []	Pass	0.001s
Validate pages empty list	valid == []; invalid == []	Pass	0.002s
Validate pages empty list	valid == []; invalid == []	Pass	0.001s
Validate pages mixed	"title_overview" in valid; "nonexistent_page" in invalid	Pass	0.001s
Validate pages mixed	"title_overview" in valid; "nonexistent_page" in invalid	Pass	0.002s
Validate pages mixed	"title" in valid; "nonexistent_page" in invalid	Pass	0.001s

Test Description	Acceptance Criteria	Result	Time
The error message should be a string representation of the exception.	"validation_error" in result; isinstance(result["validation_error"][0], str)	Pass	0.000s
Another path to trigger the except branch.	"validation_error" in result	Pass	0.000s
Lines 251-252: passing data that causes an exception in the try	"validation_error" in result; isinstance(result["validation_error"], list) (+1 more)	Pass	0.000s
Consistent chain	result["is_consistent"]; result["stale_steps"] == [] (+1 more)	Pass	0.002s
Empty manifest	not result["is_consistent"]; len(result["missing_steps"]) == 15	Pass	0.000s
Stale step detected	not result["is_consistent"]; "properties" in result["stale_steps"]	Pass	0.000s
Alt key structure	validate_gauge_exists("GAUGE-002", gauge_file) is True	Pass	0.001s
Existing gauge returns true	validate_gauge_exists("GAUGE-001", gauge_file) is True	Pass	0.001s
Missing file returns false	validate_gauge_exists("GAUGE-001", tmp_path / "missing.js...")	Pass	0.000s
Nonexistent gauge returns false	validate_gauge_exists("GAUGE-XXX", gauge_file) is False	Pass	0.001s
Binary file returns false	result is False	Pass	0.001s
Corrupt json returns false	result is False	Pass	0.001s
Zero validation errors across the whole batch.	result["invalid"] == 0	Pass	0.000s
Medium batch all valid	result["invalid"] == 0	Pass	0.001s
No negative durations	storm.duration_hours > 0	Pass	0.000s
No negative precipitation	seq.total_precipitation_mm > 0; storm.precipitation_mm > 0	Pass	0.000s
Last storm precipitation must end by hour 156 (1e-9 FP tolerance).	last_end <= MAX_PRECIP_END_HOUR + _FP_TOL	Pass	0.000s
Line 196: audit log overflow during VQ update.	r.status_code == 200	Pass	0.033s
Line 130: inventory not found → 404.	r.status_code == 404	Pass	0.001s
Line 176: save failure → 500.	r.status_code == 500	Pass	0.002s

Test Description	Acceptance Criteria	Result	Time
Update triggers risk recalculation	<code>rr["calculated_score"] is not None; rr["calculated_rating"] in ["Acceptable", "Conditional", ...</code> (+1 more)	Pass	0.005s
Update validation question	<code>response.status_code == 200;</code> <code>data["status"] == "success"</code> (+5 more)	Pass	0.003s
Update validation question invalid status	<code>response.status_code == 400</code>	Pass	0.002s
Update validation question not found	<code>response.status_code == 404</code>	Pass	0.002s
Base pct wins when higher than depth factor	<code>var == pytest.approx(350.000)</code>	Pass	0.000s
Depth 1 to 2m	<code>var == pytest.approx(500.000)</code>	Pass	0.000s
Depth half to 1m	<code>var == pytest.approx(250.000)</code>	Pass	0.000s
Depth over 2m	<code>var == pytest.approx(800.000)</code>	Pass	0.000s
Depth under half m	<code>var == pytest.approx(100.000)</code>	Pass	0.000s
Negative property value	<code>RiskAssessor.calculate_value_at_risk(-100.000, "High") == ...</code>	Pass	0.000s
Risk level percentages	<code>var == pytest.approx(1.000.000 * pct)</code>	Pass	0.000s
Zero depth uses base pct	<code>var == pytest.approx(150.000)</code>	Pass	0.000s
Zero property value	<code>RiskAssessor.calculate_value_at_risk(0, "High") == 0.0</code>	Pass	0.000s
When verbose=False, the per-counterparty log lines are absent.	<code>"[1/2]" not in caplog.text; "Wrote 2 counterparties" not in caplog.text</code>	Pass	0.000s
Lines 169-170: when verbose=True, each counterparty is logged.	<code>len(result["data"]) == 3; "[1/3]" in caplog.text</code> (+2 more)	Pass	0.001s
Line 187: verbose=True logs final summary with count and path.	<code>"Wrote 2 counterparties" in caplog.text</code>	Pass	0.000s
<code>create_visualization()</code> returns a TCEventVisualization instance.	<code>isinstance(viz, TCEventVisualization)</code>	Pass	0.000s
All addressed	<code>_vq_summary(model) == "3/3"</code>	Pass	0.000s
Empty questions	<code>_vq_summary(model) == "0/0"</code>	Pass	0.000s
None addressed	<code>_vq_summary(model) == "0/2"</code>	Pass	0.000s
Some not applicable	<code>_vq_summary(model) == "1/2"</code>	Pass	0.000s
<code>_walk_upstream</code> should not infinite loop on revisited nodes.	<code>result.count("gauges") == 1</code>	Pass	0.000s
Deep chain	<code>"gauges" in result; "propertyhc" in result</code>	Pass	0.000s

Test Description	Acceptance Criteria	Result	Time
Mid chain	"gauges" in result; result.index("gauges") < result.index("properties")	Pass	0.000s
Root has no upstream	result == ["gauges"]	Pass	0.000s
GET returns yield_curve dict.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.002s
Default yield curve has standard tenor points.	len(yc) > 0	Pass	0.004s
Tenor outside 1-30 returns 400.	resp.status_code == 400	Pass	0.000s
POST without JSON body returns error.	resp.status_code in (400, 500)	Pass	0.002s
POST updates one tenor point.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.003s
Commit returns affected_trades and P&L impact fields.	resp.status_code == 200; data['status'] == 'success' (+4 more)	Pass	0.027s
Commit should affect all open trades.	data['affected_trades'] == 16	Pass	0.027s
Empty rates dict returns 400.	resp.status_code == 400	Pass	0.000s
No JSON body returns error.	resp.status_code in (400, 500)	Pass	0.001s
Reset returns to default shape.	resp.status_code == 200; data['status'] == 'success' (+1 more)	Pass	0.005s

Failed Test Details

test_no_stale_inputs File: tests/data/test_id_consistency_pipeline_part2.py

```

1 tests/data/test_id_consistency_pipeline_part2.py:81: in test_no_stale_inputs
2     assert len(stale) == 0, (
3 E   AssertionError: 2 pipeline steps have stale inputs: ['propertyshd', 'propertyshe']. Run:
python app.py port to regenerate.
4 E   assert 2 == 0
5 E     + where 2 = len(['propertyshd', 'propertyshe'])

```