

MAGTUBE UPGRADE

PROTUBE TO MAGTUBE UPGRADE



Hello, fellow gamer!

If you are reading this, you are willing to upgrade your ProTube to the magnetic version, the MagTube. And increase your comfort while playing. We will help you to do it!

The MagTube allows you to detach the controllers (and its MagCups) from the frame without having to take the controllers off the cups.

We invite you to join our [Discord](#) community for any questions or directly contact us through our [support service](#) on [our website](#).



Upgrading your ProTube to a MagTube should take 20 minutes.

For video setup,
[you can check our YouTube Playlist](#).

First, make sure you work in a clear area and be very careful. Some parts can get lost easily.

Thank you for choosing the best Virtual Reality stock rifle solution. But do not trust us by word, try it. And most importantly, enjoy your games!

Feel the game!



PARTS LIST

BAG UPGRADE



x1
T-notched
connection



x2
Butterfly




x2
Hex washer



x2
Hex screw



x2
Nut



x1
Notched
washer



x2
O'ring



x1
Rubber washer

BAG N°4



x1
Hex Key 0,4cm



x1
Hex Key 0,25cm



x1
Hex Key clip



x2
Wrist straps



x2
Only for Rift :
Wrist Straps adaptor



X8
Only for Index :
Zip Tie

REST OF THE BOX



x2
Left & Right
MagCup



x2
Magnetic
Support

STEP 1 : THE REAR MAGCUP



What you need for the **rear MagCup**:

- 20 mm screw
- 1 nut
- 2 O'rings
- Notched washer
- Magnetic cup
- Notched magnetic support



Put the O'ring on the 20mm screw.



Pass the screw and O'ring through the notched magnetic support.



Add the notched washer on the other side.




Join the notched magnetic support and the T-notched connection, and add the last O'ring.



Add the nut and tighten, the magnetic support must be able to move, though.



STEP 2 : THE FRONT MAGCUP



What you need for the **front MagCup**:

- Hex screw
- Butterfly
- Hex washer
- 1 nut
- Rubber washer
- Magnetic cup
- Smooth magnetic support



Put the O'ring on the 20mm screw.



Pass the screw and O'ring through the notched magnetic support.



Add the notched washer on the other side.



Join the notched magnetic support and the T-notched connection, and add the rubber washer.



Add the nut and tighten, the magnetic support must be able to move, though.



Now, you have a complete MagTube.

