Pekids toy Store

+ Follow

I'm shopping for...

94.7% Positive feedback

7112 Followers

On AliExpress

In this store

Store Home

Products ~

Sale Items 🗸

Top Selling

New Arrivals

Feedback















ALTERA MAX II EPM240 CPLD Core Board USB Blaster FPGA Programmer For EPM240T100C5N JTAG PLD Development Kit With JTAG Wire

1 order

US \$28.90 US \$90.30 -68%

Quantity:

Additional 5% off (2 Pieces or more) 9998 Pieces available

Free Shipping

From China to Canada via AliExpress Standard Shipping Estimated delivery on Mar 14

More options ✓

Buy Now

Add to Cart





















- → LED Lighting
- ▶ LED Strip
- ▶ Electronic Module
- Others

94.7% Positive Feedback7112 Followers

+ Follow

Visit Store



US \$2.78





US \$5.50







Report Item

US \$3.61 US \$33.52 US \$5.07

Top Selling



US \$3.84

★ 4.6

756 Sold



US \$3.84

★ 4.8

136 Sold



US \$3.12

★ 4.6

257 Sold

OVERVIEW

CUSTOMER REVIEWS (0)

SPECIFICATIONS

Product Name:

ALTERA MAX II EPM240 CPLD Core Board & USB Blaster FPGA Programmer for EPM240T100C5N JTAG PLD Development kit with JTAG wire

Module No: RT294

Packing List:

1 PCS EPM240 core board

1 PCS Altera USB Blaster #with USB wire and 10 pin JTAG wire#



US \$5.50

★ 4.8

316 Sold



US \$2.78

★ 5.0

11 Sold

View More >



Product Description:


EPM240 Board Description:


Onboard EPM240T100C5N chip 50Mhz Active crystal

All pins from CPLD are Labelled and available onboard Altera Official standards JTAG Interface Two 5V 3#3V output to provide power for the peripheral A Independent button for test core board Two independent LED lights for test core board


Size: 9cm X 6cm #9:6 is Golden ratio ^_^#

Diagram: Please contact me on ebay message for diagram after your order!





PCB Board 3D View:



Altera USB Blaster:







Feature:

- 1. Stably support Signal Tap II embedded logic analyzer function , no mistake while crawlling data:
- 2. Fully support all Altera products such as:

CPLD: MAX3000, MAX7000, MAX9000 and MAXII

FPGA: StratixI, StratixII, Cyclone, CycloneII, CycloneIII, ACEX1K, APEX20K and FLEX10 - -:c# Active serial configuration device: EPCS1, EPCS4, EPCS64 etc#

Enhanced configuration devices: EPC1, EPC4#

- 3. Supports 3 download mode: AS, PS and JTAG;
- 4. Support and Nios II embedded soft core processor communication and debugging, Rev.C latest version Hardware. Support jtag_uart;
- 5. Speed: 6 times faster than parallel port download cable ByteBlasterII;
- 6. Easy to use: MiniUSB interface, easy connection, two status indicator makes debugging more comfortable.
- 7. Fully compatible with ALTERA USB Blaster, functionality and performance are the same as ALTERA original download cable.
- 8: Voltage: 1.5~5V JTAG IO Voltage.

System configuration:

- 1, Windows XP, Windows Vista, Windows7, USB interface;
- 2, Quartus II version 4.0 or newer version;

This programmer uses standard 10-Pin ICD10 interface, the Pin assignment is shown as followed:

10-Pin interface #the triangle mark on cable "" means 1st pin#:

Pin	AS Mode		PS Mode		JTAG Mode	
	Signal Name	Description	Signal Name	Description	Signal Name	Description
1	DCLK	Clock signal	DCLK	Clock signal	TCK	Clock signal
2	GND	Signal ground	GND	Signal ground	GND	Signal ground
3	CONF_DONE	Configuration done	CONF_DONE	Configuration done	TDO	Data from device
4	VCC (TRGT)	Target power supply	VCC (TRGT)	Target power supply	VCC(TRGT)	Target power supply
5	nCONFIG	Configuration control	nCONFIG	Configuration control	TMS	JTAG state machine control
6	nCE	Oyclone chip enable		No connect	-	No connect
7	DATAOUT	Active serial data out	nSTATUS	Configuration status	522	No connect
8	nCS	Serial configuration device chip select		No connect	=	No connect
9	ASDI	Active serial data in	DATA0	Data to device	TDI	Data to device
10	GND	Signal ground	GND	Signal ground	GND	Signal ground


No Feedback.

Seller Recommendations














Ultra-light Mini DC 3.5-5V To ... Free Shipping

US \$3.86

3 Sold



Free Shipping

US \$5.04

10 Sold



3 key

US \$2.57

8 Sold

5V USB 5050 RGB LED Strip L...

126 Sold



1.2V 2.4V 3.6V 1A NiMH Batt... Free Shipping

US \$5.07

2 Sold



US \$4.58

2 Sold

DC 3.3V 3.7V 5V LED Driver 3... Free Shipping

For Resend Parcel or Exyra F... Free Shipping

US \$0.01

8 Sold

2A multi-cell synchronous Buck Li-Ion battery charger



Power supply voltage DC 5-23V

Charging voltage: 4.2V 8.4V 12.6V

Charging current: 2A 14 0.5A

2A Multi-Cell Synchronous B... Free Shipping

US \$5.56



5M-20M 5050 RGB LED Strip ... Free Shipping

US \$13.21

5 Sold



5V 2.1A Charge And Dischar... Free Shipping

US \$5.79

Links

Ranking Keywords

macbook air charger

beaded curtains

ai smartphone follower camera

This product belongs to **Home**

Help

Customer Service, Disputes & Reports, Buyer Protection, Report IPR infringement

AliExpress Multi-Language Sites

Russian, Portuguese, Spanish, French, German, Italian, Dutch, Turkish, Japanese, Korean, Thai, Vietnamese, Arabic, Hebrew, Polish

Browse by Category

All Popular, Product, Promotion, Low Price, Great Value, Reviews, Blog, Seller Portal, BLACK FRIDAY, AliExpress Assistant

Alibaba Group

Alibaba Group Website, AliExpress, Alimama, Alipay, Fliggy, Alibaba Cloud, Alibaba International, AliTelecom, DingTalk, Juhuasuan, Taobao Marketplace,

Google Play App Store

Intellectual Property Protection - Privacy Policy - Sitemap - Terms of Use - Information for EU consumers - Transaction Services Agreement for EU consumers - User Information Legal Enquiry Guide ©2010-2022 AliExpress.com. All rights reserved. ● 增值电信业务经营许可证 浙B2-20120091-8 ● 浙公网安备 33010802002248号