
examples — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)

One event per row; all panels in a row share the colour scale (LR shown per fine-pixel area)




4×4 pooling (LR 32×32)

One event per row; all panels in a row share the colour scale (LR shown per fine-pixel area)



8×8 pooling (LR 16×16)


One event per row; all panels in a row share the colour scale (LR shown per fine-pixel area)



channels event0 — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)

Per-channel jet image, pool2x2 (2×2 pixels merged into one, then super-resolved)
test event 0; each column shares one colour scale (linear)




4×4 pooling (LR 32×32)

Per-channel jet image, pool4x4 (4×4 pixels merged into one, then super-resolved)
test event 0; each column shares one colour scale (linear)



8×8 pooling (LR 16×16)


Per-channel jet image, pool8x8 (8×8 pixels merged into one, then super-resolved)
test event 0; each column shares one colour scale (linear)



channels event1 — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)

Per-channel jet image, pool2x2 (2×2 pixels merged into one, then super-resolved)
test event 1; each column shares one colour scale (linear)




4×4 pooling (LR 32×32)

Per-channel jet image, pool4x4 (4×4 pixels merged into one, then super-resolved)
test event 1; each column shares one colour scale (linear)



8×8 pooling (LR 16×16)


Per-channel jet image, pool8x8 (8×8 pixels merged into one, then super-resolved)
test event 1; each column shares one colour scale (linear)



channels event2 — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)

Per-channel jet image, pool2x2 (2×2 pixels merged into one, then super-resolved)
test event 2; each column shares one colour scale (linear)




4×4 pooling (LR 32×32)

Per-channel jet image, pool4x4 (4×4 pixels merged into one, then super-resolved)
test event 2; each column shares one colour scale (linear)



8×8 pooling (LR 16×16)


Per-channel jet image, pool8x8 (8×8 pixels merged into one, then super-resolved)
test event 2; each column shares one colour scale (linear)



channels event3 — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)

Per-channel jet image, pool2x2 (2×2 pixels merged into one, then super-resolved)
test event 3; each column shares one colour scale (linear)




4×4 pooling (LR 32×32)

Per-channel jet image, pool4x4 (4×4 pixels merged into one, then super-resolved)
test event 3; each column shares one colour scale (linear)




8×8 pooling (LR 16×16)

Per-channel jet image, pool8x8 (8×8 pixels merged into one, then super-resolved)
test event 3; each column shares one colour scale (linear)




histogram: dR std — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)



4×4 pooling (LR 32×32)




8×8 pooling (LR 16×16)




histogram: girth — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)



4×4 pooling (LR 32×32)




8×8 pooling (LR 16×16)




histogram: jet mass — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)




4×4 pooling (LR 32×32)




8×8 pooling (LR 16×16)



histogram: jet pt — qg_v2_2026-10-13_multiseed




histogram: n hits ecal — qg_v2_2026-10-13_multiseed




histogram: n hits hcal — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)




4×4 pooling (LR 32×32)




8×8 pooling (LR 16×16)




histogram: n hits — qg_v2_2026-10-13_multiseed



histogram: n hits tracks — qg_v2_2026-10-13_multiseed




histogram: ptD — qg_v2_2026-10-13_multiseed




histogram: sum all — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)



4×4 pooling (LR 32×32)




8×8 pooling (LR 16×16)




histogram: sum ecal — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)




4×4 pooling (LR 32×32)




8×8 pooling (LR 16×16)



histogram: sum hcal — qg_v2_2026-10-13_multiseed




histogram: sum tracks — qg_v2_2026-10-13_multiseed




histogram: tau21 — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)




4×4 pooling (LR 32×32)



8×8 pooling (LR 16×16)




profile: radial profile — qg_v2_2026-10-13_multiseed




SR vs HR per event: dR std — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)



4×4 pooling (LR 32×32)





8×8 pooling (LR 16×16)




SR vs HR per event: girth — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)







4×4 pooling (LR 32×32)






8×8 pooling (LR 16×16)







SR vs HR per event: jet mass — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)







4×4 pooling (LR 32×32)






8×8 pooling (LR 16×16)







SR vs HR per event: jet pt — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)







4×4 pooling (LR 32×32)






8×8 pooling (LR 16×16)








SR vs HR per event: n hits — qg_v2_2026-10-13_multiseed
2×2 pooling (LR 64×64)
bias -10.8% res. 6.3% r = 0.98
4×4 pooling (LR 32×32)
bias -13.2% res. 7.1% r = 0.98
8×8 pooling (LR 16×16)
bias -25.1% res. 10.9% r = 0.94
n_hits, Super-resolved (VAR)
n_hits, HR (truth)
200
400
600
800
1000
1200
1400
1600
500
1000
1500

SR vs HR per event: sum all — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)



4×4 pooling (LR 32×32)





8×8 pooling (LR 16×16)




SR vs HR per event: sum tracks — qg_v2_2026-10-13_multiseed


2×2 pooling (LR 64×64)





4×4 pooling (LR 32×32)





8×8 pooling (LR 16×16)

