



1. See below for plot:


Proportions vs. Pet types



2. See below for plots:




Cat breeds population




DOMESTIC (SHORT HAIR)	CORNISH REX
DOMESTIC (MEDIUM HAIR)	SCOTTISH FOLD (LONG HAIR)
DOMESTIC (LONG HAIR)	LA PERM
SIAMESE	DON SPHYNX
RAGDOLL	ANGORA
MAINE COON	TURKISH ANGORA
BENGAL (TICA CERTIFIED F4 OR HIGHER)	SELKIRK REX
UNKNOWN	EXOTIC (LONG HAIR)
RUSSIAN BLUE	KORAT
SIBERIAN	FOREIGN (SHORT HAIR)
PERSIAN	SINGAPURA
HIMALAYAN	CAT OF CEYLON
AMERICAN SHORTHAIR	AMERICAN BOBTAIL
MANX	LONG HAIR MUNCHKIN
SPHYNX	TURKISH VAN
BRITISH SHORTHAIR	AMERICAN CURL (SHORT HAIR)
BIRMAN	TONKINESE
BOMBAY	HAVANA BROWN
NORWEGIAN FOREST CAT	OCICAT (TICA CERTIFIED F4 OR HIGHER)
DEVON REX	HIMALAYAN (NON-POINTED)
BALINESE (LONG HAIR)	FOREIGN (LONG HAIR)
SCOTTISH FOLD (SHORT HAIR)	CYMRIC
EXOTIC (SHORT HAIR)	CHANTILLY
Munchkin	AMERICAN CURL (LONG HAIR)
EUROPEAN SHORT HAIR	JAPANESE BOBTAIL
BALINESE (SHORT HAIR)	SOMALI (LONG HAIR)
SAVANNAH (TICA CERTIFIED F4 OR HIGHER)	MANCHESTER TERRIER
ABYSSINIAN	JAVANESE
EGYPTIAN MAU	FOREIGN (MEDIUM HAIR)
BURMESE	SOMALI (SHORT HAIR)
ORIENTAL	DREVER
RAGAMUFFIN	AUSTRALIAN SPOTTED MIST
CHARTREUX	YORK CHOCOLATE
COLOURPOINT SHORTHAIR	


Pigeons breeds population





3. See below for plots:




Cat gender population




Pigeons gender population




4. See below for plot:




5. See below for plots:



It can be observed that the number of cats in the neighborhood can vary during the year but highly to stay the same during summer.



It can be observed that the number of dogs in the neighborhood can vary during the year but highly to stay the same during summer.



It can be observed that the number of pigeons in the neighborhood can vary during the year but highly to stay the same during summer.