THE GENERAL SCIENCE LIBRARY

GENERAL SCIENCE

Reference and Inquiry Handbook

28 scientific disciplines

560 distinct foundation topics

1,120 paired study pages plus navigation and references

EXPANDED EDITION | 12 NOVEMBER 2026

An original cross-disciplinary educational synthesis

Purpose and editorial scope

This volume is a broad survey of foundational scientific knowledge, not a claim to reproduce every experiment, publication, research specialty, or unsettled debate. Its 560 topic records span 28 disciplines, from experimental design and mathematics to physics, chemistry, life science, Earth systems, astronomy, computing, and public health.

WHAT THE TWO-PAGE FORMAT MEANS

Each topic uses two facing-purpose pages. The first states a central scientifically grounded idea and introduces methods, modeling, evidence and limits. The second is an inquiry page: it teaches how to formulate an investigation, avoid confounding, work with quantitative claims, and examine uncertainty. A study exercise is not a new empirical discovery.

LEVELS OF CONFIDENCE

Foundational scientific principles are presented at introductory-to-intermediate level. Open problems are labeled as unresolved when appropriate. Some scientific models hold only under specified assumptions; simplified statements should not be extended beyond their domains of validity. Health topics are for education, not individualized diagnosis or care.

WHAT THIS EDITION DOES AND DOES NOT CONTAIN

The work contains original short explanatory entries, definitions, selected equations, data-literacy guidance, domain guides, structured study questions, a navigable index, and a list of reputable further-reading sources. It does not include thousands of fully worked graduate-level proofs or exhaustive citation trails for every subtopic. Areas of rapid scientific change should be checked against up-to-date primary literature.

Editorial principle: separate direct observation, model-based inference, causal claim, and open question. A longer document is not automatically more certain or more comprehensive.

How to use this handbook

1

Start with a discipline

Use the following field index or PDF bookmarks to choose one of 28 broad areas. Each has a one-page orientation and twenty linked topics.

2

Read the scientific claim

The first page of a topic offers a concise statement plus observations, modeling methods, an evidence map and limitations.

3

Complete the investigation

The second page offers a worked sequence, a hypothetical investigation plan, a quantitative checkpoint and short answer guidance.

4

Check the assumptions

Every equation is a model with a scope. Inspect dimensions, units, background conditions and uncertainty before applying it.

5

Read beyond the handbook

Use the source directory for fuller textbooks, institutional reference documents, current empirical literature, and specialized topics.

Field directory

01 Scientific Inquiry and Evidence 5

02 Measurement, Units and Scale 46

03 Mathematics for Science 87

04 Statistics and Data Science 128

05 Classical Mechanics 169

06 Fluid Mechanics and Thermodynamics 210

07 Waves, Sound and Optics 251

08 Electricity and Magnetism 292

09 Modern Physics and Relativity 333

10 Atomic, Nuclear and Particle Physics 374

11 Inorganic and General Chemistry 415

12 Organic Chemistry and Materials 456

13 Biochemistry and Molecular Biology 497

14 Cell Biology 538

15 Genetics, Evolution and Biodiversity 579

16 Microbiology and Virology 620

17 Human Anatomy and Physiology 661

18 Immunology, Medicine and Health 702

19 Neuroscience and Cognitive Science 743

20 Ecology and Conservation Biology 784

21 Geology and the Solid Earth 825

22 Atmosphere, Weather and Climate 866

23 Oceanography and Water Science 907

24 Planetary Science and Solar System 948

25 Stars, Galaxies and Cosmology 989

26 Computer and Information Science 1030

27 Engineering, Energy and Technology 1071

28 Behavioral, Social and Public Health Sciences 1112

Each field contains 20 topics, with two instructional pages per topic.

Use the PDF outline panel to jump directly to any of the 560 lessons.

FIELD 01 OF 28

Scientific Inquiry and Evidence

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines questions, evidence quality, and transparent reasoning. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include observations, design records, study protocols and independent checks. Investigators use experimental design, replication and ethical review. Appropriate models include explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include bias, uncontrolled variables, selective reporting and measurement limitations. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Observations and Inferences
02. Research Questions
03. Hypotheses and Predictions
04. Controlled Experiments
05. Independent and Dependent Variables
06. Confounding Variables
07. Randomization
08. Blinding
09. Replication and Reproducibility
10. Measurement Error
11. Uncertainty Budgets
12. Peer Review
13. Scientific Models
14. Theory and Law
15. Falsifiability
16. Correlation and Causation
17. Open Science
18. Research Ethics
19. Scientific Consensus
20. Evidence Hierarchies

CONCEPT 01.01

Observations and Inferences

THE CORE SCIENTIFIC IDEA

An observation records a measurable or describable event; an inference proposes an explanation that may require further testing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A thermometer reads 23 C; inferring that a heater caused it requires a comparison. This illustrates observations and inferences within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For observations and inferences, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of observations and inferences should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.01

Observations and Inferences - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An observation records a measurable or describable event; an inference proposes an explanation that may require further testing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as observations and inferences in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A thermometer reads 23 C; inferring that a heater caused it requires a comparison. Turn this into a testable question about observations and inferences. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An observation records a measurable or describable event; an inference proposes an explanation that may require further testing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of observations and inferences, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.02

Research Questions

THE CORE SCIENTIFIC IDEA

A researchable question identifies a phenomenon, measurable variables, and a practical route to evidence.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A team asks whether different soil moisture levels predict seed germination rates. This illustrates research questions within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For research questions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of research questions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.02

Research Questions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A researchable question identifies a phenomenon, measurable variables, and a practical route to evidence.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as research questions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A team asks whether different soil moisture levels predict seed germination rates. Turn this into a testable question about research questions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A researchable question identifies a phenomenon, measurable variables, and a practical route to evidence.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of research questions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.03

Hypotheses and Predictions

THE CORE SCIENTIFIC IDEA

A hypothesis is a testable explanatory proposal, while a prediction specifies an expected observation under stated conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A proposed cooling mechanism predicts a measurable temperature change after insulation is added. This illustrates hypotheses and predictions within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For hypotheses and predictions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hypotheses and predictions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.03

Hypotheses and Predictions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A hypothesis is a testable explanatory proposal, while a prediction specifies an expected observation under stated conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hypotheses and predictions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A proposed cooling mechanism predicts a measurable temperature change after insulation is added. Turn this into a testable question about hypotheses and predictions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A hypothesis is a testable explanatory proposal, while a prediction specifies an expected observation under stated conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hypotheses and predictions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.04

Controlled Experiments

THE CORE SCIENTIFIC IDEA

A controlled experiment changes a variable while managing alternative causes and recording an outcome.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two otherwise comparable plant groups receive different light exposures for a week. This illustrates controlled experiments within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For controlled experiments, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of controlled experiments should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.04

Controlled Experiments - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A controlled experiment changes a variable while managing alternative causes and recording an outcome.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as controlled experiments in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two otherwise comparable plant groups receive different light exposures for a week. Turn this into a testable question about controlled experiments. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A controlled experiment changes a variable while managing alternative causes and recording an outcome.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of controlled experiments, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.05

Independent and Dependent Variables

THE CORE SCIENTIFIC IDEA

An independent variable is manipulated or classified; a dependent variable records the response of interest.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Fertilizer dose is the predictor; plant height is the recorded response. This illustrates independent and dependent variables within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For independent and dependent variables, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of independent and dependent variables should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.05

Independent and Dependent Variables - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An independent variable is manipulated or classified; a dependent variable records the response of interest.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as independent and dependent variables in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Fertilizer dose is the predictor; plant height is the recorded response. Turn this into a testable question about independent and dependent variables. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An independent variable is manipulated or classified; a dependent variable records the response of interest.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of independent and dependent variables, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.06

Confounding Variables

THE CORE SCIENTIFIC IDEA

A confounder influences both a putative cause and an outcome, potentially producing a misleading association.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ice-cream sales and drowning both increase during hot weather, confounded by temperature. This illustrates confounding variables within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For confounding variables, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of confounding variables should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.06

Confounding Variables - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A confounder influences both a putative cause and an outcome, potentially producing a misleading association.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as confounding variables in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ice-cream sales and drowning both increase during hot weather, confounded by temperature. Turn this into a testable question about confounding variables. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A confounder influences both a putative cause and an outcome, potentially producing a misleading association.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of confounding variables, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.07

Randomization

THE CORE SCIENTIFIC IDEA

Random assignment helps distribute known and unknown influences between comparison groups.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Randomly assigning seedlings to pots can reduce systematic differences between treatment groups. This illustrates randomization within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For randomization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of randomization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.07

Randomization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Random assignment helps distribute known and unknown influences between comparison groups.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as randomization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Randomly assigning seedlings to pots can reduce systematic differences between treatment groups. Turn this into a testable question about randomization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Random assignment helps distribute known and unknown influences between comparison groups.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of randomization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.08

Blinding

THE CORE SCIENTIFIC IDEA

Blinding reduces expectation-driven changes in measurement, behavior, or interpretation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A blinded examiner reads slides without knowing which patients received treatment. This illustrates blinding within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For blinding, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of blinding should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.08

Blinding - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Blinding reduces expectation-driven changes in measurement, behavior, or interpretation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as blinding in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A blinded examiner reads slides without knowing which patients received treatment. Turn this into a testable question about blinding. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Blinding reduces expectation-driven changes in measurement, behavior, or interpretation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of blinding, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.09

Replication and Reproducibility

THE CORE SCIENTIFIC IDEA

Replication tests a claim with new observations; reproducibility checks whether an analysis yields consistent results from the same materials.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A second laboratory repeats the measurement using new samples and published analysis code. This illustrates replication and reproducibility within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For replication and reproducibility, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of replication and reproducibility should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.09

Replication and Reproducibility - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Replication tests a claim with new observations; reproducibility checks whether an analysis yields consistent results from the same materials.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as replication and reproducibility in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A second laboratory repeats the measurement using new samples and published analysis code. Turn this into a testable question about replication and reproducibility. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Replication tests a claim with new observations; reproducibility checks whether an analysis yields consistent results from the same materials.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of replication and reproducibility, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.10

Measurement Error

THE CORE SCIENTIFIC IDEA

Measurements contain random variation and may contain systematic bias that repeated readings do not remove.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A balance biased by 2 grams remains wrong even if its readings are very repeatable. This illustrates measurement error within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For measurement error, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of measurement error should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.10

Measurement Error - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Measurements contain random variation and may contain systematic bias that repeated readings do not remove.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as measurement error in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A balance biased by 2 grams remains wrong even if its readings are very repeatable. Turn this into a testable question about measurement error. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Measurements contain random variation and may contain systematic bias that repeated readings do not remove.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of measurement error, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.11

Uncertainty Budgets

THE CORE SCIENTIFIC IDEA

An uncertainty budget identifies contributions from instruments, sampling, calibration, and analysis assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A laboratory combines scale calibration, temperature drift and sample-preparation uncertainty. This illustrates uncertainty budgets within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For uncertainty budgets, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of uncertainty budgets should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.11

Uncertainty Budgets - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An uncertainty budget identifies contributions from instruments, sampling, calibration, and analysis assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as uncertainty budgets in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A laboratory combines scale calibration, temperature drift and sample-preparation uncertainty. Turn this into a testable question about uncertainty budgets. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An uncertainty budget identifies contributions from instruments, sampling, calibration, and analysis assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of uncertainty budgets, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.12

Peer Review

THE CORE SCIENTIFIC IDEA

Peer review subjects a manuscript to expert scrutiny but is not a guarantee that its conclusions are correct.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Reviewers can catch missing controls without making published research infallible. This illustrates peer review within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For peer review, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of peer review should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.12

Peer Review - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Peer review subjects a manuscript to expert scrutiny but is not a guarantee that its conclusions are correct.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as peer review in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Reviewers can catch missing controls without making published research infallible. Turn this into a testable question about peer review. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Peer review subjects a manuscript to expert scrutiny but is not a guarantee that its conclusions are correct.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of peer review, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.13

Scientific Models

THE CORE SCIENTIFIC IDEA

A scientific model simplifies a system to explain observations or make constrained predictions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A weather forecast model predicts tomorrow's temperature despite unresolved subgrid processes. This illustrates scientific models within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For scientific models, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scientific models should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.13

Scientific Models - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A scientific model simplifies a system to explain observations or make constrained predictions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scientific models in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A weather forecast model predicts tomorrow's temperature despite unresolved subgrid processes. Turn this into a testable question about scientific models. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A scientific model simplifies a system to explain observations or make constrained predictions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scientific models, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.14

Theory and Law

THE CORE SCIENTIFIC IDEA

A scientific theory integrates explanatory principles; a law describes a recurring relationship, often quantitatively.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Newton's gravitational law describes a relationship, while gravitational theory explains its framework. This illustrates theory and law within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For theory and law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of theory and law should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Scientific theories do not mature into laws; they play different explanatory roles.

INVESTIGATION 01.14

Theory and Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A scientific theory integrates explanatory principles; a law describes a recurring relationship, often quantitatively.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as theory and law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Newton's gravitational law describes a relationship, while gravitational theory explains its framework. Turn this into a testable question about theory and law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A scientific theory integrates explanatory principles; a law describes a recurring relationship, often quantitatively.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of theory and law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.15

Falsifiability

THE CORE SCIENTIFIC IDEA

A scientific claim is more informative when evidence could in principle show it to be mistaken.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A model predicting all objects fall upward would conflict with ordinary measurements. This illustrates falsifiability within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For falsifiability, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of falsifiability should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.15

Falsifiability - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A scientific claim is more informative when evidence could in principle show it to be mistaken.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as falsifiability in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A model predicting all objects fall upward would conflict with ordinary measurements. Turn this into a testable question about falsifiability. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A scientific claim is more informative when evidence could in principle show it to be mistaken.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of falsifiability, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.16

Correlation and Causation

THE CORE SCIENTIFIC IDEA

Two variables may covary without either causing the other; causal claims need a justified design or mechanism.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A correlation between study time and test scores does not alone prove causation. This illustrates correlation and causation within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For correlation and causation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of correlation and causation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Unmeasured common causes, reverse causation, and selection effects may all create associations.

INVESTIGATION 01.16

Correlation and Causation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Two variables may covary without either causing the other; causal claims need a justified design or mechanism.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as correlation and causation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A correlation between study time and test scores does not alone prove causation. Turn this into a testable question about correlation and causation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Two variables may covary without either causing the other; causal claims need a justified design or mechanism.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of correlation and causation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.17

Open Science

THE CORE SCIENTIFIC IDEA

Transparent methods, code, data, and preregistration can improve auditability while preserving ethical constraints.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Publishing scripts and de-identified data helps others reproduce a statistical figure. This illustrates open science within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For open science, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of open science should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.17

Open Science - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Transparent methods, code, data, and preregistration can improve auditability while preserving ethical constraints.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as open science in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Publishing scripts and de-identified data helps others reproduce a statistical figure. Turn this into a testable question about open science. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Transparent methods, code, data, and preregistration can improve auditability while preserving ethical constraints.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of open science, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.18

Research Ethics

THE CORE SCIENTIFIC IDEA

Ethical science protects participants, animals, environments, and communities while pursuing reliable evidence.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Human-subjects research requires consent and privacy safeguards appropriate to risk. This illustrates research ethics within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For research ethics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of research ethics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.18

Research Ethics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ethical science protects participants, animals, environments, and communities while pursuing reliable evidence.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as research ethics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Human-subjects research requires consent and privacy safeguards appropriate to risk. Turn this into a testable question about research ethics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ethical science protects participants, animals, environments, and communities while pursuing reliable evidence.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of research ethics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.19

Scientific Consensus

THE CORE SCIENTIFIC IDEA

A consensus reflects accumulated convergent evidence and expert evaluation, and can change when stronger evidence emerges.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Many independent lines of evidence support biological evolution without ending investigation. This illustrates scientific consensus within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For scientific consensus, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scientific consensus should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.19

Scientific Consensus - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A consensus reflects accumulated convergent evidence and expert evaluation, and can change when stronger evidence emerges.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scientific consensus in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Many independent lines of evidence support biological evolution without ending investigation. Turn this into a testable question about scientific consensus. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A consensus reflects accumulated convergent evidence and expert evaluation, and can change when stronger evidence emerges.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scientific consensus, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

CONCEPT 01.20

Evidence Hierarchies

THE CORE SCIENTIFIC IDEA

The strength of evidence depends on design, bias control, directness, precision, and agreement with other findings.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An observational case series provides weaker causal evidence than a well-run randomized trial. This illustrates evidence hierarchies within questions, evidence quality, and transparent reasoning. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes observations, design records, study protocols and independent checks. Depending on the question, its models may use explicit hypotheses, causal diagrams, uncertainty statements and competing explanations. For evidence hierarchies, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of evidence hierarchies should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider bias, uncontrolled variables, selective reporting and measurement limitations. Better evidence can narrow or revise the claim.

INVESTIGATION 01.20

Evidence Hierarchies - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The strength of evidence depends on design, bias control, directness, precision, and agreement with other findings.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as evidence hierarchies in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from observations, design records, study protocols and independent checks; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on explicit hypotheses, causal diagrams, uncertainty statements and competing explanations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and bias, uncontrolled variables, selective reporting and measurement limitations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An observational case series provides weaker causal evidence than a well-run randomized trial. Turn this into a testable question about evidence hierarchies. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use experimental design, replication and ethical review if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The strength of evidence depends on design, bias control, directness, precision, and agreement with other findings.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of evidence hierarchies, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: bias, uncontrolled variables, selective reporting and measurement limitations.

FIELD 02 OF 28

Measurement, Units and Scale

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines how physical quantities are defined, compared, and reported. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include calibrated instruments, reference standards and repeated readings. Investigators use metrology, calibration and dimensional checks. Appropriate models include dimensional equations, uncertainty budgets, calibration curves and scale conversions. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include unit mismatch, drift, systematic offset and unjustified precision. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. International System of Units
02. Length and Distance
03. Mass and Amount of Substance
04. Time and Frequency
05. Temperature Scales
06. Electric Current
07. Luminous Intensity
08. Dimensional Analysis
09. Scientific Notation
10. Significant Figures
11. Calibration
12. Accuracy and Precision
13. Resolution and Sensitivity
14. Scalars and Vectors
15. Orders of Magnitude
16. Logarithmic Scales
17. Coordinate Systems
18. Measurement Traceability
19. Sampling and Aliasing
20. Sensor Characterization

CONCEPT 02.01

International System of Units

THE CORE SCIENTIFIC IDEA

SI defines coherent units through fixed numerical values of selected physical constants.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The meter is linked to a fixed value of light speed, not a stored metal ruler. This illustrates international system of units within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For international system of units, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of international system of units should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.01

International System of Units - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: SI defines coherent units through fixed numerical values of selected physical constants.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as international system of units in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The meter is linked to a fixed value of light speed, not a stored metal ruler. Turn this into a testable question about international system of units. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A SI defines coherent units through fixed numerical values of selected physical constants.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of international system of units, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.02

Length and Distance

THE CORE SCIENTIFIC IDEA

Length measures spatial separation; appropriate instruments range from rulers to interferometry and astronomical ranging.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An interferometer can measure tiny displacements; radar measures much larger distances. This illustrates length and distance within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For length and distance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

distance = speed x time (constant speed)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.02

Length and Distance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Length measures spatial separation; appropriate instruments range from rulers to interferometry and astronomical ranging.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as length and distance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An interferometer can measure tiny displacements; radar measures much larger distances. Turn this into a testable question about length and distance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: distance = speed x time (constant speed). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Length measures spatial separation; appropriate instruments range from rulers to interferometry and astronomical ranging.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of length and distance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.03

Mass and Amount of Substance

THE CORE SCIENTIFIC IDEA

Mass measures inertia and gravitational interaction; amount of substance counts specified entities in moles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: One mole specifies a number of entities whereas one kilogram specifies mass. This illustrates mass and amount of substance within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For mass and amount of substance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mass and amount of substance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.03

Mass and Amount of Substance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mass measures inertia and gravitational interaction; amount of substance counts specified entities in moles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mass and amount of substance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: One mole specifies a number of entities whereas one kilogram specifies mass. Turn this into a testable question about mass and amount of substance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mass measures inertia and gravitational interaction; amount of substance counts specified entities in moles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mass and amount of substance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.04

Time and Frequency

THE CORE SCIENTIFIC IDEA

Time intervals are related to periodic behavior, and frequency counts cycles per second.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A quartz oscillator counts cycles; atomic clocks use precisely defined atomic transitions. This illustrates time and frequency within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For time and frequency, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

frequency = 1 / period

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.04

Time and Frequency - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Time intervals are related to periodic behavior, and frequency counts cycles per second.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as time and frequency in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A quartz oscillator counts cycles; atomic clocks use precisely defined atomic transitions. Turn this into a testable question about time and frequency. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: frequency = 1 / period. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Time intervals are related to periodic behavior, and frequency counts cycles per second.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of time and frequency, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.05

Temperature Scales

THE CORE SCIENTIFIC IDEA

Thermodynamic temperature is measured in kelvin; Celsius intervals have the same size with a shifted zero.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water at 20 C corresponds to 293.15 kelvin on the thermodynamic scale. This illustrates temperature scales within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For temperature scales, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of temperature scales should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.05

Temperature Scales - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Thermodynamic temperature is measured in kelvin; Celsius intervals have the same size with a shifted zero.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as temperature scales in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water at 20 C corresponds to 293.15 kelvin on the thermodynamic scale. Turn this into a testable question about temperature scales. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Thermodynamic temperature is measured in kelvin; Celsius intervals have the same size with a shifted zero.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of temperature scales, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.06

Electric Current

THE CORE SCIENTIFIC IDEA

Current measures the rate of transport of electric charge through a cross section.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Three coulombs crossing a wire in one second corresponds to three amperes. This illustrates electric current within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For electric current, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

current = charge / time

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.06

Electric Current - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Current measures the rate of transport of electric charge through a cross section.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electric current in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Three coulombs crossing a wire in one second corresponds to three amperes. Turn this into a testable question about electric current. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: current = charge / time. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Current measures the rate of transport of electric charge through a cross section.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electric current, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.07

Luminous Intensity

THE CORE SCIENTIFIC IDEA

The candela weights optical radiation according to a defined visible-light response.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The candela weights luminous output using a standardized human-vision response. This illustrates luminous intensity within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For luminous intensity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of luminous intensity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.07

Luminous Intensity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The candela weights optical radiation according to a defined visible-light response.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as luminous intensity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The candela weights luminous output using a standardized human-vision response. Turn this into a testable question about luminous intensity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The candela weights optical radiation according to a defined visible-light response.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of luminous intensity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.08

Dimensional Analysis

THE CORE SCIENTIFIC IDEA

A physically meaningful equation must be dimensionally consistent on both sides.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Adding kilograms to seconds is not a meaningful physical operation. This illustrates dimensional analysis within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For dimensional analysis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

[force] = mass x length / time^2

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.08

Dimensional Analysis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A physically meaningful equation must be dimensionally consistent on both sides.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dimensional analysis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Adding kilograms to seconds is not a meaningful physical operation. Turn this into a testable question about dimensional analysis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: [force] = mass x length / time^2. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A physically meaningful equation must be dimensionally consistent on both sides.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dimensional analysis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.09

Scientific Notation

THE CORE SCIENTIFIC IDEA

Powers of ten compactly express very large or very small quantities without changing precision.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A cell diameter of 0.00001 m is more conveniently written 10 micrometers. This illustrates scientific notation within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For scientific notation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scientific notation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.09

Scientific Notation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Powers of ten compactly express very large or very small quantities without changing precision.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scientific notation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A cell diameter of 0.00001 m is more conveniently written 10 micrometers. Turn this into a testable question about scientific notation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Powers of ten compactly express very large or very small quantities without changing precision.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scientific notation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.10

Significant Figures

THE CORE SCIENTIFIC IDEA

Reported digits communicate a limited measurement precision, subject to a stated rounding convention.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Reporting 1.234567 meters from a coarse tape measure implies false precision. This illustrates significant figures within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For significant figures, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of significant figures should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.10

Significant Figures - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Reported digits communicate a limited measurement precision, subject to a stated rounding convention.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as significant figures in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Reporting 1.234567 meters from a coarse tape measure implies false precision. Turn this into a testable question about significant figures. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Reported digits communicate a limited measurement precision, subject to a stated rounding convention.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of significant figures, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.11

Calibration

THE CORE SCIENTIFIC IDEA

Calibration compares an instrument indication against a traceable reference over a specified range.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A pH meter must be checked against suitable reference solutions before use. This illustrates calibration within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For calibration, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of calibration should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.11

Calibration - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Calibration compares an instrument indication against a traceable reference over a specified range.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as calibration in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A pH meter must be checked against suitable reference solutions before use. Turn this into a testable question about calibration. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Calibration compares an instrument indication against a traceable reference over a specified range.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of calibration, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.12

Accuracy and Precision

THE CORE SCIENTIFIC IDEA

Accuracy concerns closeness to a reference value; precision concerns repeatability of measurements.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Repeated readings of 8.20, 8.21 and 8.20 may be precise but not calibrated. This illustrates accuracy and precision within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For accuracy and precision, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of accuracy and precision should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.12

Accuracy and Precision - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Accuracy concerns closeness to a reference value; precision concerns repeatability of measurements.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as accuracy and precision in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Repeated readings of 8.20, 8.21 and 8.20 may be precise but not calibrated. Turn this into a testable question about accuracy and precision. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Accuracy concerns closeness to a reference value; precision concerns repeatability of measurements.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of accuracy and precision, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.13

Resolution and Sensitivity

THE CORE SCIENTIFIC IDEA

Resolution is the smallest distinguishable increment; sensitivity describes change in output per change in input.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A sensor with 0.1 C display increments cannot resolve a 0.01 C fluctuation. This illustrates resolution and sensitivity within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For resolution and sensitivity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of resolution and sensitivity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.13

Resolution and Sensitivity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Resolution is the smallest distinguishable increment; sensitivity describes change in output per change in input.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as resolution and sensitivity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A sensor with 0.1 C display increments cannot resolve a 0.01 C fluctuation. Turn this into a testable question about resolution and sensitivity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Resolution is the smallest distinguishable increment; sensitivity describes change in output per change in input.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of resolution and sensitivity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.14

Scalars and Vectors

THE CORE SCIENTIFIC IDEA

Scalars have magnitude only; vectors have magnitude and direction and follow defined addition rules.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A wind measurement has speed and direction, unlike temperature alone. This illustrates scalars and vectors within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For scalars and vectors, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scalars and vectors should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.14

Scalars and Vectors - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Scalars have magnitude only; vectors have magnitude and direction and follow defined addition rules.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scalars and vectors in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A wind measurement has speed and direction, unlike temperature alone. Turn this into a testable question about scalars and vectors. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Scalars have magnitude only; vectors have magnitude and direction and follow defined addition rules.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scalars and vectors, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.15

Orders of Magnitude

THE CORE SCIENTIFIC IDEA

Comparing powers of ten reveals scale differences between atoms, organisms, planets, and galaxies.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A cell is measured in micrometers while a planet is measured in thousands of kilometers. This illustrates orders of magnitude within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For orders of magnitude, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

order difference = log10(A / B)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.15

Orders of Magnitude - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Comparing powers of ten reveals scale differences between atoms, organisms, planets, and galaxies.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as orders of magnitude in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A cell is measured in micrometers while a planet is measured in thousands of kilometers. Turn this into a testable question about orders of magnitude. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: order difference = log10(A / B). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Comparing powers of ten reveals scale differences between atoms, organisms, planets, and galaxies.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of orders of magnitude, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.16

Logarithmic Scales

THE CORE SCIENTIFIC IDEA

Logarithmic units compress wide ranges and convert multiplication into addition.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Earthquake magnitude and sound level use logarithmic representations of different quantities. This illustrates logarithmic scales within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For logarithmic scales, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$\log_{10}(1000) = 3$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.16

Logarithmic Scales - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Logarithmic units compress wide ranges and convert multiplication into addition.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as logarithmic scales in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Earthquake magnitude and sound level use logarithmic representations of different quantities. Turn this into a testable question about logarithmic scales. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: log10(1000) = 3. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Logarithmic units compress wide ranges and convert multiplication into addition.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of logarithmic scales, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.17

Coordinate Systems

THE CORE SCIENTIFIC IDEA

Coordinates locate an event or object relative to a defined origin, axes, and frame of reference.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Latitude and longitude locate a station relative to a defined Earth reference system. This illustrates coordinate systems within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For coordinate systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of coordinate systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.17

Coordinate Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Coordinates locate an event or object relative to a defined origin, axes, and frame of reference.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as coordinate systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Latitude and longitude locate a station relative to a defined Earth reference system. Turn this into a testable question about coordinate systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Coordinates locate an event or object relative to a defined origin, axes, and frame of reference.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of coordinate systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.18

Measurement Traceability

THE CORE SCIENTIFIC IDEA

Traceability links a result through documented calibrations to recognized standards with uncertainties.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A calibrated mass standard and its uncertainty form part of a traceability chain. This illustrates measurement traceability within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For measurement traceability, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of measurement traceability should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.18

Measurement Traceability - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Traceability links a result through documented calibrations to recognized standards with uncertainties.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as measurement traceability in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A calibrated mass standard and its uncertainty form part of a traceability chain. Turn this into a testable question about measurement traceability. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Traceability links a result through documented calibrations to recognized standards with uncertainties.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of measurement traceability, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.19

Sampling and Aliasing

THE CORE SCIENTIFIC IDEA

Sampling too slowly can make a rapidly changing signal appear to have a different frequency.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sampling a 10 Hz tone at 12 Hz can yield a misleading low-frequency pattern. This illustrates sampling and aliasing within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For sampling and aliasing, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

sample rate > 2 x highest signal frequency (ideal band-limited case)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.19

Sampling and Aliasing - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sampling too slowly can make a rapidly changing signal appear to have a different frequency.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sampling and aliasing in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sampling a 10 Hz tone at 12 Hz can yield a misleading low-frequency pattern. Turn this into a testable question about sampling and aliasing. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: sample rate > 2 x highest signal frequency (ideal band-limited case). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sampling too slowly can make a rapidly changing signal appear to have a different frequency.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sampling and aliasing, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

CONCEPT 02.20

Sensor Characterization

THE CORE SCIENTIFIC IDEA

Sensors require assessment of noise, drift, offset, response time, linearity, and operating range.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A pressure transducer may drift during prolonged heating, requiring stability checks. This illustrates sensor characterization within how physical quantities are defined, compared, and reported. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes calibrated instruments, reference standards and repeated readings. Depending on the question, its models may use dimensional equations, uncertainty budgets, calibration curves and scale conversions. For sensor characterization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sensor characterization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unit mismatch, drift, systematic offset and unjustified precision. Better evidence can narrow or revise the claim.

INVESTIGATION 02.20

Sensor Characterization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sensors require assessment of noise, drift, offset, response time, linearity, and operating range.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sensor characterization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from calibrated instruments, reference standards and repeated readings; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on dimensional equations, uncertainty budgets, calibration curves and scale conversions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unit mismatch, drift, systematic offset and unjustified precision; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A pressure transducer may drift during prolonged heating, requiring stability checks. Turn this into a testable question about sensor characterization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use metrology, calibration and dimensional checks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sensors require assessment of noise, drift, offset, response time, linearity, and operating range.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sensor characterization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unit mismatch, drift, systematic offset and unjustified precision.

FIELD 03 OF 28

Mathematics for Science

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the language of relationships, change, shape and structure. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include abstract definitions, worked examples, derived implications and numerical tests. Investigators use algebraic derivation, visualization and numerical verification. Appropriate models include equations, graphs, proofs, approximations and boundary conditions. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include unstated assumptions, invalid domains, singularities and inappropriate approximations. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Functions and Graphs

02. Linear Relationships

03. Quadratic Relationships

04. Exponential Growth

05. Logarithms

06. Trigonometric Functions

07. Vectors and Components

08. Derivatives

09. Integrals

10. Differential Equations

11. Partial Derivatives

12. Matrices

13. Eigenvalues and Modes

14. Probability Rules

15. Optimization

16. Numerical Approximation

17. Complex Numbers

18. Fourier Analysis

19. Symmetry and Invariance

20. Scaling Laws

CONCEPT 03.01

Functions and Graphs

THE CORE SCIENTIFIC IDEA

A function maps each allowed input to an output, permitting graphical study of relationships.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A graph of cooling temperature against time represents a measured function. This illustrates functions and graphs within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For functions and graphs, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of functions and graphs should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.01

Functions and Graphs - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A function maps each allowed input to an output, permitting graphical study of relationships.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as functions and graphs in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A graph of cooling temperature against time represents a measured function. Turn this into a testable question about functions and graphs. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A function maps each allowed input to an output, permitting graphical study of relationships.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of functions and graphs, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.02

Linear Relationships

THE CORE SCIENTIFIC IDEA

A linear model has a constant rate of change and is commonly expressed with slope and intercept.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A constant-speed train produces an approximately straight position-time graph. This illustrates linear relationships within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For linear relationships, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$y = m x + b$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.02

Linear Relationships - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A linear model has a constant rate of change and is commonly expressed with slope and intercept.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as linear relationships in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A constant-speed train produces an approximately straight position-time graph. Turn this into a testable question about linear relationships. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: $y = m\,x + b$. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A linear model has a constant rate of change and is commonly expressed with slope and intercept.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of linear relationships, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.03

Quadratic Relationships

THE CORE SCIENTIFIC IDEA

Quadratic models include curved trajectories and parabolic approximations near a turning point.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Projectile height changes quadratically with time under constant gravity and no drag. This illustrates quadratic relationships within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For quadratic relationships, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$y = a x^2 + b x + c$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.03

Quadratic Relationships - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Quadratic models include curved trajectories and parabolic approximations near a turning point.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as quadratic relationships in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Projectile height changes quadratically with time under constant gravity and no drag. Turn this into a testable question about quadratic relationships. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: y = a x^2 + b x + c. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Quadratic models include curved trajectories and parabolic approximations near a turning point.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of quadratic relationships, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.04

Exponential Growth

THE CORE SCIENTIFIC IDEA

Exponential models describe proportional growth or decay over equal time intervals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Bacterial abundance can double repeatedly during unrestricted early exponential growth. This illustrates exponential growth within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For exponential growth, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$N(t) = N0 \exp(k\ t)$

EVIDENCE-TO-EXPLANATION MAP

QUESTION	>	MEASURE	>	MODEL	>	ASSESS
Exponential Growth		observable signal		testable relation		uncertainty & scope

WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.04

Exponential Growth - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Exponential models describe proportional growth or decay over equal time intervals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as exponential growth in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Bacterial abundance can double repeatedly during unrestricted early exponential growth. Turn this into a testable question about exponential growth. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: $N(t) = N0 \exp(k\ t)$. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Exponential models describe proportional growth or decay over equal time intervals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of exponential growth, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.05

Logarithms

THE CORE SCIENTIFIC IDEA

Logarithms invert exponentiation and are useful for multiplicative changes and scales.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: One pH-unit difference corresponds approximately to a tenfold activity ratio. This illustrates logarithms within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For logarithms, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

log_b(b^x) = x

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.05

Logarithms - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Logarithms invert exponentiation and are useful for multiplicative changes and scales.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as logarithms in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: One pH-unit difference corresponds approximately to a tenfold activity ratio. Turn this into a testable question about logarithms. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: log_b(b^x) = x. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Logarithms invert exponentiation and are useful for multiplicative changes and scales.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of logarithms, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.06

Trigonometric Functions

THE CORE SCIENTIFIC IDEA

Sine and cosine relate angles to periodic motion and right-triangle geometry.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Seasonal daylight duration can be approximated using trigonometric relationships. This illustrates trigonometric functions within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For trigonometric functions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$\sin^2(\theta) + \cos^2(\theta) = 1$

EVIDENCE-TO-EXPLANATION MAP

QUESTION	>	MEASURE	>	MODEL	>	ASSESS
Trigonometric Functions		observable signal		testable relation		uncertainty & scope

WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.06

Trigonometric Functions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sine and cosine relate angles to periodic motion and right-triangle geometry.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as trigonometric functions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Seasonal daylight duration can be approximated using trigonometric relationships. Turn this into a testable question about trigonometric functions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: sin^2(theta) + cos^2(theta) = 1. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sine and cosine relate angles to periodic motion and right-triangle geometry.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of trigonometric functions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.07

Vectors and Components

THE CORE SCIENTIFIC IDEA

A vector can be resolved into components that add to recover its magnitude and direction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An eastward wind and northward wind combine into a resultant vector. This illustrates vectors and components within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For vectors and components, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of vectors and components should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.07

Vectors and Components - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A vector can be resolved into components that add to recover its magnitude and direction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as vectors and components in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An eastward wind and northward wind combine into a resultant vector. Turn this into a testable question about vectors and components. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A vector can be resolved into components that add to recover its magnitude and direction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of vectors and components, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.08

Derivatives

THE CORE SCIENTIFIC IDEA

The derivative gives an instantaneous rate of change where the required limit exists.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The slope of a position-time curve gives instantaneous velocity. This illustrates derivatives within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For derivatives, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

velocity = d(position) / dt

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.08

Derivatives - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The derivative gives an instantaneous rate of change where the required limit exists.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as derivatives in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The slope of a position-time curve gives instantaneous velocity. Turn this into a testable question about derivatives. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: velocity = d(position) / dt. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The derivative gives an instantaneous rate of change where the required limit exists.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of derivatives, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.09

Integrals

THE CORE SCIENTIFIC IDEA

Integration accumulates contributions, such as distance from velocity or mass from density.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Area beneath a velocity-time graph gives net displacement. This illustrates integrals within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For integrals, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

displacement = integral of velocity over time

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.09

Integrals - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Integration accumulates contributions, such as distance from velocity or mass from density.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as integrals in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Area beneath a velocity-time graph gives net displacement. Turn this into a testable question about integrals. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: displacement = integral of velocity over time. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Integration accumulates contributions, such as distance from velocity or mass from density.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of integrals, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.10

Differential Equations

THE CORE SCIENTIFIC IDEA

Differential equations relate a system state to rates of change over time or space.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An equation can relate cooling rate to the current temperature difference. This illustrates differential equations within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For differential equations, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$dx/dt = k\,x$ (a simple model)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.10

Differential Equations - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Differential equations relate a system state to rates of change over time or space.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as differential equations in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An equation can relate cooling rate to the current temperature difference. Turn this into a testable question about differential equations. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: $dx/dt = k\,x$ (a simple model). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Differential equations relate a system state to rates of change over time or space.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of differential equations, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.11

Partial Derivatives

THE CORE SCIENTIFIC IDEA

A partial derivative describes sensitivity to one input while holding other independent inputs fixed.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Temperature's sensitivity to pressure can be estimated while holding volume fixed. This illustrates partial derivatives within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For partial derivatives, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of partial derivatives should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.11

Partial Derivatives - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A partial derivative describes sensitivity to one input while holding other independent inputs fixed.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as partial derivatives in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Temperature's sensitivity to pressure can be estimated while holding volume fixed. Turn this into a testable question about partial derivatives. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A partial derivative describes sensitivity to one input while holding other independent inputs fixed.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of partial derivatives, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.12

Matrices

THE CORE SCIENTIFIC IDEA

Matrices organize linear transformations, coupled equations, and multidimensional scientific data.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Matrices can represent rotations of three-dimensional sensor coordinates. This illustrates matrices within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For matrices, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of matrices should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.12

Matrices - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Matrices organize linear transformations, coupled equations, and multidimensional scientific data.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as matrices in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Matrices can represent rotations of three-dimensional sensor coordinates. Turn this into a testable question about matrices. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Matrices organize linear transformations, coupled equations, and multidimensional scientific data.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of matrices, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.13

Eigenvalues and Modes

THE CORE SCIENTIFIC IDEA

Eigenvalues identify invariant factors of a transformation and characterize many natural modes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Vibrations of a string can be described by characteristic modes. This illustrates eigenvalues and modes within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For eigenvalues and modes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of eigenvalues and modes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.13

Eigenvalues and Modes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Eigenvalues identify invariant factors of a transformation and characterize many natural modes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as eigenvalues and modes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Vibrations of a string can be described by characteristic modes. Turn this into a testable question about eigenvalues and modes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Eigenvalues identify invariant factors of a transformation and characterize many natural modes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of eigenvalues and modes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.14

Probability Rules

THE CORE SCIENTIFIC IDEA

Probability combines possible outcomes while accounting for dependence and exclusivity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rolling a fair die gives each face probability one sixth. This illustrates probability rules within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For probability rules, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$$P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.14

Probability Rules - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Probability combines possible outcomes while accounting for dependence and exclusivity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as probability rules in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rolling a fair die gives each face probability one sixth. Turn this into a testable question about probability rules. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: P(A or B) = P(A) + P(B) - P(A and B). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Probability combines possible outcomes while accounting for dependence and exclusivity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of probability rules, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.15

Optimization

THE CORE SCIENTIFIC IDEA

Optimization searches for parameter values that maximize or minimize an objective subject to constraints.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A design can minimize material mass while maintaining required structural strength. This illustrates optimization within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For optimization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of optimization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.15

Optimization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Optimization searches for parameter values that maximize or minimize an objective subject to constraints.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as optimization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A design can minimize material mass while maintaining required structural strength. Turn this into a testable question about optimization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Optimization searches for parameter values that maximize or minimize an objective subject to constraints.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of optimization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.16

Numerical Approximation

THE CORE SCIENTIFIC IDEA

Numerical methods estimate solutions when exact formulas are impractical or unavailable.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A computer approximates a planetary trajectory using short integration time steps. This illustrates numerical approximation within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For numerical approximation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of numerical approximation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.16

Numerical Approximation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Numerical methods estimate solutions when exact formulas are impractical or unavailable.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as numerical approximation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A computer approximates a planetary trajectory using short integration time steps. Turn this into a testable question about numerical approximation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Numerical methods estimate solutions when exact formulas are impractical or unavailable.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of numerical approximation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.17

Complex Numbers

THE CORE SCIENTIFIC IDEA

Complex numbers extend the real line and simplify oscillatory and wave calculations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Alternating-current phasors use complex numbers to encode amplitude and phase. This illustrates complex numbers within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For complex numbers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of complex numbers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.17

Complex Numbers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Complex numbers extend the real line and simplify oscillatory and wave calculations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as complex numbers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Alternating-current phasors use complex numbers to encode amplitude and phase. Turn this into a testable question about complex numbers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Complex numbers extend the real line and simplify oscillatory and wave calculations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of complex numbers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.18

Fourier Analysis

THE CORE SCIENTIFIC IDEA

Fourier analysis represents signals by combinations of frequencies and phases.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A recorded sound can be decomposed into frequency components. This illustrates fourier analysis within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For fourier analysis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

signal(t) = sum of sinusoidal components (under suitable conditions)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.18

Fourier Analysis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Fourier analysis represents signals by combinations of frequencies and phases.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as fourier analysis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A recorded sound can be decomposed into frequency components. Turn this into a testable question about fourier analysis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: signal(t) = sum of sinusoidal components (under suitable conditions). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Fourier analysis represents signals by combinations of frequencies and phases.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of fourier analysis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.19

Symmetry and Invariance

THE CORE SCIENTIFIC IDEA

A symmetry preserves specified properties of a system despite a transformation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rotating a symmetric crystal can leave some of its measured properties unchanged. This illustrates symmetry and invariance within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For symmetry and invariance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of symmetry and invariance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.19

Symmetry and Invariance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A symmetry preserves specified properties of a system despite a transformation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as symmetry and invariance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rotating a symmetric crystal can leave some of its measured properties unchanged. Turn this into a testable question about symmetry and invariance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A symmetry preserves specified properties of a system despite a transformation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of symmetry and invariance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

CONCEPT 03.20

Scaling Laws

THE CORE SCIENTIFIC IDEA

Scaling laws connect changes in size with changes in area, volume, stress, or transport.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Doubling a sphere's radius multiplies its surface area by four and volume by eight. This illustrates scaling laws within the language of relationships, change, shape and structure. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes abstract definitions, worked examples, derived implications and numerical tests. Depending on the question, its models may use equations, graphs, proofs, approximations and boundary conditions. For scaling laws, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scaling laws should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider unstated assumptions, invalid domains, singularities and inappropriate approximations. Better evidence can narrow or revise the claim.

INVESTIGATION 03.20

Scaling Laws - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Scaling laws connect changes in size with changes in area, volume, stress, or transport.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scaling laws in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from abstract definitions, worked examples, derived implications and numerical tests; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on equations, graphs, proofs, approximations and boundary conditions should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and unstated assumptions, invalid domains, singularities and inappropriate approximations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Doubling a sphere's radius multiplies its surface area by four and volume by eight. Turn this into a testable question about scaling laws. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use algebraic derivation, visualization and numerical verification if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Scaling laws connect changes in size with changes in area, volume, stress, or transport.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scaling laws, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: unstated assumptions, invalid domains, singularities and inappropriate approximations.

FIELD 04 OF 28

Statistics and Data Science

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines reasoning under variability and limited data. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include samples, distributions, residuals and out-of-sample performance. Investigators use sampling, statistical diagnostics and computational reproducibility. Appropriate models include likelihoods, intervals, effect sizes, simulations and predictive models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include selection bias, dependence, overfitting and confusion of association with causation. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Populations and Samples
02. Sampling Bias
03. Means and Medians
04. Variance and Standard Deviation
05. Distributions
06. Normal Distribution
07. Binomial Distribution
08. Poisson Distribution
09. Confidence Intervals
10. Hypothesis Testing
11. P Values
12. Effect Size
13. Statistical Power
14. Multiple Comparisons
15. Regression Models
16. Bayesian Inference
17. Time Series
18. Cross Validation
19. Causal Inference
20. Data Visualization

CONCEPT 04.01

Populations and Samples

THE CORE SCIENTIFIC IDEA

A population is the full target group, while a sample supplies a limited set of observations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A poll surveys 1,000 people from a much larger target population. This illustrates populations and samples within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For populations and samples, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of populations and samples should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.01

Populations and Samples - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A population is the full target group, while a sample supplies a limited set of observations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as populations and samples in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A poll surveys 1,000 people from a much larger target population. Turn this into a testable question about populations and samples. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A population is the full target group, while a sample supplies a limited set of observations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of populations and samples, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.02

Sampling Bias

THE CORE SCIENTIFIC IDEA

A systematic sampling mechanism can make a measured sample unrepresentative of its target population.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An online volunteer survey may underrepresent people without internet access. This illustrates sampling bias within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For sampling bias, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sampling bias should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.02

Sampling Bias - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A systematic sampling mechanism can make a measured sample unrepresentative of its target population.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sampling bias in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An online volunteer survey may underrepresent people without internet access. Turn this into a testable question about sampling bias. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A systematic sampling mechanism can make a measured sample unrepresentative of its target population.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sampling bias, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.03

Means and Medians

THE CORE SCIENTIFIC IDEA

The mean uses all numerical values; the median describes the central ordered value and resists extreme outliers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A median household income can better resist a few extreme values than the mean. This illustrates means and medians within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For means and medians, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of means and medians should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.03

Means and Medians - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The mean uses all numerical values; the median describes the central ordered value and resists extreme outliers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as means and medians in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A median household income can better resist a few extreme values than the mean. Turn this into a testable question about means and medians. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The mean uses all numerical values; the median describes the central ordered value and resists extreme outliers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of means and medians, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.04

Variance and Standard Deviation

THE CORE SCIENTIFIC IDEA

These statistics summarize dispersion around a mean in squared and original units.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two laboratories can report the same mean but very different spread. This illustrates variance and standard deviation within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For variance and standard deviation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

standard deviation = square root of variance

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.04

Variance and Standard Deviation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: These statistics summarize dispersion around a mean in squared and original units.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as variance and standard deviation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two laboratories can report the same mean but very different spread. Turn this into a testable question about variance and standard deviation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: standard deviation = square root of variance. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A These statistics summarize dispersion around a mean in squared and original units.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of variance and standard deviation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.05

Distributions

THE CORE SCIENTIFIC IDEA

Probability distributions describe the relative frequencies or likelihoods of possible variable values.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A histogram of particle diameters can reveal skewness and outliers. This illustrates distributions within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For distributions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of distributions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.05

Distributions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Probability distributions describe the relative frequencies or likelihoods of possible variable values.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as distributions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A histogram of particle diameters can reveal skewness and outliers. Turn this into a testable question about distributions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Probability distributions describe the relative frequencies or likelihoods of possible variable values.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of distributions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.06

Normal Distribution

THE CORE SCIENTIFIC IDEA

A normal distribution is symmetric with a bell-shaped density described by mean and variance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Instrument noise sometimes approximates a bell curve after many small influences combine. This illustrates normal distribution within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For normal distribution, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$z = (x - \text{mean}) / \text{standard deviation}$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.06

Normal Distribution - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A normal distribution is symmetric with a bell-shaped density described by mean and variance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as normal distribution in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Instrument noise sometimes approximates a bell curve after many small influences combine. Turn this into a testable question about normal distribution. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: z = (x - mean) / standard deviation. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A normal distribution is symmetric with a bell-shaped density described by mean and variance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of normal distribution, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.07

Binomial Distribution

THE CORE SCIENTIFIC IDEA

Binomial models count successes over fixed independent trials with a common success probability.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Twenty independent binary trials with success probability 0.2 have expected count four. This illustrates binomial distribution within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For binomial distribution, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

expected successes = n p

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.07

Binomial Distribution - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Binomial models count successes over fixed independent trials with a common success probability.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as binomial distribution in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Twenty independent binary trials with success probability 0.2 have expected count four. Turn this into a testable question about binomial distribution. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: expected successes = n p. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Binomial models count successes over fixed independent trials with a common success probability.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of binomial distribution, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.08

Poisson Distribution

THE CORE SCIENTIFIC IDEA

Poisson models count relatively rare, independent events within fixed exposure intervals under specified assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rare event counts can be modeled by a Poisson distribution when assumptions fit. This illustrates poisson distribution within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For poisson distribution, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

mean count = rate x exposure

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.08

Poisson Distribution - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Poisson models count relatively rare, independent events within fixed exposure intervals under specified assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as poisson distribution in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rare event counts can be modeled by a Poisson distribution when assumptions fit. Turn this into a testable question about poisson distribution. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: mean count = rate x exposure. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Poisson models count relatively rare, independent events within fixed exposure intervals under specified assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of poisson distribution, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.09

Confidence Intervals

THE CORE SCIENTIFIC IDEA

A frequentist confidence procedure has a stated long-run coverage rate under its assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 95% confidence-interval procedure covers its target parameter in about 95% of repeated valid applications. This illustrates confidence intervals within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For confidence intervals, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of confidence intervals should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.09

Confidence Intervals - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A frequentist confidence procedure has a stated long-run coverage rate under its assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as confidence intervals in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 95% confidence-interval procedure covers its target parameter in about 95% of repeated valid applications. Turn this into a testable question about confidence intervals. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A frequentist confidence procedure has a stated long-run coverage rate under its assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of confidence intervals, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.10

Hypothesis Testing

THE CORE SCIENTIFIC IDEA

A test statistic compares observed data with what a null model would generate.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A laboratory compares an observed treatment difference against a null distribution. This illustrates hypothesis testing within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For hypothesis testing, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hypothesis testing should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.10

Hypothesis Testing - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A test statistic compares observed data with what a null model would generate.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hypothesis testing in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A laboratory compares an observed treatment difference against a null distribution. Turn this into a testable question about hypothesis testing. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A test statistic compares observed data with what a null model would generate.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hypothesis testing, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.11

P Values

THE CORE SCIENTIFIC IDEA

A p value measures extremeness of data under a null model; it is not the probability that the null is true.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A p value of 0.03 does not imply a 97% probability that the treatment works. This illustrates p values within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For p values, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

p = probability of data at least this extreme under the specified null model

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Statistical significance does not establish practical importance, causality, or the probability that a hypothesis is true.

INVESTIGATION 04.11

P Values - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A p value measures extremeness of data under a null model; it is not the probability that the null is true.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as p values in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A p value of 0.03 does not imply a 97% probability that the treatment works. Turn this into a testable question about p values. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: p = probability of data at least this extreme under the specified null model. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A p value measures extremeness of data under a null model; it is not the probability that the null is true.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of p values, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.12

Effect Size

THE CORE SCIENTIFIC IDEA

Effect size quantifies the magnitude of a relationship, complementing uncertainty and statistical significance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A tiny effect may be statistically significant in a very large sample. This illustrates effect size within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For effect size, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of effect size should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.12

Effect Size - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Effect size quantifies the magnitude of a relationship, complementing uncertainty and statistical significance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as effect size in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A tiny effect may be statistically significant in a very large sample. Turn this into a testable question about effect size. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Effect size quantifies the magnitude of a relationship, complementing uncertainty and statistical significance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of effect size, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.13

Statistical Power

THE CORE SCIENTIFIC IDEA

Power is the probability that a procedure rejects a specified null when an alternative is true.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Increasing sample size may improve the ability to detect a real effect. This illustrates statistical power within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For statistical power, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of statistical power should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.13

Statistical Power - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Power is the probability that a procedure rejects a specified null when an alternative is true.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as statistical power in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Increasing sample size may improve the ability to detect a real effect. Turn this into a testable question about statistical power. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Power is the probability that a procedure rejects a specified null when an alternative is true.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of statistical power, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.14

Multiple Comparisons

THE CORE SCIENTIFIC IDEA

Testing many hypotheses raises the chance of false positives unless multiplicity is considered.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Searching thousands of genes for associations increases the need to control false discoveries. This illustrates multiple comparisons within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For multiple comparisons, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of multiple comparisons should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.14

Multiple Comparisons - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Testing many hypotheses raises the chance of false positives unless multiplicity is considered.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as multiple comparisons in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Searching thousands of genes for associations increases the need to control false discoveries. Turn this into a testable question about multiple comparisons. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Testing many hypotheses raises the chance of false positives unless multiplicity is considered.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of multiple comparisons, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.15

Regression Models

THE CORE SCIENTIFIC IDEA

Regression characterizes relationships between outcomes and predictors, with assumptions requiring checks.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A regression of temperature on altitude must examine nonlinearity and geography. This illustrates regression models within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For regression models, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of regression models should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.15

Regression Models - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Regression characterizes relationships between outcomes and predictors, with assumptions requiring checks.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as regression models in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A regression of temperature on altitude must examine nonlinearity and geography. Turn this into a testable question about regression models. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Regression characterizes relationships between outcomes and predictors, with assumptions requiring checks.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of regression models, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.16

Bayesian Inference

THE CORE SCIENTIFIC IDEA

Bayesian methods update probability distributions over hypotheses or parameters using data and prior assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A Bayesian model updates a probability distribution after new test observations. This illustrates bayesian inference within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For bayesian inference, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of bayesian inference should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.16

Bayesian Inference - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Bayesian methods update probability distributions over hypotheses or parameters using data and prior assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as bayesian inference in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A Bayesian model updates a probability distribution after new test observations. Turn this into a testable question about bayesian inference. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Bayesian methods update probability distributions over hypotheses or parameters using data and prior assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of bayesian inference, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.17

Time Series

THE CORE SCIENTIFIC IDEA

Time-series observations can contain trends, seasonality, autocorrelation, and abrupt structural changes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Daily electricity demand shows seasonality and weekday structure. This illustrates time series within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For time series, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of time series should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.17

Time Series - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Time-series observations can contain trends, seasonality, autocorrelation, and abrupt structural changes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as time series in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Daily electricity demand shows seasonality and weekday structure. Turn this into a testable question about time series. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Time-series observations can contain trends, seasonality, autocorrelation, and abrupt structural changes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of time series, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.18

Cross Validation

THE CORE SCIENTIFIC IDEA

Cross-validation estimates predictive performance on held-out data rather than the training sample alone.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A predictive model should be evaluated on cases not used to fit it. This illustrates cross validation within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For cross validation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cross validation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.18

Cross Validation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cross-validation estimates predictive performance on held-out data rather than the training sample alone.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cross validation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A predictive model should be evaluated on cases not used to fit it. Turn this into a testable question about cross validation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cross-validation estimates predictive performance on held-out data rather than the training sample alone.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cross validation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.19

Causal Inference

THE CORE SCIENTIFIC IDEA

Causal inference uses design, assumptions, and counterfactual comparisons to estimate effects of interventions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A natural experiment may estimate how a policy changed outcomes under assumptions. This illustrates causal inference within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For causal inference, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of causal inference should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.19

Causal Inference - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Causal inference uses design, assumptions, and counterfactual comparisons to estimate effects of interventions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as causal inference in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A natural experiment may estimate how a policy changed outcomes under assumptions. Turn this into a testable question about causal inference. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Causal inference uses design, assumptions, and counterfactual comparisons to estimate effects of interventions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of causal inference, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

CONCEPT 04.20

Data Visualization

THE CORE SCIENTIFIC IDEA

Effective graphics reveal patterns while truthful axes and scales avoid distorting evidence.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A truncated y-axis can visually exaggerate a small numerical change. This illustrates data visualization within reasoning under variability and limited data. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes samples, distributions, residuals and out-of-sample performance. Depending on the question, its models may use likelihoods, intervals, effect sizes, simulations and predictive models. For data visualization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of data visualization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, dependence, overfitting and confusion of association with causation. Better evidence can narrow or revise the claim.

INVESTIGATION 04.20

Data Visualization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Effective graphics reveal patterns while truthful axes and scales avoid distorting evidence.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as data visualization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from samples, distributions, residuals and out-of-sample performance; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on likelihoods, intervals, effect sizes, simulations and predictive models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, dependence, overfitting and confusion of association with causation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A truncated y-axis can visually exaggerate a small numerical change. Turn this into a testable question about data visualization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sampling, statistical diagnostics and computational reproducibility if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Effective graphics reveal patterns while truthful axes and scales avoid distorting evidence.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of data visualization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, dependence, overfitting and confusion of association with causation.

FIELD 05 OF 28

Classical Mechanics

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the response of bodies to forces and constraints. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include position, time, velocity, acceleration, force and torque. Investigators use motion tracking, force measurement and energy accounting. Appropriate models include free-body diagrams, conservation laws, differential equations and idealized bodies. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include non-inertial frames, hidden contacts, friction and elastic limits. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Position and Displacement
02. Speed and Velocity
03. Acceleration
04. Newton First Law
05. Newton Second Law
06. Newton Third Law
07. Free Body Diagrams
08. Friction
09. Momentum
10. Impulse
11. Work
12. Kinetic Energy
13. Potential Energy
14. Conservation of Energy
15. Circular Motion
16. Torque
17. Angular Momentum
18. Oscillations
19. Simple Harmonic Motion
20. Gravitation

CONCEPT 05.01

Position and Displacement

THE CORE SCIENTIFIC IDEA

Displacement is the directed change between two positions, independent of the route traveled.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A jogger ends five meters east of a starting point after running a curved path. This illustrates position and displacement within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For position and displacement, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

displacement = final position - initial position

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.01

Position and Displacement - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Displacement is the directed change between two positions, independent of the route traveled.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as position and displacement in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A jogger ends five meters east of a starting point after running a curved path. Turn this into a testable question about position and displacement. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: displacement = final position - initial position. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Displacement is the directed change between two positions, independent of the route traveled.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of position and displacement, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.02

Speed and Velocity

THE CORE SCIENTIFIC IDEA

Speed is distance traveled per time; velocity is the rate of displacement and has direction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A car's speedometer does not state the vehicle's compass direction. This illustrates speed and velocity within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For speed and velocity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

average speed = total distance / elapsed time

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.02

Speed and Velocity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Speed is distance traveled per time; velocity is the rate of displacement and has direction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as speed and velocity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A car's speedometer does not state the vehicle's compass direction. Turn this into a testable question about speed and velocity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: average speed = total distance / elapsed time. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Speed is distance traveled per time; velocity is the rate of displacement and has direction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of speed and velocity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.03

Acceleration

THE CORE SCIENTIFIC IDEA

Acceleration measures the rate at which velocity changes in magnitude or direction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A vehicle turning at constant speed still accelerates toward the curve's center. This illustrates acceleration within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For acceleration, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

average acceleration = change in velocity / time interval

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.03

Acceleration - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Acceleration measures the rate at which velocity changes in magnitude or direction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as acceleration in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A vehicle turning at constant speed still accelerates toward the curve's center. Turn this into a testable question about acceleration. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: average acceleration = change in velocity / time interval. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Acceleration measures the rate at which velocity changes in magnitude or direction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of acceleration, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.04

Newton First Law

THE CORE SCIENTIFIC IDEA

An object remains at constant velocity in an inertial frame unless a net external force acts.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A puck glides approximately uniformly across low-friction ice. This illustrates newton first law within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For newton first law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of newton first law should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.04

Newton First Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An object remains at constant velocity in an inertial frame unless a net external force acts.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as newton first law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A puck glides approximately uniformly across low-friction ice. Turn this into a testable question about newton first law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An object remains at constant velocity in an inertial frame unless a net external force acts.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of newton first law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.05

Newton Second Law

THE CORE SCIENTIFIC IDEA

For constant mass in a suitable inertial frame, net force equals mass times acceleration.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 2 kg object under a 6 N net force accelerates at 3 m/s squared. This illustrates newton second law within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For newton second law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

net force = mass x acceleration

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.05

Newton Second Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: For constant mass in a suitable inertial frame, net force equals mass times acceleration.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as newton second law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 2 kg object under a 6 N net force accelerates at 3 m/s squared. Turn this into a testable question about newton second law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: net force = mass x acceleration. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A For constant mass in a suitable inertial frame, net force equals mass times acceleration.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of newton second law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.06

Newton Third Law

THE CORE SCIENTIFIC IDEA

Interactions exert equal and opposite forces on two different bodies.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A swimmer pushes water backward while water pushes the swimmer forward. This illustrates newton third law within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For newton third law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of newton third law should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.06

Newton Third Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Interactions exert equal and opposite forces on two different bodies.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as newton third law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A swimmer pushes water backward while water pushes the swimmer forward. Turn this into a testable question about newton third law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Interactions exert equal and opposite forces on two different bodies.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of newton third law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.07

Free Body Diagrams

THE CORE SCIENTIFIC IDEA

A free-body diagram isolates one object and identifies external forces acting on it.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A box's free-body diagram includes weight, support force and applied push. This illustrates free body diagrams within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For free body diagrams, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of free body diagrams should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.07

Free Body Diagrams - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A free-body diagram isolates one object and identifies external forces acting on it.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as free body diagrams in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A box's free-body diagram includes weight, support force and applied push. Turn this into a testable question about free body diagrams. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A free-body diagram isolates one object and identifies external forces acting on it.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of free body diagrams, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.08

Friction

THE CORE SCIENTIFIC IDEA

Friction opposes relative motion or impending motion and depends on surfaces and contact conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A shoe grips pavement until the available static friction is exceeded. This illustrates friction within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For friction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of friction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.08

Friction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Friction opposes relative motion or impending motion and depends on surfaces and contact conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as friction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A shoe grips pavement until the available static friction is exceeded. Turn this into a testable question about friction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Friction opposes relative motion or impending motion and depends on surfaces and contact conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of friction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.09

Momentum

THE CORE SCIENTIFIC IDEA

Linear momentum equals mass times velocity in classical mechanics and is conserved in isolated systems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two colliding carts exchange momentum while total momentum is nearly conserved. This illustrates momentum within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For momentum, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

momentum = mass x velocity

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.09

Momentum - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Linear momentum equals mass times velocity in classical mechanics and is conserved in isolated systems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as momentum in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two colliding carts exchange momentum while total momentum is nearly conserved. Turn this into a testable question about momentum. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: momentum = mass x velocity. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Linear momentum equals mass times velocity in classical mechanics and is conserved in isolated systems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of momentum, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.10

Impulse

THE CORE SCIENTIFIC IDEA

Impulse is the time integral of force and equals a change in momentum.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An airbag changes collision stopping time and reduces average stopping force. This illustrates impulse within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For impulse, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

impulse = change in momentum

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.10

Impulse - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Impulse is the time integral of force and equals a change in momentum.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as impulse in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An airbag changes collision stopping time and reduces average stopping force. Turn this into a testable question about impulse. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: impulse = change in momentum. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Impulse is the time integral of force and equals a change in momentum.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of impulse, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.11

Work

THE CORE SCIENTIFIC IDEA

Work measures force transferred along displacement and can change a system's energy.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Lifting a crate transfers energy against gravitational force. This illustrates work within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For work, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

work = force x displacement x cos(angle) (constant force)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.11

Work - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Work measures force transferred along displacement and can change a system's energy.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as work in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Lifting a crate transfers energy against gravitational force. Turn this into a testable question about work. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: work = force x displacement x cos(angle) (constant force). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Work measures force transferred along displacement and can change a system's energy.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of work, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.12

Kinetic Energy

THE CORE SCIENTIFIC IDEA

Classical translational kinetic energy equals one half of mass times speed squared.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A moving 4 kg mass at 3 m/s has 18 joules of kinetic energy. This illustrates kinetic energy within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For kinetic energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$K = (1/2)\, m\, v^2$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.12

Kinetic Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Classical translational kinetic energy equals one half of mass times speed squared.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as kinetic energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A moving 4 kg mass at 3 m/s has 18 joules of kinetic energy. Turn this into a testable question about kinetic energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: K = (1/2) m v^2. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Classical translational kinetic energy equals one half of mass times speed squared.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of kinetic energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.13

Potential Energy

THE CORE SCIENTIFIC IDEA

Potential energy accounts for position-dependent contributions to a conserved mechanical energy budget.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A raised weight stores gravitational potential energy relative to a chosen reference. This illustrates potential energy within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For potential energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$U = m g h$ (near Earth for constant g)

EVIDENCE-TO-EXPLANATION MAP

QUESTION	MEASURE	MODEL	ASSESS
Potential Energy	observable signal	testable relation	uncertainty & scope

WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.13

Potential Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Potential energy accounts for position-dependent contributions to a conserved mechanical energy budget.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as potential energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A raised weight stores gravitational potential energy relative to a chosen reference. Turn this into a testable question about potential energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: U = m g h (near Earth for constant g). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Potential energy accounts for position-dependent contributions to a conserved mechanical energy budget.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of potential energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.14

Conservation of Energy

THE CORE SCIENTIFIC IDEA

Energy cannot be created or destroyed in an isolated system, though it can change form.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A pendulum exchanges kinetic and gravitational potential energy with losses. This illustrates conservation of energy within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For conservation of energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of conservation of energy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.14

Conservation of Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Energy cannot be created or destroyed in an isolated system, though it can change form.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as conservation of energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A pendulum exchanges kinetic and gravitational potential energy with losses. Turn this into a testable question about conservation of energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Energy cannot be created or destroyed in an isolated system, though it can change form.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of conservation of energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.15

Circular Motion

THE CORE SCIENTIFIC IDEA

Motion along a circle needs inward centripetal acceleration even if speed stays constant.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A satellite continuously accelerates inward as it follows a curved orbit. This illustrates circular motion within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For circular motion, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

centripetal acceleration = speed^2 / radius

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.15

Circular Motion - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Motion along a circle needs inward centripetal acceleration even if speed stays constant.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as circular motion in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A satellite continuously accelerates inward as it follows a curved orbit. Turn this into a testable question about circular motion. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: centripetal acceleration = speed^2 / radius. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Motion along a circle needs inward centripetal acceleration even if speed stays constant.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of circular motion, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.16

Torque

THE CORE SCIENTIFIC IDEA

Torque describes a force's tendency to rotate an object about an axis or reference point.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A wrench exerts more torque with a longer perpendicular lever arm. This illustrates torque within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For torque, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

torque magnitude = r F sin(angle)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.16

Torque - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Torque describes a force's tendency to rotate an object about an axis or reference point.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as torque in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A wrench exerts more torque with a longer perpendicular lever arm. Turn this into a testable question about torque. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: torque magnitude = r F sin(angle). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Torque describes a force's tendency to rotate an object about an axis or reference point.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of torque, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.17

Angular Momentum

THE CORE SCIENTIFIC IDEA

Angular momentum is conserved when the net external torque is zero.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A spinning skater rotates faster when drawing arms inward. This illustrates angular momentum within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For angular momentum, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of angular momentum should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.17

Angular Momentum - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Angular momentum is conserved when the net external torque is zero.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as angular momentum in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A spinning skater rotates faster when drawing arms inward. Turn this into a testable question about angular momentum. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Angular momentum is conserved when the net external torque is zero.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of angular momentum, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.18

Oscillations

THE CORE SCIENTIFIC IDEA

A restoring force can generate repetitive motion about a stable equilibrium.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A displaced pendulum swings repeatedly under gravity and damping. This illustrates oscillations within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For oscillations, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of oscillations should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.18

Oscillations - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A restoring force can generate repetitive motion about a stable equilibrium.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as oscillations in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A displaced pendulum swings repeatedly under gravity and damping. Turn this into a testable question about oscillations. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A restoring force can generate repetitive motion about a stable equilibrium.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of oscillations, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.19

Simple Harmonic Motion

THE CORE SCIENTIFIC IDEA

For a linear restoring force, motion is sinusoidal with a natural frequency.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A mass on a spring oscillates near equilibrium if the spring stays linear. This illustrates simple harmonic motion within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For simple harmonic motion, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

period = 2 pi sqrt(m / k) (mass-spring model)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.19

Simple Harmonic Motion - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: For a linear restoring force, motion is sinusoidal with a natural frequency.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as simple harmonic motion in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A mass on a spring oscillates near equilibrium if the spring stays linear. Turn this into a testable question about simple harmonic motion. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: period = 2 pi sqrt(m / k) (mass-spring model). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A For a linear restoring force, motion is sinusoidal with a natural frequency.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of simple harmonic motion, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

CONCEPT 05.20

Gravitation

THE CORE SCIENTIFIC IDEA

Newtonian gravitation models attraction between masses with an inverse-square dependence on separation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The attraction between Earth and a spacecraft weakens with increasing distance. This illustrates gravitation within the response of bodies to forces and constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes position, time, velocity, acceleration, force and torque. Depending on the question, its models may use free-body diagrams, conservation laws, differential equations and idealized bodies. For gravitation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

gravitational force = G m1 m2 / r^2

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider non-inertial frames, hidden contacts, friction and elastic limits. Better evidence can narrow or revise the claim.

INVESTIGATION 05.20

Gravitation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Newtonian gravitation models attraction between masses with an inverse-square dependence on separation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as gravitation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from position, time, velocity, acceleration, force and torque; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on free-body diagrams, conservation laws, differential equations and idealized bodies should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and non-inertial frames, hidden contacts, friction and elastic limits; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The attraction between Earth and a spacecraft weakens with increasing distance. Turn this into a testable question about gravitation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use motion tracking, force measurement and energy accounting if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: gravitational force = G m1 m2 / r^2. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Newtonian gravitation models attraction between masses with an inverse-square dependence on separation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of gravitation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: non-inertial frames, hidden contacts, friction and elastic limits.

FIELD 06 OF 28

Fluid Mechanics and Thermodynamics

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines flow, temperature, work, energy transfer and entropy. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include pressure, flow rate, temperature, heat flux and material properties. Investigators use flow measurement, calorimetry and energy balances. Appropriate models include control volumes, balance equations, equations of state and transport models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Density
02. Pressure
03. Buoyancy
04. Continuity Equation
05. Bernoulli Principle
06. Viscosity
07. Laminar and Turbulent Flow
08. Heat and Temperature
09. Thermal Equilibrium
10. First Law of Thermodynamics
11. Second Law of Thermodynamics
12. Entropy
13. Heat Conduction
14. Convection
15. Thermal Radiation
16. Ideal Gas Law
17. Phase Changes
18. Heat Engines
19. Refrigeration
20. Statistical Mechanics

CONCEPT 06.01

Density

THE CORE SCIENTIFIC IDEA

Density is mass per unit volume and may vary with temperature, pressure, and composition.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A kilogram of expanded foam occupies more volume than a kilogram of steel. This illustrates density within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For density, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

density = mass / volume

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.01

Density - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Density is mass per unit volume and may vary with temperature, pressure, and composition.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as density in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A kilogram of expanded foam occupies more volume than a kilogram of steel. Turn this into a testable question about density. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: density = mass / volume. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Density is mass per unit volume and may vary with temperature, pressure, and composition.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of density, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.02

Pressure

THE CORE SCIENTIFIC IDEA

Pressure is normal force per area and in a static fluid often increases with depth.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water pressure rises with depth in a stationary reservoir. This illustrates pressure within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For pressure, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

pressure = force / area

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.02

Pressure - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Pressure is normal force per area and in a static fluid often increases with depth.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as pressure in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water pressure rises with depth in a stationary reservoir. Turn this into a testable question about pressure. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: pressure = force / area. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Pressure is normal force per area and in a static fluid often increases with depth.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of pressure, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.03

Buoyancy

THE CORE SCIENTIFIC IDEA

A fluid exerts an upward buoyant force equal to the weight of displaced fluid.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A floating boat displaces water whose weight matches the boat's weight. This illustrates buoyancy within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For buoyancy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

buoyant force = displaced-fluid weight

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.03

Buoyancy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A fluid exerts an upward buoyant force equal to the weight of displaced fluid.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as buoyancy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A floating boat displaces water whose weight matches the boat's weight. Turn this into a testable question about buoyancy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: buoyant force = displaced-fluid weight. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A fluid exerts an upward buoyant force equal to the weight of displaced fluid.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of buoyancy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.04

Continuity Equation

THE CORE SCIENTIFIC IDEA

Conservation of mass constrains how flow speed and cross-sectional area are related.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water speeds up in a narrowed pipe when steady flow and density permit. This illustrates continuity equation within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For continuity equation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

rho A v = constant (steady one-dimensional flow)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.04

Continuity Equation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Conservation of mass constrains how flow speed and cross-sectional area are related.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as continuity equation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water speeds up in a narrowed pipe when steady flow and density permit. Turn this into a testable question about continuity equation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: rho A v = constant (steady one-dimensional flow). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Conservation of mass constrains how flow speed and cross-sectional area are related.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of continuity equation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.05

Bernoulli Principle

THE CORE SCIENTIFIC IDEA

Along an ideal steady streamline, pressure, elevation, and kinetic terms exchange without loss.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A constricted ideal flow may have greater speed and lower static pressure. This illustrates bernoulli principle within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For bernoulli principle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of bernoulli principle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.05

Bernoulli Principle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Along an ideal steady streamline, pressure, elevation, and kinetic terms exchange without loss.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as bernoulli principle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A constricted ideal flow may have greater speed and lower static pressure. Turn this into a testable question about bernoulli principle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Along an ideal steady streamline, pressure, elevation, and kinetic terms exchange without loss.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of bernoulli principle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.06

Viscosity

THE CORE SCIENTIFIC IDEA

Viscosity quantifies resistance to shear flow and influences boundary layers and pipe losses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Honey flows more slowly than water under similar conditions because of viscosity. This illustrates viscosity within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For viscosity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of viscosity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.06

Viscosity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Viscosity quantifies resistance to shear flow and influences boundary layers and pipe losses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as viscosity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Honey flows more slowly than water under similar conditions because of viscosity. Turn this into a testable question about viscosity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Viscosity quantifies resistance to shear flow and influences boundary layers and pipe losses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of viscosity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.07

Laminar and Turbulent Flow

THE CORE SCIENTIFIC IDEA

Laminar flow is orderly, while turbulent flow includes fluctuating eddies and enhanced mixing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Smoke in smooth flow forms coherent layers before turbulence develops. This illustrates laminar and turbulent flow within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For laminar and turbulent flow, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of laminar and turbulent flow should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.07

Laminar and Turbulent Flow - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Laminar flow is orderly, while turbulent flow includes fluctuating eddies and enhanced mixing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as laminar and turbulent flow in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Smoke in smooth flow forms coherent layers before turbulence develops. Turn this into a testable question about laminar and turbulent flow. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Laminar flow is orderly, while turbulent flow includes fluctuating eddies and enhanced mixing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of laminar and turbulent flow, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.08

Heat and Temperature

THE CORE SCIENTIFIC IDEA

Temperature describes thermal state; heat is energy transferred because of temperature difference.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A hot cup loses energy to cooler air; its temperature is a state variable. This illustrates heat and temperature within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For heat and temperature, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

Q = m c DeltaT (no phase transition)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.08

Heat and Temperature - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Temperature describes thermal state; heat is energy transferred because of temperature difference.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as heat and temperature in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A hot cup loses energy to cooler air; its temperature is a state variable. Turn this into a testable question about heat and temperature. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: Q = m c DeltaT (no phase transition). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Temperature describes thermal state; heat is energy transferred because of temperature difference.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of heat and temperature, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.09

Thermal Equilibrium

THE CORE SCIENTIFIC IDEA

Objects in mutual thermal equilibrium share a common temperature under suitable conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two touching metal blocks eventually approach common temperature. This illustrates thermal equilibrium within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For thermal equilibrium, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thermal equilibrium should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.09

Thermal Equilibrium - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Objects in mutual thermal equilibrium share a common temperature under suitable conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thermal equilibrium in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two touching metal blocks eventually approach common temperature. Turn this into a testable question about thermal equilibrium. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Objects in mutual thermal equilibrium share a common temperature under suitable conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thermal equilibrium, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.10

First Law of Thermodynamics

THE CORE SCIENTIFIC IDEA

Internal-energy change equals energy added by heat minus work done by the system under a chosen convention.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An insulated gas can gain internal energy when compressed by external work. This illustrates first law of thermodynamics within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For first law of thermodynamics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

Delta U = Q - W (work done by system)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.10

First Law of Thermodynamics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Internal-energy change equals energy added by heat minus work done by the system under a chosen convention.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as first law of thermodynamics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An insulated gas can gain internal energy when compressed by external work. Turn this into a testable question about first law of thermodynamics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: Delta U = Q - W (work done by system). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Internal-energy change equals energy added by heat minus work done by the system under a chosen convention.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of first law of thermodynamics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.11

Second Law of Thermodynamics

THE CORE SCIENTIFIC IDEA

The total entropy of an isolated system does not decrease in spontaneous processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A heat engine cannot convert all heat drawn from one reservoir into cyclic work. This illustrates second law of thermodynamics within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For second law of thermodynamics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of second law of thermodynamics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.11

Second Law of Thermodynamics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The total entropy of an isolated system does not decrease in spontaneous processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as second law of thermodynamics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A heat engine cannot convert all heat drawn from one reservoir into cyclic work. Turn this into a testable question about second law of thermodynamics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The total entropy of an isolated system does not decrease in spontaneous processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of second law of thermodynamics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.12

Entropy

THE CORE SCIENTIFIC IDEA

Entropy quantifies thermodynamic state multiplicity and constrains spontaneous energy transformations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Spontaneous mixing increases accessible microstates and overall entropy. This illustrates entropy within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For entropy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of entropy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.12

Entropy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Entropy quantifies thermodynamic state multiplicity and constrains spontaneous energy transformations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as entropy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Spontaneous mixing increases accessible microstates and overall entropy. Turn this into a testable question about entropy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Entropy quantifies thermodynamic state multiplicity and constrains spontaneous energy transformations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of entropy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.13

Heat Conduction

THE CORE SCIENTIFIC IDEA

Conduction transfers energy through a material under a temperature gradient.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A metal spoon heats along its length when one end sits in hot soup. This illustrates heat conduction within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For heat conduction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of heat conduction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.13

Heat Conduction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Conduction transfers energy through a material under a temperature gradient.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as heat conduction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A metal spoon heats along its length when one end sits in hot soup. Turn this into a testable question about heat conduction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Conduction transfers energy through a material under a temperature gradient.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of heat conduction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.14

Convection

THE CORE SCIENTIFIC IDEA

Convection transfers heat through the bulk motion of fluids, often coupled with conduction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Warm fluid rises in a heated room as buoyancy drives convection. This illustrates convection within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For convection, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of convection should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.14

Convection - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Convection transfers heat through the bulk motion of fluids, often coupled with conduction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as convection in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Warm fluid rises in a heated room as buoyancy drives convection. Turn this into a testable question about convection. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Convection transfers heat through the bulk motion of fluids, often coupled with conduction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of convection, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.15

Thermal Radiation

THE CORE SCIENTIFIC IDEA

Electromagnetic radiation transports energy even without a material medium.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Sun transfers energy through vacuum by electromagnetic radiation. This illustrates thermal radiation within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For thermal radiation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thermal radiation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.15

Thermal Radiation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electromagnetic radiation transports energy even without a material medium.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thermal radiation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Sun transfers energy through vacuum by electromagnetic radiation. Turn this into a testable question about thermal radiation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electromagnetic radiation transports energy even without a material medium.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thermal radiation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.16

Ideal Gas Law

THE CORE SCIENTIFIC IDEA

For an ideal gas, pressure times volume equals amount times gas constant times absolute temperature.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A sealed gas sample raises its pressure when warmed at fixed volume. This illustrates ideal gas law within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For ideal gas law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$$P V = n R T$$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.16

Ideal Gas Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: For an ideal gas, pressure times volume equals amount times gas constant times absolute temperature.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ideal gas law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A sealed gas sample raises its pressure when warmed at fixed volume. Turn this into a testable question about ideal gas law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: $P V = n R T$. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A For an ideal gas, pressure times volume equals amount times gas constant times absolute temperature.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ideal gas law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.17

Phase Changes

THE CORE SCIENTIFIC IDEA

Melting, vaporization, condensation, and freezing involve structural changes and latent heat.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Boiling water absorbs latent heat while its temperature can remain approximately steady. This illustrates phase changes within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For phase changes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of phase changes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.17

Phase Changes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Melting, vaporization, condensation, and freezing involve structural changes and latent heat.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as phase changes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Boiling water absorbs latent heat while its temperature can remain approximately steady. Turn this into a testable question about phase changes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Melting, vaporization, condensation, and freezing involve structural changes and latent heat.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of phase changes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.18

Heat Engines

THE CORE SCIENTIFIC IDEA

Heat engines convert part of a temperature-driven energy flow into work with efficiency limits.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A steam turbine extracts part of a thermal energy flow as shaft work. This illustrates heat engines within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For heat engines, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of heat engines should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.18

Heat Engines - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Heat engines convert part of a temperature-driven energy flow into work with efficiency limits.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as heat engines in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A steam turbine extracts part of a thermal energy flow as shaft work. Turn this into a testable question about heat engines. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Heat engines convert part of a temperature-driven energy flow into work with efficiency limits.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of heat engines, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.19

Refrigeration

THE CORE SCIENTIFIC IDEA

Refrigerators use work to transfer thermal energy from colder to warmer regions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A refrigerator uses electrical energy to move heat from its interior. This illustrates refrigeration within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For refrigeration, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of refrigeration should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.19

Refrigeration - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Refrigerators use work to transfer thermal energy from colder to warmer regions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as refrigeration in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A refrigerator uses electrical energy to move heat from its interior. Turn this into a testable question about refrigeration. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Refrigerators use work to transfer thermal energy from colder to warmer regions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of refrigeration, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

CONCEPT 06.20

Statistical Mechanics

THE CORE SCIENTIFIC IDEA

Statistical mechanics derives macroscopic material behavior from ensembles of microscopic states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Gas pressure emerges from molecular momentum transfer to container walls. This illustrates statistical mechanics within flow, temperature, work, energy transfer and entropy. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes pressure, flow rate, temperature, heat flux and material properties. Depending on the question, its models may use control volumes, balance equations, equations of state and transport models. For statistical mechanics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of statistical mechanics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries. Better evidence can narrow or revise the claim.

INVESTIGATION 06.20

Statistical Mechanics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Statistical mechanics derives macroscopic material behavior from ensembles of microscopic states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as statistical mechanics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from pressure, flow rate, temperature, heat flux and material properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on control volumes, balance equations, equations of state and transport models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Gas pressure emerges from molecular momentum transfer to container walls. Turn this into a testable question about statistical mechanics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use flow measurement, calorimetry and energy balances if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Statistical mechanics derives macroscopic material behavior from ensembles of microscopic states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of statistical mechanics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: turbulence, dissipative losses, non-equilibrium conditions and imperfect boundaries.

FIELD 07 OF 28

Waves, Sound and Optics

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines how disturbances propagate, interact and reveal matter. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include amplitude, travel time, phase, wavelength and optical intensity. Investigators use oscilloscopes, microphones, spectrometers and imaging. Appropriate models include wave equations, ray approximations, Fourier spectra and interference patterns. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include instrument bandwidth, scattering, dispersion and finite resolution. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Wave Amplitude

02. Wavelength and Frequency

03. Superposition

04. Interference

05. Diffraction

06. Standing Waves

07. Resonance

08. Doppler Effect

09. Sound Intensity

10. Decibels

11. Reflection

12. Refraction

13. Snell Law

14. Lenses

15. Mirrors

16. Polarization

17. Electromagnetic Spectrum

18. Optical Resolution

19. Fiber Optics

20. Spectroscopy

CONCEPT 07.01

Wave Amplitude

THE CORE SCIENTIFIC IDEA

Amplitude describes the magnitude of variation of a wave field from its reference level.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Louder sound corresponds to larger pressure fluctuations, not necessarily higher pitch. This illustrates wave amplitude within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For wave amplitude, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of wave amplitude should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.01

Wave Amplitude - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Amplitude describes the magnitude of variation of a wave field from its reference level.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as wave amplitude in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Louder sound corresponds to larger pressure fluctuations, not necessarily higher pitch. Turn this into a testable question about wave amplitude. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Amplitude describes the magnitude of variation of a wave field from its reference level.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of wave amplitude, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.02

Wavelength and Frequency

THE CORE SCIENTIFIC IDEA

For a traveling wave, propagation speed equals wavelength times frequency.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 2 m wavelength at 100 Hz corresponds to a propagation speed of 200 m/s. This illustrates wavelength and frequency within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For wavelength and frequency, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

wave speed = frequency x wavelength

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.02

Wavelength and Frequency - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: For a traveling wave, propagation speed equals wavelength times frequency.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as wavelength and frequency in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 2 m wavelength at 100 Hz corresponds to a propagation speed of 200 m/s. Turn this into a testable question about wavelength and frequency. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: wave speed = frequency x wavelength. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A For a traveling wave, propagation speed equals wavelength times frequency.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of wavelength and frequency, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.03

Superposition

THE CORE SCIENTIFIC IDEA

In linear systems, overlapping waves combine by adding their instantaneous disturbances.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two small water disturbances overlap and add until they pass one another. This illustrates superposition within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For superposition, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of superposition should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.03

Superposition - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: In linear systems, overlapping waves combine by adding their instantaneous disturbances.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as superposition in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two small water disturbances overlap and add until they pass one another. Turn this into a testable question about superposition. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A In linear systems, overlapping waves combine by adding their instantaneous disturbances.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of superposition, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.04

Interference

THE CORE SCIENTIFIC IDEA

Constructive or destructive interference occurs when coherent waves combine at differing phases.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two coherent light waves can produce alternating bright and dark fringes. This illustrates interference within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For interference, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of interference should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.04

Interference - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Constructive or destructive interference occurs when coherent waves combine at differing phases.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as interference in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two coherent light waves can produce alternating bright and dark fringes. Turn this into a testable question about interference. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Constructive or destructive interference occurs when coherent waves combine at differing phases.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of interference, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.05

Diffraction

THE CORE SCIENTIFIC IDEA

Waves spread or bend around obstacles and apertures when relevant sizes approach wavelength.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water waves bend around a narrow harbor entrance. This illustrates diffraction within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For diffraction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of diffraction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.05

Diffraction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Waves spread or bend around obstacles and apertures when relevant sizes approach wavelength.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as diffraction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water waves bend around a narrow harbor entrance. Turn this into a testable question about diffraction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Waves spread or bend around obstacles and apertures when relevant sizes approach wavelength.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of diffraction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.06

Standing Waves

THE CORE SCIENTIFIC IDEA

Interference between opposing waves creates fixed nodes and antinodes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A guitar string supports standing waves with fixed points at its ends. This illustrates standing waves within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For standing waves, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of standing waves should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.06

Standing Waves - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Interference between opposing waves creates fixed nodes and antinodes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as standing waves in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A guitar string supports standing waves with fixed points at its ends. Turn this into a testable question about standing waves. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Interference between opposing waves creates fixed nodes and antinodes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of standing waves, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.07

Resonance

THE CORE SCIENTIFIC IDEA

Driving a system near a natural frequency can increase the response, limited by damping.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Pushing a playground swing at the right rhythm builds oscillation amplitude. This illustrates resonance within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For resonance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of resonance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.07

Resonance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Driving a system near a natural frequency can increase the response, limited by damping.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as resonance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Pushing a playground swing at the right rhythm builds oscillation amplitude. Turn this into a testable question about resonance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Driving a system near a natural frequency can increase the response, limited by damping.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of resonance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.08

Doppler Effect

THE CORE SCIENTIFIC IDEA

Relative motion changes observed frequency of waves from moving sources or observers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An approaching ambulance is heard at a higher frequency than when receding. This illustrates doppler effect within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For doppler effect, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of doppler effect should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.08

Doppler Effect - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Relative motion changes observed frequency of waves from moving sources or observers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as doppler effect in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An approaching ambulance is heard at a higher frequency than when receding. Turn this into a testable question about doppler effect. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Relative motion changes observed frequency of waves from moving sources or observers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of doppler effect, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.09

Sound Intensity

THE CORE SCIENTIFIC IDEA

Sound intensity describes power flow through unit area and varies with amplitude and distance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sound intensity spreads over larger areas farther from an ideal point source. This illustrates sound intensity within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For sound intensity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sound intensity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.09

Sound Intensity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sound intensity describes power flow through unit area and varies with amplitude and distance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sound intensity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sound intensity spreads over larger areas farther from an ideal point source. Turn this into a testable question about sound intensity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sound intensity describes power flow through unit area and varies with amplitude and distance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sound intensity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.10

Decibels

THE CORE SCIENTIFIC IDEA

Decibels express logarithmic ratios, including acoustic levels referenced to defined quantities.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An increase of 10 dB represents a tenfold power ratio under the same reference. This illustrates decibels within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For decibels, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

level difference = 10 log10(P2 / P1) for power ratios

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.10

Decibels - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Decibels express logarithmic ratios, including acoustic levels referenced to defined quantities.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as decibels in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An increase of 10 dB represents a tenfold power ratio under the same reference. Turn this into a testable question about decibels. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: level difference = 10 log10(P2 / P1) for power ratios. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Decibels express logarithmic ratios, including acoustic levels referenced to defined quantities.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of decibels, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.11

Reflection

THE CORE SCIENTIFIC IDEA

Waves can reverse direction at boundaries according to geometry and boundary conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Light reflected from a flat mirror obeys equal incidence and reflection angles. This illustrates reflection within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For reflection, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of reflection should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.11

Reflection - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Waves can reverse direction at boundaries according to geometry and boundary conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as reflection in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Light reflected from a flat mirror obeys equal incidence and reflection angles. Turn this into a testable question about reflection. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Waves can reverse direction at boundaries according to geometry and boundary conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of reflection, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.12

Refraction

THE CORE SCIENTIFIC IDEA

Wave direction changes across media when propagation speed changes at an interface.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A straw looks bent at a water surface because rays change direction. This illustrates refraction within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For refraction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of refraction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.12

Refraction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Wave direction changes across media when propagation speed changes at an interface.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as refraction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A straw looks bent at a water surface because rays change direction. Turn this into a testable question about refraction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Wave direction changes across media when propagation speed changes at an interface.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of refraction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.13

Snell Law

THE CORE SCIENTIFIC IDEA

For ideal refracting interfaces, refractive indices and angles obey a sine relationship.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Refraction angles follow the refractive indices of two transparent media. This illustrates snell law within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For snell law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$$n_1 \sin(\theta_1) = n_2 \sin(\theta_2)$$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.13

Snell Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: For ideal refracting interfaces, refractive indices and angles obey a sine relationship.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as snell law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Refraction angles follow the refractive indices of two transparent media. Turn this into a testable question about snell law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: n1 sin(theta1) = n2 sin(theta2). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A For ideal refracting interfaces, refractive indices and angles obey a sine relationship.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of snell law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.14

Lenses

THE CORE SCIENTIFIC IDEA

Converging and diverging lenses form images by changing the direction of light rays.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A convex lens can form a sharp image of a distant object on a screen. This illustrates lenses within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For lenses, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of lenses should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.14

Lenses - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Converging and diverging lenses form images by changing the direction of light rays.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as lenses in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A convex lens can form a sharp image of a distant object on a screen. Turn this into a testable question about lenses. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Converging and diverging lenses form images by changing the direction of light rays.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of lenses, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.15

Mirrors

THE CORE SCIENTIFIC IDEA

Curved mirrors form real or virtual images depending on shape and object position.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A concave mirror can produce a magnified virtual image of a nearby face. This illustrates mirrors within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For mirrors, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mirrors should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.15

Mirrors - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Curved mirrors form real or virtual images depending on shape and object position.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mirrors in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A concave mirror can produce a magnified virtual image of a nearby face. Turn this into a testable question about mirrors. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Curved mirrors form real or virtual images depending on shape and object position.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mirrors, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.16

Polarization

THE CORE SCIENTIFIC IDEA

Polarization specifies orientation of transverse-wave oscillation, especially electric fields in light.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Polarized sunglasses reduce some reflected glare by filtering electric-field orientation. This illustrates polarization within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For polarization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of polarization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.16

Polarization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Polarization specifies orientation of transverse-wave oscillation, especially electric fields in light.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as polarization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Polarized sunglasses reduce some reflected glare by filtering electric-field orientation. Turn this into a testable question about polarization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Polarization specifies orientation of transverse-wave oscillation, especially electric fields in light.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of polarization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.17

Electromagnetic Spectrum

THE CORE SCIENTIFIC IDEA

Radio through gamma radiation differ in wavelength and frequency while sharing electromagnetic nature.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Microwaves and visible light are electromagnetic radiation at different frequencies. This illustrates electromagnetic spectrum within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For electromagnetic spectrum, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electromagnetic spectrum should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.17

Electromagnetic Spectrum - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Radio through gamma radiation differ in wavelength and frequency while sharing electromagnetic nature.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electromagnetic spectrum in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Microwaves and visible light are electromagnetic radiation at different frequencies. Turn this into a testable question about electromagnetic spectrum. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Radio through gamma radiation differ in wavelength and frequency while sharing electromagnetic nature.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electromagnetic spectrum, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.18

Optical Resolution

THE CORE SCIENTIFIC IDEA

Diffraction and instrument aperture restrict the finest detail an optical system can distinguish.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A telescope with a wider aperture can resolve finer angular detail under ideal conditions. This illustrates optical resolution within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For optical resolution, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of optical resolution should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.18

Optical Resolution - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Diffraction and instrument aperture restrict the finest detail an optical system can distinguish.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as optical resolution in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A telescope with a wider aperture can resolve finer angular detail under ideal conditions. Turn this into a testable question about optical resolution. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Diffraction and instrument aperture restrict the finest detail an optical system can distinguish.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of optical resolution, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.19

Fiber Optics

THE CORE SCIENTIFIC IDEA

Guided light in optical fibers transports information with controlled loss and dispersion.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Fiber-optic internet links guide light through low-loss glass fibers. This illustrates fiber optics within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For fiber optics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of fiber optics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.19

Fiber Optics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Guided light in optical fibers transports information with controlled loss and dispersion.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as fiber optics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Fiber-optic internet links guide light through low-loss glass fibers. Turn this into a testable question about fiber optics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Guided light in optical fibers transports information with controlled loss and dispersion.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of fiber optics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

CONCEPT 07.20

Spectroscopy

THE CORE SCIENTIFIC IDEA

Spectroscopy analyzes interactions between matter and radiation to infer composition and physical conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A star's absorption spectrum reveals elements in its atmosphere. This illustrates spectroscopy within how disturbances propagate, interact and reveal matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes amplitude, travel time, phase, wavelength and optical intensity. Depending on the question, its models may use wave equations, ray approximations, Fourier spectra and interference patterns. For spectroscopy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of spectroscopy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider instrument bandwidth, scattering, dispersion and finite resolution. Better evidence can narrow or revise the claim.

INVESTIGATION 07.20

Spectroscopy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Spectroscopy analyzes interactions between matter and radiation to infer composition and physical conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as spectroscopy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from amplitude, travel time, phase, wavelength and optical intensity; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on wave equations, ray approximations, Fourier spectra and interference patterns should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and instrument bandwidth, scattering, dispersion and finite resolution; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A star's absorption spectrum reveals elements in its atmosphere. Turn this into a testable question about spectroscopy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use oscilloscopes, microphones, spectrometers and imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Spectroscopy analyzes interactions between matter and radiation to infer composition and physical conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of spectroscopy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: instrument bandwidth, scattering, dispersion and finite resolution.

FIELD 08 OF 28

Electricity and Magnetism

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the fields and circuits connecting charge, current and radiation. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include voltages, currents, charge distributions and magnetic flux. Investigators use multimeters, oscilloscopes, probes and electromagnetic simulation. Appropriate models include Maxwell equations, circuit networks, field maps and energy transfer. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include parasitic effects, temperature, nonlinearity and frequency response. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Electric Charge
02. Coulomb Law
03. Electric Field
04. Electric Potential
05. Voltage
06. Current and Drift
07. Resistance
08. Ohm Law
09. Series Circuits
10. Parallel Circuits
11. Kirchhoff Laws
12. Electric Power
13. Capacitance
14. Magnetic Fields
15. Lorentz Force
16. Electromagnetic Induction
17. Inductance
18. Alternating Current
19. Maxwell Equations
20. Electromagnetic Waves

CONCEPT 08.01

Electric Charge

THE CORE SCIENTIFIC IDEA

Electric charge is conserved and determines electromagnetic interactions of particles and matter.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rubbing certain materials transfers charge and creates electrostatic attraction. This illustrates electric charge within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For electric charge, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electric charge should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.01

Electric Charge - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electric charge is conserved and determines electromagnetic interactions of particles and matter.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electric charge in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rubbing certain materials transfers charge and creates electrostatic attraction. Turn this into a testable question about electric charge. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electric charge is conserved and determines electromagnetic interactions of particles and matter.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electric charge, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.02

Coulomb Law

THE CORE SCIENTIFIC IDEA

Electrostatic force between point charges varies inversely with the square of separation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two point charges exert stronger forces when moved closer together. This illustrates coulomb law within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For coulomb law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

force magnitude = k |q1 q2| / r^2

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.02

Coulomb Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electrostatic force between point charges varies inversely with the square of separation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as coulomb law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two point charges exert stronger forces when moved closer together. Turn this into a testable question about coulomb law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: force magnitude = k |q1 q2| / r^2. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electrostatic force between point charges varies inversely with the square of separation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of coulomb law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.03

Electric Field

THE CORE SCIENTIFIC IDEA

An electric field gives force per positive test charge at a location.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A small positive test charge experiences force in the direction of an electric field. This illustrates electric field within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For electric field, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electric field should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.03

Electric Field - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An electric field gives force per positive test charge at a location.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electric field in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A small positive test charge experiences force in the direction of an electric field. Turn this into a testable question about electric field. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An electric field gives force per positive test charge at a location.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electric field, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.04

Electric Potential

THE CORE SCIENTIFIC IDEA

Electric potential represents electric potential energy per unit charge.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A charge at higher electric potential can have greater electrical potential energy. This illustrates electric potential within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For electric potential, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

electric potential = electric potential energy / charge

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.04

Electric Potential - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electric potential represents electric potential energy per unit charge.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electric potential in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A charge at higher electric potential can have greater electrical potential energy. Turn this into a testable question about electric potential. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: electric potential = electric potential energy / charge. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electric potential represents electric potential energy per unit charge.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electric potential, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.05

Voltage

THE CORE SCIENTIFIC IDEA

Voltage is electric potential difference between two points in an electrical system.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A battery maintains a potential difference that drives circuit currents. This illustrates voltage within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For voltage, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of voltage should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.05

Voltage - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Voltage is electric potential difference between two points in an electrical system.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as voltage in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A battery maintains a potential difference that drives circuit currents. Turn this into a testable question about voltage. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Voltage is electric potential difference between two points in an electrical system.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of voltage, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.06

Current and Drift

THE CORE SCIENTIFIC IDEA

Electric current describes net charge flow while charge carriers move through a material.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Electrons drift slowly through a wire even while electrical signals propagate rapidly. This illustrates current and drift within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For current and drift, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of current and drift should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.06

Current and Drift - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electric current describes net charge flow while charge carriers move through a material.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as current and drift in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Electrons drift slowly through a wire even while electrical signals propagate rapidly. Turn this into a testable question about current and drift. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electric current describes net charge flow while charge carriers move through a material.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of current and drift, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.07

Resistance

THE CORE SCIENTIFIC IDEA

Electrical resistance relates voltage and current and depends on geometry, material, and temperature.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A long narrow wire generally has greater resistance than a short thick one. This illustrates resistance within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For resistance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of resistance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.07

Resistance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electrical resistance relates voltage and current and depends on geometry, material, and temperature.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as resistance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A long narrow wire generally has greater resistance than a short thick one. Turn this into a testable question about resistance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electrical resistance relates voltage and current and depends on geometry, material, and temperature.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of resistance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.08

Ohm Law

THE CORE SCIENTIFIC IDEA

In an ohmic element under specified conditions, voltage is proportional to current.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 12 V source across a 6 ohm resistor drives 2 A under ohmic conditions. This illustrates ohm law within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For ohm law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

voltage = current x resistance (ohmic conditions)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.08

Ohm Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: In an ohmic element under specified conditions, voltage is proportional to current.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ohm law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 12 V source across a 6 ohm resistor drives 2 A under ohmic conditions. Turn this into a testable question about ohm law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: voltage = current x resistance (ohmic conditions). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A In an ohmic element under specified conditions, voltage is proportional to current.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ohm law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.09

Series Circuits

THE CORE SCIENTIFIC IDEA

Series elements share a current while their voltage drops combine.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two resistors in series carry the same current but divide voltage. This illustrates series circuits within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For series circuits, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of series circuits should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.09

Series Circuits - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Series elements share a current while their voltage drops combine.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as series circuits in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two resistors in series carry the same current but divide voltage. Turn this into a testable question about series circuits. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Series elements share a current while their voltage drops combine.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of series circuits, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.10

Parallel Circuits

THE CORE SCIENTIFIC IDEA

Parallel elements share potential difference while branch currents sum.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Parallel lamps can share a supply voltage while drawing separate currents. This illustrates parallel circuits within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For parallel circuits, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of parallel circuits should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.10

Parallel Circuits - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Parallel elements share potential difference while branch currents sum.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as parallel circuits in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Parallel lamps can share a supply voltage while drawing separate currents. Turn this into a testable question about parallel circuits. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Parallel elements share potential difference while branch currents sum.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of parallel circuits, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.11

Kirchhoff Laws

THE CORE SCIENTIFIC IDEA

Circuit junction and loop rules reflect conservation of charge and energy.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: At a junction, total entering current equals total leaving current. This illustrates kirchhoff laws within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For kirchhoff laws, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of kirchhoff laws should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.11

Kirchhoff Laws - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Circuit junction and loop rules reflect conservation of charge and energy.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as kirchhoff laws in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: At a junction, total entering current equals total leaving current. Turn this into a testable question about kirchhoff laws. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Circuit junction and loop rules reflect conservation of charge and energy.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of kirchhoff laws, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.12

Electric Power

THE CORE SCIENTIFIC IDEA

Electrical power is the rate of energy transfer and is voltage times current for a circuit element.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 100 W appliance converts or transfers 100 joules per second. This illustrates electric power within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For electric power, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

power = voltage x current

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.12

Electric Power - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electrical power is the rate of energy transfer and is voltage times current for a circuit element.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electric power in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 100 W appliance converts or transfers 100 joules per second. Turn this into a testable question about electric power. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: power = voltage x current. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electrical power is the rate of energy transfer and is voltage times current for a circuit element.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electric power, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.13

Capacitance

THE CORE SCIENTIFIC IDEA

A capacitor stores separated charge and electrostatic energy for a given voltage.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A camera flash capacitor stores charge and releases energy rapidly. This illustrates capacitance within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For capacitance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

capacitance = stored charge / voltage

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.13

Capacitance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A capacitor stores separated charge and electrostatic energy for a given voltage.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as capacitance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A camera flash capacitor stores charge and releases energy rapidly. Turn this into a testable question about capacitance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: capacitance = stored charge / voltage. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A capacitor stores separated charge and electrostatic energy for a given voltage.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of capacitance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.14

Magnetic Fields

THE CORE SCIENTIFIC IDEA

Moving charges and magnetic dipoles interact with magnetic fields.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Compass needles align approximately with Earth's local magnetic field direction. This illustrates magnetic fields within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For magnetic fields, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of magnetic fields should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.14

Magnetic Fields - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Moving charges and magnetic dipoles interact with magnetic fields.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as magnetic fields in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Compass needles align approximately with Earth's local magnetic field direction. Turn this into a testable question about magnetic fields. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Moving charges and magnetic dipoles interact with magnetic fields.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of magnetic fields, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.15

Lorentz Force

THE CORE SCIENTIFIC IDEA

An electric charge experiences force from electric and magnetic fields according to its velocity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A moving electron bends through a magnetic field under Lorentz force. This illustrates lorentz force within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For lorentz force, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of lorentz force should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.15

Lorentz Force - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An electric charge experiences force from electric and magnetic fields according to its velocity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as lorentz force in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A moving electron bends through a magnetic field under Lorentz force. Turn this into a testable question about lorentz force. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An electric charge experiences force from electric and magnetic fields according to its velocity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of lorentz force, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.16

Electromagnetic Induction

THE CORE SCIENTIFIC IDEA

Changing magnetic flux can induce an electromotive force in a circuit.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A moving magnet near a coil can generate a transient voltage. This illustrates electromagnetic induction within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For electromagnetic induction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electromagnetic induction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.16

Electromagnetic Induction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Changing magnetic flux can induce an electromotive force in a circuit.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electromagnetic induction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A moving magnet near a coil can generate a transient voltage. Turn this into a testable question about electromagnetic induction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Changing magnetic flux can induce an electromotive force in a circuit.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electromagnetic induction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.17

Inductance

THE CORE SCIENTIFIC IDEA

Inductance relates magnetic flux linkages to current and stores energy in magnetic fields.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An inductor resists sudden current changes by producing an induced voltage. This illustrates inductance within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For inductance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of inductance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.17

Inductance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Inductance relates magnetic flux linkages to current and stores energy in magnetic fields.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as inductance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An inductor resists sudden current changes by producing an induced voltage. Turn this into a testable question about inductance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Inductance relates magnetic flux linkages to current and stores energy in magnetic fields.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of inductance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.18

Alternating Current

THE CORE SCIENTIFIC IDEA

Alternating-current circuits involve time-varying voltages and currents, phase, and impedance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Household AC voltage varies periodically and requires frequency-aware analysis. This illustrates alternating current within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For alternating current, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of alternating current should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.18

Alternating Current - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alternating-current circuits involve time-varying voltages and currents, phase, and impedance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as alternating current in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Household AC voltage varies periodically and requires frequency-aware analysis. Turn this into a testable question about alternating current. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alternating-current circuits involve time-varying voltages and currents, phase, and impedance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of alternating current, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.19

Maxwell Equations

THE CORE SCIENTIFIC IDEA

Maxwell's equations connect electric and magnetic fields with sources and their time evolution.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Changing electric fields can generate magnetic fields even without conduction current. This illustrates maxwell equations within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For maxwell equations, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of maxwell equations should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.19

Maxwell Equations - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Maxwell's equations connect electric and magnetic fields with sources and their time evolution.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as maxwell equations in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Changing electric fields can generate magnetic fields even without conduction current. Turn this into a testable question about maxwell equations. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Maxwell's equations connect electric and magnetic fields with sources and their time evolution.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of maxwell equations, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

CONCEPT 08.20

Electromagnetic Waves

THE CORE SCIENTIFIC IDEA

Accelerating charges and varying fields produce coupled electromagnetic waves that propagate in vacuum.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Radio antennas radiate electromagnetic waves from time-varying charges. This illustrates electromagnetic waves within the fields and circuits connecting charge, current and radiation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes voltages, currents, charge distributions and magnetic flux. Depending on the question, its models may use Maxwell equations, circuit networks, field maps and energy transfer. For electromagnetic waves, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electromagnetic waves should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider parasitic effects, temperature, nonlinearity and frequency response. Better evidence can narrow or revise the claim.

INVESTIGATION 08.20

Electromagnetic Waves - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Accelerating charges and varying fields produce coupled electromagnetic waves that propagate in vacuum.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electromagnetic waves in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from voltages, currents, charge distributions and magnetic flux; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on Maxwell equations, circuit networks, field maps and energy transfer should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and parasitic effects, temperature, nonlinearity and frequency response; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Radio antennas radiate electromagnetic waves from time-varying charges. Turn this into a testable question about electromagnetic waves. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use multimeters, oscilloscopes, probes and electromagnetic simulation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Accelerating charges and varying fields produce coupled electromagnetic waves that propagate in vacuum.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electromagnetic waves, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: parasitic effects, temperature, nonlinearity and frequency response.

FIELD 09 OF 28

Modern Physics and Relativity

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines physical laws where classical intuition becomes incomplete. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include atomic spectra, clock comparisons, interference and gravitational effects. Investigators use precision clocks, interferometers and controlled state preparation. Appropriate models include spacetime geometry, quantum amplitudes and state evolution. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include frame choice, measurement back-action, approximation limits and interpretation. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Inertial Frames
02. Speed of Light
03. Time Dilation
04. Length Contraction
05. Relativistic Momentum
06. Mass Energy Equivalence
07. Spacetime Intervals
08. Equivalence Principle
09. General Relativity
10. Gravitational Lensing
11. Gravitational Waves
12. Black Hole Horizons
13. Quantum States
14. Wave Particle Duality
15. Planck Constant
16. Uncertainty Principle
17. Schrodinger Equation
18. Quantum Tunneling
19. Entanglement
20. Measurement and Decoherence

CONCEPT 09.01

Inertial Frames

THE CORE SCIENTIFIC IDEA

An inertial reference frame permits Newton's first law and is central to special relativity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A car rolling uniformly serves as an approximate inertial frame over short intervals. This illustrates inertial frames within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For inertial frames, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of inertial frames should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.01

Inertial Frames - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An inertial reference frame permits Newton's first law and is central to special relativity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as inertial frames in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A car rolling uniformly serves as an approximate inertial frame over short intervals. Turn this into a testable question about inertial frames. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An inertial reference frame permits Newton's first law and is central to special relativity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of inertial frames, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.02

Speed of Light

THE CORE SCIENTIFIC IDEA

The vacuum speed of light is invariant for inertial observers in special relativity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: All inertial observers measure the same vacuum light speed regardless of their motion. This illustrates speed of light within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For speed of light, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of speed of light should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.02

Speed of Light - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The vacuum speed of light is invariant for inertial observers in special relativity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as speed of light in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: All inertial observers measure the same vacuum light speed regardless of their motion. Turn this into a testable question about speed of light. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The vacuum speed of light is invariant for inertial observers in special relativity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of speed of light, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.03

Time Dilation

THE CORE SCIENTIFIC IDEA

Moving clocks accumulate different proper times along different paths through spacetime.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Fast-moving unstable particles can survive longer in laboratory time than at rest. This illustrates time dilation within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For time dilation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of time dilation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.03

Time Dilation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Moving clocks accumulate different proper times along different paths through spacetime.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as time dilation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Fast-moving unstable particles can survive longer in laboratory time than at rest. Turn this into a testable question about time dilation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Moving clocks accumulate different proper times along different paths through spacetime.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of time dilation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.04

Length Contraction

THE CORE SCIENTIFIC IDEA

Lengths measured parallel to relative motion differ between inertial frames under defined simultaneity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A moving meter stick has a shorter measured parallel length in another inertial frame. This illustrates length contraction within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For length contraction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of length contraction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.04

Length Contraction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Lengths measured parallel to relative motion differ between inertial frames under defined simultaneity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as length contraction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A moving meter stick has a shorter measured parallel length in another inertial frame. Turn this into a testable question about length contraction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Lengths measured parallel to relative motion differ between inertial frames under defined simultaneity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of length contraction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.05

Relativistic Momentum

THE CORE SCIENTIFIC IDEA

Momentum increases nonlinearly with speed as an object approaches light speed.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A particle's momentum rises more steeply than mass times velocity near light speed. This illustrates relativistic momentum within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For relativistic momentum, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of relativistic momentum should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.05

Relativistic Momentum - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Momentum increases nonlinearly with speed as an object approaches light speed.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as relativistic momentum in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A particle's momentum rises more steeply than mass times velocity near light speed. Turn this into a testable question about relativistic momentum. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Momentum increases nonlinearly with speed as an object approaches light speed.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of relativistic momentum, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.06

Mass Energy Equivalence

THE CORE SCIENTIFIC IDEA

Rest energy equals mass times the vacuum speed of light squared.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Annihilation and nuclear processes can convert mass differences into released energy. This illustrates mass energy equivalence within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For mass energy equivalence, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

rest energy = mass x c^2

EVIDENCE-TO-EXPLANATION MAP

QUESTION	>	MEASURE	>	MODEL	>	ASSESS
Mass Energy Equivalence		observable signal		testable relation		uncertainty & scope

WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.06

Mass Energy Equivalence - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Rest energy equals mass times the vacuum speed of light squared.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mass energy equivalence in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Annihilation and nuclear processes can convert mass differences into released energy. Turn this into a testable question about mass energy equivalence. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: rest energy = mass x c^2. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Rest energy equals mass times the vacuum speed of light squared.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mass energy equivalence, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.07

Spacetime Intervals

THE CORE SCIENTIFIC IDEA

Spacetime intervals provide invariant relationships among space and time separations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Observers may disagree on simultaneity while agreeing on spacetime interval. This illustrates spacetime intervals within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For spacetime intervals, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of spacetime intervals should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.07

Spacetime Intervals - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Spacetime intervals provide invariant relationships among space and time separations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as spacetime intervals in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Observers may disagree on simultaneity while agreeing on spacetime interval. Turn this into a testable question about spacetime intervals. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Spacetime intervals provide invariant relationships among space and time separations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of spacetime intervals, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.08

Equivalence Principle

THE CORE SCIENTIFIC IDEA

Local gravitational and inertial effects are linked in the foundations of general relativity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Free fall locally removes felt weight over a small region of spacetime. This illustrates equivalence principle within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For equivalence principle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of equivalence principle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.08

Equivalence Principle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Local gravitational and inertial effects are linked in the foundations of general relativity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as equivalence principle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Free fall locally removes felt weight over a small region of spacetime. Turn this into a testable question about equivalence principle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Local gravitational and inertial effects are linked in the foundations of general relativity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of equivalence principle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.09

General Relativity

THE CORE SCIENTIFIC IDEA

Gravity is described through spacetime geometry coupled to energy and momentum.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: GPS timing requires relativistic corrections for satellite motion and gravity. This illustrates general relativity within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For general relativity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of general relativity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.09

General Relativity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Gravity is described through spacetime geometry coupled to energy and momentum.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as general relativity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: GPS timing requires relativistic corrections for satellite motion and gravity. Turn this into a testable question about general relativity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Gravity is described through spacetime geometry coupled to energy and momentum.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of general relativity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.10

Gravitational Lensing

THE CORE SCIENTIFIC IDEA

Massive objects deflect light, producing image distortion, arcs, and multiple images.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Massive galaxies bend background light into distorted arcs. This illustrates gravitational lensing within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For gravitational lensing, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of gravitational lensing should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.10

Gravitational Lensing - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Massive objects deflect light, producing image distortion, arcs, and multiple images.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as gravitational lensing in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Massive galaxies bend background light into distorted arcs. Turn this into a testable question about gravitational lensing. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Massive objects deflect light, producing image distortion, arcs, and multiple images.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of gravitational lensing, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.11

Gravitational Waves

THE CORE SCIENTIFIC IDEA

Accelerating mass distributions with changing quadrupole moments can radiate spacetime disturbances.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Interferometers have detected gravitational waves from merging compact objects. This illustrates gravitational waves within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For gravitational waves, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of gravitational waves should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.11

Gravitational Waves - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Accelerating mass distributions with changing quadrupole moments can radiate spacetime disturbances.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as gravitational waves in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Interferometers have detected gravitational waves from merging compact objects. Turn this into a testable question about gravitational waves. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Accelerating mass distributions with changing quadrupole moments can radiate spacetime disturbances.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of gravitational waves, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.12

Black Hole Horizons

THE CORE SCIENTIFIC IDEA

An event horizon bounds the region from which outward signals cannot reach distant observers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A black hole's event horizon prevents signals inside it from escaping to infinity. This illustrates black hole horizons within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For black hole horizons, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of black hole horizons should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.12

Black Hole Horizons - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An event horizon bounds the region from which outward signals cannot reach distant observers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as black hole horizons in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A black hole's event horizon prevents signals inside it from escaping to infinity. Turn this into a testable question about black hole horizons. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An event horizon bounds the region from which outward signals cannot reach distant observers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of black hole horizons, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.13

Quantum States

THE CORE SCIENTIFIC IDEA

A quantum state encodes probabilities for outcomes of different measurements.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An electron's measured outcomes are predicted by a quantum state. This illustrates quantum states within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For quantum states, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of quantum states should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.13

Quantum States - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A quantum state encodes probabilities for outcomes of different measurements.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as quantum states in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An electron's measured outcomes are predicted by a quantum state. Turn this into a testable question about quantum states. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A quantum state encodes probabilities for outcomes of different measurements.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of quantum states, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.14

Wave Particle Duality

THE CORE SCIENTIFIC IDEA

Light and matter display interference and discrete measurement behavior depending on the experiment.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Electron diffraction produces interference fringes even with sparse arrival events. This illustrates wave particle duality within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For wave particle duality, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of wave particle duality should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The phrase is historical shorthand; quantum states are not classical waves and particles at the same time.

INVESTIGATION 09.14

Wave Particle Duality - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Light and matter display interference and discrete measurement behavior depending on the experiment.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as wave particle duality in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Electron diffraction produces interference fringes even with sparse arrival events. Turn this into a testable question about wave particle duality. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Light and matter display interference and discrete measurement behavior depending on the experiment.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of wave particle duality, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.15

Planck Constant

THE CORE SCIENTIFIC IDEA

Planck's constant sets the scale of quantum effects and relates photon energy to frequency.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A photon of higher frequency carries more energy than one of lower frequency. This illustrates planck constant within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For planck constant, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

photon energy = Planck constant x frequency

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.15

Planck Constant - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Planck's constant sets the scale of quantum effects and relates photon energy to frequency.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as planck constant in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A photon of higher frequency carries more energy than one of lower frequency. Turn this into a testable question about planck constant. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: photon energy = Planck constant x frequency. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Planck's constant sets the scale of quantum effects and relates photon energy to frequency.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of planck constant, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.16

Uncertainty Principle

THE CORE SCIENTIFIC IDEA

Certain pairs of observables cannot have arbitrarily small simultaneous spreads in a quantum state.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Confining a wave packet more tightly increases its momentum spread. This illustrates uncertainty principle within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For uncertainty principle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of uncertainty principle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.16

Uncertainty Principle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Certain pairs of observables cannot have arbitrarily small simultaneous spreads in a quantum state.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as uncertainty principle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Confining a wave packet more tightly increases its momentum spread. Turn this into a testable question about uncertainty principle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Certain pairs of observables cannot have arbitrarily small simultaneous spreads in a quantum state.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of uncertainty principle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.17

Schrodinger Equation

THE CORE SCIENTIFIC IDEA

The Schrodinger equation governs unitary evolution of many nonrelativistic quantum systems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Quantum models predict energy levels and time evolution in atomic systems. This illustrates schrodinger equation within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For schrodinger equation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of schrodinger equation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.17

Schrodinger Equation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The Schrodinger equation governs unitary evolution of many nonrelativistic quantum systems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as schrodinger equation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Quantum models predict energy levels and time evolution in atomic systems. Turn this into a testable question about schrodinger equation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The Schrodinger equation governs unitary evolution of many nonrelativistic quantum systems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of schrodinger equation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.18

Quantum Tunneling

THE CORE SCIENTIFIC IDEA

Quantum systems can have a nonzero transmission probability through classically forbidden barriers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Electrons can cross thin barriers even when classically insufficient energy is available. This illustrates quantum tunneling within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For quantum tunneling, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of quantum tunneling should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.18

Quantum Tunneling - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Quantum systems can have a nonzero transmission probability through classically forbidden barriers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as quantum tunneling in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Electrons can cross thin barriers even when classically insufficient energy is available. Turn this into a testable question about quantum tunneling. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Quantum systems can have a nonzero transmission probability through classically forbidden barriers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of quantum tunneling, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.19

Entanglement

THE CORE SCIENTIFIC IDEA

Entangled systems have joint correlations not reducible to independent local quantum states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Entangled photons produce correlations that violate appropriate Bell inequalities. This illustrates entanglement within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For entanglement, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of entanglement should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.19

Entanglement - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Entangled systems have joint correlations not reducible to independent local quantum states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as entanglement in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Entangled photons produce correlations that violate appropriate Bell inequalities. Turn this into a testable question about entanglement. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Entangled systems have joint correlations not reducible to independent local quantum states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of entanglement, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

CONCEPT 09.20

Measurement and Decoherence

THE CORE SCIENTIFIC IDEA

Quantum measurement probabilities coexist with environmental decoherence that suppresses observable interference.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Interactions with the environment suppress interference between many macroscopic alternatives. This illustrates measurement and decoherence within physical laws where classical intuition becomes incomplete. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes atomic spectra, clock comparisons, interference and gravitational effects. Depending on the question, its models may use spacetime geometry, quantum amplitudes and state evolution. For measurement and decoherence, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of measurement and decoherence should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider frame choice, measurement back-action, approximation limits and interpretation. Better evidence can narrow or revise the claim.

INVESTIGATION 09.20

Measurement and Decoherence - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Quantum measurement probabilities coexist with environmental decoherence that suppresses observable interference.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as measurement and decoherence in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from atomic spectra, clock comparisons, interference and gravitational effects; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on spacetime geometry, quantum amplitudes and state evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and frame choice, measurement back-action, approximation limits and interpretation; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Interactions with the environment suppress interference between many macroscopic alternatives. Turn this into a testable question about measurement and decoherence. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use precision clocks, interferometers and controlled state preparation if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Quantum measurement probabilities coexist with environmental decoherence that suppresses observable interference.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of measurement and decoherence, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: frame choice, measurement back-action, approximation limits and interpretation.

FIELD 10 OF 28

Atomic, Nuclear and Particle Physics

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines matter and radiation at subatomic scales. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include spectra, tracks, radiation counts, interaction energy and particle signatures. Investigators use spectroscopy, accelerators, radiation detection and dosimetry. Appropriate models include quantized states, decay laws, scattering, conservation and field theories. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include background radiation, detector efficiency, statistical fluctuations and modeling choices. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Atomic Structure
02. Atomic Orbitals
03. Electron Spin
04. Spectral Lines
05. Isotopes
06. Nuclear Binding Energy
07. Radioactive Decay
08. Half Life
09. Alpha Decay
10. Beta Decay
11. Gamma Emission
12. Nuclear Fission
13. Nuclear Fusion
14. Chain Reactions
15. Fundamental Fermions
16. Force Carriers
17. Higgs Mechanism
18. Antimatter
19. Neutrinos
20. Particle Detectors

CONCEPT 10.01

Atomic Structure

THE CORE SCIENTIFIC IDEA

Atoms consist of a nucleus surrounded by electrons in quantized states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Hydrogen's single electron occupies quantized atomic energy levels. This illustrates atomic structure within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For atomic structure, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of atomic structure should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.01

Atomic Structure - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Atoms consist of a nucleus surrounded by electrons in quantized states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as atomic structure in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Hydrogen's single electron occupies quantized atomic energy levels. Turn this into a testable question about atomic structure. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Atoms consist of a nucleus surrounded by electrons in quantized states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of atomic structure, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.02

Atomic Orbitals

THE CORE SCIENTIFIC IDEA

Orbitals describe spatial probability distributions for electrons in atoms.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 2p orbital has angular structure unlike a spherically symmetric 1s orbital. This illustrates atomic orbitals within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For atomic orbitals, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of atomic orbitals should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.02

Atomic Orbitals - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Orbitals describe spatial probability distributions for electrons in atoms.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as atomic orbitals in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 2p orbital has angular structure unlike a spherically symmetric 1s orbital. Turn this into a testable question about atomic orbitals. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Orbitals describe spatial probability distributions for electrons in atoms.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of atomic orbitals, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.03

Electron Spin

THE CORE SCIENTIFIC IDEA

Spin is an intrinsic quantum angular momentum contributing to magnetic properties.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Electron spin contributes to fine atomic spectral and magnetic behavior. This illustrates electron spin within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For electron spin, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electron spin should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.03

Electron Spin - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Spin is an intrinsic quantum angular momentum contributing to magnetic properties.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electron spin in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Electron spin contributes to fine atomic spectral and magnetic behavior. Turn this into a testable question about electron spin. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Spin is an intrinsic quantum angular momentum contributing to magnetic properties.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electron spin, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.04

Spectral Lines

THE CORE SCIENTIFIC IDEA

Atomic transitions exchange photons at energies matching differences between allowed states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sodium lamps emit recognizable atomic lines under electrical excitation. This illustrates spectral lines within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For spectral lines, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of spectral lines should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.04

Spectral Lines - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Atomic transitions exchange photons at energies matching differences between allowed states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as spectral lines in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sodium lamps emit recognizable atomic lines under electrical excitation. Turn this into a testable question about spectral lines. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Atomic transitions exchange photons at energies matching differences between allowed states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of spectral lines, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.05

Isotopes

THE CORE SCIENTIFIC IDEA

Isotopes share a proton number but differ in neutron number, changing mass and nuclear behavior.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Carbon-12 and carbon-14 have the same proton number but different neutrons. This illustrates isotopes within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For isotopes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of isotopes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.05

Isotopes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Isotopes share a proton number but differ in neutron number, changing mass and nuclear behavior.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as isotopes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Carbon-12 and carbon-14 have the same proton number but different neutrons. Turn this into a testable question about isotopes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Isotopes share a proton number but differ in neutron number, changing mass and nuclear behavior.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of isotopes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.06

Nuclear Binding Energy

THE CORE SCIENTIFIC IDEA

Nuclear binding reflects the energy difference between separated nucleons and a bound nucleus.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The mass of a bound nucleus is less than the sum of free constituent masses. This illustrates nuclear binding energy within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For nuclear binding energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nuclear binding energy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.06

Nuclear Binding Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Nuclear binding reflects the energy difference between separated nucleons and a bound nucleus.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nuclear binding energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The mass of a bound nucleus is less than the sum of free constituent masses. Turn this into a testable question about nuclear binding energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Nuclear binding reflects the energy difference between separated nucleons and a bound nucleus.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nuclear binding energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.07

Radioactive Decay

THE CORE SCIENTIFIC IDEA

Unstable nuclei transform stochastically with characteristic decay probabilities.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A radioactive sample decays probabilistically rather than all at a fixed moment. This illustrates radioactive decay within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For radioactive decay, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of radioactive decay should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.07

Radioactive Decay - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Unstable nuclei transform stochastically with characteristic decay probabilities.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as radioactive decay in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A radioactive sample decays probabilistically rather than all at a fixed moment. Turn this into a testable question about radioactive decay. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Unstable nuclei transform stochastically with characteristic decay probabilities.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of radioactive decay, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.08

Half Life

THE CORE SCIENTIFIC IDEA

Half-life is the time for an exponentially decaying population to reach half its initial amount.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: After three half-lives a sample retains one eighth of the original parent nuclei. This illustrates half life within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For half life, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

remaining amount = initial amount x 2^(-time / half-life)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.08

Half Life - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Half-life is the time for an exponentially decaying population to reach half its initial amount.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as half life in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: After three half-lives a sample retains one eighth of the original parent nuclei. Turn this into a testable question about half life. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: remaining amount = initial amount x 2^(-time / half-life). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Half-life is the time for an exponentially decaying population to reach half its initial amount.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of half life, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.09

Alpha Decay

THE CORE SCIENTIFIC IDEA

Alpha decay emits a helium-4 nucleus and changes the parent nucleus's proton and mass numbers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Americium-241 emits alpha particles in certain ionization smoke detectors. This illustrates alpha decay within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For alpha decay, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of alpha decay should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.09

Alpha Decay - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alpha decay emits a helium-4 nucleus and changes the parent nucleus's proton and mass numbers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as alpha decay in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Americium-241 emits alpha particles in certain ionization smoke detectors. Turn this into a testable question about alpha decay. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alpha decay emits a helium-4 nucleus and changes the parent nucleus's proton and mass numbers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of alpha decay, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.10

Beta Decay

THE CORE SCIENTIFIC IDEA

Beta decay changes a nucleon type through the weak interaction and emits leptons.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Carbon-14 beta decay converts a neutron to a proton with emitted leptons. This illustrates beta decay within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For beta decay, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of beta decay should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.10

Beta Decay - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Beta decay changes a nucleon type through the weak interaction and emits leptons.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as beta decay in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Carbon-14 beta decay converts a neutron to a proton with emitted leptons. Turn this into a testable question about beta decay. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Beta decay changes a nucleon type through the weak interaction and emits leptons.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of beta decay, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.11

Gamma Emission

THE CORE SCIENTIFIC IDEA

Gamma emission releases nuclear excitation energy as high-energy electromagnetic radiation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An excited nuclear state emits a gamma photon as it relaxes. This illustrates gamma emission within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For gamma emission, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of gamma emission should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.11

Gamma Emission - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Gamma emission releases nuclear excitation energy as high-energy electromagnetic radiation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as gamma emission in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An excited nuclear state emits a gamma photon as it relaxes. Turn this into a testable question about gamma emission. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Gamma emission releases nuclear excitation energy as high-energy electromagnetic radiation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of gamma emission, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.12

Nuclear Fission

THE CORE SCIENTIFIC IDEA

Fission splits a heavy nucleus into lighter fragments, often releasing neutrons and energy.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Uranium-235 can fission after absorbing a neutron, releasing energy. This illustrates nuclear fission within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For nuclear fission, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nuclear fission should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.12

Nuclear Fission - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Fission splits a heavy nucleus into lighter fragments, often releasing neutrons and energy.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nuclear fission in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Uranium-235 can fission after absorbing a neutron, releasing energy. Turn this into a testable question about nuclear fission. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Fission splits a heavy nucleus into lighter fragments, often releasing neutrons and energy.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nuclear fission, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.13

Nuclear Fusion

THE CORE SCIENTIFIC IDEA

Fusion joins light nuclei, potentially releasing energy from mass differences.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Light hydrogen isotopes fuse in stars through multistep reaction chains. This illustrates nuclear fusion within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For nuclear fusion, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nuclear fusion should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.13

Nuclear Fusion - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Fusion joins light nuclei, potentially releasing energy from mass differences.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nuclear fusion in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Light hydrogen isotopes fuse in stars through multistep reaction chains. Turn this into a testable question about nuclear fusion. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Fusion joins light nuclei, potentially releasing energy from mass differences.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nuclear fusion, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.14

Chain Reactions

THE CORE SCIENTIFIC IDEA

Neutron-induced fission can multiply through generations when neutron economy allows.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Reactor control systems manage neutron multiplication and heat removal. This illustrates chain reactions within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For chain reactions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of chain reactions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.14

Chain Reactions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neutron-induced fission can multiply through generations when neutron economy allows.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as chain reactions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Reactor control systems manage neutron multiplication and heat removal. Turn this into a testable question about chain reactions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neutron-induced fission can multiply through generations when neutron economy allows.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of chain reactions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.15

Fundamental Fermions

THE CORE SCIENTIFIC IDEA

Quarks and leptons constitute known elementary matter particles in the Standard Model.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Up and down quarks compose protons and neutrons alongside gluons. This illustrates fundamental fermions within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For fundamental fermions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of fundamental fermions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.15

Fundamental Fermions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Quarks and leptons constitute known elementary matter particles in the Standard Model.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as fundamental fermions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Up and down quarks compose protons and neutrons alongside gluons. Turn this into a testable question about fundamental fermions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Quarks and leptons constitute known elementary matter particles in the Standard Model.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of fundamental fermions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.16

Force Carriers

THE CORE SCIENTIFIC IDEA

Gauge bosons mediate interactions described by the Standard Model.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A photon carries the electromagnetic interaction in quantum field theory. This illustrates force carriers within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For force carriers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of force carriers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.16

Force Carriers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Gauge bosons mediate interactions described by the Standard Model.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as force carriers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A photon carries the electromagnetic interaction in quantum field theory. Turn this into a testable question about force carriers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Gauge bosons mediate interactions described by the Standard Model.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of force carriers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.17

Higgs Mechanism

THE CORE SCIENTIFIC IDEA

Interactions with the Higgs field generate masses of electroweak gauge bosons and fermions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Higgs boson was discovered in proton collision data in 2012. This illustrates higgs mechanism within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For higgs mechanism, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of higgs mechanism should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.17

Higgs Mechanism - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Interactions with the Higgs field generate masses of electroweak gauge bosons and fermions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as higgs mechanism in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Higgs boson was discovered in proton collision data in 2012. Turn this into a testable question about higgs mechanism. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Interactions with the Higgs field generate masses of electroweak gauge bosons and fermions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of higgs mechanism, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.18

Antimatter

THE CORE SCIENTIFIC IDEA

Antiparticles carry opposite relevant charges and can annihilate with particles into other products.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An electron and positron can annihilate into photons, conserving energy and momentum. This illustrates antimatter within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For antimatter, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of antimatter should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.18

Antimatter - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Antiparticles carry opposite relevant charges and can annihilate with particles into other products.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as antimatter in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An electron and positron can annihilate into photons, conserving energy and momentum. Turn this into a testable question about antimatter. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Antiparticles carry opposite relevant charges and can annihilate with particles into other products.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of antimatter, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.19

Neutrinos

THE CORE SCIENTIFIC IDEA

Neutrinos interact weakly, travel long distances, and oscillate among flavor states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Neutrinos switch between flavor states as they travel through space. This illustrates neutrinos within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For neutrinos, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of neutrinos should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.19

Neutrinos - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neutrinos interact weakly, travel long distances, and oscillate among flavor states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as neutrinos in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Neutrinos switch between flavor states as they travel through space. Turn this into a testable question about neutrinos. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neutrinos interact weakly, travel long distances, and oscillate among flavor states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of neutrinos, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

CONCEPT 10.20

Particle Detectors

THE CORE SCIENTIFIC IDEA

Detectors reconstruct particle interactions using tracks, deposited energy, timing, and magnetic curvature.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Tracking detectors reconstruct curved charged-particle paths in magnetic fields. This illustrates particle detectors within matter and radiation at subatomic scales. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, tracks, radiation counts, interaction energy and particle signatures. Depending on the question, its models may use quantized states, decay laws, scattering, conservation and field theories. For particle detectors, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of particle detectors should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider background radiation, detector efficiency, statistical fluctuations and modeling choices. Better evidence can narrow or revise the claim.

INVESTIGATION 10.20

Particle Detectors - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Detectors reconstruct particle interactions using tracks, deposited energy, timing, and magnetic curvature.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as particle detectors in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, tracks, radiation counts, interaction energy and particle signatures; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on quantized states, decay laws, scattering, conservation and field theories should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and background radiation, detector efficiency, statistical fluctuations and modeling choices; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Tracking detectors reconstruct curved charged-particle paths in magnetic fields. Turn this into a testable question about particle detectors. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spectroscopy, accelerators, radiation detection and dosimetry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Detectors reconstruct particle interactions using tracks, deposited energy, timing, and magnetic curvature.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of particle detectors, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: background radiation, detector efficiency, statistical fluctuations and modeling choices.

FIELD 11 OF 28

Inorganic and General Chemistry

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the composition, structure and transformation of matter. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include composition, temperature, concentrations, products and reaction rates. Investigators use titration, spectroscopy, calorimetry and analytical chemistry. Appropriate models include balanced reactions, bonding models, equilibria and kinetic pathways. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include side reactions, activity effects, impurities and reaction conditions. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Elements and Compounds
02. Periodic Table
03. Valence Electrons
04. Ionic Bonding
05. Covalent Bonding
06. Metallic Bonding
07. Electronegativity
08. Molecular Geometry
09. Polarity
10. Chemical Reactions
11. Stoichiometry
12. The Mole
13. Solutions and Solubility
14. Concentration
15. Acids and Bases
16. pH
17. Oxidation and Reduction
18. Chemical Equilibrium
19. Reaction Rates
20. Catalysts

CONCEPT 11.01

Elements and Compounds

THE CORE SCIENTIFIC IDEA

Elements are defined by proton number; chemical compounds contain chemically bonded elements in specific compositions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Pure oxygen is an element whereas water is a compound containing hydrogen and oxygen. This illustrates elements and compounds within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For elements and compounds, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of elements and compounds should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.01

Elements and Compounds - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Elements are defined by proton number; chemical compounds contain chemically bonded elements in specific compositions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as elements and compounds in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Pure oxygen is an element whereas water is a compound containing hydrogen and oxygen. Turn this into a testable question about elements and compounds. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Elements are defined by proton number; chemical compounds contain chemically bonded elements in specific compositions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of elements and compounds, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.02

Periodic Table

THE CORE SCIENTIFIC IDEA

The periodic table organizes elements by atomic number and recurring chemical behavior.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Alkali metals form a group with recurring chemical tendencies. This illustrates periodic table within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For periodic table, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of periodic table should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.02

Periodic Table - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The periodic table organizes elements by atomic number and recurring chemical behavior.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as periodic table in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Alkali metals form a group with recurring chemical tendencies. Turn this into a testable question about periodic table. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The periodic table organizes elements by atomic number and recurring chemical behavior.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of periodic table, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.03

Valence Electrons

THE CORE SCIENTIFIC IDEA

Outer electrons strongly influence bonding, reactivity, and many periodic trends.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sodium readily loses a valence electron while chlorine tends to gain one. This illustrates valence electrons within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For valence electrons, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of valence electrons should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.03

Valence Electrons - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Outer electrons strongly influence bonding, reactivity, and many periodic trends.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as valence electrons in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sodium readily loses a valence electron while chlorine tends to gain one. Turn this into a testable question about valence electrons. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Outer electrons strongly influence bonding, reactivity, and many periodic trends.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of valence electrons, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.04

Ionic Bonding

THE CORE SCIENTIFIC IDEA

Ionic solids are stabilized by electrostatic interactions among oppositely charged ions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sodium chloride forms a crystal stabilized by interactions among Na+ and Cl- ions. This illustrates ionic bonding within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For ionic bonding, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ionic bonding should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.04

Ionic Bonding - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ionic solids are stabilized by electrostatic interactions among oppositely charged ions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ionic bonding in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sodium chloride forms a crystal stabilized by interactions among Na+ and Cl- ions. Turn this into a testable question about ionic bonding. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ionic solids are stabilized by electrostatic interactions among oppositely charged ions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ionic bonding, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.05

Covalent Bonding

THE CORE SCIENTIFIC IDEA

Covalent bonds arise from electron density shared between atomic centers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two hydrogen atoms share electron density to form a covalent H2 molecule. This illustrates covalent bonding within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For covalent bonding, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of covalent bonding should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.05

Covalent Bonding - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Covalent bonds arise from electron density shared between atomic centers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as covalent bonding in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two hydrogen atoms share electron density to form a covalent H2 molecule. Turn this into a testable question about covalent bonding. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Covalent bonds arise from electron density shared between atomic centers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of covalent bonding, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.06

Metallic Bonding

THE CORE SCIENTIFIC IDEA

Metallic bonding features delocalized electrons and explains many electrical and mechanical properties.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Copper's mobile electrons support good electrical conductivity. This illustrates metallic bonding within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For metallic bonding, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of metallic bonding should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.06

Metallic Bonding - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Metallic bonding features delocalized electrons and explains many electrical and mechanical properties.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as metallic bonding in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Copper's mobile electrons support good electrical conductivity. Turn this into a testable question about metallic bonding. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Metallic bonding features delocalized electrons and explains many electrical and mechanical properties.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of metallic bonding, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.07

Electronegativity

THE CORE SCIENTIFIC IDEA

Electronegativity expresses relative attraction for bonding electrons.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Oxygen pulls bonding electron density more strongly than hydrogen in water. This illustrates electronegativity within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For electronegativity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electronegativity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.07

Electronegativity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electronegativity expresses relative attraction for bonding electrons.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electronegativity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Oxygen pulls bonding electron density more strongly than hydrogen in water. Turn this into a testable question about electronegativity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electronegativity expresses relative attraction for bonding electrons.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electronegativity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.08

Molecular Geometry

THE CORE SCIENTIFIC IDEA

Electron-pair repulsion and molecular structure determine three-dimensional molecular shapes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Methane has tetrahedral molecular geometry rather than a flat square structure. This illustrates molecular geometry within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For molecular geometry, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of molecular geometry should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.08

Molecular Geometry - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electron-pair repulsion and molecular structure determine three-dimensional molecular shapes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as molecular geometry in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Methane has tetrahedral molecular geometry rather than a flat square structure. Turn this into a testable question about molecular geometry. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electron-pair repulsion and molecular structure determine three-dimensional molecular shapes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of molecular geometry, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.09

Polarity

THE CORE SCIENTIFIC IDEA

Bond polarity and molecular geometry together determine a molecule's net dipole.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A water molecule has a net dipole because its bonds are polar and bent. This illustrates polarity within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For polarity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of polarity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.09

Polarity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Bond polarity and molecular geometry together determine a molecule's net dipole.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as polarity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A water molecule has a net dipole because its bonds are polar and bent. Turn this into a testable question about polarity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Bond polarity and molecular geometry together determine a molecule's net dipole.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of polarity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.10

Chemical Reactions

THE CORE SCIENTIFIC IDEA

Chemical reactions rearrange atoms and electronic bonds while conserving each element.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rusting transforms iron into compounds containing oxygen and other elements. This illustrates chemical reactions within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For chemical reactions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of chemical reactions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.10

Chemical Reactions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Chemical reactions rearrange atoms and electronic bonds while conserving each element.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as chemical reactions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rusting transforms iron into compounds containing oxygen and other elements. Turn this into a testable question about chemical reactions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Chemical reactions rearrange atoms and electronic bonds while conserving each element.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of chemical reactions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.11

Stoichiometry

THE CORE SCIENTIFIC IDEA

Balanced reactions relate quantities of reactants and products through mole ratios.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A balanced combustion equation conserves carbon, hydrogen and oxygen atoms. This illustrates stoichiometry within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For stoichiometry, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of stoichiometry should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.11

Stoichiometry - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Balanced reactions relate quantities of reactants and products through mole ratios.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as stoichiometry in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A balanced combustion equation conserves carbon, hydrogen and oxygen atoms. Turn this into a testable question about stoichiometry. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Balanced reactions relate quantities of reactants and products through mole ratios.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of stoichiometry, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.12

The Mole

THE CORE SCIENTIFIC IDEA

One mole contains exactly 6.02214076 x 10^23 specified elementary entities.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two moles of hydrogen react with one mole of oxygen to make two moles of water. This illustrates the mole within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For the mole, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

1 mol = 6.02214076 x 10^23 entities exactly

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.12

The Mole - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: One mole contains exactly 6.02214076 x 10^23 specified elementary entities.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as the mole in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two moles of hydrogen react with one mole of oxygen to make two moles of water. Turn this into a testable question about the mole. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: 1 mol = 6.02214076 x 10^23 entities exactly. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A One mole contains exactly 6.02214076 x 10^23 specified elementary entities.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of the mole, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.13

Solutions and Solubility

THE CORE SCIENTIFIC IDEA

A solution is a homogeneous mixture whose solubility depends on substance and conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A mole of carbon atoms contains the Avogadro number of atoms. This illustrates solutions and solubility within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For solutions and solubility, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of solutions and solubility should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.13

Solutions and Solubility - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A solution is a homogeneous mixture whose solubility depends on substance and conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as solutions and solubility in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A mole of carbon atoms contains the Avogadro number of atoms. Turn this into a testable question about solutions and solubility. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A solution is a homogeneous mixture whose solubility depends on substance and conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of solutions and solubility, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.14

Concentration

THE CORE SCIENTIFIC IDEA

Concentration measures solute quantity relative to solution volume, mass, or amount of solvent.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Salt can dissolve to form a homogeneous aqueous mixture. This illustrates concentration within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For concentration, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

molarity = amount of solute (mol) / solution volume (L)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.14

Concentration - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Concentration measures solute quantity relative to solution volume, mass, or amount of solvent.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as concentration in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Salt can dissolve to form a homogeneous aqueous mixture. Turn this into a testable question about concentration. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: molarity = amount of solute (mol) / solution volume (L). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Concentration measures solute quantity relative to solution volume, mass, or amount of solvent.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of concentration, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.15

Acids and Bases

THE CORE SCIENTIFIC IDEA

Acids donate protons in Bronsted-Lowry chemistry, while bases accept protons.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Dissolving 0.5 mol in one liter creates a nominal 0.5 M solution. This illustrates acids and bases within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For acids and bases, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of acids and bases should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.15

Acids and Bases - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Acids donate protons in Bronsted-Lowry chemistry, while bases accept protons.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as acids and bases in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Dissolving 0.5 mol in one liter creates a nominal 0.5 M solution. Turn this into a testable question about acids and bases. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Acids donate protons in Bronsted-Lowry chemistry, while bases accept protons.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of acids and bases, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.16

pH

THE CORE SCIENTIFIC IDEA

pH is a logarithmic measure related to hydrogen-ion activity in a solution.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Acetic acid can donate a proton to water, forming acetate and hydronium. This illustrates ph within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For ph, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ph should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.16

pH - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: pH is a logarithmic measure related to hydrogen-ion activity in a solution.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ph in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Acetic acid can donate a proton to water, forming acetate and hydronium. Turn this into a testable question about ph. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A pH is a logarithmic measure related to hydrogen-ion activity in a solution.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ph, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.17

Oxidation and Reduction

THE CORE SCIENTIFIC IDEA

Redox reactions transfer electron density and change formal oxidation states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A solution with pH 3 has greater hydrogen-ion activity than one with pH 5. This illustrates oxidation and reduction within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For oxidation and reduction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of oxidation and reduction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.17

Oxidation and Reduction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Redox reactions transfer electron density and change formal oxidation states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as oxidation and reduction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A solution with pH 3 has greater hydrogen-ion activity than one with pH 5. Turn this into a testable question about oxidation and reduction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Redox reactions transfer electron density and change formal oxidation states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of oxidation and reduction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.18

Chemical Equilibrium

THE CORE SCIENTIFIC IDEA

At equilibrium, opposing reaction rates balance while reactants and products can remain present.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A zinc-copper electrochemical cell transfers electrons through an external circuit. This illustrates chemical equilibrium within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For chemical equilibrium, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

K = product activities / reactant activities (with stoichiometric powers)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Equilibrium is dynamic and does not require equal reactant and product concentrations.

INVESTIGATION 11.18

Chemical Equilibrium - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: At equilibrium, opposing reaction rates balance while reactants and products can remain present.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as chemical equilibrium in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A zinc-copper electrochemical cell transfers electrons through an external circuit. Turn this into a testable question about chemical equilibrium. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: K = product activities / reactant activities (with stoichiometric powers). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A At equilibrium, opposing reaction rates balance while reactants and products can remain present.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of chemical equilibrium, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.19

Reaction Rates

THE CORE SCIENTIFIC IDEA

Chemical kinetics connects reaction speed with concentrations, temperature, and mechanism.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: At equilibrium forward and reverse reactions continue at equal rates. This illustrates reaction rates within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For reaction rates, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of reaction rates should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.19

Reaction Rates - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Chemical kinetics connects reaction speed with concentrations, temperature, and mechanism.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as reaction rates in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: At equilibrium forward and reverse reactions continue at equal rates. Turn this into a testable question about reaction rates. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Chemical kinetics connects reaction speed with concentrations, temperature, and mechanism.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of reaction rates, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

CONCEPT 11.20

Catalysts

THE CORE SCIENTIFIC IDEA

Catalysts alter pathways and activation barriers without changing the thermodynamic equilibrium constant.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Higher temperature often increases reaction rates by changing activated populations. This illustrates catalysts within the composition, structure and transformation of matter. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes composition, temperature, concentrations, products and reaction rates. Depending on the question, its models may use balanced reactions, bonding models, equilibria and kinetic pathways. For catalysts, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of catalysts should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider side reactions, activity effects, impurities and reaction conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 11.20

Catalysts - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Catalysts alter pathways and activation barriers without changing the thermodynamic equilibrium constant.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as catalysts in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from composition, temperature, concentrations, products and reaction rates; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balanced reactions, bonding models, equilibria and kinetic pathways should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and side reactions, activity effects, impurities and reaction conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Higher temperature often increases reaction rates by changing activated populations. Turn this into a testable question about catalysts. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use titration, spectroscopy, calorimetry and analytical chemistry if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Catalysts alter pathways and activation barriers without changing the thermodynamic equilibrium constant.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of catalysts, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: side reactions, activity effects, impurities and reaction conditions.

FIELD 12 OF 28

Organic Chemistry and Materials

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the relationship between molecular architecture and useful properties. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include spectra, molecular structures, strength, conductivity and surface behavior. Investigators use chromatography, microscopy, mechanical tests and spectroscopy. Appropriate models include reaction mechanisms, molecular orbitals, microstructures and phase behavior. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include isomers, impurities, degradation and processing history. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Carbon Bonding

02. Hydrocarbons

03. Alkanes

04. Alkenes

05. Alkynes

06. Aromaticity

07. Functional Groups

08. Alcohols and Ethers

09. Carbonyl Chemistry

10. Carboxylic Acids

11. Amines and Amides

12. Stereochemistry

13. Polymers

14. Thermoplastics

15. Thermosets

16. Ceramics

17. Metals and Alloys

18. Semiconductors

19. Nanomaterials

20. Materials Characterization

CONCEPT 12.01

Carbon Bonding

THE CORE SCIENTIFIC IDEA

Carbon can form four covalent bonds and extensive stable chains, rings, and networks.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Diamond and graphite differ through carbon bonding arrangements and properties. This illustrates carbon bonding within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For carbon bonding, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of carbon bonding should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.01

Carbon Bonding - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Carbon can form four covalent bonds and extensive stable chains, rings, and networks.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as carbon bonding in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Diamond and graphite differ through carbon bonding arrangements and properties. Turn this into a testable question about carbon bonding. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Carbon can form four covalent bonds and extensive stable chains, rings, and networks.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of carbon bonding, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.02

Hydrocarbons

THE CORE SCIENTIFIC IDEA

Hydrocarbons contain carbon and hydrogen, with properties varying by saturation and shape.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Propane and benzene are both hydrocarbons but differ strongly in structure. This illustrates hydrocarbons within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For hydrocarbons, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hydrocarbons should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.02

Hydrocarbons - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hydrocarbons contain carbon and hydrogen, with properties varying by saturation and shape.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hydrocarbons in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Propane and benzene are both hydrocarbons but differ strongly in structure. Turn this into a testable question about hydrocarbons. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hydrocarbons contain carbon and hydrogen, with properties varying by saturation and shape.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hydrocarbons, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.03

Alkanes

THE CORE SCIENTIFIC IDEA

Alkanes contain only single carbon-carbon bonds and undergo characteristic substitution and combustion reactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Methane is an alkane commonly used as a fuel. This illustrates alkanes within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For alkanes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of alkanes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.03

Alkanes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alkanes contain only single carbon-carbon bonds and undergo characteristic substitution and combustion reactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as alkanes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Methane is an alkane commonly used as a fuel. Turn this into a testable question about alkanes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alkanes contain only single carbon-carbon bonds and undergo characteristic substitution and combustion reactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of alkanes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.04

Alkenes

THE CORE SCIENTIFIC IDEA

Alkenes contain carbon-carbon double bonds that commonly undergo addition reactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ethene contains a double bond that can be used to form polyethylene. This illustrates alkenes within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For alkenes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of alkenes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.04

Alkenes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alkenes contain carbon-carbon double bonds that commonly undergo addition reactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as alkenes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ethene contains a double bond that can be used to form polyethylene. Turn this into a testable question about alkenes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alkenes contain carbon-carbon double bonds that commonly undergo addition reactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of alkenes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.05

Alkynes

THE CORE SCIENTIFIC IDEA

Alkynes contain carbon-carbon triple bonds with characteristic geometry and reactivity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ethyne contains a triple bond and nearly linear geometry near the bond. This illustrates alkynes within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For alkynes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of alkynes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.05

Alkynes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alkynes contain carbon-carbon triple bonds with characteristic geometry and reactivity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as alkynes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ethyne contains a triple bond and nearly linear geometry near the bond. Turn this into a testable question about alkynes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alkynes contain carbon-carbon triple bonds with characteristic geometry and reactivity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of alkynes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.06

Aromaticity

THE CORE SCIENTIFIC IDEA

Aromatic compounds exhibit cyclic electron delocalization satisfying specific quantum criteria.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Benzene's cyclic delocalized electrons give characteristic aromatic stability. This illustrates aromaticity within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For aromaticity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of aromaticity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.06

Aromaticity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Aromatic compounds exhibit cyclic electron delocalization satisfying specific quantum criteria.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as aromaticity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Benzene's cyclic delocalized electrons give characteristic aromatic stability. Turn this into a testable question about aromaticity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Aromatic compounds exhibit cyclic electron delocalization satisfying specific quantum criteria.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of aromaticity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.07

Functional Groups

THE CORE SCIENTIFIC IDEA

Functional groups help predict an organic compound's physical properties and reactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A hydroxyl group helps make ethanol chemically distinct from ethane. This illustrates functional groups within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For functional groups, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of functional groups should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.07

Functional Groups - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Functional groups help predict an organic compound's physical properties and reactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as functional groups in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A hydroxyl group helps make ethanol chemically distinct from ethane. Turn this into a testable question about functional groups. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Functional groups help predict an organic compound's physical properties and reactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of functional groups, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.08

Alcohols and Ethers

THE CORE SCIENTIFIC IDEA

Alcohols contain hydroxyl groups, while ethers contain oxygen bonded to two carbon groups.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ethanol contains an -OH group, whereas dimethyl ether has a C-O-C linkage. This illustrates alcohols and ethers within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For alcohols and ethers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of alcohols and ethers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.08

Alcohols and Ethers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alcohols contain hydroxyl groups, while ethers contain oxygen bonded to two carbon groups.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as alcohols and ethers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ethanol contains an -OH group, whereas dimethyl ether has a C-O-C linkage. Turn this into a testable question about alcohols and ethers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alcohols contain hydroxyl groups, while ethers contain oxygen bonded to two carbon groups.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of alcohols and ethers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.09

Carbonyl Chemistry

THE CORE SCIENTIFIC IDEA

The polarized carbon-oxygen double bond makes aldehydes and ketones important reaction centers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Acetone contains a ketone carbonyl group and acts as a polar solvent. This illustrates carbonyl chemistry within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For carbonyl chemistry, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of carbonyl chemistry should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.09

Carbonyl Chemistry - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The polarized carbon-oxygen double bond makes aldehydes and ketones important reaction centers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as carbonyl chemistry in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Acetone contains a ketone carbonyl group and acts as a polar solvent. Turn this into a testable question about carbonyl chemistry. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The polarized carbon-oxygen double bond makes aldehydes and ketones important reaction centers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of carbonyl chemistry, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.10

Carboxylic Acids

THE CORE SCIENTIFIC IDEA

Carboxylic acids contain a carboxyl group and undergo acid-base and acyl-transfer chemistry.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Vinegar contains acetic acid, a simple carboxylic acid. This illustrates carboxylic acids within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For carboxylic acids, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of carboxylic acids should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.10

Carboxylic Acids - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Carboxylic acids contain a carboxyl group and undergo acid-base and acyl-transfer chemistry.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as carboxylic acids in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Vinegar contains acetic acid, a simple carboxylic acid. Turn this into a testable question about carboxylic acids. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Carboxylic acids contain a carboxyl group and undergo acid-base and acyl-transfer chemistry.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of carboxylic acids, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.11

Amines and Amides

THE CORE SCIENTIFIC IDEA

Amines have nitrogen-centered basic chemistry; amides are resonance-stabilized acyl derivatives.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Peptide bonds are amide links between amino acid residues. This illustrates amines and amides within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For amines and amides, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of amines and amides should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.11

Amines and Amides - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Amines have nitrogen-centered basic chemistry; amides are resonance-stabilized acyl derivatives.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as amines and amides in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Peptide bonds are amide links between amino acid residues. Turn this into a testable question about amines and amides. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Amines have nitrogen-centered basic chemistry; amides are resonance-stabilized acyl derivatives.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of amines and amides, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.12

Stereochemistry

THE CORE SCIENTIFIC IDEA

Molecules with identical connectivity may have different three-dimensional arrangements and biological effects.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Mirror-image enantiomers can interact differently with chiral biological targets. This illustrates stereochemistry within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For stereochemistry, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of stereochemistry should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.12

Stereochemistry - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Molecules with identical connectivity may have different three-dimensional arrangements and biological effects.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as stereochemistry in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Mirror-image enantiomers can interact differently with chiral biological targets. Turn this into a testable question about stereochemistry. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Molecules with identical connectivity may have different three-dimensional arrangements and biological effects.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of stereochemistry, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.13

Polymers

THE CORE SCIENTIFIC IDEA

Polymers are large molecules assembled from repeating or related molecular units.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Polyethylene consists of many ethylene-derived repeat units. This illustrates polymers within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For polymers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of polymers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.13

Polymers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Polymers are large molecules assembled from repeating or related molecular units.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as polymers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Polyethylene consists of many ethylene-derived repeat units. Turn this into a testable question about polymers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Polymers are large molecules assembled from repeating or related molecular units.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of polymers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.14

Thermoplastics

THE CORE SCIENTIFIC IDEA

Thermoplastics soften on heating because their chain architecture permits physical reorganization.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A recyclable thermoplastic softens on heating without requiring bond cleavage. This illustrates thermoplastics within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For thermoplastics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thermoplastics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.14

Thermoplastics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Thermoplastics soften on heating because their chain architecture permits physical reorganization.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thermoplastics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A recyclable thermoplastic softens on heating without requiring bond cleavage. Turn this into a testable question about thermoplastics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Thermoplastics soften on heating because their chain architecture permits physical reorganization.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thermoplastics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.15

Thermosets

THE CORE SCIENTIFIC IDEA

Thermosets form cross-linked networks that generally do not remelt like thermoplastics.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Epoxy resins form cross-linked networks after curing. This illustrates thermosets within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For thermosets, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thermosets should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.15

Thermosets - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Thermosets form cross-linked networks that generally do not remelt like thermoplastics.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thermosets in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Epoxy resins form cross-linked networks after curing. Turn this into a testable question about thermosets. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Thermosets form cross-linked networks that generally do not remelt like thermoplastics.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thermosets, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.16

Ceramics

THE CORE SCIENTIFIC IDEA

Ceramics include inorganic nonmetallic materials valued for heat resistance, hardness, and brittleness.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Alumina ceramics can withstand heat yet remain relatively brittle. This illustrates ceramics within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For ceramics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ceramics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.16

Ceramics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ceramics include inorganic nonmetallic materials valued for heat resistance, hardness, and brittleness.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ceramics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Alumina ceramics can withstand heat yet remain relatively brittle. Turn this into a testable question about ceramics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ceramics include inorganic nonmetallic materials valued for heat resistance, hardness, and brittleness.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ceramics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.17

Metals and Alloys

THE CORE SCIENTIFIC IDEA

Alloy composition and microstructure strongly influence strength, conductivity, and corrosion.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Stainless steel resists corrosion through chromium-enriched passive films. This illustrates metals and alloys within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For metals and alloys, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of metals and alloys should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.17

Metals and Alloys - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Alloy composition and microstructure strongly influence strength, conductivity, and corrosion.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as metals and alloys in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Stainless steel resists corrosion through chromium-enriched passive films. Turn this into a testable question about metals and alloys. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Alloy composition and microstructure strongly influence strength, conductivity, and corrosion.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of metals and alloys, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.18

Semiconductors

THE CORE SCIENTIFIC IDEA

Semiconductors have electronic band structures enabling controllable charge transport.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Adding dopants changes charge carrier concentrations in silicon. This illustrates semiconductors within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For semiconductors, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of semiconductors should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.18

Semiconductors - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Semiconductors have electronic band structures enabling controllable charge transport.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as semiconductors in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Adding dopants changes charge carrier concentrations in silicon. Turn this into a testable question about semiconductors. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Semiconductors have electronic band structures enabling controllable charge transport.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of semiconductors, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.19

Nanomaterials

THE CORE SCIENTIFIC IDEA

Material behavior can change at nanoscale dimensions through high surface area and quantum effects.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Gold nanoparticles display size-dependent optical absorption. This illustrates nanomaterials within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For nanomaterials, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nanomaterials should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.19

Nanomaterials - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Material behavior can change at nanoscale dimensions through high surface area and quantum effects.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nanomaterials in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Gold nanoparticles display size-dependent optical absorption. Turn this into a testable question about nanomaterials. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Material behavior can change at nanoscale dimensions through high surface area and quantum effects.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nanomaterials, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

CONCEPT 12.20

Materials Characterization

THE CORE SCIENTIFIC IDEA

Diffraction, spectroscopy, microscopy, and mechanical testing reveal complementary material properties.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: X-ray diffraction can reveal ordered lattice spacings in a crystalline sample. This illustrates materials characterization within the relationship between molecular architecture and useful properties. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, molecular structures, strength, conductivity and surface behavior. Depending on the question, its models may use reaction mechanisms, molecular orbitals, microstructures and phase behavior. For materials characterization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of materials characterization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider isomers, impurities, degradation and processing history. Better evidence can narrow or revise the claim.

INVESTIGATION 12.20

Materials Characterization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Diffraction, spectroscopy, microscopy, and mechanical testing reveal complementary material properties.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as materials characterization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, molecular structures, strength, conductivity and surface behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on reaction mechanisms, molecular orbitals, microstructures and phase behavior should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and isomers, impurities, degradation and processing history; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: X-ray diffraction can reveal ordered lattice spacings in a crystalline sample. Turn this into a testable question about materials characterization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use chromatography, microscopy, mechanical tests and spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Diffraction, spectroscopy, microscopy, and mechanical testing reveal complementary material properties.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of materials characterization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: isomers, impurities, degradation and processing history.

FIELD 13 OF 28

Biochemistry and Molecular Biology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines molecular processes that sustain living cells. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include reaction products, sequence data, binding curves and cellular metabolism. Investigators use sequencing, assays, mass spectrometry and molecular imaging. Appropriate models include molecular interactions, enzyme kinetics, pathways and chemical gradients. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include biological variability, protein context, temperature and compartment conditions. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Water in Biology
02. Biological Macromolecules
03. Amino Acids
04. Proteins
05. Protein Structure
06. Enzymes
07. Enzyme Kinetics
08. Carbohydrates
09. Lipids
10. Cell Membranes
11. Nucleotides
12. ATP
13. Metabolic Pathways
14. Glycolysis
15. Citric Acid Cycle
16. Oxidative Phosphorylation
17. Photosynthesis
18. DNA and RNA
19. Molecular Recognition
20. Homeostasis at Molecular Scale

CONCEPT 13.01

Water in Biology

THE CORE SCIENTIFIC IDEA

Water's polarity and hydrogen bonding support solvation, transport, and thermal regulation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water surrounds charged metabolites and helps regulate cellular temperature. This illustrates water in biology within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For water in biology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of water in biology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.01

Water in Biology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Water's polarity and hydrogen bonding support solvation, transport, and thermal regulation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as water in biology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water surrounds charged metabolites and helps regulate cellular temperature. Turn this into a testable question about water in biology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Water's polarity and hydrogen bonding support solvation, transport, and thermal regulation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of water in biology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.02

Biological Macromolecules

THE CORE SCIENTIFIC IDEA

Proteins, nucleic acids, polysaccharides, and lipids perform distinct structural and functional roles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Proteins, carbohydrates, lipids, and nucleic acids have distinct molecular roles. This illustrates biological macromolecules within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For biological macromolecules, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of biological macromolecules should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.02

Biological Macromolecules - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Proteins, nucleic acids, polysaccharides, and lipids perform distinct structural and functional roles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as biological macromolecules in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Proteins, carbohydrates, lipids, and nucleic acids have distinct molecular roles. Turn this into a testable question about biological macromolecules. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Proteins, nucleic acids, polysaccharides, and lipids perform distinct structural and functional roles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of biological macromolecules, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.03

Amino Acids

THE CORE SCIENTIFIC IDEA

Amino acids have variable side chains that control protein folding and chemical interactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Glycine and tryptophan differ mainly in the chemistry of their side chains. This illustrates amino acids within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For amino acids, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of amino acids should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.03

Amino Acids - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Amino acids have variable side chains that control protein folding and chemical interactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as amino acids in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Glycine and tryptophan differ mainly in the chemistry of their side chains. Turn this into a testable question about amino acids. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Amino acids have variable side chains that control protein folding and chemical interactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of amino acids, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.04

Proteins

THE CORE SCIENTIFIC IDEA

Proteins are polymers of amino acids that fold into ensembles of functional conformations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Hemoglobin binds and releases oxygen as its conformation changes. This illustrates proteins within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For proteins, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of proteins should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.04

Proteins - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Proteins are polymers of amino acids that fold into ensembles of functional conformations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as proteins in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Hemoglobin binds and releases oxygen as its conformation changes. Turn this into a testable question about proteins. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Proteins are polymers of amino acids that fold into ensembles of functional conformations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of proteins, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.05

Protein Structure

THE CORE SCIENTIFIC IDEA

Primary sequence influences secondary, tertiary, and sometimes quaternary protein organization.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An unfolded protein may lose function even though its amino acid sequence remains intact. This illustrates protein structure within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For protein structure, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of protein structure should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.05

Protein Structure - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Primary sequence influences secondary, tertiary, and sometimes quaternary protein organization.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as protein structure in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An unfolded protein may lose function even though its amino acid sequence remains intact. Turn this into a testable question about protein structure. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Primary sequence influences secondary, tertiary, and sometimes quaternary protein organization.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of protein structure, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.06

Enzymes

THE CORE SCIENTIFIC IDEA

Enzymes accelerate biochemical reactions by stabilizing pathways with lower activation barriers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Catalase accelerates breakdown of hydrogen peroxide into water and oxygen. This illustrates enzymes within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For enzymes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of enzymes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.06

Enzymes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Enzymes accelerate biochemical reactions by stabilizing pathways with lower activation barriers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as enzymes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Catalase accelerates breakdown of hydrogen peroxide into water and oxygen. Turn this into a testable question about enzymes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Enzymes accelerate biochemical reactions by stabilizing pathways with lower activation barriers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of enzymes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.07

Enzyme Kinetics

THE CORE SCIENTIFIC IDEA

Reaction-rate measurements reveal saturation, affinity-related parameters, and catalytic turnover.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Enzyme reaction speed can plateau as active sites become saturated. This illustrates enzyme kinetics within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For enzyme kinetics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of enzyme kinetics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.07

Enzyme Kinetics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Reaction-rate measurements reveal saturation, affinity-related parameters, and catalytic turnover.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as enzyme kinetics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Enzyme reaction speed can plateau as active sites become saturated. Turn this into a testable question about enzyme kinetics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Reaction-rate measurements reveal saturation, affinity-related parameters, and catalytic turnover.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of enzyme kinetics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.08

Carbohydrates

THE CORE SCIENTIFIC IDEA

Carbohydrates provide energy stores, structural polymers, and cell-recognition molecules.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Starch and glycogen store glucose units through different branching arrangements. This illustrates carbohydrates within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For carbohydrates, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of carbohydrates should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.08

Carbohydrates - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Carbohydrates provide energy stores, structural polymers, and cell-recognition molecules.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as carbohydrates in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Starch and glycogen store glucose units through different branching arrangements. Turn this into a testable question about carbohydrates. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Carbohydrates provide energy stores, structural polymers, and cell-recognition molecules.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of carbohydrates, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.09

Lipids

THE CORE SCIENTIFIC IDEA

Lipids include membrane constituents, energy stores, and signaling molecules with varied structures.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Phospholipids and cholesterol influence membrane fluidity and organization. This illustrates lipids within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For lipids, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of lipids should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.09

Lipids - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Lipids include membrane constituents, energy stores, and signaling molecules with varied structures.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as lipids in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Phospholipids and cholesterol influence membrane fluidity and organization. Turn this into a testable question about lipids. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Lipids include membrane constituents, energy stores, and signaling molecules with varied structures.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of lipids, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.10

Cell Membranes

THE CORE SCIENTIFIC IDEA

Amphipathic lipids self-assemble into bilayers that separate cellular compartments.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Phospholipids orient hydrophilic heads toward water and hydrophobic tails inward. This illustrates cell membranes within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For cell membranes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cell membranes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.10

Cell Membranes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Amphipathic lipids self-assemble into bilayers that separate cellular compartments.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cell membranes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Phospholipids orient hydrophilic heads toward water and hydrophobic tails inward. Turn this into a testable question about cell membranes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Amphipathic lipids self-assemble into bilayers that separate cellular compartments.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cell membranes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.11

Nucleotides

THE CORE SCIENTIFIC IDEA

Nucleotides supply nucleic-acid building blocks and carry energy and signals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: ATP contains adenine, ribose, and phosphate groups used in cellular reactions. This illustrates nucleotides within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For nucleotides, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nucleotides should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.11

Nucleotides - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Nucleotides supply nucleic-acid building blocks and carry energy and signals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nucleotides in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: ATP contains adenine, ribose, and phosphate groups used in cellular reactions. Turn this into a testable question about nucleotides. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Nucleotides supply nucleic-acid building blocks and carry energy and signals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nucleotides, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.12

ATP

THE CORE SCIENTIFIC IDEA

ATP couples energetically favorable hydrolysis to cellular work through reaction networks.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: ATP hydrolysis can be coupled to transport against a concentration gradient. This illustrates atp within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For atp, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of atp should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.12

ATP - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: ATP couples energetically favorable hydrolysis to cellular work through reaction networks.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as atp in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: ATP hydrolysis can be coupled to transport against a concentration gradient. Turn this into a testable question about atp. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A ATP couples energetically favorable hydrolysis to cellular work through reaction networks.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of atp, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.13

Metabolic Pathways

THE CORE SCIENTIFIC IDEA

Cellular metabolism comprises linked reactions that transform matter, energy, and reducing power.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Breakdown pathways can supply energy for synthesis and mechanical work. This illustrates metabolic pathways within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For metabolic pathways, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of metabolic pathways should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.13

Metabolic Pathways - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cellular metabolism comprises linked reactions that transform matter, energy, and reducing power.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as metabolic pathways in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Breakdown pathways can supply energy for synthesis and mechanical work. Turn this into a testable question about metabolic pathways. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cellular metabolism comprises linked reactions that transform matter, energy, and reducing power.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of metabolic pathways, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.14

Glycolysis

THE CORE SCIENTIFIC IDEA

Glycolysis converts glucose to pyruvate through enzyme-catalyzed reactions in the cytosol.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Glycolysis occurs in the cytosol and produces pyruvate and ATP-related energy. This illustrates glycolysis within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For glycolysis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of glycolysis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.14

Glycolysis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Glycolysis converts glucose to pyruvate through enzyme-catalyzed reactions in the cytosol.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as glycolysis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Glycolysis occurs in the cytosol and produces pyruvate and ATP-related energy. Turn this into a testable question about glycolysis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Glycolysis converts glucose to pyruvate through enzyme-catalyzed reactions in the cytosol.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of glycolysis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.15

Citric Acid Cycle

THE CORE SCIENTIFIC IDEA

The citric acid cycle oxidizes acetyl groups and transfers electrons to carrier molecules.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The citric acid cycle transfers electrons to NADH and FADH2. This illustrates citric acid cycle within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For citric acid cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of citric acid cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.15

Citric Acid Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The citric acid cycle oxidizes acetyl groups and transfers electrons to carrier molecules.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as citric acid cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The citric acid cycle transfers electrons to NADH and FADH2. Turn this into a testable question about citric acid cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The citric acid cycle oxidizes acetyl groups and transfers electrons to carrier molecules.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of citric acid cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.16

Oxidative Phosphorylation

THE CORE SCIENTIFIC IDEA

Electron transport creates an electrochemical gradient used by ATP synthase.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A proton gradient across the inner mitochondrial membrane powers ATP synthase. This illustrates oxidative phosphorylation within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For oxidative phosphorylation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of oxidative phosphorylation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.16

Oxidative Phosphorylation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Electron transport creates an electrochemical gradient used by ATP synthase.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as oxidative phosphorylation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A proton gradient across the inner mitochondrial membrane powers ATP synthase. Turn this into a testable question about oxidative phosphorylation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Electron transport creates an electrochemical gradient used by ATP synthase.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of oxidative phosphorylation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.17

Photosynthesis

THE CORE SCIENTIFIC IDEA

Photosynthesis captures light energy and channels it into chemical energy, including carbon fixation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Chlorophyll absorbs light in photosynthetic membranes of plants. This illustrates photosynthesis within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For photosynthesis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of photosynthesis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.17

Photosynthesis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Photosynthesis captures light energy and channels it into chemical energy, including carbon fixation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as photosynthesis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Chlorophyll absorbs light in photosynthetic membranes of plants. Turn this into a testable question about photosynthesis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Photosynthesis captures light energy and channels it into chemical energy, including carbon fixation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of photosynthesis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.18

DNA and RNA

THE CORE SCIENTIFIC IDEA

DNA commonly stores inherited information, while RNA has coding, structural, and catalytic roles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: DNA uses thymine while RNA commonly uses uracil in their base sets. This illustrates dna and rna within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For dna and rna, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of dna and rna should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.18

DNA and RNA - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: DNA commonly stores inherited information, while RNA has coding, structural, and catalytic roles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dna and rna in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: DNA uses thymine while RNA commonly uses uracil in their base sets. Turn this into a testable question about dna and rna. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A DNA commonly stores inherited information, while RNA has coding, structural, and catalytic roles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dna and rna, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.19

Molecular Recognition

THE CORE SCIENTIFIC IDEA

Complementary shapes, charges, and interactions allow biomolecules to bind selectively.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Antibodies bind specific molecular shapes using noncovalent interactions. This illustrates molecular recognition within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For molecular recognition, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of molecular recognition should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.19

Molecular Recognition - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Complementary shapes, charges, and interactions allow biomolecules to bind selectively.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as molecular recognition in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Antibodies bind specific molecular shapes using noncovalent interactions. Turn this into a testable question about molecular recognition. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Complementary shapes, charges, and interactions allow biomolecules to bind selectively.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of molecular recognition, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

CONCEPT 13.20

Homeostasis at Molecular Scale

THE CORE SCIENTIFIC IDEA

Feedback, transport, and signaling stabilize chemical states amid changing conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cellular ATP supply and demand adjust through metabolic feedback. This illustrates homeostasis at molecular scale within molecular processes that sustain living cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes reaction products, sequence data, binding curves and cellular metabolism. Depending on the question, its models may use molecular interactions, enzyme kinetics, pathways and chemical gradients. For homeostasis at molecular scale, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of homeostasis at molecular scale should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider biological variability, protein context, temperature and compartment conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 13.20

Homeostasis at Molecular Scale - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Feedback, transport, and signaling stabilize chemical states amid changing conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as homeostasis at molecular scale in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from reaction products, sequence data, binding curves and cellular metabolism; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on molecular interactions, enzyme kinetics, pathways and chemical gradients should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and biological variability, protein context, temperature and compartment conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cellular ATP supply and demand adjust through metabolic feedback. Turn this into a testable question about homeostasis at molecular scale. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, assays, mass spectrometry and molecular imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Feedback, transport, and signaling stabilize chemical states amid changing conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of homeostasis at molecular scale, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: biological variability, protein context, temperature and compartment conditions.

FIELD 14 OF 28

Cell Biology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the organization and behavior of cells. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include cell images, molecular markers, division rates and transport signals. Investigators use light microscopy, single-cell profiling and live-cell imaging. Appropriate models include compartment models, signaling networks, mechanical interactions and regulation. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include cell-type differences, experimental artifacts and culture conditions. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Cell Theory

02. Prokaryotes and Eukaryotes

03. Plasma Membrane Transport

04. Osmosis

05. Diffusion

06. Nucleus

07. Ribosomes

08. Endoplasmic Reticulum

09. Golgi Apparatus

10. Mitochondria

11. Chloroplasts

12. Lysosomes

13. Cytoskeleton

14. Cell Signaling

15. Cell Cycle

16. Mitosis

17. Meiosis

18. Apoptosis

19. Stem Cells

20. Microscopy

CONCEPT 14.01

Cell Theory

THE CORE SCIENTIFIC IDEA

Cells are fundamental structural and functional units of known living organisms.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A yeast cell and a human skin cell both meet the cellular basis of life. This illustrates cell theory within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For cell theory, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cell theory should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.01

Cell Theory - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cells are fundamental structural and functional units of known living organisms.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cell theory in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A yeast cell and a human skin cell both meet the cellular basis of life. Turn this into a testable question about cell theory. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cells are fundamental structural and functional units of known living organisms.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cell theory, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.02

Prokaryotes and Eukaryotes

THE CORE SCIENTIFIC IDEA

Prokaryotes lack a membrane-bound nucleus, while eukaryotic cells contain internal organelles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Bacteria lack a membrane-bound nucleus, unlike animal cells. This illustrates prokaryotes and eukaryotes within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For prokaryotes and eukaryotes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of prokaryotes and eukaryotes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.02

Prokaryotes and Eukaryotes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Prokaryotes lack a membrane-bound nucleus, while eukaryotic cells contain internal organelles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as prokaryotes and eukaryotes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Bacteria lack a membrane-bound nucleus, unlike animal cells. Turn this into a testable question about prokaryotes and eukaryotes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Prokaryotes lack a membrane-bound nucleus, while eukaryotic cells contain internal organelles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of prokaryotes and eukaryotes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.03

Plasma Membrane Transport

THE CORE SCIENTIFIC IDEA

Membrane transport can be passive, channel-mediated, carrier-mediated, or energy-coupled.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A sodium channel permits selected ions across the plasma membrane. This illustrates plasma membrane transport within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For plasma membrane transport, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of plasma membrane transport should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.03

Plasma Membrane Transport - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Membrane transport can be passive, channel-mediated, carrier-mediated, or energy-coupled.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as plasma membrane transport in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A sodium channel permits selected ions across the plasma membrane. Turn this into a testable question about plasma membrane transport. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Membrane transport can be passive, channel-mediated, carrier-mediated, or energy-coupled.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of plasma membrane transport, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.04

Osmosis

THE CORE SCIENTIFIC IDEA

Water moves across selectively permeable barriers according to differences in water chemical potential.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A plant cell can gain water and become turgid in a hypotonic environment. This illustrates osmosis within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For osmosis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of osmosis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.04

Osmosis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Water moves across selectively permeable barriers according to differences in water chemical potential.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as osmosis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A plant cell can gain water and become turgid in a hypotonic environment. Turn this into a testable question about osmosis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Water moves across selectively permeable barriers according to differences in water chemical potential.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of osmosis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.05

Diffusion

THE CORE SCIENTIFIC IDEA

Diffusion reflects random particle movement yielding net transport down concentration gradients.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A drop of dye spreads across still water through diffusion. This illustrates diffusion within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For diffusion, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of diffusion should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.05

Diffusion - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Diffusion reflects random particle movement yielding net transport down concentration gradients.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as diffusion in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A drop of dye spreads across still water through diffusion. Turn this into a testable question about diffusion. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Diffusion reflects random particle movement yielding net transport down concentration gradients.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of diffusion, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.06

Nucleus

THE CORE SCIENTIFIC IDEA

The nucleus stores most eukaryotic genetic material and organizes gene expression and RNA processing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: DNA in human cells is largely packaged into chromosomes inside a nucleus. This illustrates nucleus within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For nucleus, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nucleus should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.06

Nucleus - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The nucleus stores most eukaryotic genetic material and organizes gene expression and RNA processing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nucleus in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: DNA in human cells is largely packaged into chromosomes inside a nucleus. Turn this into a testable question about nucleus. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The nucleus stores most eukaryotic genetic material and organizes gene expression and RNA processing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nucleus, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.07

Ribosomes

THE CORE SCIENTIFIC IDEA

Ribosomes translate messenger RNA into polypeptides through coordinated RNA and protein activity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ribosomes read messenger RNA codons to synthesize polypeptide chains. This illustrates ribosomes within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For ribosomes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ribosomes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.07

Ribosomes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ribosomes translate messenger RNA into polypeptides through coordinated RNA and protein activity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ribosomes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ribosomes read messenger RNA codons to synthesize polypeptide chains. Turn this into a testable question about ribosomes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ribosomes translate messenger RNA into polypeptides through coordinated RNA and protein activity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ribosomes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.08

Endoplasmic Reticulum

THE CORE SCIENTIFIC IDEA

The ER supports protein folding, lipid synthesis, and intracellular membrane organization.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rough ER processes many newly synthesized secreted proteins. This illustrates endoplasmic reticulum within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For endoplasmic reticulum, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of endoplasmic reticulum should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.08

Endoplasmic Reticulum - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The ER supports protein folding, lipid synthesis, and intracellular membrane organization.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as endoplasmic reticulum in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rough ER processes many newly synthesized secreted proteins. Turn this into a testable question about endoplasmic reticulum. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The ER supports protein folding, lipid synthesis, and intracellular membrane organization.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of endoplasmic reticulum, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.09

Golgi Apparatus

THE CORE SCIENTIFIC IDEA

The Golgi modifies, sorts, and routes many secreted and membrane proteins.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Golgi stacks modify and package proteins for delivery or secretion. This illustrates golgi apparatus within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For golgi apparatus, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of golgi apparatus should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.09

Golgi Apparatus - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The Golgi modifies, sorts, and routes many secreted and membrane proteins.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as golgi apparatus in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Golgi stacks modify and package proteins for delivery or secretion. Turn this into a testable question about golgi apparatus. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The Golgi modifies, sorts, and routes many secreted and membrane proteins.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of golgi apparatus, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.10

Mitochondria

THE CORE SCIENTIFIC IDEA

Mitochondria produce ATP and contribute to metabolism, signaling, and programmed cell death.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Muscle cells contain many mitochondria to support ATP-intensive functions. This illustrates mitochondria within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For mitochondria, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mitochondria should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.10

Mitochondria - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mitochondria produce ATP and contribute to metabolism, signaling, and programmed cell death.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mitochondria in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Muscle cells contain many mitochondria to support ATP-intensive functions. Turn this into a testable question about mitochondria. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mitochondria produce ATP and contribute to metabolism, signaling, and programmed cell death.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mitochondria, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.11

Chloroplasts

THE CORE SCIENTIFIC IDEA

Chloroplasts carry out photosynthesis in plants and algae through specialized membranes and enzymes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Leaf mesophyll cells have chloroplasts for photosynthetic carbon fixation. This illustrates chloroplasts within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For chloroplasts, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of chloroplasts should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.11

Chloroplasts - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Chloroplasts carry out photosynthesis in plants and algae through specialized membranes and enzymes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as chloroplasts in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Leaf mesophyll cells have chloroplasts for photosynthetic carbon fixation. Turn this into a testable question about chloroplasts. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Chloroplasts carry out photosynthesis in plants and algae through specialized membranes and enzymes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of chloroplasts, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.12

Lysosomes

THE CORE SCIENTIFIC IDEA

Lysosomes use acidic enzymes to degrade and recycle intracellular material.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Lysosomes break down worn cellular components using hydrolytic enzymes. This illustrates lysosomes within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For lysosomes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of lysosomes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.12

Lysosomes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Lysosomes use acidic enzymes to degrade and recycle intracellular material.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as lysosomes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Lysosomes break down worn cellular components using hydrolytic enzymes. Turn this into a testable question about lysosomes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Lysosomes use acidic enzymes to degrade and recycle intracellular material.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of lysosomes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.13

Cytoskeleton

THE CORE SCIENTIFIC IDEA

Actin, microtubules, and intermediate filaments support shape, transport, and mechanical behavior.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Microtubules form tracks used by motor proteins to transport cargo. This illustrates cytoskeleton within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For cytoskeleton, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cytoskeleton should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.13

Cytoskeleton - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Actin, microtubules, and intermediate filaments support shape, transport, and mechanical behavior.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cytoskeleton in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Microtubules form tracks used by motor proteins to transport cargo. Turn this into a testable question about cytoskeleton. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Actin, microtubules, and intermediate filaments support shape, transport, and mechanical behavior.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cytoskeleton, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.14

Cell Signaling

THE CORE SCIENTIFIC IDEA

Cells detect molecular signals and transform them into regulated biochemical responses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Insulin signaling alters glucose transport and metabolic pathways in target cells. This illustrates cell signaling within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For cell signaling, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cell signaling should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.14

Cell Signaling - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cells detect molecular signals and transform them into regulated biochemical responses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cell signaling in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Insulin signaling alters glucose transport and metabolic pathways in target cells. Turn this into a testable question about cell signaling. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cells detect molecular signals and transform them into regulated biochemical responses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cell signaling, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.15

Cell Cycle

THE CORE SCIENTIFIC IDEA

The cell cycle coordinates growth, DNA replication, and division using checkpoints.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cyclin-dependent checkpoints help prevent inappropriate progression through cell division. This illustrates cell cycle within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For cell cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cell cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.15

Cell Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The cell cycle coordinates growth, DNA replication, and division using checkpoints.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cell cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cyclin-dependent checkpoints help prevent inappropriate progression through cell division. Turn this into a testable question about cell cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The cell cycle coordinates growth, DNA replication, and division using checkpoints.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cell cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.16

Mitosis

THE CORE SCIENTIFIC IDEA

Mitosis distributes duplicated chromosomes into daughter nuclei during eukaryotic cell division.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Duplicated chromosomes separate into two daughter nuclei during mitosis. This illustrates mitosis within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For mitosis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mitosis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.16

Mitosis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mitosis distributes duplicated chromosomes into daughter nuclei during eukaryotic cell division.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mitosis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Duplicated chromosomes separate into two daughter nuclei during mitosis. Turn this into a testable question about mitosis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mitosis distributes duplicated chromosomes into daughter nuclei during eukaryotic cell division.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mitosis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.17

Meiosis

THE CORE SCIENTIFIC IDEA

Meiosis reduces chromosome number and creates genetic variation in sexual reproduction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Homologous chromosomes recombine and segregate during meiosis. This illustrates meiosis within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For meiosis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of meiosis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.17

Meiosis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Meiosis reduces chromosome number and creates genetic variation in sexual reproduction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as meiosis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Homologous chromosomes recombine and segregate during meiosis. Turn this into a testable question about meiosis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Meiosis reduces chromosome number and creates genetic variation in sexual reproduction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of meiosis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.18

Apoptosis

THE CORE SCIENTIFIC IDEA

Apoptosis is a regulated form of cell death with distinctive molecular pathways.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Apoptotic cells can be removed without extensive inflammatory damage. This illustrates apoptosis within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For apoptosis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of apoptosis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.18

Apoptosis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Apoptosis is a regulated form of cell death with distinctive molecular pathways.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as apoptosis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Apoptotic cells can be removed without extensive inflammatory damage. Turn this into a testable question about apoptosis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Apoptosis is a regulated form of cell death with distinctive molecular pathways.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of apoptosis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.19

Stem Cells

THE CORE SCIENTIFIC IDEA

Stem cells can self-renew and produce differentiated descendant cell types.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Some stem cells can generate multiple mature blood-cell lineages. This illustrates stem cells within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For stem cells, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of stem cells should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.19

Stem Cells - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Stem cells can self-renew and produce differentiated descendant cell types.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as stem cells in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Some stem cells can generate multiple mature blood-cell lineages. Turn this into a testable question about stem cells. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Stem cells can self-renew and produce differentiated descendant cell types.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of stem cells, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

CONCEPT 14.20

Microscopy

THE CORE SCIENTIFIC IDEA

Light and electron microscopy reveal structures at different scales with different limitations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Fluorescence microscopy highlights tagged proteins within living or fixed cells. This illustrates microscopy within the organization and behavior of cells. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell images, molecular markers, division rates and transport signals. Depending on the question, its models may use compartment models, signaling networks, mechanical interactions and regulation. For microscopy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of microscopy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider cell-type differences, experimental artifacts and culture conditions. Better evidence can narrow or revise the claim.

INVESTIGATION 14.20

Microscopy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Light and electron microscopy reveal structures at different scales with different limitations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as microscopy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell images, molecular markers, division rates and transport signals; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on compartment models, signaling networks, mechanical interactions and regulation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and cell-type differences, experimental artifacts and culture conditions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Fluorescence microscopy highlights tagged proteins within living or fixed cells. Turn this into a testable question about microscopy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use light microscopy, single-cell profiling and live-cell imaging if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Light and electron microscopy reveal structures at different scales with different limitations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of microscopy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: cell-type differences, experimental artifacts and culture conditions.

FIELD 15 OF 28

Genetics, Evolution and Biodiversity

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines inheritance, population change, ancestry and biological variation. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include genotypes, traits, allele frequencies, fossil records and sequences. Investigators use sequencing, comparative genomics and evolutionary analysis. Appropriate models include inheritance rules, evolutionary models, trees and population dynamics. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include environmental effects, sampling, shared ancestry and genetic interactions. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Genes
02. Chromosomes
03. DNA Replication
04. Transcription
05. Translation
06. Mutations
07. Dominant and Recessive Traits
08. Mendelian Inheritance
09. Linkage and Recombination
10. Polygenic Traits
11. Epigenetic Regulation
12. Population Genetics
13. Natural Selection
14. Genetic Drift
15. Speciation
16. Phylogenetic Trees
17. Common Ancestry
18. Extinction
19. Biodiversity
20. Evolutionary Development

CONCEPT 15.01

Genes

THE CORE SCIENTIFIC IDEA

A gene is a DNA sequence contributing to a functional product through transcription or other regulation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A DNA sequence may encode a protein or a functional RNA product. This illustrates genes within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For genes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of genes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.01

Genes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A gene is a DNA sequence contributing to a functional product through transcription or other regulation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as genes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A DNA sequence may encode a protein or a functional RNA product. Turn this into a testable question about genes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A gene is a DNA sequence contributing to a functional product through transcription or other regulation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of genes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.02

Chromosomes

THE CORE SCIENTIFIC IDEA

Chromosomes package genetic material and ensure organized segregation during division.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Humans generally have 46 chromosomes in typical somatic cells. This illustrates chromosomes within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For chromosomes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of chromosomes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.02

Chromosomes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Chromosomes package genetic material and ensure organized segregation during division.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as chromosomes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Humans generally have 46 chromosomes in typical somatic cells. Turn this into a testable question about chromosomes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Chromosomes package genetic material and ensure organized segregation during division.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of chromosomes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.03

DNA Replication

THE CORE SCIENTIFIC IDEA

DNA polymerases extend complementary strands using templates and proofreading mechanisms.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: DNA polymerase uses existing strands to template new complementary DNA. This illustrates dna replication within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For dna replication, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of dna replication should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.03

DNA Replication - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: DNA polymerases extend complementary strands using templates and proofreading mechanisms.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dna replication in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: DNA polymerase uses existing strands to template new complementary DNA. Turn this into a testable question about dna replication. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A DNA polymerases extend complementary strands using templates and proofreading mechanisms.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dna replication, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.04

Transcription

THE CORE SCIENTIFIC IDEA

Transcription produces RNA using a DNA template and RNA polymerase.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: RNA polymerase reads a DNA template to produce an RNA transcript. This illustrates transcription within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For transcription, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of transcription should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.04

Transcription - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Transcription produces RNA using a DNA template and RNA polymerase.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as transcription in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: RNA polymerase reads a DNA template to produce an RNA transcript. Turn this into a testable question about transcription. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Transcription produces RNA using a DNA template and RNA polymerase.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of transcription, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.05

Translation

THE CORE SCIENTIFIC IDEA

Translation maps messenger RNA codons to amino acid sequences via the genetic code.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ribosomes translate AUG as a common start codon for methionine. This illustrates translation within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For translation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of translation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.05

Translation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Translation maps messenger RNA codons to amino acid sequences via the genetic code.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as translation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ribosomes translate AUG as a common start codon for methionine. Turn this into a testable question about translation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Translation maps messenger RNA codons to amino acid sequences via the genetic code.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of translation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.06

Mutations

THE CORE SCIENTIFIC IDEA

Mutations are heritable sequence changes arising from copying errors, damage, or repair processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A single-nucleotide substitution can change a protein codon or leave it synonymous. This illustrates mutations within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For mutations, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mutations should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.06

Mutations - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mutations are heritable sequence changes arising from copying errors, damage, or repair processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mutations in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A single-nucleotide substitution can change a protein codon or leave it synonymous. Turn this into a testable question about mutations. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mutations are heritable sequence changes arising from copying errors, damage, or repair processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mutations, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.07

Dominant and Recessive Traits

THE CORE SCIENTIFIC IDEA

Dominance describes phenotype relationships between alleles under defined genetic conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A dominant allele can affect phenotype even when only one copy is present. This illustrates dominant and recessive traits within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For dominant and recessive traits, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of dominant and recessive traits should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.07

Dominant and Recessive Traits - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Dominance describes phenotype relationships between alleles under defined genetic conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dominant and recessive traits in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A dominant allele can affect phenotype even when only one copy is present. Turn this into a testable question about dominant and recessive traits. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Dominance describes phenotype relationships between alleles under defined genetic conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dominant and recessive traits, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.08

Mendelian Inheritance

THE CORE SCIENTIFIC IDEA

Mendelian patterns arise when alleles segregate and sometimes assort independently.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Pea flower color provided a classic example of Mendelian segregation. This illustrates mendelian inheritance within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For mendelian inheritance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mendelian inheritance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.08

Mendelian Inheritance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mendelian patterns arise when alleles segregate and sometimes assort independently.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mendelian inheritance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Pea flower color provided a classic example of Mendelian segregation. Turn this into a testable question about mendelian inheritance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mendelian patterns arise when alleles segregate and sometimes assort independently.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mendelian inheritance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.09

Linkage and Recombination

THE CORE SCIENTIFIC IDEA

Genes near each other on a chromosome are often inherited together unless crossing-over separates them.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Nearby chromosome loci show less independent inheritance than distant ones. This illustrates linkage and recombination within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For linkage and recombination, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of linkage and recombination should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.09

Linkage and Recombination - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Genes near each other on a chromosome are often inherited together unless crossing-over separates them.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as linkage and recombination in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Nearby chromosome loci show less independent inheritance than distant ones. Turn this into a testable question about linkage and recombination. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Genes near each other on a chromosome are often inherited together unless crossing-over separates them.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of linkage and recombination, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.10

Polygenic Traits

THE CORE SCIENTIFIC IDEA

Many traits depend on numerous genetic variants and environmental influences.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Human height reflects many variants plus nutrition and other environmental factors. This illustrates polygenic traits within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For polygenic traits, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of polygenic traits should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.10

Polygenic Traits - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Many traits depend on numerous genetic variants and environmental influences.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as polygenic traits in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Human height reflects many variants plus nutrition and other environmental factors. Turn this into a testable question about polygenic traits. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Many traits depend on numerous genetic variants and environmental influences.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of polygenic traits, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.11

Epigenetic Regulation

THE CORE SCIENTIFIC IDEA

Chemical modifications and chromatin structures can alter gene expression without changing DNA sequence.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: DNA methylation can influence transcriptional accessibility in some contexts. This illustrates epigenetic regulation within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For epigenetic regulation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of epigenetic regulation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.11

Epigenetic Regulation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Chemical modifications and chromatin structures can alter gene expression without changing DNA sequence.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as epigenetic regulation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: DNA methylation can influence transcriptional accessibility in some contexts. Turn this into a testable question about epigenetic regulation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Chemical modifications and chromatin structures can alter gene expression without changing DNA sequence.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of epigenetic regulation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.12

Population Genetics

THE CORE SCIENTIFIC IDEA

Population genetics tracks allele-frequency changes under selection, drift, migration, and mutation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Gene frequencies in a population can shift across generations. This illustrates population genetics within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For population genetics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of population genetics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.12

Population Genetics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Population genetics tracks allele-frequency changes under selection, drift, migration, and mutation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as population genetics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Gene frequencies in a population can shift across generations. Turn this into a testable question about population genetics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Population genetics tracks allele-frequency changes under selection, drift, migration, and mutation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of population genetics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.13

Natural Selection

THE CORE SCIENTIFIC IDEA

Inherited variants associated with differential reproductive success can increase in frequency.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Antibiotic exposure can increase the frequency of resistant bacterial variants. This illustrates natural selection within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For natural selection, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of natural selection should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.13

Natural Selection - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Inherited variants associated with differential reproductive success can increase in frequency.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as natural selection in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Antibiotic exposure can increase the frequency of resistant bacterial variants. Turn this into a testable question about natural selection. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Inherited variants associated with differential reproductive success can increase in frequency.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of natural selection, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.14

Genetic Drift

THE CORE SCIENTIFIC IDEA

Random sampling can change allele frequencies, especially in small populations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A small isolated population may lose alleles through random drift. This illustrates genetic drift within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For genetic drift, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of genetic drift should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.14

Genetic Drift - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Random sampling can change allele frequencies, especially in small populations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as genetic drift in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A small isolated population may lose alleles through random drift. Turn this into a testable question about genetic drift. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Random sampling can change allele frequencies, especially in small populations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of genetic drift, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.15

Speciation

THE CORE SCIENTIFIC IDEA

New species can emerge when populations diverge and barriers to gene exchange accumulate.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Diverging populations may eventually lose the ability to interbreed. This illustrates speciation within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For speciation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of speciation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.15

Speciation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: New species can emerge when populations diverge and barriers to gene exchange accumulate.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as speciation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Diverging populations may eventually lose the ability to interbreed. Turn this into a testable question about speciation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A New species can emerge when populations diverge and barriers to gene exchange accumulate.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of speciation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.16

Phylogenetic Trees

THE CORE SCIENTIFIC IDEA

Phylogenies represent hypotheses about evolutionary relationships inferred from shared evidence.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Genetic sequences support nested evolutionary trees of related organisms. This illustrates phylogenetic trees within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For phylogenetic trees, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of phylogenetic trees should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.16

Phylogenetic Trees - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Phylogenies represent hypotheses about evolutionary relationships inferred from shared evidence.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as phylogenetic trees in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Genetic sequences support nested evolutionary trees of related organisms. Turn this into a testable question about phylogenetic trees. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Phylogenies represent hypotheses about evolutionary relationships inferred from shared evidence.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of phylogenetic trees, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.17

Common Ancestry

THE CORE SCIENTIFIC IDEA

Shared inherited features and molecular sequences support descent from common ancestors.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Shared features of vertebrate embryos reflect inherited developmental programs. This illustrates common ancestry within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For common ancestry, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of common ancestry should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.17

Common Ancestry - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Shared inherited features and molecular sequences support descent from common ancestors.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as common ancestry in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Shared features of vertebrate embryos reflect inherited developmental programs. Turn this into a testable question about common ancestry. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Shared inherited features and molecular sequences support descent from common ancestors.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of common ancestry, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.18

Extinction

THE CORE SCIENTIFIC IDEA

Extinction removes lineages and can be driven by environmental change, interactions, or chance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The loss of non-avian dinosaurs opened ecological opportunities for mammals. This illustrates extinction within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For extinction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of extinction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.18

Extinction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Extinction removes lineages and can be driven by environmental change, interactions, or chance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as extinction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The loss of non-avian dinosaurs opened ecological opportunities for mammals. Turn this into a testable question about extinction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Extinction removes lineages and can be driven by environmental change, interactions, or chance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of extinction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.19

Biodiversity

THE CORE SCIENTIFIC IDEA

Biodiversity includes genetic, species, and ecosystem variation and supports many ecological functions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A forest may contain many species but be dominated numerically by a few. This illustrates biodiversity within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For biodiversity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of biodiversity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.19

Biodiversity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Biodiversity includes genetic, species, and ecosystem variation and supports many ecological functions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as biodiversity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A forest may contain many species but be dominated numerically by a few. Turn this into a testable question about biodiversity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Biodiversity includes genetic, species, and ecosystem variation and supports many ecological functions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of biodiversity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

CONCEPT 15.20

Evolutionary Development

THE CORE SCIENTIFIC IDEA

Changes in conserved developmental programs can produce major differences in body form.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Altered timing of developmental gene expression can change an organism's shape. This illustrates evolutionary development within inheritance, population change, ancestry and biological variation. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes genotypes, traits, allele frequencies, fossil records and sequences. Depending on the question, its models may use inheritance rules, evolutionary models, trees and population dynamics. For evolutionary development, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of evolutionary development should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider environmental effects, sampling, shared ancestry and genetic interactions. Better evidence can narrow or revise the claim.

INVESTIGATION 15.20

Evolutionary Development - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Changes in conserved developmental programs can produce major differences in body form.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as evolutionary development in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from genotypes, traits, allele frequencies, fossil records and sequences; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on inheritance rules, evolutionary models, trees and population dynamics should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and environmental effects, sampling, shared ancestry and genetic interactions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Altered timing of developmental gene expression can change an organism's shape. Turn this into a testable question about evolutionary development. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use sequencing, comparative genomics and evolutionary analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Changes in conserved developmental programs can produce major differences in body form.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of evolutionary development, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: environmental effects, sampling, shared ancestry and genetic interactions.

FIELD 16 OF 28

Microbiology and Virology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines small organisms, pathogens, and communities in changing environments. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include growth curves, molecular markers, sequence data and microscopy. Investigators use culture, sequencing, infection assays and sterile technique. Appropriate models include microbial physiology, infection cycles and ecological interaction models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include laboratory selection, contamination, host context and mixed communities. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Microbial Diversity
02. Bacterial Cell Structure
03. Archaea
04. Bacterial Growth
05. Microbial Metabolism
06. Biofilms
07. Microbiomes
08. Antibiotics
09. Antimicrobial Resistance
10. Bacteriophages
11. Viruses
12. Viral Replication
13. RNA Viruses
14. Viral Evolution
15. Fungi
16. Protists
17. Microbial Ecology
18. Sterilization and Disinfection
19. Culture Methods
20. Metagenomics

CONCEPT 16.01

Microbial Diversity

THE CORE SCIENTIFIC IDEA

Microorganisms encompass diverse bacteria, archaea, protists, fungi, and microscopic forms of life.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A spoonful of soil may contain bacteria, archaea, fungi, protists and viruses. This illustrates microbial diversity within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For microbial diversity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of microbial diversity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.01

Microbial Diversity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Microorganisms encompass diverse bacteria, archaea, protists, fungi, and microscopic forms of life.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as microbial diversity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A spoonful of soil may contain bacteria, archaea, fungi, protists and viruses. Turn this into a testable question about microbial diversity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Microorganisms encompass diverse bacteria, archaea, protists, fungi, and microscopic forms of life.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of microbial diversity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.02

Bacterial Cell Structure

THE CORE SCIENTIFIC IDEA

Bacteria have characteristic membranes, cell walls, ribosomes, and genetic organization varying by lineage.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Bacterial shape, membrane architecture and cell-wall chemistry assist classification. This illustrates bacterial cell structure within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For bacterial cell structure, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of bacterial cell structure should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.02

Bacterial Cell Structure - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Bacteria have characteristic membranes, cell walls, ribosomes, and genetic organization varying by lineage.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as bacterial cell structure in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Bacterial shape, membrane architecture and cell-wall chemistry assist classification. Turn this into a testable question about bacterial cell structure. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Bacteria have characteristic membranes, cell walls, ribosomes, and genetic organization varying by lineage.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of bacterial cell structure, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.03

Archaea

THE CORE SCIENTIFIC IDEA

Archaea are a distinct domain of cellular life with unusual membrane chemistry and important evolutionary relationships.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Methanogenic archaea thrive in oxygen-poor environments such as wetland sediments. This illustrates archaea within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For archaea, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of archaea should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.03

Archaea - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Archaea are a distinct domain of cellular life with unusual membrane chemistry and important evolutionary relationships.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as archaea in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Methanogenic archaea thrive in oxygen-poor environments such as wetland sediments. Turn this into a testable question about archaea. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Archaea are a distinct domain of cellular life with unusual membrane chemistry and important evolutionary relationships.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of archaea, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.04

Bacterial Growth

THE CORE SCIENTIFIC IDEA

Microbial population growth depends on nutrient availability, physical conditions, and life-history tradeoffs.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A bacterial culture can enter lag, exponential, stationary and decline phases. This illustrates bacterial growth within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For bacterial growth, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of bacterial growth should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.04

Bacterial Growth - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Microbial population growth depends on nutrient availability, physical conditions, and life-history tradeoffs.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as bacterial growth in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A bacterial culture can enter lag, exponential, stationary and decline phases. Turn this into a testable question about bacterial growth. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Microbial population growth depends on nutrient availability, physical conditions, and life-history tradeoffs.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of bacterial growth, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.05

Microbial Metabolism

THE CORE SCIENTIFIC IDEA

Microbes use diverse electron donors, acceptors, and carbon sources to obtain energy and materials.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Some bacteria gain energy by oxidizing inorganic sulfur compounds. This illustrates microbial metabolism within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For microbial metabolism, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of microbial metabolism should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.05

Microbial Metabolism - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Microbes use diverse electron donors, acceptors, and carbon sources to obtain energy and materials.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as microbial metabolism in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Some bacteria gain energy by oxidizing inorganic sulfur compounds. Turn this into a testable question about microbial metabolism. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Microbes use diverse electron donors, acceptors, and carbon sources to obtain energy and materials.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of microbial metabolism, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.06

Biofilms

THE CORE SCIENTIFIC IDEA

Biofilms are surface-associated microbial communities embedded in self-produced matrices.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Dental plaque is a biofilm where bacteria attach to tooth surfaces. This illustrates biofilms within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For biofilms, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of biofilms should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.06

Biofilms - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Biofilms are surface-associated microbial communities embedded in self-produced matrices.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as biofilms in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Dental plaque is a biofilm where bacteria attach to tooth surfaces. Turn this into a testable question about biofilms. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Biofilms are surface-associated microbial communities embedded in self-produced matrices.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of biofilms, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.07

Microbiomes

THE CORE SCIENTIFIC IDEA

Microbiomes include microorganisms and their genes, interactions, and environmental context.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Gut microbes influence digestion and metabolite production in many hosts. This illustrates microbiomes within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For microbiomes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of microbiomes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.07

Microbiomes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Microbiomes include microorganisms and their genes, interactions, and environmental context.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as microbiomes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Gut microbes influence digestion and metabolite production in many hosts. Turn this into a testable question about microbiomes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Microbiomes include microorganisms and their genes, interactions, and environmental context.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of microbiomes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.08

Antibiotics

THE CORE SCIENTIFIC IDEA

Antibiotics inhibit microbial processes such as cell-wall synthesis, translation, or DNA replication.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Penicillin-type antibiotics inhibit bacterial cell-wall synthesis. This illustrates antibiotics within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For antibiotics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of antibiotics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.08

Antibiotics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Antibiotics inhibit microbial processes such as cell-wall synthesis, translation, or DNA replication.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as antibiotics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Penicillin-type antibiotics inhibit bacterial cell-wall synthesis. Turn this into a testable question about antibiotics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Antibiotics inhibit microbial processes such as cell-wall synthesis, translation, or DNA replication.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of antibiotics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.09

Antimicrobial Resistance

THE CORE SCIENTIFIC IDEA

Resistance can evolve through mutation or transferred genes and spread under selective pressure.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Resistant strains can survive antibiotic exposure and pass resistance genes. This illustrates antimicrobial resistance within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For antimicrobial resistance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of antimicrobial resistance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Resistance is an evolving population property; inappropriate use of antimicrobials increases selection pressure.

INVESTIGATION 16.09

Antimicrobial Resistance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Resistance can evolve through mutation or transferred genes and spread under selective pressure.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as antimicrobial resistance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Resistant strains can survive antibiotic exposure and pass resistance genes. Turn this into a testable question about antimicrobial resistance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Resistance can evolve through mutation or transferred genes and spread under selective pressure.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of antimicrobial resistance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.10

Bacteriophages

THE CORE SCIENTIFIC IDEA

Bacteriophages infect bacteria and shape microbial populations and gene exchange.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Phages replicate in bacteria and may lyse their host cells. This illustrates bacteriophages within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For bacteriophages, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of bacteriophages should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.10

Bacteriophages - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Bacteriophages infect bacteria and shape microbial populations and gene exchange.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as bacteriophages in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Phages replicate in bacteria and may lyse their host cells. Turn this into a testable question about bacteriophages. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Bacteriophages infect bacteria and shape microbial populations and gene exchange.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of bacteriophages, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.11

Viruses

THE CORE SCIENTIFIC IDEA

Viruses are genetic entities that rely on host cells to produce new infectious particles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Influenza virions require host cells to create their proteins and progeny. This illustrates viruses within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For viruses, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of viruses should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.11

Viruses - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Viruses are genetic entities that rely on host cells to produce new infectious particles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as viruses in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Influenza virions require host cells to create their proteins and progeny. Turn this into a testable question about viruses. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Viruses are genetic entities that rely on host cells to produce new infectious particles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of viruses, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.12

Viral Replication

THE CORE SCIENTIFIC IDEA

Viral life cycles require entry, genome production, component assembly, and release, with substantial variation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A coronavirus replicates its RNA through virus-encoded enzymes in host cells. This illustrates viral replication within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For viral replication, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of viral replication should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.12

Viral Replication - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Viral life cycles require entry, genome production, component assembly, and release, with substantial variation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as viral replication in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A coronavirus replicates its RNA through virus-encoded enzymes in host cells. Turn this into a testable question about viral replication. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Viral life cycles require entry, genome production, component assembly, and release, with substantial variation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of viral replication, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.13

RNA Viruses

THE CORE SCIENTIFIC IDEA

RNA viruses use RNA genomes and often rely on specialized polymerases with distinct error profiles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Many RNA viruses show rapid genetic change because polymerase fidelity varies. This illustrates rna viruses within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For rna viruses, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of rna viruses should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.13

RNA Viruses - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: RNA viruses use RNA genomes and often rely on specialized polymerases with distinct error profiles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as rna viruses in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Many RNA viruses show rapid genetic change because polymerase fidelity varies. Turn this into a testable question about rna viruses. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A RNA viruses use RNA genomes and often rely on specialized polymerases with distinct error profiles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of rna viruses, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.14

Viral Evolution

THE CORE SCIENTIFIC IDEA

Mutation, selection, recombination, and host ecology shape the emergence of viral variants.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Seasonal influenza evolves through mutation and selection across populations. This illustrates viral evolution within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For viral evolution, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of viral evolution should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.14

Viral Evolution - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mutation, selection, recombination, and host ecology shape the emergence of viral variants.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as viral evolution in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Seasonal influenza evolves through mutation and selection across populations. Turn this into a testable question about viral evolution. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mutation, selection, recombination, and host ecology shape the emergence of viral variants.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of viral evolution, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.15

Fungi

THE CORE SCIENTIFIC IDEA

Fungi absorb nutrients and include yeasts, molds, symbionts, and diverse decomposers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Baker's yeast is a fungus that ferments sugars and produces carbon dioxide. This illustrates fungi within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For fungi, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of fungi should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.15

Fungi - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Fungi absorb nutrients and include yeasts, molds, symbionts, and diverse decomposers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as fungi in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Baker's yeast is a fungus that ferments sugars and produces carbon dioxide. Turn this into a testable question about fungi. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Fungi absorb nutrients and include yeasts, molds, symbionts, and diverse decomposers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of fungi, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.16

Protists

THE CORE SCIENTIFIC IDEA

Protists comprise varied eukaryotic lineages, including photosynthetic and predatory forms.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Paramecium swims with cilia while many algae use light energy. This illustrates protists within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For protists, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of protists should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.16

Protists - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Protists comprise varied eukaryotic lineages, including photosynthetic and predatory forms.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as protists in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Paramecium swims with cilia while many algae use light energy. Turn this into a testable question about protists. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Protists comprise varied eukaryotic lineages, including photosynthetic and predatory forms.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of protists, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.17

Microbial Ecology

THE CORE SCIENTIFIC IDEA

Microbial interactions influence biogeochemical cycles, nutrient cycling, and symbioses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Soil bacteria transform nitrogen compounds that plants use as nutrients. This illustrates microbial ecology within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For microbial ecology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of microbial ecology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.17

Microbial Ecology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Microbial interactions influence biogeochemical cycles, nutrient cycling, and symbioses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as microbial ecology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Soil bacteria transform nitrogen compounds that plants use as nutrients. Turn this into a testable question about microbial ecology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Microbial interactions influence biogeochemical cycles, nutrient cycling, and symbioses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of microbial ecology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.18

Sterilization and Disinfection

THE CORE SCIENTIFIC IDEA

Sterilization eliminates viable microbial life forms under specified conditions; disinfection reduces defined pathogens.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Steam sterilization under validated conditions kills organisms and resistant spores. This illustrates sterilization and disinfection within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For sterilization and disinfection, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sterilization and disinfection should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.18

Sterilization and Disinfection - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sterilization eliminates viable microbial life forms under specified conditions; disinfection reduces defined pathogens.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sterilization and disinfection in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Steam sterilization under validated conditions kills organisms and resistant spores. Turn this into a testable question about sterilization and disinfection. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sterilization eliminates viable microbial life forms under specified conditions; disinfection reduces defined pathogens.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sterilization and disinfection, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.19

Culture Methods

THE CORE SCIENTIFIC IDEA

Culturing selects organisms able to grow under particular laboratory conditions and may miss much diversity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A nutrient agar plate grows only species compatible with its growth medium. This illustrates culture methods within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For culture methods, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of culture methods should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.19

Culture Methods - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Culturing selects organisms able to grow under particular laboratory conditions and may miss much diversity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as culture methods in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A nutrient agar plate grows only species compatible with its growth medium. Turn this into a testable question about culture methods. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Culturing selects organisms able to grow under particular laboratory conditions and may miss much diversity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of culture methods, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

CONCEPT 16.20

Metagenomics

THE CORE SCIENTIFIC IDEA

Metagenomics sequences DNA from communities to infer functions and organisms without culturing all members.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Environmental DNA sequencing can detect uncultured microbes in seawater. This illustrates metagenomics within small organisms, pathogens, and communities in changing environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes growth curves, molecular markers, sequence data and microscopy. Depending on the question, its models may use microbial physiology, infection cycles and ecological interaction models. For metagenomics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of metagenomics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider laboratory selection, contamination, host context and mixed communities. Better evidence can narrow or revise the claim.

INVESTIGATION 16.20

Metagenomics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Metagenomics sequences DNA from communities to infer functions and organisms without culturing all members.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as metagenomics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from growth curves, molecular markers, sequence data and microscopy; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on microbial physiology, infection cycles and ecological interaction models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and laboratory selection, contamination, host context and mixed communities; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Environmental DNA sequencing can detect uncultured microbes in seawater. Turn this into a testable question about metagenomics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use culture, sequencing, infection assays and sterile technique if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Metagenomics sequences DNA from communities to infer functions and organisms without culturing all members.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of metagenomics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: laboratory selection, contamination, host context and mixed communities.

FIELD 17 OF 28

Human Anatomy and Physiology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines how organized body systems produce and regulate function. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include organ anatomy, pressure, metabolites, electrical activity and physiological output. Investigators use physiological measurement, imaging and controlled studies. Appropriate models include negative feedback, transport systems and structure-function relationships. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include individual differences, adaptive responses and interacting organ systems. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Anatomical Organization
02. Epithelial Tissue
03. Connective Tissue
04. Muscle Tissue
05. Nervous Tissue
06. Skeletal System
07. Joints and Movement
08. Cardiac Function
09. Blood Circulation
10. Blood Components
11. Respiration
12. Kidney Filtration
13. Digestive System
14. Liver Function
15. Endocrine System
16. Reproductive Physiology
17. Immune Organs
18. Skin and Barriers
19. Thermoregulation
20. Physiological Feedback

CONCEPT 17.01

Anatomical Organization

THE CORE SCIENTIFIC IDEA

Organ systems consist of tissues and cells whose structural relationships support specialized functions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The stomach, liver and small intestine have distinct roles in nutrient processing. This illustrates anatomical organization within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For anatomical organization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of anatomical organization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.01

Anatomical Organization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Organ systems consist of tissues and cells whose structural relationships support specialized functions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as anatomical organization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The stomach, liver and small intestine have distinct roles in nutrient processing. Turn this into a testable question about anatomical organization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Organ systems consist of tissues and cells whose structural relationships support specialized functions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of anatomical organization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.02

Epithelial Tissue

THE CORE SCIENTIFIC IDEA

Epithelial sheets line surfaces, regulate exchange, and provide protective barriers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Epithelial cells in the intestine form a selective absorption barrier. This illustrates epithelial tissue within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For epithelial tissue, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of epithelial tissue should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.02

Epithelial Tissue - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Epithelial sheets line surfaces, regulate exchange, and provide protective barriers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as epithelial tissue in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Epithelial cells in the intestine form a selective absorption barrier. Turn this into a testable question about epithelial tissue. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Epithelial sheets line surfaces, regulate exchange, and provide protective barriers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of epithelial tissue, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.03

Connective Tissue

THE CORE SCIENTIFIC IDEA

Connective tissues support organs and include extracellular matrices with varying mechanical properties.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Tendons contain collagen-rich connective tissue that transmits muscle force. This illustrates connective tissue within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For connective tissue, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of connective tissue should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.03

Connective Tissue - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Connective tissues support organs and include extracellular matrices with varying mechanical properties.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as connective tissue in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Tendons contain collagen-rich connective tissue that transmits muscle force. Turn this into a testable question about connective tissue. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Connective tissues support organs and include extracellular matrices with varying mechanical properties.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of connective tissue, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.04

Muscle Tissue

THE CORE SCIENTIFIC IDEA

Muscle cells convert chemical energy into force through actin-myosin interactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Skeletal muscle contracts as actin and myosin filaments slide past one another. This illustrates muscle tissue within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For muscle tissue, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of muscle tissue should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.04

Muscle Tissue - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Muscle cells convert chemical energy into force through actin-myosin interactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as muscle tissue in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Skeletal muscle contracts as actin and myosin filaments slide past one another. Turn this into a testable question about muscle tissue. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Muscle cells convert chemical energy into force through actin-myosin interactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of muscle tissue, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.05

Nervous Tissue

THE CORE SCIENTIFIC IDEA

Neurons and glia coordinate signaling, support, and information processing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Myelinated axons carry signals rapidly across long distances. This illustrates nervous tissue within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For nervous tissue, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nervous tissue should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.05

Nervous Tissue - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neurons and glia coordinate signaling, support, and information processing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nervous tissue in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Myelinated axons carry signals rapidly across long distances. Turn this into a testable question about nervous tissue. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neurons and glia coordinate signaling, support, and information processing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nervous tissue, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.06

Skeletal System

THE CORE SCIENTIFIC IDEA

Bones support load, protect organs, store minerals, and undergo continual remodeling.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Long bones contain marrow and remodel under changing mechanical loads. This illustrates skeletal system within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For skeletal system, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of skeletal system should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.06

Skeletal System - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Bones support load, protect organs, store minerals, and undergo continual remodeling.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as skeletal system in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Long bones contain marrow and remodel under changing mechanical loads. Turn this into a testable question about skeletal system. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Bones support load, protect organs, store minerals, and undergo continual remodeling.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of skeletal system, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.07

Joints and Movement

THE CORE SCIENTIFIC IDEA

Joint geometry, muscles, tendons, and ligaments constrain movement and mechanical stability.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The knee allows flexion and extension while ligaments constrain excess motion. This illustrates joints and movement within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For joints and movement, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of joints and movement should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.07

Joints and Movement - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Joint geometry, muscles, tendons, and ligaments constrain movement and mechanical stability.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as joints and movement in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The knee allows flexion and extension while ligaments constrain excess motion. Turn this into a testable question about joints and movement. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Joint geometry, muscles, tendons, and ligaments constrain movement and mechanical stability.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of joints and movement, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.08

Cardiac Function

THE CORE SCIENTIFIC IDEA

The heart generates pressure gradients that circulate blood through pulmonary and systemic pathways.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The left ventricle pumps oxygenated blood into the systemic circulation. This illustrates cardiac function within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For cardiac function, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cardiac function should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.08

Cardiac Function - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The heart generates pressure gradients that circulate blood through pulmonary and systemic pathways.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cardiac function in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The left ventricle pumps oxygenated blood into the systemic circulation. Turn this into a testable question about cardiac function. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The heart generates pressure gradients that circulate blood through pulmonary and systemic pathways.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cardiac function, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.09

Blood Circulation

THE CORE SCIENTIFIC IDEA

Arteries, capillaries, and veins transport oxygen, nutrients, hormones, heat, and wastes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Capillary walls permit exchange between blood and surrounding tissues. This illustrates blood circulation within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For blood circulation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of blood circulation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.09

Blood Circulation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Arteries, capillaries, and veins transport oxygen, nutrients, hormones, heat, and wastes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as blood circulation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Capillary walls permit exchange between blood and surrounding tissues. Turn this into a testable question about blood circulation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Arteries, capillaries, and veins transport oxygen, nutrients, hormones, heat, and wastes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of blood circulation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.10

Blood Components

THE CORE SCIENTIFIC IDEA

Plasma, erythrocytes, leukocytes, and platelets serve transport, defense, and hemostatic functions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Hemoglobin in erythrocytes transports much of the blood's oxygen. This illustrates blood components within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For blood components, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of blood components should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.10

Blood Components - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Plasma, erythrocytes, leukocytes, and platelets serve transport, defense, and hemostatic functions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as blood components in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Hemoglobin in erythrocytes transports much of the blood's oxygen. Turn this into a testable question about blood components. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Plasma, erythrocytes, leukocytes, and platelets serve transport, defense, and hemostatic functions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of blood components, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.11

Respiration

THE CORE SCIENTIFIC IDEA

Ventilation and gas exchange deliver oxygen and remove carbon dioxide through coupled physiological processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Alveoli expose thin respiratory surfaces for exchange of oxygen and carbon dioxide. This illustrates respiration within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For respiration, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of respiration should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.11

Respiration - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ventilation and gas exchange deliver oxygen and remove carbon dioxide through coupled physiological processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as respiration in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Alveoli expose thin respiratory surfaces for exchange of oxygen and carbon dioxide. Turn this into a testable question about respiration. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ventilation and gas exchange deliver oxygen and remove carbon dioxide through coupled physiological processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of respiration, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.12

Kidney Filtration

THE CORE SCIENTIFIC IDEA

Nephrons filter plasma and regulate water, electrolytes, acid-base balance, and waste excretion.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Nephrons filter blood plasma and reabsorb needed water and solutes. This illustrates kidney filtration within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For kidney filtration, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of kidney filtration should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.12

Kidney Filtration - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Nephrons filter plasma and regulate water, electrolytes, acid-base balance, and waste excretion.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as kidney filtration in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Nephrons filter blood plasma and reabsorb needed water and solutes. Turn this into a testable question about kidney filtration. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Nephrons filter plasma and regulate water, electrolytes, acid-base balance, and waste excretion.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of kidney filtration, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.13

Digestive System

THE CORE SCIENTIFIC IDEA

Digestion converts food into absorbable molecules through mechanical processing and enzymatic reactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Pancreatic enzymes help digest proteins, carbohydrates and fats in the intestine. This illustrates digestive system within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For digestive system, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of digestive system should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.13

Digestive System - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Digestion converts food into absorbable molecules through mechanical processing and enzymatic reactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as digestive system in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Pancreatic enzymes help digest proteins, carbohydrates and fats in the intestine. Turn this into a testable question about digestive system. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Digestion converts food into absorbable molecules through mechanical processing and enzymatic reactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of digestive system, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.14

Liver Function

THE CORE SCIENTIFIC IDEA

The liver processes nutrients, synthesizes proteins, detoxifies compounds, and produces bile.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The liver synthesizes albumin and many plasma clotting factors. This illustrates liver function within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For liver function, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of liver function should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.14

Liver Function - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The liver processes nutrients, synthesizes proteins, detoxifies compounds, and produces bile.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as liver function in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The liver synthesizes albumin and many plasma clotting factors. Turn this into a testable question about liver function. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The liver processes nutrients, synthesizes proteins, detoxifies compounds, and produces bile.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of liver function, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.15

Endocrine System

THE CORE SCIENTIFIC IDEA

Hormones regulate distant or local targets through feedback loops and receptor-dependent signals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Insulin and glucagon help coordinate blood glucose regulation. This illustrates endocrine system within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For endocrine system, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of endocrine system should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.15

Endocrine System - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hormones regulate distant or local targets through feedback loops and receptor-dependent signals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as endocrine system in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Insulin and glucagon help coordinate blood glucose regulation. Turn this into a testable question about endocrine system. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hormones regulate distant or local targets through feedback loops and receptor-dependent signals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of endocrine system, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.16

Reproductive Physiology

THE CORE SCIENTIFIC IDEA

Reproductive organs and hormones coordinate gamete production, fertilization, and developmental support.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ovaries and testes produce gametes and endocrine signals. This illustrates reproductive physiology within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For reproductive physiology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of reproductive physiology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.16

Reproductive Physiology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Reproductive organs and hormones coordinate gamete production, fertilization, and developmental support.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as reproductive physiology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ovaries and testes produce gametes and endocrine signals. Turn this into a testable question about reproductive physiology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Reproductive organs and hormones coordinate gamete production, fertilization, and developmental support.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of reproductive physiology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.17

Immune Organs

THE CORE SCIENTIFIC IDEA

Bone marrow, thymus, lymph nodes, and spleen support immune-cell development and response.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Lymph nodes filter lymph and facilitate immune-cell encounters with antigens. This illustrates immune organs within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For immune organs, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of immune organs should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.17

Immune Organs - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Bone marrow, thymus, lymph nodes, and spleen support immune-cell development and response.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as immune organs in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Lymph nodes filter lymph and facilitate immune-cell encounters with antigens. Turn this into a testable question about immune organs. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Bone marrow, thymus, lymph nodes, and spleen support immune-cell development and response.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of immune organs, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.18

Skin and Barriers

THE CORE SCIENTIFIC IDEA

Skin protects against damage, supports sensation, limits water loss, and contributes to thermoregulation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sweat evaporation helps remove heat during exercise. This illustrates skin and barriers within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For skin and barriers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of skin and barriers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.18

Skin and Barriers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Skin protects against damage, supports sensation, limits water loss, and contributes to thermoregulation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as skin and barriers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sweat evaporation helps remove heat during exercise. Turn this into a testable question about skin and barriers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Skin protects against damage, supports sensation, limits water loss, and contributes to thermoregulation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of skin and barriers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.19

Thermoregulation

THE CORE SCIENTIFIC IDEA

Human temperature control balances metabolic heat generation with radiation, convection, evaporation, and blood flow.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Skin blood vessels change heat transfer as environmental temperature changes. This illustrates thermoregulation within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For thermoregulation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thermoregulation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.19

Thermoregulation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Human temperature control balances metabolic heat generation with radiation, convection, evaporation, and blood flow.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thermoregulation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Skin blood vessels change heat transfer as environmental temperature changes. Turn this into a testable question about thermoregulation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Human temperature control balances metabolic heat generation with radiation, convection, evaporation, and blood flow.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thermoregulation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

CONCEPT 17.20

Physiological Feedback

THE CORE SCIENTIFIC IDEA

Negative-feedback loops stabilize variables such as blood glucose, blood pressure, and osmolarity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Baroreceptor reflexes respond rapidly to changes in arterial blood pressure. This illustrates physiological feedback within how organized body systems produce and regulate function. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes organ anatomy, pressure, metabolites, electrical activity and physiological output. Depending on the question, its models may use negative feedback, transport systems and structure-function relationships. For physiological feedback, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of physiological feedback should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider individual differences, adaptive responses and interacting organ systems. Better evidence can narrow or revise the claim.

INVESTIGATION 17.20

Physiological Feedback - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Negative-feedback loops stabilize variables such as blood glucose, blood pressure, and osmolarity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as physiological feedback in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from organ anatomy, pressure, metabolites, electrical activity and physiological output; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on negative feedback, transport systems and structure-function relationships should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and individual differences, adaptive responses and interacting organ systems; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Baroreceptor reflexes respond rapidly to changes in arterial blood pressure. Turn this into a testable question about physiological feedback. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use physiological measurement, imaging and controlled studies if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Negative-feedback loops stabilize variables such as blood glucose, blood pressure, and osmolarity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of physiological feedback, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: individual differences, adaptive responses and interacting organ systems.

FIELD 18 OF 28

Immunology, Medicine and Health

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines mechanisms of defense, disease and evidence-based care. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include cell counts, clinical outcomes, biomarkers and population patterns. Investigators use controlled clinical research, laboratory assays and epidemiology. Appropriate models include cell signaling, host-pathogen interactions and clinical causal models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include confounding, adverse effects, diagnostic uncertainty and patient diversity. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Innate Immunity
02. Adaptive Immunity
03. Antibodies
04. T Cells
05. B Cells
06. Vaccination
07. Inflammation
08. Allergy
09. Autoimmunity
10. Infectious Disease Transmission
11. Epidemiology
12. Incidence and Prevalence
13. Diagnostic Test Sensitivity
14. Diagnostic Test Specificity
15. Clinical Trials
16. Pharmacokinetics
17. Pharmacodynamics
18. Cancer Biology
19. Screening and Prevention
20. Evidence Based Medicine

CONCEPT 18.01

Innate Immunity

THE CORE SCIENTIFIC IDEA

Innate defenses rapidly recognize broad danger signals and recruit inflammatory and cellular responses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Neutrophils respond quickly to many bacterial infections during innate inflammation. This illustrates innate immunity within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For innate immunity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of innate immunity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.01

Innate Immunity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Innate defenses rapidly recognize broad danger signals and recruit inflammatory and cellular responses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as innate immunity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Neutrophils respond quickly to many bacterial infections during innate inflammation. Turn this into a testable question about innate immunity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Innate defenses rapidly recognize broad danger signals and recruit inflammatory and cellular responses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of innate immunity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.02

Adaptive Immunity

THE CORE SCIENTIFIC IDEA

Adaptive responses use highly diverse lymphocyte receptors and can create long-lived immunological memory.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A second exposure to a pathogen may trigger a faster memory response. This illustrates adaptive immunity within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For adaptive immunity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of adaptive immunity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.02

Adaptive Immunity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Adaptive responses use highly diverse lymphocyte receptors and can create long-lived immunological memory.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as adaptive immunity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A second exposure to a pathogen may trigger a faster memory response. Turn this into a testable question about adaptive immunity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Adaptive responses use highly diverse lymphocyte receptors and can create long-lived immunological memory.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of adaptive immunity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.03

Antibodies

THE CORE SCIENTIFIC IDEA

Antibodies bind molecular targets and can neutralize pathogens or mark them for other defenses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Antibodies can block viral attachment sites on host-cell receptors. This illustrates antibodies within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For antibodies, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of antibodies should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.03

Antibodies - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Antibodies bind molecular targets and can neutralize pathogens or mark them for other defenses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as antibodies in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Antibodies can block viral attachment sites on host-cell receptors. Turn this into a testable question about antibodies. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Antibodies bind molecular targets and can neutralize pathogens or mark them for other defenses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of antibodies, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.04

T Cells

THE CORE SCIENTIFIC IDEA

T cells recognize peptide fragments presented by specialized molecules and coordinate or execute immune functions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cytotoxic T cells can destroy infected cells presenting pathogen peptides. This illustrates t cells within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For t cells, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of t cells should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.04

T Cells - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: T cells recognize peptide fragments presented by specialized molecules and coordinate or execute immune functions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as t cells in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cytotoxic T cells can destroy infected cells presenting pathogen peptides. Turn this into a testable question about t cells. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A T cells recognize peptide fragments presented by specialized molecules and coordinate or execute immune functions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of t cells, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.05

B Cells

THE CORE SCIENTIFIC IDEA

Activated B cells can differentiate into antibody-secreting plasma cells and memory cells.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: B cells become plasma cells after appropriate activation and differentiation. This illustrates b cells within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For b cells, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of b cells should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.05

B Cells - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Activated B cells can differentiate into antibody-secreting plasma cells and memory cells.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as b cells in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: B cells become plasma cells after appropriate activation and differentiation. Turn this into a testable question about b cells. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Activated B cells can differentiate into antibody-secreting plasma cells and memory cells.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of b cells, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.06

Vaccination

THE CORE SCIENTIFIC IDEA

Vaccines train immune responses to recognize particular antigens with a favorable risk-benefit profile.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Vaccines can stimulate protective memory without causing the full target disease. This illustrates vaccination within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For vaccination, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of vaccination should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.06

Vaccination - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Vaccines train immune responses to recognize particular antigens with a favorable risk-benefit profile.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as vaccination in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Vaccines can stimulate protective memory without causing the full target disease. Turn this into a testable question about vaccination. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Vaccines train immune responses to recognize particular antigens with a favorable risk-benefit profile.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of vaccination, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.07

Inflammation

THE CORE SCIENTIFIC IDEA

Inflammation recruits mediators and cells to sites of injury or infection but can harm tissue when dysregulated.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Redness and swelling at an injury reflect local inflammatory mediators. This illustrates inflammation within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For inflammation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of inflammation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.07

Inflammation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Inflammation recruits mediators and cells to sites of injury or infection but can harm tissue when dysregulated.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as inflammation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Redness and swelling at an injury reflect local inflammatory mediators. Turn this into a testable question about inflammation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Inflammation recruits mediators and cells to sites of injury or infection but can harm tissue when dysregulated.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of inflammation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.08

Allergy

THE CORE SCIENTIFIC IDEA

Allergic reactions arise from inappropriate immune responses to ordinarily harmless exposures.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Pollen can trigger IgE-associated allergic responses in sensitized people. This illustrates allergy within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For allergy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of allergy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.08

Allergy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Allergic reactions arise from inappropriate immune responses to ordinarily harmless exposures.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as allergy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Pollen can trigger IgE-associated allergic responses in sensitized people. Turn this into a testable question about allergy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Allergic reactions arise from inappropriate immune responses to ordinarily harmless exposures.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of allergy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.09

Autoimmunity

THE CORE SCIENTIFIC IDEA

Autoimmune disease involves immune responses directed at the body's own tissues or molecules.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Type 1 diabetes commonly involves immune destruction of pancreatic beta cells. This illustrates autoimmunity within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For autoimmunity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of autoimmunity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.09

Autoimmunity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Autoimmune disease involves immune responses directed at the body's own tissues or molecules.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as autoimmunity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Type 1 diabetes commonly involves immune destruction of pancreatic beta cells. Turn this into a testable question about autoimmunity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Autoimmune disease involves immune responses directed at the body's own tissues or molecules.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of autoimmunity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.10

Infectious Disease Transmission

THE CORE SCIENTIFIC IDEA

Transmission depends on pathogen, host, route, timing, environment, and contact structure.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Respiratory viruses can spread through infectious particles emitted by breathing or coughing. This illustrates infectious disease transmission within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For infectious disease transmission, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of infectious disease transmission should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.10

Infectious Disease Transmission - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Transmission depends on pathogen, host, route, timing, environment, and contact structure.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as infectious disease transmission in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Respiratory viruses can spread through infectious particles emitted by breathing or coughing. Turn this into a testable question about infectious disease transmission. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Transmission depends on pathogen, host, route, timing, environment, and contact structure.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of infectious disease transmission, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.11

Epidemiology

THE CORE SCIENTIFIC IDEA

Epidemiology studies patterns, causes, and prevention of health outcomes in populations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An epidemiologist compares incidence patterns across regions and time periods. This illustrates epidemiology within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For epidemiology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of epidemiology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.11

Epidemiology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Epidemiology studies patterns, causes, and prevention of health outcomes in populations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as epidemiology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An epidemiologist compares incidence patterns across regions and time periods. Turn this into a testable question about epidemiology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Epidemiology studies patterns, causes, and prevention of health outcomes in populations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of epidemiology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.12

Incidence and Prevalence

THE CORE SCIENTIFIC IDEA

Incidence measures new occurrences over time; prevalence measures existing cases in a population.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ten new cases among 1,000 people over a year illustrate cumulative incidence. This illustrates incidence and prevalence within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For incidence and prevalence, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

incidence rate = new cases / person-time (one common definition)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.12

Incidence and Prevalence - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Incidence measures new occurrences over time; prevalence measures existing cases in a population.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as incidence and prevalence in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ten new cases among 1,000 people over a year illustrate cumulative incidence. Turn this into a testable question about incidence and prevalence. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: incidence rate = new cases / person-time (one common definition). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Incidence measures new occurrences over time; prevalence measures existing cases in a population.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of incidence and prevalence, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.13

Diagnostic Test Sensitivity

THE CORE SCIENTIFIC IDEA

Sensitivity measures the fraction of genuinely affected individuals who test positive.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A highly sensitive test misses relatively few true cases in its validated population. This illustrates diagnostic test sensitivity within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For diagnostic test sensitivity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

sensitivity = true positives / (true positives + false negatives)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.13

Diagnostic Test Sensitivity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sensitivity measures the fraction of genuinely affected individuals who test positive.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as diagnostic test sensitivity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A highly sensitive test misses relatively few true cases in its validated population. Turn this into a testable question about diagnostic test sensitivity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: sensitivity = true positives / (true positives + false negatives). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sensitivity measures the fraction of genuinely affected individuals who test positive.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of diagnostic test sensitivity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.14

Diagnostic Test Specificity

THE CORE SCIENTIFIC IDEA

Specificity measures the fraction of genuinely unaffected individuals who test negative.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A highly specific test produces relatively few false positives in its validated population. This illustrates diagnostic test specificity within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For diagnostic test specificity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

specificity = true negatives / (true negatives + false positives)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.14

Diagnostic Test Specificity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Specificity measures the fraction of genuinely unaffected individuals who test negative.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as diagnostic test specificity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A highly specific test produces relatively few false positives in its validated population. Turn this into a testable question about diagnostic test specificity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: specificity = true negatives / (true negatives + false positives). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Specificity measures the fraction of genuinely unaffected individuals who test negative.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of diagnostic test specificity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.15

Clinical Trials

THE CORE SCIENTIFIC IDEA

Well-designed trials compare interventions while managing confounding, adherence, harms, and uncertainty.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Random allocation can reduce baseline imbalance between clinical trial groups. This illustrates clinical trials within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For clinical trials, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of clinical trials should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

A statistically detectable average benefit does not automatically justify treatment for every patient.

INVESTIGATION 18.15

Clinical Trials - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Well-designed trials compare interventions while managing confounding, adherence, harms, and uncertainty.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as clinical trials in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Random allocation can reduce baseline imbalance between clinical trial groups. Turn this into a testable question about clinical trials. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Well-designed trials compare interventions while managing confounding, adherence, harms, and uncertainty.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of clinical trials, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.16

Pharmacokinetics

THE CORE SCIENTIFIC IDEA

Pharmacokinetics studies absorption, distribution, metabolism, and elimination of drugs.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Drug absorption and clearance influence concentration over time after a dose. This illustrates pharmacokinetics within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For pharmacokinetics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of pharmacokinetics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.16

Pharmacokinetics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Pharmacokinetics studies absorption, distribution, metabolism, and elimination of drugs.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as pharmacokinetics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Drug absorption and clearance influence concentration over time after a dose. Turn this into a testable question about pharmacokinetics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Pharmacokinetics studies absorption, distribution, metabolism, and elimination of drugs.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of pharmacokinetics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.17

Pharmacodynamics

THE CORE SCIENTIFIC IDEA

Pharmacodynamics examines how exposure to a drug changes biological responses through molecular targets.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A receptor antagonist can block a drug target without activating it. This illustrates pharmacodynamics within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For pharmacodynamics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of pharmacodynamics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.17

Pharmacodynamics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Pharmacodynamics examines how exposure to a drug changes biological responses through molecular targets.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as pharmacodynamics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A receptor antagonist can block a drug target without activating it. Turn this into a testable question about pharmacodynamics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Pharmacodynamics examines how exposure to a drug changes biological responses through molecular targets.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of pharmacodynamics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.18

Cancer Biology

THE CORE SCIENTIFIC IDEA

Cancer involves evolving cell populations with disrupted controls on growth, survival, and tissue interaction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A tumor evolves as cell clones accumulate advantages and evade growth controls. This illustrates cancer biology within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For cancer biology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cancer biology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.18

Cancer Biology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cancer involves evolving cell populations with disrupted controls on growth, survival, and tissue interaction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cancer biology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A tumor evolves as cell clones accumulate advantages and evade growth controls. Turn this into a testable question about cancer biology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cancer involves evolving cell populations with disrupted controls on growth, survival, and tissue interaction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cancer biology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.19

Screening and Prevention

THE CORE SCIENTIFIC IDEA

Screening seeks disease before symptoms, but benefits depend on accurate tests and avoiding overdiagnosis.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Screening can cause harm through false positives and unnecessary follow-up. This illustrates screening and prevention within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For screening and prevention, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of screening and prevention should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.19

Screening and Prevention - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Screening seeks disease before symptoms, but benefits depend on accurate tests and avoiding overdiagnosis.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as screening and prevention in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Screening can cause harm through false positives and unnecessary follow-up. Turn this into a testable question about screening and prevention. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Screening seeks disease before symptoms, but benefits depend on accurate tests and avoiding overdiagnosis.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of screening and prevention, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

CONCEPT 18.20

Evidence Based Medicine

THE CORE SCIENTIFIC IDEA

Clinical decisions integrate the best available research, professional judgment, and patient values.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A treatment recommendation weighs study quality, harms and patient preferences. This illustrates evidence based medicine within mechanisms of defense, disease and evidence-based care. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes cell counts, clinical outcomes, biomarkers and population patterns. Depending on the question, its models may use cell signaling, host-pathogen interactions and clinical causal models. For evidence based medicine, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of evidence based medicine should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider confounding, adverse effects, diagnostic uncertainty and patient diversity. Better evidence can narrow or revise the claim.

INVESTIGATION 18.20

Evidence Based Medicine - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Clinical decisions integrate the best available research, professional judgment, and patient values.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as evidence based medicine in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from cell counts, clinical outcomes, biomarkers and population patterns; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on cell signaling, host-pathogen interactions and clinical causal models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and confounding, adverse effects, diagnostic uncertainty and patient diversity; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A treatment recommendation weighs study quality, harms and patient preferences. Turn this into a testable question about evidence based medicine. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use controlled clinical research, laboratory assays and epidemiology if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Clinical decisions integrate the best available research, professional judgment, and patient values.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of evidence based medicine, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: confounding, adverse effects, diagnostic uncertainty and patient diversity.

FIELD 19 OF 28

Neuroscience and Cognitive Science

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines neural signals, perception, learning and behavior. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include electrical recordings, imaging, sensory reports and behavior. Investigators use electrophysiology, imaging and controlled behavioral tasks. Appropriate models include neuronal circuits, computation, feedback and learning models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include task effects, individual variability and limits of mapping brain activity to experience. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Neurons
02. Resting Membrane Potential
03. Action Potentials
04. Synapses
05. Neurotransmitters
06. Glial Cells
07. Central Nervous System
08. Peripheral Nervous System
09. Autonomic Nervous System
10. Sensory Transduction
11. Vision
12. Hearing
13. Motor Control
14. Learning and Plasticity
15. Memory Systems
16. Attention
17. Consciousness
18. Sleep and Circadian Rhythms
19. Emotion and Motivation
20. Cognitive Biases

CONCEPT 19.01

Neurons

THE CORE SCIENTIFIC IDEA

Neurons generate electrical signals and communicate through specialized connections.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A sensory neuron transmits information from a touch receptor to neural circuits. This illustrates neurons within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For neurons, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of neurons should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.01

Neurons - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neurons generate electrical signals and communicate through specialized connections.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as neurons in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A sensory neuron transmits information from a touch receptor to neural circuits. Turn this into a testable question about neurons. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neurons generate electrical signals and communicate through specialized connections.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of neurons, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.02

Resting Membrane Potential

THE CORE SCIENTIFIC IDEA

Unequal ion concentrations and selective permeability produce electrical gradients across neuronal membranes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ion pumps and selective channels maintain voltage differences across neuron membranes. This illustrates resting membrane potential within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For resting membrane potential, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of resting membrane potential should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.02

Resting Membrane Potential - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Unequal ion concentrations and selective permeability produce electrical gradients across neuronal membranes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as resting membrane potential in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ion pumps and selective channels maintain voltage differences across neuron membranes. Turn this into a testable question about resting membrane potential. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Unequal ion concentrations and selective permeability produce electrical gradients across neuronal membranes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of resting membrane potential, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.03

Action Potentials

THE CORE SCIENTIFIC IDEA

Voltage-gated ion channels generate regenerative electrical spikes in excitable membranes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A threshold stimulus can trigger an all-or-none nerve action potential. This illustrates action potentials within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For action potentials, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of action potentials should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.03

Action Potentials - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Voltage-gated ion channels generate regenerative electrical spikes in excitable membranes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as action potentials in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A threshold stimulus can trigger an all-or-none nerve action potential. Turn this into a testable question about action potentials. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Voltage-gated ion channels generate regenerative electrical spikes in excitable membranes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of action potentials, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.04

Synapses

THE CORE SCIENTIFIC IDEA

Synapses transfer signals using chemical neurotransmitters or direct electrical coupling.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Neurotransmitter released at a synapse binds receptors on a downstream cell. This illustrates synapses within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For synapses, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of synapses should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.04

Synapses - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Synapses transfer signals using chemical neurotransmitters or direct electrical coupling.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as synapses in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Neurotransmitter released at a synapse binds receptors on a downstream cell. Turn this into a testable question about synapses. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Synapses transfer signals using chemical neurotransmitters or direct electrical coupling.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of synapses, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.05

Neurotransmitters

THE CORE SCIENTIFIC IDEA

Neurotransmitters alter target-cell signaling through receptor-specific molecular mechanisms.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: GABA typically produces inhibitory signaling through specific receptor subtypes. This illustrates neurotransmitters within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For neurotransmitters, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of neurotransmitters should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.05

Neurotransmitters - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neurotransmitters alter target-cell signaling through receptor-specific molecular mechanisms.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as neurotransmitters in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: GABA typically produces inhibitory signaling through specific receptor subtypes. Turn this into a testable question about neurotransmitters. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neurotransmitters alter target-cell signaling through receptor-specific molecular mechanisms.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of neurotransmitters, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.06

Glial Cells

THE CORE SCIENTIFIC IDEA

Glia support metabolism, myelination, immune surveillance, and neural circuit function.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Oligodendrocytes form myelin sheaths around many central nervous system axons. This illustrates glial cells within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For glial cells, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of glial cells should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.06

Glial Cells - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Glia support metabolism, myelination, immune surveillance, and neural circuit function.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as glial cells in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Oligodendrocytes form myelin sheaths around many central nervous system axons. Turn this into a testable question about glial cells. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Glia support metabolism, myelination, immune surveillance, and neural circuit function.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of glial cells, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.07

Central Nervous System

THE CORE SCIENTIFIC IDEA

The brain and spinal cord integrate sensory inputs, motor control, and complex cognition.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The brainstem regulates vital functions and links brain regions to spinal pathways. This illustrates central nervous system within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For central nervous system, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of central nervous system should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.07

Central Nervous System - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The brain and spinal cord integrate sensory inputs, motor control, and complex cognition.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as central nervous system in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The brainstem regulates vital functions and links brain regions to spinal pathways. Turn this into a testable question about central nervous system. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The brain and spinal cord integrate sensory inputs, motor control, and complex cognition.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of central nervous system, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.08

Peripheral Nervous System

THE CORE SCIENTIFIC IDEA

Peripheral nerves connect central circuits to sensory receptors, muscles, and organs.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Peripheral nerves carry sensory and motor information between body and spinal cord. This illustrates peripheral nervous system within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For peripheral nervous system, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of peripheral nervous system should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.08

Peripheral Nervous System - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Peripheral nerves connect central circuits to sensory receptors, muscles, and organs.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as peripheral nervous system in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Peripheral nerves carry sensory and motor information between body and spinal cord. Turn this into a testable question about peripheral nervous system. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Peripheral nerves connect central circuits to sensory receptors, muscles, and organs.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of peripheral nervous system, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.09

Autonomic Nervous System

THE CORE SCIENTIFIC IDEA

Autonomic pathways regulate involuntary functions such as heart rate and digestion.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Autonomic pathways alter heart rate and digestive activity without conscious control. This illustrates autonomic nervous system within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For autonomic nervous system, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of autonomic nervous system should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.09

Autonomic Nervous System - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Autonomic pathways regulate involuntary functions such as heart rate and digestion.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as autonomic nervous system in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Autonomic pathways alter heart rate and digestive activity without conscious control. Turn this into a testable question about autonomic nervous system. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Autonomic pathways regulate involuntary functions such as heart rate and digestion.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of autonomic nervous system, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.10

Sensory Transduction

THE CORE SCIENTIFIC IDEA

Sensory cells convert physical or chemical stimuli into electrical signals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Photoreceptors convert light-dependent molecular changes into neural signals. This illustrates sensory transduction within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For sensory transduction, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sensory transduction should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.10

Sensory Transduction - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sensory cells convert physical or chemical stimuli into electrical signals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sensory transduction in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Photoreceptors convert light-dependent molecular changes into neural signals. Turn this into a testable question about sensory transduction. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sensory cells convert physical or chemical stimuli into electrical signals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sensory transduction, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.11

Vision

THE CORE SCIENTIFIC IDEA

Retinal photoreceptors detect photons and neural circuits extract features before cortical processing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cones support color vision while rods are especially sensitive at low illumination. This illustrates vision within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For vision, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of vision should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.11

Vision - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Retinal photoreceptors detect photons and neural circuits extract features before cortical processing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as vision in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cones support color vision while rods are especially sensitive at low illumination. Turn this into a testable question about vision. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Retinal photoreceptors detect photons and neural circuits extract features before cortical processing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of vision, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.12

Hearing

THE CORE SCIENTIFIC IDEA

Hair cells in the cochlea convert mechanical vibrations into neural signals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cochlear hair cells bend with vibrations and change neurotransmitter release. This illustrates hearing within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For hearing, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hearing should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.12

Hearing - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hair cells in the cochlea convert mechanical vibrations into neural signals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hearing in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cochlear hair cells bend with vibrations and change neurotransmitter release. Turn this into a testable question about hearing. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hair cells in the cochlea convert mechanical vibrations into neural signals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hearing, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.13

Motor Control

THE CORE SCIENTIFIC IDEA

Motor control integrates planning, feedback, spinal circuits, and muscle activation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cerebellar circuits help calibrate timing and coordination of movements. This illustrates motor control within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For motor control, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of motor control should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.13

Motor Control - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Motor control integrates planning, feedback, spinal circuits, and muscle activation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as motor control in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cerebellar circuits help calibrate timing and coordination of movements. Turn this into a testable question about motor control. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Motor control integrates planning, feedback, spinal circuits, and muscle activation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of motor control, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.14

Learning and Plasticity

THE CORE SCIENTIFIC IDEA

Experience can alter synaptic strength, circuit connectivity, and behavioral responses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Repeated practice can strengthen or weaken certain synaptic pathways. This illustrates learning and plasticity within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For learning and plasticity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of learning and plasticity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.14

Learning and Plasticity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Experience can alter synaptic strength, circuit connectivity, and behavioral responses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as learning and plasticity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Repeated practice can strengthen or weaken certain synaptic pathways. Turn this into a testable question about learning and plasticity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Experience can alter synaptic strength, circuit connectivity, and behavioral responses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of learning and plasticity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.15

Memory Systems

THE CORE SCIENTIFIC IDEA

Different brain networks contribute to working, episodic, procedural, and semantic memory.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Hippocampal damage can impair formation of new episodic memories. This illustrates memory systems within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For memory systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of memory systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.15

Memory Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Different brain networks contribute to working, episodic, procedural, and semantic memory.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as memory systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Hippocampal damage can impair formation of new episodic memories. Turn this into a testable question about memory systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Different brain networks contribute to working, episodic, procedural, and semantic memory.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of memory systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.16

Attention

THE CORE SCIENTIFIC IDEA

Attention selects and prioritizes information under limited processing capacity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A distracting visual stimulus can redirect attention away from a task. This illustrates attention within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For attention, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of attention should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.16

Attention - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Attention selects and prioritizes information under limited processing capacity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as attention in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A distracting visual stimulus can redirect attention away from a task. Turn this into a testable question about attention. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Attention selects and prioritizes information under limited processing capacity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of attention, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.17

Consciousness

THE CORE SCIENTIFIC IDEA

Conscious experience is studied through neural correlates, behavior, and competing mechanistic theories.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Scientists compare brain activity and conscious reports without assuming exact identity. This illustrates consciousness within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For consciousness, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of consciousness should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

There is no single universally accepted mechanistic account of subjective experience.

INVESTIGATION 19.17

Consciousness - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Conscious experience is studied through neural correlates, behavior, and competing mechanistic theories.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as consciousness in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Scientists compare brain activity and conscious reports without assuming exact identity. Turn this into a testable question about consciousness. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Conscious experience is studied through neural correlates, behavior, and competing mechanistic theories.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of consciousness, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.18

Sleep and Circadian Rhythms

THE CORE SCIENTIFIC IDEA

Sleep states and internal clocks coordinate physiology, alertness, and memory-related processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Light exposure influences circadian timing through retinal signals to the brain. This illustrates sleep and circadian rhythms within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For sleep and circadian rhythms, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sleep and circadian rhythms should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.18

Sleep and Circadian Rhythms - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sleep states and internal clocks coordinate physiology, alertness, and memory-related processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sleep and circadian rhythms in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Light exposure influences circadian timing through retinal signals to the brain. Turn this into a testable question about sleep and circadian rhythms. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sleep states and internal clocks coordinate physiology, alertness, and memory-related processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sleep and circadian rhythms, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.19

Emotion and Motivation

THE CORE SCIENTIFIC IDEA

Distributed neural circuits combine bodily signals, valuation, learning, and social context.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Reward prediction errors influence learning in some dopamine-related circuits. This illustrates emotion and motivation within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For emotion and motivation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of emotion and motivation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.19

Emotion and Motivation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Distributed neural circuits combine bodily signals, valuation, learning, and social context.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as emotion and motivation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Reward prediction errors influence learning in some dopamine-related circuits. Turn this into a testable question about emotion and motivation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Distributed neural circuits combine bodily signals, valuation, learning, and social context.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of emotion and motivation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

CONCEPT 19.20

Cognitive Biases

THE CORE SCIENTIFIC IDEA

Human judgment can systematically deviate from normative reasoning under particular tasks and contexts.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: People often overweigh vivid recent examples when estimating rare-event risk. This illustrates cognitive biases within neural signals, perception, learning and behavior. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes electrical recordings, imaging, sensory reports and behavior. Depending on the question, its models may use neuronal circuits, computation, feedback and learning models. For cognitive biases, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cognitive biases should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider task effects, individual variability and limits of mapping brain activity to experience. Better evidence can narrow or revise the claim.

INVESTIGATION 19.20

Cognitive Biases - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Human judgment can systematically deviate from normative reasoning under particular tasks and contexts.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cognitive biases in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from electrical recordings, imaging, sensory reports and behavior; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on neuronal circuits, computation, feedback and learning models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and task effects, individual variability and limits of mapping brain activity to experience; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: People often overweigh vivid recent examples when estimating rare-event risk. Turn this into a testable question about cognitive biases. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use electrophysiology, imaging and controlled behavioral tasks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Human judgment can systematically deviate from normative reasoning under particular tasks and contexts.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cognitive biases, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: task effects, individual variability and limits of mapping brain activity to experience.

FIELD 20 OF 28

Ecology and Conservation Biology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines interactions among organisms and their environments. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include population counts, habitat patterns, fluxes and long-term field records. Investigators use field surveys, telemetry, controlled plots and ecosystem monitoring. Appropriate models include food webs, demographic models and biogeochemical budgets. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include seasonality, spatial variation, delayed feedback and human disturbance. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Levels of Ecological Organization
02. Population Growth
03. Carrying Capacity
04. Predator Prey Dynamics
05. Competition
06. Mutualism
07. Parasitism
08. Food Chains
09. Food Webs
10. Primary Production
11. Trophic Efficiency
12. Carbon Cycle
13. Nitrogen Cycle
14. Phosphorus Cycle
15. Ecological Succession
16. Biomes
17. Biodiversity Measurement
18. Habitat Fragmentation
19. Invasive Species
20. Conservation Planning

CONCEPT 20.01

Levels of Ecological Organization

THE CORE SCIENTIFIC IDEA

Ecologists study organisms, populations, communities, ecosystems, and the biosphere at different scales.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A wetland can be studied as organisms, populations, community and ecosystem. This illustrates levels of ecological organization within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For levels of ecological organization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of levels of ecological organization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.01

Levels of Ecological Organization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ecologists study organisms, populations, communities, ecosystems, and the biosphere at different scales.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as levels of ecological organization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A wetland can be studied as organisms, populations, community and ecosystem. Turn this into a testable question about levels of ecological organization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ecologists study organisms, populations, communities, ecosystems, and the biosphere at different scales.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of levels of ecological organization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.02

Population Growth

THE CORE SCIENTIFIC IDEA

Populations change with births, deaths, immigration, and emigration under limiting conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A deer population changes with births, deaths and movement between habitats. This illustrates population growth within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For population growth, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

population change = births - deaths + immigration - emigration

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.02

Population Growth - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Populations change with births, deaths, immigration, and emigration under limiting conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as population growth in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A deer population changes with births, deaths and movement between habitats. Turn this into a testable question about population growth. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: population change = births - deaths + immigration - emigration. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Populations change with births, deaths, immigration, and emigration under limiting conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of population growth, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.03

Carrying Capacity

THE CORE SCIENTIFIC IDEA

Carrying capacity represents a context-dependent population size sustainable by available resources.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A lake may support fewer fish when nutrients or oxygen become limiting. This illustrates carrying capacity within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For carrying capacity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of carrying capacity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.03

Carrying Capacity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Carrying capacity represents a context-dependent population size sustainable by available resources.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as carrying capacity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A lake may support fewer fish when nutrients or oxygen become limiting. Turn this into a testable question about carrying capacity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Carrying capacity represents a context-dependent population size sustainable by available resources.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of carrying capacity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.04

Predator Prey Dynamics

THE CORE SCIENTIFIC IDEA

Predation can influence population cycles, prey defenses, and food-web stability.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Wolves and elk can influence each other's numbers and grazing behavior. This illustrates predator prey dynamics within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For predator prey dynamics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of predator prey dynamics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.04

Predator Prey Dynamics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Predation can influence population cycles, prey defenses, and food-web stability.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as predator prey dynamics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Wolves and elk can influence each other's numbers and grazing behavior. Turn this into a testable question about predator prey dynamics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Predation can influence population cycles, prey defenses, and food-web stability.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of predator prey dynamics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.05

Competition

THE CORE SCIENTIFIC IDEA

Organisms compete when shared limiting resources reduce growth, survival, or reproduction.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Neighboring trees compete for limited sunlight and soil moisture. This illustrates competition within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For competition, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of competition should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.05

Competition - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Organisms compete when shared limiting resources reduce growth, survival, or reproduction.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as competition in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Neighboring trees compete for limited sunlight and soil moisture. Turn this into a testable question about competition. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Organisms compete when shared limiting resources reduce growth, survival, or reproduction.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of competition, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.06

Mutualism

THE CORE SCIENTIFIC IDEA

Mutualistic interactions provide net benefits to both participating species under given conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Bees gain nectar while flowering plants may receive pollination services. This illustrates mutualism within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For mutualism, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mutualism should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.06

Mutualism - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mutualistic interactions provide net benefits to both participating species under given conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mutualism in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Bees gain nectar while flowering plants may receive pollination services. Turn this into a testable question about mutualism. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mutualistic interactions provide net benefits to both participating species under given conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mutualism, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.07

Parasitism

THE CORE SCIENTIFIC IDEA

Parasites use host resources and can alter host health, reproduction, and ecological networks.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ticks obtain blood meals from hosts and can transmit disease agents. This illustrates parasitism within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For parasitism, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of parasitism should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.07

Parasitism - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Parasites use host resources and can alter host health, reproduction, and ecological networks.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as parasitism in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ticks obtain blood meals from hosts and can transmit disease agents. Turn this into a testable question about parasitism. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Parasites use host resources and can alter host health, reproduction, and ecological networks.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of parasitism, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.08

Food Chains

THE CORE SCIENTIFIC IDEA

Food chains summarize directional transfers of energy through feeding relationships.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Grass stores solar energy that is transferred to herbivores and predators. This illustrates food chains within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For food chains, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of food chains should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.08

Food Chains - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Food chains summarize directional transfers of energy through feeding relationships.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as food chains in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Grass stores solar energy that is transferred to herbivores and predators. Turn this into a testable question about food chains. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Food chains summarize directional transfers of energy through feeding relationships.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of food chains, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.09

Food Webs

THE CORE SCIENTIFIC IDEA

Food webs integrate multiple feeding connections and reveal indirect ecological effects.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An estuary food web links algae, small fish, large fish and birds. This illustrates food webs within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For food webs, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of food webs should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.09

Food Webs - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Food webs integrate multiple feeding connections and reveal indirect ecological effects.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as food webs in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An estuary food web links algae, small fish, large fish and birds. Turn this into a testable question about food webs. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Food webs integrate multiple feeding connections and reveal indirect ecological effects.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of food webs, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.10

Primary Production

THE CORE SCIENTIFIC IDEA

Autotrophs capture energy to build organic molecules that support many ecosystems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Phytoplankton fix carbon using sunlight in the ocean's illuminated zone. This illustrates primary production within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For primary production, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of primary production should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.10

Primary Production - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Autotrophs capture energy to build organic molecules that support many ecosystems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as primary production in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Phytoplankton fix carbon using sunlight in the ocean's illuminated zone. Turn this into a testable question about primary production. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Autotrophs capture energy to build organic molecules that support many ecosystems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of primary production, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.11

Trophic Efficiency

THE CORE SCIENTIFIC IDEA

Only a fraction of energy consumed at one trophic level becomes biomass at the next.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Energy available often declines sharply across successive food-web levels. This illustrates trophic efficiency within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For trophic efficiency, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

transfer efficiency = next-level production / prior-level production

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.11

Trophic Efficiency - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Only a fraction of energy consumed at one trophic level becomes biomass at the next.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as trophic efficiency in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Energy available often declines sharply across successive food-web levels. Turn this into a testable question about trophic efficiency. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: transfer efficiency = next-level production / prior-level production. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Only a fraction of energy consumed at one trophic level becomes biomass at the next.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of trophic efficiency, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.12

Carbon Cycle

THE CORE SCIENTIFIC IDEA

Carbon moves among air, water, organisms, soils, sediments, and rocks through coupled processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Forests store carbon in biomass, soils and exchanges with the atmosphere. This illustrates carbon cycle within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For carbon cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of carbon cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.12

Carbon Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Carbon moves among air, water, organisms, soils, sediments, and rocks through coupled processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as carbon cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Forests store carbon in biomass, soils and exchanges with the atmosphere. Turn this into a testable question about carbon cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Carbon moves among air, water, organisms, soils, sediments, and rocks through coupled processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of carbon cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.13

Nitrogen Cycle

THE CORE SCIENTIFIC IDEA

Microbes and other processes move nitrogen among atmospheric, organic, and inorganic forms.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Microbes convert ammonium to nitrate during nitrification under suitable conditions. This illustrates nitrogen cycle within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For nitrogen cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nitrogen cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.13

Nitrogen Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Microbes and other processes move nitrogen among atmospheric, organic, and inorganic forms.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nitrogen cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Microbes convert ammonium to nitrate during nitrification under suitable conditions. Turn this into a testable question about nitrogen cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Microbes and other processes move nitrogen among atmospheric, organic, and inorganic forms.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nitrogen cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.14

Phosphorus Cycle

THE CORE SCIENTIFIC IDEA

Phosphorus cycles through minerals, soils, water, and organisms without a major atmospheric gas phase.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Phosphate runoff can contribute to eutrophication of freshwater ecosystems. This illustrates phosphorus cycle within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For phosphorus cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of phosphorus cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.14

Phosphorus Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Phosphorus cycles through minerals, soils, water, and organisms without a major atmospheric gas phase.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as phosphorus cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Phosphate runoff can contribute to eutrophication of freshwater ecosystems. Turn this into a testable question about phosphorus cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Phosphorus cycles through minerals, soils, water, and organisms without a major atmospheric gas phase.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of phosphorus cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.15

Ecological Succession

THE CORE SCIENTIFIC IDEA

Communities change over time after disturbance or the creation of new substrates.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A burned forest may regenerate through stages of changing plant communities. This illustrates ecological succession within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For ecological succession, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ecological succession should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.15

Ecological Succession - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Communities change over time after disturbance or the creation of new substrates.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ecological succession in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A burned forest may regenerate through stages of changing plant communities. Turn this into a testable question about ecological succession. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Communities change over time after disturbance or the creation of new substrates.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ecological succession, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.16

Biomes

THE CORE SCIENTIFIC IDEA

Biomes classify broad ecological patterns associated with climate, vegetation, and geography.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Tundra vegetation differs from tropical rainforest because of climate conditions. This illustrates biomes within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For biomes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of biomes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.16

Biomes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Biomes classify broad ecological patterns associated with climate, vegetation, and geography.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as biomes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Tundra vegetation differs from tropical rainforest because of climate conditions. Turn this into a testable question about biomes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Biomes classify broad ecological patterns associated with climate, vegetation, and geography.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of biomes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.17

Biodiversity Measurement

THE CORE SCIENTIFIC IDEA

Species richness, evenness, and functional diversity describe different components of diversity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Two communities can have equal species richness but different evenness. This illustrates biodiversity measurement within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For biodiversity measurement, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of biodiversity measurement should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.17

Biodiversity Measurement - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Species richness, evenness, and functional diversity describe different components of diversity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as biodiversity measurement in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Two communities can have equal species richness but different evenness. Turn this into a testable question about biodiversity measurement. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Species richness, evenness, and functional diversity describe different components of diversity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of biodiversity measurement, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.18

Habitat Fragmentation

THE CORE SCIENTIFIC IDEA

Habitat fragmentation changes connectivity, edge exposure, and opportunities for movement.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Roads may isolate habitat patches and increase edge exposure. This illustrates habitat fragmentation within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For habitat fragmentation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of habitat fragmentation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.18

Habitat Fragmentation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Habitat fragmentation changes connectivity, edge exposure, and opportunities for movement.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as habitat fragmentation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Roads may isolate habitat patches and increase edge exposure. Turn this into a testable question about habitat fragmentation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Habitat fragmentation changes connectivity, edge exposure, and opportunities for movement.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of habitat fragmentation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.19

Invasive Species

THE CORE SCIENTIFIC IDEA

Introduced organisms sometimes spread rapidly and disrupt local interactions and ecosystem functions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An introduced predator can sharply reduce native prey populations. This illustrates invasive species within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For invasive species, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of invasive species should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.19

Invasive Species - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Introduced organisms sometimes spread rapidly and disrupt local interactions and ecosystem functions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as invasive species in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An introduced predator can sharply reduce native prey populations. Turn this into a testable question about invasive species. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Introduced organisms sometimes spread rapidly and disrupt local interactions and ecosystem functions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of invasive species, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

CONCEPT 20.20

Conservation Planning

THE CORE SCIENTIFIC IDEA

Conservation priorities combine ecological evidence, uncertainty, landscape connectivity, and social constraints.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Wildlife corridors can reconnect some populations divided by development. This illustrates conservation planning within interactions among organisms and their environments. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes population counts, habitat patterns, fluxes and long-term field records. Depending on the question, its models may use food webs, demographic models and biogeochemical budgets. For conservation planning, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of conservation planning should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider seasonality, spatial variation, delayed feedback and human disturbance. Better evidence can narrow or revise the claim.

INVESTIGATION 20.20

Conservation Planning - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Conservation priorities combine ecological evidence, uncertainty, landscape connectivity, and social constraints.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as conservation planning in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from population counts, habitat patterns, fluxes and long-term field records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on food webs, demographic models and biogeochemical budgets should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and seasonality, spatial variation, delayed feedback and human disturbance; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Wildlife corridors can reconnect some populations divided by development. Turn this into a testable question about conservation planning. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field surveys, telemetry, controlled plots and ecosystem monitoring if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Conservation priorities combine ecological evidence, uncertainty, landscape connectivity, and social constraints.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of conservation planning, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: seasonality, spatial variation, delayed feedback and human disturbance.

FIELD 21 OF 28

Geology and the Solid Earth

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines Earth materials, deep time and tectonic change. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include rock layers, seismic records, mineral chemistry and landscape structure. Investigators use field mapping, seismology, geochemistry and radiometric dating. Appropriate models include plate motions, geologic cross sections, geochronology and rock cycles. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include incomplete records, dating uncertainty, overprinting and inaccessible depths. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Earth Interior
02. Plate Tectonics
03. Continental Drift
04. Sea Floor Spreading
05. Subduction Zones
06. Faults and Earthquakes
07. Seismic Waves
08. Volcanoes
09. Igneous Rocks
10. Sedimentary Rocks
11. Metamorphic Rocks
12. Rock Cycle
13. Minerals
14. Geologic Time
15. Fossilization
16. Stratigraphy
17. Weathering
18. Erosion and Deposition
19. Mountain Building
20. Geologic Hazards

CONCEPT 21.01

Earth Interior

THE CORE SCIENTIFIC IDEA

Earth has a crust, mantle, liquid outer core, and solid inner core inferred from multiple measurements.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Seismic-wave transmission differs through Earth's mantle and liquid outer core. This illustrates earth interior within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For earth interior, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of earth interior should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.01

Earth Interior - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Earth has a crust, mantle, liquid outer core, and solid inner core inferred from multiple measurements.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as earth interior in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Seismic-wave transmission differs through Earth's mantle and liquid outer core. Turn this into a testable question about earth interior. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Earth has a crust, mantle, liquid outer core, and solid inner core inferred from multiple measurements.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of earth interior, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.02

Plate Tectonics

THE CORE SCIENTIFIC IDEA

Lithospheric plates move relative to each other, reshaping ocean basins, continents, and mountain belts.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Pacific Plate moves relative to adjacent plates around the Pacific basin. This illustrates plate tectonics within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For plate tectonics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of plate tectonics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.02

Plate Tectonics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Lithospheric plates move relative to each other, reshaping ocean basins, continents, and mountain belts.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as plate tectonics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Pacific Plate moves relative to adjacent plates around the Pacific basin. Turn this into a testable question about plate tectonics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Lithospheric plates move relative to each other, reshaping ocean basins, continents, and mountain belts.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of plate tectonics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.03

Continental Drift

THE CORE SCIENTIFIC IDEA

Matching geological patterns and later geophysical evidence support past continental movement.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Matching fossil and rock patterns across continents helped motivate continental drift. This illustrates continental drift within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For continental drift, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of continental drift should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.03

Continental Drift - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Matching geological patterns and later geophysical evidence support past continental movement.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as continental drift in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Matching fossil and rock patterns across continents helped motivate continental drift. Turn this into a testable question about continental drift. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Matching geological patterns and later geophysical evidence support past continental movement.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of continental drift, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.04

Sea Floor Spreading

THE CORE SCIENTIFIC IDEA

New oceanic crust forms near ridges and records changes in magnetic polarity.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Basalt forms at mid-ocean ridges and moves outward with oceanic plates. This illustrates sea floor spreading within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For sea floor spreading, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sea floor spreading should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.04

Sea Floor Spreading - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: New oceanic crust forms near ridges and records changes in magnetic polarity.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sea floor spreading in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Basalt forms at mid-ocean ridges and moves outward with oceanic plates. Turn this into a testable question about sea floor spreading. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A New oceanic crust forms near ridges and records changes in magnetic polarity.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sea floor spreading, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.05

Subduction Zones

THE CORE SCIENTIFIC IDEA

Dense lithosphere descends into the mantle at convergent plate boundaries.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Oceanic lithosphere sinks beneath continents at some convergent margins. This illustrates subduction zones within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For subduction zones, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of subduction zones should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.05

Subduction Zones - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Dense lithosphere descends into the mantle at convergent plate boundaries.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as subduction zones in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Oceanic lithosphere sinks beneath continents at some convergent margins. Turn this into a testable question about subduction zones. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Dense lithosphere descends into the mantle at convergent plate boundaries.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of subduction zones, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.06

Faults and Earthquakes

THE CORE SCIENTIFIC IDEA

Sudden slip on faults releases elastic strain energy and produces seismic waves.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A sudden rupture on a fault radiates energy detected by seismic instruments. This illustrates faults and earthquakes within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For faults and earthquakes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of faults and earthquakes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.06

Faults and Earthquakes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sudden slip on faults releases elastic strain energy and produces seismic waves.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as faults and earthquakes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A sudden rupture on a fault radiates energy detected by seismic instruments. Turn this into a testable question about faults and earthquakes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sudden slip on faults releases elastic strain energy and produces seismic waves.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of faults and earthquakes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.07

Seismic Waves

THE CORE SCIENTIFIC IDEA

Primary and secondary seismic waves reveal interior materials and source characteristics.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: S waves do not travel through Earth's liquid outer core as bulk shear waves. This illustrates seismic waves within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For seismic waves, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of seismic waves should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.07

Seismic Waves - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Primary and secondary seismic waves reveal interior materials and source characteristics.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as seismic waves in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: S waves do not travel through Earth's liquid outer core as bulk shear waves. Turn this into a testable question about seismic waves. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Primary and secondary seismic waves reveal interior materials and source characteristics.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of seismic waves, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.08

Volcanoes

THE CORE SCIENTIFIC IDEA

Volcanism occurs where magma reaches the surface through tectonic or mantle processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Volcanic eruptions can build layered cones from lava and fragmented material. This illustrates volcanoes within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For volcanoes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of volcanoes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.08

Volcanoes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Volcanism occurs where magma reaches the surface through tectonic or mantle processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as volcanoes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Volcanic eruptions can build layered cones from lava and fragmented material. Turn this into a testable question about volcanoes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Volcanism occurs where magma reaches the surface through tectonic or mantle processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of volcanoes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.09

Igneous Rocks

THE CORE SCIENTIFIC IDEA

Igneous rocks crystallize from molten material under different cooling conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Basalt cools from molten rock and often has fine crystals. This illustrates igneous rocks within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For igneous rocks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of igneous rocks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.09

Igneous Rocks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Igneous rocks crystallize from molten material under different cooling conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as igneous rocks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Basalt cools from molten rock and often has fine crystals. Turn this into a testable question about igneous rocks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Igneous rocks crystallize from molten material under different cooling conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of igneous rocks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.10

Sedimentary Rocks

THE CORE SCIENTIFIC IDEA

Sedimentary rocks form through deposition, burial, and lithification of sediments or chemical precipitates.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sandstone forms as sand grains are compacted and cemented. This illustrates sedimentary rocks within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For sedimentary rocks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sedimentary rocks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.10

Sedimentary Rocks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sedimentary rocks form through deposition, burial, and lithification of sediments or chemical precipitates.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sedimentary rocks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sandstone forms as sand grains are compacted and cemented. Turn this into a testable question about sedimentary rocks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sedimentary rocks form through deposition, burial, and lithification of sediments or chemical precipitates.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sedimentary rocks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.11

Metamorphic Rocks

THE CORE SCIENTIFIC IDEA

Metamorphism changes minerals and textures under altered temperature, pressure, and fluid conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Limestone exposed to heat and pressure can transform into marble. This illustrates metamorphic rocks within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For metamorphic rocks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of metamorphic rocks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.11

Metamorphic Rocks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Metamorphism changes minerals and textures under altered temperature, pressure, and fluid conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as metamorphic rocks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Limestone exposed to heat and pressure can transform into marble. Turn this into a testable question about metamorphic rocks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Metamorphism changes minerals and textures under altered temperature, pressure, and fluid conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of metamorphic rocks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.12

Rock Cycle

THE CORE SCIENTIFIC IDEA

Rocks transform among igneous, sedimentary, and metamorphic states through Earth processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A granite body can weather into sediment that eventually forms sedimentary rock. This illustrates rock cycle within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For rock cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of rock cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.12

Rock Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Rocks transform among igneous, sedimentary, and metamorphic states through Earth processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as rock cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A granite body can weather into sediment that eventually forms sedimentary rock. Turn this into a testable question about rock cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Rocks transform among igneous, sedimentary, and metamorphic states through Earth processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of rock cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.13

Minerals

THE CORE SCIENTIFIC IDEA

Minerals are naturally occurring solids with characteristic compositions and ordered atomic structures.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Quartz has a characteristic crystalline structure built from silicon and oxygen. This illustrates minerals within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For minerals, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of minerals should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.13

Minerals - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Minerals are naturally occurring solids with characteristic compositions and ordered atomic structures.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as minerals in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Quartz has a characteristic crystalline structure built from silicon and oxygen. Turn this into a testable question about minerals. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Minerals are naturally occurring solids with characteristic compositions and ordered atomic structures.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of minerals, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.14

Geologic Time

THE CORE SCIENTIFIC IDEA

Relative dating and radiometric chronometers reconstruct sequences and durations of Earth's history.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Uranium-lead systems can date suitable ancient mineral crystals. This illustrates geologic time within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For geologic time, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of geologic time should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.14

Geologic Time - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Relative dating and radiometric chronometers reconstruct sequences and durations of Earth's history.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as geologic time in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Uranium-lead systems can date suitable ancient mineral crystals. Turn this into a testable question about geologic time. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Relative dating and radiometric chronometers reconstruct sequences and durations of Earth's history.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of geologic time, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.15

Fossilization

THE CORE SCIENTIFIC IDEA

Exceptional preservation and sedimentary context allow biological remains or traces to enter the rock record.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Buried shells can preserve fossils within sedimentary layers. This illustrates fossilization within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For fossilization, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of fossilization should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.15

Fossilization - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Exceptional preservation and sedimentary context allow biological remains or traces to enter the rock record.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as fossilization in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Buried shells can preserve fossils within sedimentary layers. Turn this into a testable question about fossilization. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Exceptional preservation and sedimentary context allow biological remains or traces to enter the rock record.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of fossilization, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.16

Stratigraphy

THE CORE SCIENTIFIC IDEA

Stratigraphy studies layered materials and their spatial and temporal relationships.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Older sedimentary beds commonly underlie younger undisturbed beds. This illustrates stratigraphy within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For stratigraphy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of stratigraphy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.16

Stratigraphy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Stratigraphy studies layered materials and their spatial and temporal relationships.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as stratigraphy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Older sedimentary beds commonly underlie younger undisturbed beds. Turn this into a testable question about stratigraphy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Stratigraphy studies layered materials and their spatial and temporal relationships.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of stratigraphy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.17

Weathering

THE CORE SCIENTIFIC IDEA

Chemical and physical weathering transform rock near Earth's surface.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rainwater reacts with feldspar minerals and can form clay products. This illustrates weathering within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For weathering, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of weathering should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.17

Weathering - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Chemical and physical weathering transform rock near Earth's surface.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as weathering in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rainwater reacts with feldspar minerals and can form clay products. Turn this into a testable question about weathering. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Chemical and physical weathering transform rock near Earth's surface.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of weathering, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.18

Erosion and Deposition

THE CORE SCIENTIFIC IDEA

Water, wind, ice, and gravity move sediment and shape landscapes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A river carries suspended sediment and deposits it as flow slows. This illustrates erosion and deposition within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For erosion and deposition, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of erosion and deposition should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.18

Erosion and Deposition - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Water, wind, ice, and gravity move sediment and shape landscapes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as erosion and deposition in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A river carries suspended sediment and deposits it as flow slows. Turn this into a testable question about erosion and deposition. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Water, wind, ice, and gravity move sediment and shape landscapes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of erosion and deposition, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.19

Mountain Building

THE CORE SCIENTIFIC IDEA

Orogeny includes deformation, thickening, uplift, and erosion near tectonic boundaries.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Collision of continental plates can thicken crust and build high mountains. This illustrates mountain building within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For mountain building, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mountain building should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.19

Mountain Building - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Orogeny includes deformation, thickening, uplift, and erosion near tectonic boundaries.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mountain building in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Collision of continental plates can thicken crust and build high mountains. Turn this into a testable question about mountain building. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Orogeny includes deformation, thickening, uplift, and erosion near tectonic boundaries.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mountain building, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

CONCEPT 21.20

Geologic Hazards

THE CORE SCIENTIFIC IDEA

Hazard assessment combines event probability, exposure, vulnerability, and uncertainty.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A volcanic hazard map combines event history, terrain and expected exposure. This illustrates geologic hazards within Earth materials, deep time and tectonic change. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes rock layers, seismic records, mineral chemistry and landscape structure. Depending on the question, its models may use plate motions, geologic cross sections, geochronology and rock cycles. For geologic hazards, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of geologic hazards should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider incomplete records, dating uncertainty, overprinting and inaccessible depths. Better evidence can narrow or revise the claim.

INVESTIGATION 21.20

Geologic Hazards - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hazard assessment combines event probability, exposure, vulnerability, and uncertainty.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as geologic hazards in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from rock layers, seismic records, mineral chemistry and landscape structure; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on plate motions, geologic cross sections, geochronology and rock cycles should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and incomplete records, dating uncertainty, overprinting and inaccessible depths; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A volcanic hazard map combines event history, terrain and expected exposure. Turn this into a testable question about geologic hazards. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use field mapping, seismology, geochemistry and radiometric dating if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hazard assessment combines event probability, exposure, vulnerability, and uncertainty.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of geologic hazards, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: incomplete records, dating uncertainty, overprinting and inaccessible depths.

FIELD 22 OF 28

Atmosphere, Weather and Climate

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines air motion, radiation, water, and long-term planetary patterns. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include station records, satellite radiation, temperatures and atmospheric profiles. Investigators use weather balloons, radar, satellites and climate reconstructions. Appropriate models include fluid dynamics, radiative transfer, statistics and coupled climate models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include natural variability, spatial resolution and uncertain parameterizations. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Atmospheric Composition
02. Atmospheric Pressure
03. Troposphere and Stratosphere
04. Solar Radiation Budget
05. Greenhouse Effect
06. Weather Versus Climate
07. Humidity
08. Cloud Formation
09. Precipitation
10. Air Masses and Fronts
11. Pressure Systems
12. Coriolis Effect
13. Jet Streams
14. Thunderstorms
15. Tornadoes
16. Tropical Cyclones
17. Climate Feedbacks
18. Climate Change Attribution
19. Climate Models
20. Extreme Weather Risk

CONCEPT 22.01

Atmospheric Composition

THE CORE SCIENTIFIC IDEA

Earth's atmosphere is dominated by nitrogen and oxygen, with variable water vapor and trace gases.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Dry air near sea level is roughly four-fifths nitrogen and one-fifth oxygen. This illustrates atmospheric composition within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For atmospheric composition, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of atmospheric composition should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.01

Atmospheric Composition - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Earth's atmosphere is dominated by nitrogen and oxygen, with variable water vapor and trace gases.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as atmospheric composition in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Dry air near sea level is roughly four-fifths nitrogen and one-fifth oxygen. Turn this into a testable question about atmospheric composition. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Earth's atmosphere is dominated by nitrogen and oxygen, with variable water vapor and trace gases.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of atmospheric composition, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.02

Atmospheric Pressure

THE CORE SCIENTIFIC IDEA

Air pressure reflects the weight of the overlying atmosphere and changes with height.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A barometer often records lower pressure at greater elevation. This illustrates atmospheric pressure within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For atmospheric pressure, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of atmospheric pressure should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.02

Atmospheric Pressure - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Air pressure reflects the weight of the overlying atmosphere and changes with height.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as atmospheric pressure in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A barometer often records lower pressure at greater elevation. Turn this into a testable question about atmospheric pressure. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Air pressure reflects the weight of the overlying atmosphere and changes with height.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of atmospheric pressure, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.03

Troposphere and Stratosphere

THE CORE SCIENTIFIC IDEA

Atmospheric layers differ in temperature structure, circulation, and chemical processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Commercial aircraft commonly fly near the upper troposphere or lower stratosphere. This illustrates troposphere and stratosphere within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For troposphere and stratosphere, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of troposphere and stratosphere should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.03

Troposphere and Stratosphere - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Atmospheric layers differ in temperature structure, circulation, and chemical processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as troposphere and stratosphere in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Commercial aircraft commonly fly near the upper troposphere or lower stratosphere. Turn this into a testable question about troposphere and stratosphere. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Atmospheric layers differ in temperature structure, circulation, and chemical processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of troposphere and stratosphere, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.04

Solar Radiation Budget

THE CORE SCIENTIFIC IDEA

Incoming solar radiation and outgoing terrestrial radiation govern planetary energy balance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Satellites compare incoming sunlight and outgoing thermal radiation. This illustrates solar radiation budget within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For solar radiation budget, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of solar radiation budget should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.04

Solar Radiation Budget - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Incoming solar radiation and outgoing terrestrial radiation govern planetary energy balance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as solar radiation budget in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Satellites compare incoming sunlight and outgoing thermal radiation. Turn this into a testable question about solar radiation budget. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Incoming solar radiation and outgoing terrestrial radiation govern planetary energy balance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of solar radiation budget, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.05

Greenhouse Effect

THE CORE SCIENTIFIC IDEA

Infrared-active gases absorb and emit thermal radiation, altering the surface-troposphere energy balance.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water vapor and carbon dioxide absorb and emit infrared radiation. This illustrates greenhouse effect within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For greenhouse effect, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of greenhouse effect should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The atmospheric greenhouse effect is a radiative process, not a literal greenhouse wall trapping air.

INVESTIGATION 22.05

Greenhouse Effect - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Infrared-active gases absorb and emit thermal radiation, altering the surface-troposphere energy balance.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as greenhouse effect in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water vapor and carbon dioxide absorb and emit infrared radiation. Turn this into a testable question about greenhouse effect. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Infrared-active gases absorb and emit thermal radiation, altering the surface-troposphere energy balance.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of greenhouse effect, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.06

Weather Versus Climate

THE CORE SCIENTIFIC IDEA

Weather describes short-term atmospheric conditions; climate describes statistical behavior over longer periods.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A heatwave is a weather event; its frequency over decades informs climate. This illustrates weather versus climate within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For weather versus climate, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of weather versus climate should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.06

Weather Versus Climate - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Weather describes short-term atmospheric conditions; climate describes statistical behavior over longer periods.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as weather versus climate in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A heatwave is a weather event; its frequency over decades informs climate. Turn this into a testable question about weather versus climate. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Weather describes short-term atmospheric conditions; climate describes statistical behavior over longer periods.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of weather versus climate, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.07

Humidity

THE CORE SCIENTIFIC IDEA

Humidity measures water vapor in air using concentration, partial pressure, or saturation-based quantities.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Warm air can hold a larger saturation vapor pressure than cool air. This illustrates humidity within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For humidity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of humidity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.07

Humidity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Humidity measures water vapor in air using concentration, partial pressure, or saturation-based quantities.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as humidity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Warm air can hold a larger saturation vapor pressure than cool air. Turn this into a testable question about humidity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Humidity measures water vapor in air using concentration, partial pressure, or saturation-based quantities.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of humidity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.08

Cloud Formation

THE CORE SCIENTIFIC IDEA

Cloud droplets or ice crystals form as moist air cools and condensation or deposition becomes favorable.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Rising moist air cools and may form droplets on condensation nuclei. This illustrates cloud formation within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For cloud formation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cloud formation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.08

Cloud Formation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cloud droplets or ice crystals form as moist air cools and condensation or deposition becomes favorable.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cloud formation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Rising moist air cools and may form droplets on condensation nuclei. Turn this into a testable question about cloud formation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cloud droplets or ice crystals form as moist air cools and condensation or deposition becomes favorable.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cloud formation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.09

Precipitation

THE CORE SCIENTIFIC IDEA

Rain, snow, and other precipitation emerge from cloud microphysical growth and atmospheric transport.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Snowflakes grow in clouds by deposition of water vapor onto ice. This illustrates precipitation within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For precipitation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of precipitation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.09

Precipitation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Rain, snow, and other precipitation emerge from cloud microphysical growth and atmospheric transport.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as precipitation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Snowflakes grow in clouds by deposition of water vapor onto ice. Turn this into a testable question about precipitation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Rain, snow, and other precipitation emerge from cloud microphysical growth and atmospheric transport.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of precipitation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.10

Air Masses and Fronts

THE CORE SCIENTIFIC IDEA

Contrasting air masses and boundaries can organize clouds, precipitation, and temperature changes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A cold front can force warm humid air upward and produce showers. This illustrates air masses and fronts within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For air masses and fronts, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of air masses and fronts should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.10

Air Masses and Fronts - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Contrasting air masses and boundaries can organize clouds, precipitation, and temperature changes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as air masses and fronts in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A cold front can force warm humid air upward and produce showers. Turn this into a testable question about air masses and fronts. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Contrasting air masses and boundaries can organize clouds, precipitation, and temperature changes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of air masses and fronts, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.11

Pressure Systems

THE CORE SCIENTIFIC IDEA

Pressure gradients and Earth's rotation help shape winds and cyclonic circulation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Air moves under pressure-gradient forces and is deflected by planetary rotation. This illustrates pressure systems within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For pressure systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of pressure systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.11

Pressure Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Pressure gradients and Earth's rotation help shape winds and cyclonic circulation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as pressure systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Air moves under pressure-gradient forces and is deflected by planetary rotation. Turn this into a testable question about pressure systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Pressure gradients and Earth's rotation help shape winds and cyclonic circulation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of pressure systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.12

Coriolis Effect

THE CORE SCIENTIFIC IDEA

In rotating frames, apparent deflection influences large-scale atmospheric and oceanic motions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A large-scale wind bends to the right in the Northern Hemisphere reference frame. This illustrates coriolis effect within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For coriolis effect, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of coriolis effect should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.12

Coriolis Effect - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: In rotating frames, apparent deflection influences large-scale atmospheric and oceanic motions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as coriolis effect in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A large-scale wind bends to the right in the Northern Hemisphere reference frame. Turn this into a testable question about coriolis effect. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A In rotating frames, apparent deflection influences large-scale atmospheric and oceanic motions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of coriolis effect, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.13

Jet Streams

THE CORE SCIENTIFIC IDEA

Jet streams are narrow fast winds associated with strong horizontal temperature gradients aloft.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Upper-level jet streams guide some storm tracks and aircraft routes. This illustrates jet streams within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For jet streams, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of jet streams should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.13

Jet Streams - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Jet streams are narrow fast winds associated with strong horizontal temperature gradients aloft.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as jet streams in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Upper-level jet streams guide some storm tracks and aircraft routes. Turn this into a testable question about jet streams. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Jet streams are narrow fast winds associated with strong horizontal temperature gradients aloft.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of jet streams, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.14

Thunderstorms

THE CORE SCIENTIFIC IDEA

Thunderstorms arise from atmospheric instability, moisture, lifting, and convective organization.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Warm moist rising air can build deep cumulonimbus clouds. This illustrates thunderstorms within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For thunderstorms, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thunderstorms should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.14

Thunderstorms - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Thunderstorms arise from atmospheric instability, moisture, lifting, and convective organization.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thunderstorms in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Warm moist rising air can build deep cumulonimbus clouds. Turn this into a testable question about thunderstorms. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Thunderstorms arise from atmospheric instability, moisture, lifting, and convective organization.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thunderstorms, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.15

Tornadoes

THE CORE SCIENTIFIC IDEA

Tornadoes are rotating columns of air connected to convective clouds with varied formation pathways.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Some severe supercell storms produce tornadoes from rotating updraft environments. This illustrates tornadoes within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For tornadoes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of tornadoes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.15

Tornadoes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Tornadoes are rotating columns of air connected to convective clouds with varied formation pathways.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as tornadoes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Some severe supercell storms produce tornadoes from rotating updraft environments. Turn this into a testable question about tornadoes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Tornadoes are rotating columns of air connected to convective clouds with varied formation pathways.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of tornadoes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.16

Tropical Cyclones

THE CORE SCIENTIFIC IDEA

Tropical cyclones derive energy from warm oceans and organized moist atmospheric convection.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Hurricanes draw energy from warm water and organized deep convection. This illustrates tropical cyclones within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For tropical cyclones, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of tropical cyclones should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.16

Tropical Cyclones - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Tropical cyclones derive energy from warm oceans and organized moist atmospheric convection.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as tropical cyclones in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Hurricanes draw energy from warm water and organized deep convection. Turn this into a testable question about tropical cyclones. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Tropical cyclones derive energy from warm oceans and organized moist atmospheric convection.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of tropical cyclones, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.17

Climate Feedbacks

THE CORE SCIENTIFIC IDEA

Climate feedbacks can amplify or damp an initial forcing through water vapor, ice, clouds, and other processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Melting snow and ice can reduce reflectivity and amplify local warming. This illustrates climate feedbacks within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For climate feedbacks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of climate feedbacks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.17

Climate Feedbacks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Climate feedbacks can amplify or damp an initial forcing through water vapor, ice, clouds, and other processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as climate feedbacks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Melting snow and ice can reduce reflectivity and amplify local warming. Turn this into a testable question about climate feedbacks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Climate feedbacks can amplify or damp an initial forcing through water vapor, ice, clouds, and other processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of climate feedbacks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.18

Climate Change Attribution

THE CORE SCIENTIFIC IDEA

Attribution combines physical understanding, observations, and model experiments to distinguish drivers.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Scientists compare observed warming against simulations with natural and human forcings. This illustrates climate change attribution within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For climate change attribution, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of climate change attribution should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Attribution should distinguish long-term global trends from the causes of a single local weather event.

INVESTIGATION 22.18

Climate Change Attribution - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Attribution combines physical understanding, observations, and model experiments to distinguish drivers.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as climate change attribution in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Scientists compare observed warming against simulations with natural and human forcings. Turn this into a testable question about climate change attribution. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Attribution combines physical understanding, observations, and model experiments to distinguish drivers.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of climate change attribution, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.19

Climate Models

THE CORE SCIENTIFIC IDEA

Climate models numerically couple physical processes while representing subgrid phenomena with approximations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Climate models combine atmosphere, ocean, ice and land-surface calculations. This illustrates climate models within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For climate models, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of climate models should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.19

Climate Models - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Climate models numerically couple physical processes while representing subgrid phenomena with approximations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as climate models in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Climate models combine atmosphere, ocean, ice and land-surface calculations. Turn this into a testable question about climate models. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Climate models numerically couple physical processes while representing subgrid phenomena with approximations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of climate models, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

CONCEPT 22.20

Extreme Weather Risk

THE CORE SCIENTIFIC IDEA

Risk depends on physical hazards, exposure, infrastructure, preparedness, and long-term vulnerability.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Flood damage depends not only on rainfall but also on development and vulnerability. This illustrates extreme weather risk within air motion, radiation, water, and long-term planetary patterns. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes station records, satellite radiation, temperatures and atmospheric profiles. Depending on the question, its models may use fluid dynamics, radiative transfer, statistics and coupled climate models. For extreme weather risk, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of extreme weather risk should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider natural variability, spatial resolution and uncertain parameterizations. Better evidence can narrow or revise the claim.

INVESTIGATION 22.20

Extreme Weather Risk - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Risk depends on physical hazards, exposure, infrastructure, preparedness, and long-term vulnerability.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as extreme weather risk in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from station records, satellite radiation, temperatures and atmospheric profiles; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on fluid dynamics, radiative transfer, statistics and coupled climate models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and natural variability, spatial resolution and uncertain parameterizations; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Flood damage depends not only on rainfall but also on development and vulnerability. Turn this into a testable question about extreme weather risk. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use weather balloons, radar, satellites and climate reconstructions if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Risk depends on physical hazards, exposure, infrastructure, preparedness, and long-term vulnerability.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of extreme weather risk, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: natural variability, spatial resolution and uncertain parameterizations.

FIELD 23 OF 28

Oceanography and Water Science

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines water movement, chemistry, storage and ecological services. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include streamflow, salinity, currents, groundwater levels and water chemistry. Investigators use gauges, floats, chemical sampling and remote sensing. Appropriate models include mass balances, hydraulics, circulation and transport equations. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include heterogeneous sediments, variable forcing and sparse deep-ocean measurements. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Global Water Cycle
02. Watersheds
03. River Discharge
04. Groundwater
05. Aquifers
06. Darcy Law
07. Porosity and Permeability
08. Ocean Salinity
09. Ocean Stratification
10. Thermohaline Circulation
11. Surface Currents
12. Tides
13. Ocean Waves
14. Coastal Erosion
15. Marine Ecosystems
16. Coral Reefs
17. Ocean Acidification
18. Freshwater Quality
19. Floods and Droughts
20. Water Resource Management

CONCEPT 23.01

Global Water Cycle

THE CORE SCIENTIFIC IDEA

Evaporation, transport, precipitation, runoff, infiltration, and storage redistribute Earth's water.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ocean evaporation supplies vapor later deposited as precipitation over land. This illustrates global water cycle within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For global water cycle, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of global water cycle should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.01

Global Water Cycle - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Evaporation, transport, precipitation, runoff, infiltration, and storage redistribute Earth's water.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as global water cycle in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ocean evaporation supplies vapor later deposited as precipitation over land. Turn this into a testable question about global water cycle. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Evaporation, transport, precipitation, runoff, infiltration, and storage redistribute Earth's water.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of global water cycle, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.02

Watersheds

THE CORE SCIENTIFIC IDEA

Watersheds collect precipitation draining to a common outlet through connected surface and subsurface pathways.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A watershed divide separates stream networks draining toward different outlets. This illustrates watersheds within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For watersheds, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of watersheds should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.02

Watersheds - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Watersheds collect precipitation draining to a common outlet through connected surface and subsurface pathways.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as watersheds in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A watershed divide separates stream networks draining toward different outlets. Turn this into a testable question about watersheds. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Watersheds collect precipitation draining to a common outlet through connected surface and subsurface pathways.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of watersheds, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.03

River Discharge

THE CORE SCIENTIFIC IDEA

River discharge equals the volume of water passing a cross section per unit time.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A stream flowing at 2 m/s across 4 square meters carries about 8 cubic meters per second if velocity is uniform. This illustrates river discharge within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For river discharge, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

discharge = mean cross-sectional velocity x area

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.03

River Discharge - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: River discharge equals the volume of water passing a cross section per unit time.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as river discharge in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A stream flowing at 2 m/s across 4 square meters carries about 8 cubic meters per second if velocity is uniform. Turn this into a testable question about river discharge. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: discharge = mean cross-sectional velocity x area. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A River discharge equals the volume of water passing a cross section per unit time.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of river discharge, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.04

Groundwater

THE CORE SCIENTIFIC IDEA

Groundwater occupies connected pore spaces and fractures below the water table or in confined formations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Groundwater moves slowly through rock pores rather than typically flowing as underground rivers. This illustrates groundwater within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For groundwater, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of groundwater should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.04

Groundwater - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Groundwater occupies connected pore spaces and fractures below the water table or in confined formations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as groundwater in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Groundwater moves slowly through rock pores rather than typically flowing as underground rivers. Turn this into a testable question about groundwater. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Groundwater occupies connected pore spaces and fractures below the water table or in confined formations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of groundwater, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.05

Aquifers

THE CORE SCIENTIFIC IDEA

Aquifers are geological units that can store and transmit economically or ecologically useful groundwater.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A well drilled into a permeable sand unit can draw water from an aquifer. This illustrates aquifers within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For aquifers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of aquifers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.05

Aquifers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Aquifers are geological units that can store and transmit economically or ecologically useful groundwater.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as aquifers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A well drilled into a permeable sand unit can draw water from an aquifer. Turn this into a testable question about aquifers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Aquifers are geological units that can store and transmit economically or ecologically useful groundwater.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of aquifers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.06

Darcy Law

THE CORE SCIENTIFIC IDEA

Darcy's law describes groundwater flow through porous media under hydraulic gradients within its assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Groundwater flow direction follows changes in hydraulic head under Darcy conditions. This illustrates darcy law within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For darcy law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

specific discharge = - hydraulic conductivity x hydraulic gradient

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.06

Darcy Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Darcy's law describes groundwater flow through porous media under hydraulic gradients within its assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as darcy law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Groundwater flow direction follows changes in hydraulic head under Darcy conditions. Turn this into a testable question about darcy law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: specific discharge = - hydraulic conductivity x hydraulic gradient. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Darcy's law describes groundwater flow through porous media under hydraulic gradients within its assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of darcy law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.07

Porosity and Permeability

THE CORE SCIENTIFIC IDEA

Porosity measures void fraction; permeability describes ease of flow through connected pathways.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Clay may hold much pore water but transmit it poorly compared with coarse sand. This illustrates porosity and permeability within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For porosity and permeability, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of porosity and permeability should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.07

Porosity and Permeability - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Porosity measures void fraction; permeability describes ease of flow through connected pathways.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as porosity and permeability in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Clay may hold much pore water but transmit it poorly compared with coarse sand. Turn this into a testable question about porosity and permeability. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Porosity measures void fraction; permeability describes ease of flow through connected pathways.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of porosity and permeability, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.08

Ocean Salinity

THE CORE SCIENTIFIC IDEA

Ocean salinity reflects dissolved salts and varies with freshwater input, evaporation, and circulation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Salinity is generally elevated where evaporation exceeds freshwater inputs. This illustrates ocean salinity within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For ocean salinity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ocean salinity should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.08

Ocean Salinity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Ocean salinity reflects dissolved salts and varies with freshwater input, evaporation, and circulation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ocean salinity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Salinity is generally elevated where evaporation exceeds freshwater inputs. Turn this into a testable question about ocean salinity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Ocean salinity reflects dissolved salts and varies with freshwater input, evaporation, and circulation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ocean salinity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.09

Ocean Stratification

THE CORE SCIENTIFIC IDEA

Temperature and salinity influence density layering and vertical mixing in seawater.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Warm low-salinity water often remains above denser cold saline water. This illustrates ocean stratification within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For ocean stratification, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ocean stratification should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.09

Ocean Stratification - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Temperature and salinity influence density layering and vertical mixing in seawater.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ocean stratification in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Warm low-salinity water often remains above denser cold saline water. Turn this into a testable question about ocean stratification. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Temperature and salinity influence density layering and vertical mixing in seawater.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ocean stratification, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.10

Thermohaline Circulation

THE CORE SCIENTIFIC IDEA

Density contrasts help drive ocean overturning while winds and mixing also matter.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Deep-water formation contributes to large-scale overturning in some ocean basins. This illustrates thermohaline circulation within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For thermohaline circulation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of thermohaline circulation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.10

Thermohaline Circulation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Density contrasts help drive ocean overturning while winds and mixing also matter.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as thermohaline circulation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Deep-water formation contributes to large-scale overturning in some ocean basins. Turn this into a testable question about thermohaline circulation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Density contrasts help drive ocean overturning while winds and mixing also matter.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of thermohaline circulation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.11

Surface Currents

THE CORE SCIENTIFIC IDEA

Winds, rotation, boundaries, and pressure gradients shape large-scale surface ocean currents.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Trade winds help drive surface currents and subtropical gyres. This illustrates surface currents within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For surface currents, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of surface currents should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.11

Surface Currents - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Winds, rotation, boundaries, and pressure gradients shape large-scale surface ocean currents.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as surface currents in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Trade winds help drive surface currents and subtropical gyres. Turn this into a testable question about surface currents. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Winds, rotation, boundaries, and pressure gradients shape large-scale surface ocean currents.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of surface currents, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.12

Tides

THE CORE SCIENTIFIC IDEA

Tides arise mainly from spatial differences in lunar and solar gravitational forcing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Spring tides occur near new and full Moon when lunar and solar tidal effects align. This illustrates tides within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For tides, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of tides should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.12

Tides - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Tides arise mainly from spatial differences in lunar and solar gravitational forcing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as tides in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Spring tides occur near new and full Moon when lunar and solar tidal effects align. Turn this into a testable question about tides. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Tides arise mainly from spatial differences in lunar and solar gravitational forcing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of tides, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.13

Ocean Waves

THE CORE SCIENTIFIC IDEA

Surface waves transport energy and respond to wind, gravity, depth, and boundaries.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ocean swell transports wave energy across great distances from storms. This illustrates ocean waves within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For ocean waves, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ocean waves should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.13

Ocean Waves - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Surface waves transport energy and respond to wind, gravity, depth, and boundaries.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ocean waves in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ocean swell transports wave energy across great distances from storms. Turn this into a testable question about ocean waves. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Surface waves transport energy and respond to wind, gravity, depth, and boundaries.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ocean waves, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.14

Coastal Erosion

THE CORE SCIENTIFIC IDEA

Waves, tides, currents, geology, and human activity shape changing shorelines.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Coastal cliffs retreat as wave impact and weathering weaken rock. This illustrates coastal erosion within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For coastal erosion, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of coastal erosion should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.14

Coastal Erosion - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Waves, tides, currents, geology, and human activity shape changing shorelines.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as coastal erosion in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Coastal cliffs retreat as wave impact and weathering weaken rock. Turn this into a testable question about coastal erosion. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Waves, tides, currents, geology, and human activity shape changing shorelines.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of coastal erosion, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.15

Marine Ecosystems

THE CORE SCIENTIFIC IDEA

Marine communities depend on light, nutrients, physical transport, and biological interactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Upwelling supplies nutrients that can support coastal fisheries. This illustrates marine ecosystems within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For marine ecosystems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of marine ecosystems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.15

Marine Ecosystems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Marine communities depend on light, nutrients, physical transport, and biological interactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as marine ecosystems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Upwelling supplies nutrients that can support coastal fisheries. Turn this into a testable question about marine ecosystems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Marine communities depend on light, nutrients, physical transport, and biological interactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of marine ecosystems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.16

Coral Reefs

THE CORE SCIENTIFIC IDEA

Coral reefs are built partly by calcifying organisms and are vulnerable to thermal and chemical stress.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Reef-building corals construct calcium-carbonate skeletons with symbiotic algae. This illustrates coral reefs within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For coral reefs, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of coral reefs should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.16

Coral Reefs - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Coral reefs are built partly by calcifying organisms and are vulnerable to thermal and chemical stress.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as coral reefs in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Reef-building corals construct calcium-carbonate skeletons with symbiotic algae. Turn this into a testable question about coral reefs. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Coral reefs are built partly by calcifying organisms and are vulnerable to thermal and chemical stress.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of coral reefs, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.17

Ocean Acidification

THE CORE SCIENTIFIC IDEA

Absorption of anthropogenic carbon dioxide shifts seawater carbonate chemistry and lowers pH.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Added carbon dioxide changes carbonate-ion availability in seawater. This illustrates ocean acidification within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For ocean acidification, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ocean acidification should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.17

Ocean Acidification - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Absorption of anthropogenic carbon dioxide shifts seawater carbonate chemistry and lowers pH.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ocean acidification in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Added carbon dioxide changes carbonate-ion availability in seawater. Turn this into a testable question about ocean acidification. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Absorption of anthropogenic carbon dioxide shifts seawater carbonate chemistry and lowers pH.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ocean acidification, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.18

Freshwater Quality

THE CORE SCIENTIFIC IDEA

Water quality considers physical, chemical, biological, and microbial indicators relevant to use.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Water-quality monitoring includes turbidity, dissolved oxygen and bacteria indicators. This illustrates freshwater quality within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For freshwater quality, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of freshwater quality should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.18

Freshwater Quality - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Water quality considers physical, chemical, biological, and microbial indicators relevant to use.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as freshwater quality in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Water-quality monitoring includes turbidity, dissolved oxygen and bacteria indicators. Turn this into a testable question about freshwater quality. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Water quality considers physical, chemical, biological, and microbial indicators relevant to use.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of freshwater quality, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.19

Floods and Droughts

THE CORE SCIENTIFIC IDEA

Hydrologic extremes result from weather, climate, storage, land use, and watershed characteristics.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A watershed with dry soils may respond differently to rain than one already saturated. This illustrates floods and droughts within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For floods and droughts, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of floods and droughts should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.19

Floods and Droughts - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hydrologic extremes result from weather, climate, storage, land use, and watershed characteristics.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as floods and droughts in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A watershed with dry soils may respond differently to rain than one already saturated. Turn this into a testable question about floods and droughts. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hydrologic extremes result from weather, climate, storage, land use, and watershed characteristics.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of floods and droughts, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

CONCEPT 23.20

Water Resource Management

THE CORE SCIENTIFIC IDEA

Sustainable water planning weighs supply reliability, ecosystem needs, uncertainty, and competing demands.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Reservoir planning balances drought resilience, habitat and downstream water needs. This illustrates water resource management within water movement, chemistry, storage and ecological services. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes streamflow, salinity, currents, groundwater levels and water chemistry. Depending on the question, its models may use mass balances, hydraulics, circulation and transport equations. For water resource management, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of water resource management should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider heterogeneous sediments, variable forcing and sparse deep-ocean measurements. Better evidence can narrow or revise the claim.

INVESTIGATION 23.20

Water Resource Management - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sustainable water planning weighs supply reliability, ecosystem needs, uncertainty, and competing demands.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as water resource management in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from streamflow, salinity, currents, groundwater levels and water chemistry; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on mass balances, hydraulics, circulation and transport equations should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and heterogeneous sediments, variable forcing and sparse deep-ocean measurements; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Reservoir planning balances drought resilience, habitat and downstream water needs. Turn this into a testable question about water resource management. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use gauges, floats, chemical sampling and remote sensing if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sustainable water planning weighs supply reliability, ecosystem needs, uncertainty, and competing demands.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of water resource management, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: heterogeneous sediments, variable forcing and sparse deep-ocean measurements.

FIELD 24 OF 28

Planetary Science and Solar System

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the origin and evolution of planets, moons and small bodies. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include orbits, surface spectra, gravity, atmospheric signatures and images. Investigators use spacecraft, telescopes, radar and planetary spectroscopy. Appropriate models include orbital mechanics, impact history and comparative planetary evolution. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include remote-observation ambiguities, limited samples and instrument selection. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Solar Nebula Hypothesis
02. The Sun
03. Mercury
04. Venus
05. Earth
06. The Moon
07. Mars
08. Jupiter
09. Saturn
10. Uranus
11. Neptune
12. Asteroids
13. Comets
14. Dwarf Planets
15. Planetary Orbits
16. Impact Cratering
17. Planetary Atmospheres
18. Planetary Magnetospheres
19. Exoplanets
20. Habitability

CONCEPT 24.01

Solar Nebula Hypothesis

THE CORE SCIENTIFIC IDEA

The solar system formed from a rotating disk of gas and dust associated with a young Sun.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Dust grains in a young protoplanetary disk can aggregate into larger rocky bodies. This illustrates solar nebula hypothesis within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For solar nebula hypothesis, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of solar nebula hypothesis should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.01

Solar Nebula Hypothesis - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The solar system formed from a rotating disk of gas and dust associated with a young Sun.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as solar nebula hypothesis in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Dust grains in a young protoplanetary disk can aggregate into larger rocky bodies. Turn this into a testable question about solar nebula hypothesis. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The solar system formed from a rotating disk of gas and dust associated with a young Sun.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of solar nebula hypothesis, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.02

The Sun

THE CORE SCIENTIFIC IDEA

The Sun is a main-sequence star powered primarily by fusion of hydrogen into helium.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Sun's photosphere emits most visible light received at Earth. This illustrates the sun within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For the sun, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of the sun should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.02

The Sun - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The Sun is a main-sequence star powered primarily by fusion of hydrogen into helium.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as the sun in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Sun's photosphere emits most visible light received at Earth. Turn this into a testable question about the sun. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The Sun is a main-sequence star powered primarily by fusion of hydrogen into helium.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of the sun, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.03

Mercury

THE CORE SCIENTIFIC IDEA

Mercury is a small rocky planet with a large metallic core and a heavily cratered surface.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Mercury's heavily cratered terrain preserves an ancient bombardment record. This illustrates mercury within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For mercury, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mercury should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.03

Mercury - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mercury is a small rocky planet with a large metallic core and a heavily cratered surface.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mercury in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Mercury's heavily cratered terrain preserves an ancient bombardment record. Turn this into a testable question about mercury. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mercury is a small rocky planet with a large metallic core and a heavily cratered surface.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mercury, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.04

Venus

THE CORE SCIENTIFIC IDEA

Venus has a dense carbon-dioxide-rich atmosphere and a strong greenhouse effect.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Venus's surface is hotter than Mercury's largely because of atmospheric greenhouse warming. This illustrates venus within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For venus, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of venus should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.04

Venus - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Venus has a dense carbon-dioxide-rich atmosphere and a strong greenhouse effect.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as venus in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Venus's surface is hotter than Mercury's largely because of atmospheric greenhouse warming. Turn this into a testable question about venus. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Venus has a dense carbon-dioxide-rich atmosphere and a strong greenhouse effect.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of venus, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.05

Earth

THE CORE SCIENTIFIC IDEA

Earth supports surface liquid water and a diverse biosphere under present conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Liquid oceans and biological processes have shaped Earth's climate and chemistry. This illustrates earth within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For earth, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of earth should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.05

Earth - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Earth supports surface liquid water and a diverse biosphere under present conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as earth in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Liquid oceans and biological processes have shaped Earth's climate and chemistry. Turn this into a testable question about earth. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Earth supports surface liquid water and a diverse biosphere under present conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of earth, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.06

The Moon

THE CORE SCIENTIFIC IDEA

The Moon influences tides and preserves evidence of impact and geological history.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Moon's impact basins record events from early solar-system history. This illustrates the moon within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For the moon, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of the moon should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.06

The Moon - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The Moon influences tides and preserves evidence of impact and geological history.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as the moon in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Moon's impact basins record events from early solar-system history. Turn this into a testable question about the moon. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The Moon influences tides and preserves evidence of impact and geological history.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of the moon, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.07

Mars

THE CORE SCIENTIFIC IDEA

Mars has evidence of past surface water and an atmosphere much thinner than Earth's.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Ancient Martian valley networks suggest liquid water flowed on Mars in the past. This illustrates mars within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For mars, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of mars should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.07

Mars - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Mars has evidence of past surface water and an atmosphere much thinner than Earth's.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as mars in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Ancient Martian valley networks suggest liquid water flowed on Mars in the past. Turn this into a testable question about mars. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Mars has evidence of past surface water and an atmosphere much thinner than Earth's.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of mars, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.08

Jupiter

THE CORE SCIENTIFIC IDEA

Jupiter is a gas giant with powerful atmospheric storms and an extensive magnetic environment.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Jupiter's Great Red Spot is a persistent giant atmospheric storm. This illustrates jupiter within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For jupiter, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of jupiter should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.08

Jupiter - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Jupiter is a gas giant with powerful atmospheric storms and an extensive magnetic environment.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as jupiter in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Jupiter's Great Red Spot is a persistent giant atmospheric storm. Turn this into a testable question about jupiter. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Jupiter is a gas giant with powerful atmospheric storms and an extensive magnetic environment.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of jupiter, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.09

Saturn

THE CORE SCIENTIFIC IDEA

Saturn is a gas giant best known for a prominent system of rings made largely of icy particles.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Saturn's icy rings consist of countless particles following nearby orbits. This illustrates saturn within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For saturn, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of saturn should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.09

Saturn - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Saturn is a gas giant best known for a prominent system of rings made largely of icy particles.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as saturn in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Saturn's icy rings consist of countless particles following nearby orbits. Turn this into a testable question about saturn. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Saturn is a gas giant best known for a prominent system of rings made largely of icy particles.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of saturn, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.10

Uranus

THE CORE SCIENTIFIC IDEA

Uranus is an ice giant with an unusually large axial tilt.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Uranus rotates on an axis strongly tilted relative to its orbital plane. This illustrates uranus within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For uranus, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of uranus should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.10

Uranus - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Uranus is an ice giant with an unusually large axial tilt.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as uranus in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Uranus rotates on an axis strongly tilted relative to its orbital plane. Turn this into a testable question about uranus. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Uranus is an ice giant with an unusually large axial tilt.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of uranus, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.11

Neptune

THE CORE SCIENTIFIC IDEA

Neptune is a distant ice giant with strong winds and active atmospheric weather.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Neptune has a methane-containing atmosphere and powerful winds. This illustrates neptune within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For neptune, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of neptune should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.11

Neptune - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neptune is a distant ice giant with strong winds and active atmospheric weather.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as neptune in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Neptune has a methane-containing atmosphere and powerful winds. Turn this into a testable question about neptune. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neptune is a distant ice giant with strong winds and active atmospheric weather.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of neptune, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.12

Asteroids

THE CORE SCIENTIFIC IDEA

Asteroids are small solar-system bodies that preserve diverse records of formation and collisions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Some meteorites are fragments of asteroids that reach Earth's surface. This illustrates asteroids within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For asteroids, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of asteroids should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.12

Asteroids - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Asteroids are small solar-system bodies that preserve diverse records of formation and collisions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as asteroids in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Some meteorites are fragments of asteroids that reach Earth's surface. Turn this into a testable question about asteroids. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Asteroids are small solar-system bodies that preserve diverse records of formation and collisions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of asteroids, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.13

Comets

THE CORE SCIENTIFIC IDEA

Comets contain volatile-rich materials and can develop comae and tails near the Sun.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A comet near the Sun may develop a dust tail and an ion tail. This illustrates comets within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For comets, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of comets should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.13

Comets - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Comets contain volatile-rich materials and can develop comae and tails near the Sun.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as comets in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A comet near the Sun may develop a dust tail and an ion tail. Turn this into a testable question about comets. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Comets contain volatile-rich materials and can develop comae and tails near the Sun.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of comets, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.14

Dwarf Planets

THE CORE SCIENTIFIC IDEA

Dwarf planets orbit the Sun and are rounded by gravity but have not cleared their orbital neighborhoods.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Pluto is recognized as a dwarf planet in the Kuiper Belt. This illustrates dwarf planets within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For dwarf planets, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of dwarf planets should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.14

Dwarf Planets - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Dwarf planets orbit the Sun and are rounded by gravity but have not cleared their orbital neighborhoods.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dwarf planets in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Pluto is recognized as a dwarf planet in the Kuiper Belt. Turn this into a testable question about dwarf planets. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Dwarf planets orbit the Sun and are rounded by gravity but have not cleared their orbital neighborhoods.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dwarf planets, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.15

Planetary Orbits

THE CORE SCIENTIFIC IDEA

Kepler's laws describe approximate orbital relationships in gravitationally dominated systems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Kepler's third law relates orbital period to semimajor axis under gravity. This illustrates planetary orbits within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For planetary orbits, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

orbital period^2 proportional to semimajor axis^3 (same central mass)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.15

Planetary Orbits - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Kepler's laws describe approximate orbital relationships in gravitationally dominated systems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as planetary orbits in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Kepler's third law relates orbital period to semimajor axis under gravity. Turn this into a testable question about planetary orbits. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: orbital period^2 proportional to semimajor axis^3 (same central mass). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Kepler's laws describe approximate orbital relationships in gravitationally dominated systems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of planetary orbits, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.16

Impact Cratering

THE CORE SCIENTIFIC IDEA

Impacts create craters and ejecta and can alter planetary surfaces and environments.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Lunar craters can form when impactors excavate and eject surface rock. This illustrates impact cratering within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For impact cratering, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of impact cratering should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.16

Impact Cratering - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Impacts create craters and ejecta and can alter planetary surfaces and environments.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as impact cratering in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Lunar craters can form when impactors excavate and eject surface rock. Turn this into a testable question about impact cratering. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Impacts create craters and ejecta and can alter planetary surfaces and environments.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of impact cratering, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.17

Planetary Atmospheres

THE CORE SCIENTIFIC IDEA

Atmospheric properties depend on gravity, radiation, composition, chemistry, and escape processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Mars loses atmospheric gas under processes different from those on massive giant planets. This illustrates planetary atmospheres within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For planetary atmospheres, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of planetary atmospheres should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.17

Planetary Atmospheres - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Atmospheric properties depend on gravity, radiation, composition, chemistry, and escape processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as planetary atmospheres in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Mars loses atmospheric gas under processes different from those on massive giant planets. Turn this into a testable question about planetary atmospheres. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Atmospheric properties depend on gravity, radiation, composition, chemistry, and escape processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of planetary atmospheres, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.18

Planetary Magnetospheres

THE CORE SCIENTIFIC IDEA

Some planetary magnetic fields deflect charged particles and channel energetic plasma.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Jupiter's magnetosphere traps charged particles and shapes aurorae. This illustrates planetary magnetospheres within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For planetary magnetospheres, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of planetary magnetospheres should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.18

Planetary Magnetospheres - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Some planetary magnetic fields deflect charged particles and channel energetic plasma.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as planetary magnetospheres in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Jupiter's magnetosphere traps charged particles and shapes aurorae. Turn this into a testable question about planetary magnetospheres. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Some planetary magnetic fields deflect charged particles and channel energetic plasma.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of planetary magnetospheres, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.19

Exoplanets

THE CORE SCIENTIFIC IDEA

Exoplanets are planets outside the solar system detected through multiple observational methods.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A stellar light curve can dim slightly when a planet transits the star. This illustrates exoplanets within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For exoplanets, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of exoplanets should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider remote-observation ambiguities, limited samples and instrument selection. Better evidence can narrow or revise the claim.

INVESTIGATION 24.19

Exoplanets - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Exoplanets are planets outside the solar system detected through multiple observational methods.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as exoplanets in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A stellar light curve can dim slightly when a planet transits the star. Turn this into a testable question about exoplanets. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Exoplanets are planets outside the solar system detected through multiple observational methods.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of exoplanets, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

CONCEPT 24.20

Habitability

THE CORE SCIENTIFIC IDEA

Habitability depends on environmental conditions, chemistry, energy sources, and life-related assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Subsurface oceans beneath icy moons are possible environments of astrobiological interest. This illustrates habitability within the origin and evolution of planets, moons and small bodies. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes orbits, surface spectra, gravity, atmospheric signatures and images. Depending on the question, its models may use orbital mechanics, impact history and comparative planetary evolution. For habitability, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of habitability should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Habitability is not the same as the observation of life; currently established life is on Earth.

INVESTIGATION 24.20

Habitability - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Habitability depends on environmental conditions, chemistry, energy sources, and life-related assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as habitability in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from orbits, surface spectra, gravity, atmospheric signatures and images; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on orbital mechanics, impact history and comparative planetary evolution should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and remote-observation ambiguities, limited samples and instrument selection; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Subsurface oceans beneath icy moons are possible environments of astrobiological interest. Turn this into a testable question about habitability. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use spacecraft, telescopes, radar and planetary spectroscopy if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Habitability depends on environmental conditions, chemistry, energy sources, and life-related assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of habitability, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: remote-observation ambiguities, limited samples and instrument selection.

FIELD 25 OF 28

Stars, Galaxies and Cosmology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines stellar physics and the evolution of the universe. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include spectra, luminosities, redshifts, gravitational signals and survey maps. Investigators use telescopes, spectrographs, standard candles and numerical simulations. Appropriate models include stellar structure, nuclear reactions and expanding-universe models. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Star Formation
02. Stellar Equilibrium
03. Stellar Spectra
04. Hertzsprung Russell Diagram
05. Main Sequence Stars
06. Red Giants
07. White Dwarfs
08. Neutron Stars
09. Supernovae
10. Black Holes
11. Milky Way Galaxy
12. Galaxy Types
13. Galaxy Interactions
14. Cosmic Distance Ladder
15. Redshift
16. Hubble Lemaître Law
17. Cosmic Microwave Background
18. Big Bang Cosmology
19. Dark Matter
20. Dark Energy

CONCEPT 25.01

Star Formation

THE CORE SCIENTIFIC IDEA

Stars form when gravitational collapse overcomes support in dense molecular clouds.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Dense cold regions inside molecular clouds can collapse into young stars. This illustrates star formation within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For star formation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of star formation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.01

Star Formation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Stars form when gravitational collapse overcomes support in dense molecular clouds.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as star formation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Dense cold regions inside molecular clouds can collapse into young stars. Turn this into a testable question about star formation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Stars form when gravitational collapse overcomes support in dense molecular clouds.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of star formation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.02

Stellar Equilibrium

THE CORE SCIENTIFIC IDEA

Hydrostatic equilibrium balances pressure gradients against inward gravity through much of a star's life.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Sun balances inward gravity with pressure gradients for much of its life. This illustrates stellar equilibrium within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For stellar equilibrium, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of stellar equilibrium should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.02

Stellar Equilibrium - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hydrostatic equilibrium balances pressure gradients against inward gravity through much of a star's life.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as stellar equilibrium in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Sun balances inward gravity with pressure gradients for much of its life. Turn this into a testable question about stellar equilibrium. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hydrostatic equilibrium balances pressure gradients against inward gravity through much of a star's life.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of stellar equilibrium, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.03

Stellar Spectra

THE CORE SCIENTIFIC IDEA

Absorption and emission lines reveal stellar temperature, composition, motion, and physical conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Hydrogen absorption lines can reveal stellar temperature and radial velocity. This illustrates stellar spectra within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For stellar spectra, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of stellar spectra should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.03

Stellar Spectra - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Absorption and emission lines reveal stellar temperature, composition, motion, and physical conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as stellar spectra in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Hydrogen absorption lines can reveal stellar temperature and radial velocity. Turn this into a testable question about stellar spectra. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Absorption and emission lines reveal stellar temperature, composition, motion, and physical conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of stellar spectra, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.04

Hertzsprung Russell Diagram

THE CORE SCIENTIFIC IDEA

The Hertzsprung-Russell diagram relates stellar luminosity and temperature across evolutionary states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The main sequence forms a prominent band in luminosity-temperature plots. This illustrates hertzsprung russell diagram within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For hertzsprung russell diagram, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hertzsprung russell diagram should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.04

Hertzsprung Russell Diagram - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The Hertzsprung-Russell diagram relates stellar luminosity and temperature across evolutionary states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hertzsprung russell diagram in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The main sequence forms a prominent band in luminosity-temperature plots. Turn this into a testable question about hertzsprung russell diagram. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The Hertzsprung-Russell diagram relates stellar luminosity and temperature across evolutionary states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hertzsprung russell diagram, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.05

Main Sequence Stars

THE CORE SCIENTIFIC IDEA

Main-sequence stars spend much of their lives fusing hydrogen in their cores.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A Sun-like star spends billions of years steadily burning core hydrogen. This illustrates main sequence stars within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For main sequence stars, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of main sequence stars should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.05

Main Sequence Stars - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Main-sequence stars spend much of their lives fusing hydrogen in their cores.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as main sequence stars in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A Sun-like star spends billions of years steadily burning core hydrogen. Turn this into a testable question about main sequence stars. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Main-sequence stars spend much of their lives fusing hydrogen in their cores.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of main sequence stars, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.06

Red Giants

THE CORE SCIENTIFIC IDEA

Aging stars can expand and cool at the surface as their internal fuel-burning structure changes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A red giant can have a large radius and relatively cool outer atmosphere. This illustrates red giants within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For red giants, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of red giants should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.06

Red Giants - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Aging stars can expand and cool at the surface as their internal fuel-burning structure changes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as red giants in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A red giant can have a large radius and relatively cool outer atmosphere. Turn this into a testable question about red giants. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Aging stars can expand and cool at the surface as their internal fuel-burning structure changes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of red giants, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.07

White Dwarfs

THE CORE SCIENTIFIC IDEA

White dwarfs are dense stellar remnants supported mainly by electron degeneracy pressure.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A typical white dwarf contains roughly stellar mass in a planet-sized volume. This illustrates white dwarfs within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For white dwarfs, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of white dwarfs should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.07

White Dwarfs - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: White dwarfs are dense stellar remnants supported mainly by electron degeneracy pressure.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as white dwarfs in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A typical white dwarf contains roughly stellar mass in a planet-sized volume. Turn this into a testable question about white dwarfs. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A White dwarfs are dense stellar remnants supported mainly by electron degeneracy pressure.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of white dwarfs, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.08

Neutron Stars

THE CORE SCIENTIFIC IDEA

Neutron stars are extremely compact remnants supported by dense-matter pressure.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A pulsar is a rapidly rotating neutron star whose beams sweep past observers. This illustrates neutron stars within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For neutron stars, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of neutron stars should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.08

Neutron Stars - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Neutron stars are extremely compact remnants supported by dense-matter pressure.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as neutron stars in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A pulsar is a rapidly rotating neutron star whose beams sweep past observers. Turn this into a testable question about neutron stars. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Neutron stars are extremely compact remnants supported by dense-matter pressure.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of neutron stars, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.09

Supernovae

THE CORE SCIENTIFIC IDEA

Supernova explosions arise through distinct processes and enrich surrounding matter with heavy elements.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A core-collapse supernova can spread newly synthesized elements into space. This illustrates supernovae within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For supernovae, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of supernovae should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.09

Supernovae - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Supernova explosions arise through distinct processes and enrich surrounding matter with heavy elements.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as supernovae in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A core-collapse supernova can spread newly synthesized elements into space. Turn this into a testable question about supernovae. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Supernova explosions arise through distinct processes and enrich surrounding matter with heavy elements.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of supernovae, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.10

Black Holes

THE CORE SCIENTIFIC IDEA

Astrophysical black holes are regions bounded by event horizons and characterized externally by a few parameters.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Orbiting stars near the Galactic center provide evidence for a massive black hole. This illustrates black holes within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For black holes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of black holes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The horizon is a causal boundary, not a solid physical surface.

INVESTIGATION 25.10

Black Holes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Astrophysical black holes are regions bounded by event horizons and characterized externally by a few parameters.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as black holes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Orbiting stars near the Galactic center provide evidence for a massive black hole. Turn this into a testable question about black holes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Astrophysical black holes are regions bounded by event horizons and characterized externally by a few parameters.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of black holes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.11

Milky Way Galaxy

THE CORE SCIENTIFIC IDEA

The Milky Way is a barred spiral galaxy containing stars, gas, dust, and dark matter.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: The Milky Way contains a stellar disk, central bulge and dark matter halo. This illustrates milky way galaxy within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For milky way galaxy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of milky way galaxy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.11

Milky Way Galaxy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The Milky Way is a barred spiral galaxy containing stars, gas, dust, and dark matter.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as milky way galaxy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: The Milky Way contains a stellar disk, central bulge and dark matter halo. Turn this into a testable question about milky way galaxy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The Milky Way is a barred spiral galaxy containing stars, gas, dust, and dark matter.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of milky way galaxy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.12

Galaxy Types

THE CORE SCIENTIFIC IDEA

Galaxies vary in morphology, gas content, star formation, and evolutionary history.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Elliptical and spiral galaxies often differ in gas fraction and current star formation. This illustrates galaxy types within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For galaxy types, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of galaxy types should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.12

Galaxy Types - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Galaxies vary in morphology, gas content, star formation, and evolutionary history.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as galaxy types in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Elliptical and spiral galaxies often differ in gas fraction and current star formation. Turn this into a testable question about galaxy types. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Galaxies vary in morphology, gas content, star formation, and evolutionary history.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of galaxy types, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.13

Galaxy Interactions

THE CORE SCIENTIFIC IDEA

Tidal encounters and mergers can transform galaxy shapes and trigger bursts of star formation.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Tidal interactions can draw long streams of stars and gas between galaxies. This illustrates galaxy interactions within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For galaxy interactions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of galaxy interactions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.13

Galaxy Interactions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Tidal encounters and mergers can transform galaxy shapes and trigger bursts of star formation.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as galaxy interactions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Tidal interactions can draw long streams of stars and gas between galaxies. Turn this into a testable question about galaxy interactions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Tidal encounters and mergers can transform galaxy shapes and trigger bursts of star formation.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of galaxy interactions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.14

Cosmic Distance Ladder

THE CORE SCIENTIFIC IDEA

Astronomers combine parallax, standard candles, and other methods to measure large distances.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cepheid variables provide period-luminosity relations useful for distance estimates. This illustrates cosmic distance ladder within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For cosmic distance ladder, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cosmic distance ladder should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.14

Cosmic Distance Ladder - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Astronomers combine parallax, standard candles, and other methods to measure large distances.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cosmic distance ladder in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cepheid variables provide period-luminosity relations useful for distance estimates. Turn this into a testable question about cosmic distance ladder. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Astronomers combine parallax, standard candles, and other methods to measure large distances.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cosmic distance ladder, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.15

Redshift

THE CORE SCIENTIFIC IDEA

Cosmological redshift records wavelength stretching associated with cosmic expansion.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Spectral lines from a distant galaxy are shifted toward longer wavelengths. This illustrates redshift within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For redshift, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$$z = (\text{observed wavelength} - \text{emitted wavelength}) / \text{emitted wavelength}$$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.15

Redshift - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cosmological redshift records wavelength stretching associated with cosmic expansion.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as redshift in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Spectral lines from a distant galaxy are shifted toward longer wavelengths. Turn this into a testable question about redshift. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: z = (observed wavelength - emitted wavelength) / emitted wavelength. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cosmological redshift records wavelength stretching associated with cosmic expansion.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of redshift, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.16

Hubble Lemaître Law

THE CORE SCIENTIFIC IDEA

On large scales, galaxy recession speed approximately increases with distance in an expanding universe.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Distant galaxy surveys support expansion of the universe over cosmic time. This illustrates hubble lemaître law within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For hubble lemaître law, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

recession speed approximately equals H0 x distance (nearby cosmic scales)

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.16

Hubble Lemaître Law - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: On large scales, galaxy recession speed approximately increases with distance in an expanding universe.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hubble lemaître law in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Distant galaxy surveys support expansion of the universe over cosmic time. Turn this into a testable question about hubble lemaître law. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: recession speed approximately equals H0 x distance (nearby cosmic scales). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A On large scales, galaxy recession speed approximately increases with distance in an expanding universe.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hubble lemaître law, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.17

Cosmic Microwave Background

THE CORE SCIENTIFIC IDEA

The cosmic microwave background is relic radiation released when early plasma became transparent.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Microwave anisotropies preserve information about conditions in the young universe. This illustrates cosmic microwave background within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For cosmic microwave background, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cosmic microwave background should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.17

Cosmic Microwave Background - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The cosmic microwave background is relic radiation released when early plasma became transparent.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cosmic microwave background in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Microwave anisotropies preserve information about conditions in the young universe. Turn this into a testable question about cosmic microwave background. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The cosmic microwave background is relic radiation released when early plasma became transparent.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cosmic microwave background, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.18

Big Bang Cosmology

THE CORE SCIENTIFIC IDEA

The standard cosmological model describes an early hot dense state and subsequent expansion.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Light-element abundances and background radiation support hot Big Bang cosmology. This illustrates big bang cosmology within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For big bang cosmology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of big bang cosmology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider selection bias, distance uncertainty, cosmic variance and unknown fundamental physics. Better evidence can narrow or revise the claim.

INVESTIGATION 25.18

Big Bang Cosmology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: The standard cosmological model describes an early hot dense state and subsequent expansion.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as big bang cosmology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Light-element abundances and background radiation support hot Big Bang cosmology. Turn this into a testable question about big bang cosmology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A The standard cosmological model describes an early hot dense state and subsequent expansion.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of big bang cosmology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.19

Dark Matter

THE CORE SCIENTIFIC IDEA

Gravitational evidence indicates more gravitating mass than can be explained by observed ordinary matter alone.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Galaxy rotation curves imply gravitating matter not accounted for by visible stars alone. This illustrates dark matter within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For dark matter, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of dark matter should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The gravitational evidence is extensive, but the particle or physical identity of dark matter has not been established.

INVESTIGATION 25.19

Dark Matter - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Gravitational evidence indicates more gravitating mass than can be explained by observed ordinary matter alone.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dark matter in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Galaxy rotation curves imply gravitating matter not accounted for by visible stars alone. Turn this into a testable question about dark matter. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Gravitational evidence indicates more gravitating mass than can be explained by observed ordinary matter alone.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dark matter, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

CONCEPT 25.20

Dark Energy

THE CORE SCIENTIFIC IDEA

Dark energy describes the inferred component associated with accelerated cosmic expansion, whose fundamental nature remains unsettled.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Cosmic expansion is accelerating, but the cause of this behavior is still uncertain. This illustrates dark energy within stellar physics and the evolution of the universe. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes spectra, luminosities, redshifts, gravitational signals and survey maps. Depending on the question, its models may use stellar structure, nuclear reactions and expanding-universe models. For dark energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of dark energy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Cosmic acceleration is supported by several observational probes; the fundamental explanation remains unsettled.

INVESTIGATION 25.20

Dark Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Dark energy describes the inferred component associated with accelerated cosmic expansion, whose fundamental nature remains unsettled.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as dark energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from spectra, luminosities, redshifts, gravitational signals and survey maps; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on stellar structure, nuclear reactions and expanding-universe models should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and selection bias, distance uncertainty, cosmic variance and unknown fundamental physics; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Cosmic expansion is accelerating, but the cause of this behavior is still uncertain. Turn this into a testable question about dark energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use telescopes, spectrographs, standard candles and numerical simulations if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Dark energy describes the inferred component associated with accelerated cosmic expansion, whose fundamental nature remains unsettled.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of dark energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: selection bias, distance uncertainty, cosmic variance and unknown fundamental physics.

FIELD 26 OF 28

Computer and Information Science

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines how information is represented, transformed, secured and evaluated. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include program outputs, system traces, benchmarks, error rates and formal properties. Investigators use testing, simulation, formal verification and reproducible benchmarks. Appropriate models include algorithms, protocols, computational models and statistical evaluation. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include implementation faults, distribution shift, adversarial inputs and hidden assumptions. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Binary Representation
02. Boolean Logic
03. Algorithms
04. Computational Complexity
05. Data Structures
06. Programming Languages
07. Compilers
08. Operating Systems
09. Computer Networks
10. Internet Protocol
11. Cryptography
12. Hash Functions
13. Error Correcting Codes
14. Information Entropy
15. Databases
16. Machine Learning
17. Neural Networks
18. Scientific Computing
19. Cybersecurity Science
20. AI Evaluation

CONCEPT 26.01

Binary Representation

THE CORE SCIENTIFIC IDEA

Digital systems encode information using discrete symbols that commonly map to binary states.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A single byte encodes 256 distinct bit patterns. This illustrates binary representation within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For binary representation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of binary representation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.01

Binary Representation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Digital systems encode information using discrete symbols that commonly map to binary states.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as binary representation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A single byte encodes 256 distinct bit patterns. Turn this into a testable question about binary representation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Digital systems encode information using discrete symbols that commonly map to binary states.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of binary representation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.02

Boolean Logic

THE CORE SCIENTIFIC IDEA

Boolean algebra describes logical operations underpinning digital circuits and program conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A logic AND gate outputs true only when both Boolean inputs are true. This illustrates boolean logic within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For boolean logic, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of boolean logic should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.02

Boolean Logic - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Boolean algebra describes logical operations underpinning digital circuits and program conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as boolean logic in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A logic AND gate outputs true only when both Boolean inputs are true. Turn this into a testable question about boolean logic. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Boolean algebra describes logical operations underpinning digital circuits and program conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of boolean logic, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.03

Algorithms

THE CORE SCIENTIFIC IDEA

An algorithm is a finite, unambiguous procedure for solving a defined class of problems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Binary search narrows a sorted search interval by roughly half each step. This illustrates algorithms within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For algorithms, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of algorithms should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.03

Algorithms - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: An algorithm is a finite, unambiguous procedure for solving a defined class of problems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as algorithms in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Binary search narrows a sorted search interval by roughly half each step. Turn this into a testable question about algorithms. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A An algorithm is a finite, unambiguous procedure for solving a defined class of problems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of algorithms, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.04

Computational Complexity

THE CORE SCIENTIFIC IDEA

Complexity analysis estimates how time and memory requirements scale with input size.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Sorting ten million records exposes differences between quadratic and n log n algorithms. This illustrates computational complexity within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For computational complexity, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

linear runtime: T(n) proportional to n; quadratic runtime: T(n) proportional to n^2

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.04

Computational Complexity - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Complexity analysis estimates how time and memory requirements scale with input size.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as computational complexity in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Sorting ten million records exposes differences between quadratic and n log n algorithms. Turn this into a testable question about computational complexity. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: linear runtime: T(n) proportional to n; quadratic runtime: T(n) proportional to n^2. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Complexity analysis estimates how time and memory requirements scale with input size.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of computational complexity, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.05

Data Structures

THE CORE SCIENTIFIC IDEA

Data structures organize values to support efficient access, updates, and operations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A hash table trades memory overhead for fast expected key lookups. This illustrates data structures within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For data structures, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of data structures should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.05

Data Structures - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Data structures organize values to support efficient access, updates, and operations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as data structures in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A hash table trades memory overhead for fast expected key lookups. Turn this into a testable question about data structures. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Data structures organize values to support efficient access, updates, and operations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of data structures, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.06

Programming Languages

THE CORE SCIENTIFIC IDEA

Languages specify syntax and semantics for describing executable computations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A programming-language type system can reject some invalid operations before execution. This illustrates programming languages within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For programming languages, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of programming languages should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.06

Programming Languages - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Languages specify syntax and semantics for describing executable computations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as programming languages in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A programming-language type system can reject some invalid operations before execution. Turn this into a testable question about programming languages. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Languages specify syntax and semantics for describing executable computations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of programming languages, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.07

Compilers

THE CORE SCIENTIFIC IDEA

Compilers transform programs into another representation while attempting to preserve intended behavior.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A compiler lowers a high-level expression into machine-level instructions. This illustrates compilers within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For compilers, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of compilers should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.07

Compilers - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Compilers transform programs into another representation while attempting to preserve intended behavior.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as compilers in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A compiler lowers a high-level expression into machine-level instructions. Turn this into a testable question about compilers. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Compilers transform programs into another representation while attempting to preserve intended behavior.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of compilers, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.08

Operating Systems

THE CORE SCIENTIFIC IDEA

Operating systems coordinate hardware resources, process isolation, files, scheduling, and device services.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A process scheduler shares CPU time while memory protection separates processes. This illustrates operating systems within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For operating systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of operating systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.08

Operating Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Operating systems coordinate hardware resources, process isolation, files, scheduling, and device services.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as operating systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A process scheduler shares CPU time while memory protection separates processes. Turn this into a testable question about operating systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Operating systems coordinate hardware resources, process isolation, files, scheduling, and device services.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of operating systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.09

Computer Networks

THE CORE SCIENTIFIC IDEA

Networks transport data between endpoints using layered protocols and routing decisions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Packet routing forwards data across multiple networks toward a destination. This illustrates computer networks within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For computer networks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of computer networks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.09

Computer Networks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Networks transport data between endpoints using layered protocols and routing decisions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as computer networks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Packet routing forwards data across multiple networks toward a destination. Turn this into a testable question about computer networks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Networks transport data between endpoints using layered protocols and routing decisions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of computer networks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.10

Internet Protocol

THE CORE SCIENTIFIC IDEA

IP provides best-effort packet delivery across interconnected networks.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: IP does not by itself guarantee delivery, ordering or confidentiality. This illustrates internet protocol within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For internet protocol, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of internet protocol should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.10

Internet Protocol - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: IP provides best-effort packet delivery across interconnected networks.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as internet protocol in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: IP does not by itself guarantee delivery, ordering or confidentiality. Turn this into a testable question about internet protocol. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A IP provides best-effort packet delivery across interconnected networks.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of internet protocol, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.11

Cryptography

THE CORE SCIENTIFIC IDEA

Cryptography uses mathematical constructions to provide confidentiality, integrity, and authentication.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: TLS uses cryptographic protocols to protect data in transit. This illustrates cryptography within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For cryptography, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cryptography should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.11

Cryptography - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cryptography uses mathematical constructions to provide confidentiality, integrity, and authentication.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cryptography in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: TLS uses cryptographic protocols to protect data in transit. Turn this into a testable question about cryptography. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cryptography uses mathematical constructions to provide confidentiality, integrity, and authentication.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cryptography, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.12

Hash Functions

THE CORE SCIENTIFIC IDEA

Cryptographic hash functions map arbitrary inputs to fixed-length outputs with specific security goals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A SHA-256 digest is a fixed-size fingerprint, not encryption of the original file. This illustrates hash functions within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For hash functions, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hash functions should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.12

Hash Functions - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Cryptographic hash functions map arbitrary inputs to fixed-length outputs with specific security goals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hash functions in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A SHA-256 digest is a fixed-size fingerprint, not encryption of the original file. Turn this into a testable question about hash functions. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Cryptographic hash functions map arbitrary inputs to fixed-length outputs with specific security goals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hash functions, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.13

Error Correcting Codes

THE CORE SCIENTIFIC IDEA

Error-correcting codes add redundancy to detect or recover from transmission and storage errors.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Redundant parity bits allow a receiver to detect certain transmission errors. This illustrates error correcting codes within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For error correcting codes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of error correcting codes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.13

Error Correcting Codes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Error-correcting codes add redundancy to detect or recover from transmission and storage errors.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as error correcting codes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Redundant parity bits allow a receiver to detect certain transmission errors. Turn this into a testable question about error correcting codes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Error-correcting codes add redundancy to detect or recover from transmission and storage errors.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of error correcting codes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.14

Information Entropy

THE CORE SCIENTIFIC IDEA

Shannon entropy quantifies uncertainty in a random variable under a probability model.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A fair coin carries one bit of Shannon entropy per independent flip. This illustrates information entropy within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For information entropy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

$$H = - \sum p_i \log_2(p_i)$$

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.14

Information Entropy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Shannon entropy quantifies uncertainty in a random variable under a probability model.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as information entropy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A fair coin carries one bit of Shannon entropy per independent flip. Turn this into a testable question about information entropy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: H = - sum p_i log2(p_i). Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Shannon entropy quantifies uncertainty in a random variable under a probability model.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of information entropy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.15

Databases

THE CORE SCIENTIFIC IDEA

Databases organize persistent information for retrieval, integrity constraints, and concurrent access.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A database transaction can maintain consistency through atomic commit rules. This illustrates databases within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For databases, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of databases should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.15

Databases - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Databases organize persistent information for retrieval, integrity constraints, and concurrent access.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as databases in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A database transaction can maintain consistency through atomic commit rules. Turn this into a testable question about databases. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Databases organize persistent information for retrieval, integrity constraints, and concurrent access.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of databases, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.16

Machine Learning

THE CORE SCIENTIFIC IDEA

Machine learning estimates patterns from data to make predictions or decisions under defined objectives.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A classifier can learn from labeled examples but still fail on shifted inputs. This illustrates machine learning within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For machine learning, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of machine learning should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.16

Machine Learning - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Machine learning estimates patterns from data to make predictions or decisions under defined objectives.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as machine learning in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A classifier can learn from labeled examples but still fail on shifted inputs. Turn this into a testable question about machine learning. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Machine learning estimates patterns from data to make predictions or decisions under defined objectives.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of machine learning, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.17

Neural Networks

THE CORE SCIENTIFIC IDEA

Artificial neural networks compose parameterized transformations learned from data.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A neural network maps inputs through learned layers of numerical transformations. This illustrates neural networks within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For neural networks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of neural networks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.17

Neural Networks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Artificial neural networks compose parameterized transformations learned from data.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as neural networks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A neural network maps inputs through learned layers of numerical transformations. Turn this into a testable question about neural networks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Artificial neural networks compose parameterized transformations learned from data.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of neural networks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.18

Scientific Computing

THE CORE SCIENTIFIC IDEA

Scientific computing uses numerical algorithms and validated software to simulate or analyze systems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Numerical simulation should be checked for convergence as step size decreases. This illustrates scientific computing within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For scientific computing, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scientific computing should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.18

Scientific Computing - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Scientific computing uses numerical algorithms and validated software to simulate or analyze systems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scientific computing in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Numerical simulation should be checked for convergence as step size decreases. Turn this into a testable question about scientific computing. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Scientific computing uses numerical algorithms and validated software to simulate or analyze systems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scientific computing, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.19

Cybersecurity Science

THE CORE SCIENTIFIC IDEA

Security engineering studies adversarial behavior, trust assumptions, attack surfaces, and resilience.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Threat modeling identifies trust boundaries and adversarial entry points in software systems. This illustrates cybersecurity science within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For cybersecurity science, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of cybersecurity science should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider implementation faults, distribution shift, adversarial inputs and hidden assumptions. Better evidence can narrow or revise the claim.

INVESTIGATION 26.19

Cybersecurity Science - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Security engineering studies adversarial behavior, trust assumptions, attack surfaces, and resilience.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as cybersecurity science in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Threat modeling identifies trust boundaries and adversarial entry points in software systems. Turn this into a testable question about cybersecurity science. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Security engineering studies adversarial behavior, trust assumptions, attack surfaces, and resilience.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of cybersecurity science, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

CONCEPT 26.20

AI Evaluation

THE CORE SCIENTIFIC IDEA

Evaluating AI systems requires representative tasks, uncertainty estimates, failure analysis, and monitoring for shift.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An AI benchmark can look strong while hiding failures on rare or adversarial cases. This illustrates ai evaluation within how information is represented, transformed, secured and evaluated. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes program outputs, system traces, benchmarks, error rates and formal properties. Depending on the question, its models may use algorithms, protocols, computational models and statistical evaluation. For ai evaluation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of ai evaluation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Benchmark success does not guarantee reliability in deployment or for unfamiliar populations.

INVESTIGATION 26.20

AI Evaluation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Evaluating AI systems requires representative tasks, uncertainty estimates, failure analysis, and monitoring for shift.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as ai evaluation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from program outputs, system traces, benchmarks, error rates and formal properties; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on algorithms, protocols, computational models and statistical evaluation should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and implementation faults, distribution shift, adversarial inputs and hidden assumptions; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An AI benchmark can look strong while hiding failures on rare or adversarial cases. Turn this into a testable question about ai evaluation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use testing, simulation, formal verification and reproducible benchmarks if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Evaluating AI systems requires representative tasks, uncertainty estimates, failure analysis, and monitoring for shift.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of ai evaluation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: implementation faults, distribution shift, adversarial inputs and hidden assumptions.

FIELD 27 OF 28

Engineering, Energy and Technology

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines the design of useful systems under physical and social constraints. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include performance curves, fatigue tests, power flows and failure logs. Investigators use prototypes, stress tests, simulation and lifecycle assessment. Appropriate models include balance equations, dynamic models, optimization and reliability theory. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include materials limits, supply constraints, environmental impact and human factors. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Engineering Design
02. Systems Engineering
03. Safety Factors
04. Reliability Engineering
05. Control Systems
06. Sensors and Actuators
07. Feedback Stability
08. Renewable Energy
09. Solar Photovoltaics
10. Wind Power
11. Hydroelectric Power
12. Geothermal Energy
13. Nuclear Energy Systems
14. Battery Chemistry
15. Fuel Cells
16. Electric Grids
17. Heat Pumps
18. Robotics
19. Manufacturing Processes
20. Life Cycle Assessment

CONCEPT 27.01

Engineering Design

THE CORE SCIENTIFIC IDEA

Engineering design iteratively turns constraints, requirements, evidence, and tradeoffs into tested solutions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An aircraft wing design must balance lift, mass, drag, cost and structural safety. This illustrates engineering design within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For engineering design, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of engineering design should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.01

Engineering Design - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Engineering design iteratively turns constraints, requirements, evidence, and tradeoffs into tested solutions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as engineering design in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An aircraft wing design must balance lift, mass, drag, cost and structural safety. Turn this into a testable question about engineering design. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Engineering design iteratively turns constraints, requirements, evidence, and tradeoffs into tested solutions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of engineering design, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.02

Systems Engineering

THE CORE SCIENTIFIC IDEA

Systems engineering coordinates interfaces, lifecycle requirements, verification, and risk across components.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A spacecraft integrates propulsion, thermal regulation, avionics and communication subsystems. This illustrates systems engineering within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For systems engineering, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of systems engineering should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.02

Systems Engineering - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Systems engineering coordinates interfaces, lifecycle requirements, verification, and risk across components.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as systems engineering in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A spacecraft integrates propulsion, thermal regulation, avionics and communication subsystems. Turn this into a testable question about systems engineering. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Systems engineering coordinates interfaces, lifecycle requirements, verification, and risk across components.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of systems engineering, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.03

Safety Factors

THE CORE SCIENTIFIC IDEA

A safety factor compares nominal capacity with expected demand but cannot eliminate uncertainty.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A bridge design includes capacity margins beyond expected everyday loads. This illustrates safety factors within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For safety factors, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of safety factors should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.03

Safety Factors - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: A safety factor compares nominal capacity with expected demand but cannot eliminate uncertainty.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as safety factors in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A bridge design includes capacity margins beyond expected everyday loads. Turn this into a testable question about safety factors. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A A safety factor compares nominal capacity with expected demand but cannot eliminate uncertainty.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of safety factors, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.04

Reliability Engineering

THE CORE SCIENTIFIC IDEA

Reliability measures whether systems perform required functions for stated durations and environments.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A turbine reliability program tracks wear, vibration and maintenance failures. This illustrates reliability engineering within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For reliability engineering, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of reliability engineering should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.04

Reliability Engineering - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Reliability measures whether systems perform required functions for stated durations and environments.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as reliability engineering in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A turbine reliability program tracks wear, vibration and maintenance failures. Turn this into a testable question about reliability engineering. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Reliability measures whether systems perform required functions for stated durations and environments.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of reliability engineering, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.05

Control Systems

THE CORE SCIENTIFIC IDEA

Control systems use feedback to regulate outputs despite disturbances and uncertainty.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A thermostat controls heating by comparing measured temperature against a target. This illustrates control systems within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For control systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of control systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.05

Control Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Control systems use feedback to regulate outputs despite disturbances and uncertainty.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as control systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A thermostat controls heating by comparing measured temperature against a target. Turn this into a testable question about control systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Control systems use feedback to regulate outputs despite disturbances and uncertainty.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of control systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.06

Sensors and Actuators

THE CORE SCIENTIFIC IDEA

Sensors estimate physical states; actuators transform control commands into physical effects.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A motor controller reads a shaft sensor and changes actuator output. This illustrates sensors and actuators within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For sensors and actuators, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of sensors and actuators should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.06

Sensors and Actuators - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Sensors estimate physical states; actuators transform control commands into physical effects.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as sensors and actuators in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A motor controller reads a shaft sensor and changes actuator output. Turn this into a testable question about sensors and actuators. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Sensors estimate physical states; actuators transform control commands into physical effects.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of sensors and actuators, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.07

Feedback Stability

THE CORE SCIENTIFIC IDEA

Stable feedback returns a perturbed system toward acceptable behavior rather than magnifying errors.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Poorly tuned feedback can cause a system to overshoot and oscillate. This illustrates feedback stability within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For feedback stability, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of feedback stability should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.07

Feedback Stability - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Stable feedback returns a perturbed system toward acceptable behavior rather than magnifying errors.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as feedback stability in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Poorly tuned feedback can cause a system to overshoot and oscillate. Turn this into a testable question about feedback stability. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Stable feedback returns a perturbed system toward acceptable behavior rather than magnifying errors.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of feedback stability, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.08

Renewable Energy

THE CORE SCIENTIFIC IDEA

Renewable systems use replenished energy flows such as sunlight, wind, water, and geothermal heat.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Solar and wind generation depend on variable environmental energy flows. This illustrates renewable energy within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For renewable energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of renewable energy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.08

Renewable Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Renewable systems use replenished energy flows such as sunlight, wind, water, and geothermal heat.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as renewable energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Solar and wind generation depend on variable environmental energy flows. Turn this into a testable question about renewable energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Renewable systems use replenished energy flows such as sunlight, wind, water, and geothermal heat.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of renewable energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.09

Solar Photovoltaics

THE CORE SCIENTIFIC IDEA

Photovoltaic devices convert absorbed light into electrical energy through semiconductor junction processes.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A photovoltaic cell creates charge separation after absorbing suitable photons. This illustrates solar photovoltaics within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For solar photovoltaics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

efficiency = electric output power / incident solar input power

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.09

Solar Photovoltaics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Photovoltaic devices convert absorbed light into electrical energy through semiconductor junction processes.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as solar photovoltaics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A photovoltaic cell creates charge separation after absorbing suitable photons. Turn this into a testable question about solar photovoltaics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: efficiency = electric output power / incident solar input power. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Photovoltaic devices convert absorbed light into electrical energy through semiconductor junction processes.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of solar photovoltaics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.10

Wind Power

THE CORE SCIENTIFIC IDEA

Wind turbines extract part of moving-air kinetic energy through aerodynamic rotor forces.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Wind turbine output depends strongly on wind speed and rotor design. This illustrates wind power within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For wind power, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

available wind power = (1/2) air density x area x wind speed^3

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.10

Wind Power - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Wind turbines extract part of moving-air kinetic energy through aerodynamic rotor forces.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as wind power in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Wind turbine output depends strongly on wind speed and rotor design. Turn this into a testable question about wind power. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: available wind power = (1/2) air density x area x wind speed^3. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Wind turbines extract part of moving-air kinetic energy through aerodynamic rotor forces.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of wind power, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.11

Hydroelectric Power

THE CORE SCIENTIFIC IDEA

Hydropower converts gravitational potential of flowing water into mechanical and electrical work.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A dam turbine converts falling water's potential energy into mechanical rotation. This illustrates hydroelectric power within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For hydroelectric power, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of hydroelectric power should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.11

Hydroelectric Power - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Hydropower converts gravitational potential of flowing water into mechanical and electrical work.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as hydroelectric power in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A dam turbine converts falling water's potential energy into mechanical rotation. Turn this into a testable question about hydroelectric power. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Hydropower converts gravitational potential of flowing water into mechanical and electrical work.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of hydroelectric power, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.12

Geothermal Energy

THE CORE SCIENTIFIC IDEA

Geothermal systems harness heat transported from Earth's interior to useful applications.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A geothermal heat exchanger transfers energy from hot rock or water. This illustrates geothermal energy within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For geothermal energy, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of geothermal energy should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.12

Geothermal Energy - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Geothermal systems harness heat transported from Earth's interior to useful applications.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as geothermal energy in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A geothermal heat exchanger transfers energy from hot rock or water. Turn this into a testable question about geothermal energy. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Geothermal systems harness heat transported from Earth's interior to useful applications.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of geothermal energy, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.13

Nuclear Energy Systems

THE CORE SCIENTIFIC IDEA

Nuclear reactors use controlled fission heat for electricity or other process energy.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A nuclear reactor's cooling system carries fission-produced heat to a power cycle. This illustrates nuclear energy systems within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For nuclear energy systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of nuclear energy systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.13

Nuclear Energy Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Nuclear reactors use controlled fission heat for electricity or other process energy.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as nuclear energy systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A nuclear reactor's cooling system carries fission-produced heat to a power cycle. Turn this into a testable question about nuclear energy systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Nuclear reactors use controlled fission heat for electricity or other process energy.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of nuclear energy systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.14

Battery Chemistry

THE CORE SCIENTIFIC IDEA

Batteries store and release energy through reversible or partially reversible electrochemical reactions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A lithium-ion cell exchanges lithium ions between host electrodes during cycling. This illustrates battery chemistry within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For battery chemistry, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of battery chemistry should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.14

Battery Chemistry - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Batteries store and release energy through reversible or partially reversible electrochemical reactions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as battery chemistry in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A lithium-ion cell exchanges lithium ions between host electrodes during cycling. Turn this into a testable question about battery chemistry. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Batteries store and release energy through reversible or partially reversible electrochemical reactions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of battery chemistry, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.15

Fuel Cells

THE CORE SCIENTIFIC IDEA

Fuel cells convert chemical free energy of supplied reactants directly into electrical energy.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A hydrogen fuel cell produces electricity through electrochemical oxidation and reduction. This illustrates fuel cells within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For fuel cells, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of fuel cells should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.15

Fuel Cells - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Fuel cells convert chemical free energy of supplied reactants directly into electrical energy.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as fuel cells in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A hydrogen fuel cell produces electricity through electrochemical oxidation and reduction. Turn this into a testable question about fuel cells. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Fuel cells convert chemical free energy of supplied reactants directly into electrical energy.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of fuel cells, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.16

Electric Grids

THE CORE SCIENTIFIC IDEA

Grids balance generation, transmission, distribution, demand, frequency, voltage, and reliability.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Electric grids continually balance demand and generation to maintain frequency. This illustrates electric grids within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For electric grids, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of electric grids should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.16

Electric Grids - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Grids balance generation, transmission, distribution, demand, frequency, voltage, and reliability.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as electric grids in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Electric grids continually balance demand and generation to maintain frequency. Turn this into a testable question about electric grids. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Grids balance generation, transmission, distribution, demand, frequency, voltage, and reliability.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of electric grids, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.17

Heat Pumps

THE CORE SCIENTIFIC IDEA

Heat pumps use work to move thermal energy between regions more efficiently than direct resistive heating in many conditions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An air-source heat pump can deliver several units of heat per unit of electric work. This illustrates heat pumps within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For heat pumps, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

QUANTITATIVE RELATION

COP = heat moved / work input

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.17

Heat Pumps - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Heat pumps use work to move thermal energy between regions more efficiently than direct resistive heating in many conditions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as heat pumps in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An air-source heat pump can deliver several units of heat per unit of electric work. Turn this into a testable question about heat pumps. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Use the following relationship only where its assumptions hold: COP = heat moved / work input. Create two hypothetical cases that differ in one input. Show units through each step, calculate the change in output, and identify any omitted physical or statistical influence.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Heat pumps use work to move thermal energy between regions more efficiently than direct resistive heating in many conditions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of heat pumps, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.18

Robotics

THE CORE SCIENTIFIC IDEA

Robotics combines sensing, actuation, control, planning, and mechanical design in physical systems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An autonomous robot combines camera inputs with motor commands and navigation. This illustrates robotics within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For robotics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of robotics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.18

Robotics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Robotics combines sensing, actuation, control, planning, and mechanical design in physical systems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as robotics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An autonomous robot combines camera inputs with motor commands and navigation. Turn this into a testable question about robotics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Robotics combines sensing, actuation, control, planning, and mechanical design in physical systems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of robotics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.19

Manufacturing Processes

THE CORE SCIENTIFIC IDEA

Manufacturing transforms materials by removal, forming, joining, deposition, or chemical processing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A 3D printer builds an object layer by layer through controlled deposition. This illustrates manufacturing processes within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For manufacturing processes, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of manufacturing processes should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.19

Manufacturing Processes - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Manufacturing transforms materials by removal, forming, joining, deposition, or chemical processing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as manufacturing processes in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A 3D printer builds an object layer by layer through controlled deposition. Turn this into a testable question about manufacturing processes. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Manufacturing transforms materials by removal, forming, joining, deposition, or chemical processing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of manufacturing processes, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

CONCEPT 27.20

Life Cycle Assessment

THE CORE SCIENTIFIC IDEA

Life-cycle assessment estimates environmental burdens across material extraction, production, use, and disposal.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A lifecycle analysis considers energy and materials from extraction through disposal. This illustrates life cycle assessment within the design of useful systems under physical and social constraints. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes performance curves, fatigue tests, power flows and failure logs. Depending on the question, its models may use balance equations, dynamic models, optimization and reliability theory. For life cycle assessment, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of life cycle assessment should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider materials limits, supply constraints, environmental impact and human factors. Better evidence can narrow or revise the claim.

INVESTIGATION 27.20

Life Cycle Assessment - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Life-cycle assessment estimates environmental burdens across material extraction, production, use, and disposal.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as life cycle assessment in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from performance curves, fatigue tests, power flows and failure logs; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on balance equations, dynamic models, optimization and reliability theory should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and materials limits, supply constraints, environmental impact and human factors; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A lifecycle analysis considers energy and materials from extraction through disposal. Turn this into a testable question about life cycle assessment. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use prototypes, stress tests, simulation and lifecycle assessment if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Life-cycle assessment estimates environmental burdens across material extraction, production, use, and disposal.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of life cycle assessment, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: materials limits, supply constraints, environmental impact and human factors.

FIELD 28 OF 28

Behavioral, Social and Public Health Sciences

A discipline map and reading guide

WHAT THIS FIELD INVESTIGATES

This field examines human behavior and population outcomes in social contexts. Research relies on carefully selected measurements, explicit models, and comparisons that can fail. No single observation is a complete explanation: the aim is a durable account that withstands competing interpretations.

EVIDENCE AND METHODS

Common sources of evidence include surveys, experiments, cohorts, social networks and geospatial records. Investigators use surveys, randomized studies, observation and spatial analysis. Appropriate models include causal diagrams, decision models, population rates and longitudinal designs. The exact tools and assumptions depend on the topic and scale.

INTERPRETATION AND BOUNDARIES

Important limitations include measurement bias, confounding, context shifts and ethical constraints. When evidence is uncertain, distinguish a direct observation from a causal interpretation, check units and variability, and identify a new measurement capable of changing the conclusion.

TWENTY CHAPTERS AT A GLANCE

01. Scientific Psychology
02. Psychophysics
03. Behavioral Conditioning
04. Decision Making
05. Behavioral Experiments
06. Social Networks
07. Group Dynamics
08. Demography
09. Survey Science
10. Economic Incentives
11. Geographic Information Systems
12. Remote Sensing
13. One Health
14. Environmental Toxicology
15. Risk Assessment
16. Public Health Surveillance
17. Outbreak Investigation
18. Health Disparities
19. Science Communication
20. Responsible Innovation

CONCEPT 28.01

Scientific Psychology

THE CORE SCIENTIFIC IDEA

Scientific psychology studies behavior and mental processes through empirical and theoretical methods.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A psychologist randomly assigns participants to test whether framing changes choices. This illustrates scientific psychology within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For scientific psychology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of scientific psychology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.01

Scientific Psychology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Scientific psychology studies behavior and mental processes through empirical and theoretical methods.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as scientific psychology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A psychologist randomly assigns participants to test whether framing changes choices. Turn this into a testable question about scientific psychology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Scientific psychology studies behavior and mental processes through empirical and theoretical methods.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of scientific psychology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.02

Psychophysics

THE CORE SCIENTIFIC IDEA

Psychophysics measures relationships between physical stimuli and reported or behavioral sensations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A vision experiment measures the dimmest light participants can reliably detect. This illustrates psychophysics within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For psychophysics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of psychophysics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.02

Psychophysics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Psychophysics measures relationships between physical stimuli and reported or behavioral sensations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as psychophysics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A vision experiment measures the dimmest light participants can reliably detect. Turn this into a testable question about psychophysics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Psychophysics measures relationships between physical stimuli and reported or behavioral sensations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of psychophysics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.03

Behavioral Conditioning

THE CORE SCIENTIFIC IDEA

Conditioning examines how association and consequences change learned responses.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A child can learn a response associated with repeated rewards or consequences. This illustrates behavioral conditioning within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For behavioral conditioning, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of behavioral conditioning should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.03

Behavioral Conditioning - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Conditioning examines how association and consequences change learned responses.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as behavioral conditioning in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A child can learn a response associated with repeated rewards or consequences. Turn this into a testable question about behavioral conditioning. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Conditioning examines how association and consequences change learned responses.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of behavioral conditioning, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.04

Decision Making

THE CORE SCIENTIFIC IDEA

Decision science analyzes choices under uncertainty, preferences, heuristics, and constraints.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: People sometimes choose a guaranteed reward over a higher-value risky option. This illustrates decision making within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For decision making, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of decision making should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.04

Decision Making - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Decision science analyzes choices under uncertainty, preferences, heuristics, and constraints.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as decision making in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: People sometimes choose a guaranteed reward over a higher-value risky option. Turn this into a testable question about decision making. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Decision science analyzes choices under uncertainty, preferences, heuristics, and constraints.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of decision making, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.05

Behavioral Experiments

THE CORE SCIENTIFIC IDEA

Human experiments require well-defined tasks, representative sampling, and controls for expectations.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An experiment with human volunteers must consider demand characteristics. This illustrates behavioral experiments within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For behavioral experiments, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of behavioral experiments should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.05

Behavioral Experiments - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Human experiments require well-defined tasks, representative sampling, and controls for expectations.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as behavioral experiments in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An experiment with human volunteers must consider demand characteristics. Turn this into a testable question about behavioral experiments. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Human experiments require well-defined tasks, representative sampling, and controls for expectations.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of behavioral experiments, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.06

Social Networks

THE CORE SCIENTIFIC IDEA

Social networks represent relationships that influence diffusion of information and behavior.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Information can spread rapidly through highly connected social network nodes. This illustrates social networks within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For social networks, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of social networks should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.06

Social Networks - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Social networks represent relationships that influence diffusion of information and behavior.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as social networks in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Information can spread rapidly through highly connected social network nodes. Turn this into a testable question about social networks. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Social networks represent relationships that influence diffusion of information and behavior.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of social networks, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.07

Group Dynamics

THE CORE SCIENTIFIC IDEA

Group structure, incentives, and norms can affect cooperation, conflict, and collective decisions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Group norms can change whether individuals publicly voice dissent. This illustrates group dynamics within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For group dynamics, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of group dynamics should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.07

Group Dynamics - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Group structure, incentives, and norms can affect cooperation, conflict, and collective decisions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as group dynamics in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Group norms can change whether individuals publicly voice dissent. Turn this into a testable question about group dynamics. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Group structure, incentives, and norms can affect cooperation, conflict, and collective decisions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of group dynamics, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.08

Demography

THE CORE SCIENTIFIC IDEA

Demography studies population size, age composition, fertility, mortality, and migration.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: An aging population alters expected healthcare and retirement-system demands. This illustrates demography within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For demography, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of demography should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.08

Demography - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Demography studies population size, age composition, fertility, mortality, and migration.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as demography in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: An aging population alters expected healthcare and retirement-system demands. Turn this into a testable question about demography. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Demography studies population size, age composition, fertility, mortality, and migration.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of demography, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.09

Survey Science

THE CORE SCIENTIFIC IDEA

Survey methodology addresses sampling, measurement, nonresponse, and questionnaire design.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A telephone poll can be biased when response rates differ by age group. This illustrates survey science within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For survey science, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of survey science should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.09

Survey Science - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Survey methodology addresses sampling, measurement, nonresponse, and questionnaire design.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as survey science in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A telephone poll can be biased when response rates differ by age group. Turn this into a testable question about survey science. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Survey methodology addresses sampling, measurement, nonresponse, and questionnaire design.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of survey science, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.10

Economic Incentives

THE CORE SCIENTIFIC IDEA

Incentives influence choices, but effects depend on context, institutions, and behavioral assumptions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Price changes influence purchasing decisions, though effects vary across circumstances. This illustrates economic incentives within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For economic incentives, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of economic incentives should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.10

Economic Incentives - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Incentives influence choices, but effects depend on context, institutions, and behavioral assumptions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as economic incentives in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Price changes influence purchasing decisions, though effects vary across circumstances. Turn this into a testable question about economic incentives. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Incentives influence choices, but effects depend on context, institutions, and behavioral assumptions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of economic incentives, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.11

Geographic Information Systems

THE CORE SCIENTIFIC IDEA

GIS links spatial coordinates, attributes, analysis, and visualization to study patterns.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A GIS map reveals whether heat-related illness clusters near low tree-cover areas. This illustrates geographic information systems within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For geographic information systems, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of geographic information systems should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.11

Geographic Information Systems - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: GIS links spatial coordinates, attributes, analysis, and visualization to study patterns.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as geographic information systems in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A GIS map reveals whether heat-related illness clusters near low tree-cover areas. Turn this into a testable question about geographic information systems. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A GIS links spatial coordinates, attributes, analysis, and visualization to study patterns.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of geographic information systems, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.12

Remote Sensing

THE CORE SCIENTIFIC IDEA

Remote sensing infers surface or atmospheric properties from measured electromagnetic signals.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Satellite imagery can estimate vegetation greenness across large landscapes. This illustrates remote sensing within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For remote sensing, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of remote sensing should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.12

Remote Sensing - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Remote sensing infers surface or atmospheric properties from measured electromagnetic signals.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as remote sensing in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Satellite imagery can estimate vegetation greenness across large landscapes. Turn this into a testable question about remote sensing. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Remote sensing infers surface or atmospheric properties from measured electromagnetic signals.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of remote sensing, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.13

One Health

THE CORE SCIENTIFIC IDEA

One Health studies linked human, animal, and environmental health systems.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Animal-to-human disease risks depend on ecosystems, agriculture and health systems. This illustrates one health within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For one health, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of one health should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.13

One Health - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: One Health studies linked human, animal, and environmental health systems.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as one health in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Animal-to-human disease risks depend on ecosystems, agriculture and health systems. Turn this into a testable question about one health. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A One Health studies linked human, animal, and environmental health systems.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of one health, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.14

Environmental Toxicology

THE CORE SCIENTIFIC IDEA

Toxicology evaluates harmful biological effects as functions of dose, exposure, susceptibility, and timing.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Lead exposure risk depends on dose, route, duration and age-related susceptibility. This illustrates environmental toxicology within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For environmental toxicology, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of environmental toxicology should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.14

Environmental Toxicology - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Toxicology evaluates harmful biological effects as functions of dose, exposure, susceptibility, and timing.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as environmental toxicology in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Lead exposure risk depends on dose, route, duration and age-related susceptibility. Turn this into a testable question about environmental toxicology. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Toxicology evaluates harmful biological effects as functions of dose, exposure, susceptibility, and timing.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of environmental toxicology, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.15

Risk Assessment

THE CORE SCIENTIFIC IDEA

Risk assessment distinguishes hazards, exposure pathways, dose-response relationships, and uncertainty.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A chemical can be hazardous even when a particular exposure scenario has low risk. This illustrates risk assessment within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For risk assessment, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of risk assessment should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.15

Risk Assessment - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Risk assessment distinguishes hazards, exposure pathways, dose-response relationships, and uncertainty.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as risk assessment in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A chemical can be hazardous even when a particular exposure scenario has low risk. Turn this into a testable question about risk assessment. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Risk assessment distinguishes hazards, exposure pathways, dose-response relationships, and uncertainty.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of risk assessment, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.16

Public Health Surveillance

THE CORE SCIENTIFIC IDEA

Surveillance systematically collects and interprets population health information to guide action.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Influenza surveillance combines laboratory results with population trends. This illustrates public health surveillance within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For public health surveillance, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of public health surveillance should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.16

Public Health Surveillance - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Surveillance systematically collects and interprets population health information to guide action.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as public health surveillance in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Influenza surveillance combines laboratory results with population trends. Turn this into a testable question about public health surveillance. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Surveillance systematically collects and interprets population health information to guide action.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of public health surveillance, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.17

Outbreak Investigation

THE CORE SCIENTIFIC IDEA

Outbreak investigations identify cases, exposure patterns, transmission routes, and plausible interventions.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Contact tracing can reveal possible shared exposures during a foodborne outbreak. This illustrates outbreak investigation within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For outbreak investigation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of outbreak investigation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.17

Outbreak Investigation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Outbreak investigations identify cases, exposure patterns, transmission routes, and plausible interventions.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as outbreak investigation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Contact tracing can reveal possible shared exposures during a foodborne outbreak. Turn this into a testable question about outbreak investigation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Outbreak investigations identify cases, exposure patterns, transmission routes, and plausible interventions.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of outbreak investigation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.18

Health Disparities

THE CORE SCIENTIFIC IDEA

Health disparities reflect differences in exposure, resources, access, institutions, and social determinants.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: Unequal access to clean air and healthcare can contribute to health disparities. This illustrates health disparities within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For health disparities, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of health disparities should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.18

Health Disparities - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Health disparities reflect differences in exposure, resources, access, institutions, and social determinants.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as health disparities in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: Unequal access to clean air and healthcare can contribute to health disparities. Turn this into a testable question about health disparities. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Health disparities reflect differences in exposure, resources, access, institutions, and social determinants.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of health disparities, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.19

Science Communication

THE CORE SCIENTIFIC IDEA

Effective communication conveys evidence, limitations, uncertainty, and actionable context to distinct audiences.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A scientific chart should explain uncertainty rather than imply unsupported precision. This illustrates science communication within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.


EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For science communication, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of science communication should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

Clearly separate observations, inference, consensus, and uncertainty rather than presenting all claims with equal confidence.

INVESTIGATION 28.19

Science Communication - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Effective communication conveys evidence, limitations, uncertainty, and actionable context to distinct audiences.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as science communication in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A scientific chart should explain uncertainty rather than imply unsupported precision. Turn this into a testable question about science communication. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Effective communication conveys evidence, limitations, uncertainty, and actionable context to distinct audiences.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of science communication, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

CONCEPT 28.20

Responsible Innovation

THE CORE SCIENTIFIC IDEA

Responsible innovation weighs safety, distributional effects, governance, and unintended consequences of technology.

HOW THE IDEA FITS INTO SCIENCE

Concrete example: A new technology should be evaluated for unintended harms and unequal impacts. This illustrates responsible innovation within human behavior and population outcomes in social contexts. A scientific explanation must distinguish what was observed from what the case implies, specify variables and conditions, and identify an observation that could change the interpretation.

EVIDENCE, MEASUREMENT AND MODELS

The field commonly analyzes surveys, experiments, cohorts, social networks and geospatial records. Depending on the question, its models may use causal diagrams, decision models, population rates and longitudinal designs. For responsible innovation, ask which observations would distinguish the proposed explanation from a reasonable alternative. Record the instrument, sampling interval, control conditions and uncertainty rather than reporting a bare number.

A GOOD EXPLANATORY MODEL

A meaningful model of responsible innovation should state its inputs, how outputs are obtained, and the range in which the model is trustworthy. Compare predicted outcomes with independent observations, not only the records used to construct the model.

EVIDENCE-TO-EXPLANATION MAP



WHAT THE CLAIM DOES NOT AUTOMATICALLY ESTABLISH

The statement does not by itself establish a numerical effect size, a complete causal chain, or universal applicability. In this field, consider measurement bias, confounding, context shifts and ethical constraints. Better evidence can narrow or revise the claim.

INVESTIGATION 28.20

Responsible Innovation - scientific practice

RESEARCH STARTING POINT

Investigate the following claim: Responsible innovation weighs safety, distributional effects, governance, and unintended consequences of technology.

A WORKED REASONING SEQUENCE

01 Define the boundary

Specify what counts as responsible innovation in this investigation, which cases are included, and whether you are studying a process, a state, or an association.

02 Record an observation

Choose an observable outcome from surveys, experiments, cohorts, social networks and geospatial records; name a repeatable measurement procedure and its units or categories.

03 Compare competing explanations

Choose a baseline or comparison condition. A mechanism based on causal diagrams, decision models, population rates and longitudinal designs should predict an observable difference from a plausible alternative.

04 Quantify uncertainty

Check sample selection, instrument limitations, uncontrolled factors and measurement bias, confounding, context shifts and ethical constraints; preserve raw measurements and uncertainty.

05 Revise the conclusion

Report whether the data support the stated claim, fail to distinguish explanations, or point to a narrower condition. An unsupported inference should remain provisional.

A PRACTICAL INVESTIGATION OUTLINE

Illustrative situation: A new technology should be evaluated for unintended harms and unequal impacts. Turn this into a testable question about responsible innovation. Specify one observable response, a baseline, a comparison case, repeat measurements, and a likely confounder. Use surveys, randomized studies, observation and spatial analysis if suitable; use hypothetical measurements if real experimentation is unsafe or impractical.

QUANTITATIVE CHECKPOINT

Propose an operational metric: a count, rate, concentration, time interval, probability, score, or physical quantity suited to the claim. Provide hypothetical values, compute a difference or ratio, and explain whether that comparison could be biased by measurement or sampling.

QUESTIONS WITH A COMPACT ANSWER GUIDE

Q What is the central proposition?
A Responsible innovation weighs safety, distributional effects, governance, and unintended consequences of technology.

Q What observation could challenge it?
A A reliable, repeatable result incompatible with the specified model of responsible innovation, after checking instruments, assumptions and plausible alternatives.

Q What limits would you disclose?
A At minimum: measurement bias, confounding, context shifts and ethical constraints.

Quantitative relationships

Definitions and limits are specified in the related topic. Equations are not universal.

Acceleration

average acceleration = change in velocity / time interval

Binomial Distribution

expected successes = n p

Buoyancy

buoyant force = displaced-fluid weight

Capacitance

capacitance = stored charge / voltage

Chemical Equilibrium

K = product activities / reactant activities (with stoichiometric powers)

Circular Motion

centripetal acceleration = speed^2 / radius

Computational Complexity

linear runtime: T(n) proportional to n; quadratic runtime: T(n) proportional to n^2

Concentration

molarity = amount of solute (mol) / solution volume (L)

Continuity Equation

rho A v = constant (steady one-dimensional flow)

Coulomb Law

force magnitude = k |q1 q2| / r^2

Darcy Law

specific discharge = - hydraulic conductivity x hydraulic gradient

Decibels

level difference = 10 log10(P2 / P1) for power ratios

Density

density = mass / volume

Derivatives

velocity = d(position) / dt

Quantitative relationships

Definitions and limits are specified in the related topic. Equations are not universal.

Diagnostic Test Sensitivity

sensitivity = true positives / (true positives + false negatives)

Diagnostic Test Specificity

specificity = true negatives / (true negatives + false positives)

Differential Equations

dx/dt = k x (a simple model)

Dimensional Analysis

[force] = mass x length / time^2

Electric Current

current = charge / time

Electric Potential

electric potential = electric potential energy / charge

Electric Power

power = voltage x current

Exponential Growth

N(t) = N0 exp(k t)

First Law of Thermodynamics

Delta U = Q - W (work done by system)

Fourier Analysis

signal(t) = sum of sinusoidal components (under suitable conditions)

Gravitation

gravitational force = G m1 m2 / r^2

Half Life

remaining amount = initial amount x 2^(-time / half-life)

Heat Pumps

COP = heat moved / work input

Heat and Temperature

Q = m c DeltaT (no phase transition)

Quantitative relationships

Definitions and limits are specified in the related topic. Equations are not universal.

Hubble Lemaître Law

recession speed approximately equals H0 x distance (nearby cosmic scales)

Ideal Gas Law

P V = n R T

Impulse

impulse = change in momentum

Incidence and Prevalence

incidence rate = new cases / person-time (one common definition)

Information Entropy

H = - sum p_i log2(p_i)

Integrals

displacement = integral of velocity over time

Kinetic Energy

K = (1/2) m v^2

Length and Distance

distance = speed x time (constant speed)

Linear Relationships

y = m x + b

Logarithmic Scales

log10(1000) = 3

Logarithms

log_b(b^x) = x

Mass Energy Equivalence

rest energy = mass x c^2

Momentum

momentum = mass x velocity

Newton Second Law

net force = mass x acceleration

Quantitative relationships

Definitions and limits are specified in the related topic. Equations are not universal.

Normal Distribution

z = (x - mean) / standard deviation

Ohm Law

voltage = current x resistance (ohmic conditions)

Orders of Magnitude

order difference = log10(A / B)

P Values

p = probability of data at least this extreme under the specified null model

Planck Constant

photon energy = Planck constant x frequency

Planetary Orbits

orbital period^2 proportional to semimajor axis^3 (same central mass)

Poisson Distribution

mean count = rate x exposure

Population Growth

population change = births - deaths + immigration - emigration

Position and Displacement

displacement = final position - initial position

Potential Energy

U = m g h (near Earth for constant g)

Pressure

pressure = force / area

Probability Rules

P(A or B) = P(A) + P(B) - P(A and B)

Quadratic Relationships

y = a x^2 + b x + c

Redshift

z = (observed wavelength - emitted wavelength) / emitted wavelength

Quantitative relationships

Definitions and limits are specified in the related topic. Equations are not universal.

River Discharge

discharge = mean cross-sectional velocity x area

Sampling and Aliasing

sample rate > 2 x highest signal frequency (ideal band-limited case)

Simple Harmonic Motion

period = 2 pi sqrt(m / k) (mass-spring model)

Snell Law

n1 sin(theta1) = n2 sin(theta2)

Solar Photovoltaics

efficiency = electric output power / incident solar input power

Speed and Velocity

average speed = total distance / elapsed time

The Mole

1 mol = 6.02214076 x 10^23 entities exactly

Time and Frequency

frequency = 1 / period

Torque

torque magnitude = r F sin(angle)

Trigonometric Functions

sin^2(theta) + cos^2(theta) = 1

Trophic Efficiency

transfer efficiency = next-level production / prior-level production

Variance and Standard Deviation

standard deviation = square root of variance

Wavelength and Frequency

wave speed = frequency x wavelength

Wind Power

available wind power = (1/2) air density x area x wind speed^3

Quantitative relationships

Definitions and limits are specified in the related topic. Equations are not universal.

Work

work = force x displacement x cos(angle) (constant force)

Alphabetical topic glossary

Acceleration

Acceleration measures the rate at which velocity changes in magnitude or direction.

Accuracy and Precision

Accuracy concerns closeness to a reference value; precision concerns repeatability of measurements.

Acids and Bases

Acids donate protons in Bronsted-Lowry chemistry, while bases accept protons.

Action Potentials

Voltage-gated ion channels generate regenerative electrical spikes in excitable membranes.

Adaptive Immunity

Adaptive responses use highly diverse lymphocyte receptors and can create long-lived immunological memory.

AI Evaluation

Evaluating AI systems requires representative tasks, uncertainty estimates, failure analysis, and monitoring for shift.

Air Masses and Fronts

Contrasting air masses and boundaries can organize clouds, precipitation, and temperature changes.

Alcohols and Ethers

Alcohols contain hydroxyl groups, while ethers contain oxygen bonded to two carbon groups.

Algorithms

An algorithm is a finite, unambiguous procedure for solving a defined class of problems.

Alkanes

Alkanes contain only single carbon-carbon bonds and undergo characteristic substitution and combustion reactions.

Alkenes

Alkenes contain carbon-carbon double bonds that commonly undergo addition reactions.

Alkynes

Alkynes contain carbon-carbon triple bonds with characteristic geometry and reactivity.

Allergy

Allergic reactions arise from inappropriate immune responses to ordinarily harmless exposures.

Alpha Decay

Alpha decay emits a helium-4 nucleus and changes the parent nucleus's proton and mass numbers.

Alternating Current

Alternating-current circuits involve time-varying voltages and currents, phase, and impedance.

Amines and Amides

Amines have nitrogen-centered basic chemistry; amides are resonance-stabilized acyl derivatives.

Amino Acids

Amino acids have variable side chains that control protein folding and chemical interactions.

Alphabetical topic glossary

Anatomical Organization

Organ systems consist of tissues and cells whose structural relationships support specialized functions.

Angular Momentum

Angular momentum is conserved when the net external torque is zero.

Antibiotics

Antibiotics inhibit microbial processes such as cell-wall synthesis, translation, or DNA replication.

Antibodies

Antibodies bind molecular targets and can neutralize pathogens or mark them for other defenses.

Antimatter

Antiparticles carry opposite relevant charges and can annihilate with particles into other products.

Antimicrobial Resistance

Resistance can evolve through mutation or transferred genes and spread under selective pressure.

Apoptosis

Apoptosis is a regulated form of cell death with distinctive molecular pathways.

Aquifers

Aquifers are geological units that can store and transmit economically or ecologically useful groundwater.

Archaea

Archaea are a distinct domain of cellular life with unusual membrane chemistry and important evolutionary relationships.

Aromaticity

Aromatic compounds exhibit cyclic electron delocalization satisfying specific quantum criteria.

Asteroids

Asteroids are small solar-system bodies that preserve diverse records of formation and collisions.

Atmospheric Composition

Earth's atmosphere is dominated by nitrogen and oxygen, with variable water vapor and trace gases.

Atmospheric Pressure

Air pressure reflects the weight of the overlying atmosphere and changes with height.

Atomic Orbitals

Orbitals describe spatial probability distributions for electrons in atoms.

Atomic Structure

Atoms consist of a nucleus surrounded by electrons in quantized states.

ATP

ATP couples energetically favorable hydrolysis to cellular work through reaction networks.

Attention

Attention selects and prioritizes information under limited processing capacity.

Alphabetical topic glossary

Autoimmunity

Autoimmune disease involves immune responses directed at the body's own tissues or molecules.

Autonomic Nervous System

Autonomic pathways regulate involuntary functions such as heart rate and digestion.

B Cells

Activated B cells can differentiate into antibody-secreting plasma cells and memory cells.

Bacterial Cell Structure

Bacteria have characteristic membranes, cell walls, ribosomes, and genetic organization varying by lineage.

Bacterial Growth

Microbial population growth depends on nutrient availability, physical conditions, and life-history tradeoffs.

Bacteriophages

Bacteriophages infect bacteria and shape microbial populations and gene exchange.

Battery Chemistry

Batteries store and release energy through reversible or partially reversible electrochemical reactions.

Bayesian Inference

Bayesian methods update probability distributions over hypotheses or parameters using data and prior assumptions.

Behavioral Conditioning

Conditioning examines how association and consequences change learned responses.

Behavioral Experiments

Human experiments require well-defined tasks, representative sampling, and controls for expectations.

Bernoulli Principle

Along an ideal steady streamline, pressure, elevation, and kinetic terms exchange without loss.

Beta Decay

Beta decay changes a nucleon type through the weak interaction and emits leptons.

Big Bang Cosmology

The standard cosmological model describes an early hot dense state and subsequent expansion.

Binary Representation

Digital systems encode information using discrete symbols that commonly map to binary states.

Binomial Distribution

Binomial models count successes over fixed independent trials with a common success probability.

Biodiversity

Biodiversity includes genetic, species, and ecosystem variation and supports many ecological functions.

Biodiversity Measurement

Species richness, evenness, and functional diversity describe different components of diversity.

Alphabetical topic glossary

Biofilms

Biofilms are surface-associated microbial communities embedded in self-produced matrices.

Biological Macromolecules

Proteins, nucleic acids, polysaccharides, and lipids perform distinct structural and functional roles.

Biomes

Biomes classify broad ecological patterns associated with climate, vegetation, and geography.

Black Hole Horizons

An event horizon bounds the region from which outward signals cannot reach distant observers.

Black Holes

Astrophysical black holes are regions bounded by event horizons and characterized externally by a few parameters.

Blinding

Blinding reduces expectation-driven changes in measurement, behavior, or interpretation.

Blood Circulation

Arteries, capillaries, and veins transport oxygen, nutrients, hormones, heat, and wastes.

Blood Components

Plasma, erythrocytes, leukocytes, and platelets serve transport, defense, and hemostatic functions.

Boolean Logic

Boolean algebra describes logical operations underpinning digital circuits and program conditions.

Buoyancy

A fluid exerts an upward buoyant force equal to the weight of displaced fluid.

Calibration

Calibration compares an instrument indication against a traceable reference over a specified range.

Cancer Biology

Cancer involves evolving cell populations with disrupted controls on growth, survival, and tissue interaction.

Capacitance

A capacitor stores separated charge and electrostatic energy for a given voltage.

Carbohydrates

Carbohydrates provide energy stores, structural polymers, and cell-recognition molecules.

Carbon Bonding

Carbon can form four covalent bonds and extensive stable chains, rings, and networks.

Carbon Cycle

Carbon moves among air, water, organisms, soils, sediments, and rocks through coupled processes.

Carbonyl Chemistry

The polarized carbon-oxygen double bond makes aldehydes and ketones important reaction centers.

Alphabetical topic glossary

Carboxylic Acids

Carboxylic acids contain a carboxyl group and undergo acid-base and acyl-transfer chemistry.

Cardiac Function

The heart generates pressure gradients that circulate blood through pulmonary and systemic pathways.

Carrying Capacity

Carrying capacity represents a context-dependent population size sustainable by available resources.

Catalysts

Catalysts alter pathways and activation barriers without changing the thermodynamic equilibrium constant.

Causal Inference

Causal inference uses design, assumptions, and counterfactual comparisons to estimate effects of interventions.

Cell Cycle

The cell cycle coordinates growth, DNA replication, and division using checkpoints.

Cell Membranes

Amphipathic lipids self-assemble into bilayers that separate cellular compartments.

Cell Signaling

Cells detect molecular signals and transform them into regulated biochemical responses.

Cell Theory

Cells are fundamental structural and functional units of known living organisms.

Central Nervous System

The brain and spinal cord integrate sensory inputs, motor control, and complex cognition.

Ceramics

Ceramics include inorganic nonmetallic materials valued for heat resistance, hardness, and brittleness.

Chain Reactions

Neutron-induced fission can multiply through generations when neutron economy allows.

Chemical Equilibrium

At equilibrium, opposing reaction rates balance while reactants and products can remain present.

Chemical Reactions

Chemical reactions rearrange atoms and electronic bonds while conserving each element.

Chloroplasts

Chloroplasts carry out photosynthesis in plants and algae through specialized membranes and enzymes.

Chromosomes

Chromosomes package genetic material and ensure organized segregation during division.

Circular Motion

Motion along a circle needs inward centripetal acceleration even if speed stays constant.

Alphabetical topic glossary

Citric Acid Cycle

The citric acid cycle oxidizes acetyl groups and transfers electrons to carrier molecules.

Climate Change Attribution

Attribution combines physical understanding, observations, and model experiments to distinguish drivers.

Climate Feedbacks

Climate feedbacks can amplify or damp an initial forcing through water vapor, ice, clouds, and other processes.

Climate Models

Climate models numerically couple physical processes while representing subgrid phenomena with approximations.

Clinical Trials

Well-designed trials compare interventions while managing confounding, adherence, harms, and uncertainty.

Cloud Formation

Cloud droplets or ice crystals form as moist air cools and condensation or deposition becomes favorable.

Coastal Erosion

Waves, tides, currents, geology, and human activity shape changing shorelines.

Cognitive Biases

Human judgment can systematically deviate from normative reasoning under particular tasks and contexts.

Comets

Comets contain volatile-rich materials and can develop comae and tails near the Sun.

Common Ancestry

Shared inherited features and molecular sequences support descent from common ancestors.

Competition

Organisms compete when shared limiting resources reduce growth, survival, or reproduction.

Compilers

Compilers transform programs into another representation while attempting to preserve intended behavior.

Complex Numbers

Complex numbers extend the real line and simplify oscillatory and wave calculations.

Computational Complexity

Complexity analysis estimates how time and memory requirements scale with input size.

Computer Networks

Networks transport data between endpoints using layered protocols and routing decisions.

Concentration

Concentration measures solute quantity relative to solution volume, mass, or amount of solvent.

Confidence Intervals

A frequentist confidence procedure has a stated long-run coverage rate under its assumptions.

Alphabetical topic glossary

Confounding Variables

A confounder influences both a putative cause and an outcome, potentially producing a misleading association.

Connective Tissue

Connective tissues support organs and include extracellular matrices with varying mechanical properties.

Consciousness

Conscious experience is studied through neural correlates, behavior, and competing mechanistic theories.

Conservation of Energy

Energy cannot be created or destroyed in an isolated system, though it can change form.

Conservation Planning

Conservation priorities combine ecological evidence, uncertainty, landscape connectivity, and social constraints.

Continental Drift

Matching geological patterns and later geophysical evidence support past continental movement.

Continuity Equation

Conservation of mass constrains how flow speed and cross-sectional area are related.

Control Systems

Control systems use feedback to regulate outputs despite disturbances and uncertainty.

Controlled Experiments

A controlled experiment changes a variable while managing alternative causes and recording an outcome.

Convection

Convection transfers heat through the bulk motion of fluids, often coupled with conduction.

Coordinate Systems

Coordinates locate an event or object relative to a defined origin, axes, and frame of reference.

Coral Reefs

Coral reefs are built partly by calcifying organisms and are vulnerable to thermal and chemical stress.

Coriolis Effect

In rotating frames, apparent deflection influences large-scale atmospheric and oceanic motions.

Correlation and Causation

Two variables may covary without either causing the other; causal claims need a justified design or mechanism.

Cosmic Distance Ladder

Astronomers combine parallax, standard candles, and other methods to measure large distances.

Cosmic Microwave Background

The cosmic microwave background is relic radiation released when early plasma became transparent.

Coulomb Law

Electrostatic force between point charges varies inversely with the square of separation.

Alphabetical topic glossary

Covalent Bonding

Covalent bonds arise from electron density shared between atomic centers.

Cross Validation

Cross-validation estimates predictive performance on held-out data rather than the training sample alone.

Cryptography

Cryptography uses mathematical constructions to provide confidentiality, integrity, and authentication.

Culture Methods

Culturing selects organisms able to grow under particular laboratory conditions and may miss much diversity.

Current and Drift

Electric current describes net charge flow while charge carriers move through a material.

Cybersecurity Science

Security engineering studies adversarial behavior, trust assumptions, attack surfaces, and resilience.

Cytoskeleton

Actin, microtubules, and intermediate filaments support shape, transport, and mechanical behavior.

Darcy Law

Darcy's law describes groundwater flow through porous media under hydraulic gradients within its assumptions.

Dark Energy

Dark energy describes the inferred component associated with accelerated cosmic expansion, whose fundamental nature remains unsettled.

Dark Matter

Gravitational evidence indicates more gravitating mass than can be explained by observed ordinary matter alone.

Data Structures

Data structures organize values to support efficient access, updates, and operations.

Data Visualization

Effective graphics reveal patterns while truthful axes and scales avoid distorting evidence.

Databases

Databases organize persistent information for retrieval, integrity constraints, and concurrent access.

Decibels

Decibels express logarithmic ratios, including acoustic levels referenced to defined quantities.

Decision Making

Decision science analyzes choices under uncertainty, preferences, heuristics, and constraints.

Demography

Demography studies population size, age composition, fertility, mortality, and migration.

Density

Density is mass per unit volume and may vary with temperature, pressure, and composition.

Alphabetical topic glossary

Derivatives

The derivative gives an instantaneous rate of change where the required limit exists.

Diagnostic Test Sensitivity

Sensitivity measures the fraction of genuinely affected individuals who test positive.

Diagnostic Test Specificity

Specificity measures the fraction of genuinely unaffected individuals who test negative.

Differential Equations

Differential equations relate a system state to rates of change over time or space.

Diffraction

Waves spread or bend around obstacles and apertures when relevant sizes approach wavelength.

Diffusion

Diffusion reflects random particle movement yielding net transport down concentration gradients.

Digestive System

Digestion converts food into absorbable molecules through mechanical processing and enzymatic reactions.

Dimensional Analysis

A physically meaningful equation must be dimensionally consistent on both sides.

Distributions

Probability distributions describe the relative frequencies or likelihoods of possible variable values.

DNA and RNA

DNA commonly stores inherited information, while RNA has coding, structural, and catalytic roles.

DNA Replication

DNA polymerases extend complementary strands using templates and proofreading mechanisms.

Dominant and Recessive Traits

Dominance describes phenotype relationships between alleles under defined genetic conditions.

Doppler Effect

Relative motion changes observed frequency of waves from moving sources or observers.

Dwarf Planets

Dwarf planets orbit the Sun and are rounded by gravity but have not cleared their orbital neighborhoods.

Earth

Earth supports surface liquid water and a diverse biosphere under present conditions.

Earth Interior

Earth has a crust, mantle, liquid outer core, and solid inner core inferred from multiple measurements.

Ecological Succession

Communities change over time after disturbance or the creation of new substrates.

Alphabetical topic glossary

Economic Incentives

Incentives influence choices, but effects depend on context, institutions, and behavioral assumptions.

Effect Size

Effect size quantifies the magnitude of a relationship, complementing uncertainty and statistical significance.

Eigenvalues and Modes

Eigenvalues identify invariant factors of a transformation and characterize many natural modes.

Electric Charge

Electric charge is conserved and determines electromagnetic interactions of particles and matter.

Electric Current

Current measures the rate of transport of electric charge through a cross section.

Electric Field

An electric field gives force per positive test charge at a location.

Electric Grids

Grids balance generation, transmission, distribution, demand, frequency, voltage, and reliability.

Electric Potential

Electric potential represents electric potential energy per unit charge.

Electric Power

Electrical power is the rate of energy transfer and is voltage times current for a circuit element.

Electromagnetic Induction

Changing magnetic flux can induce an electromotive force in a circuit.

Electromagnetic Spectrum

Radio through gamma radiation differ in wavelength and frequency while sharing electromagnetic nature.

Electromagnetic Waves

Accelerating charges and varying fields produce coupled electromagnetic waves that propagate in vacuum.

Electron Spin

Spin is an intrinsic quantum angular momentum contributing to magnetic properties.

Electronegativity

Electronegativity expresses relative attraction for bonding electrons.

Elements and Compounds

Elements are defined by proton number; chemical compounds contain chemically bonded elements in specific compositions.

Emotion and Motivation

Distributed neural circuits combine bodily signals, valuation, learning, and social context.

Endocrine System

Hormones regulate distant or local targets through feedback loops and receptor-dependent signals.

Alphabetical topic glossary

Endoplasmic Reticulum

The ER supports protein folding, lipid synthesis, and intracellular membrane organization.

Engineering Design

Engineering design iteratively turns constraints, requirements, evidence, and tradeoffs into tested solutions.

Entanglement

Entangled systems have joint correlations not reducible to independent local quantum states.

Entropy

Entropy quantifies thermodynamic state multiplicity and constrains spontaneous energy transformations.

Environmental Toxicology

Toxicology evaluates harmful biological effects as functions of dose, exposure, susceptibility, and timing.

Enzyme Kinetics

Reaction-rate measurements reveal saturation, affinity-related parameters, and catalytic turnover.

Enzymes

Enzymes accelerate biochemical reactions by stabilizing pathways with lower activation barriers.

Epidemiology

Epidemiology studies patterns, causes, and prevention of health outcomes in populations.

Epigenetic Regulation

Chemical modifications and chromatin structures can alter gene expression without changing DNA sequence.

Epithelial Tissue

Epithelial sheets line surfaces, regulate exchange, and provide protective barriers.

Equivalence Principle

Local gravitational and inertial effects are linked in the foundations of general relativity.

Erosion and Deposition

Water, wind, ice, and gravity move sediment and shape landscapes.

Error Correcting Codes

Error-correcting codes add redundancy to detect or recover from transmission and storage errors.

Evidence Based Medicine

Clinical decisions integrate the best available research, professional judgment, and patient values.

Evidence Hierarchies

The strength of evidence depends on design, bias control, directness, precision, and agreement with other findings.

Evolutionary Development

Changes in conserved developmental programs can produce major differences in body form.

Exoplanets

Exoplanets are planets outside the solar system detected through multiple observational methods.

Alphabetical topic glossary

Exponential Growth

Exponential models describe proportional growth or decay over equal time intervals.

Extinction

Extinction removes lineages and can be driven by environmental change, interactions, or chance.

Extreme Weather Risk

Risk depends on physical hazards, exposure, infrastructure, preparedness, and long-term vulnerability.

Falsifiability

A scientific claim is more informative when evidence could in principle show it to be mistaken.

Faults and Earthquakes

Sudden slip on faults releases elastic strain energy and produces seismic waves.

Feedback Stability

Stable feedback returns a perturbed system toward acceptable behavior rather than magnifying errors.

Fiber Optics

Guided light in optical fibers transports information with controlled loss and dispersion.

First Law of Thermodynamics

Internal-energy change equals energy added by heat minus work done by the system under a chosen convention.

Floods and Droughts

Hydrologic extremes result from weather, climate, storage, land use, and watershed characteristics.

Food Chains

Food chains summarize directional transfers of energy through feeding relationships.

Food Webs

Food webs integrate multiple feeding connections and reveal indirect ecological effects.

Force Carriers

Gauge bosons mediate interactions described by the Standard Model.

Fossilization

Exceptional preservation and sedimentary context allow biological remains or traces to enter the rock record.

Fourier Analysis

Fourier analysis represents signals by combinations of frequencies and phases.

Free Body Diagrams

A free-body diagram isolates one object and identifies external forces acting on it.

Freshwater Quality

Water quality considers physical, chemical, biological, and microbial indicators relevant to use.

Friction

Friction opposes relative motion or impending motion and depends on surfaces and contact conditions.

Alphabetical topic glossary

Fuel Cells

Fuel cells convert chemical free energy of supplied reactants directly into electrical energy.

Functional Groups

Functional groups help predict an organic compound's physical properties and reactions.

Functions and Graphs

A function maps each allowed input to an output, permitting graphical study of relationships.

Fundamental Fermions

Quarks and leptons constitute known elementary matter particles in the Standard Model.

Fungi

Fungi absorb nutrients and include yeasts, molds, symbionts, and diverse decomposers.

Galaxy Interactions

Tidal encounters and mergers can transform galaxy shapes and trigger bursts of star formation.

Galaxy Types

Galaxies vary in morphology, gas content, star formation, and evolutionary history.

Gamma Emission

Gamma emission releases nuclear excitation energy as high-energy electromagnetic radiation.

General Relativity

Gravity is described through spacetime geometry coupled to energy and momentum.

Genes

A gene is a DNA sequence contributing to a functional product through transcription or other regulation.

Genetic Drift

Random sampling can change allele frequencies, especially in small populations.

Geographic Information Systems

GIS links spatial coordinates, attributes, analysis, and visualization to study patterns.

Geologic Hazards

Hazard assessment combines event probability, exposure, vulnerability, and uncertainty.

Geologic Time

Relative dating and radiometric chronometers reconstruct sequences and durations of Earth's history.

Geothermal Energy

Geothermal systems harness heat transported from Earth's interior to useful applications.

Glial Cells

Glia support metabolism, myelination, immune surveillance, and neural circuit function.

Global Water Cycle

Evaporation, transport, precipitation, runoff, infiltration, and storage redistribute Earth's water.

Alphabetical topic glossary

Glycolysis

Glycolysis converts glucose to pyruvate through enzyme-catalyzed reactions in the cytosol.

Golgi Apparatus

The Golgi modifies, sorts, and routes many secreted and membrane proteins.

Gravitation

Newtonian gravitation models attraction between masses with an inverse-square dependence on separation.

Gravitational Lensing

Massive objects deflect light, producing image distortion, arcs, and multiple images.

Gravitational Waves

Accelerating mass distributions with changing quadrupole moments can radiate spacetime disturbances.

Greenhouse Effect

Infrared-active gases absorb and emit thermal radiation, altering the surface-troposphere energy balance.

Groundwater

Groundwater occupies connected pore spaces and fractures below the water table or in confined formations.

Group Dynamics

Group structure, incentives, and norms can affect cooperation, conflict, and collective decisions.

Habitability

Habitability depends on environmental conditions, chemistry, energy sources, and life-related assumptions.

Habitat Fragmentation

Habitat fragmentation changes connectivity, edge exposure, and opportunities for movement.

Half Life

Half-life is the time for an exponentially decaying population to reach half its initial amount.

Hash Functions

Cryptographic hash functions map arbitrary inputs to fixed-length outputs with specific security goals.

Health Disparities

Health disparities reflect differences in exposure, resources, access, institutions, and social determinants.

Hearing

Hair cells in the cochlea convert mechanical vibrations into neural signals.

Heat and Temperature

Temperature describes thermal state; heat is energy transferred because of temperature difference.

Heat Conduction

Conduction transfers energy through a material under a temperature gradient.

Heat Engines

Heat engines convert part of a temperature-driven energy flow into work with efficiency limits.

Alphabetical topic glossary

Heat Pumps

Heat pumps use work to move thermal energy between regions more efficiently than direct resistive heating in many conditions.

Hertzsprung Russell Diagram

The Hertzsprung-Russell diagram relates stellar luminosity and temperature across evolutionary states.

Higgs Mechanism

Interactions with the Higgs field generate masses of electroweak gauge bosons and fermions.

Homeostasis at Molecular Scale

Feedback, transport, and signaling stabilize chemical states amid changing conditions.

Hubble Lemaître Law

On large scales, galaxy recession speed approximately increases with distance in an expanding universe.

Humidity

Humidity measures water vapor in air using concentration, partial pressure, or saturation-based quantities.

Hydrocarbons

Hydrocarbons contain carbon and hydrogen, with properties varying by saturation and shape.

Hydroelectric Power

Hydropower converts gravitational potential of flowing water into mechanical and electrical work.

Hypotheses and Predictions

A hypothesis is a testable explanatory proposal, while a prediction specifies an expected observation under stated conditions.

Hypothesis Testing

A test statistic compares observed data with what a null model would generate.

Ideal Gas Law

For an ideal gas, pressure times volume equals amount times gas constant times absolute temperature.

Igneous Rocks

Igneous rocks crystallize from molten material under different cooling conditions.

Immune Organs

Bone marrow, thymus, lymph nodes, and spleen support immune-cell development and response.

Impact Cratering

Impacts create craters and ejecta and can alter planetary surfaces and environments.

Impulse

Impulse is the time integral of force and equals a change in momentum.

Incidence and Prevalence

Incidence measures new occurrences over time; prevalence measures existing cases in a population.

Independent and Dependent Variables

An independent variable is manipulated or classified; a dependent variable records the response of interest.

Alphabetical topic glossary

Inductance

Inductance relates magnetic flux linkages to current and stores energy in magnetic fields.

Inertial Frames

An inertial reference frame permits Newton's first law and is central to special relativity.

Infectious Disease Transmission

Transmission depends on pathogen, host, route, timing, environment, and contact structure.

Inflammation

Inflammation recruits mediators and cells to sites of injury or infection but can harm tissue when dysregulated.

Information Entropy

Shannon entropy quantifies uncertainty in a random variable under a probability model.

Innate Immunity

Innate defenses rapidly recognize broad danger signals and recruit inflammatory and cellular responses.

Integrals

Integration accumulates contributions, such as distance from velocity or mass from density.

Interference

Constructive or destructive interference occurs when coherent waves combine at differing phases.

International System of Units

SI defines coherent units through fixed numerical values of selected physical constants.

Internet Protocol

IP provides best-effort packet delivery across interconnected networks.

Invasive Species

Introduced organisms sometimes spread rapidly and disrupt local interactions and ecosystem functions.

Ionic Bonding

Ionic solids are stabilized by electrostatic interactions among oppositely charged ions.

Isotopes

Isotopes share a proton number but differ in neutron number, changing mass and nuclear behavior.

Jet Streams

Jet streams are narrow fast winds associated with strong horizontal temperature gradients aloft.

Joints and Movement

Joint geometry, muscles, tendons, and ligaments constrain movement and mechanical stability.

Jupiter

Jupiter is a gas giant with powerful atmospheric storms and an extensive magnetic environment.

Kidney Filtration

Nephrons filter plasma and regulate water, electrolytes, acid-base balance, and waste excretion.

Alphabetical topic glossary

Kinetic Energy

Classical translational kinetic energy equals one half of mass times speed squared.

Kirchhoff Laws

Circuit junction and loop rules reflect conservation of charge and energy.

Laminar and Turbulent Flow

Laminar flow is orderly, while turbulent flow includes fluctuating eddies and enhanced mixing.

Learning and Plasticity

Experience can alter synaptic strength, circuit connectivity, and behavioral responses.

Length and Distance

Length measures spatial separation; appropriate instruments range from rulers to interferometry and astronomical ranging.

Length Contraction

Lengths measured parallel to relative motion differ between inertial frames under defined simultaneity.

Lenses

Converging and diverging lenses form images by changing the direction of light rays.

Levels of Ecological Organization

Ecologists study organisms, populations, communities, ecosystems, and the biosphere at different scales.

Life Cycle Assessment

Life-cycle assessment estimates environmental burdens across material extraction, production, use, and disposal.

Linear Relationships

A linear model has a constant rate of change and is commonly expressed with slope and intercept.

Linkage and Recombination

Genes near each other on a chromosome are often inherited together unless crossing-over separates them.

Lipids

Lipids include membrane constituents, energy stores, and signaling molecules with varied structures.

Liver Function

The liver processes nutrients, synthesizes proteins, detoxifies compounds, and produces bile.

Logarithmic Scales

Logarithmic units compress wide ranges and convert multiplication into addition.

Logarithms

Logarithms invert exponentiation and are useful for multiplicative changes and scales.

Lorentz Force

An electric charge experiences force from electric and magnetic fields according to its velocity.

Luminous Intensity

The candela weights optical radiation according to a defined visible-light response.

Alphabetical topic glossary

Lysosomes

Lysosomes use acidic enzymes to degrade and recycle intracellular material.

Machine Learning

Machine learning estimates patterns from data to make predictions or decisions under defined objectives.

Magnetic Fields

Moving charges and magnetic dipoles interact with magnetic fields.

Main Sequence Stars

Main-sequence stars spend much of their lives fusing hydrogen in their cores.

Manufacturing Processes

Manufacturing transforms materials by removal, forming, joining, deposition, or chemical processing.

Marine Ecosystems

Marine communities depend on light, nutrients, physical transport, and biological interactions.

Mars

Mars has evidence of past surface water and an atmosphere much thinner than Earth's.

Mass and Amount of Substance

Mass measures inertia and gravitational interaction; amount of substance counts specified entities in moles.

Mass Energy Equivalence

Rest energy equals mass times the vacuum speed of light squared.

Materials Characterization

Diffraction, spectroscopy, microscopy, and mechanical testing reveal complementary material properties.

Matrices

Matrices organize linear transformations, coupled equations, and multidimensional scientific data.

Maxwell Equations

Maxwell's equations connect electric and magnetic fields with sources and their time evolution.

Means and Medians

The mean uses all numerical values; the median describes the central ordered value and resists extreme outliers.

Measurement and Decoherence

Quantum measurement probabilities coexist with environmental decoherence that suppresses observable interference.

Measurement Error

Measurements contain random variation and may contain systematic bias that repeated readings do not remove.

Measurement Traceability

Traceability links a result through documented calibrations to recognized standards with uncertainties.

Meiosis

Meiosis reduces chromosome number and creates genetic variation in sexual reproduction.

Alphabetical topic glossary

Memory Systems

Different brain networks contribute to working, episodic, procedural, and semantic memory.

Mendelian Inheritance

Mendelian patterns arise when alleles segregate and sometimes assort independently.

Mercury

Mercury is a small rocky planet with a large metallic core and a heavily cratered surface.

Metabolic Pathways

Cellular metabolism comprises linked reactions that transform matter, energy, and reducing power.

Metagenomics

Metagenomics sequences DNA from communities to infer functions and organisms without culturing all members.

Metallic Bonding

Metallic bonding features delocalized electrons and explains many electrical and mechanical properties.

Metals and Alloys

Alloy composition and microstructure strongly influence strength, conductivity, and corrosion.

Metamorphic Rocks

Metamorphism changes minerals and textures under altered temperature, pressure, and fluid conditions.

Microbial Diversity

Microorganisms encompass diverse bacteria, archaea, protists, fungi, and microscopic forms of life.

Microbial Ecology

Microbial interactions influence biogeochemical cycles, nutrient cycling, and symbioses.

Microbial Metabolism

Microbes use diverse electron donors, acceptors, and carbon sources to obtain energy and materials.

Microbiomes

Microbiomes include microorganisms and their genes, interactions, and environmental context.

Microscopy

Light and electron microscopy reveal structures at different scales with different limitations.

Milky Way Galaxy

The Milky Way is a barred spiral galaxy containing stars, gas, dust, and dark matter.

Minerals

Minerals are naturally occurring solids with characteristic compositions and ordered atomic structures.

Mirrors

Curved mirrors form real or virtual images depending on shape and object position.

Mitochondria

Mitochondria produce ATP and contribute to metabolism, signaling, and programmed cell death.

Alphabetical topic glossary

Mitosis

Mitosis distributes duplicated chromosomes into daughter nuclei during eukaryotic cell division.

Molecular Geometry

Electron-pair repulsion and molecular structure determine three-dimensional molecular shapes.

Molecular Recognition

Complementary shapes, charges, and interactions allow biomolecules to bind selectively.

Momentum

Linear momentum equals mass times velocity in classical mechanics and is conserved in isolated systems.

Motor Control

Motor control integrates planning, feedback, spinal circuits, and muscle activation.

Mountain Building

Orogeny includes deformation, thickening, uplift, and erosion near tectonic boundaries.

Multiple Comparisons

Testing many hypotheses raises the chance of false positives unless multiplicity is considered.

Muscle Tissue

Muscle cells convert chemical energy into force through actin-myosin interactions.

Mutations

Mutations are heritable sequence changes arising from copying errors, damage, or repair processes.

Mutualism

Mutualistic interactions provide net benefits to both participating species under given conditions.

Nanomaterials

Material behavior can change at nanoscale dimensions through high surface area and quantum effects.

Natural Selection

Inherited variants associated with differential reproductive success can increase in frequency.

Neptune

Neptune is a distant ice giant with strong winds and active atmospheric weather.

Nervous Tissue

Neurons and glia coordinate signaling, support, and information processing.

Neural Networks

Artificial neural networks compose parameterized transformations learned from data.

Neurons

Neurons generate electrical signals and communicate through specialized connections.

Neurotransmitters

Neurotransmitters alter target-cell signaling through receptor-specific molecular mechanisms.

Alphabetical topic glossary

Neutrinos

Neutrinos interact weakly, travel long distances, and oscillate among flavor states.

Neutron Stars

Neutron stars are extremely compact remnants supported by dense-matter pressure.

Newton First Law

An object remains at constant velocity in an inertial frame unless a net external force acts.

Newton Second Law

For constant mass in a suitable inertial frame, net force equals mass times acceleration.

Newton Third Law

Interactions exert equal and opposite forces on two different bodies.

Nitrogen Cycle

Microbes and other processes move nitrogen among atmospheric, organic, and inorganic forms.

Normal Distribution

A normal distribution is symmetric with a bell-shaped density described by mean and variance.

Nuclear Binding Energy

Nuclear binding reflects the energy difference between separated nucleons and a bound nucleus.

Nuclear Energy Systems

Nuclear reactors use controlled fission heat for electricity or other process energy.

Nuclear Fission

Fission splits a heavy nucleus into lighter fragments, often releasing neutrons and energy.

Nuclear Fusion

Fusion joins light nuclei, potentially releasing energy from mass differences.

Nucleotides

Nucleotides supply nucleic-acid building blocks and carry energy and signals.

Nucleus

The nucleus stores most eukaryotic genetic material and organizes gene expression and RNA processing.

Numerical Approximation

Numerical methods estimate solutions when exact formulas are impractical or unavailable.

Observations and Inferences

An observation records a measurable or describable event; an inference proposes an explanation that may require further testing.

Ocean Acidification

Absorption of anthropogenic carbon dioxide shifts seawater carbonate chemistry and lowers pH.

Ocean Salinity

Ocean salinity reflects dissolved salts and varies with freshwater input, evaporation, and circulation.

Alphabetical topic glossary

Ocean Stratification

Temperature and salinity influence density layering and vertical mixing in seawater.

Ocean Waves

Surface waves transport energy and respond to wind, gravity, depth, and boundaries.

Ohm Law

In an ohmic element under specified conditions, voltage is proportional to current.

One Health

One Health studies linked human, animal, and environmental health systems.

Open Science

Transparent methods, code, data, and preregistration can improve auditability while preserving ethical constraints.

Operating Systems

Operating systems coordinate hardware resources, process isolation, files, scheduling, and device services.

Optical Resolution

Diffraction and instrument aperture restrict the finest detail an optical system can distinguish.

Optimization

Optimization searches for parameter values that maximize or minimize an objective subject to constraints.

Orders of Magnitude

Comparing powers of ten reveals scale differences between atoms, organisms, planets, and galaxies.

Oscillations

A restoring force can generate repetitive motion about a stable equilibrium.

Osmosis

Water moves across selectively permeable barriers according to differences in water chemical potential.

Outbreak Investigation

Outbreak investigations identify cases, exposure patterns, transmission routes, and plausible interventions.

Oxidation and Reduction

Redox reactions transfer electron density and change formal oxidation states.

Oxidative Phosphorylation

Electron transport creates an electrochemical gradient used by ATP synthase.

P Values

A p value measures extremeness of data under a null model; it is not the probability that the null is true.

Parallel Circuits

Parallel elements share potential difference while branch currents sum.

Parasitism

Parasites use host resources and can alter host health, reproduction, and ecological networks.

Alphabetical topic glossary

Partial Derivatives

A partial derivative describes sensitivity to one input while holding other independent inputs fixed.

Particle Detectors

Detectors reconstruct particle interactions using tracks, deposited energy, timing, and magnetic curvature.

Peer Review

Peer review subjects a manuscript to expert scrutiny but is not a guarantee that its conclusions are correct.

Periodic Table

The periodic table organizes elements by atomic number and recurring chemical behavior.

Peripheral Nervous System

Peripheral nerves connect central circuits to sensory receptors, muscles, and organs.

pH

pH is a logarithmic measure related to hydrogen-ion activity in a solution.

Pharmacodynamics

Pharmacodynamics examines how exposure to a drug changes biological responses through molecular targets.

Pharmacokinetics

Pharmacokinetics studies absorption, distribution, metabolism, and elimination of drugs.

Phase Changes

Melting, vaporization, condensation, and freezing involve structural changes and latent heat.

Phosphorus Cycle

Phosphorus cycles through minerals, soils, water, and organisms without a major atmospheric gas phase.

Photosynthesis

Photosynthesis captures light energy and channels it into chemical energy, including carbon fixation.

Phylogenetic Trees

Phylogenies represent hypotheses about evolutionary relationships inferred from shared evidence.

Physiological Feedback

Negative-feedback loops stabilize variables such as blood glucose, blood pressure, and osmolarity.

Planck Constant

Planck's constant sets the scale of quantum effects and relates photon energy to frequency.

Planetary Atmospheres

Atmospheric properties depend on gravity, radiation, composition, chemistry, and escape processes.

Planetary Magnetospheres

Some planetary magnetic fields deflect charged particles and channel energetic plasma.

Planetary Orbits

Kepler's laws describe approximate orbital relationships in gravitationally dominated systems.

Alphabetical topic glossary

Plasma Membrane Transport

Membrane transport can be passive, channel-mediated, carrier-mediated, or energy-coupled.

Plate Tectonics

Lithospheric plates move relative to each other, reshaping ocean basins, continents, and mountain belts.

Poisson Distribution

Poisson models count relatively rare, independent events within fixed exposure intervals under specified assumptions.

Polarity

Bond polarity and molecular geometry together determine a molecule's net dipole.

Polarization

Polarization specifies orientation of transverse-wave oscillation, especially electric fields in light.

Polygenic Traits

Many traits depend on numerous genetic variants and environmental influences.

Polymers

Polymers are large molecules assembled from repeating or related molecular units.

Population Genetics

Population genetics tracks allele-frequency changes under selection, drift, migration, and mutation.

Population Growth

Populations change with births, deaths, immigration, and emigration under limiting conditions.

Populations and Samples

A population is the full target group, while a sample supplies a limited set of observations.

Porosity and Permeability

Porosity measures void fraction; permeability describes ease of flow through connected pathways.

Position and Displacement

Displacement is the directed change between two positions, independent of the route traveled.

Potential Energy

Potential energy accounts for position-dependent contributions to a conserved mechanical energy budget.

Precipitation

Rain, snow, and other precipitation emerge from cloud microphysical growth and atmospheric transport.

Predator Prey Dynamics

Predation can influence population cycles, prey defenses, and food-web stability.

Pressure

Pressure is normal force per area and in a static fluid often increases with depth.

Pressure Systems

Pressure gradients and Earth's rotation help shape winds and cyclonic circulation.

Alphabetical topic glossary

Primary Production

Autotrophs capture energy to build organic molecules that support many ecosystems.

Probability Rules

Probability combines possible outcomes while accounting for dependence and exclusivity.

Programming Languages

Languages specify syntax and semantics for describing executable computations.

Prokaryotes and Eukaryotes

Prokaryotes lack a membrane-bound nucleus, while eukaryotic cells contain internal organelles.

Protein Structure

Primary sequence influences secondary, tertiary, and sometimes quaternary protein organization.

Proteins

Proteins are polymers of amino acids that fold into ensembles of functional conformations.

Protists

Protists comprise varied eukaryotic lineages, including photosynthetic and predatory forms.

Psychophysics

Psychophysics measures relationships between physical stimuli and reported or behavioral sensations.

Public Health Surveillance

Surveillance systematically collects and interprets population health information to guide action.

Quadratic Relationships

Quadratic models include curved trajectories and parabolic approximations near a turning point.

Quantum States

A quantum state encodes probabilities for outcomes of different measurements.

Quantum Tunneling

Quantum systems can have a nonzero transmission probability through classically forbidden barriers.

Radioactive Decay

Unstable nuclei transform stochastically with characteristic decay probabilities.

Randomization

Random assignment helps distribute known and unknown influences between comparison groups.

Reaction Rates

Chemical kinetics connects reaction speed with concentrations, temperature, and mechanism.

Red Giants

Aging stars can expand and cool at the surface as their internal fuel-burning structure changes.

Redshift

Cosmological redshift records wavelength stretching associated with cosmic expansion.

Alphabetical topic glossary

Reflection

Waves can reverse direction at boundaries according to geometry and boundary conditions.

Refraction

Wave direction changes across media when propagation speed changes at an interface.

Refrigeration

Refrigerators use work to transfer thermal energy from colder to warmer regions.

Regression Models

Regression characterizes relationships between outcomes and predictors, with assumptions requiring checks.

Relativistic Momentum

Momentum increases nonlinearly with speed as an object approaches light speed.

Reliability Engineering

Reliability measures whether systems perform required functions for stated durations and environments.

Remote Sensing

Remote sensing infers surface or atmospheric properties from measured electromagnetic signals.

Renewable Energy

Renewable systems use replenished energy flows such as sunlight, wind, water, and geothermal heat.

Replication and Reproducibility

Replication tests a claim with new observations; reproducibility checks whether an analysis yields consistent results from the same materials.

Reproductive Physiology

Reproductive organs and hormones coordinate gamete production, fertilization, and developmental support.

Research Ethics

Ethical science protects participants, animals, environments, and communities while pursuing reliable evidence.

Research Questions

A researchable question identifies a phenomenon, measurable variables, and a practical route to evidence.

Resistance

Electrical resistance relates voltage and current and depends on geometry, material, and temperature.

Resolution and Sensitivity

Resolution is the smallest distinguishable increment; sensitivity describes change in output per change in input.

Resonance

Driving a system near a natural frequency can increase the response, limited by damping.

Respiration

Ventilation and gas exchange deliver oxygen and remove carbon dioxide through coupled physiological processes.

Responsible Innovation

Responsible innovation weighs safety, distributional effects, governance, and unintended consequences of technology.

Alphabetical topic glossary

Resting Membrane Potential

Unequal ion concentrations and selective permeability produce electrical gradients across neuronal membranes.

Ribosomes

Ribosomes translate messenger RNA into polypeptides through coordinated RNA and protein activity.

Risk Assessment

Risk assessment distinguishes hazards, exposure pathways, dose-response relationships, and uncertainty.

River Discharge

River discharge equals the volume of water passing a cross section per unit time.

RNA Viruses

RNA viruses use RNA genomes and often rely on specialized polymerases with distinct error profiles.

Robotics

Robotics combines sensing, actuation, control, planning, and mechanical design in physical systems.

Rock Cycle

Rocks transform among igneous, sedimentary, and metamorphic states through Earth processes.

Safety Factors

A safety factor compares nominal capacity with expected demand but cannot eliminate uncertainty.

Sampling and Aliasing

Sampling too slowly can make a rapidly changing signal appear to have a different frequency.

Sampling Bias

A systematic sampling mechanism can make a measured sample unrepresentative of its target population.

Saturn

Saturn is a gas giant best known for a prominent system of rings made largely of icy particles.

Scalars and Vectors

Scalars have magnitude only; vectors have magnitude and direction and follow defined addition rules.

Scaling Laws

Scaling laws connect changes in size with changes in area, volume, stress, or transport.

Schrodinger Equation

The Schrodinger equation governs unitary evolution of many nonrelativistic quantum systems.

Science Communication

Effective communication conveys evidence, limitations, uncertainty, and actionable context to distinct audiences.

Scientific Computing

Scientific computing uses numerical algorithms and validated software to simulate or analyze systems.

Scientific Consensus

A consensus reflects accumulated convergent evidence and expert evaluation, and can change when stronger evidence emerges.

Alphabetical topic glossary

Scientific Models

A scientific model simplifies a system to explain observations or make constrained predictions.

Scientific Notation

Powers of ten compactly express very large or very small quantities without changing precision.

Scientific Psychology

Scientific psychology studies behavior and mental processes through empirical and theoretical methods.

Screening and Prevention

Screening seeks disease before symptoms, but benefits depend on accurate tests and avoiding overdiagnosis.

Sea Floor Spreading

New oceanic crust forms near ridges and records changes in magnetic polarity.

Second Law of Thermodynamics

The total entropy of an isolated system does not decrease in spontaneous processes.

Sedimentary Rocks

Sedimentary rocks form through deposition, burial, and lithification of sediments or chemical precipitates.

Seismic Waves

Primary and secondary seismic waves reveal interior materials and source characteristics.

Semiconductors

Semiconductors have electronic band structures enabling controllable charge transport.

Sensor Characterization

Sensors require assessment of noise, drift, offset, response time, linearity, and operating range.

Sensors and Actuators

Sensors estimate physical states; actuators transform control commands into physical effects.

Sensory Transduction

Sensory cells convert physical or chemical stimuli into electrical signals.

Series Circuits

Series elements share a current while their voltage drops combine.

Significant Figures

Reported digits communicate a limited measurement precision, subject to a stated rounding convention.

Simple Harmonic Motion

For a linear restoring force, motion is sinusoidal with a natural frequency.

Skeletal System

Bones support load, protect organs, store minerals, and undergo continual remodeling.

Skin and Barriers

Skin protects against damage, supports sensation, limits water loss, and contributes to thermoregulation.

Alphabetical topic glossary

Sleep and Circadian Rhythms

Sleep states and internal clocks coordinate physiology, alertness, and memory-related processes.

Snell Law

For ideal refracting interfaces, refractive indices and angles obey a sine relationship.

Social Networks

Social networks represent relationships that influence diffusion of information and behavior.

Solar Nebula Hypothesis

The solar system formed from a rotating disk of gas and dust associated with a young Sun.

Solar Photovoltaics

Photovoltaic devices convert absorbed light into electrical energy through semiconductor junction processes.

Solar Radiation Budget

Incoming solar radiation and outgoing terrestrial radiation govern planetary energy balance.

Solutions and Solubility

A solution is a homogeneous mixture whose solubility depends on substance and conditions.

Sound Intensity

Sound intensity describes power flow through unit area and varies with amplitude and distance.

Spacetime Intervals

Spacetime intervals provide invariant relationships among space and time separations.

Speciation

New species can emerge when populations diverge and barriers to gene exchange accumulate.

Spectral Lines

Atomic transitions exchange photons at energies matching differences between allowed states.

Spectroscopy

Spectroscopy analyzes interactions between matter and radiation to infer composition and physical conditions.

Speed and Velocity

Speed is distance traveled per time; velocity is the rate of displacement and has direction.

Speed of Light

The vacuum speed of light is invariant for inertial observers in special relativity.

Standing Waves

Interference between opposing waves creates fixed nodes and antinodes.

Star Formation

Stars form when gravitational collapse overcomes support in dense molecular clouds.

Statistical Mechanics

Statistical mechanics derives macroscopic material behavior from ensembles of microscopic states.

Alphabetical topic glossary

Statistical Power

Power is the probability that a procedure rejects a specified null when an alternative is true.

Stellar Equilibrium

Hydrostatic equilibrium balances pressure gradients against inward gravity through much of a star's life.

Stellar Spectra

Absorption and emission lines reveal stellar temperature, composition, motion, and physical conditions.

Stem Cells

Stem cells can self-renew and produce differentiated descendant cell types.

Stereochemistry

Molecules with identical connectivity may have different three-dimensional arrangements and biological effects.

Sterilization and Disinfection

Sterilization eliminates viable microbial life forms under specified conditions; disinfection reduces defined pathogens.

Stoichiometry

Balanced reactions relate quantities of reactants and products through mole ratios.

Stratigraphy

Stratigraphy studies layered materials and their spatial and temporal relationships.

Subduction Zones

Dense lithosphere descends into the mantle at convergent plate boundaries.

Supernovae

Supernova explosions arise through distinct processes and enrich surrounding matter with heavy elements.

Superposition

In linear systems, overlapping waves combine by adding their instantaneous disturbances.

Surface Currents

Winds, rotation, boundaries, and pressure gradients shape large-scale surface ocean currents.

Survey Science

Survey methodology addresses sampling, measurement, nonresponse, and questionnaire design.

Symmetry and Invariance

A symmetry preserves specified properties of a system despite a transformation.

Synapses

Synapses transfer signals using chemical neurotransmitters or direct electrical coupling.

Systems Engineering

Systems engineering coordinates interfaces, lifecycle requirements, verification, and risk across components.

T Cells

T cells recognize peptide fragments presented by specialized molecules and coordinate or execute immune functions.

Alphabetical topic glossary

Temperature Scales

Thermodynamic temperature is measured in kelvin; Celsius intervals have the same size with a shifted zero.

The Mole

One mole contains exactly 6.02214076 x 10^23 specified elementary entities.

The Moon

The Moon influences tides and preserves evidence of impact and geological history.

The Sun

The Sun is a main-sequence star powered primarily by fusion of hydrogen into helium.

Theory and Law

A scientific theory integrates explanatory principles; a law describes a recurring relationship, often quantitatively.

Thermal Equilibrium

Objects in mutual thermal equilibrium share a common temperature under suitable conditions.

Thermal Radiation

Electromagnetic radiation transports energy even without a material medium.

Thermohaline Circulation

Density contrasts help drive ocean overturning while winds and mixing also matter.

Thermoplastics

Thermoplastics soften on heating because their chain architecture permits physical reorganization.

Thermoregulation

Human temperature control balances metabolic heat generation with radiation, convection, evaporation, and blood flow.

Thermosets

Thermosets form cross-linked networks that generally do not remelt like thermoplastics.

Thunderstorms

Thunderstorms arise from atmospheric instability, moisture, lifting, and convective organization.

Tides

Tides arise mainly from spatial differences in lunar and solar gravitational forcing.

Time and Frequency

Time intervals are related to periodic behavior, and frequency counts cycles per second.

Time Dilation

Moving clocks accumulate different proper times along different paths through spacetime.

Time Series

Time-series observations can contain trends, seasonality, autocorrelation, and abrupt structural changes.

Tornadoes

Tornadoes are rotating columns of air connected to convective clouds with varied formation pathways.

Alphabetical topic glossary

Torque

Torque describes a force's tendency to rotate an object about an axis or reference point.

Transcription

Transcription produces RNA using a DNA template and RNA polymerase.

Translation

Translation maps messenger RNA codons to amino acid sequences via the genetic code.

Trigonometric Functions

Sine and cosine relate angles to periodic motion and right-triangle geometry.

Trophic Efficiency

Only a fraction of energy consumed at one trophic level becomes biomass at the next.

Tropical Cyclones

Tropical cyclones derive energy from warm oceans and organized moist atmospheric convection.

Troposphere and Stratosphere

Atmospheric layers differ in temperature structure, circulation, and chemical processes.

Uncertainty Budgets

An uncertainty budget identifies contributions from instruments, sampling, calibration, and analysis assumptions.

Uncertainty Principle

Certain pairs of observables cannot have arbitrarily small simultaneous spreads in a quantum state.

Uranus

Uranus is an ice giant with an unusually large axial tilt.

Vaccination

Vaccines train immune responses to recognize particular antigens with a favorable risk-benefit profile.

Valence Electrons

Outer electrons strongly influence bonding, reactivity, and many periodic trends.

Variance and Standard Deviation

These statistics summarize dispersion around a mean in squared and original units.

Vectors and Components

A vector can be resolved into components that add to recover its magnitude and direction.

Venus

Venus has a dense carbon-dioxide-rich atmosphere and a strong greenhouse effect.

Viral Evolution

Mutation, selection, recombination, and host ecology shape the emergence of viral variants.

Viral Replication

Viral life cycles require entry, genome production, component assembly, and release, with substantial variation.

Alphabetical topic glossary

Viruses

Viruses are genetic entities that rely on host cells to produce new infectious particles.

Viscosity

Viscosity quantifies resistance to shear flow and influences boundary layers and pipe losses.

Vision

Retinal photoreceptors detect photons and neural circuits extract features before cortical processing.

Volcanoes

Volcanism occurs where magma reaches the surface through tectonic or mantle processes.

Voltage

Voltage is electric potential difference between two points in an electrical system.

Water in Biology

Water's polarity and hydrogen bonding support solvation, transport, and thermal regulation.

Water Resource Management

Sustainable water planning weighs supply reliability, ecosystem needs, uncertainty, and competing demands.

Watersheds

Watersheds collect precipitation draining to a common outlet through connected surface and subsurface pathways.

Wave Amplitude

Amplitude describes the magnitude of variation of a wave field from its reference level.

Wave Particle Duality

Light and matter display interference and discrete measurement behavior depending on the experiment.

Wavelength and Frequency

For a traveling wave, propagation speed equals wavelength times frequency.

Weather Versus Climate

Weather describes short-term atmospheric conditions; climate describes statistical behavior over longer periods.

Weathering

Chemical and physical weathering transform rock near Earth's surface.

White Dwarfs

White dwarfs are dense stellar remnants supported mainly by electron degeneracy pressure.

Wind Power

Wind turbines extract part of moving-air kinetic energy through aerodynamic rotor forces.

Work

Work measures force transferred along displacement and can change a system's energy.

Further reading and source directory

The following institutions provide authoritative background, educational texts or technical standards. This handbook is an original educational synthesis; it does not reproduce their textbooks. The listings are for deeper study and ongoing verification, not a claim that every sentence here has been externally peer reviewed.

National Academies, A Framework for K-12 Science Education (2012)

https://www.nationalacademies.org/read/13165

OpenStax, science textbook catalog

https://openstax.org/new-subjects/science-books

BIPM, SI Brochure 9th ed., updated June 2026

https://www.bipm.org/en/si-brochure-9

NIST, SI units and measurement

https://www.nist.gov/pml/owm/metric-si/si-units

NASA Science, Universe

https://science.nasa.gov/universe/

NASA Science, Solar System facts

https://science.nasa.gov/solar-system/solar-system-facts/

NOAA, science education resource collections

https://www.noaa.gov/education/resource-collections

Further reading and source directory

USGS, Water Science School

https://www.usgs.gov/special-topics/water-science-school

USGS, Earthquake Hazards Program

https://www.usgs.gov/programs/earthquake-hazards

NIH, National Human Genome Research Institute

https://www.genome.gov/

NIH, National Institute of General Medical Sciences

https://nigms.nih.gov/

CDC, Principles of Epidemiology

https://www.cdc.gov/

IPCC, AR6 synthesis report

https://www.ipcc.ch/report/ar6/syr/

NCBI Bookshelf, biomedical research books

https://www.ncbi.nlm.nih.gov/books/

Further reading and source directory

National Academies, National Research Council

https://www.nationalacademies.org/

CERN, particle physics educational resources

https://home.cern/science

APS, educational physics resources

https://www.aps.org/

Royal Society of Chemistry, education

https://edu.rsc.org/

NASA, JPL solar system exploration

https://science.nasa.gov/solar-system/

NOAA National Ocean Service, ocean facts

https://oceanservice.noaa.gov/facts/

SCIENTIFIC INTEGRITY CHECKLIST

Before citing a result, identify the author and date, distinguish primary research from summaries, check whether numerical claims carry uncertainty, seek independent replication, and compare conflicting studies by design quality rather than headline appeal.

Science is an ongoing process

OBSERVE CAREFULLY

State what was measured before explaining why it happened.

THINK MECHANISTICALLY

Ask what causes the effect, what the model predicts, and what else could explain it.

QUANTIFY HONESTLY

Report units, sampling, errors, intervals and model limits.

SEEK CRITICISM

Try to falsify the model, reproduce a measurement, and address contrary evidence.

KEEP LEARNING

Use primary literature and field-specific books to deepen any introductory concept.

The core strength of scientific knowledge is not certainty about everything. It is the ability to make claims that can be checked, corrected, and connected to the larger world.