


2026 MASTER CYBERATTACK TAXONOMY

EXPANDED VISUAL EDITION

50 ATTACK DOMAINS | 1,538 NAMED ATTACKS, TECHNIQUES & VARIANTS



Prepared and presented by Marc Lavoie

Defensive reference for SOC analysis, detection engineering, threat hunting, and authorized security labs

[MLAVOIE6927.GITHUB.IO](https://mlavoie6927.github.io)

Public-safe, simulated evidence only

Executive Overview

PURPOSE	SCOPE AND LIMITATION	SCREENSHOT CONVENTION
This portfolio reference organizes 1,538 named cyberattack techniques, variants, and attack classes into 50 practical domains. It is designed for SOC analysis, detection engineering, incident response, threat hunting, architecture review, and interview/portfolio demonstration.	No static document can literally enumerate every future cyberattack. New vulnerabilities, exploit chains, malware families, procedures, and AI-agent abuse patterns appear continuously. This edition therefore treats the supplied taxonomy as a comprehensive attack-class index rather than a claim of permanent completeness.	Dark console panels throughout the document are explicitly simulated SOC evidence snapshots. They are defensive illustrations of what telemetry might look like during triage; they are not live exploit instructions or claims that a particular commercial product generated the event.

HOW TO READ A MODERN INTRUSION

One incident can use multiple attack classes across the lifecycle.



Analyst principle:

Correlate identity + endpoint + network + cloud telemetry before declaring the attack chain understood.
A single alert is evidence; a correlated sequence is an investigation.

Figure 1. Attack-lifecycle correlation model used throughout this visual edition.

2026 Framework Context

The taxonomy uses current public frameworks as orientation. Frameworks provide common language and risk context; they do not claim complete detection coverage.

MITRE ATT&CK

Behavior-based tactics, techniques and procedures

ATT&CK v19.2 is the August 2026 current release; use ATT&CK as a common language, not as a claim of 100% threat coverage.

OWASP Top 10:2025

Modern web application risk baseline

Current web baseline includes Broken Access Control, Security Misconfiguration, Software Supply Chain Failures, Injection, Authentication Failures and other root-cause categories.

OWASP Agentic Top 10:2026

Autonomous / agentic AI security risks

Covers goal hijack, tool misuse, identity/privilege abuse, agentic supply chain, unexpected code execution, memory/context poisoning, inter-agent communication, cascading failures, human-agent trust and rogue agents.

NIST CSF 2.0

Risk-management lifecycle

Organizes security outcomes around Govern, Identify, Protect, Detect, Respond and Recover across IT, IoT, OT, cloud, mobile and AI environments.

Reference links were checked against official MITRE, OWASP, and NIST sources on August 22, 2026.

MITRE ATT&CK Enterprise Matrix




Figure 2. MITRE ATT&CK Enterprise Matrix Poster (MITRE; poster dated 2024). The ATT&CK knowledge base itself continues to evolve; current release context is documented in the References section.

NIST CSF 2.0 - Protect and Detect




Figure 3. NIST CSF 2.0 Resource & Overview Guide - Protect and Detect functions (NIST SP 1299).

Contents 01 / 02

Each domain contains an enlarged simulated evidence snapshot, analyst context, the complete named attack list from the supplied source, and defensive priorities.

01	Reconnaissance and Target Discovery	33 entries	14	Email Attacks	24 entries
02	Social Engineering Attacks	56 entries	15	Malware Classes	54 entries
03	Password and Authentication Attacks	46 entries	16	Execution Attacks	30 entries
04	Credential Theft	26 entries	17	Memory-Corruption and Software Exploitation	23 entries
05	Windows and Active Directory Attacks	44 entries	18	Process Injection Attacks	15 entries
06	Entra ID / Cloud Identity Attacks	24 entries	19	Persistence Attacks	38 entries
07	Web Application Attacks	87 entries	20	Privilege-Escalation Attacks	26 entries
08	API Attacks	32 entries	21	Defense-Evasion Attacks	45 entries
09	Network Layer Attacks	44 entries	22	Discovery Attacks After Compromise	27 entries
10	Routing Attacks	17 entries	23	Lateral-Movement Attacks	25 entries
11	DNS Attacks	31 entries	24	Command-and-Control Attacks	28 entries
12	Denial-of-Service and DDoS Attacks	43 entries	25	Collection and Data-Theft Attacks	25 entries
13	Wi-Fi and Wireless Attacks	42 entries			

Contents 02 / 02

Each domain contains an enlarged simulated evidence snapshot, analyst context, the complete named attack list from the supplied source, and defensive priorities.

26	Data Exfiltration Attacks	23 entries	39	Database Attacks	19 entries
27	Impact Attacks	26 entries	40	Source-Code and Development Environment Attacks	19 entries
28	Cloud Attacks	32 entries	41	Physical Cyber Attacks	24 entries
29	Container and Kubernetes Attacks	26 entries	42	AI and Machine-Learning Attacks	44 entries
30	Software Supply-Chain Attacks	35 entries	43	Agentic AI Attacks - Major 2026 Category	34 entries
31	Cryptographic Attacks	42 entries	44	Blockchain and Cryptocurrency Attacks	29 entries
32	Browser Attacks	23 entries	45	Availability and Resource-Exhaustion Attacks	21 entries
33	Mobile Attacks	30 entries	46	Supply-Chain Human and Organizational Attacks	14 entries
34	Telecom and Cellular Attacks	31 entries	47	Insider Attacks	19 entries
35	IoT Attacks	27 entries	48	Zero-Day and Vulnerability Exploitation	19 entries
36	OT / ICS / SCADA Attacks	33 entries	49	Persistence Through Infrastructure	16 entries
37	Hardware and CPU Attacks	34 entries	50	Combined / Multi-Stage Attack Campaigns	16 entries
38	Virtualization and Hypervisor Attacks	17 entries			

Reconnaissance and Target Discovery

33 ENTRIES

PRIMARY TARGET

Internet-facing assets

ATT&CK / LENS

Reconnaissance

TELEMETRY

Asset inventory, DNS, proxy, firewall

SOURCE PAGES

8

CATEGORY 01

Reconnaissance and Target Discovery

33 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z

ASSET_SCAN

src=external

ports_seen=12

rate=abnormal

2026-08-22T01:13:01Z

DNS_ENUM

subdomain_queries=184

window=5m

2026-08-22T01:14:02Z

OSINT_ALERT

leaked_secret_reference=REDACTED

2026-08-22T01:15:03Z

SOC

classify=reconnaissance

confidence=medium

STATUS

Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Internet-facing assets

ATT&CK LENS

Reconnaissance

TELEMETRY

Asset inventory, DNS, proxy, firewall

WATCH FOR

Unusual enumeration volume; repeated service probes; exposed secrets

ANALYST FOCUS

Unusual enumeration volume; repeated service probes; exposed secrets.

CONTROL PRIORITIES

Inventory accuracy; external attack-surface monitoring; rate limits.

Reconnaissance and Target Discovery

Named attacks, techniques and variants

Reconnaissance

01	Passive reconnaissance	10	Search-engine reconnaissance
02	DNS enumeration	11	IP-range discovery
03	Cloud-resource discovery	12	Public-code-repository reconnaissance
04	Active reconnaissance	13	Google dorking
05	WHOIS reconnaissance	14	Network scanning
06	Internet-exposed asset discovery	15	Leaked-secret discovery
07	OSINT collection	16	Social-media profiling
08	Certificate-transparency enumeration	17	Port scanning
09	Metadata harvesting		

Reconnaissance and Target Discovery

Named attacks, techniques and variants

Reconnaissance

18	Credential-dump discovery	26	Operating-system fingerprinting
19	Employee profiling	27	Physical reconnaissance
20	Service enumeration	28	Username enumeration
21	Wireless reconnaissance	29	Application fingerprinting
22	Organizational profiling	30	Vulnerability scanning
23	Banner grabbing	31	Subdomain enumeration
24	Bluetooth reconnaissance	32	Technology-stack fingerprinting
25	Email-address harvesting	33	Attack-surface mapping

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Social Engineering Attacks

56 ENTRIES

PRIMARY TARGET
People / identity

ATT&CK / LENS
Initial Access / Credential Access

TELEMETRY
Email gateway, identity, browser, help-desk

SOURCE PAGES
9

CATEGORY 02Social Engineering Attacks56 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	MAIL	display_name='Finance'	domain_mismatch=true
2026-08-22T01:13:01Z	IDENTITY	device_code_flow=unexpected	user_risk=high
2026-08-22T01:14:02Z	BROWSER	credential_page_similarity=0.97	
2026-08-22T01:15:03Z	SOC	user_reported=true	containment=initiated

STATUSDefensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
People / identity

ATT&CK LENS
Initial Access / Credential Access

TELEMETRY
Email gateway, identity, browser, help-desk

WATCH FOR
Sender/domain mismatch; unusual OAuth/device-code flows; user-reported lures

ANALYST FOCUS
Sender/domain mismatch; unusual OAuth/device-code flows; user-reported lures.

CONTROL PRIORITIES
Phishing-resistant MFA; DMARC; user verification; safe browsing.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 011

Social Engineering Attacks

Named attacks, techniques and variants

Initial Access / Credential Access

01	Phishing	11	Dumpster diving
02	Tailgating	12	Fake recruiter attacks
03	Telephone-oriented attack delivery / TOAD	13	Business Email Compromise
04	Spear phishing	14	USB-drop attacks
05	Piggybacking	15	Fake employment offers
06	Calendar-invite phishing	16	CEO fraud
07	Whaling	17	Fake software updates
08	Shoulder surfing	18	Romance scams
09	Social-media impersonation	19	Executive impersonation
10	Clone phishing		

Social Engineering Attacks

Named attacks, techniques and variants

Initial Access / Credential Access

20	Fake security warnings	30	AI-generated video impersonation
21	Sextortion scams	31	Payroll diversion
22	Vendor impersonation	32	Credential-harvesting pages
23	Scareware	33	Synthetic identity fraud
24	Deepfake impersonation	34	Gift-card fraud
25	Supplier impersonation	35	Fake login portals
26	Malvertising	36	OAuth consent phishing
27	AI-generated voice impersonation	37	Account-recovery social engineering
28	Invoice fraud	38	Browser-in-the-browser attacks
29	Watering-hole attacks		

Social Engineering Attacks

Named attacks, techniques and variants

Initial Access / Credential Access

39	Device-code phishing	48	CAPTCHA social engineering
40	Help-desk impersonation	49	Pretexting
41	Reverse-proxy phishing	50	Smishing
42	MFA-fatigue attacks	51	ClickFix attacks
43	IT-support impersonation	52	Baiting
44	Adversary-in-the-middle phishing	53	Vishing
45	Push bombing	54	Fake browser-update attacks
46	Tech-support scam	55	Quid-pro-quo attacks
47	QR-code phishing / quishing	56	Callback phishing

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Password and Authentication Attacks

46 ENTRIES

PRIMARY TARGET

Authentication systems

ATT&CK / LENS

Credential Access

TELEMETRY

IdP, Windows auth, VPN, SaaS sign- ins

SOURCE PAGES

10

CATEGORY 03

Password and Authentication Attacks

46 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	AUTH	failures=146 users=92 src_count=11
2026-08-22T01:13:01Z	AUTH	success_after_failures=true mfa=unusual
2026-08-22T01:14:02Z	TOKEN	replay_suspected=true geo_velocity=high
2026-08-22T01:15:03Z	SOC	reset_sessions=true severity=high

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Authentication systems

ATT&CK LENS

Credential Access

TELEMETRY

IdP, Windows auth, VPN, SaaS sign- ins

WATCH FOR

High failure-to-success ratios; distributed login attempts; token replay

ANALYST FOCUS

High failure-to-success ratios; distributed login attempts; token replay.

CONTROL PRIORITIES

Passkeys/FIDO2; smart lockouts; conditional access; session controls.

Password and Authentication Attacks

Named attacks, techniques and variants

Credential Access

01	Brute-force password attacks	13	Rule-based cracking
02	Password-reset abuse	14	OTP interception
03	OAuth-token theft	15	JWT algorithm-confusion attacks
04	Dictionary attacks	16	Password spraying
05	Password-reset poisoning	17	OTP relay
06	API-token theft	18	JWT signature-bypass attacks
07	Hybrid password attacks	19	Credential stuffing
08	Security-question guessing	20	SMS OTP theft
09	JWT theft	21	Session hijacking
10	Mask attacks	22	Credential replay
11	Recovery-channel hijacking	23	MFA bypass
12	JWT forgery		

Password and Authentication Attacks

Named attacks, techniques and variants

Credential Access

24	Session fixation	36	Federated-authentication abuse
25	Default-password attacks	37	Rainbow-table attacks
26	MFA push fatigue	38	Smart-card theft
27	Cookie replay	39	Device-code authentication abuse
28	Weak-password exploitation	40	Password-hash theft
29	MFA enrollment abuse	41	Session-token theft
30	Authentication downgrade	42	Passkey-account recovery abuse
31	Password guessing	43	Password-database theft
32	Backup-code theft	44	Session-cookie theft
33	SSO abuse	45	Authentication bypass
34	Offline hash cracking	46	Refresh-token theft
35	Hardware-token theft		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Credential Theft

26 ENTRIES

PRIMARY TARGET

Credential stores

ATT&CK / LENS

Credential Access

TELEMETRY

EDR, Sysmon, browser, secret stores

SOURCE PAGES

11

CATEGORY 04

Credential Theft

26 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	sensitive_process_access=blocked
2026-08-22T01:13:01Z	BROWSER	cookie_store_read=unexpected
2026-08-22T01:14:02Z	SECRET	file_access='.env' actor=unknown
2026-08-22T01:15:03Z	SOC	rotate_credentials=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Credential stores

ATT&CK LENS

Credential Access

TELEMETRY

EDR, Sysmon, browser, secret stores

WATCH FOR

Sensitive-process access;
credential-store reads; secret-file access

ANALYST FOCUS

Sensitive-process access; credential-store reads; secret-file access.

CONTROL PRIORITIES

Credential Guard; least privilege; secret rotation; EDR behavioral controls.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 018

Credential Theft

Named attacks, techniques and variants

Credential Access

01	Keylogging	14	SSH-key theft
02	NTDS.dit extraction	15	Authentication-certificate theft
03	Password-manager theft	16	LSASS credential dumping
04	Clipboard theft	17	Private-key theft
05	DPAPI credential theft	18	Developer-secret theft
06	Browser-session theft	19	SAM database extraction
07	Browser-password theft	20	Cloud-access-key theft
08	macOS Keychain theft	21	`.env` secret theft
09	Kerberos-ticket theft	22	SECURITY hive extraction
10	Browser-cookie theft	23	API-key theft
11	Linux credential-file theft	24	CI/CD secret theft
12	Certificate theft	25	LSA Secrets extraction
13	Credential dumping	26	Service-account credential theft

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Windows and Active Directory Attacks

44 ENTRIES

PRIMARY TARGET
Windows / AD

ATT&CK / LENS
Credential Access / Privilege Escalation

TELEMETRY
Windows Security, AD DS, AD CS, EDR

SOURCE PAGES
12

CATEGORY 05

Windows and Active Directory Attacks

44 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT
Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	KERBEROS	service_ticket_volume=anomalous
2026-08-22T01:13:01Z	DIRECTORY	replication_request=unexpected
2026-08-22T01:14:02Z	ADCS	template_change=privileged
2026-08-22T01:15:03Z	SOC	domain_scope=investigate

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Windows / AD

ATT&CK LENS
Credential Access / Privilege Escalation

TELEMETRY
Windows Security, AD DS, AD CS, EDR

WATCH FOR
Kerberos anomalies; replication abuse; privileged ACL changes

ANALYST FOCUS
Kerberos anomalies; replication abuse; privileged ACL changes.

CONTROL PRIORITIES
Tiered administration; LDAP signing; AD CS hardening; protected accounts.

Windows and Active Directory Attacks

Named attacks, techniques and variants

Credential Access / Privilege Escalation

01	Pass-the-Hash	12	AD CS enrollment abuse
02	NTLM relay	13	AS-REP Roasting
03	Pass-the-Certificate	14	NTLM authentication coercion
04	Pass-the-Ticket	15	AD CS relay attacks
05	SMB relay	16	Golden Ticket
06	PKINIT abuse	17	Machine-account abuse
07	Overpass-the-Hash	18	Enterprise CA compromise
08	LDAP relay	19	Silver Ticket
09	AD CS certificate-template abuse	20	Computer-account takeover
10	Kerberoasting	21	Domain trust abuse
11	LDAP signing downgrade abuse	22	Diamond Ticket

Windows and Active Directory Attacks

Named attacks, techniques and variants

Credential Access / Privilege Escalation

23	Group Policy abuse	34	Constrained delegation abuse
24	Forest-trust abuse	35	SIDHistory abuse
25	Kerberos ticket forgery	36	LAPS abuse
26	GPO modification	37	Resource-Based Constrained Delegation abuse
27	Domain-controller compromise	38	Skeleton Key attacks
28	Kerberos delegation abuse	39	Windows token impersonation
29	Active Directory ACL abuse	40	DCSync
30	Domain-controller replication abuse	41	Shadow Credentials
31	Unconstrained delegation abuse	42	Access-token manipulation
32	AdminSDHolder abuse	43	DCShadow
33	Local administrator password theft	44	Certificate-based authentication abuse

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Entra ID / Cloud Identity Attacks

24 ENTRIES

PRIMARY TARGET

Cloud identity

ATT&CK / LENS

Credential Access / Persistence

TELEMETRY

Entra sign-in/audit, OAuth, PIM

SOURCE PAGES

13

CATEGORY 06

Entra ID / Cloud Identity Attacks

24 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	ENTRA	risky_signin=high new_device=true
2026-08-22T01:13:01Z	OAUTH	consent_grant=unexpected
2026-08-22T01:14:02Z	PIM	role_activation=outside_baseline
2026-08-22T01:15:03Z	SOC	revoke_tokens=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Cloud identity

ATT&CK LENS

Credential Access / Persistence

TELEMETRY

Entra sign-in/audit, OAuth, PIM

WATCH FOR

Risky sign-ins; new consent grants; role changes; token anomalies

ANALYST FOCUS

Risky sign-ins; new consent grants; role changes; token anomalies.

CONTROL PRIORITIES

Conditional Access; workload identity controls; consent governance; PIM.

Entra ID / Cloud Identity Attacks

Named attacks, techniques and variants

Credential Access / Persistence

01	Entra ID account takeover	13	Malicious enterprise applications
02	Federation-trust abuse	14	Conditional Access bypass
03	Device-registration abuse	15	Privileged-role activation abuse
04	Azure AD account takeover	16	Service-principal abuse
05	Golden SAML	17	MFA registration abuse
06	Device-code phishing	18	PIM abuse
07	Illicit consent grants	19	Managed-identity abuse
08	SAML token forgery	20	Primary Refresh Token theft
09	Cross-tenant trust abuse	21	Cloud identity privilege escalation
10	OAuth application abuse	22	Federated-domain takeover
11	SAML assertion replay	23	Refresh-token replay
12	Guest-account abuse	24	Shadow administrator creation

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Web Application Attacks

87 ENTRIES

PRIMARY TARGET
Web applications

ATT&CK / LENS
Initial Access / Execution

TELEMETRY
WAF, reverse proxy, app logs, RASP

SOURCE PAGES
14, 15

CATEGORY 07Web Application Attacks87 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	WAF	request_anomaly=injection-pattern
2026-08-22T01:13:01Z	APP	authorization_check=failed
2026-08-22T01:14:02Z	HTTP	response_spike=5xx endpoint=/api/item
2026-08-22T01:15:03Z	SOC	block_rule=tuned code_review=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Web applications

ATT&CK LENS
Initial Access / Execution

TELEMETRY
WAF, reverse proxy, app logs, RASP

WATCH FOR
Malformed requests; access-control bypasses; injection signatures; server errors

ANALYST FOCUS

Malformed requests; access-control bypasses; injection signatures; server errors.

CONTROL PRIORITIES

Secure SDLC; input handling; authorization tests; WAF/RASP.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 025

Web Application Attacks

PART 1 OF 4 | 87 TOTAL

Named attacks, techniques and variants

Initial Access / Execution

- | | | | |
|----|-----------------------------|----|-----------------------------------|
| 01 | SQL injection | 12 | Time-of-check/time-of-use attacks |
| 02 | Directory traversal | 13 | Time-based blind SQL injection |
| 03 | Mass assignment | 14 | Malicious file upload |
| 04 | Union-based SQL injection | 15 | Rate-limit bypass |
| 05 | Arbitrary file read | 16 | Out-of-band SQL injection |
| 06 | Business-logic attacks | 17 | Web-shell upload |
| 07 | Error-based SQL injection | 18 | HTTP parameter pollution |
| 08 | Arbitrary file write | 19 | Stacked-query SQL injection |
| 09 | Race-condition attacks | 20 | Insecure deserialization |
| 10 | Boolean-blind SQL injection | 21 | WAF bypass |
| 11 | Unrestricted file upload | 22 | NoSQL injection |

Web Application Attacks

Named attacks, techniques and variants

Initial Access / Execution

23	Prototype pollution	34	Command injection
24	Null-byte injection	35	CRLF injection
25	LDAP injection	36	Polyglot-file attacks
26	HTTP request smuggling	37	OS command injection
27	Unicode-normalization bypass	38	HTTP header injection
28	XPath injection	39	CSV/formula injection
29	HTTP desynchronization	40	Code injection
30	Content-type confusion	41	Host-header injection
31	XML injection	42	Log injection
32	HTTP response splitting	43	Server-Side Template Injection
33	MIME confusion	44	Cache poisoning

Web Application Attacks

Named attacks, techniques and variants

Initial Access / Execution

45	Server-Side Includes injection	56	UI redressing
46	Client-Side Template Injection	57	ZIP Slip
47	Web-cache deception	58	DOM-based XSS
48	XSLT injection	59	Cross-origin resource sharing abuse
49	Cross-Site Scripting	60	ZIP bombs
50	Open redirect	61	Mutation XSS
51	ORM injection	62	DNS rebinding
52	Reflected XSS	63	Decompression bombs
53	Clickjacking	64	Universal XSS
54	Regex denial of service	65	Subdomain takeover
55	Stored XSS	66	XML entity expansion / Billion Laughs

Web Application Attacks

Named attacks, techniques and variants

Initial Access / Execution

67	Cross-Site Request Forgery	78	XS-Leaks
68	Dangling-DNS takeover	79	Local File Inclusion
69	WebSocket hijacking	80	Forced browsing
70	Server-Side Request Forgery	81	SameSite bypass
71	IDOR	82	Remote File Inclusion
72	Cross-site WebSocket hijacking	83	Parameter tampering
73	Blind SSRF	84	Content Security Policy bypass
74	Broken Object Level Authorization	85	Path traversal
75	DOM clobbering	86	Hidden-field manipulation
76	XML External Entity injection	87	Cookie tossing
77	Broken Function Level Authorization		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

API Attacks

32 ENTRIES

PRIMARY TARGET

APIs

ATT&CK / LENS

Initial Access / Collection

TELEMETRY

API gateway, application logs, IAM

SOURCE PAGES

16

CATEGORY 08

API Attacks

32 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	API	object_ids_requested=412 user=single
2026-08-22T01:13:01Z	GATEWAY	rate_limit_triggered=true
2026-08-22T01:14:02Z	AUTHZ	forbidden_to_success_transition=true
2026-08-22T01:15:03Z	SOC	token_revoked=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

APIs

ATT&CK LENS

Initial Access / Collection

TELEMETRY

API gateway, application logs, IAM

WATCH FOR

Object enumeration; abnormal methods; excessive resource use; token abuse

ANALYST FOCUS

Object enumeration; abnormal methods; excessive resource use; token abuse.

CONTROL PRIORITIES

Schema validation; authorization per object; quotas; API inventory.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 030

API Attacks

Named attacks, techniques and variants

Initial Access / Collection

01	API credential theft	09	WebSocket API abuse
02	Unsafe API consumption	10	Broken Object Property Level Authorization
03	HTTP method override abuse	11	Zombie API exploitation
04	Broken Object Level Authorization	12	Webhook spoofing
05	Improper API inventory management	13	Broken Function Level Authorization
06	gRPC reflection abuse	14	Deprecated API exploitation
07	Broken authentication	15	Webhook replay
08	Shadow API exploitation	16	Unrestricted resource consumption

API Attacks

Named attacks, techniques and variants

Initial Access / Collection

17	GraphQL injection	25	Excessive data exposure
18	Webhook signature bypass	26	GraphQL query-complexity attacks
19	API rate-limit bypass	27	API token replay
20	GraphQL introspection abuse	28	API injection
21	API request replay	29	GraphQL batching attacks
22	Mass assignment	30	API business-logic abuse
23	GraphQL query-depth attacks	31	API SSRF
24	API authorization bypass	32	REST method abuse

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Network Layer Attacks

44 ENTRIES

PRIMARY TARGET

LAN / network fabric

ATT&CK / LENS

Initial Access / Lateral Movement

TELEMETRY

Packet capture, IDS/IPS, switches, firewalls

SOURCE PAGES

17

CATEGORY 09Network Layer Attacks44 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	L2	arp_mapping_changed=rapid
2026-08-22T01:13:01Z	SWITCH	mac_moves=37 vlan=prod
2026-08-22T01:14:02Z	IDS	spoofing_signature=high
2026-08-22T01:15:03Z	SOC	port_isolated=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
LAN / network fabric

ATT&CK LENS
Initial Access / Lateral Movement

TELEMETRY
Packet capture, IDS/IPS, switches, firewalls

WATCH FOR
ARP/MAC churn; abnormal resets; spoofing; rogue gateway behavior

ANALYST FOCUS

ARP/MAC churn; abnormal resets; spoofing; rogue gateway behavior.

CONTROL PRIORITIES

Segmentation; DHCP snooping; DAI; secure management plane.

Network Layer Attacks

PART 1 OF 2 | 44 TOTAL

Named attacks, techniques and variants

Initial Access / Lateral Movement

01	Man-in-the-Middle attacks	12	IPv6 Router Advertisement spoofing
02	LAND attacks	13	Packet injection
03	Rogue DHCP	14	ARP poisoning
04	Adversary-in-the-Middle attacks	15	NDP spoofing
05	Smurf attacks	16	Packet replay
06	DHCP spoofing	17	MAC spoofing
07	IP spoofing	18	IPv6 neighbor-cache poisoning
08	Fraggle attacks	19	TCP session hijacking
09	DHCPv6 spoofing	20	MAC flooding
10	Packet spoofing	21	IPv6 RA flooding
11	ARP spoofing	22	TCP reset attacks

Network Layer Attacks

Named attacks, techniques and variants

Initial Access / Lateral Movement

23	CAM-table overflow	34	Fragmentation attacks
24	Rogue IPv6 gateway attacks	35	STP manipulation
25	TCP sequence prediction	36	VPN session hijacking
26	VLAN hopping	37	Overlapping-fragment attacks
27	VRRP spoofing	38	BPDU spoofing
28	ICMP redirect attacks	39	VPN credential attacks
29	Switch-spoofing VLAN attacks	40	Teardrop attacks
30	HSRP spoofing	41	Root-bridge takeover
31	ICMP tunneling	42	VPN appliance exploitation
32	Double-tagging VLAN attacks	43	Ping of Death
33	GRE tunnel abuse	44	DHCP starvation

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Routing Attacks

17 ENTRIES

PRIMARY TARGET

Routing control plane

ATT&CK / LENS

Initial Access / Impact

TELEMETRY

Router logs, BGP monitors, NetFlow

SOURCE PAGES

18

CATEGORY 10

Routing Attacks

17 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	BGP	prefix_origin_changed=true
2026-08-22T01:13:01Z	ROUTER	adjacency_reset_count=8
2026-08-22T01:14:02Z	RPKI	validation_state=invalid
2026-08-22T01:15:03Z	SOC	route_withdrawal=coordinated

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Routing control plane

ATT&CK LENS

Initial Access / Impact

TELEMETRY

Router logs, BGP monitors, NetFlow

WATCH FOR

Unexpected origin AS; route changes; adjacency resets; prefix anomalies

ANALYST FOCUS

Unexpected origin AS; route changes; adjacency resets; prefix anomalies.

CONTROL PRIORITIES

RPKI/ROV; route filters; max-prefix; authenticated routing.

Routing Attacks

Named attacks, techniques and variants

Initial Access / Impact

01	BGP hijacking	10	BGP route manipulation
02	OSPF adjacency attacks	11	EIGRP route manipulation
03	MPLS control-plane attacks	12	Autonomous-system impersonation
04	BGP route leaks	13	Prefix hijacking
05	OSPF LSA spoofing	14	RIP route poisoning
06	MPLS VPN route manipulation	15	Anycast route manipulation
07	BGP route injection	16	Route poisoning
08	OSPF route injection	17	IS-IS manipulation
09	Route-reflector compromise		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

DNS Attacks

31 ENTRIES

PRIMARY TARGET

DNS infrastructure

ATT&CK / LENS

Command and Control / Exfiltration

TELEMETRY

DNS resolver logs, Zeek, firewall

SOURCE PAGES

19

CATEGORY 11

DNS Attacks

31 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	DNS	nxdomain_rate=high
2026-08-22T01:13:01Z	DNS	qname_entropy=4.7 periodic=true
2026-08-22T01:14:02Z	ZEek	rare_domain_first_seen=true
2026-08-22T01:15:03Z	SOC	sinkhole_candidate=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

DNS infrastructure

ATT&CK LENS

Command and Control / Exfiltration

TELEMETRY

DNS resolver logs, Zeek, firewall

WATCH FOR

High-entropy labels; NXDOMAIN bursts; unusual RR types; beacon-like cadence

ANALYST FOCUS

High-entropy labels; NXDOMAIN bursts; unusual RR types; beacon-like cadence.

CONTROL PRIORITIES

Protective DNS; egress policy; resolver analytics; DNSSEC validation.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 038

DNS Attacks

Named attacks, techniques and variants

Command and Control / Exfiltration

01	DNS spoofing	09	DNS-over-TLS abuse
02	DNS water-torture attacks	10	DNS resolver hijacking
03	DNSSEC downgrade attacks	11	Fast-flux DNS
04	DNS cache poisoning	12	DNS-based command and control
05	Domain shadowing	13	DNS rebinding
06	DNS-over-HTTPS abuse	14	Double-flux networks
07	DNS hijacking	15	Typosquatting
08	Domain generation algorithms	16	DNS tunneling

DNS Attacks

Named attacks, techniques and variants

Command and Control / Exfiltration

17	DNS zone-transfer abuse	25	DNS reflection
18	Homoglyph domains	26	Nameserver takeover
19	DNS exfiltration	27	Bitsquatting
20	DNS registrar takeover	28	NXDOMAIN floods
21	IDN homograph attacks	29	Subdomain takeover
22	DNS amplification	30	Random-subdomain attacks
23	Domain takeover	31	Dangling DNS
24	Combosquatting		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Denial-of-Service and DDoS Attacks

43 ENTRIES

PRIMARY TARGET

Availability

ATT&CK / LENS

Impact

TELEMETRY

Flow telemetry, CDN/WAF, firewall

SOURCE PAGES

20

CATEGORY 12

Denial-of-Service and DDoS Attacks

43 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDGE	requests_per_second=8.4M
2026-08-22T01:13:01Z	FLOW	syn_to_ack_ratio=extreme
2026-08-22T01:14:02Z	CDN	mitigation=active
2026-08-22T01:15:03Z	SOC	upstream_scrubbing=engaged

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Availability

ATT&CK LENS

Impact

TELEMETRY

Flow telemetry, CDN/WAF, firewall

WATCH FOR

Connection spikes; packet-rate surges; reflection signatures; saturation

ANALYST FOCUS

Connection spikes; packet-rate surges; reflection signatures; saturation.

CONTROL PRIORITIES

Anycast/CDN; rate limiting; upstream scrubbing; capacity planning.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 041

Denial-of-Service and DDoS Attacks

Named attacks, techniques and variants

Impact

01	Denial of Service	12	TCP reflection
02	Slowloris	13	ACK flood
03	WS-Discovery amplification	14	SSL/TLS renegotiation attacks
04	Distributed Denial of Service	15	Botnet DDoS
05	Slow POST / RUDY	16	RST flood
06	mDNS amplification	17	WebSocket floods
07	SYN flood	18	IoT botnet DDoS
08	Slow Read	19	FIN flood
09	CoAP amplification	20	API exhaustion
10	SYN-ACK flood	21	Multi-vector DDoS
11	TLS handshake exhaustion	22	UDP flood

Denial-of-Service and DDoS Attacks

Named attacks, techniques and variants

Impact

23	GraphQL resource-exhaustion attacks	34	HTTPS flood
24	Pulsing DDoS	35	CLDAP amplification
25	ICMP flood	36	Connection-table exhaustion
26	DNS amplification	37	HTTP GET flood
27	Carpet-bombing DDoS	38	Memcached amplification
28	Ping flood	39	State-exhaustion attacks
29	NTP amplification	40	HTTP POST flood
30	Application-layer DDoS	41	SNMP amplification
31	HTTP flood	42	HTTP/2 Rapid Reset
32	SSDP amplification	43	CHARGEN amplification
33	Protocol-exhaustion attacks		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Wi-Fi and Wireless Attacks

42 ENTRIES

PRIMARY TARGET

Wireless networks

ATT&CK / LENS

Initial Access / Credential Access

TELEMETRY

WLAN controller, WIDS/WIPS, RF telemetry

SOURCE PAGES

21

CATEGORY 13

Wi-Fi and Wireless Attacks

42 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	WLAN	deauth_frames=1240 60s
2026-08-22T01:13:01Z	WIDS	duplicate_ssid=true bssid=new
2026-08-22T01:14:02Z	AUTH	association_failures=spike
2026-08-22T01:15:03Z	SOC	rogue_ap_containment=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Wireless networks

ATT&CK LENS

Initial Access / Credential Access

TELEMETRY

WLAN controller, WIDS/WIPS, RF telemetry

WATCH FOR

Deauth spikes; duplicate SSIDs; rogue BSSIDs; abnormal association churn

ANALYST FOCUS

Deauth spikes; duplicate SSIDs; rogue BSSIDs; abnormal association churn.

CONTROL PRIORITIES

802.1X; WPA3; WIPS; RF monitoring; protected management frames.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 044

Wi-Fi and Wireless Attacks

Named attacks, techniques and variants

Initial Access / Credential Access

01	Evil Twin	12	RFID relay
02	KRACK	13	Authentication floods
03	NFC skimming	14	RF interference attacks
04	Rogue Access Point	15	Zigbee replay
05	WPA downgrade attacks	16	Association floods
06	RFID cloning	17	Bluetooth bluejacking
07	Wi-Fi deauthentication	18	Zigbee key theft
08	MAC spoofing	19	Beacon floods
09	RFID skimming	20	Bluesnarfing
10	Wi-Fi disassociation	21	Zigbee device impersonation
11	Wireless jamming		

Wi-Fi and Wireless Attacks

Named attacks, techniques and variants

Initial Access / Credential Access

22	Probe-response spoofing	33	SDR-based protocol attacks
23	Bluebugging	34	WPA handshake cracking
24	Z-Wave downgrade attacks	35	KNOB attacks
25	Wi-Fi MITM	36	GPS spoofing
26	BLE spoofing	37	PMKID attacks
27	Z-Wave replay attacks	38	BIAS attacks
28	Captive-portal phishing	39	GPS jamming
29	Bluetooth impersonation	40	WPS PIN brute force
30	LoRaWAN replay	41	NFC relay
31	WPA/WPA2 password cracking	42	GNSS spoofing
32	Bluetooth MITM		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Email Attacks

24 ENTRIES

PRIMARY TARGET

Email / mailboxes

ATT&CK / LENS

Initial Access

TELEMETRY

Secure email gateway, DMARC, mailbox audit

SOURCE PAGES

22

CATEGORY 14

Email Attacks

24 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	MAIL	spf=fail dkim=fail dmarc=reject
2026-08-22T01:13:01Z	M365	inbox_rule_created=external_forward
2026-08-22T01:14:02Z	THREAD	reply_chain_anomaly=true
2026-08-22T01:15:03Z	SOC	mailbox_session_revoked=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Email / mailboxes

ATT&CK LENS

Initial Access

TELEMETRY

Secure email gateway, DMARC, mailbox audit

WATCH FOR

Auth failures; suspicious forwarding; spoofing; thread hijack indicators

ANALYST FOCUS

Auth failures; suspicious forwarding; spoofing; thread hijack indicators.

CONTROL PRIORITIES

DMARC/DKIM/SPF; mailbox auditing; attachment sandboxing.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 047

Email Attacks

Named attacks, techniques and variants

Initial Access

01	Email spoofing	13	SMTP spoofing
02	Conversation hijacking	14	MIME smuggling
03	Auto-forwarding exfiltration	15	Tracking-pixel abuse
04	Display-name spoofing	16	SMTP smuggling
05	Attachment phishing	17	Email bombing
06	OAuth mailbox takeover	18	Malicious attachment delivery
07	Domain impersonation	19	DKIM replay
08	Macro-enabled document attacks	20	Inbox-rule manipulation
09	Calendar phishing	21	Password-protected archive delivery
10	Homoglyph email domains	22	Email thread hijacking
11	HTML smuggling	23	Malicious forwarding rules
12	NDR/backscatter abuse	24	Embedded-link attacks

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Malware Classes

54 ENTRIES

PRIMARY TARGET

Endpoints / servers

ATT&CK / LENS

Execution / Persistence / Impact

TELEMETRY

EDR, AV, sandbox, file reputation

SOURCE PAGES

23

CATEGORY 15Malware Classes54 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	process_reputation=unknown	prevalence=1
2026-08-22T01:13:01Z	FILE	rapid_extension_changes=true	
2026-08-22T01:14:02Z	NET	c2_pattern=periodic_https	
2026-08-22T01:15:03Z	SOC	host_isolated=true	

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Endpoints / servers

ATT&CK LENS

Execution / Persistence / Impact

TELEMETRY

EDR, AV, sandbox, file reputation

WATCH FOR

Suspicious process trees; persistence; encrypted files; C2 behavior

ANALYST FOCUS

Suspicious process trees; persistence; encrypted files; C2 behavior.

CONTROL PRIORITIES

Application control; EDR; patching; backups; sandboxing.

Malware Classes

Named attacks, techniques and variants

Execution / Persistence / Impact

01	Computer viruses	10	Macro viruses
02	Firmware implants	11	Locker ransomware
03	Banking Trojans	12	Cryptominers
04	File infectors	13	Polymorphic viruses
05	Ransomware	14	Double-extortion ransomware
06	Bot malware	15	Cryptojacking malware
07	Boot-sector viruses	16	Metamorphic viruses
08	Crypto-ransomware	17	Triple-extortion ransomware
09	Botnets	18	Adware

Malware Classes

Named attacks, techniques and variants

Execution / Persistence / Impact

19	Computer worms	28	Remote Access Trojans
20	Data-only extortion malware	29	Cloud ransomware
21	Scareware	30	Time bombs
22	Network worms	31	Backdoors
23	Intermittent-encryption ransomware	32	Backup-targeting ransomware
24	Rogue security software	33	Fileless malware
25	Trojans	34	Loaders
26	Hypervisor ransomware	35	Wipers
27	Logic bombs	36	Web shells

Malware Classes

Named attacks, techniques and variants

Execution / Persistence / Impact

37	Droppers	46	Kernel rootkits
38	Destructive malware	47	Keyloggers
39	POS malware	48	Browser hijackers
40	Downloaders	49	User-mode rootkits
41	Spyware	50	Screen scrapers
42	ATM malware	51	Proxy malware
43	Rootkits	52	Bootkits
44	Information stealers	53	Form grabbers
45	Mobile malware	54	ICS/SCADA malware

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Execution Attacks

30 ENTRIES

PRIMARY TARGET
Execution layer

ATT&CK / LENS
Execution

TELEMETRY
EDR process telemetry,
PowerShell logs

SOURCE PAGES
24

CATEGORY 16

Execution Attacks

30 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT
Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	interpreter_child=unexpected
2026-08-22T01:13:01Z	PROCESS	signed_proxy_binary=abused
2026-08-22T01:14:02Z	SCRIPT	encoded_content=high_entropy
2026-08-22T01:15:03Z	SOC	execution_blocked=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Execution layer

ATT&CK LENS
Execution

TELEMETRY
EDR process telemetry, PowerShell logs

WATCH FOR
Unexpected interpreters; proxy execution; child-process anomalies

ANALYST FOCUS
Unexpected interpreters; proxy execution; child-process anomalies.

CONTROL PRIORITIES
Script controls; application allowlisting; constrained administration.

Execution Attacks

Named attacks, techniques and variants

Execution

01	Remote Code Execution	09	Malicious document execution
02	Rundll32 abuse	10	Shellcode execution
03	Malicious LNK execution	11	BITSAdmin abuse
04	Local Code Execution	12	HTML smuggling
05	Regsvr32 abuse	13	Command-shell execution
06	Malicious MSI execution	14	Msiexec abuse
07	Arbitrary code execution	15	ISO/VHD payload delivery
08	Certutil abuse		

Execution Attacks

Named attacks, techniques and variants

Execution

16	PowerShell abuse	24	LOLBin abuse
17	Script interpreter abuse	25	WMIC abuse
18	Signed-binary proxy execution	26	VBScript abuse
19	Windows Command Shell abuse	27	User-execution attacks
20	Python abuse	28	MSHTA abuse
21	Living-off-the-land execution	29	Office macro execution
22	WMI execution	30	Drive-by compromise
23	JavaScript/JScript abuse		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Memory-Corruption and Software Exploitation

23 ENTRIES

PRIMARY TARGET

Memory / software

ATT&CK / LENS

Execution / Privilege Escalation

TELEMETRY

Crash telemetry, EDR, exploit protection

SOURCE PAGES

25

CATEGORY 17

Memory-Corruption and Software Exploitation

23 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EXPLOIT	memory_protection_violation=true
2026-08-22T01:13:01Z	CRASH	fault_type=out_of_bounds
2026-08-22T01:14:02Z	EDR	control_flow_anomaly=true
2026-08-22T01:15:03Z	SOC	patch_priority=critical

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Memory / software

ATT&CK LENS

Execution / Privilege Escalation

TELEMETRY

Crash telemetry, EDR, exploit protection

WATCH FOR

Memory faults; control-flow violations; exploit mitigation events

ANALYST FOCUS

Memory faults; control-flow violations; exploit mitigation events.

CONTROL PRIORITIES

DEP/ASLR/CFG; patching; memory-safe components; exploit protection.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 056

Memory-Corruption and Software Exploitation

Named attacks, techniques and variants

Execution / Privilege Escalation

01	Buffer overflow	13	Use-after-free
02	Type confusion	14	Null-pointer exploitation
03	Jump-oriented programming	15	Sandbox escape
04	Stack-buffer overflow	16	Double-free
05	Format-string attacks	17	Race-condition exploitation
06	Control-flow hijacking	18	Browser sandbox escape
07	Heap-buffer overflow	19	Integer overflow
08	Out-of-bounds read	20	Memory-safety exploitation
09	Arbitrary memory write	21	Kernel exploitation
10	Heap corruption	22	Integer underflow
11	Out-of-bounds write	23	Return-oriented programming
12	Arbitrary memory read		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Process Injection Attacks

15 ENTRIES

PRIMARY TARGET

Processes

ATT&CK / LENS

Defense Evasion / Privilege Escalation

TELEMETRY

EDR, Sysmon process/thread telemetry

SOURCE PAGES

26

CATEGORY 18

Process Injection Attacks

15 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	cross_process_write=detected
2026-08-22T01:13:01Z	SYSMON	remote_thread_event=true
2026-08-22T01:14:02Z	MODULE	unsigned_load=blocked
2026-08-22T01:15:03Z	SOC	memory_capture=preserved

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Processes

ATT&CK LENS

Defense Evasion / Privilege Escalation

TELEMETRY

EDR, Sysmon process/thread telemetry

WATCH FOR

Cross-process memory access; remote threads; anomalous module loads

ANALYST FOCUS

Cross-process memory access; remote threads; anomalous module loads.

CONTROL PRIORITIES

Behavior blocking; protected processes; application control.

Process Injection Attacks

Named attacks, techniques and variants

Defense Evasion / Privilege Escalation

01	DLL injection	09	Parent-process spoofing
02	APC injection	10	Process hollowing
03	Extra Window Memory Injection	11	Process Herpaderping
04	Reflective DLL injection	12	Memory-mapped injection
05	AtomBombing	13	Thread hijacking
06	Remote-thread injection	14	Transacted process injection
07	Portable Executable injection	15	Shellcode injection
08	Process Doppelg?nging		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Persistence Attacks

38 ENTRIES

PRIMARY TARGET
Persistence surfaces

ATT&CK / LENS
Persistence

TELEMETRY
Registry, tasks, services, startup telemetry

SOURCE PAGES
27

CATEGORY 19Persistence Attacks38 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	PERSIST	new_autostart_entry=true
2026-08-22T01:13:01Z	TASK	scheduled_job=unexpected
2026-08-22T01:14:02Z	CLOUD	new_long_lived_token=true
2026-08-22T01:15:03Z	SOC	persistence_removed=true

STATUSDefensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Persistence surfaces

ATT&CK LENS
Persistence

TELEMETRY
Registry, tasks, services, startup telemetry

WATCH FOR
New autostarts; scheduled jobs; cloud persistence artifacts

ANALYST FOCUS
New autostarts; scheduled jobs; cloud persistence artifacts.

CONTROL PRIORITIES
Change control; baseline monitoring; least privilege; review persistence points.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 060

Persistence Attacks

Named attacks, techniques and variants

Persistence

01	Registry Run Keys	11	Image File Execution Options abuse
02	DLL search-order hijacking	12	UEFI persistence
03	Web-shell persistence	13	systemd persistence
04	Startup-folder persistence	14	Accessibility-feature abuse
05	DLL sideloading	15	Firmware persistence
06	Rootkit persistence	16	Windows-service persistence
07	Scheduled-task persistence	17	Authentication-package modification
08	Applnit DLL persistence	18	OAuth-app persistence
09	Bootkit persistence	19	Launch Agent persistence
10	Cron-job persistence		

Persistence Attacks

Named attacks, techniques and variants

Persistence

20	Security Support Provider modification	30	Kubernetes webhook persistence
21	API-token persistence	31	Browser-extension persistence
22	Launch Daemon persistence	32	BITS-job persistence
23	Netsh helper DLL persistence	33	Container-image persistence
24	Cloud-role persistence	34	Office add-in persistence
25	WMI event-subscription persistence	35	Account creation
26	Port-monitor persistence	36	CI/CD workflow persistence
27	Serverless persistence	37	COM hijacking
28	Logon-script persistence	38	SSH authorized-key persistence
29	Print-processor persistence		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Privilege-Escalation Attacks

26 ENTRIES

PRIMARY TARGET
Privileges

ATT&CK / LENS
Privilege Escalation

TELEMETRY
EDR, OS audit, IAM, container audit

SOURCE PAGES
28

CATEGORY 20Privilege-Escalation Attacks26 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	PRIV	token_level_changed=high
2026-08-22T01:13:01Z	LINUX	sudo_baseline_deviation=true
2026-08-22T01:14:02Z	IAM	role_chain=unexpected
2026-08-22T01:15:03Z	SOC	privileged_session_terminated=true

STATUSDefensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Privileges

ATT&CK LENS
Privilege Escalation

TELEMETRY
EDR, OS audit, IAM, container audit

WATCH FOR
Privilege token changes; sudo anomalies; RBAC/role escalation

ANALYST FOCUS
Privilege token changes; sudo anomalies; RBAC/role escalation.

CONTROL PRIORITIES
Least privilege; PAM/PIM; hardened service permissions; RBAC review.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 063

Privilege-Escalation Attacks

Named attacks, techniques and variants

Privilege Escalation

01	Kernel privilege escalation	14	UAC bypass
02	DLL hijacking	15	Role chaining
03	Docker socket abuse	16	Linux capabilities abuse
04	Local privilege escalation	17	Vulnerable-driver exploitation
05	Token impersonation	18	Active Directory ACL escalation
06	Kubernetes RBAC abuse	19	Writable-service abuse
07	Sudo abuse	20	Bring Your Own Vulnerable Driver
08	Named-pipe impersonation	21	GPO privilege escalation
09	Kubernetes service-account abuse	22	Service-permission abuse
10	SUID abuse	23	Container escape
11	SeImpersonatePrivilege abuse	24	AD CS privilege escalation
12	Cloud IAM privilege escalation	25	Unquoted service-path exploitation
13	SGID abuse	26	Namespace escape

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Defense-Evasion Attacks

45 ENTRIES

PRIMARY TARGET

Security controls

ATT&CK / LENS

Defense Evasion

TELEMETRY

EDR health, audit logs, backup telemetry

SOURCE PAGES

29

CATEGORY 21

Defense-Evasion Attacks

45 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	tamper_attempt=blocked
2026-08-22T01:13:01Z	AUDIT	event_log_clear_attempt=true
2026-08-22T01:14:02Z	BACKUP	deletion_attempt=denied
2026-08-22T01:15:03Z	SOC	integrity_review=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Security controls

ATT&CK LENS

Defense Evasion

TELEMETRY

EDR health, audit logs, backup telemetry

WATCH FOR

Security-tool tamper; logs cleared; exclusions; timestomping

ANALYST FOCUS

Security-tool tamper; logs cleared; exclusions; timestomping.

CONTROL PRIORITIES

Tamper protection; immutable logs; restricted admin; integrity monitoring.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 065

Defense-Evasion Attacks

Named attacks, techniques and variants

Defense Evasion

01	Malware obfuscation	13	Polymorphism
02	Artifact deletion	14	EDR tampering
03	Sandbox evasion	15	Sleep-based evasion
04	Code obfuscation	16	Metamorphism
05	Command-history deletion	17	Antivirus disabling
06	Virtual-machine detection	18	Time bombs
07	Packing	19	Masquerading
08	Audit-policy modification	20	Firewall disabling
09	Debugger detection	21	API hashing
10	Encryption of malicious payloads	22	Fileless execution
11	Security-tool disabling	23	Backup disabling
12	Delayed execution		

Defense-Evasion Attacks

Named attacks, techniques and variants

Defense Evasion

24	Direct system calls	35	ETW tampering
25	Hidden files	36	Encrypted command-and-control
26	Shadow-copy deletion	37	Log tampering
27	Indirect system calls	38	Signed-binary proxy execution
28	Alternate Data Streams	39	Domain fronting
29	Defender exclusion abuse	40	Event-log deletion
30	User-mode hook bypass	41	LOLBin abuse
31	Steganography	42	Proxy chaining
32	AMSI bypass	43	Timestomping
33	Security-product unhooking	44	Code-signing certificate abuse
34	Log clearing	45	Traffic obfuscation

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Discovery Attacks After Compromise

27 ENTRIES

PRIMARY TARGET

Environment discovery

ATT&CK / LENS

Discovery

TELEMETRY

EDR process telemetry, command auditing

SOURCE PAGES

30

CATEGORY 22

Discovery Attacks After Compromise

27 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	DISCOVERY	users_groups_shares=queried_rapidly
2026-08-22T01:13:01Z	EDR	security_tool_inventory=queried
2026-08-22T01:14:02Z	NET	internal_hosts_enumerated=76
2026-08-22T01:15:03Z	SOC	behavior_score=high

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Environment discovery

ATT&CK LENS

Discovery

TELEMETRY

EDR process telemetry, command auditing

WATCH FOR

Rapid enumeration of users, services, shares, security tools

ANALYST FOCUS

Rapid enumeration of users, services, shares, security tools.

CONTROL PRIORITIES

Behavioral analytics; least privilege; segmentation; command auditing.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 068

Discovery Attacks After Compromise

Named attacks, techniques and variants

Discovery

01	System discovery	08	Service discovery
02	Network-service discovery	09	Browser discovery
03	Remote-system discovery	10	User discovery
04	Hostname discovery	11	Installed-software discovery
05	Process discovery	12	Backup discovery
06	Permission-group discovery	13	Group discovery
07	Operating-system discovery	14	Security-software discovery

Discovery Attacks After Compromise

Named attacks, techniques and variants

Discovery

15	Database discovery	22	Trust discovery
16	Administrator discovery	23	File-and-directory discovery
17	Cloud-resource discovery	24	Active Directory discovery
18	Kubernetes cluster discovery	25	Network-interface discovery
19	Domain discovery	26	Share discovery
20	Virtualization discovery	27	Privileged-account discovery
21	Container discovery		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Lateral-Movement Attacks

25 ENTRIES

PRIMARY TARGET
Internal network

ATT&CK / LENS
Lateral Movement

TELEMETRY
Windows logon, SMB/RDP, EDR, NetFlow

SOURCE PAGES
31

CATEGORY 23

Lateral-Movement Attacks

25 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT
Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	LOGON	remote_logons=18 hosts=11
2026-08-22T01:13:01Z	SMB	admin_share_access=unexpected
2026-08-22T01:14:02Z	RDP	new_source_to_server=true
2026-08-22T01:15:03Z	SOC	east_west_block=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Internal network

ATT&CK LENS
Lateral Movement

TELEMETRY
Windows logon, SMB/RDP, EDR, NetFlow

WATCH FOR
New remote logons; admin-share use; east-west authentication bursts

ANALYST FOCUS
New remote logons; admin-share use; east-west authentication bursts.

CONTROL PRIORITIES
Network segmentation; JIT admin; MFA; remote-service restrictions.

Lateral-Movement Attacks

Named attacks, techniques and variants

Lateral Movement

01	Remote Desktop Protocol abuse	14	Remote service creation
02	Pass-the-Ticket lateral movement	15	Kubernetes pod-to-pod movement
03	VPN lateral movement	16	SSH lateral movement
04	SMB lateral movement	17	Administrative-share abuse
05	Kerberos delegation abuse	18	Container-to-host movement
06	Cloud role assumption	19	VNC abuse
07	Psexec-style remote execution	20	Distributed Component Object Model abuse
08	NTLM relay	21	Credential replay between systems
09	Cross-account cloud movement	22	Remote-service abuse
10	WinRM abuse	23	RPC abuse
11	Remote scheduled tasks	24	Pass-the-Hash lateral movement
12	Cross-tenant movement	25	RDP session hijacking
13	WMI lateral movement		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Command-and-Control Attacks

28 ENTRIES

PRIMARY TARGET

Egress / C2

ATT&CK / LENS

Command and Control

TELEMETRY

Proxy, DNS, NetFlow, EDR network events

SOURCE PAGES

32

CATEGORY 24

Command-and-Control Attacks

28 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	PROXY	callback_interval=59s jitter=low
2026-08-22T01:13:01Z	DNS	rare_domain=true age=1d
2026-08-22T01:14:02Z	FLOW	bytes_out_small_periodic=true
2026-08-22T01:15:03Z	SOC	beacon_score=0.94

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Egress / C2

ATT&CK LENS

Command and Control

TELEMETRY

Proxy, DNS, NetFlow, EDR network events

WATCH FOR

Periodic callbacks; rare domains; tunneling; encrypted anomalous egress

ANALYST FOCUS

Periodic callbacks; rare domains; tunneling; encrypted anomalous egress.

CONTROL PRIORITIES

Egress filtering; DNS controls; proxy inspection; beacon analytics.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 073

Command-and-Control Attacks

PART 1 OF 2 | 28 TOTAL

Named attacks, techniques and variants

Command and Control

01	HTTP C2	08	Paste-site C2
02	Social-media C2	09	DGA-based C2
03	Custom-protocol C2	10	DNS tunneling
04	HTTPS C2	11	GitHub-based C2
05	Dead-drop resolver C2	12	Peer-to-peer C2
06	Fast-flux C2	13	ICMP tunneling
07	DNS C2	14	Telegram-based C2

Command-and-Control Attacks

Named attacks, techniques and variants

Command and Control

15	Botnet C2	22	SSH tunneling
16	SMTP C2	23	Proxy-based C2
17	Tor-based C2	24	Web shells
18	Reverse shells	25	WebSocket C2
19	FTP C2	26	VPN-based C2
20	Domain-fronted C2	27	Cloud-storage C2
21	Bind shells	28	Encrypted C2

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Collection and Data-Theft Attacks

25 ENTRIES

PRIMARY TARGET

Sensitive data

ATT&CK / LENS

Collection

TELEMETRY

EDR, DLP, file access, SaaS audit

SOURCE PAGES

33

CATEGORY 25

Collection and Data-Theft Attacks

25 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	FILE	reads=28431 user=single
2026-08-22T01:13:01Z	ARCHIVE	large_archive_created=true
2026-08-22T01:14:02Z	DLP	sensitive_labels_touched=7
2026-08-22T01:15:03Z	SOC	collection_stage=suspected

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Sensitive data

ATT&CK LENS

Collection

TELEMETRY

EDR, DLP, file access, SaaS audit

WATCH FOR

Mass reads; archive creation; screen/clipboard capture; backup access

ANALYST FOCUS

Mass reads; archive creation; screen/clipboard capture; backup access.

CONTROL PRIORITIES

DLP; least privilege; file auditing; endpoint controls.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 076

Collection and Data-Theft Attacks

Named attacks, techniques and variants

Collection

01	File collection	14	Packet capture
02	Clipboard capture	15	Backup theft
03	Source-code theft	16	Database dumping
04	Document collection	17	Cloud-storage collection
05	Keylogging	18	Snapshot theft
06	Intellectual-property theft	19	Screen capture
07	Email collection	20	SharePoint collection
08	Input capture	21	Memory dumping
09	Credential collection	22	Audio capture
10	Browser-data collection	23	OneDrive collection
11	Network sniffing	24	Webcam capture
12	Archive collection	25	SaaS data collection
13	Password-store collection		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Data Exfiltration Attacks

23 ENTRIES

PRIMARY TARGET
Data egress

ATT&CK / LENS
Exfiltration

TELEMETRY
DLP, proxy, firewall, cloud audit

SOURCE PAGES
34

CATEGORY 26Data Exfiltration Attacks23 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EGRESS	outbound_bytes=18.2GB baseline=0.4GB
2026-08-22T01:13:01Z	DLP	sensitive_data_match=high
2026-08-22T01:14:02Z	PROXY	destination=rare_cloud_host
2026-08-22T01:15:03Z	SOC	transfer_blocked=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Data egress

ATT&CK LENS

Exfiltration

TELEMETRY

DLP, proxy, firewall, cloud audit

WATCH FOR

Large outbound transfers; unusual destinations; encoded/tunneled traffic

ANALYST FOCUS

Large outbound transfers; unusual destinations; encoded/tunneled traffic.

CONTROL PRIORITIES

Egress controls; DLP; CASB/SSE; anomaly detection.

Data Exfiltration Attacks

Named attacks, techniques and variants

Exfiltration

01	Exfiltration over HTTP	13	SMTP/email exfiltration
02	Web-service exfiltration	14	Bluetooth exfiltration
03	Screenshot exfiltration	15	Data staging
04	Exfiltration over HTTPS	16	FTP exfiltration
05	API-based exfiltration	17	Removable-media exfiltration
06	Steganographic exfiltration	18	Data compression before exfiltration
07	DNS exfiltration	19	SSH exfiltration
08	C2-channel exfiltration	20	Printing-based exfiltration
09	Encrypted-archive exfiltration	21	Data encryption before exfiltration
10	ICMP exfiltration	22	Cloud-storage exfiltration
11	USB exfiltration	23	Clipboard exfiltration
12	Dead-drop exfiltration		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Impact Attacks

26 ENTRIES

PRIMARY TARGET
Operations / data

ATT&CK / LENS
Impact

TELEMETRY
EDR, backup, storage, service health

SOURCE PAGES
35

CATEGORY 27Impact Attacks26 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	file_rename_rate=extreme
2026-08-22T01:13:01Z	BACKUP	recovery_disable_attempt=true
2026-08-22T01:14:02Z	SERVICE	critical_service_stop=true
2026-08-22T01:15:03Z	SOC	incident=impact isolate=network

STATUSDefensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Operations / data

ATT&CK LENS
Impact

TELEMETRY
EDR, backup, storage, service health

WATCH FOR
Bulk rename/encryption; recovery inhibition; service shutdown; sabotage

ANALYST FOCUS
Bulk rename/encryption; recovery inhibition; service shutdown; sabotage.

CONTROL PRIORITIES
Immutable backups; segmentation; EDR containment; recovery testing.

Impact Attacks

Named attacks, techniques and variants

Impact

01	Data destruction	14	Disk encryption
02	Inhibit-system-recovery attacks	15	Fraudulent transactions
03	DNS takeover	16	Record falsification
04	Data wiping	17	File encryption
05	Backup destruction	18	Destructive ICS manipulation
06	Infrastructure sabotage	19	Account lockout
07	Data corruption	20	Resource hijacking
08	Snapshot deletion	21	Safety-system disruption
09	Operational disruption	22	Account deletion
10	Data manipulation	23	Cryptojacking
11	Ransomware	24	DDoS
12	Financial theft	25	Service shutdown
13	Database corruption	26	Website defacement

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Cloud Attacks

32 ENTRIES

PRIMARY TARGET

Cloud platforms

ATT&CK / LENS

Multiple Enterprise tactics

TELEMETRY

CloudTrail/Azure Activity/GCP Audit, CSPM

SOURCE PAGES

36

CATEGORY 28Cloud Attacks32 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	CLOUD	new_access_key=true
2026-08-22T01:13:01Z	IAM	admin_policy_attached=unexpected
2026-08-22T01:14:02Z	API	metadata_endpoint_access=true
2026-08-22T01:15:03Z	SOC	workload_identity_rotated=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Cloud platforms

ATT&CK LENS

Multiple Enterprise tactics

TELEMETRY

CloudTrail/Azure Activity/GCP Audit, CSPM

WATCH FOR

IAM changes; unusual API calls; metadata access; new keys/roles

ANALYST FOCUS

IAM changes; unusual API calls; metadata access; new keys/roles.

CONTROL PRIORITIES

CSPM; least privilege; workload identity; cloud-native detection.

Cloud Attacks

Named attacks, techniques and variants

Multiple Enterprise tactics

01	Cloud-account takeover	09	KMS/key theft
02	Instance Metadata Service credential theft	10	Public-storage-bucket exposure
03	Service-principal hijacking	11	Cloud cryptomining
04	Cloud-credential theft	12	Cloud logging disablement
05	Cloud control-plane compromise	13	Object-storage theft
06	Managed-identity abuse	14	Cloud ransomware
07	Cloud API-key theft	15	Shadow-admin creation
08	Management-console takeover	16	Cloud IAM misconfiguration abuse

Cloud Attacks

Named attacks, techniques and variants

Multiple Enterprise tactics

17	Snapshot theft	25	Cloud role chaining
18	Cloud persistence	26	Serverless-function abuse
19	IAM privilege escalation	27	Public cloud database exploitation
20	Snapshot deletion	28	Confused-deputy attacks
21	Cloud workload lateral movement	29	Lambda/function injection
22	Cross-account trust abuse	30	Misconfigured security-group exploitation
23	Cloud backup destruction	31	Metadata-service SSRF
24	Tenant-to-tenant lateral movement	32	SaaS OAuth abuse

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Container and Kubernetes Attacks

26 ENTRIES

PRIMARY TARGET

Containers / K8s

ATT&CK / LENS

Multiple Enterprise tactics

TELEMETRY

Kubernetes audit, runtime, registry logs

SOURCE PAGES

37

CATEGORY 29

Container and Kubernetes Attacks

26 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	K8S	exec_into_pod=true namespace=prod
2026-08-22T01:13:01Z	RBAC	clusterrolebinding_created=true
2026-08-22T01:14:02Z	SECRET	bulk_reads=true
2026-08-22T01:15:03Z	SOC	workload_quarantined=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Containers / K8s

ATT&CK LENS

Multiple Enterprise tactics

TELEMETRY

Kubernetes audit, runtime, registry logs

WATCH FOR

Exec into pods; secret reads; privileged workloads; RBAC changes

ANALYST FOCUS

Exec into pods; secret reads; privileged workloads; RBAC changes.

CONTROL PRIORITIES

Admission controls; runtime security; network policy; signed images.

Container and Kubernetes Attacks

Named attacks, techniques and variants

Multiple Enterprise tactics

01	Container escape	14	Malicious sidecar injection
02	Service-account token theft	15	Kubernetes cryptomining
03	Pod-to-pod lateral movement	16	Container-registry compromise
04	Docker socket abuse	17	etcd exposure
05	Kubernetes RBAC escalation	18	Container ransomware
06	Namespace escape	19	Registry credential theft
07	Privileged-container abuse	20	Kubernetes secret theft
08	Admission-controller abuse	21	Runtime exploitation
09	Helm-chart poisoning	22	Kubernetes API compromise
10	Malicious container images	23	Node compromise
11	Admission-webhook abuse	24	Orchestrator compromise
12	Kubernetes supply-chain attacks	25	Kubeconfig theft
13	Container-image poisoning	26	Pod escape

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Software Supply-Chain Attacks

35 ENTRIES

PRIMARY TARGET

Software supply chain

ATT&CK / LENS

Initial Access / Persistence

TELEMETRY

SCM, CI/CD, artifact registry, SBOM

SOURCE PAGES

38

CATEGORY 30

Software Supply-Chain Attacks

35 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	CI	workflow_file_changed=privileged
2026-08-22T01:13:01Z	PKG	maintainer_changed=true
2026-08-22T01:14:02Z	ARTIFACT	signature_verification=failed
2026-08-22T01:15:03Z	SOC	release_pipeline_paused=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Software supply chain

ATT&CK LENS

Initial Access / Persistence

TELEMETRY

SCM, CI/CD, artifact registry, SBOM

WATCH FOR

New maintainer; workflow changes; unsigned artifacts; dependency anomalies

ANALYST FOCUS

New maintainer; workflow changes; unsigned artifacts; dependency anomalies.

CONTROL PRIORITIES

Provenance/SLSA; signed builds; protected branches; dependency controls.

Software Supply-Chain Attacks

Named attacks, techniques and variants

Initial Access / Persistence

01	Dependency confusion	10	Slopsquatting
02	Build-server compromise	11	CI/CD credential theft
03	Malicious IDE extensions	12	CI runner compromise
04	Package typosquatting	13	Malicious package publishing
05	Build-pipeline compromise	14	Workflow injection
06	Malicious VS Code extensions	15	Container-base-image poisoning
07	Package-name squatting	16	Package-maintainer compromise
08	CI/CD pipeline poisoning	17	Pull-request workflow exploitation
09	GitHub Action compromise	18	SBOM tampering

Software Supply-Chain Attacks

Named attacks, techniques and variants

Initial Access / Persistence

19	Dependency substitution	28	Source-code repository compromise
20	Build-artifact poisoning	29	Update-channel hijacking
21	Compiler backdoors	30	Third-party service compromise
22	Package-registry compromise	31	Malicious commits
23	Release-artifact replacement	32	Code-signing key theft
24	Vendor compromise	33	Hardware supply-chain compromise
25	Repository takeover	34	Source-code backdoors
26	Software-update compromise	35	Code-signing certificate theft
27	MSP compromise		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Cryptographic Attacks

42 ENTRIES

PRIMARY TARGET

Crypto / PKI

ATT&CK / LENS

Credential Access / Defense Evasion

TELEMETRY

TLS logs, HSM/KMS audit, application telemetry

SOURCE PAGES

39

CATEGORY 31

Cryptographic Attacks

42 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	TLS	protocol_downgrade=true
2026-08-22T01:13:01Z	CERT	issuer_mismatch=true
2026-08-22T01:14:02Z	KMS	key_usage_outside_baseline=true
2026-08-22T01:15:03Z	SOC	crypto_policy_enforced=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Crypto / PKI

ATT&CK LENS

Credential Access / Defense Evasion

TELEMETRY

TLS logs, HSM/KMS audit, application telemetry

WATCH FOR

Downgrades; weak crypto; nonce/key reuse; certificate anomalies

ANALYST FOCUS

Downgrades; weak crypto; nonce/key reuse; certificate anomalies.

CONTROL PRIORITIES

Modern TLS; key lifecycle controls; HSM/KMS; crypto agility.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 090

Cryptographic Attacks

Named attacks, techniques and variants

Credential Access / Defense Evasion

01	Cryptographic brute force	12	POODLE
02	Cache side-channel attacks	13	Preimage attacks
03	BEAST	14	Weak-random-number exploitation
04	Dictionary attacks against encrypted secrets	15	SWEET32
05	Power-analysis attacks	16	Second-preimage attacks
06	CRIME	17	Nonce-reuse attacks
07	Birthday attacks	18	FREAK
08	Electromagnetic side-channel attacks	19	Length-extension attacks
09	BREACH	20	IV-reuse attacks
10	Hash-collision attacks	21	Logjam
11	Fault-injection attacks		

Cryptographic Attacks

Named attacks, techniques and variants

Credential Access / Defense Evasion

22	Padding-oracle attacks	33	Bleichenbacher attacks
23	Key-reuse attacks	34	Ciphertext-only attacks
24	DROWN	35	Rogue CA attacks
25	Chosen-plaintext attacks	36	RSA oracle attacks
26	Key-extraction attacks	37	Adaptive chosen-ciphertext attacks
27	ROBOT	38	TLS downgrade
28	Chosen-ciphertext attacks	39	ECDSA nonce-reuse attacks
29	Certificate spoofing	40	Timing attacks
30	Lucky13	41	SSL stripping
31	Known-plaintext attacks	42	Harvest-now-decrypt-later attacks
32	Certificate misissuance		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Browser Attacks

23 ENTRIES

PRIMARY TARGET

Browsers

ATT&CK / LENS

Initial Access / Credential Access

TELEMETRY

Browser telemetry, EDR, secure web gateway

SOURCE PAGES

40

CATEGORY 32Browser Attacks23 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	BROWSER	extension_install=unapproved
2026-08-22T01:13:01Z	COOKIE	sensitive_store_access=true
2026-08-22T01:14:02Z	SWG	drive_by_download=blocked
2026-08-22T01:15:03Z	SOC	profile_reset=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Browsers

ATT&CK LENS

Initial Access / Credential Access

TELEMETRY

Browser telemetry, EDR, secure web gateway

WATCH FOR

Suspicious extensions; cookie access; drive-by downloads; CSP events

ANALYST FOCUS

Suspicious extensions; cookie access; drive-by downloads; CSP events.

CONTROL PRIORITIES

Managed browsers; extension allowlists; isolation; safe browsing.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 093

Browser Attacks

Named attacks, techniques and variants

Initial Access / Credential Access

01	Drive-by downloads	13	Extension sideloading
02	Browser-sync theft	14	Browser-in-the-browser phishing
03	Cache poisoning	15	Same-origin-policy bypass
04	Browser zero-day exploitation	16	Browser password theft
05	Tabnabbing	17	Malvertising
06	Cache deception	18	CSP bypass
07	Malicious browser extensions	19	Cookie theft
08	Reverse tabnabbing	20	Notification phishing
09	DOM clobbering	21	Universal XSS
10	Browser-extension hijacking	22	Session hijacking
11	Clickjacking	23	Service-worker abuse
12	Prototype pollution		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Mobile Attacks

30 ENTRIES

PRIMARY TARGET
Mobile devices

ATT&CK / LENS
Mobile tactics

TELEMETRY
MDM/Mobile EDR, app telemetry, carrier logs

SOURCE PAGES
41

CATEGORY 33Mobile Attacks30 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	MDM	sideloaded_app=true
2026-08-22T01:13:01Z	MOBILE	accessibility_service=unexpected
2026-08-22T01:14:02Z	SIM	recent_swap=true
2026-08-22T01:15:03Z	SOC	mobile_session_revoked=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Mobile devices

ATT&CK LENS

Mobile tactics

TELEMETRY

MDM/Mobile EDR, app telemetry, carrier logs

WATCH FOR

Overlay/accessibility abuse; sideloading; abnormal permissions; SIM events

ANALYST FOCUS

Overlay/accessibility abuse; sideloading; abnormal permissions; SIM events.

CONTROL PRIORITIES

MDM; app attestation; mobile threat defense; strong recovery controls.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 095

Mobile Attacks

Named attacks, techniques and variants

Mobile tactics

01	Malicious mobile applications	09	Mobile device-management compromise
02	Notification interception	10	Mobile banking Trojans
03	Mobile application cloning	11	Deep-link hijacking
04	Repackaged applications	12	Rooting exploits
05	Clipboard theft	13	Mobile RATs
06	Malicious MDM enrollment	14	Intent spoofing
07	App sideloading attacks	15	Jailbreak exploits
08	Credential-overlay attacks		

Mobile Attacks

Named attacks, techniques and variants

Mobile tactics

16	Mobile spyware	24	SIM-swap attacks
17	Intent hijacking	25	Accessibility-service abuse
18	Baseband exploitation	26	Certificate-pinning bypass
19	Overlay attacks	27	SIM cloning
20	WebView injection	28	SMS interception
21	Zero-click messaging attacks	29	Insecure local-storage theft
22	Tapjacking	30	Juice-jacking attacks
23	Mobile browser exploits		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Telecom and Cellular Attacks

31 ENTRIES

PRIMARY TARGET
Telecom

ATT&CK / LENS
Telecom threat domain

TELEMETRY
Carrier signaling, SBC, SIP, fraud analytics

SOURCE PAGES
42

CATEGORY 34

Telecom and Cellular Attacks

31 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT
Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	SS7	signaling_pattern=anomalous
2026-08-22T01:13:01Z	SIP	registrations=spike
2026-08-22T01:14:02Z	FRAUD	toll_route_deviation=true
2026-08-22T01:15:03Z	SOC	carrier_escalation=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Telecom

ATT&CK LENS
Telecom threat domain

TELEMETRY
Carrier signaling, SBC, SIP, fraud analytics

WATCH FOR
Signaling anomalies; SIM changes; rogue base behavior; toll fraud

ANALYST FOCUS
Signaling anomalies; SIM changes; rogue base behavior; toll fraud.

CONTROL PRIORITIES
Signaling firewalls; MFA beyond SMS; telecom fraud controls.

Telecom and Cellular Attacks

Named attacks, techniques and variants

Telecom threat domain

01	SIM swapping	09	2G downgrade attacks
02	SIP spoofing	10	SS7 location tracking
03	5G signaling attacks	11	VoIP toll fraud
04	SIM cloning	12	Paging attacks
05	SIP flooding	13	SS7 SMS interception
06	Cellular downgrade attacks	14	PBX compromise
07	SIMjacker	15	Cellular location tracking
08	SIP credential attacks	16	SS7 call redirection

Telecom and Cellular Attacks

Named attacks, techniques and variants

Telecom threat domain

17	Caller-ID spoofing	25	GTP protocol attacks
18	Baseband attacks	26	Rogue base stations
19	SS7 authentication abuse	27	RCS abuse
20	Voicemail PIN attacks	28	IMS attacks
21	eSIM provisioning attacks	29	Fake BTS attacks
22	Diameter signaling attacks	30	SIP registration hijacking
23	IMSI catchers	31	Rogue gNodeB attacks
24	SMS spoofing		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

IoT Attacks

27 ENTRIES

PRIMARY TARGET

IoT

ATT&CK / LENS

Initial Access / C2 / Impact

TELEMETRY

IoT gateway, NDR, firmware inventory

SOURCE PAGES

43

CATEGORY 35

IoT Attacks

27 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	IOT	default_credential_success=true
2026-08-22T01:13:01Z	NDR	outbound_scan_rate=high
2026-08-22T01:14:02Z	C2	botnet_pattern=matched
2026-08-22T01:15:03Z	SOC	device_segment_quarantined=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

IoT

ATT&CK LENS

Initial Access / C2 / Impact

TELEMETRY

IoT gateway, NDR, firmware inventory

WATCH FOR

Default-credential use; scanning; botnet C2; firmware anomalies

ANALYST FOCUS

Default-credential use; scanning; botnet C2; firmware anomalies.

CONTROL PRIORITIES

Unique credentials; segmentation; signed updates; device inventory.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 101

IoT Attacks

Named attacks, techniques and variants

Initial Access / C2 / Impact

01	Default-credential exploitation	08	JTAG attacks
02	IoT supply-chain attacks	09	Actuator manipulation
03	Replay attacks against IoT devices	10	IoT botnets
04	Hard-coded password exploitation	11	UART attacks
05	Exposed debug-interface attacks	12	Zigbee attacks
06	Sensor spoofing	13	Mirai-style attacks
07	Hard-coded key extraction	14	MQTT exploitation

IoT Attacks

Named attacks, techniques and variants

Initial Access / C2 / Impact

15	Z-Wave attacks	22	Insecure firmware-update attacks
16	Firmware exploitation	23	Smart-camera takeover
17	CoAP exploitation	24	IoT cryptomining
18	BLE IoT attacks	25	OTA update compromise
19	Firmware backdoors	26	Smart-lock attacks
20	UPnP exploitation	27	IoT DDoS
21	IoT ransomware		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

OT / ICS / SCADA Attacks

33 ENTRIES

PRIMARY TARGET

OT / ICS

ATT&CK / LENS

ICS tactics

TELEMETRY

Historian, PLC/HMI logs, industrial NDR

SOURCE PAGES

44

CATEGORY 36

OT / ICS / SCADA Attacks

33 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	PLC	write_command=unauthorized
2026-08-22T01:13:01Z	HMI	operator_session=unexpected
2026-08-22T01:14:02Z	PROCESS	setpoint_delta=outside_envelope
2026-08-22T01:15:03Z	SOC	safety_procedure=activated

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

OT / ICS

ATT&CK LENS

ICS tactics

TELEMETRY

Historian, PLC/HMI logs, industrial NDR

WATCH FOR

Unauthorized writes; set-point changes; engineering workstation anomalies

ANALYST FOCUS

Unauthorized writes; set-point changes; engineering workstation anomalies.

CONTROL PRIORITIES

Zones/conduits; allowlisting; safety interlocks; offline recovery.

OT / ICS / SCADA Attacks

Named attacks, techniques and variants

ICS tactics

01	PLC compromise	10	HMI compromise
02	Process-control manipulation	11	Industrial ransomware
03	OPC attacks	12	Serial-protocol manipulation
04	PLC logic manipulation	13	SCADA server compromise
05	Alarm suppression	14	ICS wipers
06	PROFINET attacks	15	Field-device compromise
07	Ladder-logic modification	16	Engineering-workstation compromise
08	Historian tampering	17	Unauthorized industrial commands
09	EtherNet/IP attacks		

OT / ICS / SCADA Attacks

Named attacks, techniques and variants

ICS tactics

18	Industrial firmware compromise	26	DNP3 attacks
19	Safety Instrumented System compromise	27	GPS timing spoofing
20	Rogue master attacks	28	Sensor-data falsification
21	Remote-access compromise	29	IEC 60870 attacks
22	Safety-system manipulation	30	IEEE 1588/PTP manipulation
23	Modbus attacks	31	Set-point manipulation
24	Time-synchronization attacks	32	IEC 61850 attacks
25	Sensor spoofing	33	Physical-process sabotage

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Hardware and CPU Attacks

34 ENTRIES

PRIMARY TARGET

Hardware / firmware

ATT&CK / LENS

Defense Evasion / Privilege Escalation

TELEMETRY

Firmware attestation, hardware telemetry

SOURCE PAGES

45

CATEGORY 37

Hardware and CPU Attacks

34 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	BOOT	attestation_failed=true
2026-08-22T01:13:01Z	DMA	unauthorized_device_event=true
2026-08-22T01:14:02Z	FIRMWARE	hash_changed=unexpected
2026-08-22T01:15:03Z	SOC	hardware_forensics=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Hardware / firmware

ATT&CK LENS

Defense Evasion / Privilege Escalation

TELEMETRY

Firmware attestation, hardware telemetry

WATCH FOR

Boot integrity changes; DMA events; microcode/firmware anomalies

ANALYST FOCUS

Boot integrity changes; DMA events; microcode/firmware anomalies.

CONTROL PRIORITIES

Secure Boot; TPM attestation; firmware updates; physical controls.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 107

Hardware and CPU Attacks

Named attacks, techniques and variants

Defense Evasion / Privilege Escalation

01	Rowhammer	10	DMA attacks
02	CacheOut	11	Downfall
03	Plundervolt	12	Evil Maid attacks
04	RAMBleed	13	Thunderbolt/DMA attacks
05	LVI	14	Zenbleed
06	BadUSB	15	JTAG attacks
07	Cold-boot attacks	16	Spectre
08	Retbleed	17	Inception
09	Malicious HID attacks		

Hardware and CPU Attacks

Named attacks, techniques and variants

Defense Evasion / Privilege Escalation

18	Hardware debug-interface abuse	27	BIOS attacks
19	Meltdown	28	Fallout
20	Branch History Injection	29	Fault injection
21	Firmware implants	30	Boot-ROM attacks
22	Foreshadow / L1TF	31	ZombieLoad
23	Speculative-execution attacks	32	Voltage glitching
24	UEFI implants	33	MDS attacks
25	RIDL	34	Clock glitching
26	CPU cache side channels		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Virtualization and Hypervisor Attacks

17 ENTRIES

PRIMARY TARGET

Virtualization

ATT&CK / LENS

Privilege Escalation / Impact

TELEMETRY

Hypervisor, vCenter, host audit logs

SOURCE PAGES

46

CATEGORY 38

Virtualization and Hypervisor Attacks

17 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	VCENTER	admin_login=rare_source
2026-08-22T01:13:01Z	VM	snapshot_export=unexpected
2026-08-22T01:14:02Z	HOST	hypervisor_config_change=true
2026-08-22T01:15:03Z	SOC	mgmt_plane_isolated=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Virtualization

ATT&CK LENS

Privilege Escalation / Impact

TELEMETRY

Hypervisor, vCenter, host audit logs

WATCH FOR

Host admin changes; VM snapshot theft; guest-to-host anomalies

ANALYST FOCUS

Host admin changes; VM snapshot theft; guest-to-host anomalies.

CONTROL PRIORITIES

Management-plane isolation; MFA; patching; immutable backups.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 110

Virtualization and Hypervisor Attacks

PART 1 OF 1 | 17 TOTAL

Named attacks, techniques and variants

Privilege Escalation / Impact

01	VM escape	10	VM hopping
02	ESXi compromise	11	Virtual-disk theft
03	Shared-clipboard abuse	12	Cloud hypervisor attacks
04	Guest-to-host escape	13	Hypervisor takeover
05	ESXi ransomware	14	VM credential extraction
06	Shared-folder abuse	15	Virtual-machine image poisoning
07	Hypervisor exploitation	16	vCenter compromise
08	VM snapshot theft	17	Virtual-switch attacks
09	Cross-VM side channels		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Database Attacks

19 ENTRIES

PRIMARY TARGET

Databases

ATT&CK / LENS

Collection / Exfiltration

TELEMETRY

DB audit, query logs, IAM

SOURCE PAGES

47

CATEGORY 39

Database Attacks

19 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	DB	bulk_select_rows=12.4M
2026-08-22T01:13:01Z	DBAUTH	privilege_grant=unexpected
2026-08-22T01:14:02Z	EXPORT	dump_operation=outside_window
2026-08-22T01:15:03Z	SOC	account_disabled=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Databases

ATT&CK LENS

Collection / Exfiltration

TELEMETRY

DB audit, query logs, IAM

WATCH FOR

Unusual bulk reads; privilege grants; dump/export patterns; injection errors

ANALYST FOCUS

Unusual bulk reads; privilege grants; dump/export patterns; injection errors.

CONTROL PRIORITIES

DB least privilege; parameterization; encryption; audit logging.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 112

Database Attacks

Named attacks, techniques and variants

Collection / Exfiltration

01	SQL injection	11	Database corruption
02	Data aggregation attacks	12	Database log tampering
03	Exposed Redis attacks	13	Database privilege escalation
04	NoSQL injection	14	Stored-procedure abuse
05	Backup theft	15	Replication abuse
06	Exposed MongoDB attacks	16	Database dumping
07	Database credential theft	17	Dangerous database-function abuse
08	Database ransomware	18	Database inference attacks
09	Exposed Elasticsearch attacks	19	xp_cmdshell abuse
10	Database account takeover		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Source-Code and Development Environment Attacks

19 ENTRIES

PRIMARY TARGET

Developer ecosystem

ATT&CK / LENS

Initial Access / Persistence

TELEMETRY

Git audit, CI/CD, developer EDR

SOURCE PAGES

48

CATEGORY 40

Source-Code and Development Environment Attacks

19 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	GIT	personal_token_created=true
2026-08-22T01:13:01Z	CI	workflow_secret_access=unexpected
2026-08-22T01:14:02Z	REPO	protected_branch_change=true
2026-08-22T01:15:03Z	SOC	token_revoked=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Developer ecosystem

ATT&CK LENS

Initial Access / Persistence

TELEMETRY

Git audit, CI/CD, developer EDR

WATCH FOR

New tokens; workflow edits; secret access; suspicious package publishing

ANALYST FOCUS

New tokens; workflow edits; secret access; suspicious package publishing.

CONTROL PRIORITIES

Protected branches; signed commits; secret scanning; ephemeral CI credentials.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 114

Source-Code and Development Environment Attacks

Named attacks, techniques and variants

Initial Access / Persistence

01	Source-code theft	11	Dependency poisoning
02	Pull-request poisoning	12	Artifact repository compromise
03	Developer workstation compromise	13	SSH signing-key theft
04	Repository credential theft	14	Build-script injection
05	Development-environment compromise	15	Code-signing compromise
06	CI/CD token theft	16	Malicious commits
07	Developer-account takeover	17	Environment-variable theft
08	IDE plugin compromise	18	Repository backdoors
09	Package-publishing credential theft	19	Secret scanning by attackers
10	Git credential theft		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Physical Cyber Attacks

24 ENTRIES

PRIMARY TARGET

Physical systems

ATT&CK / LENS

Initial Access / Collection

TELEMETRY

Badge access, CCTV, USB/device control

SOURCE PAGES

49

CATEGORY 41Physical Cyber Attacks24 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	BADGE	access=server_room schedule=unexpected
2026-08-22T01:13:01Z	USB	new_mass_storage=true
2026-08-22T01:14:02Z	NET	rogue_device_mac=new
2026-08-22T01:15:03Z	SOC	physical_security_notified=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Physical systems

ATT&CK LENS
Initial Access / Collection

TELEMETRY
Badge access, CCTV, USB/device control

WATCH FOR
Badge anomalies; unauthorized media; rogue hardware; tampering

ANALYST FOCUS

Badge anomalies; unauthorized media; rogue hardware; tampering.

CONTROL PRIORITIES

Physical access controls; device control; secure storage; asset checks.

Physical Cyber Attacks

Named attacks, techniques and variants

Initial Access / Collection

01	Device theft	13	USB attacks
02	Hardware keyloggers	14	Network tap installation
03	BIOS modification	15	Badge cloning
04	Laptop theft	16	Malicious USB devices
05	Rogue network devices	17	Evil Maid attacks
06	Boot-device attacks	18	RFID access-card cloning
07	Server theft	19	BadUSB
08	Rogue access points	20	Hardware implants
09	Cold-boot attacks	21	Tailgating
10	Storage-media theft	22	Rubber-Ducky-style HID attacks
11	Cable tapping	23	Device tampering
12	Shoulder surfing	24	Dumpster diving

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

AI and Machine-Learning Attacks

44 ENTRIES

PRIMARY TARGET

AI / ML

ATT&CK / LENS

AI security threat domain

TELEMETRY

AI gateway, model logs, RAG/vector audit

SOURCE PAGES

50

CATEGORY 42

AI and Machine-Learning Attacks

44 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	AI	prompt_injection_score=high
2026-08-22T01:13:01Z	RAG	retrieved_doc_trust=low
2026-08-22T01:14:02Z	MODEL	sensitive_output_filter=triggered
2026-08-22T01:15:03Z	SOC	session_quarantined=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

AI / ML

ATT&CK LENS

AI security threat domain

TELEMETRY

AI gateway, model logs, RAG/vector audit

WATCH FOR

Prompt-injection signals; data leakage; abnormal tool/model behavior

ANALYST FOCUS

Prompt-injection signals; data leakage; abnormal tool/model behavior.

CONTROL PRIORITIES

Input/output controls; model isolation; RAG hygiene; least-privilege tools.

AI and Machine-Learning Attacks

Named attacks, techniques and variants

AI security threat domain

01	Direct prompt injection	12	Malicious model repositories
02	Data poisoning	13	Adversarial suffix attacks
03	Knowledge-base poisoning	14	Model backdoors
04	Indirect prompt injection	15	Model denial of service
05	Training-data poisoning	16	Payload-splitting attacks
06	AI supply-chain compromise	17	Trojaned models
07	Multimodal prompt injection	18	Unbounded token/resource consumption
08	Fine-tuning poisoning	19	System-prompt extraction
09	Malicious model files	20	Adversarial examples
10	Prompt jailbreaking	21	AI cost-exhaustion attacks
11	Model poisoning	22	System-prompt leakage

AI and Machine-Learning Attacks

Named attacks, techniques and variants

AI security threat domain

23	Adversarial evasion	34	Membership-inference attacks
24	Hallucination exploitation	35	Vector-database poisoning
25	Sensitive-information disclosure	36	Deepfake fraud
26	Improper output handling	37	Model extraction
27	Misinformation attacks	38	Embedding poisoning
28	Training-data extraction	39	Synthetic voice attacks
29	LLM-generated code injection	40	Model stealing
30	AI-assisted social engineering	41	RAG poisoning
31	Model inversion	42	Synthetic video attacks
32	Excessive-agency exploitation	43	Model cloning
33	AI-generated malware assistance	44	Retrieval hijacking

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Agentic AI Attacks - Major 2026 Category

34 ENTRIES

PRIMARY TARGET

Agentic AI

ATT&CK / LENS

Agentic AI security threat domain

TELEMETRY

Agent orchestration, MCP/tool audit, identity

SOURCE PAGES

51

CATEGORY 43

Agentic AI Attacks — Major 2026 Category

34 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	AGENT	tool_call=outside_scope
2026-08-22T01:13:01Z	MCP	server_identity=untrusted
2026-08-22T01:14:02Z	MEMORY	context_change=poisoning_suspected
2026-08-22T01:15:03Z	SOC	human_approval_required=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Agentic AI

ATT&CK LENS

Agentic AI security threat domain

TELEMETRY

Agent orchestration, MCP/tool audit, identity

WATCH FOR

Out-of-scope tool calls; poisoned memory; agent impersonation; privilege drift

ANALYST FOCUS

Out-of-scope tool calls; poisoned memory; agent impersonation; privilege drift.

CONTROL PRIORITIES

Tool allowlists; scoped identities; signed MCP servers; human approval gates.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 121

Agentic AI Attacks - Major 2026 Category

PART 1 OF 2 | 34 TOTAL

Named attacks, techniques and variants

Agentic AI security threat domain

01	Agent Goal Hijack	10	Agentic Supply Chain Vulnerabilities
02	Malicious agent discovery	11	MCP tool poisoning
03	Cascading hallucination attacks	12	Rogue Agents
04	Tool Misuse and Exploitation	13	Unexpected Code Execution
05	Fake agent registration	14	MCP server compromise
06	Cross-agent context poisoning	15	Autonomous rogue-agent behavior
07	Identity and Privilege Abuse	16	Agent-driven Remote Code Execution
08	Tool poisoning	17	Malicious MCP servers
09	Human-Agent Trust Exploitation		

Agentic AI Attacks - Major 2026 Category

Named attacks, techniques and variants

Agentic AI security threat domain

18	Agent workflow manipulation	27	Agent delegation attacks
19	Memory Poisoning	28	Insecure Inter-Agent Communication
20	Agent credential theft	29	Agent lateral movement
21	Agent planning manipulation	30	Agent authorization bypass
22	Context Poisoning	31	Agent-to-Agent spoofing
23	Non-human identity compromise	32	Agent data exfiltration
24	Agent memory manipulation	33	Agent-in-the-Middle attacks
25	Persistent prompt injection	34	Cascading agent failures
26	Agent privilege escalation		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Blockchain and Cryptocurrency Attacks

29 ENTRIES

PRIMARY TARGET

Blockchain / wallets

ATT&CK / LENS

Financial / integrity threat domain

TELEMETRY

Blockchain analytics, wallet security, RPC logs

SOURCE PAGES

52

CATEGORY 44Blockchain and Cryptocurrency Attacks29 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	CHAIN	token_approval=unusual
2026-08-22T01:13:01Z	WALLET	outflow_to_new_address=high
2026-08-22T01:14:02Z	ORACLE	price_deviation=abnormal
2026-08-22T01:15:03Z	SOC	transaction_review=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Blockchain / wallets

ATT&CK LENS

Financial / integrity threat domain

TELEMETRY

Blockchain analytics, wallet security, RPC logs

WATCH FOR

Unusual approvals; wallet drains; oracle anomalies; bridge events

ANALYST FOCUS

Unusual approvals; wallet drains; oracle anomalies; bridge events.

CONTROL PRIORITIES

Hardware wallets; contract audits; transaction simulation; key separation.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 124

Blockchain and Cryptocurrency Attacks

Named attacks, techniques and variants

Financial / integrity threat domain

01	Private-key theft	09	Liquidity-pool manipulation
02	Price-oracle attacks	10	Wallet phishing
03	Cross-chain bridge attacks	11	MEV exploitation
04	Seed-phrase theft	12	Rug pulls
05	Front-running	13	Clipboard address replacement
06	DeFi protocol attacks	14	51% attacks
07	Wallet-drainer attacks	15	Malicious token contracts
08	Sandwich attacks		

Blockchain and Cryptocurrency Attacks

Named attacks, techniques and variants

Financial / integrity threat domain

16	Smart-contract exploitation	23	Double-spending
17	Sybil attacks	24	Blockchain node compromise
18	Crypto exchange compromise	25	Flash-loan attacks
19	Smart-contract reentrancy	26	Consensus attacks
20	Eclipse attacks	27	RPC endpoint attacks
21	Cryptojacking	28	Oracle manipulation
22	Integer manipulation	29	Bridge exploitation

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Availability and Resource-Exhaustion Attacks

21 ENTRIES

PRIMARY TARGET

Compute resources

ATT&CK / LENS

Impact

TELEMETRY

APM, infrastructure metrics,
WAF/API gateway

SOURCE PAGES

53

CATEGORY 45

Availability and Resource-Exhaustion Attacks

21 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	APM	cpu=98% memory=94% queue=critical
2026-08-22T01:13:01Z	API	request_cost=high rate=abnormal
2026-08-22T01:14:02Z	CLOUD	spend_velocity=spike
2026-08-22T01:15:03Z	SOC	circuit_breaker=active

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Compute resources

ATT&CK LENS

Impact

TELEMETRY

APM, infrastructure metrics,
WAF/API gateway

WATCH FOR

CPU/memory/queue saturation;
runaway requests; cost spikes

ANALYST FOCUS

CPU/memory/queue saturation; runaway requests; cost spikes.

CONTROL PRIORITIES

Quotas; circuit breakers; autoscaling; resource isolation.

Availability and Resource-Exhaustion Attacks

Named attacks, techniques and variants

Impact

01	CPU exhaustion	12	Algorithmic-complexity attacks
02	Socket exhaustion	13	File-descriptor exhaustion
03	XML bombs	14	Cloud-cost exhaustion
04	Memory exhaustion	15	Infinite-loop triggering
05	Database-connection exhaustion	16	Thread exhaustion
06	ZIP bombs	17	LLM token exhaustion
07	Disk exhaustion	18	Deadlock triggering
08	Queue exhaustion	19	Connection exhaustion
09	Fork bombs	20	Regex DoS
10	Storage exhaustion	21	Resource starvation
11	API quota exhaustion		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Supply-Chain Human and Organizational Attacks

14 ENTRIES

PRIMARY TARGET

Third parties

ATT&CK / LENS

Initial Access / Supply Chain

TELEMETRY

Vendor access, PAM,
procurement, software inventory

SOURCE PAGES

54

CATEGORY 46

Supply-Chain Human and Organizational Attacks

14 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	VENDOR	remote_access=outside_window
2026-08-22T01:13:01Z	UPDATE	package_provenance=unknown
2026-08-22T01:14:02Z	PAM	third_party_session=unapproved
2026-08-22T01:15:03Z	SOC	vendor_access_suspended=true

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Third parties

ATT&CK LENS

Initial Access / Supply Chain

TELEMETRY

Vendor access, PAM, procurement,
software inventory

WATCH FOR

Unexpected third-party access;
altered updates; supplier
credential misuse

ANALYST FOCUS

Unexpected third-party access; altered updates; supplier credential misuse.

CONTROL PRIORITIES

Vendor risk management; PAM; contractual controls; software provenance.

Supply-Chain Human and Organizational Attacks

PART 1 OF 1 | 14 TOTAL

Named attacks, techniques and variants

Initial Access / Supply Chain

01	Vendor compromise	08	Insider-assisted supply-chain attacks
02	Software-maintainer compromise	09	Component substitution
03	Trusted-distribution-channel abuse	10	Trusted-third-party compromise
04	Contractor compromise	11	Stolen code-signing credentials
05	Developer compromise	12	Firmware substitution
06	Hardware tampering	13	Partner-network compromise
07	Managed-service-provider compromise	14	Fraudulent software updates

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Insider Attacks

19 ENTRIES

PRIMARY TARGET

Insider access

ATT&CK / LENS

Collection / Exfiltration / Impact

TELEMETRY

DLP, UEBA, IAM, file/SaaS audit

SOURCE PAGES

55

CATEGORY 47

Insider Attacks

19 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	UEBA	download_volume=45x_baseline
2026-08-22T01:13:01Z	IAM	privileged_access=off_hours
2026-08-22T01:14:02Z	DLP	external_upload=blocked
2026-08-22T01:15:03Z	SOC	insider_review=initiated

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET

Insider access

ATT&CK LENS

Collection / Exfiltration / Impact

TELEMETRY

DLP, UEBA, IAM, file/SaaS audit

WATCH FOR

Unusual downloads; privilege misuse; off-hours access; policy bypass

ANALYST FOCUS

Unusual downloads; privilege misuse; off-hours access; policy bypass.

CONTROL PRIORITIES

Least privilege; UEBA; DLP; separation of duties; offboarding.

Insider Attacks

Named attacks, techniques and variants

Collection / Exfiltration / Impact

01	Malicious insider activity	11	Security-control bypass
02	Unauthorized cloud uploads	12	Accidental insider exposure
03	Log deletion	13	Sabotage
04	Privileged insider abuse	14	Deliberate misconfiguration
05	USB data theft	15	Negligent insider activity
06	Data manipulation	16	Credential sharing
07	Data theft by insiders	17	Backdoor creation
08	Insider fraud	18	Unauthorized data copying
09	Insider-assisted external compromise	19	Account creation for persistence
10	Intellectual-property theft		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Zero-Day and Vulnerability Exploitation

19 ENTRIES

PRIMARY TARGET

Vulnerable systems

ATT&CK / LENS

Initial Access / Execution

TELEMETRY

EDR/NDR, exploit telemetry, vuln management

SOURCE PAGES

56

CATEGORY 48Zero-Day and Vulnerability Exploitation19 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	EDR	exploit_behavior=novel
2026-08-22T01:13:01Z	PROCESS	rare_child_process=true
2026-08-22T01:14:02Z	VULN	no_known_signature=true
2026-08-22T01:15:03Z	SOC	hunt_scope=expanded

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Vulnerable systems

ATT&CK LENS
Initial Access / Execution

TELEMETRY
EDR/NDR, exploit telemetry, vuln management

WATCH FOR
Exploit-like behavior without known signature; anomalous child processes

ANALYST FOCUS

Exploit-like behavior without known signature; anomalous child processes.

CONTROL PRIORITIES

Virtual patching; exploit mitigations; rapid triage; threat hunting.

Zero-Day and Vulnerability Exploitation

Named attacks, techniques and variants

Initial Access / Execution

01	Zero-day exploitation	11	Firmware exploitation
02	Client-side exploitation	12	Mobile zero-click exploitation
03	Router exploitation	13	Public-facing application exploitation
04	N-day exploitation	14	Driver exploitation
05	Browser exploitation	15	Supply-chain vulnerability exploitation
06	Hypervisor exploitation	16	Remote vulnerability exploitation
07	Known-vulnerability exploitation	17	VPN appliance exploitation
08	Kernel exploitation	18	Local vulnerability exploitation
09	Cloud-platform exploitation	19	Firewall exploitation
10	Unpatched-software exploitation		

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Persistence Through Infrastructure

16 ENTRIES

PRIMARY TARGET
Infrastructure trust

ATT&CK / LENS
Persistence

TELEMETRY
DNS/registrar, cloud IAM,
certificate, VPN audit

SOURCE PAGES
57

CATEGORY 49Persistence Through Infrastructure16 ENTRIES

SIMULATED SOC EVIDENCE SNAPSHOT

Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	DNS	registrar_setting_changed=true
2026-08-22T01:13:01Z	CERT	new_auth_certificate=true
2026-08-22T01:14:02Z	VPN	dormant_account_used=true
2026-08-22T01:15:03Z	SOC	trust_objects_rotated=true

STATUSDefensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Infrastructure trust

ATT&CK LENS
Persistence

TELEMETRY
DNS/registrar, cloud IAM,
certificate, VPN audit

WATCH FOR
Persistent credentials; registrar
changes; new trust objects; hidden
admin paths

ANALYST FOCUS

Persistent credentials; registrar changes; new trust objects; hidden admin paths.

CONTROL PRIORITIES

MFA; registrar locks; key rotation; periodic trust review.

MARC LAVOIE | 2026 MASTER CYBERATTACK TAXONOMY

DOMAIN BRIEF | 135

Persistence Through Infrastructure

Named attacks, techniques and variants

Persistence

01	Domain persistence	09	Bootkit persistence
02	SSH-key persistence	10	Cloud-account persistence
03	Compromised CI/CD credentials	11	Service-account persistence
04	DNS persistence	12	Rootkit persistence
05	Certificate persistence	13	OAuth persistence
06	Firmware persistence	14	Backdoor user creation
07	Registrar-account takeover	15	API-token persistence
08	VPN-account persistence	16	Shadow administrator creation

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Combined / Multi-Stage Attack Campaigns

16 ENTRIES

PRIMARY TARGET
Enterprise attack path

ATT&CK / LENS
Full attack lifecycle

TELEMETRY
SIEM correlation across identity, EDR, network, cloud

SOURCE PAGES
58

CATEGORY 50 **Combined / Multi-Stage Attack Campaigns** **16 ENTRIES**

SIMULATED SOC EVIDENCE SNAPSHOT
Illustrative defensive telemetry - not a live exploit capture

2026-08-22T01:12:00Z	SIEM	initial_access -> execution -> credential
2026-08-22T01:13:01Z	SIEM	lateral_movement -> c2 -> exfiltration
2026-08-22T01:14:02Z	EDR	endpoint_impact=confirmed
2026-08-22T01:15:03Z	IR	containment_status=complete

STATUS Defensive triage / evidence preservation / correlation

ANALYST CONTEXT

TARGET
Enterprise attack path

ATT&CK LENS
Full attack lifecycle

TELEMETRY
SIEM correlation across identity, EDR, network, cloud

WATCH FOR
Multi-stage sequence linking
initial access through impact

ANALYST FOCUS
Multi-stage sequence linking initial access through impact.

CONTROL PRIORITIES
Correlation engineering; attack-path containment; IR playbooks; lessons learned.

Combined / Multi-Stage Attack Campaigns

Named attacks, techniques and variants

Full attack lifecycle

01	Phishing credential theft account takeover-> ->	09	IoT compromise botnet enrollment DDoS-> ->
02	VPN exploitation Active Directory compromise -> ransomware->	10	Password spraying cloud account compromise -> OAuth persistence->
03	AD CS abuse certificate authentication -> -> domain compromise	11	Cloud-key theft IAM escalation cryptomining-> ->
04	Phishing malware C2 lateral movement -> -> -> ransomware	12	ICS compromise controller manipulation -> -> physical-process disruption
05	Prompt injection AI-agent tool abuse cloud -> -> data exfiltration	13	Supply-chain compromise signed malware -> -> enterprise compromise
06	DCSync credential theft Golden Ticket -> -> -> persistence	14	BGP hijacking traffic interception credential -> -> theft
07	Vulnerability exploitation web shell privilege-> -> escalation data theft->	15	Identity compromise token theft SaaS data -> -> exfiltration
08	MCP compromise agent credential theft code -> -> execution	16	SIM swap OTP interception financial account -> -> takeover

PORTFOLIO INTERPRETATION

The names above are attack classes or technique variants. A real incident should be classified as a correlated sequence across initial access, execution, identity/credential activity, persistence, lateral movement, command and control, collection/exfiltration and impact as applicable.

Classification Rule and Multi-Stage Correlation

The supplied taxonomy correctly emphasizes that a label such as "ransomware" describes only one part of an intrusion. A mature investigation records the evidence chain across tactics and technologies.

INVESTIGATION DIMENSION	EXAMPLE EVIDENCE CLASSIFICATION
Incident	Ransomware intrusion
Initial access	Spear phishing
Execution	PowerShell / script interpreter
Credential access	LSASS or credential-store dumping
Privilege escalation	Token or privilege abuse
Lateral movement	SMB / remote services
Persistence	Scheduled task or equivalent
Defense evasion	EDR/security-control tampering
Command and control	Encrypted outbound channel
Exfiltration	Encrypted cloud or web transfer
Impact	Ransomware encryption

DETECTION-ENGINEERING IMPLICATION

The best portfolio demonstrations do not stop at a rule firing. They show the alert, the supporting endpoint/network/identity evidence, false-positive checks, containment decision, remediation, and the telemetry needed to prove the environment returned to a known-good state.



References and Attribution

01

MITRE ATT&CK - Updates / version history

Current ATT&CK release context; ATT&CK v19.2 became current on August 6, 2026.

02

MITRE ATT&CK - Get Started

ATT&CK concepts: tactics, techniques, sub-techniques, procedures; Enterprise, Mobile and ICS domains.

03

OWASP Top 10:2025

Current OWASP web-application awareness baseline.

04

OWASP API Security Top 10:2023

API security risk baseline.

05

OWASP Top 10 for Agentic Applications 2026

Agentic AI security framework for autonomous systems.

06

NIST Cybersecurity Framework 2.0

Govern, Identify, Protect, Detect, Respond and Recover risk-management outcomes.

07

NIST SP 1299 - CSF 2.0 Resource & Overview Guide**VISUAL ATTRIBUTION**

MITRE ATT&CK matrix poster screenshot is attributed to The MITRE Corporation. NIST CSF image is from NIST SP 1299. All dark SOC evidence panels and lifecycle graphics in this edition are original simulated portfolio visuals generated for defensive education.

Evidence becomes useful when it is organized into a decision.

This expanded edition preserves the complete supplied taxonomy while making every domain easier to scan, discuss, and connect to investigation practice.

Marc Lavoie

CYBERSECURITY PORTFOLIO

SOC analysis | Detection engineering | Network security | Authorized testing

[VIEW THE PUBLIC PORTFOLIO](#)

mlavoie6927.github.io

linkedin.com/in/marc-lavoie

Defensive reference only. Evidence panels are simulated and contain no live target or credential data.