

PROJECT ATLAS

Full-Stack Visual Security Portfolio

One protected data set. One compromised identity. One cross-domain incident. Every control has a distinct job.

DATA

IDENTITY

ENDPOINT

CLOUD

SIEM

RESPONSE

EVIDENCE-PRESERVING PORTFOLIO EDITION

45-page source reviewed | 44 technical pages preserved | 47-page final report

What this portfolio proves

Project Atlas shows how CrowdStrike capabilities can operate as a connected security program while maintaining honest boundaries between documented design, supplied screenshots, and production proof.

SCENARIO

A fictional acquisition data set becomes the focus of an identity-led exfiltration attempt.

ANALYSIS

Endpoint, identity, data, cloud, SaaS, SIEM, automation, threat intelligence, and response evidence are correlated.

DISPOSITION

The scenario reaches a high-confidence true-positive decision with containment, remediation, validation, and evidence-preservation steps.

EVIDENCE STANDARD



Official references

Product boundaries and architecture claims.



Design decisions

Control ownership, guardrails, and response authority.



Scenario artifacts

Synthetic users, devices, timelines, policies, and decisions.



Production proof

Would require live policies, alerts, logs, approvals, and validation records.

Six review paths. One connected incident.

Use the PDF bookmarks or the page ranges below to move directly to the evidence most relevant to a recruiter, SOC leader, security architect, or incident responder.

01

Foundation and evidence standard

Scope, ownership, scenario, incident lifecycle

Pages 4-9

02

Data, exposure, endpoint, identity and cloud

Control planes and platform responsibilities

Pages 10-16

03

XDR, SIEM, SOAR, AI, apps and services

Investigation, correlation and response authority

Pages 17-24

04

Evidence chain, decision and containment

True-positive logic, playbook and cross-domain pivots

Pages 25-32

05

Control depth, validation and hiring narrative

Architecture, technology map, safe lab plan and proof

Pages 33-43

06

Final disposition, references and assessment

Incident decision, stack map and official source index

Pages 44-47

What This Portfolio Demonstrates

A CrowdStrike centered security architecture built around one realistic enterprise incident

PROJECT ATLAS

A phishing-driven compromise of a finance user becomes a sensitive-data discovery and exfiltration attempt. The portfolio shows how CrowdStrike Falcon technologies protect endpoint, identity, cloud, SaaS, data, SIEM, SOAR, AI, exposure and managed-response layers.

PROTECT

Prevent | Insight XDR | Identity | Cloud | Data | SaaS

DISCOVER

Exposure Mgmt | CAASM | EASM | Falcon for IT

DETECT

Endpoint | Identity | Cloud | SIEM | OverWatch

CORRELATE

Falcon XDR | Next-Gen SIEM | Threat Intelligence

RESPOND

RTR | Device Control | Fusion SOAR | Complete MDR

GOVERN

Charlotte AI | Foundry | Forensics | IR evidence

Evidence Standard - What the Screenshots Mean

The document uses official CrowdStrike screenshots as UI references and synthetic scenario artifacts for safe demonstration.

BOUNDARY

This portfolio demonstrates architecture, investigation logic and defensive response design. It does not claim live access to a customer CrowdStrike tenant or completed production deployment.

1 OFFICIAL UI REFERENCES

Screenshots are official CrowdStrike public product/blog/demo references where available. They anchor the visual style without representing my own tenant data.

2 SCENARIO ARTIFACTS

Users, devices, files, hostnames, policies, case IDs and outcomes are fictional Project Atlas lab artifacts.

3 DESIGN DECISIONS

Detection, response, policy and automation choices are security architecture decisions to validate against license, tenant settings and RBAC.

4 PRODUCTION PROOF

A real deployment should retain alert IDs, policy versions, timestamps, logs, approvals, containment outcomes and post-remediation evidence.

What Full CrowdStrike Stack Means Here

Every major Falcon enterprise security technology receives a defined prevention, detection, response, governance or evidence role.

Plane	CrowdStrike technologies	Scenario role
Endpoint security	Falcon Prevent, Insight XDR, Device Control, Firewall Management, RTR	Detect behavior, stop execution, restrict USB/network, contain host
Identity security	Falcon Identity Protection, Privileged Access, identity posture	Risky identity, credential misuse, lateral movement, MFA/reset/JIT controls
Data + SaaS	Falcon Data Security, Falcon Shield	Sensitive data movement, AI upload risk, SaaS posture/sharing risk
Cloud + exposure	Falcon Cloud Security, Exposure Management, CAASM/EASM	Cloud control plane/workload detections, vulnerabilities, attack paths
SIEM + automation	Falcon Next-Gen SIEM, LogScale, Onum, Fusion SOAR	Ingest, normalize, hunt, correlate, automate response
AI + custom apps	Charlotte AI, AgentWorks, Falcon Foundry, AIDR	Triage, workflow generation, custom apps, AI activity protection
Threat intel + managed ops	Falcon Intelligence, OverWatch, CAO Elite, Falcon Complete MDR	Adversary context, human hunting, MDR validation and response
Services + evidence	Falcon Forensics, incident response/proactive services, Marketplace	Forensics, consulting handoff, integration ecosystem

ACCURACY NOTE

Full stack does not mean every module must generate an alert. Every applicable technology needs a defined control or evidence function. License bundles and every partner marketplace app are outside scope.

Falcon Platform - One Console, One Sensor, Many Control Planes

The operating model centers on Falcon platform telemetry with endpoint, identity, cloud, data, SaaS and third-party signals.



DESIGN RULE

A single Falcon console does not erase product boundaries. Each control plane has different evidence, permissions, licensing and response authority.

Project Atlas - Organization, Identity and Protected Assets

The authorized business context is defined before the attack begins.

ORGANIZATION

Contoso Meridian Financial
Acquisition program: PROJECT ATLAS
Regulated financial data and legal strategy

PRIMARY USER

Avery Cole
avery.cole@contosomeridian.example
Corporate Finance

DEVICE

CMF-FIN-042
Falcon sensor installed
Windows workstation

COLLABORATION

M365/Google/SaaS workspace
SharePoint/Drive equivalents
Project Atlas team space

HIGH-VALUE DATA


PII | SSNs | banking data
valuations | contracts | security architecture
credentials | legal correspondence

ACCESS PRINCIPLE

Avery needs finance analysis.
Avery is not entitled to privileged legal strategy.
Authorization remains content-specific.

One Incident Across the Falcon Stack

Each handoff adds a different fact: data sensitivity, identity context, host behavior, cloud posture or response authority.




HIGH-CONFIDENCE RULE

A true positive is supported when independent Falcon evidence agrees on user, host, data, timing, behavior and attempted destination.

Falcon Data Security - Sensitive Data as a Security Signal

Project Atlas data is not just a file; it is a classified high-value object moving through users, devices, SaaS and AI tools.



Classification logic

US PII + Project Atlas customer IDs + financial documents = HIGHLY CONFIDENTIAL - PROJECT ATLAS

Policy actions


Audit first, then block high-risk egress to removable media, unsanctioned web apps, printers or AI tools.

SOC value

Shows who moved sensitive data, where it went, and how it left - then correlates with identity, endpoint and cloud context.

Falcon Exposure Management - Fix the Path Before the Breach

The Project Atlas program starts with exposure review: exploitable vulnerabilities, misconfigurations, external assets and attack paths.



Falcon Exposure Management dashboard - public screenshot reference

Vulnerability prioritization

Prioritize by exploitability, adversary intelligence and asset criticality.

CAASM/EASM

Map owned, shadow and internet-facing assets tied to Project Atlas.

Attack path analysis


Identify identity, cloud and endpoint paths an adversary is most likely to exploit.

Operational handoff

Push fixes to Falcon for IT or response workflows instead of leaving risk as a report.

Endpoint Control Plane - Prevent, Insight XDR, Device Control, Firewall and RTR

The Falcon sensor makes the compromised finance workstation a first-class investigation and response object.



Falcon endpoint/process action interface - public screenshot reference

Falcon Prevent

Blocks malware and suspicious execution before it becomes a full compromise.

Falcon Insight XDR

Captures process, network, file, user and device telemetry for attack reconstruction.

Device Control

Restricts USB/removable media use for sensitive Project Atlas data.

Firewall Management

Controls host-level network paths when exfiltration channels are attempted.

Real Time Response


Enables approved containment, collection and remediation on CMF-FIN-042.

Falcon for IT

Operationalizes patching, endpoint remediation, configuration and software visibility.

Falcon Identity Protection - The Identity Pivot

The incident is not fully understood until the user, credential, session and privilege path are analyzed.



Hybrid identity visibility

On-prem AD, cloud IdP and SaaS identity context are evaluated together.

ITDR detections

Suspicious login, credential misuse, lateral movement and privilege abuse become signals.

Automated mitigation

When justified, enforce MFA, reset passwords, challenge users or revoke risky sessions.

Privileged Access

Use just-in-time access and zero standing privilege for Project Atlas administrative roles.

Falcon Shield - SaaS Posture and Collaboration Risk

Project Atlas lives in collaboration platforms. SaaS configuration and sharing risk must be inspected alongside endpoint behavior.

Microsoft 365 / Google Workspace posture


Detect unsafe external sharing, auditing gaps, risky OAuth apps and tenant configuration weaknesses.

SaaS app risk

Evaluate identity controls, content exposure and third-party app connections across critical SaaS systems.


Project Atlas evidence

SaaS posture determines whether sensitive collaboration spaces are hardened before and during the incident.



Falcon Cloud Security - Code, Cloud, Runtime and Control Plane

If Project Atlas data or workloads touch cloud infrastructure, Falcon Cloud Security tracks posture and runtime threat activity.



Falcon Cloud Security inventory dashboard - public screenshot reference

CSPM / CNAPP

Misconfigurations and exposed cloud resources are prioritized in business context.

CDR

Control-plane and runtime detections catch compromised cloud identities and workload abuse.

CWPP / containers

Container, workload and Kubernetes signals add cloud execution context.

CIEM / identity paths

Cloud permissions are analyzed for excessive privilege and reachable attack paths.

Falcon AIDR + Data Security - Prevent AI-Era Data Loss

Project Atlas includes a modern risk: sensitive content pasted into a public AI tool or ungoverned agent workflow.

AI Detection and Response


Map users, prompts, models, agents, MCP servers and endpoint AI apps as security-relevant entities.

Sensitive prompt protection

Block, mask or investigate credentials, regulated data and confidential content before it leaves approved workflows.


Project Atlas control

Avery attempts to paste acquisition data into an unsanctioned AI assistant; the policy treats that as data exfiltration risk.



Falcon Insight XDR - Incident Workbench

Endpoint, identity, cloud, email/SaaS and third-party signals must become one story, not separate alerts.



Entity graph

Connects host, user, process, file, cloud, domain, IP and data objects.

Attack storyline

Shows sequence rather than isolated detections; proximity still requires analyst validation.

Response actions


Contain endpoint, run RTR, enrich IOC, assign case, update status and trigger workflows.

Project Atlas pivot

User Avery + host CMF-FIN-042 + file Atlas_Customer_Review.xlsx become the main pivots.

Falcon Next-Gen SIEM - Cross-Domain Correlation

The SIEM layer ingests CrowdStrike and third-party data to prove or disprove the breach hypothesis.



High-value ingestion

IdP, email, SaaS, firewall, proxy, cloud, EDR and data security events.

LogScale foundation

Search, transform and correlate high-volume telemetry with analyst-friendly workflows.

Falcon Onum


Clean, filter and route data so the SIEM sees high-quality, useful events.

Detection logic


Correlate identity risk + endpoint behavior + sensitive data movement + destination.

Falcon Fusion SOAR - Guarded Automation

Automation is used for enrichment, notification and approved response rather than uncontrolled disruption.



Falcon Fusion SOAR dashboard - public CrowdStrike reference





Falcon Fusion workflow builder - public CrowdStrike reference

PLAYBOOK RULE

Low-risk actions can run automatically. High-impact actions - host containment, account reset, policy change, data block - require evidence, RBAC and approval.

Charlotte AI - Triage, Explanation and Analyst Acceleration

Charlotte AI assists analysis but does not replace evidence validation, RBAC or change control.




PROJECT ATLAS USE

Ask Charlotte to summarize the incident, explain suspicious command lines, generate a Fusion workflow draft, and produce analyst handoff notes - then validate the output.

Falcon Foundry - Project-Specific Security Apps

Foundry supports custom apps that extend Falcon when a business workflow does not fit a standard module.



Project Atlas app

Custom case panel showing Atlas data owners, business criticality and approved responders.

Dependencies

RTR scripts, functions, case actions and workflow templates remain visible and governed.

Security design

Custom app output must be audited, versioned and approved before operational use.

Recruiter signal

Shows understanding beyond canned dashboards: build workflows that match business risk.

Falcon Intelligence + Counter Adversary Operations

Adversary context turns atomic IOCs into tradecraft: actor, infrastructure, tools, objectives and urgency.

Falcon Intelligence

Adversary profiles, malware research, IOCs, vulnerability context and intelligence reporting.

Adversary OverWatch

24/7 intelligence-led threat hunting across endpoint, identity, cloud and NG-SIEM data.

Counter Adversary Ops Elite

Assigned experts hunt beyond enterprise telemetry and raise adversary operating costs.

Intel in detections

Use actor tradecraft to tune Project Atlas analytics and prioritize exposed paths.

ANALYST DISCIPLINE

Threat intelligence supports triage, but attribution is not required to contain a confirmed sensitive-data exfiltration attempt.

Falcon Complete MDR - Human Oversight at Speed

A full-stack design can include managed experts who validate detections, contain endpoints and drive remediation.

24/7 MDR

CrowdStrike analysts monitor and respond across Falcon telemetry and third-party data where integrated.

Expert containment

Falcon Complete can perform approved host isolation, remediation and post-response validation.

Escalation control

Customer rules define what MDR can do autonomously and what requires business approval.

Project Atlas handoff

Critical Project Atlas exfiltration triggers analyst escalation, case notes and executive notification.

PORTFOLIO POINT

Including MDR demonstrates maturity: real SOC operations combine technology, process, human oversight and response authority.

Falcon Forensics + Incident Response Services

Evidence preservation is part of security operations, not an afterthought after the alert closes.

Falcon Forensics

Collect forensic artifacts, endpoint state and investigation packages where licensed and authorized.

Incident Response Services

Support breach investigation, containment strategy and recovery planning for major incidents.

Proactive services

Compromise assessment, identity/security posture reviews and tabletop validation before the breach.

Evidence chain

Preserve host, user, data, cloud and workflow records with timestamps and approvals.

PROJECT ATLAS

Because the incident involves acquisition data, evidence handling must satisfy technical, legal and executive requirements.

CrowdStrike Integration and Data Ownership Matrix

A mature architecture distinguishes native Falcon modules, third-party data ingestion, workflow actions and managed services.

Path	Integration model	SOC evidence/value	Accuracy note
Falcon sensor -> Falcon platform	Native agent telemetry	Process, file, network, user, device evidence	Endpoint-first; one sensor supports many workflows
Identity provider -> Falcon Identity/NG-SIEM	Connector / data ingest	Risky sign-ins, users, MFA, privilege context	Table/schema depends on source
M365/SaaS -> Falcon Shield/NG-SIEM	API/OAuth/data connector	SaaS posture, sharing, app activity	Requires tenant permissions
Cloud accounts -> Falcon Cloud Security	Cloud connector / sensor / API	Cloud posture, control-plane, workload evidence	AWS/Azure/GCP support varies by feature
Data Security -> XDR/SIEM/case	Native Falcon context	Sensitive-data movement and policy outcomes	Not identical to legacy DLP logs
Fusion SOAR -> endpoints/IdP/tickets	Workflow action connector	Enrichment, containment, tickets, notification	Use approvals for high impact
OverWatch / Complete -> customer	Managed service workflow	Expert hunt, escalation, containment guidance	Authority must be contracted/agreed
Marketplace apps -> Falcon	Partner apps/connectors/actions	Firewall, email, ITSM, identity, cloud integrations	Do not call every app a native module

Project Atlas Falcon Evidence Chain

The timeline is designed to be walked through in an interview.

Time	System	Evidence	Confidence
08:42	Email/SaaS	Phishing message delivered to Avery	Initial
08:48	Identity	Unusual login/MFA fatigue/session behavior	Higher
09:05	Endpoint	CMF-FIN-042 begins unusual file enumeration	High
09:12	Data Security	Project Atlas files touched; sensitive classification observed	High
09:18	Endpoint/DLP	USB and web upload attempts blocked or alerted	Very high
09:22	XDR/SIEM	Falcon correlates identity + endpoint + data evidence	Actionable
09:26	Fusion SOAR	Playbook enriches, notifies, and requests approval	Response
09:30	RTR/Identity	Approved host containment and session mitigation	Contained
09:45	OverWatch/MDR	Threat hunting validates no further lateral movement	Closure support

True Positive vs False Positive Logic

The goal is not to trust one console. The goal is to prove whether the behavior matches a compromise and sensitive-data risk.

Business approval

No Project Atlas export ticket, no migration window, no legal authorization.

Identity context

Risky or abnormal sign-in context occurs minutes after phishing.

Endpoint behavior

File enumeration and process activity differ from normal finance workflow.

Data action

Sensitive Project Atlas files are copied, uploaded, printed or moved.

Destination

USB, unsanctioned cloud, personal AI tool or unknown domain.

Control result

Falcon alerts/blocks and case evidence agree on user, device and time.

FINAL CLASSIFICATION

If these independent evidence classes agree, Project Atlas is a true positive sensitive-data exfiltration attempt driven by compromised identity/session activity.

Containment and Remediation Matrix

Actions are evidence-based, reversible where possible, and owned by the technology that controls them.

Control plane	Action	When justified	Validation
Identity	Force MFA/reset, disable user, revoke sessions	Credible credential/session compromise	Clean sign-in and risk resolved
Endpoint	Network contain, collect triage, run RTR remediation	Host evidence or exfil risk	Containment state and post-remediation hunt
Data Security	Block web/USB/print/AI egress paths	Sensitive-data policy violation	Retest authorized and unauthorized paths
SaaS Shield	Fix sharing/audit/OAuth misconfiguration	SaaS exposure contributed risk	Config state and activity logs
Cloud Security	Restrict role, fix bucket/workload exposure	Cloud identity/workload path abused	Resource logs and detection state
Next-Gen SIEM	Create/tune detection, case and watchlist	Confirmed pattern or gap	Backtest, alert fidelity, noise review
Fusion SOAR	Notify, enrich, ticket, request approval	Repeatable response step	Run history, failures, approvals
MDR/OverWatch	Escalate for expert hunt/response	High severity or stealth concern	Hunt outcome and closure notes

Falcon Fusion SOAR Playbook - Project Atlas

The playbook uses a confidence threshold and gates disruptive actions.

1 Trigger

High severity case with identity risk + endpoint signal + Project Atlas data movement

2 Enrich

User, device, IP, domain, file hash, SaaS app, cloud account, data classification

3 Low-risk actions

Create ticket, notify SOC channel, assign owner, add case notes, attach pivots

4 Approval gate

Require incident commander approval for host containment or identity lockout

5 Containment

Network contain host, revoke sessions, block IOC, restrict data egress

6 Validation

Re-hunt endpoint, verify no additional data movement, record post-action state

7 Failure path

Write every failed action to case and notify analyst; never assume success

Falcon Hunting Logic - Cross-Domain Pivots

Queries are examples for portfolio discussion; production queries must be validated against the actual tenant schema.

```
// Conceptual Falcon/LogScale hunting pivots - validate fields in tenant
user.email = "avery.cole@contosomeridian.example"
| groupBy([@timestamp, event.module, event.action, host.name, file.name])

// Endpoint around Project Atlas file access
host.name = "CMF-FIN-042" AND (file.name = "Atlas_Customer_Review.xlsx" OR file.name = "Project_Atlas_Valuation.xlsx")
| sort(@timestamp)

// Correlate risky identity and exfil destination
user.email = "avery.cole@contosomeridian.example" AND (event.category = "authentication" OR event.category = "data")
| bucket(span=5m, function=count())
```

ENGINEERING STANDARD

Show the logic, entity pivots and validation method. Do not pretend example queries are drop-in production detections without schema testing.

From Alert to Case to Action

A recruiter should see that the incident moves through disciplined case handling, not random tool clicks.

1. Identify

Detect Project Atlas activity from identity, endpoint and data security signals.

2. Validate

Confirm user/host/file/time consistency and rule out authorized business activity.

3. Scope

Determine affected host, user, data set, SaaS/cloud apps and related identities.

4. Contain

Apply proportional identity, endpoint, data and cloud controls.

5. Eradicate

Remove artifacts, fix configurations, patch exposures and reset secrets.

6. Recover

Return device/user to monitored business operation with owner approval.

7. Hunt

Search for recurrence across SIEM, endpoint, cloud, SaaS and identity telemetry.

8. Lessons

Tune detections, policies, SOAR, RBAC and user controls.

Project Atlas Exfiltration Attempts - How Falcon Controls Respond

The scenario deliberately tests multiple channels so the response shows coverage, not a single alert.

Channel	Falcon technology	Expected event	Response
USB copy	Falcon Data Security + Device Control	Sensitive file moved to removable media	Block or require exception; alert case
Browser upload	Data Security + Next-Gen SIEM	Sensitive file to unsanctioned destination	Block/alert; enrich destination reputation
Printer	Data Security policy	Confidential file print attempt	Warn/block; audit justification
Personal AI tool	AIDR + Data Security	Project Atlas data pasted into AI prompt	Mask/block/alert; capture AI event
Cloud storage	Falcon Shield + Cloud/SIEM	External sharing or risky SaaS activity	Restrict sharing; investigate OAuth/app config
Command-line archive	Insight XDR + Prevent	Archive/compress activity before egress	Correlate process/file behavior; contain host

Sensitive Data Chain Across Cloud, SaaS, Endpoint and AI

The important part is data movement context, not just malware detection.

1 Azure/AWS/GCP

Falcon Cloud Security maps workload, storage, identity and runtime exposure.

2 SaaS tenant

Falcon Shield checks sharing, auditing, OAuth, identity and collaboration posture.

3 Endpoint

Falcon sensor observes user/process/file/network context on CMF-FIN-042.

4 Data Security

Classifies Project Atlas data and detects the movement attempt.

5 Next-Gen SIEM

Ingests third-party and Falcon telemetry for correlation.

6 Fusion/Charlotte

Summarizes, enriches and coordinates approved response.

Identity, Privilege and Lateral Movement Controls

Project Atlas compromise risk depends on what Avery can reach and what privileges can be abused.

Credential abuse

Risky login, anomalous MFA pattern, or session theft is investigated in Falcon Identity Protection.

Privilege discovery


Identity posture highlights privileged roles, weak service accounts and lateral movement paths.

JIT access

Falcon Privileged Access minimizes standing admin rights for Project Atlas systems.

Response

Challenge MFA, reset password, revoke sessions, restrict privilege and hunt identity pivots.



Cloud Runtime, Control Plane and Data Access

The attacker tries to pivot from user/session access into cloud-hosted Project Atlas resources.

Control plane

Suspicious cloud API activity, role assumption or token misuse is detected.

Workloads


Runtime container/workload behavior is correlated with endpoint and identity signals.

Storage

Sensitive Project Atlas storage paths are assessed for exposure and access anomalies.

AppSec / ASPM

Reachable vulnerabilities in Atlas applications are prioritized by exploitability.



Exposure Management + Falcon for IT

A modern full stack does not stop at vulnerability discovery; it turns prioritized risk into operational remediation.

1 Find

Discover endpoints, cloud assets, external systems, shadow AI and business-critical attack paths.

2 Prioritize

Use exploitability, adversary intelligence, asset context and path analysis.

3 Operationalize

Use Falcon for IT to patch, enforce configuration, assess SBOM/PQC readiness and remediate endpoints.

4 Validate

Re-scan, re-hunt and confirm the path is closed before reducing risk status.

Falcon Prevent - Preventing Execution Is Still a Control

Not every Project Atlas event is data exfiltration. Some detections happen earlier in the execution chain.

Malware execution

Prevent blocks known/unknown malicious executables or scripts used after phishing.

Behavioral AI

Suspicious behaviors can be blocked even without a known hash.

Exploit prevention

Attackers abusing exposed software are disrupted before credential/data theft.

Policy tuning

Block aggressively on high-risk hosts while validating business-critical false positives.

Sensor coverage

Coverage must include finance workstations, servers, cloud workloads and privileged endpoints.

Validation

Verify prevention outcome through detection details, host status and follow-up hunts.

Evidence and Data Source Map

Before building detections, define what data exists and where it is queried.

Domain	Falcon/source	Typical evidence	Primary pivots
Endpoint	Falcon sensor / Insight XDR	Processes, command lines, file, network, user, containment	Host, username, process, hash, IP
Identity	Falcon Identity / IdP connector	Risk, MFA events, users, privilege, session context	UPN, source IP, IdP, device
Cloud	Falcon Cloud Security	Cloud API, workload, container, posture, role, asset	Account, resource ID, IAM role, container
Data	Falcon Data Security	Classification, channel, destination, response action	File, user, destination, policy
SaaS	Falcon Shield / SaaS APIs	Sharing, OAuth apps, audit posture, tenant risk	App, user, object, config
SIEM	Falcon Next-Gen SIEM / LogScale / Onum	Correlated event streams and cases	Event ID, entity, time, index
Automation	Fusion SOAR	Run history, actions, approvals, failures	Case ID, playbook run, action status
Managed ops	OverWatch / Complete	Hunt leads, escalations, MDR notes	Case, host, user, IOC, analyst note

CrowdStrike Technologies Used in the Project Atlas Design

This page is the checklist version of the full stack.

PLATFORM + ENDPOINT

- Falcon Platform
- Falcon sensor
- Threat Graph / XDR
- Falcon Prevent
- Falcon Insight XDR
- Real Time Response
- Device Control
- Firewall Management
- Falcon for IT
- Falcon Discover / asset discovery
- Falcon Exposure Management
- CAASM
- EASM
- Vulnerability prioritization
- Attack path analysis
- Falcon Identity Protection
- Identity posture
- Falcon Privileged Access

CLOUD + DATA + SIEM

- Falcon Cloud Security
- CSPM / CNAPP
- Cloud Detection and Response
- CWPP / containers
- CIEM / cloud identity
- KSPM / Kubernetes posture
- ASPM / app security posture
- Falcon Data Security
- Falcon Data Protection
- AIDR - AI Detection and Response
- Falcon Shield - SaaS security
- Microsoft 365/SaaS posture
- Falcon Next-Gen SIEM
- Falcon LogScale
- Falcon Onum
- Falcon Fusion SOAR
- Charlotte Agentic SOAR
- Charlotte AI

AI + INTEL + SERVICES

- Charlotte AgentWorks
- Falcon Foundry
- Case management
- Workflow generation
- Falcon Intelligence
- Threat Intelligence indicators
- Adversary profiles
- Malware/intel analysis workflows
- Falcon Adversary OverWatch
- Counter Adversary Operations Elite
- Falcon Complete MDR
- Falcon Forensics
- Incident Response Services
- Proactive Services
- Marketplace integrations
- Partner data connectors
- SOAR action connectors
- Third-party telemetry

Layered Detection Logic

The same incident should be visible from multiple Falcon control planes.

1 Endpoint rule

Suspicious archive, browser upload, command shell, or removable media activity on CMF-FIN-042.

2 Identity rule

Risky login or MFA fatigue within 30 minutes of endpoint/data behavior.

3 Data rule

Project Atlas classification leaves approved channel or hits AI/web/USB/print controls.

4 Cloud rule

Cloud API or workload activity touches Atlas resources from unusual identity/device context.

5 SIEM correlation

Identity + endpoint + data + cloud signals agree on user, host, file and time.

6 Managed hunting

OverWatch/CAO look for stealthy persistence, lateral movement and adversary infrastructure.

How to Walk a Recruiter or Technical Interviewer Through This

The point is to prove cross-domain reasoning, not tool-name memorization.

I would start by explaining that Project Atlas is a protected acquisition data set. The first objective is to understand where the data lives, who can access it, and which Falcon modules own each control. Exposure Management and Cloud Security identify exploitable paths; Data Security and Shield establish whether sensitive data and SaaS posture are at risk; Identity Protection validates whether Avery's account/session is suspicious; Insight XDR proves what happened on CMF-FIN-042; Next-Gen SIEM correlates Falcon and third-party telemetry; Fusion SOAR coordinates guarded response; Charlotte AI accelerates triage; OverWatch, Falcon Complete and Forensics support deeper hunting, managed response and evidence preservation. I would contain only after the evidence chain agrees on user, device, data, time and action.

WHAT I WANT THE INTERVIEWER TO HEAR

I understand the ownership boundaries between Falcon modules, I validate telemetry before acting, and I can explain both the technical evidence and operational consequences of containment.

Safe Lab Build Plan - No Live Malware Required

The lab can demonstrate integration and response logic using benign test activity and synthetic data.

Layer	Safe build step	Validation
Identity	Create synthetic user Avery Cole and connect IdP logs where available	Risk/sign-in events appear in Falcon/SIEM
Endpoint	Install Falcon sensor on test VM CMF-FIN-042	Host visible; prevention policies assigned
Data	Create fake PII-like Project Atlas files	Data classification/policy evidence appears
SaaS	Use a test tenant/site/workspace with audit enabled	Sharing/OAuth/posture evidence visible
Cloud	Use non-production cloud account/storage/workload	Cloud inventory and posture visible
SIEM	Connect allowed third-party sources and Falcon data	Events searchable and correlated
SOAR	Build Fusion workflow that only comments/notifies first	Run history shows safe success/failure paths
Response	Test containment on lab identity/device only	Rollback documented and verified

What Evidence Would Prove This Was Really Deployed

A portfolio design becomes production evidence when it has timestamps, IDs, policy versions and validation records.

Policies

Prevention, device, firewall, data, SaaS, identity, cloud and SOAR policy versions.

Alerts and cases

Falcon detection IDs, case IDs, timestamps, assignments and closure notes.

Queries

Saved searches, detections, test data, schema validation and tuning notes.

Response records

RTR sessions, containment timestamps, workflow run IDs and approval records.

Evidence exports

Forensics package, host timeline, SIEM timeline, data movement record and audit logs.

Post-checks

Clean sign-in, no recurrence, data egress retest, exposure closed, business owner sign-off.


Project Atlas Final Incident Disposition

This is the executive/SOC closure format for the completed scenario.

Field	Disposition
Incident	Project Atlas account compromise and attempted sensitive-data exfiltration
Status	Contained and under monitoring
Classification	True positive
Initial access	Phishing and identity/session compromise
Affected identity	avery.cole@contosomeridian.example
Affected host	CMF-FIN-042
Data involved	Highly Confidential - Project Atlas acquisition data
Exfiltration	Multiple attempts observed; primary paths blocked/contained
Response	Identity action, endpoint containment, data egress restrictions, SIEM case, hunting
Evidence	Falcon XDR, Next-Gen SIEM, Identity, Data Security, Forensics, SOAR run history

CrowdStrike Full Stack Project Atlas Architecture

The same protected data set flows through exposure, identity, endpoint, cloud, data, SIEM, automation and managed response.



Official CrowdStrike Reference Index

Product behavior, naming and scope were anchored to public CrowdStrike references current at build time.

CrowdStrike Falcon Platform: <https://www.crowdstrike.com/en-us/platform/>

Endpoint Security: <https://www.crowdstrike.com/en-us/platform/endpoint-security/>

Identity Protection: <https://www.crowdstrike.com/en-us/platform/next-gen-identity-security/identity-protection/>

Cloud Security: <https://www.crowdstrike.com/en-us/platform/cloud-security/>

Exposure Management: <https://www.crowdstrike.com/en-us/platform/exposure-management/>

Falcon Data Security: <https://www.crowdstrike.com/en-us/platform/data-security/>

Falcon Shield: <https://www.crowdstrike.com/en-us/platform/falcon-shield/>

Next-Gen SIEM: <https://www.crowdstrike.com/en-us/platform/next-gen-siem/>

Falcon Fusion SOAR: <https://www.crowdstrike.com/en-us/platform/next-gen-siem/falcon-fusion/>

Charlotte AI: <https://www.crowdstrike.com/en-us/platform/charlotte-ai/>

Agentic SOAR / Foundry: <https://www.crowdstrike.com/en-us/platform/charlotte-ai/agentic-soar/>

Falcon for IT: <https://www.crowdstrike.com/en-us/platform/falcon-for-it/>

Falcon AIDR: <https://www.crowdstrike.com/en-us/platform/falcon-aidr-ai-detection-and-response/>

Adversary OverWatch: <https://www.crowdstrike.com/en-us/platform/threat-intelligence/adversary-overwatch/>

Falcon Complete MDR: <https://www.crowdstrike.com/en-us/services/falcon-complete-mdr/>

SCREENSHOT PROVENANCE

Screenshots in this portfolio are public CrowdStrike references or official product/blog/demo screenshots. The Project Atlas scenario, control mapping, diagrams, response logic and lab notes are portfolio material.

Final Assessment - Operating CrowdStrike as One Stack

The architecture demonstrates security reasoning across endpoint, identity, cloud, data, SaaS, SIEM, SOAR, AI and managed response.

1 I can separate module ownership

Endpoint, identity, cloud, SaaS, data, SIEM, SOAR and MDR have different control boundaries.

2 I can build a true-positive evidence chain

User, device, file, destination, process, identity and policy evidence must agree.

3 I can design response with guardrails

Containment is powerful; it requires evidence, RBAC, approvals, rollback and validation.

4 I can communicate recruiter value

The document proves I understand how CrowdStrike technologies work together around one business-critical data set.

PORTFOLIO RESULT

A recruiter or technical interviewer can evaluate the scenario, stack architecture, module ownership, evidence chain, detection logic and response workflow in one professional document.