
```

\hypersetup{colorlinks}
\newrevisor{manuel}{violet!75}
\newrevisor{maria}{blue}
\newrevisor{peter}{green!80!black}[red]
\begin{document}
\thispagestyle{empty}
This is \manuel{text-to-be-deleted}{text-to-be-added}.\MANUEL{This is a note}
\footnote{This is a footnote.\MANUEL*{this is a note in the footnote}}

This is \maria{text-to-be-deleted}{text-to-be-added}.\MARIA{This is a note}
\footnote{This is a footnote.\MARIA*{this is a note in the footnote}}

This is \peter{text-to-be-deleted}{text-to-be-added}.\PETER{This is a note}
\footnote{This is a footnote.\PETER*{this is a note in the footnote}}

\peter{Old line 1}\par Old line 2}{New line 1}\par New line 2}

\begin{figure}[h!]
  \centering
  A FIGURE
  \caption{Caption \manuel{and}{with} \PETER{not inline}\MANUEL*{an inline note}}
\end{figure}

\section[test]{A note in a \peter{chapter}{section} \MANUEL*{inline sorry!} \PETER{fixed}}

Some math:
\begin{equation}
  E = \maria{n}{m}c^{\peter{3}{2}} \MANUEL*{Is this correct?}\MARIA{Sure!}
\end{equation}

\MARIA*{A long note with some bullet points:
  \begin{itemize}
    \item Do 1
    \item Do 2
    \item Profit!
  \end{itemize}
}
\end{document}

%%% Local Variables:
%%% mode: latex
%%% TeX-master: t

```

%%% End:

This is ~~text-to-be-deleted~~text-to-be-added.¹ ²
This is ~~text-to-be-deleted~~text-to-be-added.³ ⁴
This is ~~text-to-be-deleted~~text-to-be-added.⁵ ⁶
~~Old line 1~~
~~Old line 2~~New line 1
New line 2

A FIGURE

Figure 1: Caption ~~and~~with ⁷[MANUEL: an inline note]

1 A note in a ~~chapter~~section [MANUEL: inline sorry!]
⁸

Some math:

$$E = \cancel{mc}^{\textcolor{red}{92}}[\textcolor{blue}{\text{MANUEL: Is this correct?}}]^9 \tag{1}$$

[MARIA: A long note with some bullet points:

- Do 1
- Do 2
- Profit!

]

¹[MANUEL: This is a note]

²This is a footnote.[MANUEL: this is a note in the footnote]

³[MARIA: This is a note]

⁴This is a footnote.[MARIA: this is a note in the footnote]

⁵[PETER: This is a note]

⁶This is a footnote.[PETER: this is a note in the footnote]

⁸[PETER: fixed]

⁹[MARIA: Sure!]

Same as above but with option `hide=after`

`\usepackage[hide=after]{newrevisor}`

This is text-to-be-deleted. ¹
This is text-to-be-deleted. ²
This is text-to-be-deleted. ³
Old line 1
Old line 2

A FIGURE

Figure 1: Caption and

1 A note in a chapter

Some math:

$$E = nc^3 \tag{1}$$

¹This is a footnote.

²This is a footnote.

³This is a footnote.

Same as above but with option `hide=before`

`\usepackage[hide=before]{newrevisor}`

This is text-to-be-added. ¹
This is text-to-be-added. ²
This is text-to-be-added. ³
New line 1
New line 2

A FIGURE

Figure 1: Caption with

1 A note in a section

Some math:

$$E = mc^2 \tag{1}$$

¹This is a footnote.

²This is a footnote.

³This is a footnote.

With option `todonotes`

`\usepackage[todonotes]{newrevisor}`

This is ~~text-to-be-deleted~~text-to-be-added.¹

This is ~~text-to-be-deleted~~text-to-be-added.²

This is ~~text-to-be-deleted~~text-to-be-added.³

~~Old line 1~~

~~Old line 2~~New line 1

New line 2

A FIGURE

Figure 1: Caption ~~and~~with

MANUEL: an inline note

PETER: not inline

1 A note in a ~~chapter~~section

MANUEL: inline sorry!

PETER: fixed

Some math:

$$E = \hbar mc^2$$

(1)

MARIA: A long note with some bullet points:

- Do 1
- Do 2
- Profit!

¹This is a footnote.

MANUEL: this is a note in the footnote

²This is a footnote.

MARIA: this is a note in the footnote

³This is a footnote.

PETER: this is a note in the footnote