
```

\newrevisor{manuel}{violet!75}
\newrevisor{maria}{blue}
\newrevisor{peter}{green!80!black}[red]
\begin{document}
\thispagestyle{empty}
\listofrevisions%
\section{Main document}

This is \manuel{text-to-be-deleted}{text-to-be-added}. \MANUEL{This is a note}
\footnote{This is a footnote. \MANUEL*[this is a note in the footnote]}

This is \maria{text-to-be-deleted}{text-to-be-added}. \MARIA{This is a note}
\footnote{This is a footnote. \MARIA*[this is a note in the footnote]}

This is \peter{text-to-be-deleted}{text-to-be-added}. \PETER{This is a note}
\footnote{This is a footnote. \PETER*[this is a note in the footnote]}

\peter{Old line 1\par Old line 2}{New line 1\par New line 2} \MANUEL{\label{comment:nested}}
\begin{figure}[h!]
\centering
A FIGURE
\caption{Caption \manuel{and}{with} \PETER{forced inline because within caption}
\MANUEL*[inline because of *]}
\end{figure}

\section{test}{A note in a \peter{chapter}{section} \MANUEL*[inline!] \PETER{not inline} }

Some math:
\begin{equation}\label{eq:equation}
E = \maria{n}{m}c^{\peter{3}{2}}
\PETER*[Same question as in Comment \ref{comment:nested}
on page \pageref{comment:nested} \MANUEL{Maria answered!} \MARIA{Yes, I did!}]
\end{equation}

\MARIA*[A long note with some bullet points:
\begin{itemize}
\item Do 1
\item Do 2
\item Profit!
\end{itemize}
]

\end{document}

```

```
\usepackage{newrevisor}
\input{example-common}
```

List of revisions

manuel: 6 comments, 2 revisions

maria: 4 comments, 2 revisions

peter: 6 comments, 4 revisions

manuel: Suggested edit	1
manuel: Comment	1
maria: Suggested edit	1
maria: Comment	1
peter: Suggested edit	1
peter: Comment	1
peter: Suggested edit	1
manuel: Comment	1
manuel: Comment	1
maria: Comment	1
peter: Comment	1
peter: Comment	1
maria: Comment	1
manuel: Suggested edit	2
peter: Comment	2
manuel: Comment	2
peter: Suggested edit	2
manuel: Comment	2
peter: Comment	2
maria: Suggested edit	2
peter: Suggested edit	2
peter: Comment	2
manuel: Comment	2
maria: Comment	2

1 Main document

This is ~~text-to-be-deleted~~text-to-be-added.¹ ²

This is ~~text-to-be-deleted~~text-to-be-added.³ ⁴

This is ~~text-to-be-deleted~~text-to-be-added.⁵ ⁶

~~Old-line-1~~

~~Old-line-2~~New line 1

New line 2 ⁷

¹ [MANUEL: This is a note]

² This is a footnote.[MANUEL: this is a note in the footnote]

³ [MARIA: This is a note]

⁴ This is a footnote.[MARIA: this is a note in the footnote]

⁵ [PETER: This is a note]

⁶ This is a footnote.[PETER: this is a note in the footnote]

⁷ [MANUEL: Can comments be nested like replies? [PETER: I am not sure? [MARIA: Sure they can!]]]

A FIGURE

Figure 1: Caption ~~and~~with [PETER: forced inline because within caption]
[MANUEL: inline because of *]

2 A note in a chaptersection [MANUEL: inline!] ⁸

Some math:

$$E = \#mc^{\textcolor{red}{32}}[\text{PETER: Same question as in Comment 7 on page 1 } \textcolor{brown}{9}] \quad (1)$$

[MARIA: A long note with some bullet points:

- Do 1
- Do 2
- Profit!

]

⁸[PETER: not inline]

Same as above but with option `hide=after`

```
\usepackage[hide=after]{newrevisor}
```

1 Main document

This is text-to-be-deleted.¹

This is text-to-be-deleted.²

This is text-to-be-deleted.³

Old line 1

Old line 2

A FIGURE

Figure 1: Caption and

2 A note in a chapter

Some math:

$$E = nc^3 \quad (1)$$

¹This is a footnote.

²This is a footnote.

³This is a footnote.

Same as above but with option `hide=before`

```
\usepackage [hide=before]{newrevisor}
```

1 Main document

This is text-to-be-added.¹
This is text-to-be-added.²
This is text-to-be-added.³
New line 1
New line 2

A FIGURE

Figure 1: Caption with

2 A note in a section

Some math:

$$E = mc^2 \quad (1)$$

¹This is a footnote.

²This is a footnote.

³This is a footnote.

With option `todonotes`

```
\usepackage[todonotes]{newrevisor}
```

List of revisions

manuel: 6 comments, 2 revisions

maria: 5 comments, 2 revisions

peter: 6 comments, 4 revisions

manuel:	Suggested edit	1
manuel:	Comment	1
maria:	Suggested edit	1
maria:	Comment	1
peter:	Suggested edit	1
peter:	Comment	1
peter:	Suggested edit	1
manuel:	Comment	1
maria:	Comment	1
peter:	Comment	1
manuel:	Comment	2
peter:	Comment	2
maria:	Comment	2
manuel:	Suggested edit	2
peter:	Comment	2
manuel:	Comment	2
maria:	Suggested edit	2
peter:	Suggested edit	2
manuel:	Comment	2
peter:	Comment	2
maria:	Suggested edit	2
manuel:	Comment	2
maria:	Comment	2
maria:	Comment	2

1 Main document

This is ~~text-to-be-deleted~~text-to-be-added.¹

This is ~~text-to-be-deleted~~text-to-be-added.²

This is ~~text-to-be-deleted~~text-to-be-added.³

~~Old-line-1~~

~~Old-line-2~~New line 1

MANUEL: This is a note

MARIA: This is a note

PETER: This is a note

¹This is a footnote.

MANUEL: this is a note in the footnote

²This is a footnote.

MARIA: this is a note in the footnote

³This is a footnote.

PETER: this is a note in the footnote

New line 2

A FIGURE

Figure 1: Caption andwith

MANUEL: inline because of *

MANUEL: Can comments be nested like
MARIA: Sure they can!

PETER: forced inline because within caption

2 A note in a chaptersection

MANUEL: inline!

PETER: not inline

Some math:

$$E = \#mc^3$$

PETER: Same question as in Comment 1 on page 2

MANUEL: Maria an-

MARIA: Yes, I did!

(1)

MARIA: A long note with some bullet points:

- Do 1
- Do 2
- Profit!