
```

\newrevisor{manuel}{violet!75}
\newrevisor{maria}{blue}
\newrevisor{peter}{green!80!black}[red]
\begin{document}
\thispagestyle{empty}
\listofrevisions%
\section{Main document}

This is \manuel{text-to-be-deleted}{text-to-be-added}.\MANUEL{This is a note}
\footnote{This is a footnote.\MANUEL*{this is a note in the footnote}}

This is \maria{text-to-be-deleted}{text-to-be-added}.\MARIA{This is a note}
\footnote{This is a footnote.\MARIA*{this is a note in the footnote}}

This is \peter{text-to-be-deleted}{text-to-be-added}.\PETER{This is a note}
\footnote{This is a footnote.\PETER*{this is a note in the footnote}}

\peter{Old line 1\par Old line 2}{New line 1\par New line 2}

\begin{figure}[h!]
  \centering
  A FIGURE
  \caption{Caption \manuel{and}{with} \PETER{not inline}\MANUEL*{an inline note}}
\end{figure}

\section[test]{A note in a \peter{chapter}{section} \MANUEL*{inline sorry!} \PETER{fixed}}

Some math:
\begin{equation}
  E = \maria{n}{m}c^{\peter{3}{2}} \MANUEL*{Is this correct?}\MARIA{Sure!}
\end{equation}

\MARIA*{A long note with some bullet points:
  \begin{itemize}
    \item Do 1
    \item Do 2
    \item Profit!
  \end{itemize}
}
\end{document}

%%% Local Variables:
%%% mode: latex
%%% TeX-master: t
%%% End:

```

```
\usepackage{newrevisor}  
\input{example-common}
```

List of revisions

manuel: 5 comments, 2 revisions
maria: 4 comments, 2 revisions
peter: 4 comments, 4 revisions

manuel: Suggested edit	1
manuel: Comment	1
maria: Suggested edit	1
maria: Comment	1
peter: Suggested edit	1
peter: Comment	1
peter: Suggested edit	1
manuel: Suggested edit	1
peter: Comment	1
manuel: Comment	1
manuel: Comment	1
maria: Comment	1
peter: Comment	1
peter: Suggested edit	2
manuel: Comment	2
peter: Comment	2
maria: Suggested edit	2
peter: Suggested edit	2
manuel: Comment	2
maria: Comment	2
maria: Comment	2

1 Main document

This is ~~text-to-be-deleted~~text-to-be-added.^{1 2}
This is ~~text-to-be-deleted~~text-to-be-added.^{3 4}
This is ~~text-to-be-deleted~~text-to-be-added.^{5 6}
~~Old line 1~~
~~Old line 2~~New line 1
New line 2

A FIGURE

Figure 1: Caption ~~and~~with [PETER: not inline][MANUEL: an inline note]

¹[MANUEL: This is a note]
²This is a footnote.[MANUEL: this is a note in the footnote]
³[MARIA: This is a note]
⁴This is a footnote.[MARIA: this is a note in the footnote]
⁵[PETER: This is a note]
⁶This is a footnote.[PETER: this is a note in the footnote]

2 A note in a chaptersection [MANUEL: inline sorry!]
7

Some math:

$E = \cancel{m}c^{\textcolor{red}{3}2}$ [MANUEL: Is this correct?]⁸ (1)

[MARIA: A long note with some bullet points:

- Do 1
- Do 2
- Profit!

]

⁷[PETER: fixed]

⁸[MARIA: Sure!]

Same as above but with option `hide=after`

```
\usepackage[hide=after]{newrevisor}
```

1 Main document

This is text-to-be-deleted. ¹
This is text-to-be-deleted. ²
This is text-to-be-deleted. ³
Old line 1
Old line 2

A FIGURE

Figure 1: Caption and

2 A note in a chapter

Some math:

$$E = nc^3 \tag{1}$$

¹This is a footnote.

²This is a footnote.

³This is a footnote.

Same as above but with option `hide=before`

```
\usepackage[hide=before]{newrevisor}
```

1 Main document

This is text-to-be-added. ¹

This is text-to-be-added. ²

This is text-to-be-added. ³

New line 1

New line 2

A FIGURE

Figure 1: Caption with

2 A note in a section

Some math:

$$E = mc^2 \tag{1}$$

¹This is a footnote.

²This is a footnote.

³This is a footnote.

With option `todonotes`

```
\usepackage[todonotes]{newrevisor}
```

List of revisions

manuel: 5 comments, 2 revisions
maria: 4 comments, 2 revisions
peter: 4 comments, 4 revisions

manuel: Suggested edit	1
manuel: Comment	1
maria: Suggested edit	1
maria: Comment	1
peter: Suggested edit	1
peter: Comment	1
peter: Suggested edit	1
manuel: Comment	1
maria: Comment	1
peter: Comment	1
manuel: Suggested edit	2
peter: Comment	2
manuel: Comment	2
peter: Suggested edit	2
manuel: Comment	2
peter: Comment	2
maria: Suggested edit	2
peter: Suggested edit	2
manuel: Comment	2
maria: Comment	2
maria: Comment	2

1 Main document

This is ~~text-to-be-deleted~~text-to-be-added.¹
This is ~~text-to-be-deleted~~text-to-be-added.²
This is ~~text-to-be-deleted~~text-to-be-added.³
~~Old line 1~~
~~Old line 2~~New line 1
New line 2

MANUEL: This is a note
MARIA: This is a note
PETER: This is a note

A FIGURE

¹This is a footnote.
MANUEL: this is a note in the footnote

²This is a footnote.
MARIA: this is a note in the footnote

³This is a footnote.
PETER: this is a note in the footnote

