```
\usepackage[colorlinks]{hyperref}
\newrevisor{manuel}{violet!75}
\newrevisor{maria}{blue}
\newrevisor{peter}{green!80!black}[red]
\begin{document}
\thispagestyle{empty}
\listofchanges%
This is \manuel{text-to-be-deleted}{text-to-be-added}.\MANUEL{This is a note}
\footnote{This is a footnote.\MANUEL*{this is a note in the footnote}}
This is \maria{text-to-be-deleted}{text-to-be-added}.\MARIA{This is a note}
\footnote{This is a footnote.\MARIA*{this is a note in the footnote}}
This is \peter{text-to-be-deleted}{text-to-be-added}.\PETER{This is a note}
\footnote{This is a footnote.\PETER*{this is a note in the footnote}}
\peter{Old line 1\par Old line 2}{New line 1\par New line 2}
\begin{figure}[h!]
 \centering
 A FIGURE
 \caption{Caption \manuel{and}{with} \PETER{not inline}\MANUEL*{an inline note}}
\end{figure}
\section[test]{A note in a \peter{chapter}{section} \MANUEL*{inline sorry!} \PETER{fixed}}
Some math:
\begin{equation}
 E = \text{MANUEL*} \{Is this correct?} \setminus ARIA\{Sure!\} \}
\end{equation}
\MARIA*{A long note with some bullet points:
  \begin{itemize}
  \item Do 1
  \item Do 2
   \item Profit!
   \end{itemize}
\end{document}
%%% Local Variables:
```

%%% mode: latex %%% TeX–master: t

%%% End:

```
List of revisions
         manuel: 5 comments, 2 revisions
         maria: 4 comments, 2 revisions
         peter: 4 comments, 4 revisions
             This is text-to-be-deleted
text-to-be-added. ^{1\ 2}
             This is text-to-be-deleted
text-to-be-added. ^3 ^4
             This is text-to-be-deleted
text-to-be-added. ^5\, ^6
             <del>Old line 1</del>
             Old line 2New line 1
             New line 2
                                                                                                                      A FIGURE
                                     Figure 1: Caption and with <sup>7</sup>[MANUEL: an inline note]
                     A note in a chapter section [MANUEL: inline sorry!]
1
Some math:
                                                                    E = nmc^{32}[Manuel: Is this correct?]<sup>9</sup>
                                                                                                                                                                                                                                                                              (1)
              [MARIA: A long note with some bullet points:
              • Do 1
              • Do 2
               • Profit!
]
          ^1 [{\rm MANUEL} : {\rm This} is a note] ^2 {\rm This} is a footnote. [MANUEL: this is a note in the footnote]
          <sup>3</sup>[MARIA: This is a note]

<sup>4</sup>This is a footnote [MARIA: this is a note in the footnote]
          <sup>6</sup>This is a note in the footnote of this is a note in the footnote of the footnote of this is a note in the footnote of the foo
          <sup>8</sup>[PETER: fixed]
<sup>9</sup>[MARIA: Sure!]
```

$\verb|\usepackage| [hide=after] {new revisor}|$

List of revisions

 ${\bf manuel:}\ 5\ {\bf comments},\ 2\ {\bf revisions}$ maria: 4 comments, 2 revisions peter: 4 comments, 4 revisions

This is text-to-be-deleted. 1 This is text-to-be-deleted. ² This is text-to-be-deleted. 3

Old line 1 Old line 2

A FIGURE

Figure 1: Caption and

1 A note in a chapter

Some math:

$$E = nc^3 (1)$$

 $^{^1{}m This}$ is a footnote.

²This is a footnote.

³This is a footnote.

$\verb|\usepackage| [hide=before] {new revisor}|$

List of revisions ${\bf manuel:}\ 5\ {\bf comments},\ 2\ {\bf revisions}$

maria: 4 comments, 2 revisions peter: 4 comments, 4 revisions

This is text-to-be-added. 1 This is text-to-be-added. 2

This is text-to-be-added. 3

New line 1 New line 2

A FIGURE

Figure 1: Caption with

A note in a section 1

Some math:

$$E = mc^2 (1)$$

 $^{^1{}m This}$ is a footnote.

²This is a footnote.

³This is a footnote.

With option todonotes

$\verb|\usepackage| [todonotes] {new revisor}|$

