```
\newrevisor{manuel}{violet!75}
\newrevisor{maria}{blue}
\newrevisor{peter}{green!80!black}[red]
\begin{document}
\thispagestyle{empty}
\listofrevisions%
\section{Main document}
This is \manuel{text-to-be-deleted}{text-to-be-added}.\MANUEL{This is a note}
\footnote{This is a footnote.\MANUEL*{this is a note in the footnote}}
This is \maria{text-to-be-deleted}{text-to-be-added}.\MARIA{This is a note}
\footnote{This is a footnote.\MARIA*{this is a note in the footnote}}
This is \peter{text-to-be-deleted}{text-to-be-added}.\PETER{This is a note}
\footnote{This is a footnote.\PETER*{this is a note in the footnote}}
\peter{Old line 1\par Old line 2}{New line 1\par New line 2}
\begin{figure}[h!]
       \centering
      A FIGURE
       \caption{Caption \manuel{and}{with} \PETER{not inline}\MANUEL*{an inline note}}
\end{figure}
\section[test]{A note in a \peter{chapter}{section} \MANUEL*{inline sorry!} \PETER{fixed}}
Some math:
\begin{equation}
      E = \text{MARIA}\{sure!\} \setminus \{sthis correct?\} \setminus \{sthis correct.\} \setminus \{sthis c
\end{equation}
\MARIA*{A long note with some bullet points:
       \begin{itemize}
       \item Do 1
       \item Do 2
              \item Profit!
              \end{itemize}
\end{document}
```

%%% Local Variables:

%%% mode: latex %%% TeX–master: t

%%% End:

List of revisions
manuel: 5 comments, 2 revisions maria: 4 comments, 2 revisions peter: 4 comments, 4 revisions
manuel: Comment 1 maria: Suggested edit 1 maria: Comment 1 peter: Suggested edit 1 peter: Comment 1 peter: Suggested edit 1 manuel: Suggested edit 1 manuel: Comment 1 manuel: Comment 1 maria: Comment 1 peter: Comment 1 peter: Suggested edit 2 manuel: Comment 2 peter: Suggested edit 2 peter: Suggested edit 2 peter: Suggested edit 2 maria: Suggested edit 2 maria: Comment 2 maria: Dedeletedtext-to-be-added.3 4 This is text-to-be-deletedtext-to-be-added.5 6 Old line 1 Old line 2New line 1 New line 2 New line 2
A FIGURE
Figure 1: Caption and with ⁷ [MANUEL: an inline note]
¹ [MANUEL: This is a note] ² This is a footnote.[MANUEL: this is a note in the footnote] ³ [MARIA: This is a note] ⁴ This is a footnote.[MARIA: this is a note in the footnote] ⁵ [PETER: This is a note] ⁶ This is a footnote.[PETER: this is a note in the footnote]

Main document

This is text-to-be-deleted. $^{\rm 1}$

This is text-to-be-deleted. 2

This is text-to-be-deleted. 3

Old line 1

Old line 2

A FIGURE

Figure 1: Caption and

A note in a chapter

Some math:

$$E = nc^3 (1)$$

 $^{^1{\}rm This}$ is a footnote.

²This is a footnote.

³This is a footnote.

\usepacka	ge[hide	=beforel{n	ewrevisor

1 Main document This is text-to-be-added. $^{\rm 1}$ This is text-to-be-added. 2 This is text-to-be-added. 3 New line 1New line 2 A FIGURE Figure 1: Caption with A note in a section Some math: $E=mc^2$ (1)

 $^{^1{}m This}$ is a footnote.

²This is a footnote.

³This is a footnote.

With option todonotes

$\verb|\usepackage| [todonotes] {new revisor}|$

nanuel: 5 comments, 2 revisions		
naria: 4 comments, 2 revisions		
peter: 4 comments, 4 revisions		
Tooling Troubles		
manuel: Suggested edit	1	
manuel: Comment	1	
maria: Suggested edit	1	
maria: Comment	1	
peter: Suggested edit	1	
peter: Comment	1	
peter: Suggested edit	1	
manuel: Comment	1	
maria: Comment	1	
peter: Comment	1	
manuel: Suggested edit	2	
peter: Comment	2 2	
peter: Suggested edit	2	
manuel: Comment	2	
peter: Comment	2	
maria: Suggested edit	2	
peter: Suggested edit	2	
manuel: Comment	2	
maria: Comment	2	
maria: Comment	2	
l Main document		
This is text-to-be-deleted text-to-be-added. 1	MANUEL: This	is a
This is text-to-be-deleted text-to-be-added. ²	MARIA: This is	
This is text-to-be-deleted text-to-be-added. 3	PETER: This is	a note
Old line 1		
Old line 2New line 1		
New line 2		
A FIGURE		
¹ This is a footnote.		
MANUEL: this is a note in the footnote		
² This is a footnote.		
MARIA: this is a note in the footnote		
3m1 ** ** C. 4 * 4 *		
This is a footnote. PETER: this is a note in the footnote		