



TICO PRO-SPOTTER						
			COOLING SYSTEM	722712		
ITEM	PART #	QTY/M	DESCRIPTION			
1	620011	1	DADIATOR ACCEMBLY DOLG OF ALLIMAN CORE WATER/OF TRANCCOOLER			
2	620911 12736	1	RADIATOR ASSEMBLY, PSI 8.8L , ALUMIN CORE, WATER/OIL TRANS COOLER WELDMENT RADIATOR MOUNT RUBBER ISOLATORS			
Z	12/30	1	WELDMENT RADIATOR MOUNT RUBBER ISOLATORS			
3	62254	2	ISOLATOR RADIATOR MOUNT			
3	02234		ISOLATOR RADIATOR MOUNT			
4	620519	1	FAN, COOLING, 22" DIA, CCW, 2.375" PW, PSI 8.8L			
5	60423	1	KIT, FAN CLUTCH			
6	62173	1	SPACER, FAN, 3/4" [19 MM]			
		_				
7	621133	1	SHROUD, FAN, PSI 8.8L, ALUMINUM RADIATOR			
8	621134	1	TUBE, LOWER RADIATOR, PSI 8.8L, ALUMINUM RADIATOR			
9	621013	1	TUBE, CAC, RHS, 2018 B6.7N			
10	40175	4	HOSE-HUMP, 3" ID, SILICONE, CAC			
11	40185	8	CLAMP, CONSTANT TORQUE, SAE 362, 2-3/4" TO 3-5/8", SSTL			
12	620909	1	SURGE TANK, ALUMINIUM, 3 GALLON			
13	42239	2	FITTING, ELBOW, 90 DEG, 3/8" HOSE BARB X 3/8" NPT MALE, BRASS			
14	42169	1	FITTING, ELBOW, 90 DEG, 1/2" HOSE BARB X 3/8" NPT MALE, BRASS			
15	420452	2	CLAMP, WORMGEAR, HOSE #06, LINED, SSTL, RANGE: 3/8"-7/8" ID			
16	40841	1	FITTING, PLUG, SOCKET HEAD, 3/8" NPT, BRASS			
17 18	60824	1	SENSOR COOLANT LEVEL 3 PIN			
19	40811 40190-2	61 4	HOSE BULK-5/16" ID BLACK-FUEL SAE 30R9 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL			
19	40190-2	4	CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16 TO 2", SSTL			
20	40190-2	1	FITTING, ELBOW, 45 DEG, 1" HOSE BARB X 1" NPT MALE, STEEL			
21	40721	1	FITTING, ELBOW, 45 DEG, 1" HOSE BARB X 1" NPT MALE, STEEL			
22	42110	1	FITTING, ADAPTER, 1" NPT MALE X 1" HOSE BARB, STEEL			
NS	41253	48	BULK SILICONE HOSE - 1" ID			
		1.5				
23	621171	1	BAFFLE, ALUMINUM RADIATOR, PSI 8.8L CRADLE, 2017-III CAB			
24	61603	1	ROD, THREADED, 3/8-16 X10" LG, ZINC PLT			
25	800496	8	WASHER, FENDER 3/8" ID x 1-1/2" OD, ZINC PL			
26	60857	8	WASHER RUBBER 3/8 IDX1.75ODX3/8T 60 DURO			
27	85091	8	WASHER, FLAT, 3/8", SAE, GRD 8, ZINC PLT			
28	85025	4	LOCKNUT, NYLOCK, COARSE, 3/8-16, GRD 8			
29	85014	4	NUT 3/8-16 JAM			
REV	DATE	ВҮ		SHEET		
Α	6/16/2020	BRN		1 OF 3		

TIEM	TICO PRO-SPOTTER						
12898 1	COOLING SYSTEM						
12898 1							
31 10624 1 FITTING, EBOW, 90 DEG, 34° O-RING X 34° 10 EMAIE, VITON, STEEL 32° 14540 2 1056 ASSEMBLY, TRANSMISSON, HIGH TEMP, 58° 10, bit 32° 71 ICS TRIS-TR, 93° 16 23° 140471 2 FITTING, ADAPTER, 34° SAE O-RING X 34° MALE RC, STEEL, VITON O-RING 44° 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16° TO 2°, SSTL 35° 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16° TO 2°, SSTL 36° 62136 2 105E, COOLANT, UPPER ENGINE, AUMINIUM RADIATOR, PSI 8.8L, SILCONE 37° 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16° TO 2°, SSTL 38° 410381 1 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 51, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINU	ITEM	PART #	QTY/M	DESCRIPTION			
31 10624 1 FITTING, EBOW, 90 DEG, 34° O-RING X 34° 10 EMAIE, VITON, STEEL 32° 14540 2 1056 ASSEMBLY, TRANSMISSON, HIGH TEMP, 58° 10, bit 32° 71 ICS TRIS-TR, 93° 16 23° 140471 2 FITTING, ADAPTER, 34° SAE O-RING X 34° MALE RC, STEEL, VITON O-RING 44° 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16° TO 2°, SSTL 35° 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16° TO 2°, SSTL 36° 62136 2 105E, COOLANT, UPPER ENGINE, AUMINIUM RADIATOR, PSI 8.8L, SILCONE 37° 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16° TO 2°, SSTL 38° 410381 1 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 51, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5° OAL 410381 1 HOSE, COOLANT, ALUMINU							
32	30	12898	1	WELDMENT FRAME COUPLING BRACKET SURGE TANK			
33	31	10624	1	FITTING, ELBOW, 90 DEG, 3/4" O-RING X 3/4" JIC MALE, VITON, STEEL			
34	32	41240	2	HOSE ASSEMBLY, TRANSMISSION, HIGH TEMP, 5/8" ID, #12 37° JIC STR-STR, 93" LG			
35 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 36 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 37 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 38 410382 2 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8 L, VENA SIL 240 D 51, 4.5" OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8 L, VENA SIL 240 D 45, 4.5" OAL 410381 410	33	40471	2	FITTING, ADAPTER, 3/4" SAE O-RING X 3/4" MALE JIC, STEEL, VITON O-RING			
35 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 36 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 37 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 38 410382 2 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8 L, VENA SIL 240 D 51, 4.5" OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8 L, VENA SIL 240 D 45, 4.5" OAL 410381 410							
35 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 36 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 37 40190-2 4 CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL 38 410382 2 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8 L, VENA SIL 240 D 51, 4.5" OAL 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8 L, VENA SIL 240 D 45, 4.5" OAL 410381 410	34	40190-2	4	CLAMP, CONSTANT TORQUE, SAE 24, 1-1/16" TO 2", SSTL			
36 621136 2 HOSE, COOLANT, UPPER ENGINE, ALUMINUM RADIATOR, PSI 8.8L, SILCONE 37 40190-2 4 CLAMP, CONSTANT TORQUE, SAZ 24, 1-1/16"TO 2", SSTL 38 410382 2 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 51, 4.5" OAL 39 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 39 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 39 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 39 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 39 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 39 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 30 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 30 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 30 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 30 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, ALUMINUM RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLANT, LOWER RADIATOR, PSI 8.8L, VENA SIL 240 D 45, 4.5" OAL 31 410381 1 HOSE, COOLA	35	40190-2	4				
37	36	621136	2				
38	37	40190-2					
39	38	410382					
REV DATE BY SHEET A 6/16/2020 BRN SHEET 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3			t				
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3			-				
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3							
A 6/16/2020 BRN 2 OF 3	REV	DATE	BY		SHEET		
	Α	6/16/2020	BRN		2 OF 3		
		_	_	TICO MANUFACTURING - RIDGELAND, SC 29936	-		

TICO PRO-SPOTTER							
	COOLING SYSTEM 722712						
ITEM	PART #	QTY/M	DESCRIPTION				
NS	62332	2	WASHER-RADIATOR MOUNT TOP				
NS	62110	2	WASHER- 1 1/2" OD X 1/2" ID				
NS	85027	2	LOCKNUT, NYLOCK, 1/2"-13, ZINC PLT				
NS	82359	12	BOLT, HEX HD 1/4-20 x 3/4				
NS	80129	12	WASHER, FENDER, 1/4" ID X 1-1/4" OD				
NS	85133	12	LOCKWASHER, HELICAL SPRING 1/4				
NS	123059	1	BRACKET, RADIATOR, PSI 8.8L, CRADLE				
NS	82405	4	BOLT, HEX HD, 3/8-16 x 1-3/4" LG				
NS	85025	4	LOCKNUT, NYLOCK, COARSE, 3/8-16, GRD 8				
NS	85025	2	LOCKNUT, NYLOCK, COARSE, 3/8-16, GRD 8				
NS	61603	1	ROD, THREADED, 3/8-16 X10" LG, ZINC PLT				
NS	85025	2	LOCKNUT, NYLOCK, COARSE, 3/8-16, GRD 8				
NS	800496	4	WASHER, FENDER 3/8" ID x 1-1/2" OD, ZINC PL				
NS	60857	4	WASHER RUBBER 3/8 IDX1.750DX3/8T 60 DURO				
NS	85014	4	NUT 3/8-16 JAM				
NS	85025	2	LOCKNUT, NYLOCK, COARSE, 3/8-16, GRD 8				
NS	122921	2	SPACER, RUBBER, ALUMINUM SURGE TANK				
NS NS	82407						
NS	85093	4	BOLT, HEX HD 1/2-13 x 1 3/4 WASHER, FLAT, 1/2", SAE, GRD 8, ZINC PLT				
NS	85027	8					
INS	63027	4	LOCKNUT, NYLOCK, 1/2"-13, ZINC PLT				
NS	410386	36	HOSE, BULK HEATER, 1/2" ID, SILICONE				
NS	41158	55	HOSE SILICONE COOLANT 3/8" SAE 20R1-BULK				
NS							
NS	41253	36	BULK SILICONE HOSE - 1" ID				
NS	82394	2	BOLT, HEX 3/8-16 X 1 1/2 Lg				
NS	85091	4	WASHER, FLAT, 3/8", SAE, GRD 8, ZINC PLT				
NS	85025	2	LOCKNUT, NYLOCK, COARSE, 3/8-16, GRD 8				
NS	410387	72	HOSE, BULK HEATER, 3/4" ID, SILICONE				
NS	420455	2	CLAMP, WORMGEAR, HOSE #12, LINED, SSTL, RANGE: 1/2"-1 1/4" ID				
NS	82360	6	BOLT. HEX HD 5/16-18 x 3/4				
NS NS	84134	6	WASHER, LOCK, HELICAL SPRING 5/16"				
NS	85090	6	WASHER, FLAT, 5/16", SAE, GRD 8, ZINC PLT				
116							
NS	620781	1	FAN DRIVE,BORG WARNER 750 SERIES,VISCOUS				
NS	420462	1	FITTING, ELBOW, 90 DEG, SAE O-RING (-10) 7/8"-14 THREAD X 3/4" HOSE BARB, STEEL				
NS	420408	1	HOSE PROTECTOR SHIELD				
REV	DATE	ВҮ		SHEET			
Α	6/16/2020	BRN		3 OF 3			