rdwd - an R package to select, download and read climate data from the German Weather Service

Berry Boessenkool, uni-potsdam.de, Feb 2017

berry-b@gmx.de

github.com/brry/rdwd#rdwd

The German Weather Service (DWD) provides over 25'000 climate datasets

The German Weather Service (DWD) provides over 25'000 climate datasets

- ▶ Too much for manual inspection
- Somewhat difficult to search
- ► File format inconsistent (e.g. column widths)

The German Weather Service (DWD) provides over 25'000 climate datasets

- ► Too much for manual inspection
- Somewhat difficult to search
- ► File format inconsistent (e.g. column widths)

Screenshot of FTP server:

 $Index\ von\ ftp://ftp-cdc.dwd.de/pub/CDC/observations_germany/climate/daily/more_precip/recent/$

1 In den übergeordneten Ordner wechseln

Name	Größe	Zuletzt verändert	
BESCHREIBUNG_obsgermany_climate_daily_more_precip_recent_de.pdf	67 KB	25.04.2016	00:00:00
DESCRIPTION_obsgermany_climate_daily_more_precip_recent_en.pdf	66 KB	25.04.2016	00:00:00
RR_Tageswerte_Beschreibung_Stationen.txt	1094 KB	27.01.2017	09:45:00
tageswerte_RR_00015_akt.zip	5 KB	27.01.2017	05:12:00
tageswerte_RR_00019_akt.zip	6 KB	26.01.2017	00:13:00
tageswerte_RR_00020_akt.zip	6 KB	26.01.2017	00:13:00
tageswerte_RR_00021_akt.zip	6 KB	26.01.2017	00:13:00
tageswerte_RR_00022_akt.zip	6 KB	26.01.2017	00:13:00
tageswerte_RR_00023_akt.zip	6 KB	26.01.2017	13:17:00
tageswerte_RR_00041_akt.zip	6 KB	26.01.2017	13:17:00
tageswerte_RR_00044_akt.zip	6 KB	26.01.2017	13:17:00
⅓ tageswerte RR 00053 akt.zip	6 KB	27.01.2017	06:33:00

R saves the day

R package rdwd -> easy usage of the datasets

Overview

- Motivation
- Usage
- Applications
- Community

Usage

- get URL
- download
 - read
 - plot
 - map

library("rdwd")

```
library("rdwd")
```

```
library("rdwd")
```

```
## ftp://ftp-cdc.dwd.de/pub/CDC/observations_germany/
## /climate/daily/kl/recent/tageswerte_KL_03987_akt.zip
```

U2/5: Download dataset with dataDWD

U2/5: Download dataset with dataDWD

```
file <- dataDWD(link, read=FALSE)</pre>
```

```
## rdwd::dirDWD: creating directory 'C:/Users/boessenkool/Dropbox/Public/rdwd/presentation/DWDdata'
## rdwd::fileDWD: Creating 1 file: 'daily_kl_recent_tageswerte_KL_03987_akt.zip'
```

U2/5: Download dataset with dataDWD

```
file <- dataDWD(link, read=FALSE)</pre>
```

```
## rdwd::dirDWD: creating directory 'C:/Users/boessenkool/Dropbox/Public/rdwd/presentation/DWDdata'
## rdwd::fileDWD: Creating 1 file: 'daily_kl_recent_tageswerte_KL_03987_akt.zip'
```

```
file
```

```
## [1] "daily_kl_recent_tageswerte_KL_03987_akt.zip"
```

U3/5: Unzip file and read + convert data with readDWD

U3/5: Unzip file and read + convert data with readDWD

clim <- readDWD(file)</pre>

U3/5: Unzip file and read + convert data with readDWD


clim <- readDWD(file)</pre>

```
str(clim)
## 'data.frame': 549 obs. of 18 variables:
## $ STATIONS ID
                           $ MESS_DATUM
                           : POSIXct, format: "2015-07-29" "2015-07-30" ...
  $ QUALITAETS NIVEAU
                           : int 3 3 3 3 3 3 3 3 3 3 ...
                           : num 15.8 15.4 14.6 18.4 22.4 23.8 25.8 20.6 25.2 27.8 ...
## $ LUFTTEMPERATUR
  $ DAMPFDRUCK
                           : num 11.1 11.3 10.5 10.5 11.7 13.3 15.7 15.4 15.8 17.4 ...
                           : num 4.4 5.3 4.2 4.3 4.5 2 2.9 4.9 3.6 3.4 ...
## $ BEDECKUNGSGRAD
## $ LUFTDRUCK STATIONSHOEHE : num 994 999 1006 1006 1007 ...
## $ REL FEUCHTE
                           : num 62.9 66.2 64.7 53.2 46.8 ...
## $ WINDGESCHWINDIGKEIT
                           : num 5.8 7 4.3 3.3 3 3 5 3.4 3.4 4 ...
## $ LUFTTEMPERATUR MAXIMUM : num 21.4 19.8 19.6 26.8 30 32.3 35.3 26.3 34.6 37.6 ...
## $ LUFTTEMPERATUR MINIMUM
                          : num 12.4 11.8 10.7 10 15.1 14 18.4 16.4 16.1 21.2 ...
## $ LUFTTEMP_AM_ERDB_MINIMUM: num 10 9.3 7.7 7 11.6 11.7 16.1 14.9 13.5 18.1 ...
   $ WINDSPITZE MAXIMUM
                           : num 17.3 17 10.7 7.8 8.1 9.2 17.3 9.1 9.6 9.1 ...
## $ NIEDERSCHLAGSHOEHE
                           : num 0.1 0.4 0 0 0 0 4.1 0 0 0 ...
   $ NIEDERSCHLAGSHOEHE_IND : int 6 6 0 0 0 0 6 0 0 0 ...
   $ SONNENSCHEINDAUER
                                 8.95 4.85 6.97 12.07 13.45 ...
## $ SCHNEEHOEHE
                           : int 0000000000...
                           : Factor w/ 1 level "eor": 1 1 1 1 1 1 1 1 1 1 ...
## $ eor
```

U4/5: Data can be plotted with regular R code

U4/5: Data can be plotted with regular R code

```
plot(clim[,c(2,4)], type="1", xaxt="n", las=1)
berryFunctions::monthAxis(ym=TRUE) ; abline(h=0)
```




U5/5: Interactive map (mapDWD.html)

data(mapDWD) ; library(leaflet) ; mapDWD



U5/5: Interactive map (mapDWD.html)




Applications

- climate graph
- event analysis
- rainfall extremes


A1/3: Long term climate graph (Potsdam 1893:2015)

A1/3: Long term climate graph (Potsdam 1893:2015)




A2/3: Flashflood event rainfall analysis (Taskforce report)


A2/3: Flashflood event rainfall analysis (Taskforce report)



A3/3: Extreme rainfall over temperature (github.com/brry/prectemp)



A3/3: Extreme rainfall over temperature (github.com/brry/prectemp)



The FOSS community role

The FOSS community role

Stackoverflow

The FOSS community role

- Stackoverflow
- **•** ..

▶ DWD is awesome

- ▶ DWD is awesome
- ▶ Usage of the data is easy with rdwd

- ▶ DWD is awesome
- ▶ Usage of the data is easy with rdwd
- ► FOSS is awesome