Q

HOME HTML5 CSS3 JAVASCRIPT JQUERY BOOTSTRAP5 (v4.6) PHP7 SQL REFERENCES EXAMPLES FAQ SNIPPETS

HTML BASIC

HTML Introduction

HTML Getting Started

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Links

HTML Text Formatting

HTML Styles

HTML Images

HTML Tables

HTML Lists

HTML Forms

HTML Iframes

HTML ADVANCED

HTML Doctypes

HTML Layout

HTML Head

HTML Meta

HTML Scripts

HTML Entities

HTML URL

HTML URL Encode

HTML Validation

HTML5 FEATURES

HTML5 New Input Types

HTML5 Canvas

HTML5 SVG

HTML5 Audio

HTML5 Video

HTML5 Web Storage

HTML5 Application Cache

HTML5 Web Workers

HTML5 SSE

HTML5 Geolocation

HTML5 Drag & Drop

HTML5 EXAMPLES

HTML5 Practice Examples HTML5 FAQ's Answers

HTML5 REFERENCE

HTML5 Tags/Elements

HTML5 Global Attributes

HTML5 Event Attributes

HTML5 Language Codes

HTML5 Character Entities

HTTP Status Codes

HTML5 Color Picker

HTML5 Tags/Elements



The following section contains a list of HTML5 elements along with a brief description.

HTML5 Tags



The following section contains a complete list of standard tags belonging to the latest HTML5 and XHTML 1.1 specifications. All the tags are grouped into categories.

Structural Tags

| Tag | Description |
|----------------------------|--|
| <a>> | Defines a hyperlink. |
| <article>♥</article> | Defines an article. |
| <aside>⊎</aside> | Defines some content loosely related to the page content. |
| <body></body> | Defines the document's body. |
| | Produces a single line break. |
| <details>⊌</details> | Represents a widget from which the user can obtain additional information or controls on-demand. |
| <div></div> | Specifies a division or a section in a document. |
| <head></head> | Defines the head portion of the document that contains information about the document. |
| <header></header> | Represents the header of a document or a section. |
| <hgroup> ₹</hgroup> | Defines a group of headings. |
| <h1> to <h6></h6></h1> | Defines HTML headings. |
| <hr/> | Produce a horizontal line. |
| <html></html> | Defines the root of an HTML document. |
| <footer></footer> | Represents the footer of a document or a section. |
| <main> ु</main> | Represents the main or dominant content of the document. |
| <nav></nav> | Defines a section of navigation links. |
| < | Defines a paragraph. |
| <section></section> | Defines a section of a document, such as header, footer etc. |
| | Defines an inline styleless section in a document. |
| <summary> €</summary> | Defines a summary for the <details> element.</details> |

Metadata Tags

| Tag | Description |
|----------------|---|
| <base/> | Defines the base URL for all relative URLs in a document. |
| <base/> | Obsolete Specifies the base font for a page. Use CSS instead. |
| k> | Defines the relationship between the current document and an external resource. |

| <meta/> | Provides structured metadata about the document content. |
|--|--|
| <style></th><th>Inserts style information (commonly CSS) into the head of a document.</th></tr><tr><th><title></th><th>Defines a title for the document.</th></tr></tbody></table></style> | |

Form Tags

| Tag | Description |
|--|--|
| <button></button> | Creates a clickable button. |
| <datalist>⊌</datalist> | Represents a set of pre-defined options for an <input/> element. |
| <dialog>७</dialog> | Defines a dialog box or subwindow. |
| <fieldset></fieldset> | Specifies a set of related form fields. |
| <form></form> | Defines an HTML form for user input. |
| <input/> | Defines an input control. |
| <keygen/> 😈 | Represents a control for generating a public-private key pair. |
| <label></label> | Defines a label for an <input/> control. |
| <legend></legend> | Defines a caption for a <fieldset> element.</fieldset> |
| <meter> 5</meter> | Represents a scalar measurement within a known range. |
| <optgroup></optgroup> | Defines a group of related options in a selection list. |
| <option></option> | Defines an option in a selection list. |
| <select></select> | Defines a selection list within a form. |
| <textarea></td><td>Defines a multi-line text input control (text area).</td></tr></tbody></table></textarea> | |

Formatting Tags

| Tag | Description |
|---------------------------|--|
| <abbr></abbr> | Defines an abbreviated form of a longer word or phrase. |
| <acronym></acronym> | Obsolete Defines an acronym. Use <abbr> instead.</abbr> |
| <address></address> | Specifies the author's contact information. |
| | Displays text in a bold style. |
| <bdi>⊎</bdi> | Represents text that is isolated from its surrounding for the purposes of bidirectional text formatting. |
| <bdo></bdo> | Overrides the current text direction. |
| | Obsolete Displays text in a large size. Use CSS instead. |
| <blookquote></blookquote> | Represents a section that is quoted from another source. |
| <center></center> | Obsolete Align contents in the center. Use CSS instead. |
| <cite></cite> | Indicates a citation or reference to another source. |
| <code></code> | Specifies text as computer code. |
| <data> 😈</data> | Links a piece of content with a machine-readable translation. |
| | Represents text that has been deleted from the document. |
| <dfn></dfn> | Specifies a definition. |
| | Defines emphasized text. |
| | Obsolete Defines font, color, and size for text. Use CSS instead. |
| <i>></i> | Displays text in an italic style. |

| <ins></ins> | Defines a block of text that has been inserted into a document. |
|--|---|
| <kbd></kbd> | Specifies text as keyboard input. |
| <mark> 5</mark> | Represents text highlighted for reference purposes. |
| <output> ■</output> | Represents the result of a calculation. |
| <pre></pre> | Defines a block of preformatted text. |
| <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre> | Represents the completion progress of a task. |
| <q></q> | Defines a short inline quotation. |
| <rp>5</rp> | Provides fall-back parenthesis for browsers that that don't support ruby annotations. |
| <rt>5</rt> | Defines the pronunciation of character presented in a ruby annotations. |
| <ruby> ु</ruby> | Represents a ruby annotation. |
| <s></s> | Represents contents that are no longer accurate or no longer relevant. |
| <samp></samp> | Specifies text as sample output from a computer program. |
| <small></small> | Displays text in a smaller size. |
| <strike></strike> | Obsolete Displays text in strikethrough style. Use or <s> instead.</s> |
| | Indicate strongly emphasized text. |
| | Defines subscripted text. |
| | Defines superscripted text. |
| <tt></tt> | Obsolete Displays text in a teletype style. |
| <u>></u> | Displays text with an underline. |
| <var></var> | Defines a variable. |
| <wbr/> <u></u> ✓wbr> ✓wbr | Represents a line break opportunity. |

List Tags

| Tag | Description |
|-----------------------------|---|
| <dd></dd> | Specifies a description, or value for the term ($<$ dt>) in a description list ($<$ dl>). |
| <dir></dir> | Obsolete Defines a directory list. Use |
| <dl></dl> | Defines a description list. |
| <dt></dt> | Defines a term (an item) in a description list. |
| < | Defines a list item. |
| | Defines an ordered list. |
| <menu></menu> | Represents a list of commands. |
| <menuitem/> 5 | Defines a list (or menuitem) of commands that a user can perform. |
| | Defines an unordered list. |

Table Tags

| Description |
|--|
| Defines the caption or title of the table. |
| Defines attribute values for one or more columns in a table. |
| Specifies attributes for multiple columns in a table. |
| Defines a data table. |
| |

| | Groups a set of rows defining the main body of the table data. |
|-----------------|---|
| > | Defines a cell in a table. |
| <tfoot></tfoot> | Groups a set of rows summarizing the columns of the table. |
| <thead></thead> | Groups a set of rows that describes the column labels of a table. |
| | Defines a header cell in a table. |
| | Defines a row of cells in a table. |

Scripting Tags

| Tag | Description |
|---|--|
| <noscript></noscript> | Defines alternative content to display when the browser doesn't support scripting. |
| <script></td><td>Places script in the document for client-side processing.</td></tr><tr><td><template> ▼</td><td>Defines the fragments of HTML that should be hidden when the page is loaded, but can be cloned and inserted in the document by JavaScript.</td></tr></tbody></table></script> | |

Embedded Content Tags

| Tag | Description |
|---------------------------|---|
| <applet></applet> | Obsolete Embeds a Java applet (mini Java applications) on the page. Use <object> instead.</object> |
| <area/> | Defines a specific area within an image map. |
| <audio>⊌</audio> | Embeds a sound, or an audio stream in an HTML document. |
| <canvas> ₹</canvas> | Defines a region in the document, which can be used to draw graphics on the fly via scripting (usually JavaScript). |
| <embed/> | Embeds external application, typically multimedia content like audio or video into an HTML document. |
| <figcaption></figcaption> | Defines a caption or legend for a figure. |
| <figure>⊌</figure> | Represents a figure illustrated as part of the document. |
| <frame/> | Obsolete Defines a single frame within a frameset. |
| <frameset></frameset> | Obsolete Defines a collection of frames or other frameset. |
| <iframe></iframe> | Displays a URL in an inline frame. |
| | Represents an image. |
| <map></map> | Defines a client-side image-map. |
| <noframes></noframes> | Obsolete Defines an alternate content that displays in browsers that do not support frames. |
| <object></object> | Defines an embedded object. |
| <param/> | Defines a parameter for an object or applet element. |
| <picture></picture> | Defines a container for multiple image sources. |
| <source/> 5 | Defines alternative media resources for the media elements like <audio> or <video> .</video></audio> |
| <svg></svg> | Embed SVG (Scalable Vector Graphics) content in an HTML document. |
| <time>⊎</time> | Represents a time and/or date. |
| <track/> ⊎ | Defines text tracks for the media elements like <audio> or <video> .</video></audio> |



Bootstrap Code Snippets

Free ready to use UI design elements, templates and code snippets

Browse Snippets



Is this website helpful to you? Please give us a like, or share your feedback to help us improve. Connect with us on Facebook and Twitter for t

ABOUT US Our Story Contact Us Font Awesome Icon Search Utility Terms of Use Privacy Policy Advertise Bootstrap Button Generator Bootstrap Icon Finder HTML Formatter HTML Color Picker SQL Playground Bootstrap Icon Finder HTML Editor