Job Hazard Analysis Form Project Date Project # Location Activity Hazard Corrective Action Notes Analysis Completed by:

Signature

Name _____

Ladder Inspection Checklist

Before using a ladder must be inspected thoroughly for any damage, defects, suitability and quality. This checklist will help you determine if the ladder is safe to use or not. If you answer "yes" to any of the following, the ladder should be tagged and taken out of service immediately.

Date:		Type/Grade of Ladder		
Inspected By:		Length:		
Location:		Ladder ID:		
Material:	□ Wood	□ Fiberglass □ Aluminum □	Other	-
Inspection	Item		Yes	No
Metal Part broken, loos	s e, dented, rusty, mi	issing		
Side Rails broken, loos	e, dented, rusty, sig	gns of deterioration		
Rungs broken, loos	e, dented, rusty, sig	gns of deterioration		
	orights or Steps ked, splintered, chi	pped, defective, missing or signs of deteriorat	tion	
Anti-Slip F broken, crac		or condition, missing, or signs of deterioration		
		ley or other fittings nworkable, missing or signs of deterioration		
Steps: greasy, slipp	ery, cracks, splittin	g		
	Arms and Stops t, loose, damaged, o	defective, rusty, unworkable or missing		
Rope damaged, w	orn, broken, frayed	l, knotted or missing		
Pail Tray damaged, w	orn, broken, bent, r	rusty, tight, unworkable or missing		
Ladder makeshift re	pairs, signs of dete	rioration, bent, warped, twisted or bowed		
Storage Improperly s	stored			
	ion Marks (CSA))		
Contin	iue Use	Repair Des	troy	

© Public Services Health and Safety Association

Safety Talks

Report Form

Title of Safety Talk				
Cempany		Project	Project	
Talk given by		Date	Date	
		1950		
Crew attending				
1				
:	+			
-	1			
	'			
List other topics discus	sed during the talk			
9				
-				
2				
i .				
Concerns		Response	/fellow-up	
		1		
		1		
4				
51				
pt.		Ţ.		
Signed		Title		
			t form for each talk delimered	

Use this master to make copies. Fill out a report form for each talk delivered.

Retain a copy for company records.

Report Form