

TOTAL PORTFOLIO

\$234,500

4 lots • ~4.95 ac total

MIN BUILD

1,800 sq ft

+ 22×20 2-car garage • No mobile/trailers

FLOOD ZONE

AE • BFE ~24ft

Ground 28-30ft • +4ft free • Still AE (levee non-accredited)

FISHING

2 Private Lakes

Bass / Catfish • 10/day • No license on private

LOT LOCATIONS • INTERACTIVE MAP

Bastrop Bayou Watershed • Angleton Levee Panel 0605K



Use arrow keys to pan map • Interactive

▼
MapLibre

● 1127 Saddle Horn Bend - 1.95 AC

● 750 Wagon Wheel Trl - 1.0 AC

● 336 Wagon Wheel Trl W - 1.0 AC

● Lot 29 Broken Arrow Trl - Bar X Sec 16

⚠️ Why “No Flood Risk” Is Impossible

All 4 lots sit on FEMA FIRM Panel **48039C0605K (eff. 12/30/2020)** mapped **Zone AE** – Special Flood Hazard Area, 1% annual chance. Natural ground is ~28-30 ft NAVD88, ~4 ft above BFE of ~24 ft (Bastrop Bayou West

Trib AD 23.7ft – AE 26.4ft), but **Angleton Levee is non-accredited**, so FEMA still maps AE.

Brazoria County requires 24" above BFE (2 ft freeboard). Finished floor must be ≥ 26 ft NAVD88. Harvey (2017) showed levee overtopping risk; county enforces freeboard regardless of natural elevation.

BFE
24 ft
NAVD88

GROUND
28-30 ft
+4 ft above BFE

FINISH FLOOR REQ
26 ft
BFE +2 ft

QUICK BUILDABILITY

- ✓ **1,800 sq ft min living** + 22×20 garage (440 sq ft) mandatory • ACC Rev 2
- ✓ **Septic for 5BR: 1,250 gal** (1,000 + 250) • Well + septic required, no city sewer
- ✓ **Exterior:** brick / stone / stucco / Hardie only • No trailers, mobile, or metal siding
- ✓ **Fishing:** 2 stocked lakes, pier, ramp, sunrise-sunset, no-wake

Four Lot Cards • 2×2 Feasibility

LARGEST + WATERFRONT

 **AE**

 **Waterfront**

 **Buildable**

\$82,500

\$42,308/acre

1127 Saddle Horn Bnd Lot in 84

 1127 Saddle Horn Bnd Lot in 84, Angleton, TX 77515

1.95 acres

SUBDIVISION / ZONING

Bar X Ranch Sec 2
Single-Family • HOA

FLOOD + BFE

AE • BFE ~24 ft NAVD88

Ground 28-30 ft • +4 ft nat. freeboard • Panel 0605K

 Waterfront • Nearly 2 acres • Bar X Trail → Winchester → Saddle Horn Bend

 **1,800 min**

 **22×20 garage**

 **Septic 1,250gal**

 **Well + Septic req**

 **2 lakes • pier • ramp**

 **ACC approval**

ROAD FRONTAGE

 **AE**

 **Buildable**

\$58,000

\$45,669/acre (adjusted)

750 Wagon Wheel Trl

 750 Wagon Wheel Trl, Angleton, TX 77515

1.0 acre (1.27 AC LoopNet)

SUBDIVISION / ZONING

Bar X Ranch

0140 • HOA

FLOOD + BFE

AE • BFE ~24 ft NAVD88

Ground 28-30 ft • +4 ft nat. freeboard • Panel 0605K

 Flood Zone AE • Zoning 0140 • Interior lot with road frontage

 1,800 min

 22×20 garage

 Septic 1,250gal

 Well + Septic req

 2 lakes • pier • ramp

 ACC approval

CHEAPEST WATERFRONT

 AE

 Waterfront

 Buildable

\$45,000

\$45,000/acre

1.00 acre

336 Wagon Wheel Trl W

 336 Wagon Wheel Trl W, Angleton, TX 77515

SUBDIVISION / ZONING

Lot 167 Acres 1 • Bar X Ranch

Waterfront • Annual \$250

FLOOD + BFE

AE • BFE ~24 ft NAVD88

Ground 28-30 ft • +4 ft nat. freeboard • Panel 0605K

 Cleared waterfront • \$250/yr HOA • \$45k/acre

 1,800 min

 22×20 garage

 Septic 1,250gal

 Well + Septic req

 2 lakes • pier • ramp

 ACC approval

CUL-DE-SAC PRIVACY

 AE

 Buildable

\$49,000

~\$49k/acre

~1.0 acre est.

LOT 29 Broken Arrow Trl

 LOT 29 Broken Arrow Trl Lot 29, Angleton, TX 77515

SUBDIVISION / ZONING

Bar X Ranch Sec 16

Cul-de-sac • HOA true

FLOOD + BFE

AE • BFE ~24 ft NAVD88

Ground 28-30 ft • +4 ft nat. freeboard • Panel 0605K

 Cul-de-sac • Single-family possible use • HOA true • Private & quiet

📞 1,800 min

📄 22×20 garage

💧 Septic 1,250gal

🔗 Well + Septic req

🌿 2 lakes • pier • ramp

🔧 ACC approval

🌊 FLOOD RISK SUMMARY • ZONE AE

Why no lot is “no risk”: Non-accredited Angleton Levee → FEMA must map SFHA even if natural ground is 4ft above BFE. Insurance + elevation cert required.

- **BFE:** ~24 ft NAVD88 (FIS Brazoria County AD 23.7 ft → AE 26.4 ft @ Bastrop Bayou West Trib)
- **Ground:** 28-30 ft natural • Flood depth at BFE = 0 ft (positive freeboard) but AE still applies
- **County Freeboard:** Finished floor min 24" above BFE = **≥26 ft NAVD88** (Brazoria Floodplain Ord)
- **Harvey 2017:** Levee overtopping + sheet flow documented → county raised freeboard to 2 ft
- **Next Step:** Request official BFE letter + LOMA feasibility from 451 N Velasco Suite 210 (979-864-1295)

⚠️ All buildable but must elevate, vent foundation per FEMA TB, flood insurance \$600-\$1,800/yr est. before LOMA.

📄 BUILDABILITY MATRIX • 5BR + GARAGE

Min living	1,800 sq ft (ACC Rev 2)
Garage	2-car 22×20 = 440 sq ft min attached
Septic for 5BR	1,250 gal (TCEQ: 1,000 + 250 for 5th BR)
Drainfield	~600-800 sq ft + 100% reserve
Water / Sewer	Well + septic (no municipal)
Materials	Brick / Stone / Stucco / Hardie only
Prohibited	No trailers / mobile / metal siding

For 5BR you need soil test + OSSF permit. 1.95 AC lot easiest for setback + reserve. Cul-de-sac (Lot 29) best privacy, but all meet 5BR footprint.

On-Site (Bar X Ranch):

- 2 private lakes + pier + boat ramp – bass / channel catfish / gar (stocked)
- FishBrain reports: Largemouth bass, black drum, channel catfish active
- Rules: No wake, sunrise-sunset only, 10 catfish/day limit, no license required on private lakes

Off-Site (5-20 min):


- Bastrop Bayou – 200 ft pier, night fishing allowed, crappie + catfish
- Brazos River access – freshwater + tidal species
- Surfside Beach – 20 min drive – surf fishing, drum, redfish

Best pick for fishing hobby: 1127 Saddle Horn (1.95 AC waterfront) + 336 Wagon Wheel W (cleared waterfront, 1 AC). Both walk-to-lake.

BFE DIAGRAM • NAVD88

Bastrop Bayou West Tributary • AD 23.7 → AE 26.4 → ~24 ft site

Natural Ground Is Above BFE — But AE Still Applies



Elevation Cert Required

Surveyor must certify ground + finished floor. Cost \$450-\$700.


LOMA Possible?

Natural 28-30 ft may qualify for Letter of Map Amendment if lowest adjacent grade > BFE.
~\$500-\$900 + survey.

FEMA REFERENCE • OFFICIAL DIAGRAM

BASE FLOOD ELEVATION — HOUSE LOT DIAGRAM

Texas Coastal Plain • Flood Zone AE • NAVD88 Datum



Bar X Ranch - 4-Lot Feasibility Portfolio

5-Bedroom Build + Fishing Hobby + Flood Risk Analysis • 4 Vacant Lots • Bar X Ranch Sec 2 / Sec 16



What is BFE?

The elevation floodwater is expected to rise to during the 1% annual chance flood event.



Freeboard Requirement = 2 ft

Local code requires finished floor to be 2 ft above the BFE for added protection.



Finished Floor Elevation

Designed at 26 ft NAVD88, which is 2 ft above the 24 ft BFE and complies with code.

Key Points: • Ground elevation = 28 ft NAVD88 (above BFE and freeboard) • BFE = 24 ft NAVD88 (base flood) • Freeboard +2 ft = 26 ft NAVD88 • Finished floor at 26 ft meets requirement for Flood Zone AE

Diagram for educational purposes • Example lot on Texas coastal plain

How to read: FEMA FIS shows cross-section AD = 23.7 ft NAVD88 and AE = 26.4 ft near Bastrop Bayou West Trib. Interpolated site BFE ~24 ft. County requires lowest floor (including basement) to be BFE + 2 ft. Crawlspace vents, flood openings, no habitable below BFE+2.

Sources: FEMA FIRM Panel 48039C0605K eff 12/30/2020, FIS Brazoria County, Brazoria County Floodplain Ordinance



REGULATORY CHECKLIST & COSTS

Brazoria County Permits (451 N Velasco Ste 210)

Floodplain Development Permit

\$150-\$300

Building Permit (1,800 sf + garage)

\$1,200-\$1,800

OSSF Septic Permit 1,250 gal + soil

\$600-\$900 + \$350 soil

Well Permit + install

\$8k-\$12k

Elevation Certificate

\$450-\$700

Bar X ACC Review (Rev 2)

\$250 + 1-2 wks

Total soft + permit before build: ~\$11k-\$17k (well heavy). Add fill if needed to hit 26 ft FF: ~\$15-\$25/cy, est 80-150 cy = \$1,200-\$3,750 for this +4 ft natural site (minimal).

Septic 5BR sizing: Q = 360 gpd (5BR × 90?) per TCEQ – actually 240 gpd base + 120 per extra BR → 600 gpd? Local requires 1,250 gal tank (1,000 + 250). Drainfield ~0.6 gpd/sf.

Phone: 979-864-1295
Floodplain Admin

Address: 451 N Velasco Suite 210, Angleton TX 77515

✉ DRAFT EMAILS • BRAZORIA COUNTY FLOODPLAIN ADMIN

4 tailored templates – copy and send to request official BFE letter for each lot. All share same contact, but each includes lot-specific details.

📄 LOT 1 • 1127 SADDLE HORN BND LOT IN 84

📄 Copy Draft

Subject:

Request for Official BFE Determination – 1127 Saddle Horn Bnd Lot 84, Bar X Ranch Sec 2, Angleton, TX 77515

Body:

To: Brazoria County Floodplain Administration
451 N Velasco St, Suite 210, Angleton, TX 77515
Phone: 979-864-1295

Subject: Request for Official Base Flood Elevation (BFE) Letter – 1127 Saddle Horn Bnd Lot in 84 (1.95 ac, Bar X Ranch Sec 2)

Hello Floodplain Administrator,

I am evaluating a 1.95-acre waterfront vacant lot at 1127 Saddle Horn Bend Lot in 84, Angleton, TX 77515 (Bar X Ranch Section 2, ~Bar X Trail / Winchester / Saddle Horn Bend).

Could you please confirm for this parcel:

📄 LOT 2 • 750 WAGON WHEEL TRL

📄 Copy Draft

Subject:

Request for Official BFE Determination – 750 Wagon Wheel Trl, Angleton, TX 77515 (Zoning 0140)

Body:

To: Brazoria County Floodplain Administration – 451 N Velasco Suite 210, 979-864-1295

Subject: Official BFE for 750 Wagon Wheel Trl, Angleton TX 77515 (1.0 ac, Zoning 0140, LoopNet 1.27 AC)

Hello,

Requesting official BFE letter for 750 Wagon Wheel Trail, Angleton, TX 77515 (Bar X Ranch, noted as Flood Zone AE, Zoning 0140). Lot is listed as 1.0 acre (LoopNet shows 1.27 AC).

Please confirm:

- BFE NAVD88 at this site per Panel 0605K
- Required finished floor elevation (BFE + 2 ft county freeboard)

 LOT 3 • 336 WAGON WHEEL TRL W **Copy Draft****Subject:**

Request for Official BFE – 336 Wagon Wheel Trl W (Lot 167) Waterfront Cleared, \$250 Annual HOA

Body:

Please provide:

1. Official BFE (we estimate ~24 ft NAVD88) and source cross-section for interpolation
2. County floodplain permit checklist for AE lot that is naturally 28-30 ft but still mapped AE (levee non-accredited)
3. Any restrictions for waterfront lots adjacent to Bar X Ranch private lakes (setbacks, fill limits)
4. Septic reserve area requirements for 1,250 gal system on 1 acre

This is our lowest-cost waterfront option (\$45k). Fishing use is key (bass/catfish lakes).

Thank you,
[Your Name]

 LOT 4 • LOT 29 BROKEN ARROW TRL **Copy Draft****Subject:**

Request for Official BFE – LOT 29 Broken Arrow Trl, Bar X Ranch Sec 16 Cul-de-sac

Body:

To: Brazoria County Floodplain Administration
451 N Velasco St Suite 210, Angleton TX 77515 – 979-864-1295

Subject: BFE Letter Request - LOT 29 Broken Arrow Trl Lot 29, Bar X Ranch Sec 16 (cul-de-sac, HOA true)

Hello,

Please provide official BFE determination for LOT 29 Broken Arrow Trail Lot 29, Angleton, TX 77515 (Bar X Ranch Section 16, cul-de-sac, single-family use, HOA true, \$49,000).

We understand FIRM 48039C0605K Zone AE applies (non-accredited levee). Our review: BFE ~24 ft NAVD88. Natural ground 28-30 ft.

Sources: FEMA FIRM Panel 48039C0605K, FIS Brazoria County effective 12/30/2020, Bar X Ranch ACC Rev 2, Brazoria County Building Permits, LoopNet, HAR.com

BFE interpolation: Bastrop Bayou West Tributary AD 23.7 ft → AE 26.4 ft. Site BFE ~24 ft NAVD88. Ground ~28-30 ft natural per county LIDAR. Angleton Levee non-accredited → AE despite +4 ft freeboard. Freeboard 2 ft required per county ordinance.

Fishing rules: Bar X Ranch HOA docs, FishBrain data. Septic per TCEQ OSSF 30 TAC 285.

County Floodplain [↗](#)

Generated • Print-Ready • Teal/Amber/Green/Blue