

Mohsin Chowdhury

3731 Bright Aquarius Lane
Henderson, Nevada 89052
(702) 582-5724
mms221@gmail.com

13 September 2026

Our ref: BFE/183667
Parcel 1 of 4

Joe K. Ripple, Floodplain Administrator

Floodplain & 911 Administration
Brazoria County
451 North Velasco, Suite 210
Courthouse West Annex, 2nd floor · Angleton, Texas 77515
Direct (979) 864-1272 · department (979) 864-1295 / (281) 756-1295

Request for a written Base Flood Elevation determination
1127 Saddle Horn Bend — PID 183667 — 1.95 acres of record, Bar-X Ranch #2

Dear Floodplain Administrator,

I am evaluating the vacant parcel identified below for the construction of a single-family residence, and I should be grateful for a written determination of the base flood elevation that applies to it, together with confirmation of the points listed overleaf. I am not yet under contract; the purpose of this request is to establish the regulatory position before committing to a purchase or to a design.

THE PARCEL

Marketed as	1127 Saddle Horn Bend, Angleton, Texas 77515
Situs of record	1127 SADDLE HORN BEND
Account / PID	183667 · GEO ID 1534-0084-000
Legal description	BAR X RANCH SEC 2 (A0038 J B BAILEY) BLK 1 LOT 84 ACRES 1.95
Acreage of record	1.95 acres
Subdivision and plat	Bar-X Ranch #2 · plat 16/119 (17 Sep 1980)
Deed reference	2008-031507
Approximate centroid	29.141219, -95.559141

OUR PRESENT UNDERSTANDING, FOR CORRECTION

FEMA zone	Zone AE, special flood hazard area
FIRM panel	48039C0420K, effective 30 December 2020
Nearest published BFE	28.0 ft NAVD88, the line lying about 1,594 ft from the parcel

Natural ground	about 24.2 to 26.8 ft NAVD88 across the parcel, averaging 25.0 ft, from county LiDAR and the USGS 1 m elevation model
Nearest water	unnamed water body, about 38 ft; Mill Bayou, about 112 ft
Assumed finished floor	30.0 ft NAVD88, being the published BFE plus 24 inches of freeboard

On that basis the parcel appears to need an engineered pad lifting the building area by approximately 4.2 ft to reach a compliant finished floor. That figure is derived from remote sensing rather than survey, which is one reason I am asking the county to state the governing elevation in writing.

POINTS ON WHICH I REQUEST CONFIRMATION

1. **Written base flood elevation.** The base flood elevation the county applies to this parcel, in feet NAVD88, and the source used to derive it — the Flood Insurance Study profile and cross-section, or the published BFE line, with the method of interpolation if one is used.
2. **Regulatory floodway.** Whether any part of the parcel lies within the regulatory floodway as opposed to the flood fringe.
3. **Minimum finished-floor elevation.** Confirmation of the minimum finished-floor elevation the county will require. Our understanding is the base flood elevation plus 24 inches of freeboard, being a single requirement of 24 inches rather than 24 inches in addition to a further two feet. Please correct that if it is wrong, and state any additional local standard that applies.
4. **Levee status relied upon.** The accreditation status of the Angleton Levee as relied upon in the current mapping, and whether any Letter of Map Revision, physical map revision or preliminary FIRM is pending that would change the zone or the base flood elevation for this parcel.
5. **Fill, no-rise and drainage.** Whether raising a building pad on this parcel requires a no-rise certification, compensatory storage, or a drainage review, and confirmation that a Fill and Grading permit is required in addition to the development permit.
6. **Map amendment on natural grade.** Whether the county considers this parcel a candidate for a Letter of Map Amendment on natural grade, and confirmation that placing fill under the structure would instead require a Letter of Map Revision based on fill.
7. **Permit route and fees.** Confirmation that a single combined Development and Building Permit applies, the fee basis for a single-family residence in a flood zone, and that all contractors must hold county IRC registration before the permit issues.
8. **Elevation certificate.** At what stage an elevation certificate is required, and the form the county accepts.
9. **Jurisdiction.** Confirmation that this parcel is in unincorporated Brazoria County and not within the city limits or extraterritorial jurisdiction of Angleton, so that the county is the permitting authority.
10. **Substantial-damage and repetitive-loss history.** Any record the county holds of flooding, substantial damage or repetitive loss affecting this parcel or its immediate street.

11. **Governing watercourse.** Mill Bayou lies about 112 ft from this parcel and an unnamed water body about 38 ft from it, while the nearest published BFE line sits roughly 1,594 ft away — the greatest separation of the four parcels. Please confirm which flooding source governs here, and whether the BFE for this parcel is taken from the Mill Bayou profile or interpolated from a more distant section.

12. **Water-body setback and fill limits.** Please confirm any county setback, fill restriction or easement applying to the portion of the parcel adjoining the water, and whether fill is permitted within it.

If any of the figures above is wrong, I would be glad to be corrected — establishing the right numbers now is the object of the exercise. If a fee or a formal application is required for a written determination, please tell me the amount and the form to use and I will submit it promptly.

I am writing from out of state, so a reply by e-mail to **mms221@gmail.com** would be most helpful, and I am reachable on (702) 582-5724 during Pacific business hours. I am glad to telephone the office if that is easier than writing.

Thank you for your assistance.

Yours faithfully,

Mohsin Chowdhury

This is one of five parcels I am evaluating in Bar X Ranch. A combined request covering all five is available if the office would prefer to answer them together.

Parcel figures are drawn from the Brazoria County Appraisal District record, the county public GIS services and the USGS 3DEP elevation model, as compiled in the four-lot feasibility portfolio v4.0. They are stated for correction, not as assertions of fact.