Lot 442 · Waters Edge Dr

Corsicana, TX 75109 · MLS NTREIS 20810887 · APN Navarro CAD 64391 · Owner of record: Guerrero, Justin Ray & Rogas, Jennifer Marie

$94,900

0.56 ac · $170,072/ac · 0.62× CAD land value ($152,885)
Homes.com: $125,000 (7 Jan 2025) → $110,000 → $94,900 (12 Mar 2026)

7.2/10
#1 of 20
Strong hold






LISTING
RE/MAX LakeSide Dreams (John & Julie Teel, 903-874-0003)
On market: ≈665 days (Homes.com)
HOA: $1,255/yr
Tax: est. $2,140/yr

Photos: LakeHouse.com (NTREIS) · outlines drawn by the listing agent · large...








Downtown Dallas	71 mi · 1 h 25
DFW Intl Airport	92 mi · 1 h 51
Navarro Regional Hospital (ER)	20 mi · 33 min
H-E-B / Walmart, Corsicana	17 mi · 28 min
Patel Bros. / DFW temple, Irving	84 mi · 1 h 39

Lot line · Building envelope (assumed setbacks) · 5-BR footprint 64×46 ft · Drip-field area · Section A–A' · ▲ ▼ high/low · blue arrow = drainage (W) · TRWD 320-ft line

ROAD-TO-LAKE CROSS-SECTION A–A'


A = Waters Edge Dr centerline → A' = Canal → Richland-Chambers
Lot length on section 220 ft · relief 17.6 ft · avg grade 8.0% (4.6°) · steepest 50-ft run 32.9% (18.2°) · lake-side bank: +16.5 ft in first 50 ft from water = 18.3° (33%)

upper panel ≈ true scale (slope steep enough to read unexaggerated)



3D TERRAIN

vertical ×2 · view from SW→NE · orange = lot, block = 5-BR home



Surface drains toward W (278°)

KEY MEASUREMENTS

Lot size	0.558 ac listed · GIS 0.558 ac (24,318 sf)	D G
Dimensions	≈221 × 157 ft (bounding) · perimeter 667 ft	G
Lowest ground	312.6 ft (water line)	G
Highest ground	331.2 ft	G
Elevation difference	18.6 ft · mean 329.2 ft	G
Average slope	7.1% (4.1°) · section 8.0%	G
Max slope, any 50 ft	33.6% (18.6°)	G
Elev. vs lake	Pad ≈330 ft = +15 ft vs normal pool 315; lot min -2.4 ft	G
FEMA zone	X · panel 48349C0625D (eff. 5 Jun 2012)	D
BFE	None published. TRWD 100-yr flood elevation 318.0 ft; flood pool 320.0 ft	D
Min. finished floor	318.0 + 2.0 freeboard = **320.0 ft** min · pad 330 ft ✓	G V

Fill required?	No — pad is above all flood references; no fill below 320 ft without TRWD/county OK	G V
Sewer	None — OSSF (aerobic + drip; TRWD permit)	D
Water	M.E.N. WSC (co-op)	D
Electricity	Underground (Navarro County EC)	D V
Gas	No natural gas; propane	V
Internet	Fixed wireless / 5G / Starlink — verify	D V
Septic required?	Yes — aerobic + drip (TRWD bans new spray within 2,000 ft of 320-ft pool)	D
Soil	CrB Crockett fine sandy loam 1 to 3% slopes (100%)	G
HOA / fee	$1,255/yr (listing)	D
Zoning	Navarro Co. Richland-Chambers Lakeshore Zoning (5,000-ft zone): district A / SF-1–3 / PD per county map; building permit $0.50/sf; no building below 320 ft without SUP	D V
Dock possible?	Feasible: 60 ft × 8 sf/ft ≈ 480 sf TRWD-permitted dock; existing bulkhead simplifies	D V

Lake depth	Lake max 75 ft, mean ≈27 ft; canal depth not surveyed	D V
Boating	Direct canal access; lake 70 ft deep at deepest (listing)	D
Fishing	Excellent crappie, white/hybrid striped bass, catfish (TPWD)	D
Hobby farming	County zoning allows farm animals only in the A district (≥3 ac); not possible here	V
In-law suite	County zoning allows an ADU ≤40% of the main home; CC&Rs decide	V
STR	County lakeshore zoning has no STR permit; B&B rules need a resident host — county to confirm; CC&Rs govern	V
Nearest hospital	Navarro Regional Hospital: 20 mi · 33 min	G
Nearest intl airport	DFW International: 92 mi · 1 h 51	G
Corners (lat, lon)	1: 31.99486, -96.23928 · 2: 31.99511, -96.23993 · 3: 31.99526, -96.23985 · 4: 31.99528, -96.23912 · 5: 31.99510, -96.23916	G

TERRAIN & FLOOD

Flat pad + steep canal bank. Section A–A': 8.0% average (4.6°), steepest 50-ft run 32.9%. Lake-side bank: water 312.6 ft → +16.5 ft in the first 50 ft = **18.3°** (33%). Road-to-water ≈246 ft. Grading: Minimal; bulkhead exists. G

FEMA Zone X (minimal hazard); no BFE published. TRWD (ft msl): pool 315 · 100-yr 318 · flood pool 320. Lake 312.33 ft on 25 Oct 2026; 303.6–317.0 since 2000. First Street: check riskfactor.com. D V

SOIL & FOUNDATION

Fine sandy loam topsoil 10–25 cm over dense clay subsoil (41–46% clay) to >1.8 m. Moderately well drained; HSG C/D; slow permeability in clay. Clay subsoil: very high shrink-swell (LEP 7.5–9%) — NRCS "very limited" for dwellings. Restrictive layer: densic shale ≈135 cm (Crockett). No water table within 2 m (NRCS). G **Foundation:** post-tensioned slab to the geotech PVR (or pier-and-beam); no basement. V

SEPTIC (OSSF) & WELL

Clay subsoil (TCEQ Class IV): trenches unsuitable → aerobic + subsurface drip. 5 BR = 360 gpd ÷ 0.1 gpd/sf ≈ **3,600 sf** field; ≈8,875 sf usable after setbacks (75 ft from water) → supports **5–6 bedrooms. Under 1 ac: TRWD needs ≥1 ac if platted after 8 Apr 2011, and Navarro Co. sets 1 ac on Class IV clay (variance possible) — confirm.** G V

Well: Not needed (co-op water). If drilled: nearby shallow Midway/Wilcox wells (16–56 ft) are poor; Wilcox domestic/public wells run 160–252 ft — target ≈200–300 ft, cased and grouted, test iron/TDS. D

GARDEN

Raised beds 12–18 in with compost and mulch over the sticky alkaline clay; drip irrigation; lime only if a test shows pH < 6.0. Zone 8b; plant table on page 45. G

SCORE AS LAND TO HOLD

Price vs value 20%	8.2
Water access 20%	8.5
Buildability 20%	6.0
Location & access 15%	7.9
Holding cost 10%	2.8
Resale demand 15%	8.0

County-value check. The 7.2 (#1) uses the published county value: $274K/ac, 2.2× the $123K/ac median of lots 440, 441, 443, 445 and 446. At their level (≈$68.7K; price 1.38× value) and the listing's $1,528 tax the score is **6.1** (≈#12–13 of 20); pages keep the published order. County record not read (site blocks automated access). V

STRENGTHS

- Strong water lot: 60 ft of wide-canal frontage already protected by a steel retaining wall D
- Asking 0.62× CAD land value ($152,885), but see the county-value check above; nearest canal comp sold for $120–140K (Lot 485, Mar 2025) D
- Flat 330-ft building pad, 10 ft above the TRWD 320-ft line; FEMA Zone X G
- TRWD formula allows ≈480 sf of dock (8 sf per ft of shoreline) D

RISKS & LIMITS

- 0.56 ac: same TRWD 1-acre OSSF plat-date question as the other canal lots V
- Bank drops 16.5 ft in 50 ft (18°) to the canal; bulkhead age/condition unknown V
- High holding cost (≈$3,400/yr) rests on the $153K county value; ≈$1,530 tax at neighbours' level V
- FEMA Zone A begins ≈20 ft away along the canal D
- Minimum home size 1,800–2,200 sf plus architectural review D

CAN THE LOT TAKE IT?

- ✓ **Main house** 2-story 5-BR fits
- ✓ **Garage** 2–3 car attached
- △ **Garden** Raised beds; little space
- ✓ **Dock** Bulkhead in place; ≈480 sf
- △ **STR** Zoning + CC&Rs decide
- △ **In-law suite** County ≤40% rule; tight on 0.5 ac
- △ **Septic** TRWD plat-date check; drip only
- ✗ **Hobby farm** A-district use only
- ✓ **Boat access** Direct canal → lake
- △ **Pool / patio** Competes with drip field

5-BEDROOM HOME · PLANNING ESTIMATE

Heated 3,000 sf × $185 (5 BR / 4 BA, site-built)	$555,000
Garage + porches 1,100 sf × $65	$71,500
Engineered slab for expansive clay	$22,500
Aerobic OSSF + drip field (360 gpd)	$26,000
WSC membership, tap & meter	$5,000
Electric service	$5,000
Site work, driveway, clearing	$25,000
Design, survey, permits, TRWD/HOA	$20,000
Total, excl. lot (range $620,000–$876,000)	**$730,000**
Optional: dock / boathouse (TRWD permit)	$35–60K

All-in with lot ≈ **$825,000** · 2026 rural Texas custom rates, ±15–20%; size exceeds HOA minimums.

GET BEFORE BUYING

- Bulkhead permit + condition report
- TRWD dock pre-review (≈480 sf)
- 2025–26 tax bill

+ standard list on page 47

Lot 442 · Waters Edge Dr

Corsicana, TX 75109 · MLS NTREIS 20810887 · APN Navarro CAD 64391

$94,900

0.56 ac · $170,072/ac · 0.62× CAD land value ($152,885)

7.2/10
#1 of 20
Strong hold



AERIAL VIEW Esri World Imagery ≈0.3 m · lot in orange, neighbours in white



TITLE PICTURE Listing photo · LakeHouse.com (NTREIS)



3D FLY-AROUND · CANAL SIDE USGS lidar at true 1:1 + aerial imagery · lot in orange



3D FLY-AROUND · WATER SIDE Same model, looking back toward the road



LISTING PHOTO · SURROUNDINGS LakeHouse.com (NTREIS) · outlines, if drawn, are the agent's



LISTING PHOTO · SURROUNDINGS LakeHouse.com (NTREIS) · outlines, if drawn, are the agent's

Surroundings. Gated; infinity pool, clubhouse + gym, stocked pond w/ pier, marina slips, ramp. 60 ft canal frontage with steel retaining wall; 160 ft road frontage. Canal waterfront + bulkhead · ground 313–331 ft.

About the fly-around views. realtor.com's "Fly Around" plays only inside its listing page and cannot be exported or captured from this workspace. The "3D fly-around" frames are an equivalent built from USGS 1 m lidar and Esri imagery, with the county lot line draped on true-scale terrain. Send your own Fly Around screenshots and they can replace or join these tiles. Photos come from the listing websites named under each picture. Listing: lakehouse.com

Lot 411 · Sailboat Dr

Corsicana, TX 75109 · MLS NTREIS 21334950 · APN Navarro CAD 64288 · Owner of record: Randell, Tawney

$65,000

0.50 ac · $130,000/ac · 0.73× CAD land value ($88,645)
Listed $65,000 on 17 Jul 2026; no price changes

6.8/10
#2 of 20
Reasonable hold






LISTING
eXp Realty (Leslie Melton, 903-875-5504)
On market: ≈100 days
HOA: $1,000/yr listed
Tax: $1,029 (listing)

Photos: Coldwell Banker / LandSearch (NTREIS) · outlines drawn by the listin...





TEXAS LOCATION




Downtown Dallas	71 mi · 1 h 23
DFW Intl Airport	92 mi · 1 h 49
Navarro Regional Hospital (ER)	19 mi · 31 min
H-E-B / Walmart, Corsicana	16 mi · 27 min
Patel Bros. / DFW temple, Irving	83 mi · 1 h 38


Lot line · Building envelope (assumed setbacks) · 5-BR footprint 64×46 ft · Drip-field area · Section A–A' · ▲ ▼ high/low · blue arrow = drainage (E) · TRWD 320-ft line

ROAD-TO-LAKE CROSS-SECTION A–A'
A = Sailboat Dr centerline → A' = Canal → Richland-Chambers
Lot length on section 216 ft · relief 15.2 ft · avg grade 6.6% (3.8°) · steepest 50-ft run 22.9% (12.9°) · lake-side bank: +18.7 ft in first 50 ft from water = 20.5° (37%)

upper panel ≈ true scale (slope steep enough to read unexaggerated)



3D TERRAIN
vertical ×2 · view from SW→NE · orange = lot, block = 5-BR home



Surface drains toward E (00°)

KEY MEASUREMENTS

Lot size	0.500 ac listed · GIS 0.489 ac (21,314 sf)	D G
Dimensions	≈217 × 102 ft (bounding) · perimeter 630 ft	G
Lowest ground	320.8 ft	G
Highest ground	336.4 ft	G
Elevation difference	15.7 ft · mean 333.3 ft	G
Average slope	7.6% (4.4°) · section 6.6%	G
Max slope, any 50 ft	24.6% (13.8°) inside lot; bank below lot line is steeper	G
Elev. vs lake	Pad ≈335 ft = +20 ft vs normal pool 315; lot min +5.8 ft	G
FEMA zone	X · panel 48349C0625D (eff. 5 Jun 2012)	D
BFE	None published. TRWD 100-yr flood elevation 318.0 ft; flood pool 320.0 ft	D
Min. finished floor	318.0 + 2.0 freeboard = **320.0 ft** min · pad 335 ft ✓	G V

Fill required?	No — pad is above all flood references; no fill below 320 ft without TRWD/county OK	G V
Sewer	None — OSSF (aerobic + drip; TRWD permit)	D
Water	M.E.N. WSC (co-op) — available	D
Electricity	Available, underground (Navarro County EC)	D V
Gas	No natural gas; propane	V
Internet	Fixed wireless / 5G / Starlink; community advertises high-speed — verify fiber	D V
Septic required?	Yes — aerobic + drip (TRWD bans new spray within 2,000 ft of 320-ft pool)	D
Soil	CrB Crockett fine sandy loam 1 to 3% slopes (100%)	G
HOA / fee	$1,000/yr listed ($83/mo); Shores waterfront dues reported $1,225–1,255	D
Zoning	Navarro Co. Richland-Chambers Lakeshore Zoning (5,000-ft zone): district A / SF-1–3 / PD per county map; building permit $0.50/sf; no building below 320 ft without SUP	D V
Dock possible?	Feasible with TRWD Residential Improvement Permit: ≤8 sf per ft of owned shoreline; deck ≥18 in above flood-flowage line	D V

Lake depth	Lake max 75 ft, mean ≈27 ft; canal depth not surveyed	D V
Boating	Direct canal access to 41,356-ac lake; all boat types; community ramp + marina	D
Fishing	Excellent crappie, white/hybrid striped bass, catfish (TPWD)	D
Hobby farming	County zoning allows farm animals only in the A district (≥3 ac); not possible here	V
In-law suite	County zoning allows an ADU ≤40% of the main home in an accessory building; HOA must also allow	V
STR	County lakeshore zoning has no STR permit; B&B rules need a resident host — county to confirm; CC&Rs govern	V
Nearest hospital	Navarro Regional Hospital: 19 mi · 31 min	G
Nearest intl airport	DFW International: 92 mi · 1 h 49	G
Corners (lat, lon)	1: 31.99397, -96.23098 · 2: 31.99371, -96.23101 · 3: 31.99375, -96.23170 · 4: 31.99403, -96.23168	G

TERRAIN & FLOOD

Flat pad + steep canal bank. Section A–A': 6.6% average (3.8°), steepest 50-ft run 22.9%. Lake-side bank: water 312.6 ft → +18.7 ft in the first 50 ft = **20.5°** (37%). Road-to-water ≈253 ft. Grading: Minimal on pad; retaining/stairs at bank. G

FEMA Zone X (minimal hazard); no BFE published. TRWD (ft msl): pool 315 · 100-yr 318 · flood pool 320. Lake 312.33 ft on 25 Oct 2026; 303.6–317.0 since 2000. First Street: check riskfactor.com. D V

SOIL & FOUNDATION

Fine sandy loam topsoil 10–25 cm over dense clay subsoil (41–46% clay) to >1.8 m. Moderately well drained; HSG C/D; slow permeability in clay. Clay subsoil: very high shrink-swell (LEP 7.5–9%) — NRCS "very limited" for dwellings. Restrictive layer: densic shale ≈135 cm (Crockett). No water table within 2 m (NRCS). G **Foundation:** post-tensioned slab to the geotech PVR (or pier-and-beam); no basement. V

SEPTIC (OSSF) & WELL

Clay subsoil (TCEQ Class IV): trenches unsuitable → aerobic + subsurface drip. 5 BR = 360 gpd ÷ 0.1 gpd/sf ≈ **3,600 sf** field; ≈7,008 sf usable after setbacks (75 ft from water) → supports **5–6 bedrooms**. **Under 1 ac: TRWD needs ≥1 ac if platted after 8 Apr 2011, and Navarro Co. sets 1 ac on Class IV clay (variance possible) — confirm.** G V

Well: Not needed (co-op water). If drilled: nearby shallow Midway/Wilcox wells (16–56 ft) are poor; Wilcox domestic/public wells run 160–252 ft — target ≈200–300 ft, cased and grouted, test iron/TDS. D

GARDEN

Raised beds 12–18 in with compost and mulch over the sticky alkaline clay; drip irrigation; lime only if a test shows pH < 6.0. Zone 8b; plant table on page 45. G

SCORE AS LAND TO HOLD

Price vs value 20%		7.3
Water access 20%		7.0
Buildability 20%		5.5
Location & access 15%		8.1
Holding cost 10%		6.2
Resale demand 15%		7.0

STRENGTHS

- Canal waterfront inside the gated Shores community at 0.73× CAD land value ($88,645) D
- Flat front pad at ≈335 ft, 15 ft above the TRWD 320-ft flood-pool line; FEMA Zone X G
- Co-op water and underground power at the road; pool, gym, ramp and marina in the community D
- 71 mi / 1 h 23 to downtown Dallas; 19 mi to the Navarro Regional ER G

RISKS & LIMITS

- 0.49 ac is below TRWD's 1-acre OSSF minimum for lots platted after 8 Apr 2011: confirm plat date first V
- Steep canal bank: +18.7 ft in the first 50 ft from water (20.5°) — stairs or a wall for dock access G
- Narrow canal-head frontage; canal depth at low lake levels (309–317 ft since 2015) unknown V
- HOA dues conflict in listing ($1,000 vs $1,225–1,255 reported for waterfront) D
- Crockett clay subsoil: very high shrink-swell (LEP ≈9%) → engineered slab G

CAN THE LOT TAKE IT?

- ✓ **Main house** 2-story 5-BR fits
- ✓ **Garage** 2–3 car attached
- △ **Garden** Raised beds; little space
- △ **Dock** TRWD permit; 20° bank
- △ **STR** Zoning + CC&Rs decide
- △ **In-law suite** County ≤40% rule; tight on 0.5 ac
- △ **Septic** TRWD plat-date check; drip only
- ✗ **Hobby farm** A-district use only
- ✓ **Boat access** Direct canal → lake
- △ **Pool / patio** Competes with drip field

5-BEDROOM HOME · PLANNING ESTIMATE

Heated 3,000 sf × $185 (5 BR / 4 BA, site-built)	$555,000
Garage + porches 1,100 sf × $65	$71,500
Engineered slab for expansive clay	$22,500
Aerobic OSSF + drip field (360 gpd)	$26,000
WSC membership, tap & meter	$5,000
Electric service	$5,000
Site work, driveway	$15,000
Design, survey, permits, TRWD/HOA	$20,000
Total, excl. lot (range $612,000–$864,000)	**$720,000**
Optional: dock / boathouse (TRWD permit)	$35–60K

All-in with lot ≈ **$785,000** · 2026 rural Texas custom rates, ±15–20%; size exceeds HOA minimums.

GET BEFORE BUYING

- TRWD shoreline/dock pre-review
- Canal depth soundings at low pool
- HOA dues statement ($1,000 vs $1,255)

+ standard list on page 47


Lot 411 · Sailboat Dr

Corsicana, TX 75109 · MLS NTREIS 21334950 · APN Navarro CAD 64288

$65,000

0.50 ac · $130,000/ac · 0.73× CAD land value ($88,645)

6.8/10
#2 of 20
Reasonable hold



AERIAL VIEW Esri World Imagery ≈0.3 m · lot in orange, neighbours in white



TITLE PICTURE Listing photo · Coldwell Banker / LandSearch (NTREIS)



3D FLY-AROUND · CANAL SIDE USGS lidar at true 1:1 + aerial imagery · lot in orange



3D FLY-AROUND · WATER SIDE Same model, looking back toward the road



LISTING PHOTO · SURROUNDINGS Coldwell Banker / LandSearch (NTREIS) · outlines, if drawn, are the agent's



LISTING PHOTO · SURROUNDINGS Coldwell Banker / LandSearch (NTREIS) · outlines, if drawn, are the agent's

Surroundings. Gated; pool, clubhouse, gym, stocked pond, boat ramp, marina slips. Canal-head waterfront (canal to Richland-Chambers). Canal waterfront · ground 321–336 ft.

About the fly-around views. realtor.com's "Fly Around" plays only inside its listing page and cannot be exported or captured from this workspace. The "3D fly-around" frames are an equivalent built from USGS 1 m lidar and Esri imagery, with the county lot line draped on true-scale terrain. Send your own Fly Around screenshots and they can replace or join these tiles. Photos come from the listing websites named under each picture. Listing: coldwellbankerhomes.com

Lot 441 · Waters Edge Dr

Corsicana, TX 75109 · MLS NTREIS 21407991 · APN Navarro CAD 64390 · Owner of record: Salas, Lucia

$105,000

0.53 ac · $197,740/ac · 1.57× CAD land value ($66,753)
Active listing (2026); no history published


5.9/10
#15 of 20
Marginal hold






LISTING
Ebby Halliday (Annette Goolsby, 903-499-9909)
On market: n/a
HOA: $1,255/yr
Tax: $1,206 (listing)

Photos: RealEstateStation (NTREIS) · outlines drawn by the listing agent · lar...





TEXAS LOCATION




Downtown Dallas	71 mi · 1 h 25
DFW Intl Airport	92 mi · 1 h 51
Navarro Regional Hospital (ER)	20 mi · 33 min
H-E-B / Walmart, Corsicana	17 mi · 28 min
Patel Bros. / DFW temple, Irving	84 mi · 1 h 40


Lot line · Building envelope (assumed setbacks) · 5-BR footprint 64×46 ft · Drip-field area · Section A–A' · ▲ ▼ high/low · blue arrow = drainage (WNW) · TRWD 320-ft line

ROAD-TO-LAKE CROSS-SECTION A–A'
A = Waters Edge Dr centerline → A' = Canal → Richland-Chambers
Lot length on section 221 ft · relief 17.7 ft · avg grade 7.8% (4.4°) · steepest 50-ft run 30.3% (16.9°) · lake-side bank: +15.2 ft in first 50 ft from water = 16.9° (30%)

upper panel: vertical exaggeration ×1.5



3D TERRAIN
vertical ×2 · view from SW→NE · orange = lot, block = 5-BR home



Surface drains toward WNW (202°)

KEY MEASUREMENTS

Lot size	0.531 ac listed · GIS 0.539 ac (23,500 sf)	D G
Dimensions	≈229 × 105 ft (bounding) · perimeter 661 ft	G
Lowest ground	312.6 ft (water line)	G
Highest ground	330.6 ft	G
Elevation difference	18.1 ft · mean 327.4 ft	G
Average slope	9.7% (5.6°) · section 7.8%	G
Max slope, any 50 ft	32.5% (18.0°)	G
Elev. vs lake	Pad ≈329 ft = +14 ft vs normal pool 315; lot min -2.4 ft	G
FEMA zone	X (89%), A (11%) · panel 48349C0625D (eff. 5 Jun 2012)	D
BFE	None published. TRWD 100-yr flood elevation 318.0 ft; flood pool 320.0 ft	D
Min. finished floor	318.0 + 2.0 freeboard = **320.0 ft** min · pad 329 ft ✓	G V

Fill required?	No — pad is above all flood references; no fill below 320 ft without TRWD/county OK	G V
Sewer	Not available — OSSF	D
Water	Public (co-op) water available — M.E.N. WSC	D
Electricity	Available, underground (Navarro County EC)	D V
Gas	No natural gas; propane	V
Internet	Fixed wireless / 5G / Starlink — verify	D V
Septic required?	Yes — aerobic + drip (TRWD bans new spray within 2,000 ft of 320-ft pool)	D
Soil	CrB Crockett fine sandy loam 1 to 3% slopes (100%)	G
HOA / fee	$1,255/yr (listing)	D
Zoning	Navarro Co. Richland-Chambers Lakeshore Zoning (5,000-ft zone): district A / SF-1–3 / PD per county map; building permit $0.50/sf; no building below 320 ft without SUP	D V
Dock possible?	Feasible with TRWD permit (≈8 sf per ft of shoreline); listing tags a steel retaining wall — extent and condition not documented	D V

Lake depth	Lake max 75 ft, mean ≈27 ft; canal depth not surveyed	D V
Boating	Direct canal access to main lake	D
Fishing	Excellent crappie, white/hybrid bass, catfish	D
Hobby farming	County zoning allows farm animals only in the A district (≥3 ac); not possible here	V
In-law suite	County zoning allows an ADU ≤40% of the main home; CC&Rs decide	V
STR	County lakeshore zoning has no STR permit; B&B rules need a resident host — county to confirm; CC&Rs govern	V
Nearest hospital	Navarro Regional Hospital: 20 mi · 33 min	G
Nearest intl airport	DFW International: 92 mi · 1 h 51	G
Corners (lat, lon)	1: 31.99486, -96.23928 · 2: 31.99459, -96.23939 · 3: 31.99485, -96.24007 · 4: 31.99511, -96.23993	G

TERRAIN & FLOOD

Flat pad + steep canal bank. Section A–A': 7.8% average (4.4°), steepest 50-ft run 30.3%. Lake-side bank: water 312.6 ft → +15.2 ft in the first 50 ft = **16.9°** (30%). Road-to-water ≈249 ft. Grading: Minimal on pad; bank stabilization/bulkhead. G

FEMA: X (89%), A (11%); no BFE published. TRWD (ft msl): pool 315 · 100-yr 318 · flood pool 320. Lake 312.33 ft on 25 Oct 2026; 303.6–317.0 since 2000. First Street: check riskfactor.com. D V

SOIL & FOUNDATION

Fine sandy loam topsoil 10–25 cm over dense clay subsoil (41–46% clay) to >1.8 m. Moderately well drained; HSG C/D; slow permeability in clay. Clay subsoil: very high shrink-swell (LEP 7.5–9%) — NRCS "very limited" for dwellings. Restrictive layer: densic shale ≈135 cm (Crockett). No water table within 2 m (NRCS). G **Foundation:** post-tensioned slab to the geotech PVR (or pier-and-beam); no basement. V

SEPTIC (OSSF) & WELL

Clay subsoil (TCEQ Class IV): trenches unsuitable → aerobic + subsurface drip. 5 BR = 360 gpd ÷ 0.1 gpd/sf ≈ **3,600 sf** field; ≈6,352 sf usable after setbacks (75 ft from water) → supports **5–6 bedrooms**. **Under 1 ac: TRWD needs ≥1 ac if platted after 8 Apr 2011, and Navarro Co. sets 1 ac on Class IV clay (variance possible) — confirm.** G V

Well: Not needed (co-op water). If drilled: nearby shallow Midway/Wilcox wells (16–56 ft) are poor; Wilcox domestic/public wells run 160–252 ft — target ≈200–300 ft, cased and grouted, test iron/TDS. D

GARDEN

Raised beds 12–18 in with compost and mulch over the sticky alkaline clay; drip irrigation; lime only if a test shows pH < 6.0. Zone 8b; plant table on page 45. G

SCORE AS LAND TO HOLD

Price vs value 20%	2.0
Water access 20%	8.0
Buildability 20%	5.5
Location & access 15%	7.9
Holding cost 10%	5.1
Resale demand 15%	7.5

STRENGTHS

- Canal waterfront with co-op water and underground power available D
- Flat pad near 329.5 ft at the front; gated amenities and marina G
- Mature trees give privacy along the water D

RISKS & LIMITS

- Asking 1.57× CAD land value ($66,753): weakest value of all 20 lots D
- ≈11% of the lot (canal edge) is mapped FEMA Zone A D
- Bank +15.2 ft in 50 ft (17°); listing tags a steel retaining wall (extent/condition unverified); wooded lot needs clearing G
- 0.53 ac: TRWD 1-acre OSSF plat-date question V
- Next-door Lot 442 also lists a steel retaining wall and asks $10K less; its county land value is 2.3× higher D

CAN THE LOT TAKE IT?

- ✓ **Main house** 2-story 5-BR fits
- ✓ **Garage** 2–3 car attached
- △ **Garden** Raised beds; little space
- ✓ **Dock** TRWD permit
- △ **STR** Zoning + CC&Rs decide
- △ **In-law suite** County ≤40% rule; tight on 0.5 ac
- △ **Septic** TRWD plat-date check; drip only
- ✗ **Hobby farm** A-district use only
- ✓ **Boat access** Direct canal → lake
- △ **Pool / patio** Competes with drip field

5-BEDROOM HOME · PLANNING ESTIMATE

Heated 3,000 sf × $185 (5 BR / 4 BA, site-built)	$555,000
Garage + porches 1,100 sf × $65	$71,500
Engineered slab for expansive clay	$22,500
Aerobic OSSF + drip field (360 gpd)	$26,000
WSC membership, tap & meter	$5,000
Electric service	$5,000
Site work, driveway, clearing	$25,000
Design, survey, permits, TRWD/HOA	$20,000
Total, excl. lot (range $620,000–$876,000)	**$730,000**
Optional: dock / boathouse (TRWD permit)	$35–60K

All-in with lot ≈ **$835,000** · 2026 rural Texas custom rates, ±15–20%; size exceeds HOA minimums.

GET BEFORE BUYING

- FEMA LOMA option for Zone A strip
- Tree survey / clearing quote
- TRWD dock + bulkhead pre-review

+ standard list on page 47

Lot 441 · Waters Edge Dr

Corsicana, TX 75109 · MLS NTREIS 21407991 · APN Navarro CAD 64390

$105,000

0.53 ac · $197,740/ac · 1.57× CAD land value ($66,753)

5.9/10
#15 of 20
Marginal hold



AERIAL VIEW Esri World Imagery ≈0.3 m · lot in orange, neighbours in white



TITLE PICTURE Listing photo · RealEstateStation (NTREIS)



3D FLY-AROUND · CANAL SIDE USGS lidar at true 1:1 + aerial imagery · lot in orange



3D FLY-AROUND · WATER SIDE Same model, looking back toward the road



LISTING PHOTO · SURROUNDINGS RealEstateStation (NTREIS) · outlines, if drawn, are the agent's



LISTING PHOTO · SURROUNDINGS RealEstateStation (NTREIS) · outlines, if drawn, are the agent's

Surroundings. Gated; pool, clubhouse + gym, stocked pond, marina, ramp. Canal waterfront (wooded bank). Canal waterfront · ground 313–331 ft.

About the fly-around views. realtor.com's "Fly Around" plays only inside its listing page and cannot be exported or captured from this workspace. The "3D fly-around" frames are an equivalent built from USGS 1 m lidar and Esri imagery, with the county lot line draped on true-scale terrain. Send your own Fly Around screenshots and they can replace or join these tiles. Photos come from the listing websites named under each picture. Listing: realestatestation.com