

MASS-APP-014-V08 - Organizational Communication & Collaboration Intelligence

Document Control

Field	Value
Document ID	MASS-APP-014-V08
Version	1.0
Status	Production Baseline
Authority	EWO-MASS-APP-014-V08
Date	2026-08-03

1. Purpose

V08 defines the communication-intelligence room that converts authorized organizational context into coordinated communication intent, responsibility, collaboration, and downstream execution handoffs.

V08 does not select relationship recipients, govern consent, create final communication assets, deliver messages, or replace human authority.

2. Responsibility Boundary

Owner	Responsibility
APP-014-V08	Communication objective, context package, responsibility assignment, collaboration record, intelligence recommendation, governed handoff
Relationship Command	Recipient identity, relationship purpose, timing, relationship intelligence
APP-013-V06	Communication content creation and approval
ENG-023 Communications	Communication policy, intent governance, channel coordination
ENG-010 Notification Engine	Transport, retries, delivery status
ENG-009	NOVA, POPS, and AI advisory execution

V08 publishes communication.intelligence.plan.ready, communication.responsibility.assigned, communication.collaboration.completed, and communication.handoff.created. It consumes decision.human.recorded, organizational.memory.preserved, communication.delivery.updated, and relationship.context.updated.

3. Role Mapping

V08 roles extend the APP-014 hierarchy and do not replace it.

V08 role	Baseline	Specialized authority
Communication Owner	Steward, extending V01 Editor	Owns assigned communication-intelligence cases, context, collaboration, responsibility assignments, and eligible handoffs.
Communication Approver	Administrator, mapping to V01 Admin	Approves a defined communication plan or handoff after ENG-004 confirms scope. It does not grant tenant-wide administration.

Viewer, Contributor, Steward, and Administrator retain prior definitions. Assignment narrows rather than expands authority.

4. Architecture and Lifecycle

Lifecycle: Draft -> Context Assembly -> Collaboration -> Ready for Approval -> Approved -> Handed Off -> Feedback Received -> Closed -> Archived.

Inputs are approved decisions, enterprise memory, relationship context, communication policy, intended outcomes, constraints, and urgency. Outputs are communication plans, message briefs, responsibility maps, collaboration evidence, approved handoffs, and feedback

records.

V1 implements explicit cases, human assignments, structured context, asynchronous collaboration, approval gates, and typed handoffs. Future evolution may add communication-pattern recommendations and richer collaboration assistance without changing ownership.

5. Core Capabilities

- Communication framing: define objective, intended outcome, urgency, sensitivity, and success criteria.
- Context preservation: bind decisions, memory, source documents, relationship context, and policy references.
- Responsibility intelligence: identify accountable owner, contributors, reviewers, and downstream owner.
- Collaboration: preserve contributions, disagreements, decisions, and unresolved questions.
- Message briefing: prepare an approved brief for APP-013-V06 without writing final content.
- Channel recommendation: advisory recommendation consumed by ENG-023; never delivery authorization.
- NOVA advisory: enterprise context and consequence analysis through ENG-009.
- POPS advisory: stewardship, responsibility, continuity, and policy analysis through ENG-009.
- Feedback learning: preserve verified delivery and response outcomes through V02.

6. Collaboration Model

CollaborationThread is bound to one case. Contributions are append-only and identify author, role, source references, position, and timestamp. A Resolution records the human-approved conclusion and dissent.

No AI participant may close a thread, approve a plan, assign itself responsibility, or create a delivery instruction. NOVA and POPS remain advisory request types.

7. Handoff Contracts

Content handoff to APP-013-V06 contains objective, audience class reference, context, constraints, required sections, tone guidance, legal notes, approvers, and source citations.

Governance handoff to ENG-023 contains approved content reference, intended channel, relationship-purpose reference, policy context, urgency, and authorization record.

Delivery remains outside V08. Delivery feedback is read-only and may update case outcomes.

8. Security

- All entities contain tenant_id and use RLS.
- Child records use composite tenant foreign keys.
- Recipient identifiers are references owned by Relationship Command.
- Context access cannot exceed the most restrictive source.
- Approval decisions and collaboration resolutions are immutable.
- Self-approval is prohibited.
- Cross-tenant collaboration and learning are prohibited.

9. Data Model

Entity	Purpose
CommunicationCase	Stable intelligence container
CommunicationObjective	Revised objective and outcome
CommunicationContext	Authorized context package
ContextReference	Read-only source reference

Entity	Purpose
ResponsibilityAssignment	Accountable and contributing roles
CommunicationPlan	Governed coordination plan
MessageBrief	APP-013-V06 content brief
CollaborationThread	Case discussion boundary
CollaborationContribution	Append-only participant contribution
CollaborationResolution	Immutable human resolution
CommunicationApproval	Immutable approval decision
CommunicationHandoff	Idempotent downstream handoff
CommunicationFeedback	Verified downstream outcome

10. API Inventory

Method	Route	Purpose
GET, POST	/communication-cases	List or create cases
GET, PATCH	/communication-cases/{id}	Retrieve or edit case
POST	/communication-cases/{id}/archive	Archive case
GET, POST	/communication-cases/{id}/objectives	List or revise objective
GET, POST	/communication-cases/{id}/contexts	List or create context
GET, POST	/communication-cases/{id}/responsibilities	List or assign responsibility
GET, POST	/communication-cases/{id}/plans	List or create plan
GET, POST	/communication-cases/{id}/briefs	List or create message brief
GET, POST	/communication-cases/{id}/threads	List or create threads
POST	/threads/{id}/contributions	Add contribution
POST	/threads/{id}/resolve	Record human resolution
POST	/communication-cases/{id}/nova-advisory	Request NOVA
POST	/communication-cases/{id}/pops-advisory	Request POPS
POST	/communication-cases/{id}/approve	Record approval
POST	/communication-cases/{id}/handoffs/content	Hand off to APP-013-V06
POST	/communication-cases/{id}/handoffs/governance	Hand off to ENG-023
GET	/communication-cases/{id}/feedback	Retrieve downstream feedback
POST	/communication-cases/{id}/close	Close case

Mutations require idempotency keys. Failed handoffs preserve approved case state for retry.

11. Folder Structure

V08 adds communication-cases, context, responsibilities, plans, briefs, collaboration, approvals, handoffs, and feedback. Gateways alone call Relationship Command, APP-013-V06, ENG-023, ENG-010, ENG-009, and V02.

12. Migration Reference

MASS-APP-014-V08_Migration_Reference.sql defines all tables, columns, foreign keys, indexes, constraints, triggers, and RLS policies. It is the implementation contract for V08 migrations.

13. Failure Behavior

Inaccessible context is rejected. Missing responsibility blocks approval. Conflicting contributions remain visible. Unauthorized approval is rejected. Downstream unavailability leaves an idempotent pending handoff. Delivery failure never rewrites the approved plan.

14. Constitutional Boundary Statement

V08 coordinates communication intelligence and collaboration. It does not own relationships, recipients, consent, final content, communication policy, transport, or delivery. Those responsibilities remain with their constitutional and engineering owners.