
Hadronic Dark Matter Searches at CMS at $\sqrt{s} = 13 \text{ TeV}$

Searches for semi-visible jets and invisibly decaying Higgs bosons

By

ESHWEN BHAL



School of Physics
UNIVERSITY OF BRISTOL

A dissertation submitted to the University of Bristol in
accordance with the requirements for award of the degree
of DOCTOR OF PHILOSOPHY in the Faculty of Science.

APRIL 2020

Word count: number in words

ABSTRACT

Here goes the abstract

DEDICATION AND ACKNOWLEDGEMENTS

This work is dedicated to my grandfather, Dato' Mahindar Singh Bhal, who was able to begin this journey with me but sadly unable to finish it.

There are far too many people and too little space to individually thank everyone who has accompanied me during this PhD, but I'll try my best.

Firstly, to my supervisor, Dr. Henning Flächer. Your advice and guidance over the course of this degree has been instrumental to achieving it, as well as encouraging my growth as a researcher.

Secondly, to all my colleagues at the University of Bristol. Very little would have been achieved without your help. From scientific discussions in the pub to pub discussions in the physics building, they have all been fruitful either directly or by helping me detach from work. Special thanks are in order to Simone and Sam Maddrell-Mander in my cohort, who have put up with my complaining during the stressful times.

To my friends from Monmouth that include my best friends in the world, Mike, James, Sneddon, (Mini) Sam, Matt Bristow, and Sean. You've been on this adventure with me since our school days and had my back the entire time. We've been through the highest, lowest, and most hilarious times together. I can definitely say I would not be the person I am today without you.

To my friends from LTA and those based at CERN, especially Matt Heath, Dwayne and Vukasin. You became my second family while I was in Geneva. I'll miss the skiing, trips into the city, games, and general banter.

To my undergraduate cohort from Exeter. Though our meet ups are rare, I always look forward to our group holidays and hope they continue far into the future.

Lorenza Iacobuzio, you get a special mention. While we weren't especially close until recently, you've been my sage, partner in food, and exceptional friend when I've needed it the most.

Finally, and most importantly, my family deserve my thanks. You have been there for me since the very beginning supporting me through school, undergrad, PhD, and every other endeavour. To my grandparents, uncles, aunties, and cousins, my siblings Joe, Lydia, Sitara, and Arjen, my stepmum Nadia, and my cat Pixie, I am sincerely grateful to have you in my lives. But above all else, to my mum Meeta and dad Kiron, I could not have done any of this without you and as such, you have my deepest and most heartfelt love and gratitude.

AUTHOR'S DECLARATION

I declare that the work in this dissertation was carried out in accordance with the requirements of the University's *Regulations and Code of Practice for Research Degree Programmes* and that it has not been submitted for any other academic award. Except where indicated by specific reference in the text, the work is the candidate's own work. Work done in collaboration with, or with the assistance of, others, is indicated as such. Any views expressed in the dissertation are those of the author.

SIGNED:

DATE:

TABLE OF CONTENTS

	Page
List of Figures	ix
List of Tables	xi
1 Introduction	1
1.1 Section	1
1.1.1 Subsection	2
2 Theory	5
2.1 The Standard Model	6
2.2 Limitations of the Standard Model	6
2.3 Dark matter	6
2.3.1 Measuring the branching ratio for the invisible decays of the Higgs boson	6
2.3.2 Searches for semi-visible jets	6
3 The LHC and the CMS experiment	7
3.1 The Large Hadron Collider	7
3.2 The CMS experiment	7
3.2.1 Jet energy corrections in the Level-1 Trigger	7
4 Combined search for the invisible decay of the Higgs boson in hadronic channels	9
4.1 Analysis overview	10
4.1.1 Hadronic production modes of the Higgs boson	10
4.2 Data and simulation	11
4.3 Triggers	11
4.4 Categorisation of the non-VBF production modes	11
4.5 Background estimation	11

TABLE OF CONTENTS

4.5.1	Control regions	11
4.5.2	Background estimation methods	11
5	Search for dark matter through the production of semi-visible jets	13
5.1	Analysis overview	14
5.2	Data and simulation	14
5.2.1	Generating signal samples in PYTHIA	14
5.2.2	Generating signal samples in MADGRAPH	14
5.2.3	Triggers	14
5.3	Background estimation	14
6	Conclusions	15
A	Appendix A	17
	Bibliography	19
	Glossary	21
	Acronyms	23

LIST OF FIGURES

FIGURE	Page
4.1 The Feynman diagrams for the four main hadronic production modes of the Higgs boson.	10

LIST OF TABLES

TABLE	Page
-------	------

INTRODUCTION

The universe, in all its vastness, structure, natural laws and chaos, is comprised of only three principal components: visible matter, the ingredients of stars, planets and life, is the only one we interact with on a regular basis; dark energy, a force or manifestation of something even more mysterious, responsible for the accelerating expansion of the universe, is almost entirely unknown; and dark matter, a substance invisible in all sense of the word, that binds galaxy together and influences large scale structure in the cosmos, is the topic of this thesis.

- Describe dark matter. If the main talking points regarding motivation, evidence for its existence, etc. will be discussed in theory chapter, then only briefly describe here.
- Briefly outline particle accelerators and their function, the fact that we can use them to potentially discover dark matter or infer more of its properties, and the models that will be discussed in more detail to try and achieve this outcome.
- The introduction probably doesn't need to be too long, maybe only a few pages. Compare length with other people's theses (ask Ben Krikler for a copy of his, look at Alex's and Lana's).

1.1 Section

Begins a section.

1.1.1 Subsection

Begins a subsection.

Here is some text, just to check how it's displayed. blah blah blah blah blah blah
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah
blah

Doing the same to check both sides of the paper (for when it's bound).

Also testing glossaries: pileup, Large Hadron Collider, LHC, Large Hadron Collider (LHC).

Also testing references: [6] (article), [8] (book), [7] (inproceedings), [4] (techreport).

Testing numbers: 1234567890 (normal), 1234567890 (math), 1234567890 (from siunitx).

Testing alphabet: The quick brown fox jumps over the lazy dog

Testing math characters compared to normal text: b -tag, b -tag, b -tag, $bbbbbb$, $cccccc$.

Testing equations: $^{1/2}\rho\Delta\phi\mathcal{L}$ (inline)

$$(1.1) \quad B(P) = \frac{\mu_0}{4\pi} \int \frac{I \times \hat{r}}{\bar{r}^2} dr \text{ (equation environment)}$$

Testing symbols/macros: eV, MeV, GeV, TeV, p_T , p_T^{miss} , E_T^{miss} , H_T , H_T^{miss} , M_T , α_{dark} , r_{inv} , m_χ , $\mu\mu + \text{jets}$, $m_{\ell\ell}$, α_T , $t\bar{t} + \text{jets}$, $W(\rightarrow \ell\nu) + \text{jets}$, $\tilde{\chi}_1^0$.

This is the theory chapter.

- Give an overview of the fundamental forces and particles.
- Discuss the Standard Model in detail, emphasising certain aspects as they relate to dark matter and the Higgs field (and boson).
- Discuss dark matter: motivation, evidence for its existence (and why it can't be neutrinos/dead stars/interstellar debris, etc.), detection methods and how we can probe it at the LHC (production). Should most of this stuff go in the introduction instead?
- Discuss the theory behind combined Higgs to inv.: only SM process in which Higgs decays invisibly is $H \rightarrow ZZ \rightarrow 4\nu$ with branching ratio of 0.1 % [5], whilst the current observed experimental limit is 19 % from CMS [9] and 26 % from ATLAS [1]. If new, invisible particles couple to Higgs, branching ratio will be enhanced. Constraining \mathcal{B} can also exclude some dark matter models.
- Discuss the theory behind the semi-visible jets analysis (main sources from Refs. [2, 3]): strongly interacting dark sector in Hidden Valley scenario with a portal to the visible sector. Mentioning dark quarks, dark confinement scale, dark hadronisation and decay, running coupling, etc.
- Explain some of the phenomenological/experimental event characteristics that overlap with both analyses, i.e., what a jet is, and maybe energy sums like p_T^{miss} , H_T , H_T^{miss} , etc.

2.1 The Standard Model

2.2 Limitations of the Standard Model

2.3 Dark matter

2.3.1 Measuring the branching ratio for the invisible decays of the Higgs boson

2.3.2 Searches for semi-visible jets

THE LHC AND THE CMS EXPERIMENT

This is the detector chapter.

- Explain CERN and the LHC in more detail.
- Give an overview of the CMS experiment and detector (including all subsystems, object identification, algorithms for event/object reconstruction like Particle Flow and anti- k_T algorithm, and algorithms for tagging objects like b -jets).
- Either as a subsection in this chapter or in a separate chapter, discuss the Level-1 Trigger in depth. Emphasise the jet and energy sum triggers as I've worked on them, and Calorimeter Layer-2 for the same reason.

3.1 The Large Hadron Collider

3.2 The CMS experiment

3.2.1 Jet energy corrections in the Level-1 Trigger

COMBINED SEARCH FOR THE INVISIBLE DECAY OF THE HIGGS BOSON IN HADRONIC CHANNELS

This is the analysis chapter on $H \rightarrow \text{inv.}$.
Discuss how the theoretical aspects from the Theory chapter translate into an experimental search.

- Discuss the necessity of including all production modes of Higgs (invisible final state, so characterise events based on initial/additional particles). Also mention how sensitive each production mode is at contributing to the branching ratio limit. Emphasise the non-VBF modes (ggF , ttH , $VH - W^+H$, W^-H , ZH) in this chapter as that's what I've been working on and another student will be covering VBF.
- Talk about what makes this analysis unique: doing a combination over all production modes from the start instead of separate analyses combined at the end. Means we can share samples, systematics, background methods and workflows, build in orthogonality between the different modes and cover as much phase space as possible (with new final states such as boosted Z bosons with unresolved subjects). This makes the analysis much more cohesive and consistent.
- Include object definitions, overall analysis strategy, triggers, signal production (with each non-VBF mode in detail), event selection, background estimation and results/limit (including comparisons to previous results).
- Emphasise my contributions: control region construction and studies, background estimation, and other studies I will have conducted by the time I write up.

- Current material: no public plots as of yet. Hope to finish analysis by the time I begin writing up. We are preparing a CMS internal analysis note, documenting all aspects of the analysis. I will add all relevant information there which I can subsequently use when writing this chapter.

4.1 Analysis overview

4.1.1 Hadronic production modes of the Higgs boson




Figure 4.1: The Feynman diagrams for the four main hadronic production modes of the Higgs boson.

4.2 Data and simulation

4.3 Triggers

4.4 Categorisation of the non-VBF production modes

4.5 Background estimation

4.5.1 Control regions

4.5.2 Background estimation methods

SEARCH FOR DARK MATTER THROUGH THE PRODUCTION OF SEMI-VISIBLE JETS

This is the analysis chapter on semi-visible jets.

- Discuss how the theoretical aspects from the Theory chapter translate into an experimental search.
- Include object definitions, triggers, overall analysis strategy, signal production, event selection, background estimation and results/limit (including comparisons to similar searches – monojet/dijet exotic searches).
- Emphasise my contributions: s - and t -channel signal model production and understanding. Angular variable study for QCD background rejection (if used).
- Current material: no public plots as of yet. Hope to finish s -channel analysis soon (see previous section for caveats regarding inclusion), no timeline on t -channel analysis.

5.1 Analysis overview

5.2 Data and simulation

5.2.1 Generating signal samples in PYTHIA

5.2.2 Generating signal samples in MADGRAPH

5.2.3 Triggers

5.3 Background estimation

CONCLUSIONS

This is the conclusion.

- Include a summary of thesis and work done over the course of my PhD with emphasis on the most important results/contributions.
- Mention the direction the semi-visible jet and Higgs to invisible analyses can take (sharing ideas/strategies I have, potential improvements with more LHC data and future prospects from potential future experiments).

APPENDIX



APPENDIX A

Begins an appendix

BIBLIOGRAPHY

- [1] M. AABOUD ET AL., *Combination of searches for invisible Higgs boson decays with the ATLAS experiment*, Submitted to: Phys. Rev. Lett., (2019).
- [2] T. COHEN, M. LISANTI, AND H. K. LOU, *Semi-visible Jets: Dark Matter Undercover at the LHC*, Phys. Rev. Lett., 115 (2015), p. 171804.
- [3] T. COHEN, M. LISANTI, H. K. LOU, AND S. MISHRA-SHARMA, *LHC Searches for Dark Sector Showers*, JHEP, 11 (2017), p. 196.
- [4] C. COLLABORATION, *Search for new physics in final states with jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the α_T variable*, Tech. Rep. CMS-PAS-SUS-15-005, CERN, Geneva, 2015.
- [5] S. HEINEMEYER ET AL., *Handbook of LHC Higgs Cross Sections: 3. Higgs Properties: Report of the LHC Higgs Cross Section Working Group*, CERN Yellow Reports: Monographs, 07 2013.
- [6] V. KHACHATRYAN ET AL., *A search for new phenomena in pp collisions at $\sqrt{s} = 13$ TeV in final states with missing transverse momentum and at least one jet using the α_T variable*, Eur. Phys. J., C77 (2017), p. 294.
- [7] M. LISANTI, *Lectures on Dark Matter Physics*, in Proceedings, Theoretical Advanced Study Institute in Elementary Particle Physics: New Frontiers in Fields and Strings (TASI 2015): Boulder, CO, USA, June 1-26, 2015, 2017, pp. 399–446.
- [8] L. OKUN, ed., *Leptons and Quarks*, North-Holland Personal Library, Elsevier, Amsterdam, 1984.
- [9] A. M. SIRUNYAN ET AL., *Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV*, (2018).

GLOSSARY

anti- k_T algorithm .

.

semi-visible jet A shower of Standard Model and dark hadrons from the decay of a leptophobic Z' or Φ mediator that couples the hidden sector to the standard model.

ACRONYMS

ATLAS A Toroidal LHC ApparatuS.

CERN Organisation Européenne pour la Recherche Nucléaire/European Organisation for Nuclear Research.

CMS Compact Muon Solenoid.

LHC Large Hadron Collider.

QCD Quantum Chromodynamics.

SM Standard Model.

VBF vector boson fusion.

