

---

---

# Hadronic Dark Matter Searches at CMS at $\sqrt{s} = 13 \text{ TeV}$

*Subtitle*

---

---

By

ESHWEN BHAL



School of Physics  
UNIVERSITY OF BRISTOL

A dissertation submitted to the University of Bristol in  
accordance with the requirements for award of the degree  
of DOCTOR OF PHILOSOPHY in the Faculty of Science.

APRIL 2020

Word count: number in words



## ABSTRACT

Here goes the abstract



## DEDICATION AND ACKNOWLEDGEMENTS

Here goes the dedication.



## AUTHOR'S DECLARATION

I declare that the work in this dissertation was carried out in accordance with the requirements of the University's *Regulations and Code of Practice for Research Degree Programmes* and that it has not been submitted for any other academic award. Except where indicated by specific reference in the text, the work is the candidate's own work. Work done in collaboration with, or with the assistance of, others, is indicated as such. Any views expressed in the dissertation are those of the author.

SIGNED: .....

DATE: .....





## TABLE OF CONTENTS

|   | Page      |
|---|-----------|
| <b>List of Figures</b>  | <b>ix</b> |
| <b>List of Tables</b>   | <b>xi</b> |
| <b>1 Introduction</b>   | <b>1</b>  |
| 1.1 Section . . . . .   | 1         |
| 1.1.1 Subsection . . . . .  | 2         |
| <b>2 Theory</b>   | <b>5</b>  |
| 2.1 The Standard Model . . . . .  | 6         |
| 2.2 Limitations of the Standard Model . . . . .   | 6         |
| 2.3 Dark matter . . . . .   | 6         |
| 2.3.1 Measuring the branching ratio for the invisible decays of the Higgs boson . . . . . | 6         |
| 2.3.2 Searches for semi-visible jets . . . . .  | 6         |
| <b>3 The LHC and the CMS experiment</b>   | <b>7</b>  |
| 3.1 The Large Hadron Collider . . . . .   | 7         |
| 3.2 The CMS experiment . . . . .  | 7         |
| 3.2.1 Jet energy corrections in the Level-1 Trigger . . . . .                             | 7         |
| <b>4 Combined search for the invisible decay of the Higgs boson in hadronic channels</b>  | <b>9</b>  |
| 4.1 Analysis overview . . . . .   | 10        |
| 4.1.1 Hadronic production modes of the Higgs boson . . . . .                              | 10        |
| 4.2 Data and simulation . . . . .   | 11        |
| 4.3 Triggers . . . . .  | 11        |
| 4.4 Categorisation of the non-VBF production modes . . . . .                              | 11        |
| 4.5 Background estimation . . . . .   | 11        |

## TABLE OF CONTENTS

---

|          |   |           |
|----------|---|-----------|
| 4.5.1    | Control regions . . . . .   | 11        |
| 4.5.2    | Background estimation methods . . . . .                                   | 11        |
| <b>5</b> | <b>Search for dark matter through the production of semi-visible jets</b> | <b>13</b> |
| 5.1      | Analysis overview . . . . .   | 14        |
| 5.2      | Data and simulation . . . . .   | 14        |
| 5.2.1    | Generating signal samples in PYTHIA . . . . .                             | 14        |
| 5.2.2    | Generating signal samples in MADGRAPH . . . . .                           | 14        |
| 5.2.3    | Triggers . . . . .  | 14        |
| 5.3      | Background estimation . . . . .   | 14        |
| <b>6</b> | <b>Conclusions</b>  | <b>15</b> |
| <b>A</b> | <b>Appendix A</b>   | <b>17</b> |
|          | <b>Bibliography</b>   | <b>19</b> |
|          | <b>Glossary</b>   | <b>21</b> |
|          | <b>Acronyms</b>   | <b>23</b> |

## LIST OF FIGURES

| FIGURE   | Page |
|--|------|
| 4.1 The Feynman diagrams for the four main hadronic production modes of the Higgs boson. . . . . | 10   |



## LIST OF TABLES

| TABLE | Page |
|-------|------|
|-------|------|



## INTRODUCTION

The universe, in all its vastness, structure, natural laws and chaos, is comprised of only three principal components: visible matter, the ingredients of stars, planets and life, is the only one we interact with on a regular basis; dark energy, a force or manifestation of something even more mysterious, responsible for the accelerating expansion of the universe, is almost entirely unknown; and dark matter, a substance invisible in all sense of the word, that binds galaxy together and influences large scale structure in the cosmos, is the topic of this thesis.

- Describe dark matter. If the main talking points regarding motivation, evidence for its existence, etc. will be discussed in theory chapter, then only briefly describe here.
- Briefly outline particle accelerators and their function, the fact that we can use them to potentially discover dark matter or infer more of its properties, and the models that will be discussed in more detail to try and achieve this outcome.
- The introduction probably doesn't need to be too long, maybe only a few pages. Compare length with other people's theses (ask Ben Krikler for a copy of his, look at Alex's and Lana's).

## 1.1 Section

Begins a section.

### **1.1.1 Subsection**

Begins a subsection.



Here is some text, just to check how it's displayed. blah blah blah blah blah blah  
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah  
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah  
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah  
blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah blah  
blah

Doing the same to check both sides of the paper (for when it's bound).

Also testing glossaries: latex, Large Hadron Collider, LHC, Large Hadron Collider (LHC).

Also testing references: [6] (article), [8] (book), [7] (inproceedings), [4] (techreport).

Testing numbers: 1234567890 (normal), 1234567890 (math), 1234567890 (from siunitx).

Testing alphabet: The quick brown fox jumps over the lazy dog

Testing math characters compared to normal text:  $b$ -tag,  $b$ -tag,  $b$ -tag,  $bbbbbb$ ,  $cccccc$ .

Testing equations:  $^{1/2}\rho\Delta\phi\mathcal{L}$  (inline)

$$(1.1) \quad B(P) = \frac{\mu_0}{4\pi} \int \frac{I \times \hat{r}}{\bar{r}^2} dr \text{ (equation environment)}$$

Testing symbols/macros: eV, MeV, GeV, TeV,  $p_T$ ,  $p_T^{\text{miss}}$ ,  $E_T^{\text{miss}}$ ,  $H_T$ ,  $H_T^{\text{miss}}$ ,  $M_T$ ,  $\alpha_{\text{dark}}$ ,  $r_{\text{inv}}$ ,  $m_\chi$ ,  $\mu\mu + \text{jets}$ ,  $m_{\ell\ell}$ ,  $\alpha_T$ ,  $t\bar{t} + \text{jets}$ ,  $W(\rightarrow \ell\nu) + \text{jets}$ ,  $\tilde{\chi}_1^0$ .

This is the theory chapter.

- Give an overview of the fundamental forces and particles.
- Discuss the Standard Model in detail, emphasising certain aspects as they relate to dark matter and the Higgs field (and boson).
- Discuss dark matter: motivation, evidence for its existence (and why it can't be neutrinos/dead stars/interstellar debris, etc.), detection methods and how we can probe it at the LHC (production). Should most of this stuff go in the introduction instead?
- Discuss the theory behind combined Higgs to inv.: only SM process in which Higgs decays invisibly is  $H \rightarrow ZZ \rightarrow 4\nu$  with branching ratio of 0.1 % [5], whilst the current observed experimental limit is 19 % from CMS [9] and 26 % from ATLAS [1]. If new, invisible particles couple to Higgs, branching ratio will be enhanced. Constraining  $\mathcal{B}$  can also exclude some dark matter models.
- Discuss the theory behind the semi-visible jets analysis (main sources from Refs. [2, 3]): strongly interacting dark sector in Hidden Valley scenario with a portal to the visible sector. Mentioning dark quarks, dark confinement scale, dark hadronisation and decay, running coupling, etc.
- Explain some of the phenomenological/experimental event characteristics that overlap with both analyses, i.e., what a jet is, and maybe energy sums like  $p_T^{\text{miss}}$ ,  $H_T$ ,  $H_T^{\text{miss}}$ , etc.

## **2.1 The Standard Model**

## **2.2 Limitations of the Standard Model**

## **2.3 Dark matter**

### **2.3.1 Measuring the branching ratio for the invisible decays of the Higgs boson**

### **2.3.2 Searches for semi-visible jets**

## THE LHC AND THE CMS EXPERIMENT

This is the detector chapter.

- Explain CERN and the LHC in more detail.
- Give an overview of the CMS experiment and detector (including all subsystems, object identification, algorithms for event/object reconstruction like Particle Flow and anti- $k_T$  algorithm, and algorithms for tagging objects like  $b$ -jets).
- Either as a subsection in this chapter or in a separate chapter, discuss the Level-1 Trigger in depth. Emphasise the jet and energy sum triggers as I've worked on them, and Calorimeter Layer-2 for the same reason.

## 3.1 The Large Hadron Collider

## 3.2 The CMS experiment

### 3.2.1 Jet energy corrections in the Level-1 Trigger



## COMBINED SEARCH FOR THE INVISIBLE DECAY OF THE HIGGS BOSON IN HADRONIC CHANNELS

This is the analysis chapter on  $H \rightarrow \text{inv.}$ .  
Discuss how the theoretical aspects from the Theory chapter translate into an experimental search.

- Discuss the necessity of including all production modes of Higgs (invisible final state, so characterise events based on initial/additional particles). Also mention how sensitive each production mode is at contributing to the branching ratio limit. Emphasise the non-VBF modes ( $ggF$ ,  $ttH$ ,  $VH - W^+H$ ,  $W^-H$ ,  $ZH$ ) in this chapter as that's what I've been working on and another student will be covering VBF.
- Talk about what makes this analysis unique: doing a combination over all production modes from the start instead of separate analyses combined at the end. Means we can share samples, systematics, background methods and workflows, build in orthogonality between the different modes and cover as much phase space as possible (with new final states such as boosted  $Z$  bosons with unresolved subjects). This makes the analysis much more cohesive and consistent.
- Include object definitions, overall analysis strategy, triggers, signal production (with each non-VBF mode in detail), event selection, background estimation and results/limit (including comparisons to previous results).
- Emphasise my contributions: control region construction and studies, background estimation, and other studies I will have conducted by the time I write up.

- Current material: no public plots as of yet. Hope to finish analysis by the time I begin writing up. We are preparing a CMS internal analysis note, documenting all aspects of the analysis. I will add all relevant information there which I can subsequently use when writing this chapter.

## 4.1 Analysis overview

### 4.1.1 Hadronic production modes of the Higgs boson




Figure 4.1: The Feynman diagrams for the four main hadronic production modes of the Higgs boson.



## 4.2 Data and simulation

### 4.3 Triggers

### 4.4 Categorisation of the non-VBF production modes

### 4.5 Background estimation

#### 4.5.1 Control regions

#### 4.5.2 Background estimation methods



## SEARCH FOR DARK MATTER THROUGH THE PRODUCTION OF SEMI-VISIBLE JETS

This is the analysis chapter on semi-visible jets.

- Discuss how the theoretical aspects from the Theory chapter translate into an experimental search.
- Include object definitions, triggers, overall analysis strategy, signal production, event selection, background estimation and results/limit (including comparisons to similar searches – monojet/dijet exotic searches).
- Emphasise my contributions:  $s$ - and  $t$ -channel signal model production and understanding. Angular variable study for QCD background rejection (if used).
- Current material: no public plots as of yet. Hope to finish  $s$ -channel analysis soon (see previous section for caveats regarding inclusion), no timeline on  $t$ -channel analysis.

## 5.1 Analysis overview

## 5.2 Data and simulation

### 5.2.1 Generating signal samples in PYTHIA

### 5.2.2 Generating signal samples in MADGRAPH

### 5.2.3 Triggers

## 5.3 Background estimation

## CONCLUSIONS

This is the conclusion.

- Include a summary of thesis and work done over the course of my PhD with emphasis on the most important results/contributions.
- Mention the direction the semi-visible jet and Higgs to invisible analyses can take (sharing ideas/strategies I have, potential improvements with more LHC data and future prospects from potential future experiments).



APPENDIX



## APPENDIX A

Begins an appendix





## BIBLIOGRAPHY

- [1] M. AABOUD ET AL., *Combination of searches for invisible Higgs boson decays with the ATLAS experiment*, Submitted to: Phys. Rev. Lett., (2019).
- [2] T. COHEN, M. LISANTI, AND H. K. LOU, *Semi-visible Jets: Dark Matter Undercover at the LHC*, Phys. Rev. Lett., 115 (2015), p. 171804.
- [3] T. COHEN, M. LISANTI, H. K. LOU, AND S. MISHRA-SHARMA, *LHC Searches for Dark Sector Showers*, JHEP, 11 (2017), p. 196.
- [4] C. COLLABORATION, *Search for new physics in final states with jets and missing transverse momentum in  $\sqrt{s} = 13$  TeV pp collisions with the  $\alpha_T$  variable*, Tech. Rep. CMS-PAS-SUS-15-005, CERN, Geneva, 2015.
- [5] S. HEINEMEYER ET AL., *Handbook of LHC Higgs Cross Sections: 3. Higgs Properties: Report of the LHC Higgs Cross Section Working Group*, CERN Yellow Reports: Monographs, 07 2013.
- [6] V. KHACHATRYAN ET AL., *A search for new phenomena in pp collisions at  $\sqrt{s} = 13$  TeV in final states with missing transverse momentum and at least one jet using the  $\alpha_T$  variable*, Eur. Phys. J., C77 (2017), p. 294.
- [7] M. LISANTI, *Lectures on Dark Matter Physics*, in Proceedings, Theoretical Advanced Study Institute in Elementary Particle Physics: New Frontiers in Fields and Strings (TASI 2015): Boulder, CO, USA, June 1-26, 2015, 2017, pp. 399–446.
- [8] L. OKUN, ed., *Leptons and Quarks*, North-Holland Personal Library, Elsevier, Amsterdam, 1984.
- [9] A. M. SIRUNYAN ET AL., *Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at  $\sqrt{s} = 13$  TeV*, (2018).



## GLOSSARY

***b*-jet** .

**anti- $k_T$  algorithm** .

**latex** Is a mark up language specially suited for scientific documents.

**semi-visible jet** A shower of Standard Model and dark hadrons.



## ACRONYMS

**ATLAS** A Toroidal LHC ApparatuS.

**CERN** Organisation Européenne pour la Recherche Nucléaire/European Organisation for Nuclear Research.

**CMS** Compact Muon Solenoid.

**LHC** Large Hadron Collider.

**QCD** Quantum Chromodynamics.

**SM** Standard Model.

**VBF** vector boson fusion.

